

Pond Dynamics/Aquaculture  
Collaborative Research  
Data Reports

Volume Four, Number Two  
Philippines Project

Cycle II of the  
CRSP Global Experiment



Pond Dynamics/Aquaculture CRSP  
Program Management Office  
Office of International Research and  
Development  
Oregon State University  
Snell Hall 400  
Corvallis, OR 97331-1641

# **POND DYNAMICS/AQUACULTURE COLLABORATIVE RESEARCH DATA REPORTS**

**Volume Four, Number Two.  
Philippines: Cycle II of The Global Experiment**

June 28, 1991

Compiled from Reports by  
Kent E. Carpenter, James Woessner,  
Romeo D. Fortes, Arlo Fast, and Phil Helfrich



Edited by James Szyper  
Jim Bowman  
Hillary S. Egna

Pond Dynamics/Aquaculture  
Collaborative Research Support Program  
Office of International Research and Development  
Snell Hall 400  
Oregon State University  
Corvallis, Oregon 97331-1641

In collaboration with the University of Hawaii and the  
University of the Philippines in the Visayas

## **DISCLAIMER**

*The contents of this document do not necessarily represent an official position or policy of the U.S. Agency for International Development. Also, the mention of trade names or commercial products in this report does not constitute an endorsement or recommendation for use on the part of the U.S. Agency for International Development or the Pond Dynamics/Aquaculture Collaborative Research Support Program.*

## **ACKNOWLEDGEMENT**

*Primary funding for the activities of the Pond Dynamics/Aquaculture Collaborative Research Support Program has been provided by the United States Agency for International Development under grant numbers DAN-4023-G-SS-2074-00, DAN-4023-G-SS-7066-00, and DAN-4023-G-00-0031-00.*

## **TABLE OF CONTENTS**

	<u>page</u>
FOREWORD.....	v
INTRODUCTION.....	1
MATERIALS AND METHODS.....	1
RESULTS AND DISCUSSION .....	3
LITERATURE CITED .....	7
TABLES .....	9
FIGURES.....	14
APPENDIX A: Departures from Protocol .....	17
APPENDIX B: Complete set of data from Cycle II of the Pond Dynamics/Aquaculture CRSP in Iloilo, Philippines.....	19

## LIST OF TABLES

	<u>page</u>
Table 1. Means of selected water parameters during the 151-day culture of <i>O. niloticus</i> .....	9
Table 2. Means of selected chemical parameters of the various treatments .....	10
Table 3. Averages of selected parameters of the sediments of the various treatments .....	11
Table 4. Averages of variables significantly different among treatments in a two-way analysis of variance.....	11
Table 5. Water quality parameters and growth of shrimp .....	12
Table 6. Indicator variables for shrimp growth during the wet season.....	12
Table 7. Average weight, survival, and total production per treatment in the wet season trial .....	13

## LIST OF FIGURES

	<u>page</u>
Figure 1. Average rainfall per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.....	14
Figure 2. Average solar radiation per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.....	14
Figure 3. Average wind speed per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.....	15
Figure 4. Average minimum air temperature per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.....	15
Figure 5. Average maximum air temperature per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.....	16

## **FOREWORD**

The Pond Dynamics/Aquaculture Collaborative Research Support Program (PD/A CRSP) represents an international community of researchers and institutions dedicated to strengthening health and nutrition in developing countries by improving the efficiency of pond aquaculture systems. It is one of several agricultural CRSPs supported by the U.S. Agency for International Development under the authority of Title XII of the International Development and Food Assistance Act of 1975.

The "Global Experiment" in Pond Dynamics/Aquaculture is the major CRSP research activity, covering the period from 1982 to 1987. The Global Experiment was designed to quantitatively describe the physical, chemical and biological principles of pond culture systems. The information gained from the Global Experiment will be used to improve production technologies and develop quantitative production functions to facilitate rigorous economic analyses of aquaculture systems.

Standardization is a key element of the Global Experiment. Standardization permits the comparison of data from diverse geographic locations. The experimental design involves monitoring specified environmental and fish production variables in accordance with standardized work plans in twelve or more ponds at each of seven geographical locations. The variables observed, frequency of observation, and materials and methods are uniform for all locations. The field data are filed in a centralized data base, called the CRSP Central Data Base. Statistical methods will be used to test hypotheses about correlations between variables and to evaluate the sources of variance within ponds, between ponds within locations, and between locations.

The CRSP Central Data Base will be used to develop predictive models of the processes occurring in pond culture systems. The models will be used to provide guidance for ongoing and future research, to predict the performance of existing and proposed pond systems subject to specific inputs and constraints, and to improve the operation and efficiency of pond culture systems.

The Global Experiment includes three cycles of experiments. Each cycle consists of two series of observations, one during the dry season and one during the wet season. The objective of the first cycle is to create a detailed baseline of chemical, physical, and biological data on all ponds treated with a standard level of inorganic fertilizer. In the second experimental cycle, ponds treated with inorganic fertilizer are compared to ponds treated with organic fertilizer. In the third cycle, the responses of ponds to different levels of organic fertilizer are compared.

The goal of the Pond Dynamics/Aquaculture Collaborative Research Data Reports (referred to as Data Reports) is to record the CRSP Central Data Base and to present interpretations of site specific results. The Pond Dynamics/Aquaculture CRSP has conducted the Global Experiment at seven project sites in six developing countries: Thailand, Indonesia, the Philippines, Panama, Honduras, and Rwanda. The first volume of these reports provides descriptive information for each CRSP site. It presents the physical characteristics of each site, including a geographical sketch, climatology, and water and soil analyses. Experimental cycles are described in CRSP Work Plans One to Three, which are summarized in the first volume.

Volume One will serve as the reference volume for the entire report series. Subsequent volumes will focus on each site separately. Each Data Report will include one cycle (wet and dry seasons) of the Pond Dynamics/Aquaculture CRSP Global Experiment. Therefore, with few exceptions, each project site will have three Data Reports devoted to it, representing the results of the three cycles of the Global Experiment. In addition to the hard copy of experimental data published as a part of each Data Report, data are also available from the PD/A CRSP in electronic form (on diskette) for computer analysis. Cycle II of the Global Experiment in Iloilo, Philippines is presented in this volume.

## INTRODUCTION

Cycle I of the PD/A CRSP experiments aimed to characterize and quantify the properties, ecosystem dynamics, and fish production performance of earthen ponds under standardized management protocols (low nutrient inputs) at several tropical sites worldwide.

The Work Plan for Cycle II outlined experiments designed to test the hypothesis that organic fertilizer inputs would perform better, in terms of fish production and maintenance of water quality, than inorganic inputs with equivalent contents of total nitrogen and phosphorus. The CRSP freshwater experimental sites used *Oreochromis niloticus* (Nile tilapia) as the primary test organism, whereas the brackishwater sites used appropriate species of penaeid shrimp.

The Brackishwater Aquaculture Center (BAC), College of Fisheries, University of the Philippines in the Visayas (UPV), grew both *O. niloticus* and *Penaeus monodon* (the giant tiger prawn) during the dry and wet seasons of Cycle II (late 1984-early 1986). The data referred to in this report were collected and transmitted to the CRSP Program Management Office by the principal investigators soon after the completion of the experiments. The text of this report is being prepared after the fact by referring to the data and to lengthy technical reports submitted previously, from which some text, tables, and figures have been taken.

The BAC is located about 17 km north of Iloilo City on the island of Panay. The facility is described in Volume One of this Data Report series (Egna et al. 1987). Earthen ponds of 0.1 ha surface area were used for the Cycle II experiments.

## MATERIALS AND METHODS

This work was conducted according to the CRSP Second Work Plan insofar as possible (PD/A CRSP 1984). Departures from the standard protocol are listed in Appendix A.

For the shrimp experiment, eighteen 0.1-ha ponds were stocked with *P. monodon* postlarvae at a density of 4 animals/m<sup>2</sup>, during both the dry season (December 1984 - April 1985) and the rainy season (August - December 1985). Six ponds were allocated to each of three depth treatments, with target depths of 1.5, 1.0, and 0.5 m. Three ponds in each of these treatments were mixed by water circulation devices during daylight hours (0600-1700 hours), while the other three were not mixed.

The ponds were prepared by drying, lining, and applying chicken manure at a rate of 2 t/ha. They were then filled slowly to promote the growth of lab-lab. Beginning in the second month, ponds were fed pelleted feed at a rate of 10% of the estimated shrimp weight/day; this rate was reduced to 8% for the third month and 4% for the fourth and final month. Initially, about 50% of the pond water was exchanged twice per month at high tides. Later in the experiment, additional water exchange and emergency aeration were occasionally used to alleviate low levels of dissolved oxygen.

In addition to the water quality measurements specified in the Second Work Plan, salinity was monitored daily (by refractometer) and shrimp weight was sampled weekly.

In the tilapia experiments, 21 ponds of 0.05 ha area and approximately 0.6 m depth were stocked at a density of 1 fish/m<sup>2</sup> (500/pond) for the first trial (November 1984 - April 1985), and at a density of 1.2 fish/m<sup>2</sup> (600/pond) for the second trial (October 1985 - March 1986). Fingerlings were obtained from another freshwater facility and acclimated to 27 ppt salinity for several days before stocking. Mean stocking weights

ranged from 7.9 to 9.2 g/fish in the first trial and from 43.3 to 47.2 g/fish in the second trial.

The tilapia ponds were prepared like the shrimp ponds. Seven treatments (three ponds each) were used in the experiments. The treatments were as follows:

Treatment	Inputs	Rate/mo.	Application frequency (times/week)
I	Chicken manure only	57.6 kg/ha	three
II	16-20-0 only	12.5 kg/ha	one
III	Feeds only (20% crude protein)	6% of fish biomass	six
IV	Chicken manure + 16-10-0	57.6 kg/ha	three
V	Chicken manure + feeds (20% crude protein)	57.6 kg/ha 6% of fish biomass	three six
VI	Chicken manure + 16-20-0 + feeds (20% crude protein)	57.6 kg/ha 12.5 kg/ha 6% of fish biomass	three one six
VII	No input		

The feeding rate for the first month of culture was based on the average weight of the fish in all ponds at day zero. The amount of feed was adjusted monthly after each sampling. The feed was composed of rice bran, ipil-ipil (*Leucaena leucocephala*) leaf meal, corn meal, fishmeal, soybean meal, vegetable oil, vitamin premix, and shrimp head meal.

The SYSTAT package (Wilkinson 1984) was used for all statistical analysis. Water quality data were averaged monthly corresponding to intervals between sampling dates. A two-way ANOVA factorial analysis with replication per sampling was done on the water quality parameters. A stepwise multiple regression analysis was done to determine which of the variables best predicted the average size of shrimp per sampling (i.e., the growth of shrimp). All the water quality variables listed in Table 2 were initially entered in the model (alpha levels set at  $p = 0.15$ ).

Analyses of growth and harvest data for the dry season are not presented here because a large number of finfish intruders in the ponds made it difficult to assess treatment effects on *P. monodon* alone. During the wet season, the ponds were treated with an ichthyocide (teaseed cake) which held intruders at negligible levels. A two-way factorial ANOVA was done on the wet season harvest data.

## **RESULTS AND DISCUSSION**

### *Weather--both experiments*

Rainfall during the dry season experiment (November 1984 - April 1985) ranged from 0 to 4.0 cm/d, with a mean of 0.38 cm/d. For the period covering the rainy season experiments (June - December 1985), the range was from 0 to 4.8 cm/d, with a mean of 0.27 cm/d. The dry and wet seasons are compared in Figure 1. The high rainfall in November 1984 greatly increased the dry season mean and upper limit, while the low value for December 1985 decreased the wet season mean and lower limit.

The two seasons are most clearly distinct with respect to solar radiation (Figure 2). Cloud cover caused low monthly means during the entire wet season. Monthly wind speed and temperature means are illustrated in Figures 3, 4, and 5.

### *Tilapia experiment*

#### Water and soil analyses

Two physical parameters that were significantly different among treatments were temperature and Secchi disk visibility. Temperature increased in the treatments that received added inputs regardless of their type (Table 1). Soils in ponds with inputs, particularly chicken manure and feeds, behaved like soils amended with organic-matter, in which heat was liberated and temperature increased (National Research Council 1976, Watanabe 1984).

Secchi disk visibility was significantly lower ( $P < 0.01$ ) (Table 1) in treatments with inputs and highest in the treatment without input (Table 1). The lowest visibility readings were in the treatment with feed, indicating that feed served not only as fish food but also as a source of nutrients for phytoplankton.

Table 2 presents the means of selected water chemical parameters. The treatments with feed had significantly ( $P < 0.01$ ) lower mean dissolved oxygen contents than those without. The feed, chicken manure, and 16-20-0 treatments resulted in the lowest dissolved oxygen concentrations among all treatments, indicating higher dissolved oxygen consumption by feeds and chicken manure and higher oxygen levels in the chicken manure only, 16-20-0 only, and no-input treatments. Tamse (1983) observed that the morning and afternoon oxygen saturation levels of manured ponds decreased two days after the start of application. Non-manured ponds, however, had higher levels of oxygen saturation. Feeds and chicken manure--organic matter inputs--consumed large quantities of oxygen upon decomposition (Matida, unpublished data).

The nitrate concentrations in the ponds receiving chicken manure were significantly higher than in those not receiving chicken manure ( $P < 0.05$ ). Nitrates, however, were significantly higher in treatments I, V, and VI, which also received chicken manure. Available phosphorus was highest in the treatments with chicken manure (0.24%). Thus, the addition of either or both contributes to the phosphorus in the water. N, P, and S are the main constituents of organic compounds and these are liberated from organic materials as a result of microbial activity (Flaig 1984).

Soil phosphorus differed significantly among the treatments ( $P < 0.05$ ), and was highest in treatment V, where chicken manure and feed may have contributed to its accumulation. The P content of chicken manure resulted in higher P content of the pond soil although the total P in the soil contributed very little P to the water. The concentration of available P in the water was only about 0.8% of the total P in the soil (Tables 2 and 3). In general, higher available P in the water was observed where total P in the soil was high.

The organic matter content of the sediments was significantly different among the treatments ( $P < 0.01$ ). In the first run, the highest percentage of organic matter in the sediment was observed in Treatment I (chicken manure only) while the lowest was in the treatment without inputs. In the second run, the highest organic matter contents were observed in the treatments with feed. There were indications that organic matter influenced dry pH; that is, dry pH values decreased as the percentage of organic matter increased. It is possible that the increase in the acidity of the sediment resulted when organic matter decomposed under anaerobic conditions, releasing organic acids (Watanabe 1984).

No significant differences were observed among primary productivity, zooplankton and phytoplankton populations, and lab-lab biomass. However, a highly significant difference in chlorophyll *a* concentrations was seen among the treatments. A direct relationship was observed between primary productivity or the amount of carbon produced and chlorophyll *a* concentrations. The same observation was made by Fortes (1973) in his studies of chlorophyll in the waters of selected manmade ponds in Alabama. The treatments with combinations of chicken manure, feed, and/or 16-20-0 had the highest primary production in both the first and second runs. Similarly, the concentrations of chlorophyll *a* in the water were highest in the treatments with the combination of chicken manure, feed, and/or 16-20-0. No clear relationship was observed between plankton and lab-lab biomass, although the highest densities of zooplankton were observed in combination treatment of chicken manure, feed, and/or 16-20-0. Although no trend in the effect of the different treatments on zooplankton, phytoplankton, and lab-lab biomass was established, it was very clear that the different inputs increased the various parameters because the treatment without inputs consistently gave the lowest values.

#### Survival, growth, and yield

The average weights attained by the tilapia were highest in the treatments that received feed, either alone or in combination with other inputs. The sizes of the fish at harvest from the treatments that received feed were not significantly different ( $P > 0.05$ ) (87.1–189.4 g and 83–203.4 g for the first and second runs, respectively), but were significantly different from the treatments without feed ( $P < 0.01$ ). Table 4 shows that available P was highest in treatments V and VI. Chlorophyll *a* concentrations and zooplankton abundance were also higher in these treatments than in the treatments without feed. However, nitrite concentrations in the treatments that received feed-fertilizer combinations were high, although not at levels (0.5 mg/l) toxic to the fish (Boyd 1979). Feeds served not only as food but also as nutrient sources similar to fertilizers. Boyd (1982) computed the amount of N and P added into fishponds as feed and concluded that nutrients from feed supplied on a continuous basis are more effective in promoting plankton growth than nutrients from fertilizer applied at two- to four-week intervals.

The average weight gains for Nile tilapia were 0.52–1.26 g/d and 0.56–1.04 g/d for the first and second runs, respectively. The average gain in the treatments that received feed, either alone or in combination with organic and/or inorganic fertilizer, was significantly greater ( $P < 0.01$ ) than in the other treatments. This slow growth could have been due to poor quality of the tilapia stock which was shown by electrophoretic analysis to be 37% admixed with *Oreochromis mossambicus* alleles. Further, despite low fish densities in the ponds due to high mortality, the daily weight gain was low. The combination of chicken manure and 16-20-0 did not significantly improve the daily weight gain, which was 32–37% greater than the daily weight gain of the fish in the treatment with no input. Tang (1979) estimated that fish production can be increased by at least six times by fertilization alone and 18 times by the addition of feeds. The results of these trials did not approach previous estimates, but showed that fertilization, feeding, and feeding plus fertilization increased yields by 14.5 to 40%; 48 to 69%, and 50 to 71%, respectively.

Harvest, growth, and water and soil quality data are listed in Appendix B. A major problem during both grow-out periods was disease. Survival during the first trial was between 11.4 and 20.1% and during the second trial it ranged from 28.8 to 47.2%. It is hypothesized that the high incidence of disease was related to culture under saline conditions. Because of poor survival it is difficult to confidently draw conclusions concerning the effects of feeds and fertilizers in tilapia production in brackishwater ponds. Average fish size and production were significantly higher in all treatments with feeds than in those without feeds, however. It is concluded that strains of tilapia should be screened to determine which are most appropriate for grow-out in brackishwater ponds.

### *Shrimp experiment*

#### Water analyses

Most water quality values changed significantly during the grow-out period, with the exception of un-ionized ammonia concentrations (Table 5), which were unaffected by the depth or circulation treatments. It is possible that ammonia nitrogen is readily metabolized in brackishwater ponds and therefore rarely attains high concentrations. Seasonal weather changes are most probably the reason for changes in pond temperature and salinity during the grow-out period. Changes in productivity and nutrient concentrations with time were perhaps due to increased feed loading during the grow-out period. These changes are reflected in increases in Secchi disk depth, dissolved oxygen, chlorophyll concentration, phytoplankton, zooplankton, nitrates, nitrites, and reactive phosphorus.

Most of the water quality parameters monitored were significantly affected by the depth treatments (Table 5). Those variables related to productivity (Secchi disk depth, morning and afternoon oxygen concentrations, chlorophyll *a*, phytoplankton, and zooplankton). Nutrient concentrations (nitrites, nitrates, and reactive phosphorous) were significantly higher in the shallower ponds. This is undoubtedly due to smaller volumes of water in the shallow ponds, because all ponds received equal quantities of feed. Cole and Boyd (1986) have shown that average concentrations of water quality parameters such as chlorophyll *a*, nitrite nitrogen, and chemical oxygen demand increase with increasing feeding rates. A similar relationship is expected when equal amounts of feed are applied to ponds with decreasing water volumes. In these experiments the shallow ponds also proved to be less stable environments with regard to diurnal temperature fluctuations. They had significantly higher afternoon temperatures and significantly lower morning temperatures than the deeper ponds (Table 5).

There were few significant treatment effects due to circulation. However, daytime circulation did appear to lower the surface temperature of the pond. There were significantly lower afternoon temperatures during the dry season and significantly lower morning temperatures during the wet season in circulation ponds. Daytime circulation also appeared to increase primary productivity, because chlorophyll *a* concentrations were higher in circulated ponds during the wet season. This increase in primary productivity due to circulation was also evidenced by higher dissolved oxygen concentrations in the afternoons. Daytime circulation also substantially decreased thermal and oxygen stratification in ponds throughout the diurnal cycle.

#### Depth, survival, growth, and yield

In both trials, the average individual shrimp size was significantly higher in deeper ponds than in shallower ponds (Table 5). Depth was retained as a significant indicator of shrimp growth during the wet season by the stepwise regression procedure (Table 6). Salinity was also retained in the model, which shows its importance to the growth of *P. monodon*. Other water quality parameters retained in the model included productivity (morning and evening dissolved oxygen and phytoplankton densities)

and feeding rate (ammonia and nitrates), which reflected their influences on shrimp growth.

The effects of water depth on both size and survival of *P. monodon* were significant (Table 7). These dependent variables were, however, inversely related. Size was greater but survival was lower in deep ponds. A regression of size versus survival was significant ( $y = 125.3 - 1.8x$ ; probability > regression F ratio = 0.002). This inverse relationship explains the lack of significant treatment effects on total production (i.e., the deeper ponds had larger but fewer shrimp while the shallower ponds had smaller but more numerous shrimp). An analysis of covariance of size of shrimp versus the depth treatments, with survival as the covariate, showed no significant depth effects on size of shrimp ( $p = 0.477$ ).

It is difficult to evaluate the effects of water depth on the growth of *P. monodon* in view of the inverse relation of size and survival during the wet season grow-out period. It is possible that survival is dependent on water depth and that shallow ponds would be expected to have higher survival, given approximately equal feeding rates in all ponds. If this is so, and if size is inversely and causally related to survival, then it may not be necessary to use deep ponds to obtain a particular yield level. It is also possible, however, that the survival patterns observed during the wet season trial are due to some factor unrelated directly to the depth treatments.

Growth, harvest, soil, and water quality data are presented in Appendix B. Water circulation positively influenced primary productivity, decreased the surface temperature, and reduced stratification of temperature and dissolved oxygen. Water depth significantly affected almost all water quality parameters, and deeper ponds had shrimp of significantly greater average size. There were no significant treatment effects on shrimp production, due to an inverse relation of survival and average size. It is concluded that water depth and circulation profoundly affect the water quality of brackishwater shrimp ponds, but that these effects in shrimp production are not apparent at the stocking density used in this experiment. Further tests at higher stocking densities are necessary to establish the causality of water depth, survival, and average size of shrimp.

## LITERATURE CITED

- APHA (American Public Health Association), American Water Works Association, and Water Pollution Control Federation. 1975. Standard methods for the examination of water and wastewater, 14th edition. APHA, Washington, D.C.
- Baldevarona, R.B. 1979. Basic flow of phosphorus in brackishwater fishponds. M.S. thesis. College of Fisheries, University of the Philippines. Iloilo City, Philippines. 78 p.
- Boyd, C.E. 1979. Water quality in warmwater fishponds. Auburn University, Agricultural Experiment Station, Auburn, Alabama. 359 p.
- Boyd, C.E. 1982. Water quality management for pond fish culture. *Developments in Aquaculture and Fisheries Science* 9. Elsevier Scientific Publishing Co., Amsterdam. 318 p.
- Cole, B.A., and C.E. Boyd. 1986. Feeding rate, water quality and channel catfish production in ponds. *Progressive Fish-Culturist* 40:25-29.
- Collis, W.J., and R.D. Smitherman. 1978. Production of tilapia hybrids with cattle manure or a commercial diet. Pages 43-54 in R.D. Smitherman, W.L. Shelton, and J.H. Grover, editors. *Symposium on culture of exotic fishes*. Fish Culture Section, American Fisheries Society, Auburn, Alabama.
- Egna, H.S., N. Brown, and M. Leslie. 1987. Pond Dynamics/Aquaculture Collaborative Research Data Reports, vol. 1: General reference: site descriptions, materials and methods for the global experiment. Pond Dynamics/Aquaculture Collaborative Research Support Program, Office of International Research and Development, Oregon State University, Corvallis, Oregon.
- Fast, A.W., D.K. Barclay, and G. Akiyama. 1983. Artificial circulation of Hawaiian prawn ponds. UNIHI-SEAGRANT-CR-84-01. University of Hawaii Sea Grant Program, State of Hawaii.
- Flaig, W. 1984. Soil organic matter as a source of nutrients. Pages 79-92 in *Organic matter and rice*. International Rice Research Institute, Los Banos, Laguna, Philippines.
- Fortes, R.D. 1979. Studies in chlorophyll in pond waters. M.S. thesis. Auburn University, Alabama, U.S.A. 51 p.
- Fortes, R.D., R.C. Aure, R.C. Sanares, and R.V. Unarce. 1980. Effects on fish production of piggery wastes used as feed and fertilizer in brackishwater pond fish culture, Pages 461-470 in Chung Po, editor. *Animal waste treatment and utilization*. Council for Agricultural Planning and Development, Taipei, Taiwan, China.
- Hepher, B., and Y. Pruginin. 1982. Tilapia culture in ponds under controlled conditions. Pages 185-203 in R.S.V. Pullin and R.H. Lowe McConnell, editors. *The biology and culture of tilapias*. ICLARM Conference Proceedings 7. International Center of Living Aquatic Resources Management, Manila, Philippines. 432 p.
- Kungvankij, P. 1985. Overview of penaeid shrimp culture in Asia. Pages 11-21 in Y. Taki, J.H. Primavera and J.A. Llobrera, editors. *Proceedings of the First International Conference on the Culture of Penaeid Prawns/Shrimps*. Aquaculture Department, Southeast Asian Fisheries Development Center, Iloilo, Philippines.

- Liao, I.C. 1985. General introduction to the prawn pond systems in Taiwan. Paper presented at the Joint US-ROC Workshop on Aquaculture Engineering and Simulation, 27 January-1 February 1985, Honolulu, Hawaii. 19 p.
- Lind, O.T. 1974. Handbook of common methods of limnology. C.V. Mosby, St. Louis. 154 p.
- Lovshin, L.L., and A.B. Da Silva. 1975. Culture of monosex and hybrid tilapias. CIFA Technical Paper 4 (Supplement 1):548-564.
- Minsalan, C.L., and Y. Chiu. 1986. Studies on the application of teaseed cake for the selective elimination of finfishes in prawn ponds. Paper presented at the First Asian Fisheries Forum, 25-31 May 1986. Manila, Philippines.
- National Research Council. Commission on International Relations. Board on Science and Technology for International Development. Advisory Committee on Technology Innovation. 1976. Energy for rural development: Renewable resources and alternative technologies for developing countries. National Academy of Sciences, Washington, D.C. 306 p.
- PD/A CRSP (Pond Dynamics/Aquaculture Collaborative Research Support Program). 1984. CRSP Work Plan: Second Experimental Cycle. Pond Dynamics/Aquaculture CRSP, Program Management Office, Oregon State University, Marine Science Center, Newport, Oregon.
- Strickland, J.D., and T.R. Parsons. 1972. A practical handbook of seawater analysis, 2nd edition. Bulletin of the Fisheries Research Board of Canada. 310 p.
- Tamse, A.F., N.R. Fortes, L.C. Catedrilla, and J.E.H. Yuseco. 1985. The effect of using piggery wastes in brackishwater fishpond on fish production. University of the Philippines in the Visayas Fish. J. 1(1):69-76.
- Tang, Y.A. 1979. Physical problems in fish farm construction. Pages 99-104 in T.V.R. Pillay and Wm. A Dill, editors. Advances in aquaculture. Fishing News Books Ltd., Farnham, Surrey, England.
- Watanabe, I. 1984. Anaerobic decomposition of organic matter in flooded rice soils. Pages 237-258 in Organic matter and rice. International Rice Research Institute, Los Banos, Laguna, Philippines.
- Wilkinson, L. 1984. SYSTAT, the system for statistics. Systat Inc., Illinois.

Table 1. Means of selected water parameters during the 151-day culture of *O. niloticus*.

Treatment	Temperature (°C)		Depth (cm)		Secchi disk visibility (cm)	
	1st run	2nd run	1st run	2nd run	1st run	2nd run
I	26.0 <sup>b</sup>	25.0 <sup>a</sup>	65.2	64.6 <sup>abc</sup>	41.9 <sup>ab</sup>	30.3 <sup>bc</sup>
II	26.0 <sup>b</sup>	24.8 <sup>a</sup>	66.6	58.6 <sup>a</sup>	43.3 <sup>b</sup>	31.6 <sup>c</sup>
III	25.9 <sup>b</sup>	25.1 <sup>ab</sup>	61.9	68.6 <sup>bc</sup>	41.2 <sup>ab</sup>	24.3 <sup>a</sup>
IV	25.9 <sup>b</sup>	24.9 <sup>a</sup>	66.6	65.4 <sup>abc</sup>	41.1 <sup>ab</sup>	27.6 <sup>b</sup>
V	25.8 <sup>ab</sup>	25.0 <sup>a</sup>	61.5	61.8 <sup>ab</sup>	39.5 <sup>ab</sup>	23.0 <sup>a</sup>
VI	25.8 <sup>ab</sup>	25.0 <sup>a</sup>	60.4	66.8 <sup>abc</sup>	37.2 <sup>a</sup>	23.2 <sup>a</sup>
VII	25.7 <sup>a</sup>	25.4 <sup>b</sup>	60.1	73.3 <sup>c</sup>	44.1 <sup>b</sup>	33.9 <sup>c</sup>

Treatments: I - Chicken manure; II - Inorganic fertilizer (16-20-0); III - Feed;  
 IV - Chicken manure + 16-20-0; V - Chicken manure + feed;  
 VI - Chicken manure + feed + 16-20-0; VII - No input.

Values followed by the same letter are not significantly different.

Table 2 Means of selected chemical parameters of the various treatments.

Treatment	D.O. (mg/l)		pH		Salinity		NH3 (mg/l)		NO3 (mg/l)		NO2 (mg/l)		Avail.	
	1st run	2nd run	1st run	2nd run	1st run	2nd run	1st run	2nd run	1st run	2nd run	1st run	2nd run	1st run	2nd run
I	4.00 <sup>cd</sup>	4.64 <sup>b</sup>	8.06	7.70 <sup>c</sup>	35.80 <sup>ab</sup>	30.74	0.043	0.0076	0.564 <sup>ab</sup>	0.360	0.023 <sup>b</sup>	0.021 <sup>abc</sup>	0.21 <sup>b</sup>	0.113 <sup>ab</sup>
II	4.46 <sup>de</sup>	5.45 <sup>c</sup>	8.02	7.82 <sup>c</sup>	35.61 <sup>a</sup>	30.81	0.032	0.058	0.575 <sup>ab</sup>	0.344	0.016 <sup>a</sup>	0.018 <sup>a</sup>	0.055 <sup>a</sup>	0.042 <sup>a</sup>
III	3.46	3.52 <sup>a</sup>	8.04	7.44 <sup>ab</sup>	36.02 <sup>bc</sup>	30.55	0.039	0.055	0.468 <sup>a</sup>	0.327	0.016 <sup>a</sup>	0.032 <sup>bcd</sup>	0.71 <sup>a</sup>	0.117 <sup>ab</sup>
IV	3.98 <sup>c</sup>	4.59 <sup>b</sup>	8.12	7.67 <sup>c</sup>	35.96 <sup>abc</sup>	30.37	0.037	0.071	0.656 <sup>b</sup>	0.390	0.017 <sup>ab</sup>	0.029 <sup>bcd</sup>	0.142 <sup>b</sup>	0.147 <sup>bc</sup>
V	3.10 <sup>ab</sup>	2.80 <sup>a</sup>	8.08	7.38 <sup>a</sup>	36.1 <sup>bc</sup>	30.97	0.042	0.066	0.622 <sup>b</sup>	0.414	0.020 <sup>ab</sup>	0.034 <sup>cd</sup>	0.212 <sup>c</sup>	0.236 <sup>c</sup>
VI	2.97 <sup>a</sup>	2.99 <sup>a</sup>	8.09	7.41 <sup>ab</sup>	36.1 <sup>bc</sup>	30.77	0.037	0.068	0.657 <sup>b</sup>	0.34	0.023 <sup>b</sup>	0.041 <sup>d</sup>	0.216 <sup>c</sup>	0.184 <sup>bc</sup>
VII	4.53 <sup>e</sup>	5.31 <sup>bc</sup>	8.76	7.61 <sup>bc</sup>	36.20 <sup>c</sup>	30.15	0.030	0.085	0.589 <sup>ab</sup>	0.326	0.014 <sup>a</sup>	0.019 <sup>ab</sup>	0.059 <sup>a</sup>	0.034 <sup>a</sup>

Treatments: I - Chicken manure; II - Inorganic fertilizer (16-20-0); III - Feed; IV - Chicken manure + 16-10-0;

V - Chicken manure + feed; VI - Chicken manure + feed + 16-20-0; VII - no input.

Values followed by the same letter are not significantly different.

Table 3. Averages of selected parameters of the sediments of the various treatments.

Treatment	Fe (mg/l)		P (mg/l)		Organic matter		Dry		pH	
	1st run	2nd run	1st run	2nd run	1st run	2nd run	1st run	2nd run	1st run	2nd run
I	221.4	155.8	20.7 <sup>b</sup>	15.4	4.5 <sup>a</sup>	3.6 <sup>a</sup>	5.8	6.5 <sup>bc</sup>	7.1	7.4 <sup>c</sup>
II	233.3	196.4	19.7 <sup>ab</sup>	19.6	4.1 <sup>ab</sup>	3.5 <sup>a</sup>	5.9	6.5 <sup>c</sup>	7.2	7.2 <sup>ab</sup>
III	252.6	210.7	16.4 <sup>a</sup>	14.0	3.6 <sup>bc</sup>	4.4 <sup>ab</sup>	6.3	6.3 <sup>abc</sup>	7.2	7.3 <sup>bc</sup>
IV	225.7	176.7	18.8 <sup>ab</sup>	12.9	3.5 <sup>bc</sup>	3.8 <sup>ab</sup>	6.3	6.4 <sup>abc</sup>	7.3	7.1 <sup>a</sup>
V	259.3	219.7	21.2 <sup>b</sup>	19.0	3.4 <sup>bc</sup>	4.4 <sup>ab</sup>	6.4	6.3 <sup>abc</sup>	7.2	7.2 <sup>ab</sup>
VI	203.5	228.3	19.3 <sup>ab</sup>	16.9	3.5 <sup>bc</sup>	4.7 <sup>b</sup>	6.3	6.1 <sup>a</sup>	7.1	7.3 <sup>bc</sup>
VII	163.0	139.4	18.0 <sup>ab</sup>	20.4	3.0 <sup>c</sup>	3.9 <sup>ab</sup>	6.6	6.2 <sup>ab</sup>	7.1	7.3 <sup>bc</sup>

Treatments: I - Chicken manure; II - Inorganic fertilizer (16-20-0); III - Feed;  
IV - Chicken manure + 16-20-0; V - Chicken manure + feed;  
VI - Chicken manure + feed + 16-20-0; VII - No input.

Table 4. Averages of variables significantly different among treatments in a two-way analysis of variance.

Treatment	Fish Production (kg/ha)		NO <sub>2</sub> (ppm)	Available P (mg/l)	Chlorophyll <i>a</i> (hg/l)	Zooplankton (Ind/l)	Temperature (°C)	O.M. (%)	Depth (cm)
	1st run	2nd run							
I	517.4	0.022	0.107	33.680	960	25.06	3.7	65.2	
II	394.3	0.020	0.046	27.86	799	24.89	3.3	57.9	
III	936.6	0.034	0.137	36.665	1,158	25.15	4.5	69.4	
IV	435.4	0.30	0.147	37.10	938	25.04	3.68	66.07	
V	1,157.5	0.034	0.230	43.32	1,304	25.02	4.4	64.5	
VI	982.7	0.044	0.193	46.78	1,378	25.11	4.61	67.3	
VII	310.9	0.020	0.021	27.42	883	25.38	3.95	74.0	

Treatments: I - Chicken manure; II - Inorganic fertilizer (16-20-0); III - Feed;  
IV - Chicken manure + 16-20-0; V - Chicken manure + feed;  
VI - Chicken manure + feed + 16-20-0; VII - No input.

Table 5. Water quality parameters and growth of shrimp.

Variable	Dry season				Wet season			
	Time	Depth	Circ	Depth xCirc	Time	Depth	Circ	Depth xCirc
Secchi Depth	**	**			**	**	**	*
Temp. A.M.	**	**			**	**	-*	
Temp. P.M.	**	-**	-**	*	**	-*		
D.O. A.M.	**	**		*	**	**		*
D.O. P.N.	*	-**	**	**	*	-**	*	*
Salinity	**	-**			**			
Ammonia								
Nitrates	**	-*			**			
Nitrites	**	-**			**	-**		
Phosphorous	**	-**		**	-**			
Chlorophyll A	**				**	-**	*	
Phytoplankton	**	-*			*			
Zooplankton	**	-**			*			
Average size	**	**		*	**	*	*	*

\*\* Significant at  $P < 0.001$ ; \* Significant at  $P < 0.05$ ; Blank-not significant.

- Higher values in shallower ponds or higher values in ponds without circulation.

Table 6. Indicator variables for shrimp growth during the wet season.

Dependent = log (average weight)		
Coefficient	Variable	Probability*
2.683	Constant	0.000
0.610	Time	0.000
0.012	Depth	0.000
-0.229	D.O. A.M.	0.000
0.052	D.O. P.M.	0.015
-0.109	Salinity	0.000
2.504	Ammonia	0.005
0.398	Nitrates	0.000
0.000	Phytoplankton	0.111

\*2 tail

Table 7. Average weight, survival, and total production per treatment in the wet season trial.

Depth (m)	Treatment Circulation	Average weight (g)	% Survival	Total production (kg/ha)
1.5	Yes	33.2	65.9	873.3
1.5	No	33.9	57.3	777.6
1.0	Yes	35.7	58.8	829.8
1.0	No	28.2	77.0	875.9
0.5	Yes	28.4	78.3	897.9
0.5	No	26.3	80.5	861.1

Two-way factorial ANOVA:  
Probabilities associated with the F-ratio

Treatment	Average weight	Survival	Total production
Depth	0.018*	0.009*	0.775
Circulation	0.076	0.335	0.658
Depth x Circ.	0.125	0.047*	0.597




Figure 1. Average rainfall per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.




Figure 2. Average solar radiation per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.




Figure 3. Average wind speed per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.




Figure 4. Average minimum air temperature per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.




Figure 5. Average maximum air temperature per month during the dry and wet season trials of the shrimp core experiment. Cycle II, Nov. 1984 - Dec. 1985.

## APPENDIX A

### Departures from Protocol

During Cycle II all data collection procedures followed the protocol outlined in the CRSP Second Work Plan (PD/A CRSP 1984), with the following exceptions:

#### DAILY MEASUREMENTS

##### *Solar radiation*

Sample time procedure: Weekdays only (Monday through Friday) except holidays and absences; hourly readings, 1b at 0800 hours and off at 1700 hours.

Analytical method: LI-COR Model LI-550 used.

##### *Rainfall*

Sample time procedure: Read mornings, Monday through Friday, except holidays and absences.

Analytical method: Only one rain gauge available.

##### *Wind speed*

Sample time procedure: Weekdays only (Monday through Friday) except holidays and absences; between 0800 and 0900 hours.

Analytical method: Florite Bacarrach Wind Speedometer used.

##### *Air temperature, maximum and minimum*

Sample time procedure: Read Monday-Friday except holidays and absences around 0800 hours.

Analytical method: Only one maximum-minimum thermometer used.

##### *Pond depth*

Analytical method: Read to nearest 1 cm (not to nearest 0.5 cm).

#### BIWEEKLY AND WEEKLY MEASUREMENTS

##### *Dissolved oxygen*

Sample point procedure: Reading taken from both upwind and downwind ponds off catwalk near dike (not at center). There were three pond depth treatment, each with different sampling depths: 1.4-m deep ponds--25 cm off bottom, mid-depth, and 25 cm from top; 1.0-m deep ponds--25 cm off bottom and 25 cm from top; 0.5-m deep ponds--mid-depth. During the first month, all measurements were taken at mid-depth.

Sample time procedure: Mondays, Wednesdays, and Fridays at dawn and dusk.

##### *Pond temperature extremes*

Sample point procedure: Same as for dissolved oxygen.

Sample time procedure: Daily, weekdays.

##### *Pond temperature*

Sample point procedure: Same as for dissolved oxygen.

Sample time procedure: Monday, Wednesday, and Friday.

*pH*

Sample point procedure: Same as for dissolved oxygen.  
Sample time procedure: Monday, Wednesday, and Friday.

*Secchi disk visibility*

Sample point procedure: Taken only on one side of pond--upwind side.  
Sample time procedure: Monday through Friday except holidays.

*Chlorophyll a, b, and c*

Sample time procedure: Twice per month.

## MONTHLY MEASUREMENTS

Required measurements:

*Ammonia*

Sample time procedure: Twice per month.  
Analytical method: Followed Strickland and Parsons (1972).

*Nitrate*

Sample time procedure: Twice per month.  
Analytical method: Silicate method.

*Total dissolved orthophosphate*

Sample time procedure: Twice per month.

*Fish/Shrimp group weight*

Analytical method: 10% for tilapia, 2.5% for shrimp.

*Fish/Shrimp mean weight*

Analytical method: 10% for tilapia, 1.25% for shrimp.

*Fish/Shrimp mean length*

Analytical method: 10% for tilapia, 1.25% for shrimp.

Recommended measurements:

*Primary productivity*

Analytical method: Three-point methods used; DO meter.

*Phytoplankton composition*

Sample time procedure: Twice per month.  
Timetable for sampling and analysis: Samples were preserved in formalin  
and analyzed at leisure.

*Zooplankton composition*

Sample time procedure: Twice per month.  
Timetable for sampling and analysis: Samples were preserved in formalin  
and analyzed at leisure.

*Benthos composition*

Analytical method: Only lablab biomass measured.

## APPENDIX B

### Complete Set of Data from Cycle II of the Pond Dynamics/ Aquaculture CRSP in Iloilo, Philippines

<b>Table 1.</b>	Daily Weather Measurements. Iloilo, Philippines.	
	Cycle II, Dry Season.....	1
	Daily Weather Measurements. Iloilo, Philippines.	
	Cycle II, Wet Season .....	4
<b>Table 2.</b>	Daily Pond Measurements. Iloilo, Philippines.	
	Cycle II, Dry Season.....	7
	Daily Pond Measurements. Iloilo, Philippines.	
	Cycle II, Wet Season .....	88
<b>Table 3.</b>	Miscellaneous Observations, Including Fish Health. Iloilo, Philippines. Cycle II, Dry Season.....	152
	Miscellaneous Observations, Including Fish Health. Iloilo, Philippines. Cycle II, Wet Season.....	155
<b>Table 4.</b>	Intensive Sampling Measurements. Iloilo, Philippines.	
	Cycle II, Dry Season.....	158
	Intensive Sampling Measurements. Iloilo, Philippines.	
	Cycle II, Wet Season .....	243
<b>Table 5.</b>	Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines. Cycle II, Dry Season.....	313
	Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines. Cycle II, Wet Season.....	320
<b>Table 6.</b>	Plankton and Benthos. Iloilo, Philippines.	
	Cycle II, Dry Season.....	326
	Plankton and Benthos. Iloilo, Philippines.	
	Cycle II, Wet Season .....	342
<b>Table 7.</b>	Water Quality Characteristics. Iloilo, Philippines.	
	Cycle II, Dry Season.....	357
	Water Quality Characteristics. Iloilo, Philippines.	
	Cycle II, Wet Season .....	359
<b>Table 8.</b>	Pond Soil Characteristics. Iloilo, Philippines.	
	Cycle II, Dry Season.....	361
	Pond Soil Characteristics. Iloilo, Philippines.	
	Cycle II, Wet Season .....	368
<b>Table 9.</b>	Analysis of Nutrients and Lime. Iloilo, Philippines.	
	Cycle II, Dry Season.....	376
	Analysis of Nutrients and Lime. Iloilo, Philippines.	
	Cycle II, Wet Season .....	377
<b>Table 10.</b>	Nutrient and Lime Inputs. Iloilo, Philippines.	
	Cycle II, Dry Season.....	378
	Nutrient and Lime Inputs. Iloilo, Philippines.	
	Cycle II, Wet Season .....	446

## Units of Measurement and Abbreviations Used in the Appendix Tables

### Daily Weather Measurements:

SOLAR1 (solar radiation).....	E/m <sup>2</sup> /d
SOLAR2 (solar radiation).....	cal/cm <sup>2</sup> /d
RAIN (rainfall).....	cm/d
WIND (wind speed) .....	km/hr
ATEMPMAX (max air temperature).....	°C
ATEMPMIN (min air temperature).....	°C
EVAP (evaporation).....	mm/d

### Daily Pond Measurements:

DEPTH .....	m
INFLOW .....	m <sup>3</sup> /hr
OVERFLOW.....	Y/N
"nil" .....	<i>Oreochromis niloticus</i>

### Weekly and Twice-Weekly Measurements:

All DO (dissolved oxygen).....	mg/L
All TEMP (temperature) .....	°C
ALKA (alkalinity).....	mg/L (as CaCO <sub>3</sub> )
HARD (total hardness).....	mg/L (as CaCO <sub>3</sub> )
All N (Kjeldahl, NO <sub>2</sub> , NO <sub>3</sub> , Total) .....	mg/L
All P (Total, Ortho-PO <sub>4</sub> ) .....	mg/L
SECCHI DISK.....	cm
CHLOROPHYLL a, b, or c.....	mg/m <sup>3</sup>

### Diurnal Measurements:

All DO (dissolved oxygen).....	mg/L
All TEMP (temperature) .....	°C

### Fish/Shrimp Stocking, Sampling, and Harvesting:

"STK" .....	stocking
"SAM" .....	sampling
"HAR".....	harvesting
"nil" .....	<i>Oreochromis niloticus</i>
POP. WEIGHT.....	kg
SAMPLE LENGTH.....	cm
REPROD. WEIGHT.....	kg

### Plankton and Benthos:

NET (PRIMARY) PRODUCTION.....	mg C/m <sup>3</sup> /d
GROSS (PRIMARY) PRODUCTION.....	mg C/m <sup>3</sup> /d

**Water Quality Characteristics:**

ALKALIN (alkalinity).....	mg/L (as CaCO <sub>3</sub> )
HARDNESS .....	mg/L (as CaCO <sub>3</sub> )
All N (NH <sub>3</sub> , NO <sub>2</sub> , NO <sub>3</sub> , NO <sub>2</sub> +NO <sub>3</sub> ).....	mg/L
All P (Total, Ortho-P) .....	mg/L
Cl <sup>-</sup> .....	mg/L
SALT .....	ppt
SO <sub>4</sub> .....	mg/L
BORON .....	mg/L
CALCIUM.....	mg/L
COPPER.....	mg/L
IRON.....	mg/L
MAGNESIUM .....	mg/L
POTASSIUM.....	mg/L
SODIUM.....	mg/L
ZINC.....	mg/L

**Pond Soil Characteristics:**

CLAY.....	%
SILT .....	%
SAND.....	%
ORGANIC MATTER .....	%
SOIL-P.....	ppm
SOIL Ca .....	meq/100g
SOIL Mg.....	meq/100g
SOIL K.....	ppm
SOIL Na.....	meq/100g
SOIL N.....	%
SOIL NH <sub>4</sub> .....	ppm
SOIL NO <sub>3</sub> .....	ppm
SOIL CEC.....	meq/ 100g
SOIL SALT .....	mmhos/cm
SOIL Al.....	ppm

Table 1. Daily Weather Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
13	11	1984			0.12	0.	25.	25.	
14	11	1984			1.27	0.	26.1	26.	
15	11	1984			0.	0.	27.2	27.	
16	11	1984			0.15	0.	27.2	27.	
19	11	1984			0.	0.	25.	25.	
20	11	1984			0.	0.	26.6	26.5	
21	11	1984			2.61	0.	27.2	27.	
22	11	1984			2.66	4.	27.2	27.	
23	11	1984			0.	4.	27.7	28.	
24	11	1984			3.14	7.2	27.7	28.	
28	11	1984			0.	5.6	27.2	27.	
29	11	1984			0.33	4.8	27.2	27.	
3	12	1984			0.53	5.6	27.7	28.	
4	12	1984			0.1	5.6	27.7	28.	
5	12	1984			0.	5.6	27.2	27.	
6	12	1984			0.	6.4	33.8	24.4	
7	12	1984			0.15	12.8	33.3	25.5	
10	12	1984			0.05	13.6	33.8	22.2	
11	12	1984			0.	12.8	34.4	23.3	
12	12	1984			0.	10.4	31.1	23.3	
13	12	1984			0.	9.6	31.1	23.3	
14	12	1984			0.	8.	31.1	22.7	
17	12	1984			0.05	8.	31.1	23.3	
18	12	1984			0.	8.	31.6	23.3	
19	12	1984			0.	5.6	31.1	22.7	
20	12	1984			0.	5.6	20.8	23.3	
21	12	1984			0.02	6.4	31.1	23.3	
26	12	1984			0.07	7.2	31.1	23.3	
27	12	1984			0.	8.	31.6	23.3	
28	12	1984			0.	8.	31.1	23.3	
2	1	1985			1.87	8.	32.2	23.3	
3	1	1985			0.	7.2	32.2	23.3	
4	1	1985			0.	7.2	32.2	22.7	
7	1	1985			0.	6.8	32.2	21.1	
8	1	1985			0.	6.4	32.2	20.	
9	1	1985			0.	7.2	32.2	20.	
10	1	1985			0.	8.	32.2	20.	
11	1	1985			0.	7.2	32.7	20.	
14	1	1985			0.	8.	31.6	21.1	
15	1	1985			0.	7.2	31.6	21.1	
16	1	1985			1.01	8.	31.1	21.1	
17	1	1985			0.	7.2	31.6	21.1	
18	1	1985			0.	5.6	31.1	21.6	
21	1	1985			0.	6.4	31.6	21.1	
22	1	1985			0.	6.4	31.1	21.6	

Table 1. Daily Weather Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
23	1	1985			0.02	6.4	31.1	21.1	
24	1	1985			0.	7.2	31.6	21.1	
25	1	1985			0.02	8.	31.6	21.6	
28	1	1985			0.	8.8	32.2	22.7	
29	1	1985			0.	8.8	32.2	21.6	
30	1	1985			0.	8.8	32.2	22.7	
31	1	1985			0.02	8.8	33.8	22.7	
1	2	1985			1.42	8.8	33.8	22.7	
4	2	1985			0.99	10.4	33.8	22.7	
5	2	1985			0.	10.4	34.4	23.3	
6	2	1985			0.	9.6	35.	23.3	
7	2	1985			0.	9.6	33.8	23.3	
8	2	1985			0.	10.4	33.8	22.7	
9	2	1985			0.05	9.6	33.8	22.7	
11	2	1985			0.	13.6	32.7	22.7	
12	2	1985			0.	10.4	32.2	22.7	
13	2	1985			0.	11.2	33.8	22.2	
14	2	1985			0.	14.4	32.7	23.8	
15	2	1985			0.	12.8	31.6	22.7	
18	2	1985			0.	13.6	32.7	22.7	
19	2	1985			0.	15.2	33.3	23.3	
20	2	1985			0.	14.4	33.3	23.3	
21	2	1985			0.	12.	33.3	23.3	
22	2	1985			0.	10.4	33.3	22.7	
25	2	1985			0.	11.2	33.3	22.7	
26	2	1985			0.5	11.2	33.3	22.7	
27	2	1985			0.	12.	35.	22.7	
28	2	1985			0.	11.2	34.4	22.7	
1	3	1985			0.	13.6	34.4	22.7	
4	3	1985			2.08	15.2	35.	22.7	
5	3	1985			0.	13.6	33.8	22.7	
6	3	1985			0.	11.2	34.4	22.7	
7	3	1985			0.	8.8	35.	22.7	
8	3	1985			0.	10.4	33.8	22.7	
11	3	1985			0.53	11.2	33.8	22.7	
12	3	1985			0.02	14.4	33.8	22.7	
13	3	1985			0.	14.4	35.	22.7	
14	3	1985			0.	10.4	34.4	22.7	
15	3	1985			0.2	12.	35.	23.3	
18	3	1985			0.	11.2	35.	23.8	
19	3	1985			0.	16.	34.4	22.7	
20	3	1985			0.	16.	35.	22.7	
21	3	1985			0.	11.2	35.5	22.7	
22	3	1985			0.	12.	35.	22.7	
25	3	1985			0.	13.6	35.	23.8	
26	3	1985			0.76	12.8	32.2	23.8	

Table 1. Daily Weather Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
27	3	1985			0.	9.6	35.	23.8	
28	3	1985			0.	0.	33.8	23.8	
29	3	1985			0.	12.	34.4	23.8	
1	4	1985			0.02	10.4	33.3	23.8	
2	4	1985			0.	11.2	33.8	23.8	
3	4	1985			0.	10.4	34.4	23.3	
8	4	1985			0.6	8.8	33.8	22.2	
9	4	1985			0.	9.6	33.3	22.7	
10	4	1985			0.	8.8	35.	22.2	
11	4	1985			0.	8.8	34.4	22.7	
12	4	1985			0.07	8.8	35.	23.3	
15	4	1985			0.02	8.8	33.8	22.7	
16	4	1985			0.2	10.4	33.8	22.2	
17	4	1985			0.15	9.6	33.8	22.2	
18	4	1985			0.02	8.8	33.3	22.2	
19	4	1985			0.02	10.4	33.8	22.7	
22	4	1985			0.2	6.4	33.3	22.7	
23	4	1985			0.86	10.4	33.8	22.7	
24	4	1985			4.82	16.	32.7	22.2	
25	4	1985			2.23	9.6	31.1	23.8	
26	4	1985			0.07	8.	31.1	23.8	
29	4	1985			0.	10.4	32.2	23.8	
30	4	1985			0.	11.2	33.8	22.2	
2	5	1985			0.	12.8	34.4	22.7	
3	5	1985			0.	13.6	33.8	22.2	
7	5	1985			0.	15.2	33.3	22.2	
8	5	1985			0.05	12.	33.8	22.2	
9	5	1985			0.05	11.2	32.7	22.2	
10	5	1985			0.07	13.6	31.6	22.2	

Table 1. Daily Weather Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
3	6	1985	1186.		0.	3.	33.8	25.	
4	6	1985	3999.		1.	4.5	31.1	23.3	
5	6	1985	4408.		0.	5.	31.1	25.5	
6	6	1985	4507.		0.04	6.	31.1	25.5	
7	6	1985	4642.		0.	7.5	32.2	26.1	
10	6	1985	4564.		0.	8.	32.2	23.8	
11	6	1985	4373.		0.	6.5	31.1	22.7	
13	6	1985	3586.		0.17	5.5	31.6	23.8	
14	6	1985	3748.		0.	8.	31.6	25.	
17	6	1985	1831.		0.	8.5	31.1	25.	
18	6	1985	2932.		1.5	10.	31.1	25.	
19	6	1985	2669.		0.7	10.	30.5	22.7	
20	6	1985	2935.		0.1	8.5	28.3	22.7	
21	6	1985	2168.		0.4	10.5	28.8	25.5	
24	6	1985	4349.		3.55	8.	28.3	23.3	
26	6	1985	3276.		0.	7.5	29.4	26.6	
27	6	1985	3078.		0.	7.5	28.8	26.6	
28	6	1985	1699.		0.58	9.5	30.	23.3	
1	7	1985	4038.		2.55	7.	29.4	23.8	
2	7	1985	3613.		0.	5.	29.4	25.5	
3	7	1985	3218.		0.	6.	29.4	23.8	
4	7	1985	1934.		0.13	7.	28.3	22.2	
5	7	1985	1999.		2.55	8.	28.8	22.7	
8	7	1985	4078.		2.23	7.	28.3	22.7	
9	7	1985	3154.		0.23	4.	29.4	23.8	
10	7	1985	2299.		0.2	3.	28.8	24.4	
11	7	1985	2524.		0.52	3.	28.8	23.8	
12	7	1985	3501.		0.1	2.5	29.4	23.3	
15	7	1985	3371.		2.73	2.	31.1	23.3	
16	7	1985	2768.		0.1	5.	29.4	23.8	
17	7	1985	350.		0.	3.	28.8	23.8	
18	7	1985	3582.		0.	3.	29.4	23.8	
19	7	1985	3232.		0.	3.	31.1	25.5	
22	7	1985	3049.		0.68	3.	31.1	25.5	
23	7	1985	2691.		0.	3.5	31.6	26.1	
24	7	1985	3109.		0.	3.5	31.6	26.1	
25	7	1985	4099.		0.16	3.5	31.6	23.8	
26	7	1985	3079.		0.	3.5	31.1	23.8	
29	7	1985	3070.		0.03	4.	29.4	23.8	
30	7	1985	587.		0.1	5.	29.4	23.8	
31	7	1985	3733.		1.45	6.5	31.1	23.8	
1	8	1985	3823.		0.05	4.5	28.3	23.8	
2	8	1985	3084.		0.	5.	29.4	23.8	
5	8	1985	4041.		0.	10.	30.	23.8	
6	8	1985	3667.		0.	5.	29.4	23.8	

Table 1. Daily Weather Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
8	8	1985	2926.		0.	6.	30.	23.8	
9	8	1985	2963.		0.24	6.5	29.4	23.8	
12	8	1985	3206.		0.82	5.	28.8	22.7	
13	8	1985	4281.		0.	6.	30.	23.8	
14	8	1985	3631.		0.02	7.5	29.4	24.4	
15	8	1985	3923.		0.05	6.5	27.7	23.8	
16	8	1985	4365.		0.	5.5	27.7	22.7	
22	8	1985	3665.		0.	6.	28.3	23.8	
23	8	1985	3807.		0.	6.5	29.4	23.8	
27	8	1985	3842.		0.8	9.	29.4	22.7	
28	8	1985	4067.		0.	9.	31.1	26.6	
29	8	1985	3945.		0.	2.	30.5	23.8	
30	8	1985	3235.		0.	5.	29.4	23.8	
2	9	1985	2337.		0.08	5.5	30.	24.4	
3	9	1985	1187.		0.43	10.5	31.6	22.7	
5	9	1985	4421.		2.54	3.5	29.4	22.2	
6	9	1985	4070.		0.	3.5	31.1	25.	
9	9	1985	3976.		0.46	5.	32.2	22.7	
10	9	1985	2760.		0.	5.	32.2	23.4	
11	9	1985	2364.		0.08	5.5	31.6	22.7	
12	9	1985	4326.		0.75	3.	32.2	22.7	
13	9	1985	2166.		0.6	6.5	30.5	23.8	
16	9	1985	1653.		2.35	4.5	28.8	22.2	
17	9	1985	3070.		0.73	4.	28.8	23.3	
18	9	1985	4468.		0.	4.5	28.8	23.8	
23	9	1985	2534.		0.85	5.	33.3	23.8	
25	9	1985	3294.		2.05	6.	32.2	23.8	
26	9	1985	2323.		0.05	6.5	32.4	24.4	
27	9	1985	2957.		0.	6.	31.1	25.	
30	9	1985	2645.		0.3	4.	32.2	23.8	
2	10	1985	1999.		0.15	4.	32.2	23.3	
3	10	1985	585.		2.	4.5	31.6	22.7	
4	10	1985	1995.		3.4	9.5	25.5	22.7	
7	10	1985	3726.		0.15	4.5	27.2	23.3	
8	10	1985	3446.		0.57	4.5	30.5	23.8	
9	10	1985	3256.		0.	5.5	31.1	23.8	
10	10	1985	1948.		0.	6.5	31.6	24.4	
11	10	1985			0.15	7.	31.1	23.8	
14	10	1985	2853.		4.	6.5	31.6	23.8	
15	10	1985	2897.		0.02	3.5	32.2	23.8	
16	10	1985	3291.		0.6	5.5	32.2	23.8	
17	10	1985	2536.		0.	6.	31.6	23.8	
18	10	1985	2132.		0.08	7.5	31.1	23.3	
21	10	1985	2347.		0.11	6.	29.4	23.3	
22	10	1985	1421.		0.08	6.	31.1	23.8	
23	10	1985	3478.		0.03	6.5	31.6	23.8	

Table 1. Daily Weather Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
24	10	1985	3315.		0.76	7.	31.6	23.8	
25	10	1985	3764.		0.	6.	31.1	23.8	
28	10	1985	4246.		0.08	6.5	31.6	23.8	
29	10	1985	3476.		0.	7.5	32.2	23.8	
30	10	1985	2722.		0.	8.	31.6	23.3	
31	10	1985			0.	7.5	32.2	23.8	
4	11	1985			0.14	5.	31.1	22.7	
5	11	1985			0.03	6.	31.6	23.8	
6	11	1985	4154.		0.	6.5	32.2	23.3	
7	11	1985	2306.		0.08	6.	32.2	23.8	
8	11	1985	4026.		0.	6.	32.2	23.8	
11	11	1985	4085.		0.	5.5	31.6	23.8	
12	11	1985	4103.		0.	5.	32.2	23.8	
13	11	1985	4200.		0.	5.5	31.1	23.8	
14	11	1985	2667.		0.03	6.5	31.6	25.	
15	11	1985	3454.		0.	5.5	32.2	23.8	
18	11	1985	4435.		0.04	4.	31.6	23.8	
19	11	1985	3358.		0.	5.	32.2	23.8	
20	11	1985	2151.		0.	4.5	31.6	23.8	
22	11	1985	2925.		2.15	4.5	32.2	23.8	
25	11	1985	2256.		2.15	4.5	31.6	23.8	
26	11	1985	4029.		0.	5.	32.2	23.8	
27	11	1985	2730.		0.	4.	32.7	23.3	
28	11	1985	3558.		0.	4.	31.6	23.3	
29	11	1985	1780.		0.	5.	31.6	23.3	
2	12	1985	2159.		0.6	4.5	31.6	23.3	
3	12	1985			0.32	4.	32.2	24.4	
4	12	1985	3719.		0.	5.5	31.6	23.3	
5	12	1985	3537.		0.	6.	31.1	23.3	
6	12	1985	3585.		0.	6.5	31.6	23.3	
9	12	1985	2866.		0.02	6.	31.1	23.3	
10	12	1985	2830.		0.	5.5	31.1	22.7	
13	12	1985	2521.		0.	5.5	31.6	22.7	
16	12	1985	1648.		0.03	4.	31.1	22.7	
17	12	1985	1728.		0.	3.	31.1	22.2	
18	12	1985	2334.		0.	6.5	31.1	22.7	
20	12	1985	3016.		0.	7.	31.1	22.7	
23	12	1985	3723.		0.03	7.	31.1	22.7	
24	12	1985	3593.		0.	3.	31.1	22.7	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
24	11	1984	A29	0.71	N	N	0	nil	27.	
24	11	1984	A30	0.69	N	N	0	nil	30.	
24	11	1984	A31	0.71	N	N	0	nil	29.	
24	11	1984	A32	0.8	N	N	0	nil	30.	
24	11	1984	A33	0.64	N	N	0	nil	30.	
24	11	1984	A34	0.75	N	N	0	nil	31.	
24	11	1984	A35	0.58	N	N	0	nil	30.	
24	11	1984	A36	0.75	N	N	0	nil	29.	
24	11	1984	A37	0.64	N	N	0	nil	28.	
24	11	1984	A38	0.86	N	N	0	nil	30.	
24	11	1984	A39	0.8	N	N	0	nil	29.	
24	11	1984	A40	0.77	N	N	0	nil	30.	
24	11	1984	A41	0.59	N	N	0	nil	30.	
24	11	1984	A42	0.6	N	N	0	nil	30.	
24	11	1984	A43	0.91	N	N	0	nil	27.	
24	11	1984	A44	0.82	N	N	0	nil	30.	
24	11	1984	A45	0.95	N	N	0	nil	31.	
24	11	1984	A46	0.88	N	N	0	nil	30.	
24	11	1984	A47	0.89	N	N	0	nil	31.	
24	11	1984	A48	0.88	N	N	0	nil	33.	
24	11	1984	A49	0.86	N	N	0	nil	33.	
26	11	1984	A29	0.51	N	N	28	nil	30.	
26	11	1984	A30	0.63	N	N	1	nil	29.	
26	11	1984	A31	0.51	N	N	1	nil	28.	
26	11	1984	A32	0.56	N	N	0	nil	29.	
26	11	1984	A33	0.48	N	N	0	nil	27.	
26	11	1984	A34	0.57	N	N	13	nil	29.	
26	11	1984	A35	0.56	N	N	1	nil	30.	
26	11	1984	A36	0.35	N	N	3	nil	26.	
26	11	1984	A37	0.5	N	N	2	nil	25.	
26	11	1984	A38	0.65	N	N	1	nil	26.	
26	11	1984	A39	0.58	N	N	1	nil	25.	
26	11	1984	A40	0.55	N	N	1	nil	25.	
26	11	1984	A41	0.35	N	N	2	nil	27.	
26	11	1984	A42	0.29	N	N	0	nil	28.	
26	11	1984	A43	0.61	N	N	2	nil	30.	
26	11	1984	A44	0.55	N	N	5	nil	29.	
26	11	1984	A45	0.64	N	N	1	nil	29.	
26	11	1984	A46	0.55	N	N	0	nil	29.	
26	11	1984	A47	0.6	N	N	10	nil	29.	
26	11	1984	A48	0.61	N	N	1	nil	29.	
26	11	1984	A49	0.68	N	N	8	nil	30.	
28	11	1984	A29	0.7	N	N	8	nil	30.	
28	11	1984	A30	0.8	N	N	2	nil	30.	
28	11	1984	A31	0.7	N	N	3	nil	30.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
28	11	1984	A32	0.75	N	N	0	nil	30.	
28	11	1984	A33	0.68	N	N	1	nil	30.	
28	11	1984	A34	0.69	N	N	1	nil	30.	
28	11	1984	A35	0.7	N	N	0	nil	30.	
28	11	1984	A36	0.7	N	N	10	nil	29.	
28	11	1984	A37	0.66	N	N	3	nil	29.	
28	11	1984	A38	0.8	N	N	0	nil	29.	
28	11	1984	A39	0.75	N	N	2	nil	28.	
28	11	1984	A40	0.5	N	N	1	nil	29.	
28	11	1984	A41	0.48	N	N	5	nil	30.	
28	11	1984	A42	0.48	N	N	1	nil	30.	
28	11	1984	A43	0.7	N	N	6	nil	30.	
28	11	1984	A44	0.71	N	N	0	nil	30.	
28	11	1984	A45	0.79	N	N	4	nil	30.	
28	11	1984	A46	0.8	N	N	1	nil	30.	
28	11	1984	A47	0.8	N	N	0	nil	30.	
28	11	1984	A48	0.78	N	N	4	nil	30.	
28	11	1984	A49	0.71	N	N	2	nil	30.	
28	11	1984	B01	1.24	N	N	0	mon	30.	
28	11	1984	B02	1.2	N	N	0	mon	30.	
28	11	1984	B03	1.16	N	N	0	mon	30.	
28	11	1984	B04	1.17	N	N	0	mon	30.	
28	11	1984	B05	1.25	N	N	0	mon	30.	
28	11	1984	B06	1.16	N	N	0	mon	29.	
28	11	1984	B07	0.89	N	N	0	mon	31.	
28	11	1984	B08	0.95	N	N	0	mon	31.	
28	11	1984	B09	0.85	N	N	0	mon	31.	
28	11	1984	B10	0.81	N	N	0	mon	30.	
28	11	1984	B11	0.84	N	N	0	mon	31.	
28	11	1984	B13	0.8	N	N	0	mon	31.	
28	11	1984	B14	0.36	N	N	0	mon	30.	
28	11	1984	B15	0.68	N	N	0	mon	31.	
28	11	1984	B16	0.56	N	N	0	mon	30.	
28	11	1984	B18	0.61	N	N	0	mon	30.	
28	11	1984	B19	0.68	N	N	0	mon	31.	
28	11	1984	B20	0.74	N	N	0	mon	30.	
30	11	1984	A29	0.51	N	N	1	nil	30.	
30	11	1984	A30	0.6	N	N	1	nil	30.	
30	11	1984	A31	0.46	N	N	0	nil	30.	
30	11	1984	A32	0.52	N	N	0	nil	30.	
30	11	1984	A33	0.44	N	N	1	nil	30.	
30	11	1984	A34	0.59	N	N	2	nil	31.	
30	11	1984	A35	0.59	N	N	0	nil	31.	
30	11	1984	A36	0.53	N	N	10	nil	31.	
30	11	1984	A37	0.42	N	N	0	nil	30.	
30	11	1984	A38	0.53	N	N	1	nil	30.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season.

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
30	11	1984	A39	0.6	N	N	1	nil	31.	
30	11	1984	A40	0.51	N	N	1	nil	31.	
30	11	1984	A41	0.35	N	N	4	nil	31.	
30	11	1984	A42	0.2	N	N	1	nil	30.	
30	11	1984	A43	0.71	N	N	2	nil	31.	
30	11	1984	A44	0.69	N	N	1	nil	30.	
30	11	1984	A45	0.79	N	N	5	nil	30.	
30	11	1984	A46	0.69	N	N	2	nil	31.	
30	11	1984	A47	0.69	N	N	0	nil	30.	
30	11	1984	A48	0.62	N	N	0	nil	31.	
30	11	1984	A49	0.61	N	N	1	nil	31.	
30	11	1984	B01	1.59	N	N	0	mon	31.	
30	11	1984	B02	1.55	N	N	0	mon	30.	
30	11	1984	B03	1.49	N	N	0	mon	30.	
30	11	1984	B04	1.53	N	N	0	mon	30.	
30	11	1984	B05	1.6	N	N	0	mon	30.	
30	11	1984	B06	1.46	N	N	0	mon	30.	
30	11	1984	B07	1.01	N	N	0	mon	31.	
30	11	1984	B08	1.03	N	N	0	mon	31.	
30	11	1984	B09	1.	N	N	0	mon	31.	
30	11	1984	B10	0.92	N	N	0	mon	31.	
30	11	1984	B11	1.02	N	N	0	mon	30.	
30	11	1984	B13	0.76	N	N	0	mon	31.	
30	11	1984	B14	0.32	N	N	0	mon	30.	
30	11	1984	B15	0.63	N	N	0	mon	32.	
30	11	1984	B16	0.59	N	N	0	mon	31.	
30	11	1984	B18	0.57	N	N	0	mon	32.	
30	11	1984	B19	0.62	N	N	0	mon	32.	
30	11	1984	B20	0.68	N	N	0	mon	31.	
3	12	1984	A29	0.34	N	N	0	nil	31.	
3	12	1984	A30	0.47	N	N	0	nil	30.	
3	12	1984	A31	0.24	N	N	0	nil	30.	
3	12	1984	A32	0.34	N	N	0	nil	30.	
3	12	1984	A33	0.3	N	N	0	nil	30.	
3	12	1984	A34	0.34	N	N	0	nil	31.	
3	12	1984	A35	0.38	N	N	0	nil	31.	
3	12	1984	A36	0.34	N	N	0	nil	30.	
3	12	1984	A37	0.31	N	N	0	nil	30.	
3	12	1984	A38	0.47	N	N	0	nil	30.	
3	12	1984	A39	0.49	N	N	0	nil	30.	
3	12	1984	A40	0.46	N	N	0	nil	30.	
3	12	1984	A41	0.3	N	N	0	nil	30.	
3	12	1984	A42	0.1	N	N	0	nil	30.	
3	12	1984	A43	0.67	N	N	0	nil	30.	
3	12	1984	A44	0.65	N	N	0	nil	30.	
3	12	1984	A45	0.75	N	N	0	nil	30.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
3	12	1984	A46	0.6	N	N	0	nil	30.	
3	12	1984	A47	0.62	N	N	0	nil	30.	
3	12	1984	A48	0.59	N	N	0	nil	30.	
3	12	1984	A49	0.49	N	N	0	nil	31.	
3	12	1984	B01	1.43	N	N	0	mon	28.	
3	12	1984	B02	1.48	N	N	0	mon	28.	
3	12	1984	B03	1.32	N	N	0	mon	27.	
3	12	1984	B04	1.41	N	N	0	mon	27.	
3	12	1984	B05	1.46	N	N	0	mon	27.	
3	12	1984	B06	1.3	N	N	0	mon	27.	
3	12	1984	B07	0.97	N	N	0	mon	29.	
3	12	1984	B08	1.03	N	N	0	mon	29.	
3	12	1984	B09	1.	N	N	0	mon	28.	
3	12	1984	B10	0.95	N	N	0	mon	28.	
3	12	1984	B11	0.96	N	N	0	mon	27.	
3	12	1984	B13	0.71	N	N	0	mon	30.	
3	12	1984	B14	0.42	N	N	0	mon	29.	
3	12	1984	B15	0.58	N	N	0	mon	30.	
3	12	1984	B16	0.6	N	N	0	mon	30.	
3	12	1984	B18	0.53	N	N	0	mon	30.	
3	12	1984	B19	0.59	N	N	0	mon	30.	
3	12	1984	B20	0.64	N	N	0	mon	30.	
4	12	1984	A29	0.3	N	N	0	nil		
4	12	1984	A30	0.44	N	N	0	nil		
4	12	1984	A31	0.15	N	N	0	nil		
4	12	1984	A32	0.28	N	N	0	nil		
4	12	1984	A33	0.28	N	N	0	nil		
4	12	1984	A34	0.29	N	N	0	nil		
4	12	1984	A35	0.35	N	N	0	nil		
4	12	1984	A36	0.24	N	N	0	nil		
4	12	1984	A37	0.29	N	N	0	nil		
4	12	1984	A38	0.44	N	N	0	nil		
4	12	1984	A39	0.45	N	N	0	nil		
4	12	1984	A40	0.44	N	N	0	nil		
4	12	1984	A41	0.28	N	N	0	nil		
4	12	1984	A42	0.09	N	N	0	nil		
4	12	1984	A43	0.65	N	N	0	nil		
4	12	1984	A44	0.63	N	N	0	nil		
4	12	1984	A45	0.72	N	N	0	nil		
4	12	1984	A46	0.59	N	N	0	nil		
4	12	1984	A47	0.59	N	N	0	nil		
4	12	1984	A48	0.57	N	N	0	nil		
4	12	1984	A49	0.45	N	N	0	nil		
4	12	1984	B01	1.38	N	N	0	mon	30.	
4	12	1984	B02	1.45	N	N	0	mon	30.	
4	12	1984	B03	1.27	N	N	0	mon	30.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
4	12	1984	B04	1.37	N	N	0	mon	30.	
4	12	1984	B05	1.41	N	N	0	mon	30.	
4	12	1984	B06	1.25	N	N	0	mon	30.	
4	12	1984	B07	0.96	N	N	0	mon	31.	
4	12	1984	B08	1.03	N	N	0	mon	31.	
4	12	1984	B09	1.	N	N	0	mon	31.	
4	12	1984	B10	0.95	N	N	0	mon	31.	
4	12	1984	B11	0.95	N	N	0	mon	31.	
4	12	1984	B13	0.69	N	N	0	mon	32.	
4	12	1984	B14	0.43	N	N	0	mon	32.	
4	12	1984	B15	0.57	N	N	0	mon	32.	
4	12	1984	B16	0.6	N	N	0	mon	32.	
4	12	1984	B18	0.52	N	N	0	mon	32.	
4	12	1984	B19	0.57	N	N	0	mon	33.	
4	12	1984	B20	0.63	N	N	0	mon	32.	
5	12	1984	A29	0.3	N	N	0	nil	31.	
5	12	1984	A30	0.42	N	N	0	nil	31.	
5	12	1984	A31	0.13	N	N	0	nil	31.	
5	12	1984	A32	0.18	N	N	0	nil	31.	
5	12	1984	A33	0.25	N	N	0	nil	31.	
5	12	1984	A34	0.28	N	N	0	nil	32.	
5	12	1984	A35	0.32	N	N	0	nil	32.	
5	12	1984	A36	0.24	N	N	0	nil	31.	
5	12	1984	A37	0.28	N	N	0	nil	32.	
5	12	1984	A38	0.43	N	N	0	nil	31.	
5	12	1984	A39	0.43	N	N	0	nil	31.	
5	12	1984	A40	0.42	N	N	0	nil	32.	
5	12	1984	A41	0.26	N	N	0	nil	33.	
5	12	1984	A42	0.09	N	N	0	nil	34.	
5	12	1984	A43	0.64	N	N	0	nil	32.	
5	12	1984	A44	0.62	N	N	0	nil	31.	
5	12	1984	A45	0.71	N	N	0	nil	31.	
5	12	1984	A46	0.57	N	N	0	nil	31.	
5	12	1984	A47	0.59	N	N	0	nil	31.	
5	12	1984	A48	0.56	N	N	0	nil	31.	
5	12	1984	A49	0.43	N	N	0	nil	31.	
5	12	1984	B01	1.36	N	N	0	mon	29.	
5	12	1984	B02	1.43	N	N	0	mon	27.	
5	12	1984	B03	1.24	N	N	0	mon	29.	
5	12	1984	B04	1.34	N	N	0	mon	28.	
5	12	1984	B05	1.39	N	N	0	mon	29.	
5	12	1984	B06	1.22	N	N	0	mon	27.	
5	12	1984	B07	0.95	N	N	0	mon	28.	
5	12	1984	B08	1.03	N	N	0	mon	28.	
5	12	1984	B09	0.99	N	N	0	mon	29.	
5	12	1984	B10	0.94	N	N	0	mon	29.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
5	12	1984	B11	0.94	N	N	0	mon	29.	
5	12	1984	B13	0.68	N	N	0	mon	30.	
5	12	1984	B14	0.44	N	N	0	mon	30.	
5	12	1984	B15	0.56	N	N	0	mon	30.	
5	12	1984	B16	0.6	N	N	0	mon	29.	
5	12	1984	B18	0.51	N	N	0	mon	30.	
5	12	1984	B19	0.56	N	N	0	mon	30.	
5	12	1984	B20	0.61	N	N	0	mon	30.	
6	12	1984	A29	0.41	Y	N	0	nil		
6	12	1984	A30	0.5	Y	N	0	nil		
6	12	1984	A31	0.41	Y	N	0	nil		
6	12	1984	A32	0.45	Y	N	0	nil		
6	12	1984	A33	0.34	Y	N	0	nil		
6	12	1984	A34	0.4	Y	N	0	nil		
6	12	1984	A35	0.41	Y	N	0	nil		
6	12	1984	A36	0.44	Y	N	0	nil		
6	12	1984	A37	0.3	Y	N	0	nil		
6	12	1984	A38	0.48	Y	N	0	nil		
6	12	1984	A39	0.49	Y	N	0	nil		
6	12	1984	A40	0.41	Y	N	0	nil		
6	12	1984	A41	0.3	Y	N	0	nil		
6	12	1984	A42	0.19	Y	N	0	nil		
6	12	1984	A43	0.63	Y	N	0	nil		
6	12	1984	A44	0.61	Y	N	0	nil		
6	12	1984	A45	0.56	Y	N	0	nil		
6	12	1984	A46	0.56	Y	N	0	nil		
6	12	1984	A47	0.57	Y	N	0	nil		
6	12	1984	A48	0.54	Y	N	0	nil		
6	12	1984	A49	0.41	Y	N	0	nil		
6	12	1984	B01	1.33	Y	N	0	mon	31.	
6	12	1984	B02	1.41	Y	N	0	mon	30.	
6	12	1984	B03	1.2	Y	N	0	mon	30.	
6	12	1984	B04	1.31	Y	N	0	mon	31.	
6	12	1984	B05	1.36	Y	N	0	mon	31.	
6	12	1984	B06	1.19	Y	N	0	mon	31.	
6	12	1984	B07	0.94	Y	N	0	mon	31.	
6	12	1984	B08	1.02	Y	N	0	mon	31.	
6	12	1984	B09	0.97	Y	N	0	mon	31.	
6	12	1984	B10	0.93	Y	N	0	mon	31.	
6	12	1984	B11	0.91	Y	N	0	mon	32.	
6	12	1984	B13	0.67	N	N	0	mon	33.	
6	12	1984	B14	0.45	N	N	0	mon	33.	
6	12	1984	B15	0.56	N	N	0	mon	33.	
6	12	1984	B16	0.59	N	N	0	mon	33.	
6	12	1984	B18	0.5	N	N	0	mon	33.	
6	12	1984	B19	0.56	N	N	0	mon	33.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
6	12	1984	B20	0.61	N	N	0	mon	33.	
7	12	1984	A29	0.38	N	N	0	nil	33.	
7	12	1984	A30	0.5	N	N	0	nil	32.	
7	12	1984	A31	0.39	N	N	0	nil	32.	
7	12	1984	A32	0.42	N	N	0	nil	33.	
7	12	1984	A33	0.34	N	N	0	nil	34.	
7	12	1984	A34	0.38	N	N	0	nil	33.	
7	12	1984	A35	0.39	N	N	0	nil	33.	
7	12	1984	A36	0.36	N	N	0	nil	35.	
7	12	1984	A37	0.33	N	N	0	nil	35.	
7	12	1984	A38	0.48	N	N	0	nil	33.	
7	12	1984	A39	0.44	N	N	0	nil	33.	
7	12	1984	A40	0.4	N	N	0	nil	33.	
7	12	1984	A41	0.29	N	N	0	nil	33.	
7	12	1984	A42	0.18	N	N	0	nil	35.	
7	12	1984	A43	0.62	N	N	0	nil	34.	
7	12	1984	A44	0.6	N	N	0	nil	33.	
7	12	1984	A45	0.69	N	N	0	nil	33.	
7	12	1984	A46	0.55	N	N	0	nil	34.	
7	12	1984	A47	0.56	N	N	0	nil	32.	
7	12	1984	A48	0.53	N	N	0	nil	32.	
7	12	1984	A49	0.39	N	N	0	nil	33.	
7	12	1984	B01	1.45	Y	N	0	mon	29.	
7	12	1984	B02	1.44	Y	N	0	mon	29.	
7	12	1984	B03	1.36	Y	N	0	mon	29.	
7	12	1984	B04	1.38	Y	N	0	mon	29.	
7	12	1984	B05	1.46	Y	N	0	mon	30.	
7	12	1984	B06	1.38	Y	N	0	mon	29.	
7	12	1984	B07	0.97	Y	N	0	mon	30.	
7	12	1984	B08	1.08	Y	N	0	mon	30.	
7	12	1984	B09	1.06	Y	N	0	mon	30.	
7	12	1984	B10	0.96	Y	N	0	mon	30.	
7	12	1984	B11	0.95	Y	N	0	mon	30.	
7	12	1984	B13	0.65	N	N	0	mon	32.	
7	12	1984	B14	0.45	N	N	0	mon	31.	
7	12	1984	B15	0.55	N	N	0	mon	31.	
7	12	1984	B16	0.59	N	N	0	mon	30.	
7	12	1984	B18	0.5	N	N	0	mon	31.	
7	12	1984	B19	0.55	N	N	0	mon	31.	
7	12	1984	B20	0.6	N	N	0	mon	31.	
10	12	1984	A29	0.49	N	N	0	nil	35.	
10	12	1984	A30	0.56	N	N	0	nil	35.	
10	12	1984	A31	0.51	N	N	0	nil	35.	
10	12	1984	A32	0.55	N	N	0	nil	35.	
10	12	1984	A33	0.42	N	N	0	nil	35.	
10	12	1984	A34	0.48	N	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
10	12	1984	A35	0.5	N	N	0	nil	35.	
10	12	1984	A36	0.51	N	N	0	nil	35.	
10	12	1984	A37	0.52	N	N	0	nil	34.	
10	12	1984	A38	0.66	N	N	0	nil	34.	
10	12	1984	A39	0.66	N	N	0	nil	35.	
10	12	1984	A40	0.58	N	N	0	nil	35.	
10	12	1984	A41	0.54	N	N	0	nil	35.	
10	12	1984	A42	0.4	N	N	0	nil	36.	
10	12	1984	A43	0.62	N	N	0	nil	34.	
10	12	1984	A44	0.62	N	N	0	nil	34.	
10	12	1984	A45	0.72	N	N	0	nil	34.	
10	12	1984	A46	0.55	N	N	0	nil	33.	
10	12	1984	A47	0.55	N	N	0	nil	33.	
10	12	1984	A48	0.54	N	N	0	nil	32.	
10	12	1984	A49	0.39	N	N	0	nil	32.	
10	12	1984	B01	1.4	Y	N	0	mon	30.	
10	12	1984	B02	1.4	Y	N	0	mon	30.	
10	12	1984	B03	1.25	Y	N	0	mon	30.	
10	12	1984	B04	1.35	Y	N	0	mon	30.	
10	12	1984	B05	1.37	Y	N	0	mon	30.	
10	12	1984	B06	1.28	Y	N	0	mon	30.	
10	12	1984	B07	0.92	N	N	0	mon	30.	
10	12	1984	B08	0.96	N	N	0	mon	30.	
10	12	1984	B09	0.78	N	N	0	mon	31.	
10	12	1984	B10	0.89	N	N	0	mon	30.	
10	12	1984	B11	0.88	N	N	0	mon	30.	
10	12	1984	B13	0.88	N	N	0	mon	31.	
10	12	1984	B14	0.65	N	N	0	mon	31.	
10	12	1984	B15	0.64	N	N	0	mon	31.	
10	12	1984	B16	0.61	N	N	0	mon	31.	
10	12	1984	B18	0.62	N	N	0	mon	31.	
10	12	1984	B19	0.63	N	N	0	mon	32.	
10	12	1984	B20	0.6	N	N	0	mon	31.	
11	12	1984	A29	0.47	N	N	0	nil		
11	12	1984	A30	0.65	N	N	0	nil		
11	12	1984	A31	0.5	N	N	0	nil		
11	12	1984	A32	0.52	N	N	0	nil		
11	12	1984	A33	0.48	N	N	0	nil		
11	12	1984	A34	0.48	N	N	0	nil		
11	12	1984	A35	0.47	N	N	0	nil		
11	12	1984	A36	0.51	N	N	0	nil		
11	12	1984	A37	0.52	N	N	0	nil		
11	12	1984	A38	0.67	N	N	0	nil		
11	12	1984	A39	0.65	N	N	0	nil		
11	12	1984	A40	0.58	N	N	0	nil		
11	12	1984	A41	0.55	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
11	12	1984	A42	0.39	N	N	0	nil		
11	12	1984	A43	0.67	N	N	0	nil		
11	12	1984	A44	0.68	N	N	0	nil		
11	12	1984	A45	0.78	N	N	0	nil		
11	12	1984	A46	0.55	N	N	0	nil		
11	12	1984	A47	0.55	N	N	0	nil		
11	12	1984	A48	0.54	N	N	0	nil		
11	12	1984	A49	0.39	N	N	0	nil		
11	12	1984	B01	1.37	Y	N	0	mon	32.	
11	12	1984	B02	1.36	Y	N	0	mon	33.	
11	12	1984	B03	1.21	Y	N	0	mon	33.	
11	12	1984	B04	1.32	Y	N	0	mon	34.	
11	12	1984	B05	1.32	Y	N	0	mon	33.	
11	12	1984	B06	1.24	Y	N	0	mon	34.	
11	12	1984	B07	0.91	N	N	0	mon	34.	
11	12	1984	B08	0.95	N	N	0	mon	35.	
11	12	1984	B09	0.83	N	N	0	mon	35.	
11	12	1984	B10	0.85	N	N	0	mon	35.	
11	12	1984	B11	0.86	N	N	0	mon	35.	
11	12	1984	B13	0.94	N	N	0	mon	36.	
11	12	1984	B14	0.7	N	N	0	mon	36.	
11	12	1984	B15	0.7	N	N	0	mon	36.	
11	12	1984	B16	0.64	N	N	0	mon	35.	
11	12	1984	B18	0.63	N	N	0	mon	35.	
11	12	1984	B19	0.65	N	N	0	mon	36.	
11	12	1984	B20	0.61	N	N	0	mon	36.	
12	12	1984	A29	0.6	Y	N	0	nil	35.	
12	12	1984	A30	0.84	Y	N	0	nil	35.	
12	12	1984	A31	0.76	Y	N	0	nil	35.	
12	12	1984	A32	0.8	Y	N	0	nil	34.	
12	12	1984	A33	0.69	Y	N	0	nil	35.	
12	12	1984	A34	0.69	Y	N	0	nil	35.	
12	12	1984	A35	0.61	Y	N	0	nil	35.	
12	12	1984	A36	0.6	Y	N	0	nil	35.	
12	12	1984	A37	0.68	Y	N	0	nil	35.	
12	12	1984	A38	0.84	Y	N	0	nil	34.	
12	12	1984	A39	0.83	Y	N	0	nil	34.	
12	12	1984	A40	0.78	Y	N	0	nil	35.	
12	12	1984	A41	0.54	Y	N	0	nil	35.	
12	12	1984	A42	0.44	Y	N	0	nil	36.	
12	12	1984	A43	0.92	Y	N	0	nil	34.	
12	12	1984	A44	0.9	Y	N	0	nil	35.	
12	12	1984	A45	0.98	Y	N	0	nil	34.	
12	12	1984	A46	0.7	Y	N	0	nil	34.	
12	12	1984	A47	0.7	Y	N	0	nil	35.	
12	12	1984	A48	0.63	Y	N	0	nil	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
12	12	1984	A49	0.43	Y	N	0	nil	34.	
12	12	1984	B01	1.35	Y	N	0	mon	30.	
12	12	1984	B02	1.34	Y	N	0	mon	31.	
12	12	1984	B03	1.17	Y	N	0	mon	31.	
12	12	1984	B04	1.29	Y	N	0	mon	32.	
12	12	1984	B05	1.29	Y	N	0	mon	31.	
12	12	1984	B06	1.2	Y	N	0	mon	31.	
12	12	1984	B07	0.9	N	N	0	mon	31.	
12	12	1984	B08	0.94	N	N	0	mon	31.	
12	12	1984	B09	0.87	N	N	0	mon	32.	
12	12	1984	B10	0.84	N	N	0	mon	32.	
12	12	1984	B11	0.85	N	N	0	mon	31.	
12	12	1984	B13	0.86	N	N	0	mon	34.	
12	12	1984	B14	0.74	N	N	0	mon	34.	
12	12	1984	B15	0.7	N	N	0	mon	34.	
12	12	1984	B16	0.68	N	N	0	mon	33.	
12	12	1984	B18	0.65	N	N	0	mon	34.	
12	12	1984	B19	0.66	N	N	0	mon	34.	
12	12	1984	B20	0.62	N	N	0	mon	34.	
13	12	1984	A29	0.66	N	N	0	nil		
13	12	1984	A30	0.81	N	N	0	nil		
13	12	1984	A31	0.69	N	N	0	nil		
13	12	1984	A32	0.73	N	N	0	nil		
13	12	1984	A33	0.64	N	N	0	nil		
13	12	1984	A34	0.35	N	N	0	nil		
13	12	1984	A35	0.66	N	N	0	nil		
13	12	1984	A36	0.67	N	N	0	nil		
13	12	1984	A37	0.66	N	N	0	nil		
13	12	1984	A38	0.81	N	N	0	nil		
13	12	1984	A39	0.79	N	N	0	nil		
13	12	1984	A40	0.74	N	N	0	nil		
13	12	1984	A41	0.57	N	N	0	nil		
13	12	1984	A42	0.66	Y	N	0	nil		
13	12	1984	A43	0.88	N	N	0	nil		
13	12	1984	A44	0.86	N	N	0	nil		
13	12	1984	A45	0.94	N	N	0	nil		
13	12	1984	A46	0.72	N	N	0	nil		
13	12	1984	A47	0.72	N	N	0	nil		
13	12	1984	A48	0.68	N	N	0	nil		
13	12	1984	A49	0.78	Y	N	0	nil		
13	12	1984	B01	1.34	N	N	0	mon	31.	
13	12	1984	B02	1.33	N	N	0	mon	31.	
13	12	1984	B03	1.15	N	N	0	mon	32.	
13	12	1984	B04	1.27	N	N	0	mon	32.	
13	12	1984	B05	1.27	N	N	0	mon	32.	
13	12	1984	B06	1.18	N	N	0	mon	32.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
13	12	1984	B07	0.9	N	N	0	mon	33.	
13	12	1984	B08	0.97	N	N	0	mon	33.	
13	12	1984	B09	1.	N	N	0	mon	33.	
13	12	1984	B10	0.85	N	N	0	mon	33.	
13	12	1984	B11	0.87	N	N	0	mon	33.	
13	12	1984	B13	0.97	N	N	0	mon	34.	
13	12	1984	B14	0.8	N	N	0	mon	34.	
13	12	1984	B15	0.78	N	N	0	mon	34.	
13	12	1984	B16	0.74	N	N	0	mon	34.	
13	12	1984	B18	0.68	N	N	0	mon	34.	
13	12	1984	B19	0.7	N	N	0	mon	35.	
13	12	1984	B20	0.66	N	N	0	mon	35.	
14	12	1984	A29	0.66	N	N	0	nil	33.	
14	12	1984	A30	0.8	N	N	0	nil	34.	
14	12	1984	A31	0.67	N	N	0	nil	35.	
14	12	1984	A32	0.7	N	N	0	nil	34.	
14	12	1984	A33	0.62	N	N	0	nil	35.	
14	12	1984	A34	0.64	N	N	0	nil	35.	
14	12	1984	A35	0.64	N	N	0	nil	35.	
14	12	1984	A36	0.69	N	N	0	nil	34.	
14	12	1984	A37	0.64	N	N	0	nil	34.	
14	12	1984	A38	0.79	N	N	0	nil	34.	
14	12	1984	A39	0.77	N	N	0	nil	34.	
14	12	1984	A40	0.72	N	N	0	nil	34.	
14	12	1984	A41	0.59	N	N	0	nil	35.	
14	12	1984	A42	0.62	N	N	0	nil	35.	
14	12	1984	A43	0.86	N	N	0	nil	33.	
14	12	1984	A44	0.84	N	N	0	nil	33.	
14	12	1984	A45	0.92	N	N	0	nil	33.	
14	12	1984	A46	0.72	N	N	0	nil	33.	
14	12	1984	A47	0.73	N	N	0	nil	33.	
14	12	1984	A48	0.69	N	N	0	nil	33.	
14	12	1984	A49	0.75	N	N	0	nil	33.	
14	12	1984	B01	1.32	Y	N	0	mon	33.	
14	12	1984	B02	1.31	Y	N	0	mon	33.	
14	12	1984	B03	1.14	Y	N	0	mon	34.	
14	12	1984	B04	1.25	Y	N	0	mon	34.	
14	12	1984	B05	1.26	Y	N	0	mon	34.	
14	12	1984	B06	1.15	Y	N	0	mon	33.	
14	12	1984	B07	0.9	N	N	0	mon	34.	
14	12	1984	B08	0.98	N	N	0	mon	34.	
14	12	1984	B09	0.98	N	N	0	mon	35.	
14	12	1984	B10	0.86	N	N	0	mon	35.	
14	12	1984	B11	0.36	N	N	0	mon	33.	
14	12	1984	B13	0.33	N	N	0	mon	35.	
14	12	1984	B14	0.8	N	N	0	mon	36.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
14	12	1984	B15	0.78	N	N	0	mon	35.	
14	12	1984	B16	0.75	N	N	0	mon	35.	
14	12	1984	B18	0.69	N	N	0	mon	35.	
14	12	1984	B19	0.7	N	N	0	mon	35.	
14	12	1984	B20	0.67	N	N	0	mon	35.	
17	12	1984	A29	0.62	N	N	0	nil	33.	
17	12	1984	A30	0.76	N	N	0	nil	34.	
17	12	1984	A31	0.63	N	N	0	nil	34.	
17	12	1984	A32	0.66	N	N	0	nil	34.	
17	12	1984	A33	0.59	N	N	0	nil	33.	
17	12	1984	A34	0.6	N	N	0	nil	34.	
17	12	1984	A35	0.7	N	N	0	nil	34.	
17	12	1984	A36	0.7	N	N	0	nil	34.	
17	12	1984	A37	0.61	N	N	0	nil	33.	
17	12	1984	A38	0.75	N	N	0	nil	33.	
17	12	1984	A39	0.71	N	N	0	nil	33.	
17	12	1984	A40	0.67	N	N	0	nil	33.	
17	12	1984	A41	0.59	N	N	0	nil	33.	
17	12	1984	A42	0.54	N	N	0	nil	34.	
17	12	1984	A43	0.79	N	N	0	nil	33.	
17	12	1984	A44	0.77	N	N	0	nil	33.	
17	12	1984	A45	0.86	N	N	0	nil	33.	
17	12	1984	A46	0.76	N	N	0	nil	33.	
17	12	1984	A47	0.76	N	N	0	nil	32.	
17	12	1984	A48	0.74	N	N	0	nil	32.	
17	12	1984	A49	0.68	N	N	0	nil	32.	
17	12	1984	B01	1.3	N	N	0	mon	31.	
17	12	1984	B02	1.29	N	N	0	mon	32.	
17	12	1984	B03	1.17	N	N	0	mon	31.	
17	12	1984	B04	1.28	N	N	0	mon	31.	
17	12	1984	B05	1.36	N	N	0	mon	32.	
17	12	1984	B06	1.25	N	N	0	mon	32.	
17	12	1984	B07	0.9	N	N	0	mon	32.	
17	12	1984	B08	1.03	N	N	0	mon	33.	
17	12	1984	B09	1.05	N	N	0	mon	33.	
17	12	1984	B10	0.92	N	N	0	mon	32.	
17	12	1984	B11	0.9	N	N	0	mon	32.	
17	12	1984	B13	0.86	N	N	0	mon	35.	
17	12	1984	B14	0.79	N	N	0	mon	35.	
17	12	1984	B15	0.78	N	N	0	mon	35.	
17	12	1984	B16	0.82	N	N	0	mon	33.	
17	12	1984	B18	0.71	N	N	0	mon	34.	
17	12	1984	B19	0.71	N	N	0	mon	34.	
17	12	1984	B20	0.7	N	N	0	mon	33.	
18	12	1984	A29	0.66	N	N	0	nil		
18	12	1984	A30	0.79	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
18	12	1984	A31	0.66	N	N	0	nil		
18	12	1984	A32	0.69	N	N	0	nil		
18	12	1984	A33	0.62	N	N	0	nil		
18	12	1984	A34	0.63	N	N	0	nil		
18	12	1984	A35	0.63	N	N	0	nil		
18	12	1984	A36	0.56	N	N	0	nil		
18	12	1984	A37	0.62	N	N	0	nil		
18	12	1984	A38	0.69	N	N	0	nil		
18	12	1984	A39	0.75	N	N	0	nil		
18	12	1984	A40	0.78	N	N	0	nil		
18	12	1984	A41	0.64	N	N	0	nil		
18	12	1984	A42	0.74	N	N	0	nil		
18	12	1984	A43	0.81	N	N	0	nil		
18	12	1984	A44	0.79	N	N	0	nil		
18	12	1984	A45	0.89	N	N	0	nil		
18	12	1984	A46	0.8	N	N	0	nil		
18	12	1984	A47	0.8	N	N	0	nil		
18	12	1984	A48	0.79	N	N	0	nil		
18	12	1984	A49	0.7	N	N	0	nil		
18	12	1984	B01	1.3	N	N	0	mon	31.	
18	12	1984	B02	1.3	N	N	0	mon	32.	
18	12	1984	B03	1.18	N	N	0	mon	31.	
18	12	1984	B04	1.29	N	N	0	mon	31.	
18	12	1984	B05	1.38	N	N	0	mon	32.	
18	12	1984	B06	1.25	N	N	0	mon	32.	
18	12	1984	B07	0.94	N	N	0	mon	32.	
18	12	1984	B08	1.05	N	N	0	mon	33.	
18	12	1984	B09	1.03	N	N	0	mon	33.	
18	12	1984	B10	0.96	N	N	0	mon	32.	
18	12	1984	B11	0.93	N	N	0	mon	32.	
18	12	1984	B13	0.88	N	N	0	mon	35.	
18	12	1984	B14	0.81	N	N	0	mon	35.	
18	12	1984	B15	0.81	N	N	0	mon	35.	
18	12	1984	B16	0.95	N	N	0	mon	34.	
18	12	1984	B18	0.74	N	N	0	mon	35.	
18	12	1984	B19	0.74	N	N	0	mon	35.	
18	12	1984	B20	0.73	N	N	0	mon	34.	
19	12	1984	A29	0.65	N	N	0	nil	29.	
19	12	1984	A30	0.79	N	N	0	nil	29.	
19	12	1984	A31	0.65	N	N	0	nil	29.	
19	12	1984	A32	0.69	N	N	0	nil	30.	
19	12	1984	A33	0.6	N	N	0	nil	30.	
19	12	1984	A34	0.62	N	N	0	nil	30.	
19	12	1984	A35	0.62	N	N	0	nil	29.	
19	12	1984	A36	0.73	N	N	0	nil	30.	
19	12	1984	A37	0.64	N	N	0	nil	30.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
19	12	1984	A38	0.78	N	N	0	nil	30.	
19	12	1984	A39	0.74	N	N	0	nil	30.	
19	12	1984	A40	0.69	N	N	0	nil	31.	
19	12	1984	A41	0.61	N	N	0	nil	30.	
19	12	1984	A42	0.56	N	N	0	nil	30.	
19	12	1984	A43	0.8	N	N	0	nil	29.	
19	12	1984	A44	0.79	N	N	0	nil	29.	
19	12	1984	A45	0.88	N	N	0	nil	30.	
19	12	1984	A46	0.8	N	N	0	nil	30.	
19	12	1984	A47	0.8	N	N	0	nil	29.	
19	12	1984	A48	0.79	N	N	0	nil	30.	
19	12	1984	A49	0.69	N	N	0	nil	30.	
19	12	1984	B01	1.27	N	N	0	mon	30.	
19	12	1984	B02	1.29	N	N	0	mon	30.	
19	12	1984	B03	1.17	N	N	0	mon	30.	
19	12	1984	B04	1.28	N	N	0	mon	31.	
19	12	1984	B05	1.36	N	N	0	mon	31.	
19	12	1984	B06	1.24	N	N	0	mon	31.	
19	12	1984	B07	0.94	N	N	0	mon	30.	
19	12	1984	B08	1.05	N	N	0	mon	31.	
19	12	1984	B09	1.03	N	N	0	mon	31.	
19	12	1984	B10	0.96	N	N	0	mon	32.	
19	12	1984	B11	0.93	N	N	0	mon	32.	
19	12	1984	B13	0.87	N	N	0	mon	32.	
19	12	1984	B14	0.8	N	N	0	mon	32.	
19	12	1984	B15	0.81	N	N	0	mon	32.	
19	12	1984	B16	0.86	N	N	0	mon	32.	
19	12	1984	B18	0.74	N	N	0	mon	35.	
19	12	1984	B19	0.74	N	N	0	mon	32.	
19	12	1984	B20	0.73	N	N	0	mon	32.	
20	12	1984	A29	0.64	N	N	0	nil	31.	
20	12	1984	A30	0.73	N	N	0	nil	32.	
20	12	1984	A31	0.64	N	N	0	nil	32.	
20	12	1984	A32	0.68	N	N	0	nil	33.	
20	12	1984	A33	0.6	N	N	0	nil	32.	
20	12	1984	A34	0.61	N	N	0	nil	32.	
20	12	1984	A35	0.61	N	N	0	nil	32.	
20	12	1984	A36	0.72	N	N	0	nil	32.	
20	12	1984	A37	0.62	N	N	0	nil	31.	
20	12	1984	A38	0.77	N	N	0	nil	30.	
20	12	1984	A39	0.72	N	N	0	nil	31.	
20	12	1984	A40	0.67	N	N	0	nil	32.	
20	12	1984	A41	0.6	N	N	0	nil	32.	
20	12	1984	A42	0.54	N	N	0	nil	32.	
20	12	1984	A43	0.8	N	N	0	nil	31.	
20	12	1984	A44	0.78	N	N	0	nil	31.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
20	12	1984	A45	0.87	N	N	0	nil	31.	
20	12	1984	A46	0.8	N	N	0	nil	30.	
20	12	1984	A47	0.8	N	N	0	nil	30.	
20	12	1984	A48	0.79	N	N	0	nil	30.	
20	12	1984	A49	0.67	N	N	0	nil	30.	
20	12	1984	B01	1.24	N	N	0	mon	30.	
20	12	1984	B02	1.28	N	N	0	mon	31.	
20	12	1984	B03	1.15	N	N	0	mon	30.	
20	12	1984	B04	1.25	N	N	0	mon	31.	
20	12	1984	B05	1.35	N	N	0	mon	32.	
20	12	1984	B06	1.2	N	N	0	mon	31.	
20	12	1984	B07	0.94	N	N	0	mon	30.	
20	12	1984	B08	1.05	N	N	0	mon	31.	
20	12	1984	B09	1.01	N	N	0	mon	31.	
20	12	1984	B10	0.95	N	N	0	mon	32.	
20	12	1984	B11	0.93	N	N	0	mon	32.	
20	12	1984	B13	0.86	N	N	0	mon	32.	
20	12	1984	B14	0.8	N	N	0	mon	32.	
20	12	1984	B15	0.81	N	N	0	mon	33.	
20	12	1984	B16	0.86	N	N	0	mon	32.	
20	12	1984	B18	0.73	N	N	0	mon	33.	
20	12	1984	B19	0.73	N	N	0	mon	32.	
20	12	1984	B20	0.73	N	N	0	mon	32.	
21	12	1984	A29	0.63	N	N	0	nil	31.	
21	12	1984	A30	0.77	N	N	0	nil	32.	
21	12	1984	A31	0.64	N	N	0	nil	32.	
21	12	1984	A32	0.67	N	N	0	nil	33.	
21	12	1984	A33	0.59	N	N	0	nil	32.	
21	12	1984	A34	0.	N	N	0	nil	32.	
21	12	1984	A35	0.61	N	N	0	nil	32.	
21	12	1984	A36	0.71	N	N	0	nil	32.	
21	12	1984	A37	0.6	N	N	0	nil	31.	
21	12	1984	A38	0.77	N	N	0	nil	30.	
21	12	1984	A39	0.7	N	N	0	nil	31.	
21	12	1984	A40	0.67	N	N	0	nil	32.	
21	12	1984	A41	0.59	N	N	0	nil	32.	
21	12	1984	A42	0.53	N	N	0	nil	32.	
21	12	1984	A43	0.79	N	N	0	nil	31.	
21	12	1984	A44	0.77	N	N	0	nil	31.	
21	12	1984	A45	0.86	N	N	0	nil	31.	
21	12	1984	A46	0.79	N	N	0	nil	30.	
21	12	1984	A47	0.8	N	N	0	nil	30.	
21	12	1984	A48	0.79	N	N	0	nil	30.	
21	12	1984	A49	0.66	N	N	0	nil	30.	
21	12	1984	B01	1.35	N	N	0	mon	31.	
21	12	1984	B02	1.36	N	N	0	mon	31.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
21	12	1984	B03	1.36	N	N	0	mon	31.	
21	12	1984	B04	1.39	N	N	0	mon	31.	
21	12	1984	B05	1.45	N	N	0	mon	31.	
21	12	1984	B06	1.36	N	N	0	mon	31.	
21	12	1984	B07	0.94	N	N	0	mon	31.	
21	12	1984	B08	1.05	N	N	0	mon	30.	
21	12	1984	B09	1.1	N	N	0	mon	31.	
21	12	1984	B10	0.96	N	N	0	mon	31.	
21	12	1984	B11	0.95	N	N	0	mon	31.	
21	12	1984	B13	0.85	N	N	0	mon	31.	
21	12	1984	B14	0.8	N	N	0	mon	30.	
21	12	1984	B15	0.82	N	N	0	mon	30.	
21	12	1984	B16	0.87	N	N	0	mon	30.	
21	12	1984	B18	0.73	N	N	0	mon	30.	
21	12	1984	B19	0.78	N	N	0	mon	30.	
21	12	1984	B20	0.73	N	N	0	mon	30.	
24	12	1984	A29	0.7	N	N	0	nil	32.	
24	12	1984	A30	0.85	N	N	0	nil	34.	
24	12	1984	A31	0.71	N	N	0	nil	34.	
24	12	1984	A32	0.75	N	N	0	nil	34.	
24	12	1984	A33	0.68	N	N	0	nil	34.	
24	12	1984	A34	0.69	N	N	0	nil	34.	
24	12	1984	A35	0.66	N	N	0	nil	34.	
24	12	1984	A36	0.75	N	N	0	nil	34.	
24	12	1984	A37	0.7	N	N	0	nil	34.	
24	12	1984	A38	0.84	N	N	0	nil	34.	
24	12	1984	A39	0.76	N	N	0	nil	34.	
24	12	1984	A40	0.69	N	N	0	nil	34.	
24	12	1984	A41	0.59	N	N	0	nil	34.	
24	12	1984	A42	0.54	N	N	0	nil	34.	
24	12	1984	A43	0.78	N	N	0	nil	34.	
24	12	1984	A44	0.76	N	N	0	nil	34.	
24	12	1984	A45	0.85	N	N	0	nil	33.	
24	12	1984	A46	0.8	N	N	0	nil	33.	
24	12	1984	A47	0.8	N	N	0	nil	33.	
24	12	1984	A48	0.77	N	N	0	nil	33.	
24	12	1984	A49	0.63	N	N	0	nil	33.	
24	12	1984	B01	1.59	N	N	0	mon	33.	
24	12	1984	B02	1.59	N	N	0	mon	33.	
24	12	1984	B03	1.53	N	N	0	mon	34.	
24	12	1984	B04	1.54	N	N	0	mon	34.	
24	12	1984	B05	1.61	N	N	0	mon	34.	
24	12	1984	B06	1.53	N	N	0	mon	34.	
24	12	1984	B07	0.96	N	N	0	mon	33.	
24	12	1984	B08	1.1	N	N	0	mon	34.	
24	12	1984	B09	1.04	N	N	0	mon	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
24	12	1984	B10	1.02	N	N	0	mon	34.	
24	12	1984	B11	0.98	N	N	0	mon	34.	
24	12	1984	B13	0.83	N	N	0	mon	35.	
24	12	1984	B14	0.78	N	N	0	mon	35.	
24	12	1984	B15	0.81	N	N	0	mon	35.	
24	12	1984	B16	0.86	N	N	0	mon	34.	
24	12	1984	B18	0.7	N	N	0	mon	35.	
24	12	1984	B19	0.71	N	N	0	mon	35.	
24	12	1984	B20	0.71	N	N	0	mon	35.	
26	12	1984	A29	0.7	N	N	0	nil	33.	
26	12	1984	A30	0.85	N	N	0	nil	34.	
26	12	1984	A31	0.72	N	N	0	nil	34.	
26	12	1984	A32	0.75	N	N	0	nil	34.	
26	12	1984	A33	0.68	N	N	0	nil	35.	
26	12	1984	A34	0.69	N	N	0	nil	35.	
26	12	1984	A35	0.68	N	N	0	nil	34.	
26	12	1984	A36	0.77	N	N	0	nil	34.	
26	12	1984	A37	0.69	N	N	0	nil	34.	
26	12	1984	A38	0.83	N	N	0	nil	34.	
26	12	1984	A39	0.78	N	N	0	nil	34.	
26	12	1984	A40	0.7	N	N	0	nil	35.	
26	12	1984	A41	0.6	N	N	0	nil	35.	
26	12	1984	A42	0.54	N	N	0	nil	35.	
26	12	1984	A43	0.78	N	N	0	nil	33.	
26	12	1984	A44	0.77	N	N	0	nil	33.	
26	12	1984	A45	0.86	N	N	0	nil	33.	
26	12	1984	A46	0.83	N	N	0	nil	33.	
26	12	1984	A47	0.83	N	N	1	nil	33.	
26	12	1984	A48	0.79	N	N	0	nil	33.	
26	12	1984	A49	0.61	N	N	0	nil	33.	
26	12	1984	B01	1.48	Y	N	0	mon	32.	
26	12	1984	B02	1.53	Y	N	0	mon	33.	
26	12	1984	B03	1.43	Y	N	0	mon	34.	
26	12	1984	B04	1.47	Y	N	0	mon	34.	
26	12	1984	B05	1.56	Y	N	0	mon	34.	
26	12	1984	B06	1.44	Y	N	0	mon	34.	
26	12	1984	B07	0.96	Y	N	0	mon	33.	
26	12	1984	B08	1.1	Y	N	0	mon	34.	
26	12	1984	B09	1.05	Y	N	0	mon	34.	
26	12	1984	B10	1.01	Y	N	0	mon	35.	
26	12	1984	B11	0.98	Y	N	0	mon	34.	
26	12	1984	B13	0.82	Y	N	0	mon	35.	
26	12	1984	B14	0.78	Y	N	0	mon	34.	
26	12	1984	B15	0.82	Y	N	0	mon	35.	
26	12	1984	B16	0.87	Y	N	0	mon	34.	
26	12	1984	B18	0.63	Y	N	0	mon	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
26	12	1984	B19	0.69	Y	N	0	mon	35.	
26	12	1984	B20	0.69	Y	N	0	mon	35.	
27	12	1984	B01	1.64	Y	N	0	mon	32.	
27	12	1984	B02	1.59	Y	N	0	mon	32.	
27	12	1984	B03	1.54	Y	N	0	mon	32.	
27	12	1984	B04	1.77	Y	N	0	mon	32.	
27	12	1984	B05	1.78	Y	N	0	mon	32.	
27	12	1984	B06	1.69	Y	N	0	mon	32.	
27	12	1984	B07	0.98	Y	N	0	mon	31.	
27	12	1984	B08	1.1	Y	N	0	mon	34.	
27	12	1984	B09	1.06	Y	N	0	mon	34.	
27	12	1984	B10	1.01	Y	N	0	mon	32.	
27	12	1984	B11	0.99	Y	N	0	mon	32.	
27	12	1984	B13	0.68	N	N	0	mon	34.	
27	12	1984	B14	0.56	N	N	0	mon	33.	
27	12	1984	B15	0.53	N	N	0	mon	34.	
27	12	1984	B16	0.54	N	N	0	mon	33.	
27	12	1984	B18	0.54	N	N	0	mon	34.	
27	12	1984	B19	0.55	N	N	0	mon	33.	
27	12	1984	B20	0.54	N	N	0	mon	33.	
28	12	1984	A29	0.44	Y	N	0	nil	35.	
28	12	1984	A30	0.58	Y	N	0	nil	35.	
28	12	1984	A31	0.46	Y	N	0	nil	36.	
28	12	1984	A32	0.5	Y	N	0	nil	36.	
28	12	1984	A33	0.4	Y	N	0	nil	36.	
28	12	1984	A34	0.43	Y	N	0	nil	36.	
28	12	1984	A35	0.44	Y	N	0	nil	36.	
28	12	1984	A36	0.52	Y	N	0	nil	36.	
28	12	1984	A37	0.43	Y	N	0	nil	36.	
28	12	1984	A38	0.56	Y	N	0	nil	35.	
28	12	1984	A39	0.52	Y	N	0	nil	36.	
28	12	1984	A40	0.45	Y	N	0	nil	36.	
28	12	1984	A41	0.36	Y	N	0	nil	36.	
28	12	1984	A42	0.3	Y	N	0	nil	37.	
28	12	1984	A43	0.59	Y	N	0	nil	36.	
28	12	1984	A44	0.57	Y	N	0	nil	36.	
28	12	1984	A45	0.67	Y	N	0	nil	36.	
28	12	1984	A46	0.56	Y	N	0	nil	36.	
28	12	1984	A47	0.57	Y	N	0	nil	36.	
28	12	1984	A48	0.55	Y	N	0	nil	35.	
28	12	1984	A49	0.49	Y	N	0	nil	35.	
28	12	1984	B01	1.64	Y	N	0	mon	32.	
28	12	1984	B02	1.59	Y	N	0	mon	33.	
28	12	1984	B03	1.54	Y	N	0	mon	33.	
28	12	1984	B04	1.77	Y	N	0	mon	33.	
28	12	1984	B05	1.78	Y	N	0	mon	33.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
28	12	1984	B06	1.69	Y	N	0	mon	33.	
28	12	1984	B07	0.98	Y	N	0	mon	32.	
28	12	1984	B08	1.1	Y	N	0	mon	33.	
28	12	1984	B09	1.06	Y	N	0	mon	34.	
28	12	1984	B10	1.01	Y	N	0	mon	33.	
28	12	1984	B11	0.99	Y	N	0	mon	33.	
28	12	1984	B13	0.68	N	N	0	mon	34.	
28	12	1984	B14	0.56	N	N	0	mon	35.	
28	12	1984	B15	0.53	N	N	0	mon	35.	
28	12	1984	B16	0.54	N	N	0	mon	34.	
28	12	1984	B18	0.54	N	N	0	mon	35.	
28	12	1984	B19	0.55	N	N	0	mon	35.	
28	12	1984	B20	0.54	N	N	0	mon	35.	
2	1	1985	A29	0.4	N	N	0	nil	33.	
2	1	1985	A30	0.36	N	N	0	nil	35.	
2	1	1985	A31	0.35	N	N	0	nil	35.	
2	1	1985	A32	0.45	N	N	0	nil	35.	
2	1	1985	A33	0.41	N	N	0	nil	35.	
2	1	1985	A34	0.35	N	N	0	nil	35.	
2	1	1985	A35	0.4	N	N	0	nil	35.	
2	1	1985	A36	0.52	N	N	0	nil	35.	
2	1	1985	A37	0.37	N	N	0	nil	35.	
2	1	1985	A38	0.5	N	N	0	nil	35.	
2	1	1985	A39	0.4	N	N	0	nil	35.	
2	1	1985	A40	0.41	N	N	0	nil	35.	
2	1	1985	A41	0.35	N	N	0	nil	35.	
2	1	1985	A42	0.3	N	N	0	nil	35.	
2	1	1985	A43	0.59	N	N	0	nil	35.	
2	1	1985	A44	0.59	N	N	0	nil	35.	
2	1	1985	A45	0.68	N	N	0	nil	35.	
2	1	1985	A46	0.6	N	N	0	nil	35.	
2	1	1985	A47	0.6	N	N	0	nil	35.	
2	1	1985	A48	0.59	N	N	0	nil	35.	
2	1	1985	A49	0.74	N	N	0	nil	35.	
2	1	1985	B01	1.5	N	N	0	mon	34.	
2	1	1985	B02	1.56	N	N	0	mon	34.	
2	1	1985	B03	1.5	N	N	0	mon	34.	
2	1	1985	B04	1.55	N	N	0	mon	34.	
2	1	1985	B05	1.63	N	N	0	mon	34.	
2	1	1985	B06	1.44	N	N	0	mon	34.	
2	1	1985	B07	0.98	N	N	0	mon	34.	
2	1	1985	B08	1.04	N	N	0	mon	35.	
2	1	1985	B09	1.03	N	N	0	mon	35.	
2	1	1985	B10	1.01	N	N	0	mon	34.	
2	1	1985	B11	0.99	N	N	0	mon	34.	
2	1	1985	B13	0.82	N	N	0	mon	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
2	1	1985	B14	0.64	N	N	0	mon	35.	
2	1	1985	B15	0.65	N	N	0	mon	35.	
2	1	1985	B16	0.7	N	N	0	mon	35.	
2	1	1985	B18	0.64	N	N	0	mon	35.	
2	1	1985	B19	0.64	N	N	0	mon	36.	
2	1	1985	B20	0.64	N	N	0	mon	35.	
3	1	1985	A29	0.38	N	N	0	nil	32.	
3	1	1985	A30	0.49	N	N	0	nil	32.	
3	1	1985	A31	0.45	N	N	0	nil	32.	
3	1	1985	A32	0.44	N	N	0	nil	32.	
3	1	1985	A33	0.34	N	N	0	nil	32.	
3	1	1985	A34	0.34	N	N	0	nil	32.	
3	1	1985	A35	0.39	N	N	0	nil	32.	
3	1	1985	A36	0.4	N	N	0	nil	31.	
3	1	1985	A37	0.36	N	N	0	nil	32.	
3	1	1985	A38	0.49	N	N	0	nil	31.	
3	1	1985	A39	0.4	N	N	0	nil	31.	
3	1	1985	A40	0.4	N	N	0	nil	32.	
3	1	1985	A41	0.33	N	N	0	nil	32.	
3	1	1985	A42	0.29	N	N	0	nil	32.	
3	1	1985	A43	0.59	N	N	0	nil	31.	
3	1	1985	A44	0.58	N	N	0	nil	31.	
3	1	1985	A45	0.68	N	N	0	nil	31.	
3	1	1985	A46	0.58	N	N	0	nil	31.	
3	1	1985	A47	0.6	N	N	0	nil	31.	
3	1	1985	A48	0.58	N	N	0	nil	31.	
3	1	1985	A49	0.74	N	N	0	nil	31.	
3	1	1985	B01	1.46	N	N	0	mon	31.	
3	1	1985	B02	1.52	N	N	0	mon	30.	
3	1	1985	B03	1.47	N	N	0	mon	31.	
3	1	1985	B04	1.61	N	N	0	mon	31.	
3	1	1985	B05	1.59	N	N	0	mon	31.	
3	1	1985	B06	1.39	N	N	0	mon	31.	
3	1	1985	B07	0.96	N	N	0	mon	30.	
3	1	1985	B08	1.08	N	N	0	mon	31.	
3	1	1985	B09	1.03	N	N	0	mon	31.	
3	1	1985	B10	1.	N	N	0	mon	30.	
3	1	1985	B11	0.98	N	N	0	mon	30.	
3	1	1985	B13	0.81	N	N	0	mon	32.	
3	1	1985	B14	0.63	N	N	0	mon	32.	
3	1	1985	B15	0.67	N	N	0	mon	31.	
3	1	1985	B16	0.71	N	N	0	mon	31.	
3	1	1985	B18	0.64	N	N	0	mon	32.	
3	1	1985	B19	0.64	N	N	0	mon	32.	
3	1	1985	B20	0.65	N	N	0	mon	32.	
4	1	1985	A29	0.38	N	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
4	1	1985	A30	0.49	N	N	0	nil	35.	
4	1	1985	A31	0.39	N	N	0	nil	35.	
4	1	1985	A32	0.42	N	N	0	nil	35.	
4	1	1985	A33	0.32	N	N	0	nil	35.	
4	1	1985	A34	0.34	N	N	0	nil	35.	
4	1	1985	A35	0.39	N	N	0	nil	35.	
4	1	1985	A36	0.4	N	N	0	nil	35.	
4	1	1985	A37	0.35	N	N	0	nil	35.	
4	1	1985	A38	0.48	N	N	0	nil	35.	
4	1	1985	A39	0.4	N	N	0	nil	33.	
4	1	1985	A40	0.39	N	N	0	nil	35.	
4	1	1985	A41	0.33	N	N	0	nil	35.	
4	1	1985	A42	0.28	N	N	0	nil	35.	
4	1	1985	A43	0.58	N	N	0	nil	34.	
4	1	1985	A44	0.57	N	N	0	nil	34.	
4	1	1985	A45	0.66	N	N	0	nil	34.	
4	1	1985	A46	0.58	N	N	0	nil	34.	
4	1	1985	A47	0.59	N	N	0	nil	34.	
4	1	1985	A48	0.57	N	N	0	nil	34.	
4	1	1985	A49	0.74	N	N	0	nil	33.	
4	1	1985	B01	1.43	Y	N	0	mon	31.	
4	1	1985	B02	1.5	Y	N	0	mon	30.	
4	1	1985	B03	1.45	Y	N	0	mon	31.	
4	1	1985	B04	1.49	Y	N	0	mon	31.	
4	1	1985	B05	1.56	Y	N	0	mon	31.	
4	1	1985	B06	1.35	Y	N	0	mon	31.	
4	1	1985	B07	0.95	N	N	0	mon	30.	
4	1	1985	B08	1.07	N	N	0	mon	31.	
4	1	1985	B09	1.02	N	N	0	mon	31.	
4	1	1985	B10	1.	N	N	0	mon	30.	
4	1	1985	B11	0.57	N	N	0	mon	30.	
4	1	1985	B13	0.79	N	N	0	mon	32.	
4	1	1985	B14	0.63	N	N	0	mon	32.	
4	1	1985	B15	0.67	N	N	0	mon	31.	
4	1	1985	B16	0.71	N	N	0	mon	31.	
4	1	1985	B18	0.64	N	N	0	mon	32.	
4	1	1985	B19	0.64	N	N	0	mon	32.	
4	1	1985	B20	0.65	N	N	0	mon	32.	
7	1	1985	A29	0.05	N	N	0	nil	35.	
7	1	1985	A30	0.47	N	N	0	nil	36.	
7	1	1985	A31	0.37	N	N	0	nil	36.	
7	1	1985	A32	0.4	N	N	0	nil	36.	
7	1	1985	A33	0.3	N	N	0	nil	37.	
7	1	1985	A34	0.3	N	N	0	nil	37.	
7	1	1985	A35	0.35	N	N	0	nil	36.	
7	1	1985	A36	0.46	N	N	0	nil	36.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
7	1	1985	A37	0.31	N	N	0	nil	36.	
7	1	1985	A38	0.45	N	N	0	nil	36.	
7	1	1985	A39	0.39	N	N	0	nil	36.	
7	1	1985	A40	0.45	N	N	0	nil	37.	
7	1	1985	A41	0.3	N	N	0	nil	37.	
7	1	1985	A42	0.26	N	N	0	nil	38.	
7	1	1985	A43	0.57	N	N	0	nil	36.	
7	1	1985	A44	0.55	N	N	0	nil	35.	
7	1	1985	A45	0.64	N	N	0	nil	35.	
7	1	1985	A46	0.55	N	N	0	nil	36.	
7	1	1985	A47	0.56	N	N	0	nil	36.	
7	1	1985	A48	0.59	N	N	0	nil	35.	
7	1	1985	A49	0.8	N	N	0	nil	35.	
7	1	1985	B01	1.58	N	N	0	mon	32.	
7	1	1985	B02	1.57	N	N	0	mon	32.	
7	1	1985	B03	1.57	N	N	0	mon	33.	
7	1	1985	B04	1.75	N	N	0	mon	33.	
7	1	1985	B05	1.61	N	N	0	mon	32.	
7	1	1985	B06	1.51	N	N	0	mon	34..	
7	1	1985	B07	0.95	N	N	0	mon	33.	
7	1	1985	B08	1.09	N	N	0	mon	34.	
7	1	1985	B09	1.04	N	N	0	mon	35.	
7	1	1985	B10	1.	N	N	0	mon	34.	
7	1	1985	B11	0.96	N	N	0	mon	33.	
7	1	1985	B13	0.75	N	N	0	mon	35.	
7	1	1985	B14	0.64	N	N	0	mon	35.	
7	1	1985	B15	0.68	N	N	0	mon	35.	
7	1	1985	B16	0.73	N	N	0	mon	34.	
7	1	1985	B18	0.63	N	N	0	mon	35.	
7	1	1985	B19	0.64	N	N	0	mon	35.	
7	1	1985	B20	0.65	N	N	0	mon	34.	
8	1	1985	A29	0.36	Y	N	0	nil	36.	
8	1	1985	A30	0.5	Y	N	0	nil	37.	
8	1	1985	A31	0.35	Y	N	0	nil	38.	
8	1	1985	A32	0.39	Y	N	0	nil	38.	
8	1	1985	A33	0.33	Y	N	0	nil	39.	
8	1	1985	A34	0.34	Y	N	0	nil	39.	
8	1	1985	A35	0.35	Y	N	0	nil	39.	
8	1	1985	A36	0.46	Y	N	0	nil	38.	
8	1	1985	A37	0.33	Y	N	0	nil	39.	
8	1	1985	A38	0.46	Y	N	0	nil	38.	
8	1	1985	A39	0.39	Y	N	0	nil	39.	
8	1	1985	A40	0.35	Y	N	0	nil	39.	
8	1	1985	A41	0.3	Y	N	0	nil	39.	
8	1	1985	A42	0.25	Y	N	0	nil	39.	
8	1	1985	A43	0.55	Y	N	0	nil	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
8	1	1985	A44	0.55	Y	N	0	nil	37.	
8	1	1985	A45	0.64	Y	N	0	nil	36.	
8	1	1985	A46	0.54	Y	N	0	nil	37.	
8	1	1985	A47	0.56	Y	N	0	nil	36.	
8	1	1985	A48	0.58	Y	N	0	nil	37.	
8	1	1985	A49	0.8	Y	N	0	nil	36.	
9	1	1985	B01	1.54	N	N	0	mon	33.	
8	1	1985	B02	1.53	N	N	0	mon	33.	
8	1	1985	B03	1.49	N	N	0	mon	33.	
8	1	1985	B04	1.52	N	N	0	mon	34.	
8	1	1985	B05	1.58	N	N	0	mon	34.	
8	1	1985	B06	1.45	N	N	0	mon	34.	
8	1	1985	B07	0.95	N	N	0	mon	35.	
8	1	1985	B08	1.09	N	N	0	mon	34.	
8	1	1985	B09	1.02	N	N	0	mon	34.	
8	1	1985	B10	0.97	N	N	0	mon	34.	
8	1	1985	B11	0.95	N	N	0	mon	35.	
8	1	1985	B13	0.75	N	N	0	mon	35.	
8	1	1985	B14	0.64	N	N	0	mon	35.	
8	1	1985	B15	0.69	N	N	0	mon	35.	
8	1	1985	B16	0.73	N	N	0	mon	35.	
8	1	1985	B18	0.42	N	N	0	mon	35.	
8	1	1985	B19	0.5	N	N	0	mon	35.	
8	1	1985	B20	0.59	N	N	0	mon	35.	
9	1	1985	A29	0.75	N	N	0	nil	35.	
9	1	1985	A30	0.86	N	N	0	nil	37.	
9	1	1985	A31	0.71	N	N	0	nil	38.	
9	1	1985	A32	0.78	N	N	0	nil	38.	
9	1	1985	A33	0.7	N	N	0	nil	39.	
9	1	1985	A34	0.74	N	N	0	nil	39.	
9	1	1985	A35	0.73	N	N	9	nil	38.	
9	1	1985	A36	0.79	N	N	0	nil	39.	
9	1	1985	A37	0.72	N	N	0	nil	38.	
9	1	1985	A38	0.86	N	N	0	nil	38.	
9	1	1985	A39	0.79	N	N	0	nil	38.	
9	1	1985	A40	0.72	N	N	0	nil	39.	
9	1	1985	A41	0.62	N	N	0	nil	39.	
9	1	1985	A42	0.58	N	N	0	nil	39.	
9	1	1985	A43	0.8	N	N	0	nil	38.	
9	1	1985	A44	0.79	N	N	0	nil	38.	
9	1	1985	A45	0.89	N	N	0	nil	37.	
9	1	1985	A46	0.8	N	N	0	nil	37.	
9	1	1985	A47	0.8	N	N	0	nil	37.	
9	1	1985	A48	0.83	N	N	0	nil	37.	
9	1	1985	A49	0.7	N	N	0	nil	37.	
10	1	1985	A29	0.74	N	N	0	nil	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
10	1	1985	A30	0.85	N	N	0	nil	34.	
10	1	1985	A31	0.72	N	N	0	nil	35.	
10	1	1985	A32	0.75	N	N	0	nil	35.	
10	1	1985	A33	0.68	N	N	0	nil	35.	
10	1	1985	A34	0.69	N	N	0	nil	36.	
10	1	1985	A35	0.69	N	N	0	nil	36.	
10	1	1985	A36	0.82	N	N	0	nil	35.	
10	1	1985	A37	0.7	N	N	0	nil	35.	
10	1	1985	A38	0.84	N	N	0	nil	35.	
10	1	1985	A39	0.78	N	N	0	nil	35.	
10	1	1985	A40	0.7	N	N	0	nil	35.	
10	1	1985	A41	0.59	N	N	0	nil	35.	
10	1	1985	A42	0.57	N	N	0	nil	35.	
10	1	1985	A43	0.75	N	N	0	nil	35.	
10	1	1985	A44	0.75	N	N	0	nil	35.	
10	1	1985	A45	0.85	N	N	0	nil	35.	
10	1	1985	A46	0.79	N	N	0	nil	36.	
10	1	1985	A47	0.79	N	N	0	nil	35.	
10	1	1985	A48	0.79	N	N	0	nil	36.	
10	1	1985	A49	0.69	N	N	0	nil	35.	
11	1	1985	A29	0.7	N	N	0	nil	36.	
11	1	1985	A30	0.82	N	N	0	nil	37.	
11	1	1985	A31	0.69	N	N	0	nil	38.	
11	1	1985	A32	0.72	N	N	0	nil	38.	
11	1	1985	A33	0.65	N	N	0	nil	38.	
11	1	1985	A34	0.66	N	N	0	nil	38.	
11	1	1985	A35	0.66	N	N	0	nil	38.	
11	1	1985	A36	0.8	N	N	0	nil	37.	
11	1	1985	A37	0.68	N	N	0	nil	34.	
11	1	1985	A38	0.82	N	N	0	nil	37.	
11	1	1985	A39	0.74	N	N	0	nil	38.	
11	1	1985	A40	0.67	N	N	0	nil	39.	
11	1	1985	A41	0.56	N	N	0	nil	38.	
11	1	1985	A42	0.54	N	N	0	nil	39.	
11	1	1985	A43	0.79	N	N	0	nil	38.	
11	1	1985	A44	0.76	N	N	0	nil	38.	
11	1	1985	A45	0.84	N	N	0	nil	37.	
11	1	1985	A46	0.76	N	N	0	nil	38.	
11	1	1985	A47	0.76	N	N	0	nil	39.	
11	1	1985	A48	0.77	N	N	0	nil	38.	
11	1	1985	A49	0.67	N	N	0	nil	38.	
11	1	1985	B01	0.9	Y	N	0	mon	34.	
11	1	1985	B02	0.88	Y	N	0	mon	35.	
11	1	1985	B03	0.7	Y	N	0	mon	34.	
11	1	1985	B04	0.78	Y	N	0	mon	35.	
11	1	1985	B05	0.8	Y	N	0	mon	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
11	1	1985	B06	0.7	Y	N	0	mon	34.	
11	1	1985	B07	0.47	Y	N	0	mon	35.	
11	1	1985	B08	0.53	Y	N	0	mon	36.	
11	1	1985	B09	0.58	Y	N	0	mon	37.	
11	1	1985	B10	0.48	Y	N	0	mon	37.	
11	1	1985	B11	0.45	Y	N	0	mon	36.	
11	1	1985	B13	0.67	N	N	0	mon	37.	
11	1	1985	B14	0.43	N	N	0	mon	37.	
11	1	1985	B15	0.48	N	N	0	mon	37.	
11	1	1985	B16	0.5	N	N	0	mon	37.	
11	1	1985	B18	0.49	N	N	0	mon	37.	
11	1	1985	B19	0.55	N	N	0	mon	37.	
11	1	1985	B20	0.49	N	N	0	mon	37.	
14	1	1985	A29	0.64	N	N	0	nil	37.	
14	1	1985	A30	0.75	N	N	0	nil	37.	
14	1	1985	A31	0.6	N	N	0	nil	38.	
14	1	1985	A32	0.63	N	N	0	nil	38.	
14	1	1985	A33	0.58	N	N	0	nil	39.	
14	1	1985	A34	0.58	N	N	0	nil	38.	
14	1	1985	A35	0.58	N	N	0	nil	39.	
14	1	1985	A36	0.74	N	N	0	nil	39.	
14	1	1985	A37	0.63	N	N	0	nil	38.	
14	1	1985	A38	0.78	N	N	0	nil	-8.	
14	1	1985	A39	0.72	N	N	0	nil	38.	
14	1	1985	A40	0.58	N	N	0	nil	39.	
14	1	1985	A41	0.58	N	N	0	nil	39.	
14	1	1985	A42	0.5	N	N	0	nil	39.	
14	1	1985	A43	0.81	N	N	0	nil	37.	
14	1	1985	A44	0.79	N	N	0	nil	38.	
14	1	1985	A45	0.87	N	N	0	nil	37.	
14	1	1985	A46	0.78	N	N	0	nil	38.	
14	1	1985	A47	0.78	N	N	0	nil	38.	
14	1	1985	A48	0.78	N	N	0	nil	38.	
14	1	1985	A49	0.68	N	N	0	nil	38.	
14	1	1985	B01	0.99	N	N	0	mon	35.	
14	1	1985	B02	0.78	N	N	0	mon	35.	
14	1	1985	B03	0.91	N	N	0	mon	37.	
14	1	1985	B04	1.03	N	N	0	mon	37.	
14	1	1985	B05	1.1	N	N	0	mon	36.	
14	1	1985	B06	1.03	N	N	0	mon	36.	
14	1	1985	B07	0.77	N	N	0	mon	37.	
14	1	1985	B08	0.78	N	N	0	mon	37.	
14	1	1985	B09	0.89	N	N	0	mon	37.	
14	1	1985	B10	0.79	N	N	0	mon	37.	
14	1	1985	B11	0.7	N	N	0	mon	37.	
14	1	1985	B13	0.76	N	N	0	mon	38.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	W2O-FLOW
14	1	1985	B14	0.41	N	N	0	mon	38.	
14	1	1985	B15	0.63	N	N	0	mon	38.	
14	1	1985	B16	0.51	N	N	0	mon	38.	
14	1	1985	B18	0.43	N	N	0	mon	38.	
14	1	1985	B19	0.45	N	N	0	mon	38.	
14	1	1985	B20	0.44	N	N	0	mon	38.	
15	1	1985	B01	1.04	N	N	0	mon	34.	
15	1	1985	B02	0.84	N	N	0	mon	34.	
15	1	1985	B03	0.96	N	N	0	mon	34.	
15	1	1985	B04	1.03	N	N	0	mon	34.	
15	1	1985	B05	1.09	N	N	0	mon	34.	
15	1	1985	B06	0.98	N	N	0	mon	35.	
15	1	1985	B07	0.86	N	N	0	mon	35.	
15	1	1985	B08	0.83	N	N	0	mon	35.	
15	1	1985	B09	0.86	N	N	0	mon	35.	
15	1	1985	B10	0.81	N	N	0	mon	35.	
15	1	1985	B11	0.71	N	N	0	mon	35.	
15	1	1985	B13	0.79	N	N	0	mon	35.	
15	1	1985	B14	0.41	N	N	0	mon	36.	
15	1	1985	B15	0.55	N	N	0	mon	36.	
15	1	1985	B16	0.53	N	N	0	mon	35.	
15	1	1985	B18	0.41	N	N	0	mon	36.	
15	1	1985	B19	0.43	N	N	0	mon	35.	
15	1	1985	B20	0.43	N	N	0	mon	36.	
16	1	1985	A29	0.63	N	N	0	nil	35.	
16	1	1985	A30	0.75	N	N	0	nil	35.	
16	1	1985	A31	0.6	N	N	0	nil	35.	
16	1	1985	A32	0.63	N	N	0	nil	36.	
16	1	1985	A33	0.57	N	N	0	nil	36.	
16	1	1985	A34	0.56	N	N	0	nil	36.	
16	1	1985	A35	0.57	N	N	0	nil	37.	
16	1	1985	A36	0.74	N	N	0	nil	35.	
16	1	1985	A37	0.63	N	N	0	nil	35.	
16	1	1985	A38	0.78	N	N	0	nil	35.	
16	1	1985	A39	0.72	N	N	0	nil	36.	
16	1	1985	A40	0.66	N	N	0	nil	36.	
16	1	1985	A41	0.59	N	N	0	nil	36.	
16	1	1985	A42	0.51	N	N	0	nil	37.	
16	1	1985	A43	0.81	N	N	0	nil	35.	
16	1	1985	A44	0.79	N	N	0	nil	36.	
16	1	1985	A45	0.87	N	N	0	nil	35.	
16	1	1985	A46	0.78	N	N	0	nil	36.	
16	1	1985	A47	0.79	N	N	0	nil	35.	
16	1	1985	A48	0.79	N	N	0	nil	35.	
16	1	1985	A49	0.69	N	N	0	nil	36.	
16	1	1985	B01	1.01	Y	N	0	mon	33.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
16	1	1985	B02	0.8	Y	N	0	mon	33.	
16	1	1985	B03	0.96	Y	N	0	mon	33.	
16	1	1985	B04	1.01	Y	N	0	mon	34.	
16	1	1985	B05	0.96	Y	N	0	mon	33.	
16	1	1985	B06	1.06	Y	N	0	mon	34.	
16	1	1985	B07	0.78	Y	N	0	mon	33.	
16	1	1985	B08	0.86	Y	N	0	mon	33.	
16	1	1985	P09	0.81	Y	N	0	mon	33.	
16	1	1985	B10	0.8	Y	N	0	mon	33.	
16	1	1985	B11	0.74	Y	N	0	mon	33.	
16	1	1985	B13	0.81	N	N	0	mon	33.	
16	1	1985	B14	0.44	N	N	0	mon	33.	
16	1	1985	B15	0.57	N	N	0	mon	34.	
16	1	1985	B16	0.55	N	N	0	mon	33.	
16	1	1985	B18	0.42	N	N	0	mon	33.	
16	1	1985	B19	0.45	N	N	0	mon	33.	
16	1	1985	B20	0.44	N	N	0	mon	33.	
17	1	1985	A29	0.26	N	N	0	nil	32.	
17	1	1985	A30	0.47	N	N	0	nil	33.	
17	1	1985	A31	0.54	N	N	0	nil	34.	
17	1	1985	A32	0.47	N	N	0	nil	34.	
17	1	1985	A33	0.43	N	N	0	nil	34.	
17	1	1985	A34	0.46	N	N	0	nil	34.	
17	1	1985	A35	0.5	N	N	0	nil	34.	
17	1	1985	A36	0.72	N	N	0	nil	33.	
17	1	1985	A37	0.62	N	N	0	nil	35.	
17	1	1985	A38	0.77	N	N	0	nil	34.	
17	1	1985	A39	0.71	N	N	0	nil	34.	
17	1	1985	A40	0.66	N	N	0	nil	35.	
17	1	1985	A41	0.59	N	N	0	nil	35.	
17	1	1985	A42	0.53	N	N	0	nil	34.	
17	1	1985	A43	0.82	N	N	0	nil	33.	
17	1	1985	A44	0.8	N	N	0	nil	34.	
17	1	1985	A45	0.88	N	N	0	nil	34.	
17	1	1985	A46	0.79	N	N	0	nil	34.	
17	1	1985	A47	0.79	N	N	0	nil	35.	
17	1	1985	A48	0.79	N	N	0	nil	35.	
17	1	1985	A49	0.7	N	N	0	nil	35.	
17	1	1985	B01	1.04	Y	N	0	mon	30.	
17	1	1985	B02	0.8	Y	N	0	mon	31.	
17	1	1985	B03	1.03	Y	N	0	mon	31.	
17	1	1985	B04	1.05	Y	N	0	mon	31.	
17	1	1985	B05	1.1	Y	N	0	mon	32.	
17	1	1985	B06	1.	Y	N	0	mon	32.	
17	1	1985	B07	0.8	N	N	0	mon	32.	
17	1	1985	B08	0.9	N	N	0	mon	32.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
17	1	1985	B09	0.9	N	N	0	mon	33.	
17	1	1985	B10	0.84	N	N	0	mon	33.	
17	1	1985	B11	0.86	N	N	0	mon	32.	
17	1	1985	B13	0.83	N	N	0	mon	33.	
17	1	1985	B14	0.46	N	N	0	mon	32.	
17	1	1985	B15	0.59	N	N	0	mon	33.	
17	1	1985	B16	0.58	N	N	0	mon	33.	
17	1	1985	B18	0.42	N	N	0	mon	33.	
17	1	1985	B19	0.42	N	N	0	mon	33.	
17	1	1985	B20	0.45	N	N	0	mon	33.	
18	1	1985	A29	0.45	N	N	0	nil	32.	
18	1	1985	A30	0.58	N	N	0	nil	33.	
18	1	1985	A31	0.45	N	N	0	nil	34.	
18	1	1985	A32	0.48	N	N	0	nil	34.	
18	1	1985	A33	0.4	N	N	0	nil	34.	
18	1	1985	A34	0.43	N	N	0	nil	34.	
18	1	1985	A35	0.48	N	N	0	nil	34.	
18	1	1985	A36	0.66	N	N	0	nil	33.	
18	1	1985	A37	0.57	N	N	0	nil	35.	
18	1	1985	A38	0.72	N	N	0	nil	34.	
18	1	1985	A39	0.67	N	N	0	nil	34.	
18	1	1985	A40	0.55	N	N	0	nil	35.	
18	1	1985	A41	0.57	N	N	0	nil	35.	
18	1	1985	A42	0.51	N	N	0	nil	34.	
18	1	1985	A43	0.81	N	N	0	nil	33.	
18	1	1985	A44	0.79	N	N	0	nil	34.	
18	1	1985	A45	0.86	N	N	0	nil	34.	
18	1	1985	A46	0.77	N	N	0	nil	34.	
18	1	1985	A47	0.79	N	N	0	nil	35.	
18	1	1985	A48	0.79	N	N	0	nil	35.	
18	1	1985	A49	0.67	N	N	0	nil	35.	
18	1	1985	B01	1.18	Y	N	0	mon	33.	
18	1	1985	B02	1.13	Y	N	0	mon	33.	
18	1	1985	B03	1.2	Y	N	0	mon	33.	
18	1	1985	B04	1.19	Y	N	0	mon	33.	
18	1	1985	B05	1.13	Y	N	0	mon	33.	
18	1	1985	B06	1.05	Y	N	0	mon	34.	
18	1	1985	B07	0.84	N	N	0	mon	33.	
18	1	1985	B08	0.97	N	N	0	mon	34.	
18	1	1985	B09	0.97	N	N	0	mon	34.	
18	1	1985	B10	0.9	N	N	0	mon	35.	
18	1	1985	B11	0.82	N	N	0	mon	34.	
18	1	1985	B13	0.86	N	N	0	mon	34.	
18	1	1985	B14	0.48	N	N	0	mon	34.	
18	1	1985	B15	0.6	N	N	0	mon	35.	
18	1	1985	B16	0.49	N	N	0	mon	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
18	1	1985	B18	0.43	N	N	0	mon	35.	
18	1	1985	B19	0.47	N	N	0	mon	35.	
18	1	1985	B20	0.46	N	N	0	mon	35.	
21	1	1985	A29	0.29	N	N	0	nil	34.	
21	1	1985	A30	0.37	N	N	0	nil	34.	
21	1	1985	A31	0.34	N	N	0	nil	35.	
21	1	1985	A32	0.38	N	N	0	nil	35.	
21	1	1985	A33	0.27	N	N	0	nil	35.	
21	1	1985	A34	0.32	N	N	0	nil	32.	
21	1	1985	A35	0.44	N	N	0	nil	35.	
21	1	1985	A36	0.59	N	N	0	nil	34.	
21	1	1985	A37	0.46	N	N	0	nil	35.	
21	1	1985	A38	0.64	N	N	0	nil	35.	
21	1	1985	A39	0.6	N	N	0	nil	35.	
21	1	1985	A40	0.61	N	N	0	nil	36.	
21	1	1985	A41	0.53	N	N	0	nil	36.	
21	1	1985	A42	0.47	N	N	0	nil	35.	
21	1	1985	A43	0.8	N	N	0	nil	34.	
21	1	1985	A44	0.77	N	N	0	nil	35.	
21	1	1985	A45	0.84	N	N	0	nil	35.	
21	1	1985	A46	0.74	N	N	0	nil	34.	
21	1	1985	A47	0.75	N	N	0	nil	35.	
21	1	1985	A48	0.79	N	N	0	nil	35.	
21	1	1985	A49	0.65	N	N	0	nil	35.	
21	1	1985	B01	1.49	Y	N	0	mon	36.	
21	1	1985	B02	1.44	Y	N	0	mon	36.	
21	1	1985	B03	1.49	Y	N	0	mon	36.	
21	1	1985	B04	1.5	Y	N	0	mon	35.	
21	1	1985	B05	1.42	Y	N	0	mon	36.	
21	1	1985	B06	1.31	Y	N	0	mon	36.	
21	1	1985	B07	0.94	N	N	0	mon	36.	
21	1	1985	B08	1.05	N	N	0	mon	36.	
21	1	1985	B09	1.05	N	N	0	mon	36.	
21	1	1985	B10	1.02	N	N	0	mon	36.	
21	1	1985	B11	0.9	N	N	0	mon	36.	
21	1	1985	B13	0.89	N	N	0	mon	37.	
21	1	1985	B14	0.53	N	N	0	mon	37.	
21	1	1985	B15	0.64	N	N	0	mon	37.	
21	1	1985	B16	0.64	N	N	0	mon	37.	
21	1	1985	B18	0.44	N	N	0	mon	37.	
21	1	1985	B19	0.43	N	N	0	mon	37.	
21	1	1985	B20	0.49	N	N	0	mon	37.	
22	1	1985	A29	0.29	N	N	0	nil	34.	
22	1	1985	A30	0.38	N	N	0	nil	34.	
22	1	1985	A31	0.31	N	N	0	nil	34.	
22	1	1985	A32	0.35	N	N	0	nil	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
22	1	1985	A33	0.25	N	N	0	nil	34.	
22	1	1985	A34	0.3	N	N	0	nil	34.	
22	1	1985	A35	0.43	N	N	0	nil	35.	
22	1	1985	A36	0.58	N	N	0	nil	33.	
22	1	1985	A37	0.45	N	N	0	nil	34.	
22	1	1985	A38	0.61	N	N	0	nil	34.	
22	1	1985	A39	0.6	N	N	0	nil	34.	
22	1	1985	A40	0.6	N	N	0	nil	35.	
22	1	1985	A41	0.5	N	N	0	nil	35.	
22	1	1985	A42	0.47	N	N	0	nil	35.	
22	1	1985	A43	0.79	N	N	0	nil	33.	
22	1	1985	A44	0.77	N	N	0	nil	32.	
22	1	1985	A45	0.84	N	N	0	nil	33.	
22	1	1985	A46	0.74	N	N	0	nil	33.	
22	1	1985	A47	0.74	N	N	0	nil	33.	
22	1	1985	A48	0.8	N	N	0	nil	33.	
22	1	1985	A49	0.65	N	N	0	nil	33.	
22	1	1985	B01	1.43	Y	N	0	mon	32.	
22	1	1985	B02	1.4	Y	N	0	mon	33.	
22	1	1985	B03	1.48	Y	N	0	mon	33.	
22	1	1985	B04	1.5	Y	N	0	mon	33.	
22	1	1985	B05	1.76	Y	N	0	mon	33.	
22	1	1985	B06	1.66	Y	N	0	mon	33.	
22	1	1985	B07	0.96	N	N	0	mon	33.	
22	1	1985	B08	1.07	N	N	0	mon	33.	
22	1	1985	B09	1.07	N	N	0	mon	33.	
22	1	1985	B10	1.04	N	N	0	mon	34.	
22	1	1985	B11	1.	N	N	0	mon	33.	
22	1	1985	B13	1.	N	N	0	mon	33.	
22	1	1985	B14	0.58	N	N	0	mon	33.	
22	1	1985	B15	0.66	N	N	0	mon	33.	
22	1	1985	B16	0.68	N	N	0	mon	34.	
22	1	1985	B18	0.46	N	N	0	mon	34.	
22	1	1985	B19	0.48	N	N	0	mon	34.	
22	1	1985	B20	0.5	N	N	0	mon	34.	
23	1	1985	B01	1.68	Y	N	0	mon	34.	
23	1	1985	B02	1.63	Y	N	0	mon	34.	
23	1	1985	B03	1.54	Y	N	0	mon	34.	
23	1	1985	B04	1.49	Y	N	0	mon	34.	
23	1	1985	B05	1.71	Y	N	0	mon	34.	
23	1	1985	B06	1.6	Y	N	0	mon	34.	
23	1	1985	B07	0.95	N	N	0	mon	34.	
23	1	1985	B08	1.08	N	N	0	mon	34.	
23	1	1985	B09	1.04	N	N	0	mon	34.	
23	1	1985	B10	1.02	N	N	0	mon	34.	
23	1	1985	B11	0.99	N	N	0	mon	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
23	1	1985	B13	0.9	N	N	0	mon	34.	
23	1	1985	B14	0.59	N	N	0	mon	34.	
23	1	1985	B15	0.68	N	N	0	mon	34.	
23	1	1985	B16	0.51	N	N	0	mon	34.	
23	1	1985	B18	0.48	N	N	0	mon	34.	
23	1	1985	B19	0.5	N	N	0	mon	34.	
23	1	1985	B20	0.52	N	N	0	mon	34.	
24	1	1985	B01	1.58	Y	N	0	mon	34.	
24	1	1985	B02	1.41	Y	N	0	mon	34.	
24	1	1985	B03	1.5	Y	N	0	mon	33.	
24	1	1985	B04	1.48	Y	N	0	mon	33.	
24	1	1985	B05	1.66	Y	N	0	mon	34.	
24	1	1985	B06	1.5	Y	N	0	mon	33.	
24	1	1985	B07	0.93	N	N	0	mon	34.	
24	1	1985	B08	1.05	N	N	0	mon	34.	
24	1	1985	B09	1.	N	N	0	mon	34.	
24	1	1985	B10	0.98	N	N	0	mon	33.	
24	1	1985	B11	0.97	N	N	0	mon	33.	
24	1	1985	B13	0.92	N	N	0	mon	35.	
24	1	1985	B14	0.53	N	N	0	mon	35.	
24	1	1985	B15	0.53	N	N	0	mon	35.	
24	1	1985	B16	0.51	N	N	0	mon	35.	
24	1	1985	B18	0.48	N	N	0	mon	35.	
24	1	1985	B19	0.5	N	N	0	mon	35.	
24	1	1985	B20	0.5	N	N	0	mon	35.	
25	1	1985	A29	0.58	N	N	1	nil	35.	
25	1	1985	A30	0.69	N	N	0	nil	35.	
25	1	1985	A31	0.59	N	N	0	nil	34.	
25	1	1985	A32	0.64	N	N	2	nil	35.	
25	1	1985	A33	0.52	N	N	0	nil	35.	
25	1	1985	A34	0.58	N	N	0	nil	35.	
25	1	1985	A35	0.56	N	N	0	nil	35.	
25	1	1985	A36	0.55	N	N	0	nil	35.	
25	1	1985	A37	0.53	N	N	0	nil	35.	
25	1	1985	A38	0.65	N	N	0	nil	35.	
25	1	1985	A39	0.64	N	N	0	nil	35.	
25	1	1985	A40	0.59	N	N	0	nil	35.	
25	1	1985	A41	0.49	N	N	0	nil	35.	
25	1	1985	A42	0.38	N	N	4	nil	35.	
25	1	1985	A43	0.68	Y	N	0	nil	35.	
25	1	1985	A44	0.65	Y	N	0	nil	35.	
25	1	1985	A45	0.74	Y	N	0	nil	35.	
25	1	1985	A46	0.65	Y	N	0	nil	35.	
25	1	1985	A47	0.65	Y	N	0	nil	35.	
25	1	1985	A48	0.65	Y	N	0	nil	35.	
25	1	1985	A49	0.56	Y	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
25	1	1985	B01	1.61	Y	N	0	mon	34.	
25	1	1985	B02	1.54	Y	N	0	mon	34.	
25	1	1985	B03	1.54	Y	N	0	mon	34.	
25	1	1985	B04	1.46	Y	N	0	mon	34.	
25	1	1985	B05	1.61	Y	N	0	mon	34.	
25	1	1985	B06	1.45	Y	N	0	mon	34.	
25	1	1985	B07	0.94	N	N	0	mon	34.	
25	1	1985	B08	1.05	N	N	0	mon	34.	
25	1	1985	B09	1.1	N	N	0	mon	34.	
25	1	1985	B10	1.	N	N	0	mon	34.	
25	1	1985	B11	0.95	N	N	0	mon	34.	
25	1	1985	B13	0.89	N	N	0	mon	34.	
25	1	1985	B14	0.56	N	N	0	mon	35.	
25	1	1985	B15	0.58	N	N	0	mon	34.	
25	1	1985	B16	0.56	N	N	0	mon	34.	
25	1	1985	B18	0.45	N	N	0	mon	35.	
25	1	1985	B19	0.48	N	N	0	mon	34.	
25	1	1985	B20	0.49	N	N	0	mon	34.	
28	1	1985	A29	0.56	N	N	0	nil	35.	
28	1	1985	A30	0.66	N	N	0	nil	35.	
28	1	1985	A31	0.54	N	N	0	nil	35.	
28	1	1985	A32	0.59	N	N	0	nil	35.	
28	1	1985	A33	0.49	N	N	0	nil	35.	
28	1	1985	A34	0.52	N	N	1	nil	35.	
28	1	1985	A35	0.51	N	N	0	nil	35.	
28	1	1985	A36	0.64	N	N	0	nil	35.	
28	1	1985	A37	0.52	N	N	0	nil	35.	
28	1	1985	A38	0.67	N	N	0	nil	35.	
28	1	1985	A39	0.6	N	N	0	nil	35.	
28	1	1985	A40	0.54	N	N	0	nil	35.	
28	1	1985	A41	0.44	N	N	0	nil	35.	
28	1	1985	A42	0.38	N	N	0	nil	35.	
28	1	1985	A43	0.7	N	N	0	nil	35.	
28	1	1985	A41	0.69	N	N	0	nil	35.	
28	1	1985	A45	0.79	N	N	0	nil	35.	
28	1	1985	A46	0.7	N	N	0	nil	35.	
28	1	1985	A47	0.7	N	N	0	nil	35.	
28	1	1985	A48	0.7	N	N	0	nil	35.	
28	1	1985	A49	0.56	N	N	0	nil	35.	
28	1	1985	B01	1.5	N	N	0	mon	33.	
28	1	1985	B02	1.3	N	N	0	mon	33.	
28	1	1985	B03	1.51	N	N	0	mon	33.	
28	1	1985	B04	1.49	N	N	0	mon	33.	
28	1	1985	B05	1.59	N	N	0	mon	33.	
28	1	1985	B06	1.38	N	N	0	mon	34.	
28	1	1985	B07	0.94	N	N	0	mon	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
28	1	1985	B08	1.	N	N	0	mon	34.	
28	1	1985	B09	0.98	N	N	0	mon	34.	
28	1	1985	B10	0.95	N	N	0	mon	34.	
28	1	1985	B11	0.96	N	N	0	mon	34.	
28	1	1985	B13	0.97	N	N	0	mon	34.	
28	1	1985	B14	0.66	N	N	0	mon	34.	
28	1	1985	B15	0.68	N	N	0	mon	34.	
28	1	1985	B16	0.6	N	N	0	mon	34.	
28	1	1985	B18	0.41	N	N	0	mon	35.	
28	1	1985	B19	0.47	N	N	0	mon	35.	
28	1	1985	B20	0.45	N	N	0	mon	35.	
29	1	1985	A29	0.53	N	N	0	nil	30.	
29	1	1985	A30	0.67	N	N	0	nil	30.	
29	1	1985	A31	0.53	N	N	0	nil	31.	
29	1	1985	A32	0.58	N	N	0	nil	31.	
29	1	1985	A33	0.48	N	N	0	nil	30.	
29	1	1985	A34	0.5	N	N	0	nil	30.	
29	1	1985	A35	0.5	N	N	0	nil	31.	
29	1	1985	A36	0.65	N	N	0	nil	31.	
29	1	1985	A37	0.5	N	N	0	nil	31.	
29	1	1985	A38	0.65	N	N	0	nil	31.	
29	1	1985	A39	0.59	N	N	0	nil	31.	
29	1	1985	A40	0.52	N	N	0	nil	31.	
29	1	1985	A41	0.44	N	N	0	nil	31.	
29	1	1985	A42	0.37	N	N	0	nil	31.	
29	1	1985	A43	0.72	N	N	0	nil	31.	
29	1	1985	A44	0.7	N	N	0	nil	31.	
29	1	1985	A45	0.79	N	N	0	nil	31.	
29	1	1985	A46	0.71	N	N	0	nil	31.	
29	1	1985	A47	0.72	N	N	0	nil	31.	
29	1	1985	A48	0.71	N	N	0	nil	31.	
29	1	1985	A49	0.56	N	N	0	nil	31.	
29	1	1985	B01	1.46	Y	N	0	mon	30.	
29	1	1985	B02	1.25	Y	N	0	mon	30.	
29	1	1985	B03	1.48	Y	N	0	mon	30.	
29	1	1985	B04	1.47	Y	N	0	mon	30.	
29	1	1985	B05	1.55	Y	N	0	mon	31.	
29	1	1985	B06	1.38	Y	N	0	mon	31.	
29	1	1985	B07	0.93	Y	N	0	mon	31.	
29	1	1985	B08	1.	Y	N	0	mon	31.	
29	1	1985	B09	1.01	Y	N	0	mon	31.	
29	1	1985	B10	0.97	Y	N	0	mon	31.	
29	1	1985	B11	0.95	Y	N	0	mon	31.	
29	1	1985	B13	0.83	Y	N	0	mon	32.	
29	1	1985	B14	0.67	Y	N	0	mon	32.	
29	1	1985	B15	0.69	Y	N	0	mon	32.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
29	1	1985	B16	0.62	Y	N	0	mon	32.	
29	1	1985	B18	0.4	Y	N	0	mon	32.	
29	1	1985	B19	0.46	Y	N	0	mon	32.	
29	1	1985	B20	0.45	Y	N	0	mon	31.	
30	1	1985	A29	0.51	N	N	0	nil	34.	
30	1	1985	A30	0.64	N	N	0	nil	34.	
30	1	1985	A31	0.52	N	N	0	nil	35.	
30	1	1985	A32	0.56	N	N	0	nil	35.	
30	1	1985	A33	0.45	N	N	0	nil	35.	
30	1	1985	A34	0.49	N	N	0	nil	35.	
30	1	1985	A35	0.49	N	N	0	nil	35.	
30	1	1985	A36	0.65	N	N	0	nil	35.	
30	1	1985	A37	0.5	N	N	0	nil	35.	
30	1	1985	A38	0.65	N	N	0	nil	35.	
30	1	1985	A39	0.58	N	N	0	nil	35.	
30	1	1985	A40	0.57	N	N	0	nil	35.	
30	1	1985	A41	0.44	N	N	0	nil	35.	
30	1	1985	A42	0.37	N	N	0	nil	36.	
30	1	1985	A43	0.72	N	N	0	nil	35.	
30	1	1985	A44	0.71	N	N	0	nil	35.	
30	1	1985	A45	0.8	N	N	0	nil	35.	
30	1	1985	A46	0.72	N	N	0	nil	35.	
30	1	1985	A47	0.72	N	N	0	nil	35.	
30	1	1985	A48	0.72	N	N	0	nil	35.	
30	1	1985	A49	0.56	N	N	0	nil	35.	
30	1	1985	B01	1.41	N	N	0	mon	33.	
30	1	1985	B02	1.36	N	N	0	mon	34.	
30	1	1985	B03	1.45	N	N	0	mon	33.	
30	1	1985	B04	1.45	N	N	0	mon	33.	
30	1	1985	B05	1.52	N	N	0	mon	34.	
30	1	1985	B06	1.32	N	N	0	mon	34.	
30	1	1985	B07	0.92	N	N	0	mon	34.	
30	1	1985	B08	1.	N	N	0	mon	34.	
30	1	1985	B09	0.97	N	N	0	mon	34.	
30	1	1985	B10	0.96	N	N	0	mon	34.	
30	1	1985	B11	1.01	N	N	0	mon	34.	
30	1	1985	B13	0.8	N	N	0	mon	35.	
30	1	1985	B14	0.78	N	N	0	mon	35.	
30	1	1985	B15	0.7	N	N	0	mon	35.	
30	1	1985	B16	0.65	N	N	0	mon	35.	
30	1	1985	B18	0.51	N	N	0	mon	35.	
30	1	1985	B19	0.51	N	N	0	mon	35.	
30	1	1985	B20	0.5	N	N	0	mon	35.	
31	1	1985	A29	0.51	N	N	0	nil	35.	
31	1	1985	A30	0.64	N	N	0	nil	35.	
31	1	1985	A31	0.51	N	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
31	1	1985	A32	0.55	N	N	0	nil	34.	
31	1	1985	A33	0.46	N	N	0	nil	35.	
31	1	1985	A34	0.48	N	N	0	nil	35.	
31	1	1985	A35	0.48	N	N	0	nil	35.	
31	1	1985	A36	0.64	N	N	0	nil	34.	
31	1	1985	A37	0.49	N	N	0	nil	34.	
31	1	1985	A38	0.64	N	N	0	nil	34.	
31	1	1985	A39	0.57	N	N	0	nil	35.	
31	1	1985	A40	0.5	N	N	0	nil	34.	
31	1	1985	A41	0.43	N	N	0	nil	35.	
31	1	1985	A42	0.36	N	N	0	nil	35.	
31	1	1985	A43	0.72	N	N	0	nil	33.	
31	1	1985	A44	0.71	N	N	0	nil	34.	
31	1	1985	A45	0.8	N	N	0	nil	34.	
31	1	1985	A46	0.73	N	N	0	nil	34.	
31	1	1985	A47	0.73	N	N	0	nil	34.	
31	1	1985	A48	0.73	N	N	0	nil	34.	
31	1	1985	A49	0.55	N	N	0	nil	34.	
31	1	1985	B01	1.36	N	N	0	mon	32.	
31	1	1985	B02	1.2	N	N	0	mon	33.	
31	1	1985	B03	1.42	N	N	0	mon	32.	
31	1	1985	B04	1.43	N	N	0	mon	32.	
31	1	1985	B05	1.48	N	N	0	mon	32.	
31	1	1985	B06	1.27	N	N	0	mon	33.	
31	1	1985	B07	0.91	N	N	0	mon	33.	
31	1	1985	B08	1.	N	N	0	mon	33.	
31	1	1985	B09	0.9	N	N	0	mon	33.	
31	1	1985	B10	0.91	N	N	0	mon	34.	
31	1	1985	B11	0.95	N	N	0	mon	33.	
31	1	1985	B13	0.85	N	N	0	mon	33.	
31	1	1985	B14	0.69	N	N	0	mon	34.	
31	1	1985	B15	0.71	N	N	0	mon	34.	
31	1	1985	B16	0.66	N	N	0	mon	34.	
31	1	1985	B18	0.53	N	N	0	mon	35.	
31	1	1985	B19	0.6	N	N	0	mon	35.	
31	1	1985	B20	0.52	N	N	0	mon	34.	
1	2	1985	A29	0.52	N	N	0	nil	31.	
1	2	1985	A30	0.63	N	N	0	nil	31.	
1	2	1985	A31	0.51	N	N	0	nil	31.	
1	2	1985	A32	0.56	N	N	0	nil	32.	
1	2	1985	A33	0.45	N	N	0	nil	33.	
1	2	1985	A34	0.48	N	N	0	nil	33.	
1	2	1985	A35	0.48	N	N	0	nil	31.	
1	2	1985	A36	0.65	N	N	0	nil	33.	
1	2	1985	A37	0.5	N	N	0	nil	32.	
1	2	1985	A38	0.64	N	N	0	nil	31.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
1	2	1985	A39	0.57	N	N	0	nil	31.	
1	2	1985	A40	0.5	N	N	0	nil	31.	
1	2	1985	A41	0.44	N	N	0	nil	31.	
1	2	1985	A42	0.36	N	N	0	nil	31.	
1	2	1985	A43	0.74	N	N	0	nil	31.	
1	2	1985	A44	0.72	N	N	0	nil	32.	
1	2	1985	A45	0.82	N	N	0	nil	32.	
1	2	1985	A46	0.75	N	N	0	nil	31.	
1	2	1985	A47	0.75	N	N	0	nil	32.	
1	2	1985	A48	0.76	N	N	0	nil	32.	
1	2	1985	A49	0.57	N	N	0	nil	31.	
1	2	1985	B01	1.34	N	N	0	mon	35.	
1	2	1985	B02	1.3	N	N	0	mon	35.	
1	2	1985	B03	1.42	N	N	0	mon	35.	
1	2	1985	B04	1.43	N	N	0	mon	34.	
1	2	1985	B05	1.47	N	N	0	mon	33.	
1	2	1985	B06	1.38	N	N	0	mon	34.	
1	2	1985	B07	1.04	N	N	0	mon	35.	
1	2	1985	B08	1.05	N	N	0	mon	35.	
1	2	1985	B09	0.94	N	N	0	mon	34.	
1	2	1985	B10	0.93	N	N	0	mon	34.	
1	2	1985	B11	0.96	N	N	0	mon	35.	
1	2	1985	B13	0.92	N	N	0	mon	35.	
1	2	1985	B14	0.72	N	N	0	mon	36.	
1	2	1985	B15	0.74	N	N	0	mon	36.	
1	2	1985	B16	0.7	N	N	0	mon	36.	
1	2	1985	B18	0.53	N	N	0	mon	35.	
1	2	1985	B19	0.6	N	N	0	mon	36.	
1	2	1985	B20	0.53	N	N	0	mon	36.	
4	2	1985	A29	0.5	N	N	0	nil	35.	
4	2	1985	A30	0.63	N	N	0	nil	35.	
4	2	1985	A31	0.5	N	N	0	nil	35.	
4	2	1985	A32	0.55	N	N	0	nil	35.	
4	2	1985	A33	0.46	N	N	0	nil	35.	
4	2	1985	A34	0.47	N	N	0	nil	35.	
4	2	1985	A35	0.47	N	N	0	nil	35.	
4	2	1985	A36	0.66	N	N	0	nil	35.	
4	2	1985	A37	0.5	N	N	0	nil	35.	
4	2	1985	A38	0.65	N	N	0	nil	35.	
4	2	1985	A39	0.57	N	N	0	nil	35.	
4	2	1985	A40	0.5	N	N	0	nil	35.	
4	2	1985	A41	0.44	N	N	0	nil	35.	
4	2	1985	A42	0.36	N	N	0	nil	35.	
4	2	1985	A43	0.77	N	N	0	nil	35.	
4	2	1985	A44	0.75	N	N	0	nil	35.	
4	2	1985	A45	0.85	N	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
4	2	1985	A46	0.77	N	N	0	nil	35.	
4	2	1985	A47	0.78	N	N	0	nil	35.	
4	2	1985	A48	0.79	N	N	0	nil	35.	
4	2	1985	A49	0.61	N	N	0	nil	35.	
4	2	1985	B01	0.	N	N	0	mon	35.	
4	2	1985	B02	0.	N	N	0	mon	35.	
4	2	1985	B03	0.	N	N	0	mon	35.	
4	2	1985	B04	0.	N	N	0	mon	34.	
4	2	1985	B05	0.	N	N	0	mon	35.	
4	2	1985	B06	0.	N	N	0	mon	34.	
4	2	1985	B07	0.	N	N	0	mon	35.	
4	2	1985	B08	0.	N	N	0	mon	35.	
4	2	1985	B09	0.	N	N	0	mon	35.	
4	2	1985	B10	0.	N	N	0	mon	35.	
4	2	1985	B11	0.	N	N	0	mon	35.	
4	2	1985	B13	0.	N	N	0	mon	35.	
4	2	1985	B14	0.	N	N	0	mon	36.	
4	2	1985	B15	0.	N	N	0	mon	35.	
4	2	1985	B16	0.	N	N	0	mon	36.	
4	2	1985	B18	0.	N	N	0	mon	36.	
4	2	1985	B19	0.	N	N	0	mon	36.	
4	2	1985	B20	0.	N	N	0	mon	36.	
5	2	1985	A29	0.5	Y	N	0	nil	35.	
5	2	1985	A30	0.62	Y	N	0	nil	35.	
5	2	1985	A31	0.5	Y	N	0	nil	35.	
5	2	1985	A32	0.54	Y	N	0	nil	35.	
5	2	1985	A33	0.45	Y	N	0	nil	35.	
5	2	1985	A34	0.47	Y	N	0	nil	35.	
5	2	1985	A35	0.46	Y	N	0	nil	35.	
5	2	1985	A36	0.65	Y	N	0	nil	35.	
5	2	1985	A37	0.49	Y	N	0	nil	35.	
5	2	1985	A38	0.64	Y	N	0	nil	35.	
5	2	1985	A39	0.56	Y	N	0	nil	35.	
5	2	1985	A40	0.49	Y	N	0	nil	35.	
5	2	1985	A41	0.44	Y	N	0	nil	35.	
5	2	1985	A42	0.36	Y	N	0	nil	35.	
5	2	1985	A43	0.72	Y	N	0	nil	35.	
5	2	1985	A44	0.7	Y	N	0	nil	35.	
5	2	1985	A45	0.83	Y	N	0	nil	35.	
5	2	1985	A46	0.74	Y	N	0	nil	35.	
5	2	1985	A47	0.75	Y	N	0	nil	35.	
5	2	1985	A48	0.74	Y	N	0	nil	35.	
5	2	1985	A49	0.6	Y	N	0	nil	35.	
6	2	1985	A29	0.85	N	N	0	nil	34.	
6	2	1985	A30	0.9	N	N	0	nil	35.	
6	2	1985	A31	0.84	N	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
6	2	1985	A32	0.87	N	N	0	nil	35.	
6	2	1985	A33	0.74	N	N	0	nil	35.	
6	2	1985	A34	0.8	N	N	0	nil	35.	
6	2	1985	A35	0.8	N	N	0	nil	35.	
6	2	1985	A36	0.65	N	N	0	nil	35.	
6	2	1985	A37	0.74	N	N	0	nil	34.	
6	2	1985	A38	0.88	N	N	0	nil	35.	
6	2	1985	A39	0.81	N	N	0	nil	34.	
6	2	1985	A40	0.76	N	N	0	nil	35.	
6	2	1985	A41	0.68	N	N	0	nil	35.	
6	2	1985	A42	0.62	N	N	0	nil	35.	
6	2	1985	A43	0.88	N	N	0	nil	34.	
6	2	1985	A44	0.84	N	N	0	nil	35.	
6	2	1985	A45	0.94	N	N	0	nil	34.	
6	2	1985	A46	0.86	N	N	0	nil	34.	
6	2	1985	A47	0.86	N	N	0	nil	35.	
6	2	1985	A48	0.86	N	N	0	nil	35.	
6	2	1985	A49	0.77	N	N	0	nil	35.	
7	2	1985	A29	0.79	N	N	0	nil	35.	
7	2	1985	A30	0.9	N	N	0	nil	35.	
7	2	1985	A31	0.77	N	N	0	nil	35.	
7	2	1985	A32	0.81	N	N	0	nil	35.	
7	2	1985	A33	0.72	N	N	0	nil	35.	
7	2	1985	A34	0.75	N	N	0	nil	35.	
7	2	1985	A35	0.76	N	N	0	nil	35.	
7	2	1985	A36	0.85	N	N	0	nil	35.	
7	2	1985	A37	0.74	N	N	0	nil	35.	
7	2	1985	A38	0.89	N	N	0	nil	35.	
7	2	1985	A39	0.81	N	N	0	nil	35.	
7	2	1985	A40	0.76	N	N	0	nil	35.	
7	2	1985	A41	0.63	N	N	0	nil	35.	
7	2	1985	A42	0.6	N	N	0	nil	35.	
7	2	1985	A43	0.85	N	N	0	nil	35.	
7	2	1985	A44	0.83	N	N	0	nil	35.	
7	2	1985	A45	0.92	N	N	0	nil	35.	
7	2	1985	A46	0.82	N	N	0	nil	35.	
7	2	1985	A47	0.82	N	N	0	nil	35.	
7	2	1985	A48	0.83	N	N	0	nil	35.	
7	2	1985	A49	0.73	N	N	0	nil	35.	
7	2	1985	B01	0.9	Y	N	0	mon	32.	
7	2	1985	B02	0.66	Y	N	0	mon	32.	
7	2	1985	B03	0.85	Y	N	0	mon	32.	
7	2	1985	B04	0.86	Y	N	0	mon	33.	
7	2	1985	B05	0.91	Y	N	0	mon	33.	
7	2	1985	B06	0.82	Y	N	0	mon	33.	
7	2	1985	B07	0.7	Y	N	0	mon	33.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
7	2	1985	P08	0.72	Y	N	0	mon	34.	
7	2	1985	B09	0.61	Y	N	0	mon	33.	
7	2	1985	B10	0.64	Y	N	0	mon	33.	
7	2	1985	B11	0.66	Y	N	0	mon	33.	
7	2	1985	B13	0.65	Y	N	0	mon	33.	
7	2	1985	B14	0.61	Y	N	0	mon	34.	
7	2	1985	B15	0.7	Y	N	0	mon	34.	
7	2	1985	B16	0.68	Y	N	0	mon	34.	
7	2	1985	B18	0.63	Y	N	0	mon	34.	
7	2	1985	B19	0.65	Y	N	0	mon	34.	
7	2	1985	B20	0.65	Y	N	0	mon	34.	
8	2	1985	A29	0.66	N	N	0	nil	35.	
8	2	1985	A30	0.76	N	N	0	nil	34.	
8	2	1985	A31	0.65	N	N	0	nil	35.	
8	2	1985	A32	0.6	N	N	0	nil	35.	
8	2	1985	A33	0.68	N	N	0	nil	35.	
8	2	1985	A34	0.68	N	N	0	nil	35.	
8	2	1985	A35	0.7	N	N	0	nil	35.	
8	2	1985	A36	0.83	N	N	0	nil	35.	
8	2	1985	A37	0.71	N	N	0	nil	35.	
8	2	1985	A38	0.86	N	N	0	nil	35.	
8	2	1985	A39	0.79	N	N	0	nil	35.	
8	2	1985	A40	0.74	N	N	0	nil	35.	
8	2	1985	A41	0.66	N	N	0	nil	35.	
8	2	1985	A42	0.58	N	N	0	nil	35.	
8	2	1985	A43	0.89	N	N	0	nil	35.	
8	2	1985	A44	0.87	N	N	0	nil	35.	
8	2	1985	A45	0.95	N	N	0	nil	35.	
8	2	1985	A46	0.83	N	N	0	nil	35.	
8	2	1985	A47	0.63	N	N	0	nil	35.	
8	2	1985	A48	0.86	N	N	0	nil	35.	
8	2	1985	A49	0.73	N	N	0	nil	35.	
8	2	1985	B01	0.98	N	N	0	mon	35.	
8	2	1985	B02	0.87	N	N	0	mon	35.	
8	2	1985	B03	0.97	N	N	0	mon	35.	
8	2	1985	B04	0.97	N	N	0	mon	35.	
8	2	1985	B05	1.08	N	N	0	mon	35.	
8	2	1985	B06	1.02	N	N	0	mon	35.	
8	2	1985	B07	0.84	N	N	0	mon	35.	
8	2	1985	B08	0.87	N	N	0	mon	35.	
8	2	1985	B09	0.79	N	N	0	mon	35.	
8	2	1985	B10	0.76	N	N	0	mon	35.	
8	2	1985	B11	0.76	N	N	0	mon	35.	
8	2	1985	B13	0.77	N	N	0	mon	35.	
8	2	1985	B14	0.74	N	N	0	mon	35.	
8	2	1985	B15	0.76	N	N	0	mon	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
8	2	1985	B16	0.81	N	N	0	mon	35.	
8	2	1985	B18	0.75	N	N	0	mon	35.	
8	2	1985	B19	0.8	N	N	0	mon	35.	
8	2	1985	B20	0.77	N	N	0	mon	35.	
11	2	1985	A29	0.62	N	N	0	nil	35.	
11	2	1985	A30	0.74	N	N	0	nil	35.	
11	2	1985	A31	0.6	N	N	0	nil	35.	
11	2	1985	A32	0.64	N	N	0	nil	35.	
11	2	1985	A33	0.56	N	N	0	nil	35.	
11	2	1985	A34	0.59	N	N	0	nil	35.	
11	2	1985	A35	0.6	N	N	0	nil	36.	
11	2	1985	A36	0.6	N	N	0	nil	35.	
11	2	1985	A37	0.66	N	N	0	nil	35.	
11	2	1985	A38	0.8	N	N	0	nil	35.	
11	2	1985	A39	0.73	N	N	0	nil	35.	
11	2	1985	A40	0.68	N	N	0	nil	35.	
11	2	1985	A41	0.63	N	N	0	nil	36.	
11	2	1985	A42	0.54	N	N	0	nil	36.	
11	2	1985	A43	0.86	N	N	0	nil	35.	
11	2	1985	A44	0.84	N	N	0	nil	35.	
11	2	1985	A45	0.92	N	N	0	nil	35.	
11	2	1985	A46	0.85	N	N	0	nil	35.	
11	2	1985	A47	0.85	N	N	0	nil	35.	
11	2	1985	A48	0.84	N	N	0	nil	35.	
11	2	1985	A49	0.74	N	N	0	nil	36.	
11	2	1985	B01	1.36	N	N	0	mon	35.	
11	2	1985	B02	1.38	N	N	0	mon	35.	
11	2	1985	B03	1.37	N	N	0	mon	35.	
11	2	1985	B04	1.36	N	N	0	mon	35.	
11	2	1985	B05	1.39	N	N	0	mon	35.	
11	2	1985	B06	1.33	N	N	0	mon	35.	
11	2	1985	B07	0.95	N	N	0	mon	35.	
11	2	1985	B08	1.	N	N	0	mon	35.	
11	2	1985	B09	1.	N	N	0	mon	35.	
11	2	1985	B10	0.95	N	N	0	mon	35.	
11	2	1985	B11	0.9	N	N	0	mon	36.	
11	2	1985	B13	0.67	N	N	0	mon	36.	
11	2	1985	B14	0.59	N	N	0	mon	36.	
11	2	1985	B15	0.65	N	N	0	mon	36.	
11	2	1985	B16	0.63	N	N	0	mon	36.	
11	2	1985	B18	0.54	N	N	0	mon	37.	
11	2	1985	B19	0.58	N	N	0	mon	37.	
11	2	1985	B20	0.54	N	N	0	mon	37.	
12	2	1985	A29	0.6	N	N	0	nil	34.	
12	2	1985	A30	0.71	N	N	0	nil	34.	
12	2	1985	A31	0.58	N	N	0	nil	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
12	2	1985	A32	0.61	N	N	0	nil	35.	
12	2	1985	A33	0.53	N	N	0	nil	35.	
12	2	1985	A34	0.56	N	N	0	nil	35.	
12	2	1985	A35	0.58	N	N	0	nil	35.	
12	2	1985	A36	0.79	N	N	0	nil	35.	
12	2	1985	A37	0.64	N	N	0	nil	35.	
12	2	1985	A38	0.78	N	N	0	nil	35.	
12	2	1985	A39	0.71	N	N	0	nil	35.	
12	2	1985	A40	0.67	N	N	0	nil	35.	
12	2	1985	A41	0.62	N	N	0	nil	35.	
12	2	1985	A42	0.52	N	N	0	nil	35.	
12	2	1985	A43	0.86	N	N	0	nil	34.	
12	2	1985	A44	0.83	N	N	0	nil	34.	
12	2	1985	A45	0.91	N	N	0	nil	34.	
12	2	1985	A46	0.86	N	N	0	nil	35.	
12	2	1985	A47	0.85	N	N	0	nil	35.	
12	2	1985	A48	0.88	N	N	0	nil	35.	
12	2	1985	A49	0.75	N	N	0	nil	35.	
12	2	1985	B01	1.42	Y	N	0	mon	35.	
12	2	1985	B02	1.46	Y	N	0	mon	34.	
12	2	1985	B03	1.43	Y	N	0	mon	34.	
12	2	1985	B04	1.4	Y	N	0	mon	34.	
12	2	1985	B05	1.47	Y	N	0	mon	34.	
12	2	1985	B06	1.39	Y	N	0	mon	34.	
12	2	1985	B07	1.01	Y	N	0	mor	35.	
12	2	1985	B08	1.01	Y	N	0	mon	35.	
12	2	1985	B09	1.05	Y	N	0	mon	35.	
12	2	1985	B10	1.01	Y	N	0	mon	35.	
12	2	1985	B11	0.94	Y	N	0	mon	35.	
12	2	1985	B13	0.76	N	N	0	mon	35.	
12	2	1985	B14	0.61	N	N	0	mon	35.	
12	2	1985	B15	0.69	N	N	0	mon	35.	
12	2	1985	B16	0.65	N	N	0	mon	35.	
12	2	1985	B18	0.52	N	N	0	mon	36.	
12	2	1985	B19	0.57	N	N	0	mon	35.	
12	2	1985	B20	0.52	N	N	0	mon	35.	
13	2	1985	A29	0.58	N	N	0	nil	35.	
13	2	1985	A30	0.7	N	N	0	nil	36.	
13	2	1985	A31	0.56	N	N	0	nil	36.	
13	2	1985	A32	0.6	N	N	0	nil	36.	
13	2	1985	A33	0.52	N	N	0	nil	36.	
13	2	1985	A34	0.55	N	N	0	nil	36.	
13	2	1985	A35	0.56	N	N	0	nil	36.	
13	2	1985	A36	0.78	N	N	0	nil	35.	
13	2	1985	A37	0.63	N	N	0	nil	36.	
13	2	1985	A38	0.77	N	N	0	nil	36.	

Table 2. Daily Pond Measurements. Ilcilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
13	2	1985	A39	0.69	N	N	0	nil	36.	
13	2	1985	A40	0.66	N	N	0	nil	36.	
13	2	1985	A41	0.61	N	N	0	nil	36.	
13	2	1985	A42	0.51	N	N	0	nil	36.	
13	2	1985	A43	0.85	N	N	0	nil	35.	
13	2	1985	A44	0.83	N	N	0	nil	35.	
13	2	1985	A45	0.91	N	N	0	nil	35.	
13	2	1985	A46	0.85	N	N	0	nil	36.	
13	2	1985	A47	0.85	N	N	0	nil	36.	
13	2	1985	A48	0.87	N	N	0	nil	36.	
13	2	1985	A49	0.72	N	N	0	nil	36.	
13	2	1985	B01	1.48	Y	N	0	mon	35.	
13	2	1985	B02	1.49	Y	N	0	mon	35.	
13	2	1985	B03	1.48	Y	N	0	mon	35.	
13	2	1985	B04	1.48	Y	N	0	mon	34.	
13	2	1985	B05	1.54	Y	N	0	mon	34.	
13	2	1985	B06	1.45	Y	N	0	mon	34.	
13	2	1985	B07	0.97	Y	N	0	mon	35.	
13	2	1985	B08	1.	Y	N	0	mon	35.	
13	2	1985	B09	1.03	Y	N	0	mon	35.	
13	2	1985	B10	0.98	Y	N	0	mon	35.	
13	2	1985	B11	0.91	Y	N	0	mon	35.	
13	2	1985	B13	0.93	N	N	0	mon	36.	
13	2	1985	B14	0.65	N	N	0	mon	36.	
13	2	1985	B15	0.7	N	N	0	mon	36.	
13	2	1985	B16	0.66	N	N	0	mon	36.	
13	2	1985	B18	0.51	N	N	0	mon	36.	
13	2	1985	B19	0.56	N	N	0	mon	37.	
13	2	1985	B20	0.51	N	N	0	mon	36.	
14	2	1985	A29	0.56	N	N	0	nil	35.	
14	2	1985	A30	0.68	N	N	0	nil	35.	
14	2	1985	A31	0.54	N	N	0	nil	36.	
14	2	1985	A32	0.58	N	N	0	nil	35.	
14	2	1985	A33	0.51	N	N	0	nil	36.	
14	2	1985	A34	0.53	N	N	0	nil	36.	
14	2	1985	A35	0.54	N	N	0	nil	36.	
14	2	1985	A36	0.78	N	N	0	nil	36.	
14	2	1985	A37	0.62	N	N	0	nil	35.	
14	2	1985	A38	0.75	N	N	0	nil	35.	
14	2	1985	A39	0.67	N	N	0	nil	35.	
14	2	1985	A40	0.65	N	N	0	nil	35.	
14	2	1985	A41	0.59	N	N	0	nil	35.	
14	2	1985	A42	0.5	N	N	0	nil	35.	
14	2	1985	A43	0.83	N	N	0	nil	34.	
14	2	1985	A44	0.81	N	N	0	nil	34.	
14	2	1985	A45	0.9	N	N	0	nil	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
14	2	1985	A46	0.84	N	N	0	nil	35.	
14	2	1985	A47	0.84	N	N	0	nil	35.	
14	2	1985	A48	0.81	N	N	0	nil	35.	
14	2	1985	A49	0.71	Y	N	0	nil	35.	
14	2	1985	B01	1.52	Y	N	0	mon	34.	
14	2	1985	B02	1.52	Y	N	0	mon	35.	
14	2	1985	B03	1.5	Y	N	0	mon	35.	
14	2	1985	B04	1.51	Y	N	0	mon	35.	
14	2	1985	B05	1.58	Y	N	0	mon	35.	
14	2	1985	B06	1.48	Y	N	0	mon	35.	
14	2	1985	B07	0.96	Y	N	0	mon	35.	
14	2	1985	B08	1.01	Y	N	0	mon	35.	
14	2	1985	B09	1.04	Y	N	0	mon	35.	
14	2	1985	B10	1.	Y	N	0	mon	35.	
14	2	1985	B11	0.9	Y	N	0	mon	35.	
14	2	1985	B13	0.91	N	N	0	mon	36.	
14	2	1985	B14	0.7	N	N	0	mon	36.	
14	2	1985	B15	0.72	N	N	0	mon	36.	
14	2	1985	B16	0.68	N	N	0	mon	36.	
14	2	1985	B18	0.49	N	N	0	mon	37.	
14	2	1985	B19	0.55	N	N	0	mon	37.	
14	2	1985	B20	0.49	N	N	0	mon	36.	
15	2	1985	A29	0.55	N	N	0	nil	37.	
15	2	1985	A30	0.67	N	N	0	nil	37.	
15	2	1985	A31	0.53	N	N	0	nil	37.	
15	2	1985	A32	0.57	N	N	0	nil	38.	
15	2	1985	A33	0.49	N	N	0	nil	38.	
15	2	1985	A34	0.51	N	N	0	nil	38.	
15	2	1985	A35	0.53	N	N	0	nil	38.	
15	2	1985	A36	0.77	N	N	0	nil	37.	
15	2	1985	A37	0.6	N	N	0	nil	37.	
15	2	1985	A38	0.74	N	N	0	nil	37.	
15	2	1985	A39	0.66	N	N	0	nil	37.	
15	2	1985	A40	0.64	N	N	0	nil	38.	
15	2	1985	A41	0.58	N	N	0	nil	38.	
15	2	1985	A42	0.49	N	N	0	nil	38.	
15	2	1985	A43	0.83	N	N	0	nil	37.	
15	2	1985	A44	0.8	N	N	0	nil	36.	
15	2	1985	A45	0.89	N	N	0	nil	36.	
15	2	1985	A46	0.65	N	N	0	nil	37.	
15	2	1985	A47	0.84	N	N	0	nil	37.	
15	2	1985	A48	0.6	N	N	0	nil	37.	
15	2	1985	A49	0.71	N	N	0	nil	37.	
15	2	1985	B01	1.49	Y	N	0	mon	34.	
15	2	1985	B02	1.57	Y	N	0	mon	34.	
15	2	1985	B03	1.55	Y	N	0	mon	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
15	2	1985	B04	1.56	Y	N	0	mon	35.	
15	2	1985	B05	1.63	Y	N	0	mon	35.	
15	2	1985	B06	1.52	Y	N	0	mon	35.	
15	2	1985	B07	0.97	Y	N	0	mon	34.	
15	2	1985	B08	1.02	Y	N	0	mon	35.	
15	2	1985	B09	1.05	Y	N	0	mon	34.	
15	2	1985	B10	1.01	Y	N	0	mon	35.	
15	2	1985	B11	0.91	Y	N	0	mon	35.	
15	2	1985	B13	0.9	N	N	0	mon	35.	
15	2	1985	B14	0.73	N	N	0	mon	36.	
15	2	1985	B15	0.71	N	N	0	mon	35.	
15	2	1985	B16	0.69	N	N	0	mon	35.	
15	2	1985	B18	0.47	N	N	0	mon	36.	
15	2	1985	B19	0.54	N	N	0	mon	36.	
15	2	1985	B20	0.48	N	N	0	mon	36.	
18	2	1985	A29	0.54	N	N	0	nil	37.	
18	2	1985	A30	0.66	N	N	0	nil	36.	
18	2	1985	A31	0.52	N	N	0	nil	36.	
18	2	1985	A32	0.56	N	N	0	nil	36.	
18	2	1985	A33	0.48	N	N	0	nil	37.	
18	2	1985	A34	0.5	N	N	0	nil	36.	
18	2	1985	A35	0.5	N	N	0	nil	37.	
18	2	1985	A36	0.77	N	N	0	nil	36.	
18	2	1985	A37	0.49	N	N	0	nil	37.	
18	2	1985	A38	0.74	N	N	0	nil	36.	
18	2	1985	A39	0.64	N	N	0	nil	36.	
18	2	1985	A40	0.63	N	N	0	nil	37.	
18	2	1985	A41	0.58	N	N	0	nil	37.	
18	2	1985	A42	0.46	N	N	0	nil	38.	
18	2	1985	A43	0.83	N	N	0	nil	36.	
18	2	1985	A44	0.8	N	N	0	nil	36.	
18	2	1985	A45	0.9	N	N	0	nil	36.	
18	2	1985	A46	0.86	N	N	0	nil	36.	
18	2	1985	A47	0.85	N	N	0	nil	36.	
18	2	1985	A48	0.81	N	N	0	nil	36.	
18	2	1985	A49	0.71	N	N	0	nil	36.	
18	2	1985	B01	1.4	Y	N	0	mon	35.	
18	2	1985	B02	1.42	Y	N	0	mon	35.	
18	2	1985	B03	1.49	Y	N	0	mon	35.	
18	2	1985	B04	1.48	Y	N	0	mon	35.	
18	2	1985	B05	1.5	Y	N	0	mon	35.	
18	2	1985	B06	1.37	Y	N	0	mon	35.	
18	2	1985	B07	0.96	N	N	0	mon	35.	
18	2	1985	B08	1.01	N	N	0	mon	35.	
18	2	1985	B09	1.04	N	N	0	mon	34.	
18	2	1985	B10	1.02	N	N	0	mon	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
18	2	1985	B11	0.95	N	N	0	mon	35.	
18	2	1985	B13	0.88	N	N	0	mon	36.	
18	2	1985	B14	0.73	N	N	0	mon	36.	
18	2	1985	B15	0.68	N	N	0	mon	36.	
18	2	1985	B16	0.65	N	N	0	mon	36.	
18	2	1985	B18	0.44	N	N	0	mon	37.	
18	2	1985	B19	0.52	N	N	0	mon	37.	
18	2	1985	B20	0.45	N	N	0	mon	37.	
19	2	1985	A29	0.33	N	N	0	nil	35.	
19	2	1985	A30	0.3	N	N	0	nil	35.	
19	2	1985	A31	0.45	N	N	0	nil	35.	
19	2	1985	A32	0.44	N	N	0	nil	35.	
19	2	1985	A33	0.31	N	N	0	nil	36.	
19	2	1985	A34	0.46	N	N	0	nil	36.	
19	2	1985	A35	0.46	N	N	0	nil	36.	
19	2	1985	A36	0.77	N	N	0	nil	35.	
19	2	1985	A37	0.57	N	N	0	nil	36.	
19	2	1985	A38	0.71	N	N	0	nil	35.	
19	2	1985	A39	0.62	N	N	0	nil	35.	
19	2	1985	A40	0.62	N	N	0	nil	35.	
19	2	1985	A41	0.56	N	N	0	nil	36.	
19	2	1985	A42	0.44	N	N	0	nil	36.	
19	2	1985	A43	0.82	N	N	0	nil	34.	
19	2	1985	A44	0.79	N	N	0	nil	35.	
19	2	1985	A45	0.89	N	N	0	nil	35.	
19	2	1985	A46	0.85	N	N	0	nil	34.	
19	2	1985	A47	0.84	N	N	0	nil	36.	
19	2	1985	A48	0.8	N	N	0	nil	35.	
19	2	1985	A49	0.7	N	N	0	nil	35.	
19	2	1985	B01	0.35	Y	N	0	mon	35.	
19	2	1985	B02	1.38	Y	N	0	mon	35.	
19	2	1985	B03	1.47	Y	N	0	mon	35.	
19	2	1985	B04	1.45	Y	N	0	mon	35.	
19	2	1985	B05	1.46	Y	N	0	mon	35.	
19	2	1985	B06	1.32	Y	N	0	mon	36.	
19	2	1985	B07	0.89	N	N	0	mon	36.	
19	2	1985	B08	1.01	N	N	0	mon	36.	
19	2	1985	B09	1.03	N	N	0	mon	36.	
19	2	1985	B10	1.01	N	N	0	mon	36.	
19	2	1985	B11	0.92	N	N	0	mon	36.	
19	2	1985	B13	0.82	N	N	0	mon	37.	
19	2	1985	B14	0.68	N	N	0	mon	37.	
19	2	1985	B15	0.61	N	N	0	mon	36.	
19	2	1985	B16	0.58	N	N	0	mon	37.	
19	2	1985	B18	0.42	N	N	0	mon	38.	
19	2	1985	B19	0.51	N	N	0	mon	38.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLQW
19	2	1985	B20	0.43	N	N	0	mon	38.	
20	2	1985	B01	1.59	Y	N	0	mon	35.	
20	2	1985	B02	1.55	Y	N	0	mon	35.	
20	2	1985	B03	1.51	Y	N	0	mon	35.	
20	2	1985	B04	1.52	Y	N	0	mon	35.	
20	2	1985	B05	1.6	Y	N	0	mon	35.	
20	2	1985	B06	1.51	Y	N	0	mon	36.	
20	2	1985	B07	0.86	N	N	0	mon	36.	
20	2	1985	B08	1.	N	N	0	mon	36.	
20	2	1985	B09	1.02	N	N	0	mon	36.	
20	2	1985	B10	1.	N	N	0	mon	36.	
20	2	1985	B11	0.91	N	N	0	mon	37.	
20	2	1985	B13	0.79	N	N	0	mon	37.	
20	2	1985	B14	0.64	N	N	0	mon	37.	
20	2	1985	B15	0.53	N	N	0	mon	38.	
20	2	1985	B16	0.55	N	N	0	mon	38.	
20	2	1985	B18	0.41	N	N	0	mon	37.	
20	2	1985	B19	0.51	N	N	0	mon	38.	
20	2	1985	B20	0.45	N	N	0	mon	38.	
21	2	1985	A29	0.54	Y	N	0	nil	34.	
21	2	1985	A30	0.59	Y	N	0	nil	34.	
21	2	1985	A31	0.68	Y	N	0	nil	34.	
21	2	1985	A32	0.7	Y	N	0	nil	34.	
21	2	1985	A33	0.54	Y	N	1	nil	34.	
21	2	1985	A34	0.59	Y	N	1	nil	34.	
21	2	1985	A35	0.55	Y	N	0	nil	34.	
21	2	1985	A36	0.6	Y	N	0	nil	34.	
21	2	1985	A37	0.55	Y	N	3	nil	35.	
21	2	1985	A38	0.68	Y	N	0	nil	34.	
21	2	1985	A39	0.63	Y	N	0	nil	34.	
21	2	1985	A40	0.45	Y	N	0	nil	35.	
21	2	1985	A41	0.47	Y	N	1	nil	35.	
21	2	1985	A42	0.34	Y	N	0	nil	34.	
21	2	1985	A43	0.67	Y	N	1	nil	34.	
21	2	1985	A44	0.64	Y	N	0	nil	34.	
21	2	1985	A45	0.68	Y	N	0	nil	34.	
21	2	1985	A46	0.66	Y	N	0	nil	34.	
21	2	1985	A47	0.67	Y	N	0	nil	34.	
21	2	1985	A48	0.66	Y	N	10	nil	34.	
21	2	1985	A49	0.57	Y	N	10	nil	34.	
21	2	1985	B01	1.46	Y	N	0	mon	33.	
21	2	1985	B02	1.44	Y	N	0	mon	34.	
21	2	1985	B03	1.48	Y	N	0	mon	35.	
21	2	1985	B04	1.45	Y	N	0	mon	35.	
21	2	1985	B05	1.5	Y	N	0	mon	35.	
21	2	1985	B06	1.42	Y	N	0	mon	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
21	2	1985	B07	0.45	N	N	0	mon	35.	
21	2	1985	B08	0.52	N	N	0	mon	35.	
21	2	1985	B09	0.48	N	N	0	mon	35.	
21	2	1985	B10	0.41	N	N	0	mon	35.	
21	2	1985	B11	0.41	N	N	0	mon	35.	
21	2	1985	B13	0.52	N	N	0	mon	35.	
21	2	1985	B14	0.35	N	N	0	mon		
21	2	1985	B15	0.39	N	N	0	mon		
21	2	1985	B16	0.33	N	N	0	mon		
21	2	1985	B18	0.46	N	N	0	mon		
21	2	1985	B19	0.46	N	N	0	mon		
21	2	1985	B20	0.31	N	N	0	mon		
22	2	1985	A29	0.65	N	N	0	nil	33.	
22	2	1985	A30	0.77	N	N	0	nil	33.	
22	2	1985	A31	0.63	N	N	0	nil	34.	
22	2	1985	A32	0.67	N	N	0	nil	34.	
22	2	1985	A33	0.59	N	N	0	nil	34.	
22	2	1985	A34	0.61	N	N	0	nil	35.	
22	2	1985	A35	0.61	N	N	0	nil	35.	
22	2	1985	A36	0.68	N	N	0	nil	35.	
22	2	1985	A37	0.62	N	N	0	nil	34.	
22	2	1985	A38	0.77	N	N	0	nil	35.	
22	2	1985	A39	0.7	N	N	0	nil	35.	
22	2	1985	A40	0.63	N	N	0	nil	35.	
22	2	1985	A41	0.55	N	N	0	nil	35.	
22	2	1985	A42	0.49	N	N	0	nil	35.	
22	2	1985	A43	0.73	N	N	0	nil	35.	
22	2	1985	A44	0.72	N	N	0	nil	34.	
22	2	1985	A45	0.8	N	N	0	nil	34.	
22	2	1985	A46	0.68	N	N	0	nil	34.	
22	2	1985	A47	0.67	N	N	0	nil	35.	
22	2	1985	A48	0.69	N	N	0	nil	35.	
22	2	1985	A49	0.58	N	N	0	nil	35.	
22	2	1985	B01	1.34	Y	N	0	mon	36.	
22	2	1985	B02	1.36	Y	N	0	mon	36.	
22	2	1985	B03	1.45	Y	N	0	mon	36.	
22	2	1985	B04	1.41	Y	N	0	mon	36.	
22	2	1985	B05	1.46	Y	N	0	mon	36.	
22	2	1985	B06	1.36	Y	N	0	mon	37.	
22	2	1985	B07	0.69	N	N	0	mon	37.	
22	2	1985	B08	0.7	N	N	0	mon	36.	
22	2	1985	B09	0.72	N	N	0	mon	37.	
22	2	1985	B10	0.64	N	N	0	mon	37.	
22	2	1985	B11	0.6	N	N	0	mon	37.	
22	2	1985	B13	0.6	N	N	0	mon	37.	
22	2	1985	B14	0.52	N	N	0	mon	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
22	2	1985	B15	0.51	N	N	0	mon	37.	
22	2	1985	B16	0.55	N	N	0	mon	36.	
22	2	1985	B18	0.52	N	N	0	mon	37.	
22	2	1985	B19	0.54	N	N	0	mon	37.	
22	2	1985	B20	0.54	N	N	0	mon	37.	
25	2	1985	A29	0.59	N	N	0	nil	36.	
25	2	1985	A30	0.7	N	N	0	nil	36.	
25	2	1985	A31	0.59	N	N	0	nil	36.	
25	2	1985	A32	0.6	N	N	0	nil	36.	
25	2	1985	A33	0.53	N	N	0	nil	36.	
25	2	1985	A34	0.55	N	N	0	nil	36.	
25	2	1985	A35	0.55	N	N	0	nil	37.	
25	2	1985	A36	0.68	N	N	0	nil	36.	
25	2	1985	A37	0.55	N	N	0	nil	36.	
25	2	1985	A38	0.7	N	N	0	nil	36.	
25	2	1985	A39	0.62	N	N	0	nil	37.	
25	2	1985	A40	0.57	N	N	0	nil	37.	
25	2	1985	A41	0.49	N	N	0	nil	37.	
25	2	1985	A42	0.43	N	N	0	nil	37.	
25	2	1985	A43	0.75	N	N	0	nil	37.	
25	2	1985	A44	0.74	N	N	0	nil	36.	
25	2	1985	A45	0.82	N	N	0	nil	36.	
25	2	1985	A46	0.72	N	N	0	nil	36.	
25	2	1985	A47	0.72	N	N	0	nil	36.	
25	2	1985	A48	0.72	N	N	0	nil	36.	
25	2	1985	A49	0.65	N	N	0	nil	37.	
25	2	1985	B01	1.45	N	N	0	mon	35.	
25	2	1985	B02	0.46	N	N	0	mon	35.	
25	2	1985	B03	1.45	N	N	0	mon	35.	
25	2	1985	B04	1.41	N	N	0	mon	35.	
25	2	1985	B05	1.49	N	N	0	mon	34.	
25	2	1985	B06	1.38	N	N	0	mon	35.	
25	2	1985	B07	0.91	N	N	0	mon	35.	
25	2	1985	B08	0.98	N	N	0	mon	35.	
25	2	1985	B09	1.05	N	N	0	mon	35.	
25	2	1985	B10	1.	N	N	0	mon	35.	
25	2	1985	B11	1.01	N	N	0	mon	35.	
25	2	1985	B13	0.86	N	N	0	mon	35.	
25	2	1985	B14	0.58	N	N	0	mon	36.	
25	2	1985	B15	0.7	N	N	0	mon	36.	
25	2	1985	B16	0.63	N	N	0	mon	36.	
25	2	1985	B18	0.5	N	N	0	mon	36.	
25	2	1985	B19	0.55	N	N	0	mon	36.	
25	2	1985	B20	0.53	N	N	0	mon	36.	
26	2	1985	A29	0.57	N	N	0	nil	36.	
26	2	1985	A30	0.68	N	N	0	nil	36.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
26	2	1985	A31	0.55	N	N	0	nil	36.	
26	2	1985	A32	0.58	N	N	0	nil	36.	
26	2	1985	A33	0.51	N	N	0	nil	36.	
26	2	1985	A34	0.53	N	N	0	nil	36.	
26	2	1985	A35	0.53	N	N	0	nil	37.	
26	2	1985	A36	0.76	N	N	0	nil	36.	
26	2	1985	A37	0.54	N	N	0	nil	36.	
26	2	1985	A38	0.69	N	N	0	nil	36.	
26	2	1985	A39	0.6	N	N	0	nil	37.	
26	2	1985	A40	0.56	N	N	0	nil	37.	
26	2	1985	A41	0.48	N	N	0	nil	37.	
26	2	1985	A42	0.43	N	N	0	nil	37.	
26	2	1985	A43	0.76	N	N	0	nil	37.	
26	2	1985	A44	0.74	N	N	0	nil	36.	
26	2	1985	A45	0.83	N	N	0	nil	36.	
26	2	1985	A46	0.73	N	N	0	nil	36.	
26	2	1985	A47	0.73	N	N	0	nil	36.	
26	2	1985	A48	0.73	N	N	0	nil	36.	
26	2	1985	A49	0.7	N	N	0	nil	37.	
26	2	1985	B01	1.53	N	N	0	mon	35.	
26	2	1985	B02	1.47	N	N	0	mon	35.	
26	2	1985	B03	1.46	N	N	0	mon	35.	
26	2	1985	B04	1.47	N	N	0	mon	35.	
26	2	1985	B05	1.54	N	N	0	mon	34.	
26	2	1985	B06	1.45	N	N	0	mon	35.	
26	2	1985	B07	0.97	N	N	0	mon	35.	
26	2	1985	B08	1.01	N	N	0	mon	35.	
26	2	1985	B09	1.05	N	N	0	mon	35.	
26	2	1985	B10	1.02	N	N	0	mon	35.	
26	2	1985	B11	1.09	N	N	0	mon	35.	
26	2	1985	B13	0.96	N	N	0	mon	35.	
26	2	1985	B14	0.63	N	N	0	mon	36.	
26	2	1985	B15	0.74	N	N	0	mon	36.	
26	2	1985	B16	0.66	N	N	0	mon	36.	
26	2	1985	B18	0.51	N	N	0	mon	36.	
26	2	1985	B19	0.56	N	N	0	mon	36.	
26	2	1985	B20	0.54	N	N	0	mon	36.	
27	2	1985	A29	0.55	N	N	0	nil	40.	
27	2	1985	A30	0.67	N	N	0	nil	41.	
27	2	1985	A31	0.53	N	N	0	nil	40.	
27	2	1985	A32	0.57	N	N	0	nil	40.	
27	2	1985	A33	0.5	N	N	0	nil	40.	
27	2	1985	A34	0.52	N	N	0	nil	40.	
27	2	1985	A35	0.51	N	N	0	nil	40.	
27	2	1985	A36	0.6	N	N	0	nil	40.	
27	2	1985	A37	0.52	N	N	0	nil	40.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD\$	SPECIES	SALINITY	H2O-FLOW
27	2	1985	A38	0.66	N	N	0	nil	40.	
27	2	1985	A39	0.59	N	N	0	nil	40.	
27	2	1985	A40	0.54	N	N	0	nil	40.	
27	2	1985	A41	0.47	N	N	0	nil	41.	
27	2	1985	A42	0.41	N	N	0	nil	40.	
27	2	1985	A43	0.75	N	N	0	nil	40.	
27	2	1985	A44	0.73	N	N	0	nil	40.	
27	2	1985	A45	0.83	N	N	0	nil	40.	
27	2	1985	A46	0.74	N	N	0	nil	40.	
27	2	1985	A47	0.74	N	N	0	nil	40.	
27	2	1985	A48	0.74	N	N	0	nil	40.	
27	2	1985	A49	0.72	N	N	0	nil	40.	
27	2	1985	B01	1.5	N	N	0	mon	35.	
27	2	1985	B02	1.45	N	N	0	mon	36.	
27	2	1985	B03	1.49	N	N	0	mon	36.	
27	2	1985	B04	1.49	N	N	0	mon	36.	
27	2	1985	B05	1.57	N	N	0	mon	35.	
27	2	1985	B06	1.46	N	N	0	mon	36.	
27	2	1985	B07	1.	N	N	0	mon	35.	
27	2	1985	B08	1.03	N	N	0	mon	35.	
27	2	1985	B09	1.02	N	N	0	mon	35.	
27	2	1985	B10	0.98	N	N	0	mon	35.	
27	2	1985	B11	1.	N	N	0	mon	35.	
27	2	1985	B13	0.88	N	N	0	mon	38.	
27	2	1985	B14	0.7	N	N	0	mon	38.	
27	2	1985	B15	0.77	N	N	0	mon	38.	
27	2	1985	B16	0.71	N	N	0	mon	38.	
27	2	1985	B18	0.52	N	N	0	mon	37.	
27	2	1985	B19	0.59	N	N	0	mon	38.	
27	2	1985	B20	0.56	N	N	0	mon	38.	
28	2	1985	A29	0.53	N	N	0	nil	36.	
28	2	1985	A30	0.65	N	N	0	nil	36.	
28	2	1985	A31	0.51	N	N	0	nil	37.	
28	2	1985	A32	0.54	N	N	0	nil	37.	
28	2	1985	A33	0.52	N	N	0	nil	37.	
28	2	1985	A34	0.5	N	N	0	nil	38.	
28	2	1985	A35	0.5	N	N	0	nil	38.	
28	2	1985	A36	0.64	N	N	0	nil	37.	
28	2	1985	A37	0.52	N	N	0	nil	38.	
28	2	1985	A38	0.65	N	N	0	nil	38.	
28	2	1985	A39	0.58	N	N	0	nil	38.	
28	2	1985	A40	0.53	N	N	0	nil	38.	
28	2	1985	A41	0.47	N	N	0	nil	39.	
28	2	1985	A42	0.4	N	N	0	nil	39.	
28	2	1985	A43	0.75	N	N	0	nil	37.	
28	2	1985	A44	0.73	N	N	0	nil	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
28	2	1985	A45	0.83	N	N	0	nil	37.	
28	2	1985	A46	0.74	N	N	0	nil	38.	
28	2	1985	A47	0.74	N	N	0	nil	39.	
28	2	1985	A48	0.75	N	N	0	nil	39.	
28	2	1985	A49	0.73	N	N	0	nil	39.	
28	2	1985	B01	1.53	N	N	0	mon	35.	
28	2	1985	B02	1.48	N	N	0	mon	35.	
28	2	1985	B03	1.5	N	N	0	mon	36.	
28	2	1985	B04	1.52	N	N	0	mon	36.	
28	2	1985	B05	1.53	N	N	0	mon	36.	
28	2	1985	B06	1.47	N	N	0	mon	36.	
28	2	1985	B07	1.02	N	N	0	mon	37.	
28	2	1985	B08	1.05	N	N	0	mon	36.	
28	2	1985	B09	1.01	N	N	0	mon	36.	
28	2	1985	B10	0.95	N	N	0	mon	37.	
28	2	1985	B11	0.98	N	N	0	mon	36.	
28	2	1985	B13	0.85	N	N	0	mon	36.	
28	2	1985	B14	0.69	N	N	0	mon	38.	
28	2	1985	B15	0.75	N	N	0	mon	37.	
28	2	1985	B16	0.73	N	N	0	mon	37.	
28	2	1985	B18	0.53	N	N	0	mon	38.	
28	2	1985	B19	0.62	N	N	0	mon	38.	
28	2	1985	B20	0.62	N	N	0	mon	37.	
1	3	1985	A29	0.5	N	N	0	nil	40.	
1	3	1985	A30	0.62	N	N	0	nil	40.	
1	3	1985	A31	0.5	N	N	0	nil	40.	
1	3	1985	A32	0.52	N	N	0	nil	40.	
1	3	1985	A33	0.45	N	N	0	nil	40.	
1	3	1985	A34	0.48	N	N	0	nil	40.	
1	3	1985	A35	0.48	N	N	0	nil	41.	
1	3	1985	A36	0.63	N	N	0	nil	40.	
1	3	1985	A37	0.49	N	N	0	nil	40.	
1	3	1985	A38	0.63	N	N	0	nil	40.	
1	3	1985	A39	0.55	N	N	0	nil	40.	
1	3	1985	A40	0.55	N	N	0	nil	40.	
1	3	1985	A41	0.45	N	N	0	nil	41.	
1	3	1985	A42	0.39	N	N	0	nil	41.	
1	3	1985	A43	0.7	N	N	0	nil	40.	
1	3	1985	A44	0.69	N	N	0	nil	40.	
1	3	1985	A45	0.82	N	N	0	nil	40.	
1	3	1985	A46	0.73	N	N	0	nil	40.	
1	3	1985	A47	0.73	N	N	0	mi	40.	
1	3	1985	A48	0.7	N	N	0	nil	40.	
1	3	1985	B01	1.53	N	N	0	mon	36.	
1	3	1985	B02	1.42	N	N	0	mon	36.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
1	3	1985	B03	1.48	N	N	0	mon	36.	
1	3	1985	B04	1.49	N	N	0	mon	36.	
1	3	1985	B05	1.52	N	N	0	mon	36.	
1	3	1985	B06	1.42	N	N	0	mon	36.	
1	3	1985	B07	1.03	N	N	0	mon	36.	
1	3	1985	B08	1.05	N	N	0	mon	36.	
1	3	1985	B09	1.04	N	N	0	mon	35.	
1	3	1985	B10	1.	N	N	0	mon	36.	
1	3	1985	B11	0.98	N	N	3	mon	36.	
1	3	1985	B13	0.83	N	N	0	mon	37.	
1	3	1985	B14	0.7	N	N	0	mon	37.	
1	3	1985	B15	0.73	N	N	0	mon	37.	
1	3	1985	B16	0.74	N	N	0	mon	37.	
1	3	1985	B18	0.67	N	N	0	mon	38.	
1	3	1985	B19	0.73	N	N	0	mon	39.	
1	3	1985	B20	0.7	N	N	0	mon	38.	
4	3	1985	A29	0.49	N	N	0	nil	35.	
4	3	1985	A30	0.61	N	N	0	nil	35.	
4	3	1985	A31	0.48	N	N	0	nil	35.	
4	3	1985	A32	0.51	N	N	0	nil	35.	
4	3	1985	A33	0.44	N	N	0	nil	35.	
4	3	1985	A34	0.42	N	N	0	nil	35.	
4	3	1985	A35	0.46	N	N	0	nil	35.	
4	3	1985	A36	0.6	N	N	0	nil	35.	
4	3	1985	A37	0.47	N	N	0	nil	35.	
4	3	1985	A38	0.61	N	N	0	nil	35.	
4	3	1985	A39	0.54	N	N	0	nil	35.	
4	3	1985	A40	0.49	N	N	0	nil	34.	
4	3	1985	A41	0.44	N	N	0	nil	35.	
4	3	1985	A42	0.38	N	N	0	nil	34.	
4	3	1985	A43	0.68	N	N	0	nil	34.	
4	3	1985	A44	0.62	N	N	0	nil	35.	
4	3	1985	A45	0.77	N	N	0	nil	35.	
4	3	1985	A46	0.72	N	N	0	nil	35.	
4	3	1985	A47	0.73	N	N	0	nil	35.	
4	3	1985	A48	0.7	N	N	0	nil	35.	
4	3	1985	A49	0.73	N	N	0	nil	35.	
4	3	1985	B01	1.32	Y	N	0	mon	35.	
4	3	1985	B02	1.35	Y	N	0	mon	35.	
4	3	1985	B03	1.42	Y	N	0	mon	35.	
4	3	1985	B04	1.42	Y	N	0	mon	35.	
4	3	1985	B05	1.39	Y	N	0	mon	35.	
4	3	1985	B06	1.36	Y	N	0	mon	35.	
4	3	1985	B07	1.04	Y	N	0	mon	36.	
4	3	1985	B08	1.04	Y	N	0	mon	36.	
4	3	1985	B09	1.	Y	N	0	mon	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
4	3	1985	B10	0.98	Y	N	1	mon	35.	
4	3	1985	B11	0.99	Y	N	1	mon	35.	
4	3	1985	B13	0.79	Y	N	0	mon	36.	
4	3	1985	B14	0.54	Y	N	0	mon	36.	
4	3	1985	B15	0.69	Y	N	0	mon	36.	
4	3	1985	B16	0.58	Y	N	0	mon	37.	
4	3	1985	B18	0.48	Y	N	0	mon	37.	
4	3	1985	B19	0.5	Y	N	0	mon	37.	
4	3	1985	B20	0.49	Y	N	0	mon	37.	
5	3	1985	A29	0.46	N	N	0	nil	35.	
5	3	1985	A30	0.57	N	N	0	nil	35.	
5	3	1985	A31	0.55	N	N	0	nil	35.	
5	3	1985	A32	0.72	N	N	0	nil	35.	
5	3	1985	A33	0.4	N	N	0	nil	35.	
5	3	1985	A34	0.45	N	N	0	nil	35.	
5	3	1985	A35	0.45	N	N	0	nil	35.	
5	3	1985	A36	0.59	N	N	0	nil	35.	
5	3	1985	A37	0.39	N	N	0	nil	35.	
5	3	1985	A38	0.58	N	N	0	nil	35.	
5	3	1985	A39	0.51	N	N	0	nil	35.	
5	3	1985	A40	0.47	N	N	0	nil	34.	
5	3	1985	A41	0.42	N	N	0	nil	35.	
5	3	1985	A42	0.37	N	N	0	nil	34.	
5	3	1985	A43	0.65	N	N	0	nil	34.	
5	3	1985	A44	0.62	N	N	0	nil	35.	
5	3	1985	A45	0.74	N	N	0	nil	35.	
5	3	1985	A46	0.72	N	N	0	nil	35.	
5	3	1985	A47	0.72	N	N	0	nil	35.	
5	3	1985	A48	0.72	N	N	0	nil	35.	
5	3	1985	A49	0.75	N	N	0	nil	35.	
6	3	1985	A29	0.47	Y	N	0	nil	36.	
6	3	1985	A30	0.58	Y	N	0	nil	36.	
6	3	1985	A31	0.43	Y	N	0	nil	37.	
6	3	1985	A32	0.48	Y	N	0	nil	37.	
6	3	1985	A33	0.45	Y	N	0	nil	38.	
6	3	1985	A34	0.43	Y	N	0	nil	39.	
6	3	1985	A35	0.44	Y	N	0	nil	39.	
6	3	1985	A36	0.58	Y	N	0	nil	38.	
6	3	1985	A37	0.43	Y	N	0	nil	38.	
6	3	1985	A38	0.58	Y	N	0	nil	38.	
6	3	1985	A39	0.5	Y	N	0	nil	38.	
6	3	1985	A40	0.46	Y	N	0	nil	39.	
6	3	1985	A41	0.42	Y	N	0	nil	40.	
6	3	1985	A42	0.36	Y	N	0	nil	40.	
6	3	1985	A43	0.66	Y	N	0	nil	38.	
6	3	1985	A44	0.63	Y	N	0	nil	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
6	3	1985	A45	0.73	Y	N	0	nil	37.	
6	3	1985	A46	0.72	Y	N	0	nil	37.	
6	3	1985	A47	0.72	Y	N	0	nil	38.	
6	3	1985	A48	0.72	Y	N	0	nil	38.	
6	3	1985	A49	0.76	Y	N	0	nil	37.	
6	3	1985	B01	1.01	Y	N	0	mon	36.	
6	3	1985	B02	1.01	Y	N	0	mon	36.	
6	3	1985	B03	1.1	Y	N	0	mon	37.	
6	3	1985	B04	1.08	Y	N	0	mon	36.	
6	3	1985	B05	1.05	Y	N	0	mon	36.	
6	3	1985	B06	0.99	Y	N	0	mon	36.	
6	3	1985	B07	0.5	Y	N	0	mon	36.	
6	3	1985	B08	0.55	Y	N	0	mon	37.	
6	3	1985	B09	0.49	Y	N	0	mon	36.	
6	3	1985	B10	0.48	Y	N	0	mon	37.	
6	3	1985	B11	0.47	Y	N	0	mon	36.	
6	3	1985	B13	0.52	N	N	0	mon	36.	
6	3	1985	B14	0.45	N	N	0	mon	37.	
6	3	1985	B15	0.51	N	N	0	mon	37.	
6	3	1985	B16	0.41	N	N	0	mon	36.	
6	3	1985	B18	0.41	N	N	0	mon	36.	
6	3	1985	B19	0.5	N	N	0	mon	35.	
6	3	1985	B20	0.4	N	N	0	mon	35.	
7	3	1985	A29	0.65	Y	N	0	nil	38.	
7	3	1985	A30	0.74	Y	N	0	nil	36.	
7	3	1985	A31	0.72	Y	N	0	nil	35.	
7	3	1985	A32	0.78	Y	N	0	nil	36.	
7	3	1985	A33	0.63	Y	N	0	nil	36.	
7	3	1985	A34	0.73	Y	N	0	nil	36.	
7	3	1985	A35	0.71	Y	N	0	nil	36.	
7	3	1985	A36	0.65	Y	N	0	nil	35.	
7	3	1985	A37	0.63	Y	N	0	nil	36.	
7	3	1985	A38	0.78	Y	N	0	nil	35.	
7	3	1985	A39	0.7	Y	N	0	nil	36.	
7	3	1985	A40	0.62	Y	N	0	nil	37.	
7	3	1985	A41	0.54	Y	N	0	nil	36.	
7	3	1985	A42	0.48	Y	N	0	nil	36.	
7	3	1985	A43	0.75	Y	N	0	nil	36.	
7	3	1985	A44	0.72	Y	N	0	nil	36.	
7	3	1985	A45	0.82	Y	N	0	nil	36.	
7	3	1985	A46	0.72	Y	N	0	nil	37.	
7	3	1985	A47	0.73	Y	N	0	nil	37.	
7	3	1985	A48	0.73	Y	N	0	nil	36.	
7	3	1985	A49	0.63	Y	N	0	nil	36.	
7	3	1985	B01	0.95	Y	N	0	mon	36.	
7	3	1985	B02	0.96	Y	N	0	mon	36.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
7	3	1985	B03	1.08	Y	N	0	mon	37.	
7	3	1985	B04	1.06	Y	N	0	mon	36.	
7	3	1985	B05	1.03	Y	N	0	mon	38.	
7	3	1985	B06	0.98	Y	N	0	mon	38.	
7	3	1985	B07	0.53	Y	N	0	mon	36.	
7	3	1985	B08	0.42	Y	N	0	mon	36.	
7	3	1985	B09	0.44	Y	N	0	mon	36.	
7	3	1985	B10	0.46	Y	N	0	mon	36.	
7	3	1985	B11	0.44	Y	N	0	mon	36.	
7	3	1985	B13	0.55	N	N	0	mon	36.	
7	3	1985	B14	0.54	N	N	0	mon	36.	
7	3	1985	B15	0.57	N	N	0	mon	36.	
7	3	1985	B16	0.52	N	N	0	mon	36.	
7	3	1985	B18	0.54	N	N	0	mon	36.	
7	3	1985	B19	0.6	N	N	0	mon	36.	
7	3	1985	B20	0.48	N	N	0	mon	36.	
8	3	1985	A29	0.59	Y	N	0	nil	35.	
8	3	1985	A30	0.71	Y	N	0	nil	35.	
8	3	1985	A31	0.6	Y	N	0	nil	35.	
8	3	1985	A32	1.7	Y	N	0	nil	35.	
8	3	1985	A33	0.28	Y	N	0	nil	36.	
8	3	1985	A34	0.66	Y	N	0	nil	36.	
8	3	1985	A35	0.55	Y	N	0	nil	36.	
8	3	1985	A36	0.82	Y	N	0	nil	36.	
8	3	1985	A37	0.6	Y	N	0	nil	36.	
8	3	1985	A38	0.77	Y	N	0	nil	36.	
8	3	1985	A39	0.73	Y	N	0	nil	36.	
8	3	1985	A40	0.71	Y	N	0	nil	36.	
8	3	1985	A41	0.61	Y	N	0	nil	36.	
8	3	1985	A42	0.57	Y	N	0	nil	35.	
8	3	1985	A43	0.74	Y	N	0	nil	36.	
8	3	1985	A44	0.73	Y	N	0	nil	36.	
8	3	1985	A45	0.83	Y	N	0	nil	36.	
8	3	1985	A46	0.74	Y	N	0	nil	36.	
8	3	1985	A47	0.74	Y	N	0	nil	36.	
8	3	1985	A48	0.74	Y	N	0	nil	37.	
8	3	1985	A49	0.64	Y	N	0	nil	37.	
8	3	1985	B01	0.97	N	N	0	mon	35.	
8	3	1985	B02	0.98	N	N	0	mon	35.	
8	3	1985	B03	1.08	N	N	0	mon	36.	
8	3	1985	B04	1.06	N	N	0	mon	37.	
8	3	1985	B05	1.04	N	N	0	mon	36.	
8	3	1985	B06	1.01	N	N	0	mon	37.	
8	3	1985	B07	0.62	N	N	0	mon	35.	
8	3	1985	B08	0.61	N	N	0	mon	35.	
8	3	1985	B09	0.56	N	N	0	mon	35.	

Table 3. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
8	3	1985	B10	0.52	N	N	0	mon	35.	
8	3	1985	B11	0.83	N	N	0	mon	35.	
8	3	1985	B13	0.65	N	N	0	mon	35.	
8	3	1985	B14	0.61	N	N	0	mon	35.	
8	3	1985	B15	0.64	N	N	0	mon	35.	
8	3	1985	B16	0.69	N	N	0	mon	35.	
8	3	1985	B18	0.68	N	N	0	mon	35.	
8	3	1985	B19	0.65	N	N	0	mon	35.	
8	3	1985	B20	0.62	N	N	0	mon	36.	
11	3	1985	A29	0.56	N	N	0	nil	35.	
11	3	1985	A30	0.68	N	N	0	nil	36.	
11	3	1985	A31	0.55	N	N	0	nil	36.	
11	3	1985	A32	0.59	N	N	0	nil	36.	
11	3	1985	A33	0.52	N	N	0	nil	37.	
11	3	1985	A34	0.53	N	N	0	nil	37.	
11	3	1985	A35	0.53	N	N	0	nil	37.	
11	3	1985	A36	0.72	N	N	0	nil	36.	
11	3	1985	A37	0.54	N	N	0	nil	36.	
11	3	1985	A38	0.69	N	N	0	nil	36.	
11	3	1985	A39	0.61	N	N	0	nil	36.	
11	3	1985	A40	0.59	N	N	0	nil	37.	
11	3	1985	A41	0.53	N	N	0	nil	37.	
11	3	1985	A42	0.46	N	N	0	nil	37.	
11	3	1985	A43	0.72	N	N	0	nil	37.	
11	3	1985	A44	0.7	N	N	0	nil	37.	
11	3	1985	A45	0.8	N	N	0	nil	36.	
11	3	1985	A46	0.7	N	N	0	nil	36.	
11	3	1985	A47	0.71	N	N	0	nil	37.	
11	3	1985	A48	0.71	N	N	0	nil	37.	
11	3	1985	A49	0.6	N	N	0	nil	37.	
11	3	1985	B01	1.41	Y	N	0	mon	33.	
11	3	1985	B02	1.31	Y	N	0	mon	35.	
11	3	1985	B03	1.36	Y	N	0	mon	35.	
11	3	1985	B04	1.31	Y	N	0	mon	35.	
11	3	1985	B05	1.38	Y	N	0	mon	35.	
11	3	1985	B06	1.3	Y	N	0	mon	35.	
11	3	1985	B07	0.84	N	N	0	mon	34.	
11	3	1985	B08	0.87	N	N	0	mon	34.	
11	3	1985	B09	0.89	N	N	0	mon	34.	
11	3	1985	B10	0.75	N	N	0	mon	34.	
11	3	1985	B11	0.89	N	N	0	mon	34.	
11	3	1985	B13	0.8	N	N	0	mon	34.	
11	3	1985	B14	0.56	N	N	0	mon	35.	
11	3	1985	B15	0.6	N	N	0	mon	35.	
11	3	1985	B16	0.62	N	N	0	mon	35.	
11	3	1985	B18	0.58	N	N	0	mon	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
11	3	1985	B19	0.61	N	N	0	mon	35.	
11	3	1985	B20	0.56	N	N	0	mon	35.	
12	3	1985	A29	0.54	N	N	0	nil	37.	
12	3	1985	A30	0.66	N	N	0	nil	37.	
12	3	1985	A31	0.53	N	N	0	nil	37.	
12	3	1985	A32	0.57	N	N	0	nil	38.	
12	3	1985	A33	0.5	N	N	0	nil	38.	
12	3	1985	A34	0.44	N	N	0	nil	37.	
12	3	1985	A35	0.52	N	N	0	nil	38.	
12	3	1985	A36	0.7	N	N	0	nil	37.	
12	3	1985	A37	0.54	N	N	0	nil	37.	
12	3	1985	A38	0.69	N	N	0	nil	37.	
12	3	1985	A39	0.61	N	N	0	nil	37.	
12	3	1985	A40	0.58	N	N	0	nil	38.	
12	3	1985	A41	0.51	N	N	0	nil	38.	
12	3	1985	A42	0.71	N	N	0	nil	36.	
12	3	1985	A43	0.71	N	N	0	nil	35.	
12	3	1985	A44	0.7	N	N	0	nil	35.	
12	3	1985	A45	0.8	N	N	0	nil	35.	
12	3	1985	A46	0.71	N	N	0	nil	36.	
12	3	1985	A47	0.71	N	N	0	nil	36.	
12	3	1985	A48	0.71	N	N	0	nil	36.	
12	3	1985	A49	0.6	N	N	0	nil	37.	
12	3	1985	B01	1.35	Y	N	0	mon	35.	
12	3	1985	B02	1.34	Y	N	0	mon	35.	
12	3	1985	B03	1.3	Y	N	0	mon	36.	
12	3	1985	B04	1.31	Y	N	0	mon	35.	
12	3	1985	B05	1.39	Y	N	0	mon	35.	
12	3	1985	B06	1.3	Y	N	0	mon	35.	
12	3	1985	B07	0.9	N	N	0	mon	35.	
12	3	1985	B08	0.97	N	N	0	mon	36.	
12	3	1985	B09	1.	N	N	0	mon	35.	
12	3	1985	B10	0.95	N	N	0	mon	36.	
12	3	1985	B11	0.93	N	N	0	mon	35.	
12	3	1985	B13	0.83	N	N	0	mon	35.	
12	3	1985	B14	0.57	N	N	0	mon	35.	
12	3	1985	B15	0.6	N	N	0	mon	36.	
12	3	1985	B16	0.61	N	N	0	mon	35.	
12	3	1985	B18	0.55	N	N	0	mon	35.	
12	3	1985	B19	0.58	N	N	0	mon	35.	
12	3	1985	B20	0.53	N	N	0	mon	35.	
13	3	1985	A29	0.51	N	N	0	nil	36.	
13	3	1985	A30	0.62	N	N	0	nil	36.	
13	3	1985	A31	0.46	N	N	0	nil	36.	
13	3	1985	A32	0.73	N	N	0	nil	38.	
13	3	1985	A33	0.48	N	N	0	nil	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
13	3	1985	A34	0.49	N	N	0	nil	38.	
13	3	1985	A35	0.45	N	N	0	nil	38.	
13	3	1985	A36	0.63	N	N	0	nil	37.	
13	3	1985	A37	0.5	N	N	0	nil	37.	
13	3	1985	A38	0.66	N	N	0	nil	37.	
13	3	1985	A39	0.52	N	N	0	nil	37.	
13	3	1985	A40	0.55	N	N	0	nil	38.	
13	3	1985	A41	0.48	N	N	0	nil	38.	
13	3	1985	A42	0.4	N	N	0	nil	38.	
13	3	1985	A43	0.72	N	N	0	nil	37.	
13	3	1985	A44	0.7	N	N	0	nil	37.	
13	3	1985	A45	0.8	N	N	0	nil	37.	
13	3	1985	A46	0.72	N	N	0	nil	37.	
13	3	1985	A47	0.72	N	N	0	nil	37.	
13	3	1985	A48	0.73	N	N	0	nil	38.	
13	3	1985	A49	0.6	N	N	0	nil	37.	
13	3	1985	B01	1.5	Y	N	0	mon	33.	
13	3	1985	B02	1.5	Y	N	0	mon	33.	
13	3	1985	B03	1.48	Y	N	0	mon	34.	
13	3	1985	B04	1.37	Y	N	0	mon	34.	
13	3	1985	B05	1.43	Y	N	0	mon	34.	
13	3	1985	B06	1.36	Y	N	0	mon	35.	
13	3	1985	B07	0.9	N	N	0	mon	35.	
13	3	1985	B08	1.02	N	N	0	mon	35.	
13	3	1985	B09	1.01	N	N	0	mon	35.	
13	3	1985	B10	0.97	N	N	0	mon	35.	
13	3	1985	B11	0.95	N	N	0	mon	35.	
13	3	1985	B13	0.85	N	N	0	mon	35.	
13	3	1985	B14	0.57	N	N	0	mon	35.	
13	3	1985	B15	0.59	N	N	0	mon	35.	
13	3	1985	B16	0.58	N	N	0	mon	35.	
13	3	1985	B18	0.53	N	N	0	mon	36.	
13	3	1985	B19	0.58	N	N	0	mon	36.	
13	3	1985	B20	0.52	N	N	0	mon	35.	
14	3	1985	A29	0.47	N	N	0	nil	36.	
14	3	1985	A30	0.59	N	N	0	nil	35.	
14	3	1985	A31	0.5	N	N	0	nil	36.	
14	3	1985	A32	0.49	N	N	0	nil	36.	
14	3	1985	A33	0.47	N	N	0	nil	37.	
14	3	1985	A34	0.44	N	N	0	nil	37.	
14	3	1985	A35	0.38	N	N	0	nil	37.	
14	3	1985	A36	0.66	N	N	0	nil	36.	
14	3	1985	A37	0.5	N	N	0	nil	37.	
14	3	1985	A38	0.64	N	N	0	nil	36.	
14	3	1985	A39	0.49	N	N	0	nil	36.	
14	3	1985	A40	0.52	N	N	0	nil	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
14	3	1985	A41	0.44	N	N	0	nil	37.	
14	3	1985	A42	0.36	N	N	0	nil	37.	
14	3	1985	A43	0.75	N	N	0	nil	35.	
14	3	1985	A44	0.72	N	N	0	nil	35.	
14	3	1985	A45	0.8	N	N	0	nil	35.	
14	3	1985	A46	0.72	N	N	0	nil	36.	
14	3	1985	A47	0.73	N	N	0	nil	37.	
14	3	1985	A48	0.74	N	N	0	nil	37.	
14	3	1985	A49	0.6	N	N	0	nil	37.	
14	3	1985	B01	1.47	N	N	0	mon	35.	
14	3	1985	B02	1.46	N	N	0	mon	35.	
14	3	1985	B03	1.45	N	N	0	mon	36.	
14	3	1985	B04	1.56	N	N	0	mon	37.	
14	3	1985	B05	1.61	N	N	0	mon	36.	
14	3	1985	B06	1.55	N	N	0	mon	36.	
14	3	1985	B07	1.02	N	N	0	mon	37.	
14	3	1985	B08	1.09	N	N	0	mon	36.	
14	3	1985	B09	1.04	N	N	0	mon	36.	
14	3	1985	B10	1.01	N	N	0	mon	36.	
14	3	1985	B11	1.01	N	N	0	mon	37.	
14	3	1985	B13	0.95	N	N	0	mon	36.	
14	3	1985	B14	0.63	N	N	0	mon	36.	
14	3	1985	B15	0.6	N	N	0	mon	37.	
14	3	1985	B16	0.64	N	N	0	mon	37.	
14	3	1985	B18	0.58	N	N	0	mon	38.	
14	3	1985	B19	0.6	N	N	0	mon	38.	
14	3	1985	B20	0.61	N	N	0	mon	37.	
15	3	1985	A29	0.45	N	N	0	nil	39.	
15	3	1985	A30	0.56	N	N	0	nil	39.	
15	3	1985	A31	0.49	N	N	0	nil	40.	
15	3	1985	A32	0.47	N	N	0	nil	40.	
15	3	1985	A33	0.4	N	N	0	nil	40.	
15	3	1985	A34	0.41	N	N	0	nil	40.	
15	3	1985	A35	0.35	N	N	0	nil	40.	
15	3	1985	A36	0.64	N	N	0	nil	40.	
15	3	1985	A37	0.48	N	N	0	nil	40.	
15	3	1985	A38	0.64	N	N	0	nil	40.	
15	3	1985	A39	0.5	N	N	0	nil	40.	
15	3	1985	A40	0.5	N	N	0	nil	40.	
15	3	1985	A41	0.41	N	N	0	nil	40.	
15	3	1985	A42	0.33	N	N	0	nil	40.	
15	3	1985	A43	0.72	N	N	0	nil	40.	
15	3	1985	A44	0.75	N	N	0	nil	40.	
15	3	1985	A45	0.81	N	N	0	nil	39.	
15	3	1985	A46	0.72	N	N	0	nil	39.	
15	3	1985	A47	0.73	N	N	0	nil	39.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
15	3	1985	A48	0.74	N	N	0	nil	40.	
15	3	1985	A49	0.6	N	N	0	nil	40.	
15	3	1985	B01	1.63	N	N	0	mon	35.	
15	3	1985	B02	1.6	N	N	0	mon	35.	
15	3	1985	B03	1.62	N	N	0	mon	35.	
15	3	1985	B04	1.54	N	N	0	mon	36.	
15	3	1985	B05	1.59	N	N	0	mon	35.	
15	3	1985	B06	1.51	N	N	0	mon	36.	
15	3	1985	B07	0.99	N	N	0	mon	35.	
15	3	1985	B08	1.1	N	N	0	mon	35.	
15	3	1985	B09	1.04	N	N	0	mon	36.	
15	3	1985	B10	1.	N	N	0	mon	35.	
15	3	1985	B11	0.97	N	N	0	mon	35.	
15	3	1985	B13	0.92	N	N	0	mon	36.	
15	3	1985	B14	0.71	N	N	0	mon	37.	
15	3	1985	B15	0.69	N	N	0	mon	37.	
15	3	1985	B16	0.77	N	N	0	mon	36.	
15	3	1985	B18	0.72	N	N	0	mon	36.	
15	3	1985	B19	0.77	N	N	0	mon	37.	
15	3	1985	B20	0.75	N	N	0	mon	36.	
18	3	1985	A29	0.39	N	N	0	nil	38.	
18	3	1985	A30	0.51	N	N	0	nil	40.	
18	3	1985	A31	0.4	N	N	0	nil	40.	
18	3	1985	A32	0.41	N	N	0	nil	40.	
18	3	1985	A33	0.35	N	N	0	nil	40.	
18	3	1985	A34	0.36	N	N	0	nil	40.	
18	3	1985	A35	0.33	N	N	0	nil	40.	
18	3	1985	A36	0.62	N	N	0	nil	40.	
18	3	1985	A37	0.5	N	N	0	nil	40.	
18	3	1985	A38	0.66	N	N	0	nil	39.	
18	3	1985	A39	0.52	N	N	0	nil	40.	
18	3	1985	A40	0.4	N	N	0	nil	40.	
18	3	1985	A41	0.36	N	N	0	nil	40.	
18	3	1985	A42	0.28	N	N	0	nil	41.	
18	3	1985	A43	0.82	N	N	0	nil	39.	
18	3	1985	A44	0.8	N	N	0	nil	38.	
18	3	1985	A45	0.86	N	N	0	nil	39.	
18	3	1985	A46	0.78	N	N	0	nil	39.	
18	3	1985	A47	0.78	N	N	0	nil	39.	
18	3	1985	A48	0.74	N	N	0	nil	39.	
18	3	1985	A49	0.6	N	N	0	nil	40.	
18	3	1985	B01	1.4	N	N	0	mon	38.	
18	3	1985	B02	1.53	N	N	0	mon	39.	
18	3	1985	B03	1.53	N	N	0	mon	39.	
18	3	1985	B04	1.52	N	N	0	mon	38.	
18	3	1985	B05	1.54	N	N	0	mon	38.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
18	3	1985	B06	1.46	N	N	0	mon	38.	
18	3	1985	B07	0.98	N	N	0	mon	39.	
18	3	1985	B08	1.01	N	N	0	mon	39.	
18	3	1985	B09	1.02	N	N	0	mon	38.	
18	3	1985	B10	1.01	N	N	0	mon	39.	
18	3	1985	B11	0.95	N	N	0	mon	39.	
18	3	1985	B13	0.83	N	N	0	mon	40.	
18	3	1985	B14	0.6	N	N	0	mon	40.	
18	3	1985	B15	0.54	N	N	0	mon	40.	
18	3	1985	B16	0.52	N	N	0	mon	40.	
18	3	1985	B18	0.53	N	N	0	mon	40.	
18	3	1985	B19	0.51	N	N	0	mon	40.	
18	3	1985	B20	0.5	N	N	0	mon	39.	
19	3	1985	A29	0.37	N	N	0	nil	39.	
19	3	1985	A30	0.5	N	N	0	nil	38.	
19	3	1985	A31	0.38	N	N	0	nil	39.	
19	3	1985	A32	0.4	N	N	0	nil	39.	
19	3	1985	A33	0.62	N	N	0	nil	39.	
19	3	1985	A34	0.36	N	N	0	nil	40.	
19	3	1985	A35	0.33	N	N	0	nil	40.	
19	3	1985	A36	0.62	N	N	0	nil	39.	
19	3	1985	A37	0.5	N	N	0	nil	39.	
19	3	1985	A38	0.66	N	N	0	nil	38.	
19	3	1985	A39	0.5	N	N	0	nil	39.	
19	3	1985	A40	0.45	N	N	0	nil	40.	
19	3	1985	A41	0.34	N	N	0	nil	40.	
19	3	1985	A42	0.27	N	N	0	nil	40.	
19	3	1985	A43	0.82	N	N	0	nil	37.	
19	3	1985	A44	0.8	N	N	0	nil	37.	
19	3	1985	A45	0.85	N	N	0	nil	38.	
19	3	1985	A46	0.73	N	N	0	nil	39.	
19	3	1985	A47	0.73	N	N	0	nil	39.	
19	3	1985	A48	0.74	N	N	0	nil	38.	
19	3	1985	A49	0.6	N	N	0	nil	39.	
19	3	1985	B01	1.63	N	N	0	mon	36.	
19	3	1985	B02	1.6	N	N	0	mon	36.	
19	3	1985	B03	1.57	N	N	0	mon	37.	
19	3	1985	B04	1.5	N	N	0	mon	37.	
19	3	1985	B05	1.51	N	N	0	mon	37.	
19	3	1985	B06	1.44	N	N	0	mon	36.	
19	3	1985	B07	1.04	N	N	0	mon	38.	
19	3	1985	B08	1.1	N	N	0	mon	37.	
19	3	1985	B09	1.05	N	N	0	mon	37.	
19	3	1985	B10	1.02	N	N	0	mon	36.	
19	3	1985	B11	1.	N	N	0	mon	36.	
19	3	1985	B13	0.61	N	N	0	mon	38.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
19	3	1985	B14	0.61	N	N	0	mon	38.	
19	3	1985	B15	0.54	N	N	0	mon	38.	
19	3	1985	B16	0.55	N	N	0	mon	38.	
19	3	1985	B18	0.55	N	N	0	mon	38.	
19	3	1985	B19	0.52	N	N	0	mon	38.	
19	3	1985	B20	0.54	N	N	0	mon	39.	
20	3	1985	B01	1.58	Y	N	0	mon	37.	
20	3	1985	B02	1.56	Y	N	0	mon	37.	
20	3	1985	B03	1.58	Y	N	0	mon	38.	
20	3	1985	B04	1.59	Y	N	0	mon	39.	
20	3	1985	B05	1.65	Y	N	0	mon	39.	
20	3	1985	B06	1.58	Y	N	0	mon	37.	
20	3	1985	B07	1.05	N	N	0	mon	39.	
20	3	1985	B08	1.1	N	N	0	mon	38.	
20	3	1985	B09	1.09	N	N	0	mon	38.	
20	3	1985	B10	1.04	N	N	0	mon	38.	
20	3	1985	B11	1.02	N	N	0	mon	38.	
20	3	1985	B13	0.94	N	N	0	mon	40.	
20	3	1985	B14	0.7	N	N	0	mon	40.	
20	3	1985	B15	0.77	N	N	0	mon	38.	
20	3	1985	B16	0.81	N	N	0	mon	38.	
20	3	1985	B18	0.74	N	N	0	mon	38.	
20	3	1985	B19	0.74	N	N	0	mon	39.	
20	3	1985	B20	0.77	N	N	0	mon	40.	
21	3	1985	B01	1.61	Y	N	0	mon	36.	
21	3	1985	B02	1.58	Y	N	0	mon	36.	
21	3	1985	B03	1.52	Y	N	0	mon	37.	
21	3	1985	B04	1.57	Y	N	0	mon	37.	
21	3	1985	B05	1.65	Y	N	0	mon	37.	
21	3	1985	B06	1.56	Y	N	0	mon	37.	
21	3	1985	B07	1.1	N	N	0	mon	36.	
21	3	1985	B08	1.1	N	N	0	mon	36.	
21	3	1985	B09	1.1	N	N	0	mon	36.	
21	3	1985	B10	1.03	N	N	0	mon	37.	
21	3	1985	B11	1.	N	N	0	mon	36.	
21	3	1985	B13	0.97	N	N	0	mon	38.	
21	3	1985	B14	0.71	N	N	0	mon	38.	
21	3	1985	B15	0.67	N	N	0	mon	37.	
21	3	1985	B16	0.64	N	N	0	mon	37.	
21	3	1985	B18	0.67	N	N	0	mon	36.	
21	3	1985	B19	0.74	N	N	0	mon	37.	
21	3	1985	B20	0.58	N	N	0	mon	37.	
22	3	1985	A29	0.56	Y	N	0	nil	35.	
22	3	1985	A30	0.68	Y	N	0	nil	35.	
22	3	1985	A31	0.53	Y	N	0	nil	35.	
22	3	1985	A32	0.6	Y	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
22	3	1985	A33	0.5	Y	N	0	nil	35.	
22	3	1985	A34	0.49	Y	N	0	nil	36.	
22	3	1985	A35	0.48	Y	N	0	nil	36.	
22	3	1985	A36	0.61	Y	N	0	nil	35.	
22	3	1985	A37	0.52	Y	N	0	nil	35.	
22	3	1985	A38	0.67	Y	N	0	nil	35.	
22	3	1985	A39	0.61	Y	N	0	nil	35.	
22	3	1985	A40	0.55	Y	N	0	nil	35.	
22	3	1985	A41	0.46	Y	N	0	nil	36.	
22	3	1985	A42	0.42	Y	N	0	nil	36.	
22	3	1985	A43	0.79	Y	N	0	nil	35.	
22	3	1985	A44	0.83	Y	N	0	nil	35.	
22	3	1985	A45	0.82	Y	N	0	nil	34.	
22	3	1985	A46	0.7	Y	N	0	nil	35.	
22	3	1985	A47	0.7	Y	N	0	nil	34.	
22	3	1985	A48	0.71	Y	N	0	nil	35.	
22	3	1985	A49	0.6	Y	N	0	nil	35.	
22	3	1985	B01	1.61	Y	N	0	mon	37.	
22	3	1985	B02	1.58	Y	N	0	mon	38.	
22	3	1985	B03	1.55	Y	N	0	mon	38.	
22	3	1985	B04	1.56	Y	N	0	mon	38.	
22	3	1985	B05	1.63	Y	N	0	mon	38.	
22	3	1985	B06	1.54	Y	N	0	mon	38.	
22	3	1985	B07	1.1	N	N	0	mon	37.	
22	3	1985	B08	1.1	N	N	0	mon	37.	
22	3	1985	B09	1.01	N	N	0	mon	37.	
22	3	1985	B10	1.	N	N	0	mon	38.	
22	3	1985	B11	1.01	N	N	0	mon	38.	
22	3	1985	B13	0.7	N	N	0	mon	39.	
22	3	1985	B14	0.45	N	N	0	mon	39.	
22	3	1985	B15	0.56	N	N	0	mon	38.	
22	3	1985	B16	0.6	N	N	0	mon	37.	
22	3	1985	B18	0.51	N	N	0	mon	38.	
22	3	1985	B19	0.56	N	N	0	mon	38.	
22	3	1985	B20	0.57	N	N	0	mon	37.	
25	3	1985	A29	0.47	N	N	0	nil	37.	
25	3	1985	A30	0.59	N	N	0	nil	37.	
25	3	1985	A31	0.41	N	N	0	nil	37.	
25	3	1985	A32	0.5	N	N	0	nil	37.	
25	3	1985	A33	0.39	N	N	0	nil	38.	
25	3	1985	A34	0.4	N	N	0	nil	39.	
25	3	1985	A35	0.37	N	N	0	nil	39.	
25	3	1985	A36	0.61	N	N	0	nil	37.	
25	3	1985	A37	0.49	N	N	0	nil	37.	
25	3	1985	A38	0.64	N	N	0	nil	37.	
25	3	1985	A39	0.6	N	N	0	nil	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
25	3	1985	A40	0.51	N	N	0	nil	38.	
25	3	1985	A41	0.43	N	N	0	nil	38.	
25	3	1985	A42	0.41	N	N	0	nil	38.	
25	3	1985	A43	0.8	N	N	0	nil	37.	
25	3	1985	A44	0.84	N	N	0	nil	37.	
25	3	1985	A45	0.84	N	N	0	nil	37.	
25	3	1985	A46	0.74	N	N	0	nil	37.	
25	3	1985	A47	0.74	N	N	0	nil	37.	
25	3	1985	A48	0.74	N	N	0	nil	37.	
25	3	1985	A49	0.58	N	N	0	nil	37.	
25	3	1985	B01	1.5	Y	N	0	mon	35.	
25	3	1985	B02	1.51	Y	N	0	mon	36.	
25	3	1985	B03	1.51	Y	N	0	mon	37.	
25	3	1985	B04	1.53	Y	N	0	mon	37.	
25	3	1985	B05	1.59	Y	N	0	mon	36.	
25	3	1985	B06	1.51	Y	N	0	mon	36.	
25	3	1985	B07	1.01	N	N	0	mon	35.	
25	3	1985	B08	1.08	N	N	0	mon	36.	
25	3	1985	B09	0.98	N	N	0	mon	35.	
25	3	1985	B10	0.95	N	N	0	mon	36.	
25	3	1985	B11	0.95	N	N	0	mon	37.	
25	3	1985	B13	0.97	N	N	0	mon	37.	
25	3	1985	B14	0.7	N	N	0	mon	38.	
25	3	1985	B15	0.65	N	N	0	mon	38.	
25	3	1985	B16	0.7	N	N	0	mon	37.	
25	3	1985	B18	0.63	N	N	0	mon	38.	
25	3	1985	B19	0.66	N	N	0	mon	37.	
25	3	1985	B20	0.65	N	N	0	mon	37.	
26	3	1985	A29	0.45	N	N	0	nil	36.	
26	3	1985	A30	0.57	N	N	0	nil	36.	
26	3	1985	A31	0.42	N	N	0	nil	37.	
26	3	1985	A32	0.49	N	N	0	nil	37.	
26	3	1985	A33	0.37	N	N	0	nil	38.	
26	3	1985	A34	0.38	N	N	0	nil	38.	
26	3	1985	A35	0.38	N	N	0	nil	38.	
26	3	1985	A36	0.67	N	N	0	nil	36.	
26	3	1985	A37	0.51	N	N	0	nil	36.	
26	3	1985	A38	0.61	N	N	0	nil	36.	
26	3	1985	A39	0.62	N	N	0	nil	36.	
26	3	1985	A40	0.51	N	N	0	nil	37.	
26	3	1985	A41	0.44	N	N	0	nil	38.	
26	3	1985	A42	0.42	N	N	0	nil	38.	
26	3	1985	A43	0.82	N	N	0	nil	35.	
26	3	1985	A44	0.86	N	N	0	nil	35.	
26	3	1985	A45	0.86	N	N	0	nil	35.	
26	3	1985	A46	0.76	N	N	0	nil	36.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
26	3	1985	A47	0.76	N	N	0	nil	36.	
26	3	1985	A48	0.76	N	N	0	nil	36.	
26	3	1985	A49	0.59	N	N	0	nil	37.	
26	3	1985	B01	1.49	N	N	0	mon	34.	
26	3	1985	B02	1.47	N	N	0	mon	35.	
26	3	1985	B03	1.49	N	N	0	mon	36.	
26	3	1985	B04	1.53	N	N	0	mon	36.	
26	3	1985	B05	1.59	N	N	0	mon	36.	
26	3	1985	B06	1.52	N	N	0	mon	37.	
26	3	1985	B07	1.02	N	N	0	mon	35.	
26	3	1985	B08	1.1	N	N	0	mon	36.	
26	3	1985	B09	1.	N	N	0	mon	35.	
26	3	1985	B10	0.97	N	N	0	mon	37.	
26	3	1985	B11	0.95	N	N	0	mon	37.	
26	3	1985	B13	0.98	N	N	0	mon	37.	
26	3	1985	B14	0.74	N	N	0	mon	37.	
26	3	1985	B15	0.62	N	N	0	mon	37.	
26	3	1985	B16	0.68	N	N	0	mon	37.	
26	3	1985	B18	0.65	N	N	0	mon	35.	
26	3	1985	B19	0.63	N	N	0	mon	37.	
26	3	1985	B20	0.42	N	N	0	mon	37.	
27	3	1985	A29	0.53	N	N	0	nil	37.	
27	3	1985	A30	0.65	N	N	0	nil	37.	
27	3	1985	A31	0.52	N	N	0	nil	38.	
27	3	1985	A32	0.6	N	N	0	nil	37.	
27	3	1985	A33	0.48	N	N	0	nil	38.	
27	3	1985	A34	0.46	N	N	0	nil	39.	
27	3	1985	A35	0.46	N	N	0	nil	40.	
27	3	1985	A36	0.69	N	N	0	nil	38.	
27	3	1985	A37	0.57	N	N	0	nil	39.	
27	3	1985	A38	0.72	N	N	0	nil	39.	
27	3	1985	A39	0.65	N	N	0	nil	39.	
27	3	1985	A40	0.56	N	N	0	nil	40.	
27	3	1985	A41	0.46	N	N	0	nil	40.	
27	3	1985	A42	0.43	N	N	0	nil	40.	
27	3	1985	A43	0.85	N	N	0	nil	38.	
27	3	1985	A44	0.89	N	N	0	nil	38.	
27	3	1985	A45	0.85	N	N	0	nil	38.	
27	3	1985	A46	0.75	N	N	0	nil	38.	
27	3	1985	A47	0.75	N	N	0	nil	39.	
27	3	1985	A48	0.76	N	N	0	nil	39.	
27	3	1985	A49	0.59	N	N	0	nil	39.	
27	3	1985	B01	1.61	N	N	0	mon	36.	
27	3	1985	B02	1.63	N	N	0	mon	38.	
27	3	1985	B03	1.63	N	N	0	mon	39.	
27	3	1985	B04	0.52	N	N	0	mon	39.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
27	3	1985	B05	1.55	N	N	0	mon	39.	
27	3	1985	B06	1.49	N	N	0	mon	38.	
27	3	1985	B07	1.06	N	N	0	mon	38.	
27	3	1985	B08	1.1	N	N	0	mon	37.	
27	3	1985	B09	1.	N	N	0	mon	36.	
27	3	1985	B10	0.97	N	N	0	mon	38.	
27	3	1985	B11	1.	N	N	0	mon	39.	
27	3	1985	B13	0.99	N	N	0	mon	39.	
27	3	1985	B14	0.76	N	N	0	mon	40.	
27	3	1985	B15	0.6	N	N	0	mon	40.	
27	3	1985	B16	0.67	N	N	0	mon	39.	
27	3	1985	B18	0.64	N	N	0	mon	39.	
27	3	1985	B19	0.6	N	N	0	mon	39.	
27	3	1985	B20	0.45	N	N	0	mon	39.	
28	3	1985	A29	0.52	N	N	0	nil	39.	
28	3	1985	A30	0.65	N	N	0	nil	38.	
28	3	1985	A31	0.5	N	N	0	nil	39.	
28	3	1985	A32	0.56	N	N	0	nil	38.	
28	3	1985	A33	0.44	N	N	0	nil	38.	
28	3	1985	A34	0.45	N	N	0	nil	40.	
28	3	1985	A35	0.45	N	N	0	nil	40.	
28	3	1985	A36	0.69	N	N	0	nil	40.	
28	3	1985	A37	0.57	N	N	0	nil	38.	
28	3	1985	A38	0.72	N	N	0	nil	38.	
28	3	1985	A39	0.6	N	N	0	nil	38.	
28	3	1985	A40	0.56	N	N	0	nil	39.	
28	3	1985	A41	0.47	N	N	0	nil	40.	
28	3	1985	A42	0.44	N	N	0	nil	40.	
28	3	1985	A43	0.87	N	N	0	nil	38.	
28	3	1985	A44	0.92	N	N	0	nil	38.	
28	3	1985	A45	0.88	N	N	0	nil	38.	
28	3	1985	A46	0.77	N	N	0	nil	39.	
28	3	1985	A47	0.77	N	N	0	nil	39.	
28	3	1985	A48	0.77	N	N	0	nil	39.	
28	3	1985	A49	0.59	N	N	0	nil	40.	
28	3	1985	B01	1.59	N	N	0	mon	36.	
28	3	1985	B02	1.55	N	N	0	mon	38.	
28	3	1985	B03	1.6	N	N	0	mon	39.	
28	3	1985	B04	1.64	N	N	0	mon	39.	
28	3	1985	B05	1.71	N	N	0	mon	39.	
28	3	1985	B06	1.61	N	N	0	mon	39.	
28	3	1985	B07	1.07	N	N	0	mon	38.	
28	3	1985	B08	1.1	N	N	0	mon	38.	
28	3	1985	B09	1.01	N	N	0	mon	37.	
28	3	1985	B10	0.99	N	N	0	mon	39.	
28	3	1985	B11	1.01	N	N	0	mon	39.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
28	3	1985	B13	0.99	N	N	0	mon	40.	
28	3	1985	B14	0.78	N	N	0	mon	40.	
28	3	1985	B15	0.65	N	N	0	mon	39.	
28	3	1985	B16	0.7	N	N	0	mon	39.	
28	3	1985	B18	0.69	N	N	0	mon	40.	
28	3	1985	B19	0.66	N	N	0	mon	40.	
28	3	1985	B20	0.66	N	N	0	mon	38.	
29	3	1985	A29	0.5	N	N	0	nil	40.	
29	3	1985	A30	0.62	N	N	0	nil	40.	
29	3	1985	A31	0.48	N	N	0	nil	40.	
29	3	1985	A32	0.54	N	N	0	nil	40.	
29	3	1985	A33	0.4	N	N	0	nil	40.	
29	3	1985	A34	0.42	N	N	0	nil	41.	
29	3	1985	A35	0.42	N	N	0	nil	41.	
29	3	1985	A36	0.7	N	N	0	nil	40.	
29	3	1985	A37	0.56	N	N	0	nil	40.	
29	3	1985	A38	0.72	N	N	0	nil	40.	
29	3	1985	A39	0.67	N	N	0	nil	40.	
29	3	1985	A40	0.55	N	N	0	nil	41.	
29	3	1985	A41	0.48	N	N	0	nil	41.	
29	3	1985	A42	0.45	N	N	0	nil	42.	
29	3	1985	A43	0.87	N	N	0	nil	39.	
29	3	1985	A44	0.9	N	N	0	nil	39.	
29	3	1985	A45	0.9	N	N	0	nil	39.	
29	3	1985	A46	0.8	N	N	0	nil	39.	
29	3	1985	A47	0.79	N	N	0	nil	40.	
29	3	1985	A48	0.79	N	N	0	nil	40.	
29	3	1985	A49	0.59	N	N	0	nil	41.	
29	3	1985	B01	1.61	N	N	0	mon	36.	
29	3	1985	B02	1.59	N	N	0	mon	37.	
29	3	1985	B03	1.57	N	N	0	mon	38.	
29	3	1985	B04	1.61	N	N	0	mon	37.	
29	3	1985	B05	1.65	N	N	0	mon	38.	
29	3	1985	B06	1.55	N	N	0	mon	38.	
29	3	1985	B07	1.1	N	N	0	mon	36.	
29	3	1985	B08	1.1	N	N	0	mon	38.	
29	3	1985	B09	1.01	N	N	0	mon	36.	
29	3	1985	B10	1.	N	N	0	mon	37.	
29	3	1985	B11	1.01	N	N	0	mon	38.	
29	3	1985	B13	0.99	N	N	0	mon	39.	
29	3	1985	B14	0.8	N	N	0	mon	39.	
29	3	1985	B15	0.73	N	N	0	mon	39.	
29	3	1985	B16	0.78	N	N	0	mon	39.	
29	3	1985	B18	0.71	N	N	0	mon	38.	
29	3	1985	B19	0.74	N	N	0	mon	39.	
29	3	1985	B20	0.74	N	N	0	mon	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
1	4	1985	A29	0.44	N	N	0	nil	40.	
1	4	1985	A30	0.56	N	N	0	nil	40.	
1	4	1985	A31	0.4	N	N	0	nil	41.	
1	4	1985	A32	0.48	N	N	0	nil	41.	
1	4	1985	A33	0.34	N	N	0	nil	42.	
1	4	1985	A34	0.35	N	N	0	nil	43.	
1	4	1985	A35	0.36	N	N	0	nil	42.	
1	4	1985	A36	0.74	N	N	0	nil	40.	
1	4	1985	A37	0.59	N	N	0	nil	40.	
1	4	1985	A38	0.74	N	N	0	nil	40.	
1	4	1985	A39	0.69	N	N	0	nil	40.	
1	4	1985	A40	0.56	N	N	0	nil	42.	
1	4	1985	A41	0.5	N	N	0	nil	42.	
1	4	1985	A42	0.48	N	N	0	nil	42.	
1	4	1985	A43	0.88	N	N	0	nil	40.	
1	4	1985	A44	0.92	N	N	0	nil	40.	
1	4	1985	A45	0.92	N	N	0	nil	39.	
1	4	1985	A46	0.83	N	N	0	nil	40.	
1	4	1985	A47	0.83	N	N	0	nil	41.	
1	4	1985	A48	0.83	N	N	0	nil	40.	
1	4	1985	A49	0.6	N	N	0	nil	41.	
1	4	1985	B01	1.54	N	N	0	mon	37.	
1	4	1985	B02	1.55	N	N	0	mon	38.	
1	4	1985	B03	1.5	N	N	0	mon	39.	
1	4	1985	B04	1.52	N	N	0	mon	39.	
1	4	1985	B05	1.54	N	N	0	mon	39.	
1	4	1985	B06	1.5	N	N	0	mon	39.	
1	4	1985	B07	1.08	N	N	0	mon	38.	
1	4	1985	B08	1.1	N	N	0	mon	38.	
1	4	1985	B09	1.	N	N	0	mon	37.	
1	4	1985	B10	0.99	N	N	0	mon	38.	
1	4	1985	B11	0.99	N	N	0	mon	40.	
1	4	1985	B13	0.97	N	N	0	mon	40.	
1	4	1985	B14	0.8	N	N	0	mon	40.	
1	4	1985	B15	0.73	N	N	0	mon	40.	
1	4	1985	B16	0.78	N	N	0	mon	40.	
1	4	1985	B18	0.7	N	N	0	mon	40.	
1	4	1985	B19	0.75	N	N	0	mon	40.	
1	4	1985	B20	0.74	N	N	0	mon	40.	
2	4	1985	A29	0.46	N	N	0	nil	40.	
2	4	1985	A30	0.55	N	N	0	nil	40.	
2	4	1985	A31	0.4	N	N	0	nil	41.	
2	4	1985	A32	0.56	N	N	0	nil	40.	
2	4	1985	A33	0.31	N	N	0	nil	41.	
2	4	1985	A34	0.35	N	N	0	nil	42.	
2	4	1985	A35	0.35	N	N	0	nil	42.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
2	4	1985	A36	0.7	N	N	0	nil	40.	
2	4	1985	A37	0.6	N	N	0	nil	40.	
2	4	1985	A38	0.75	N	N	0	nil	40.	
2	4	1985	A39	0.7	N	N	0	nil	39.	
2	4	1985	A40	0.55	N	N	0	nil	40.	
2	4	1985	A41	0.5	N	N	0	nil	41.	
2	4	1985	A42	0.49	N	N	0	nil	41.	
2	4	1985	A43	0.87	N	N	0	nil	38.	
2	4	1985	A44	0.92	N	N	0	nil	38.	
2	4	1985	A45	0.93	N	N	0	nil	37.	
2	4	1985	A46	0.83	N	N	0	nil	38.	
2	4	1985	A47	0.83	N	N	0	nil	39.	
2	4	1985	A48	0.83	N	N	0	nil	40.	
2	4	1985	A49	0.6	N	N	0	nil	41.	
2	4	1985	B01	1.34	N	N	0	mon	36.	
2	4	1985	B02	1.35	N	N	0	mon	37.	
2	4	1985	B03	1.37	N	N	0	mon	38.	
2	4	1985	B04	1.35	N	N	0	mon	39.	
2	4	1985	B05	1.38	N	N	0	mon	39.	
2	4	1985	B06	1.33	N	N	0	mon	39.	
2	4	1985	B07	1.1	N	N	0	mon	37.	
2	4	1985	B08	1.09	N	N	0	mon	38.	
2	4	1985	B09	0.94	N	N	0	mon	37.	
2	4	1985	B10	1.	N	N	0	mon	38.	
2	4	1985	B11	1.02	N	N	0	mon	40.	
2	4	1985	B13	0.97	N	N	0	mon	40.	
2	4	1985	B14	0.81	N	N	0	mon	40.	
2	4	1985	B15	0.76	N	N	0	mon	39.	
2	4	1985	B16	0.8	N	N	0	mon	39.	
2	4	1985	B18	0.74	N	N	0	mon	40.	
2	4	1985	B19	0.79	N	N	0	mon	40.	
2	4	1985	B20	0.77	N	N	0	mon	39.	
3	4	1985	A29	0.47	N	N	0	nil	41.	
3	4	1985	A30	0.59	N	N	0	nil	40.	
3	4	1985	A31	0.44	N	N	0	nil	42.	
3	4	1985	A32	0.5	N	N	0	nil	41.	
3	4	1985	A33	0.4	N	N	0	nil	43.	
3	4	1985	A34	0.37	N	N	0	nil	44.	
3	4	1985	A35	0.35	N	N	0	nil	44.	
3	4	1985	A36	0.75	N	N	0	nil	41.	
3	4	1985	A37	0.76	N	N	0	nil	41.	
3	4	1985	A38	0.76	N	N	0	nil	40.	
3	4	1985	A39	0.7	N	N	0	nil	41.	
3	4	1985	A40	0.56	N	N	0	nil	42.	
3	4	1985	A41	0.5	N	N	0	nil	43.	
3	4	1985	A42	0.5	N	N	0	nil	44.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
3	4	1985	A43	0.87	N	N	0	nil	40.	
3	4	1985	A44	0.92	N	N	0	nil	40.	
3	4	1985	A45	0.94	N	N	0	nil	40.	
3	4	1985	A46	0.84	N	N	0	nil	40.	
3	4	1985	A47	0.84	N	N	0	nil	41.	
3	4	1985	A48	0.83	N	N	0	nil	41.	
3	4	1985	A49	0.6	N	N	0	nil	42.	
8	4	1985	A29	0.56	N	N	0	nil	40.	
8	4	1985	A30	0.67	N	N	0	nil	40.	
8	4	1985	A31	0.54	N	N	0	nil	41.	
8	4	1985	A32	0.6	N	N	0	nil	41.	
8	4	1985	A33	0.5	N	N	0	nil	41.	
8	4	1985	A34	0.51	N	N	0	nil	42.	
8	4	1985	A35	0.51	N	N	0	nil	41.	
8	4	1985	A36	0.77	N	N	0	nil	41.	
8	4	1985	A37	0.64	N	N	0	nil	41.	
8	4	1985	A38	0.79	N	N	0	nil	41.	
8	4	1985	A39	0.72	N	N	0	nil	41.	
8	4	1985	A40	0.58	N	N	0	nil	43.	
8	4	1985	A41	0.55	N	N	0	nil	44.	
8	4	1985	A42	0.51	N	N	0	nil	44.	
8	4	1985	A43	0.91	N	N	0	nil	40.	
8	4	1985	A44	0.96	N	N	0	nil	40.	
8	4	1985	A45	0.96	N	N	0	nil	39.	
8	4	1985	A46	0.86	N	N	0	nil	39.	
8	4	1985	A47	0.36	N	N	0	nil	40.	
8	4	1985	A48	0.86	N	N	0	nil	40.	
8	4	1985	A49	0.64	N	N	0	nil	41.	
8	4	1985	B01	1.59	N	N	0	mon	35.	
8	4	1985	B02	1.56	N	N	0	mon	36.	
8	4	1985	B03	1.51	N	N	0	mon	36.	
8	4	1985	B04	1.51	N	N	0	mon	37.	
8	4	1985	B05	1.53	N	N	0	mon	37.	
8	4	1985	B06	1.45	N	N	0	mon	38.	
8	4	1985	B07	1.05	N	N	0	mon	36.	
8	4	1985	B08	1.09	N	N	0	mon	36.	
8	4	1985	B09	1.03	N	N	0	mon	35.	
8	4	1985	B10	0.98	N	N	0	mon	36.	
8	4	1985	B11	0.89	N	N	0	mon	39.	
8	4	1985	B13	0.89	N	N	0	mon	40.	
8	4	1985	B14	0.8	N	N	0	mon	40.	
8	4	1985	B15	0.81	N	N	0	mon	40.	
8	4	1985	B16	0.85	N	N	0	mon	39.	
8	4	1985	B18	0.8	N	N	0	mon	40.	
8	4	1985	B19	0.83	N	N	0	mon	40.	
8	4	1985	B20	0.8	N	N	0	mon	39.	

Table 2. Daily Pond Measurements, Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
9	4	1985	A29	0.55	N	N	0	nil	40.	
9	4	1985	A30	0.66	N	N	0	nil	40.	
9	4	1985	A31	0.53	N	N	0	nil	41.	
9	4	1985	A32	0.6	N	N	0	nil	41.	
9	4	1985	A33	0.52	N	N	0	nil	41.	
9	4	1985	A34	0.54	N	N	0	nil	42.	
9	4	1985	A35	0.56	N	N	0	nil	41.	
9	4	1985	A36	0.77	N	N	0	nil	41.	
9	4	1985	A37	0.64	N	N	0	nil	41.	
9	4	1985	A38	0.79	N	N	0	nil	41.	
9	4	1985	A39	0.72	N	N	0	nil	41.	
9	4	1985	A40	0.58	N	N	0	nil	44.	
9	4	1985	A41	0.57	N	N	0	nil	44.	
9	4	1985	A42	0.51	N	N	0	nil	44.	
9	4	1985	A43	0.92	N	N	0	nil	40.	
9	4	1985	A44	0.96	N	N	0	nil	40.	
9	4	1985	A45	0.95	N	N	0	nil	38.	
9	4	1985	A46	0.86	N	N	0	nil	40.	
9	4	1985	A47	0.85	N	N	0	nil	40.	
9	4	1985	A48	0.85	N	N	0	nil	41.	
9	4	1985	A49	0.69	N	N	0	nil	42.	
10	4	1985	A29	0.74	Y	N	0	nil	37.	
10	4	1985	A30	0.84	Y	N	0	nil	37.	
10	4	1985	A31	0.73	Y	N	0	nil	37.	
10	4	1985	A32	0.8	Y	N	0	nil	38.	
10	4	1985	A33	0.69	Y	N	0	nil	38.	
10	4	1985	A34	0.72	Y	N	0	nil	39.	
10	4	1985	A35	0.6	Y	N	0	nil	39.	
10	4	1985	A36	0.79	Y	N	0	nil	37.	
10	4	1985	A37	0.71	Y	N	0	nil	38.	
10	4	1985	A38	0.85	Y	N	0	nil	37.	
10	4	1985	A39	0.79	Y	N	0	nil	37.	
10	4	1985	A40	0.72	Y	N	0	nil	37.	
10	4	1985	A41	0.64	Y	N	0	nil	37.	
10	4	1985	A42	0.58	Y	N	0	nil	37.	
10	4	1985	A43	0.85	Y	N	0	nil	37.	
10	4	1985	A44	0.89	Y	N	0	nil	37.	
10	4	1985	A45	0.91	Y	N	0	nil	37.	
10	4	1985	A46	0.83	Y	N	0	nil	37.	
10	4	1985	A47	0.83	Y	N	0	nil	37.	
10	4	1985	A48	0.84	Y	N	0	nil	37.	
10	4	1985	A49	0.74	Y	N	0	nil	38.	
11	4	1985	B01	1.27	N	N	0	mon	36.	
11	4	1985	B02	1.14	N	N	0	mon	37.	
11	4	1985	B03	1.24	N	N	0	mon	37.	
11	4	1985	B04	1.28	N	N	0	mon	38.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
11	4	1985	B05	1.35	N	N	0	mon	38.	
11	4	1985	B06	1.27	N	N	0	mon	39.	
11	4	1985	B07	0.3	N	N	0	mon	36.	
11	4	1985	B08	0.88	N	N	0	mon	36.	
11	4	1985	B09	0.77	N	N	0	mon	36.	
11	4	1985	B10	0.73	N	N	0	mon	36.	
11	4	1985	B11	0.73	N	N	0	mon	36.	
11	4	1985	B13	0.84	N	N	0	mon	36.	
11	4	1985	B14	0.54	N	N	0	mon	37.	
11	4	1985	B15	0.59	N	N	0	mon	36.	
11	4	1985	B16	0.63	N	N	0	mon	36.	
11	4	1985	B18	0.6	N	N	0	mon	36.	
11	4	1985	B19	0.65	N	N	0	mon	36.	
11	4	1985	B20	0.43	N	N	0	mon	36.	
12	4	1985	A29	0.72	N	N	0	nil	39.	
12	4	1985	A30	0.84	N	N	0	nil	38.	
12	4	1985	A31	0.7	N	N	0	nil	38.	
12	4	1985	A32	0.77	N	N	0	nil	39.	
12	4	1985	A33	0.66	N	N	0	nil	40.	
12	4	1985	A34	0.66	N	N	0	nil	40.	
12	4	1985	A35	0.67	N	N	0	nil	40.	
12	4	1985	A36	0.8	N	N	0	nil	38.	
12	4	1985	A37	0.9	N	N	0	nil	38.	
12	4	1985	A38	0.86	N	N	0	nil	38.	
12	4	1985	A39	0.79	N	N	0	nil	39.	
12	4	1985	A40	0.71	N	N	0	nil	39.	
12	4	1985	A41	0.66	N	N	0	nil	39.	
12	4	1985	A42	0.58	N	N	0	nil	39.	
12	4	1985	A43	0.9	N	N	0	nil	38.	
12	4	1985	A44	0.94	N	N	0	nil	38.	
12	4	1985	A45	0.96	N	N	0	nil	38.	
12	4	1985	A46	0.86	N	N	0	nil	37.	
12	4	1985	A47	0.86	N	N	0	nil	38.	
12	4	1985	A48	0.87	N	N	0	nil	38.	
12	4	1985	A49	0.75	N	N	0	nil	39.	
12	4	1985	B01	1.32	N	N	0	mon	36.	
12	4	1985	B02	1.13	N	N	0	mon	37.	
12	4	1985	B03	1.21	N	N	0	mon	38.	
12	4	1985	B04	1.2	N	N	0	mon	38.	
12	4	1985	B05	1.31	N	N	0	mon	38.	
12	4	1985	B06	1.24	N	N	0	mon	38.	
12	4	1985	B07	1.	N	N	0	mon	35.	
12	4	1985	B08	1.02	N	N	0	mon	36.	
12	4	1985	B09	0.97	N	N	0	mon	36.	
12	4	1985	B10	0.94	N	N	0	mon	36.	
12	4	1985	B11	0.24	N	N	0	mon	36.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
12	4	1985	B13	0.95	N	N	0	mon	36.	
12	4	1985	B14	0.64	N	N	0	mon	36.	
12	4	1985	B15	0.64	N	N	0	mon	36.	
12	4	1985	B16	0.8	N	N	0	mon	36.	
12	4	1985	B18	0.72	N	N	0	mon	36.	
12	4	1985	B19	0.7	N	N	0	mon	36.	
12	4	1985	B20	0.54	N	N	0	mon	36.	
15	4	1985	A29	0.69	N	N	0	nil	40.	
15	4	1985	A30	0.8	N	N	0	nil	41.	
15	4	1985	A31	0.67	N	N	0	nil	41.	
15	4	1985	A32	0.74	N	N	0	nil	42.	
15	4	1985	A33	0.63	N	N	0	nil	42.	
15	4	1985	A34	0.63	N	N	0	nil	42.	
15	4	1985	A35	0.63	N	N	0	nil	42.	
15	4	1985	A36	0.79	N	N	0	nil	41.	
15	4	1985	A37	0.7	N	N	0	nil	41.	
15	4	1985	A38	0.85	N	N	0	nil	40.	
15	4	1985	A39	0.8	N	N	0	nil	41.	
15	4	1985	A40	0.69	N	N	0	nil	41.	
15	4	1985	A41	0.68	N	N	0	nil	41.	
15	4	1985	A42	0.57	N	N	0	nil	41.	
15	4	1985	A43	0.94	N	N	0	nil	40.	
15	4	1985	A44	0.98	N	N	0	nil	40.	
15	4	1985	A45	0.99	N	N	0	nil	40.	
15	4	1985	A46	0.9	N	N	0	nil	40.	
15	4	1985	A47	0.9	N	N	0	nil	41.	
15	4	1985	A48	0.89	N	N	0	nil	41.	
15	4	1985	A49	0.76	N	N	0	nil	42.	
15	4	1985	B01	1.48	Y	N	0	mon	40.	
15	4	1985	B02	1.42	Y	N	0	mon	40.	
15	4	1985	B03	1.41	Y	N	0	mon	40.	
15	4	1985	B04	1.45	Y	N	0	mon	40.	
15	4	1985	B05	1.54	Y	N	0	mon	40.	
15	4	1985	B06	1.35	Y	N	0	mon	40.	
15	4	1985	B07	1.04	Y	N	0	mon	39.	
15	4	1985	B08	1.05	Y	N	0	mon	39.	
15	4	1985	B09	1.03	Y	N	0	mon	39.	
15	4	1985	B10	1.	Y	N	0	mon	39.	
15	4	1985	B11	0.98	Y	N	0	mon	39.	
15	4	1985	B13	0.96	Y	N	0	mon	39.	
15	4	1985	B14	0.76	Y	N	0	mon	40.	
15	4	1985	B15	0.75	Y	N	0	mon	41.	
15	4	1985	B16	0.7	Y	N	0	mon	40.	
15	4	1985	B18	0.55	Y	N	0	mon	40.	
15	4	1985	B19	0.7	Y	N	0	mon	40.	
15	4	1985	B20	0.65	Y	N	0	mon	40.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
16	4	1985	A29	0.68	N	N	0	nil	42.	
16	4	1985	A30	0.8	N	N	0	nil	42.	
16	4	1985	A31	0.66	N	N	0	nil	42.	
16	4	1985	A32	0.73	N	N	0	nil	42.	
16	4	1985	A33	0.62	N	N	0	nil	42.	
16	4	1985	A34	0.62	N	N	0	nil	43.	
16	4	1985	A35	0.61	N	N	0	nil	43.	
16	4	1985	A36	0.79	N	N	0	nil	41.	
16	4	1985	A37	0.7	N	N	0	nil	41.	
16	4	1985	A38	0.85	N	N	0	nil	41.	
16	4	1985	A39	0.79	N	N	0	nil	42.	
16	4	1985	A40	0.69	N	N	0	nil	41.	
16	4	1985	A41	0.69	N	N	0	nil	41.	
16	4	1985	A42	0.57	N	N	0	nil	42.	
16	4	1985	A43	0.94	N	N	0	nil	40.	
16	4	1985	A44	0.99	N	N	0	nil	40.	
16	4	1985	A45	0.99	N	N	0	nil	40.	
16	4	1985	A46	0.91	N	N	0	nil	40.	
16	4	1985	A47	0.92	N	N	0	nil	42.	
16	4	1985	A48	0.9	N	N	0	nil	41.	
16	4	1985	A49	0.77	N	N	0	nil	42.	
16	4	1985	B01	1.63	N	N	0	mon	39.	
16	4	1985	B02	1.59	N	N	0	mon	40.	
16	4	1985	B03	1.56	N	N	0	mon	40.	
16	4	1985	B04	1.69	N	N	0	mon	40.	
16	4	1985	B05	1.67	N	N	0	mon	40.	
16	4	1985	B06	1.57	N	N	0	mon	41.	
16	4	1985	B07	1.1	N	N	0	mon	39.	
16	4	1985	B08	1.05	N	N	0	mon	39.	
16	4	1985	B09	1.04	N	N	0	mon	39.	
16	4	1985	B10	1.01	N	N	0	mon	40.	
16	4	1985	B11	0.99	N	N	0	mon	40.	
16	4	1985	B13	0.96	N	N	0	mon	39.	
16	4	1985	B14	0.79	N	N	0	mon	40.	
16	4	1985	B15	0.78	N	N	0	mon	40.	
16	4	1985	B16	0.94	N	N	0	mon	40.	
16	4	1985	B18	0.59	N	N	0	mon	41.	
16	4	1985	B19	0.73	N	N	0	mon	40.	
16	4	1985	B20	0.67	N	N	0	mon	40.	
17	4	1985	A29	0.67	N	N	0	nil	38.	
17	4	1985	A30	0.79	N	N	0	nil	38.	
17	4	1985	A31	0.65	N	N	0	nil	39.	
17	4	1985	A32	0.72	N	N	0	nil	40.	
17	4	1985	A33	0.61	N	N	0	nil	40.	
17	4	1985	A34	0.62	N	N	0	nil	41.	
17	4	1985	A35	0.61	N	N	0	nil	40.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
17	4	1985	A36	0.79	N	N	0	nil	40.	
17	4	1985	A37	0.7	N	N	0	nil	40.	
17	4	1985	A38	0.85	N	N	0	nil	39.	
17	4	1985	A39	0.8	N	N	0	nil	40.	
17	4	1985	A40	0.7	N	N	0	nil	39.	
17	4	1985	A41	0.7	N	N	0	nil	39.	
17	4	1985	A42	0.58	N	N	0	nil	39.	
17	4	1985	A43	0.95	N	N	0	nil	39.	
17	4	1985	A44	0.99	N	N	0	nil	39.	
17	4	1985	A45	0.99	N	N	0	nil	40.	
17	4	1985	A46	0.92	N	N	0	nil	40.	
17	4	1985	A47	0.93	N	N	0	nil	42.	
17	4	1985	A48	0.92	N	N	0	nil	41.	
17	4	1985	A49	0.78	N	N	0	nil	42.	
17	4	1985	B01	1.54	N	N	0	mon	32.	
17	4	1985	B02	1.49	N	N	0	mon	33.	
17	4	1985	B03	1.47	N	N	0	mon	35.	
17	4	1985	B04	1.54	N	N	0	mon	34.	
17	4	1985	B05	1.61	N	N	0	mon	36.	
17	4	1985	B06	1.5	N	N	0	mon	35.	
17	4	1985	B07	1.05	N	N	0	mon	34.	
17	4	1985	B08	1.05	N	N	0	mon	34.	
17	4	1985	B09	1.02	N	N	0	mon	33.	
17	4	1985	B10	1.	N	N	0	mon	34.	
17	4	1985	B11	0.99	N	N	0	mon	35.	
17	4	1985	B13	0.96	N	N	0	mon	34.	
17	4	1985	B14	0.81	N	N	0	mon	34.	
17	4	1985	B15	0.79	N	N	0	mon	35.	
17	4	1985	B16	0.98	N	N	0	mon	34.	
17	4	1985	B18	0.6	N	N	0	mon	35.	
17	4	1985	B19	0.75	N	N	0	mon	35.	
17	4	1985	B20	0.7	N	N	0	mon	34.	
18	4	1985	A29	0.69	N	N	0	nil	42.	
18	4	1985	A30	0.8	N	N	0	nil	42.	
18	4	1985	A31	0.67	N	N	0	nil	42.	
18	4	1985	A32	0.74	N	N	0	nil	42.	
18	4	1985	A33	0.63	N	N	0	nil	43.	
18	4	1985	A34	0.62	N	N	0	nil	43.	
18	4	1985	A35	0.62	N	N	0	nil	43.	
18	4	1985	A36	0.8	N	N	0	nil	42.	
18	4	1985	A37	0.61	N	N	0	nil	42.	
18	4	1985	A38	0.88	N	N	0	nil	42.	
18	4	1985	A39	0.83	N	N	0	nil	42.	
18	4	1985	A40	0.72	N	N	0	nil	42.	
18	4	1985	A41	0.71	N	N	0	nil	41.	
18	4	1985	A42	0.59	N	N	0	nil	42.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
18	4	1985	A43	0.96	N	N	0	nil	40.	
18	4	1985	A44	0.99	N	N	0	nil	41.	
18	4	1985	A45	0.99	N	N	0	nil	40.	
18	4	1985	A46	0.95	N	N	0	nil	40.	
18	4	1985	A47	0.95	N	N	0	nil	41.	
18	4	1985	A48	0.95	N	N	0	nil	41.	
18	4	1985	A49	0.81	N	N	0	nil	42.	
18	4	1985	B01	1.47	Y	N	0	mon	38.	
18	4	1985	B02	1.44	Y	N	0	mon	40.	
18	4	1985	B03	1.43	Y	N	0	mon	41.	
18	4	1985	B04	1.51	Y	N	0	mon	41.	
18	4	1985	B05	1.58	Y	N	0	mon	41.	
18	4	1985	B06	1.46	Y	N	0	mon	42.	
18	4	1985	B07	1.02	Y	N	0	mon	40.	
18	4	1985	B08	1.04	Y	N	0	mon	41.	
18	4	1985	B09	1.02	Y	N	0	mon	40.	
18	4	1985	B10	1.	Y	N	0	mon	40.	
18	4	1985	B11	0.99	Y	N	0	mon	41.	
18	4	1985	B13	0.97	Y	N	0	mon	40.	
18	4	1985	B14	0.84	Y	N	0	mon	41.	
18	4	1985	B15	0.83	Y	N	0	mon	41.	
18	4	1985	B16	0.98	Y	N	0	mon	41.	
18	4	1985	B18	0.64	Y	N	0	mon	41.	
18	4	1985	B19	0.79	Y	N	0	mon	41.	
18	4	1985	B20	0.74	Y	N	0	mon	41.	
19	4	1985	A29	0.69	N	N	0	nil	41.	
19	4	1985	A30	0.8	N	N	0	nil	40.	
19	4	1985	A31	0.66	N	N	0	nil	40.	
19	4	1985	A32	0.73	N	N	0	nil	41.	
19	4	1985	A33	0.63	N	N	0	nil	42.	
19	4	1985	A34	0.62	N	N	0	nil	43.	
19	4	1985	A35	0.61	N	N	0	nil	43.	
19	4	1985	A36	0.82	N	N	0	nil	41.	
19	4	1985	A37	0.74	N	N	0	nil	41.	
19	4	1985	A38	0.88	N	N	0	nil	41.	
19	4	1985	A39	0.84	N	N	0	nil	41.	
19	4	1985	A40	0.74	N	N	0	nil	42.	
19	4	1985	A41	0.72	N	N	0	nil	41.	
19	4	1985	A42	0.6	N	N	0	nil	42.	
19	4	1985	A43	0.86	N	N	0	nil	40.	
19	4	1985	A44	0.99	N	N	0	nil	41.	
19	4	1985	A45	0.99	N	N	0	nil	40.	
19	4	1985	A46	0.95	N	N	0	nil	40.	
19	4	1985	A47	0.96	N	N	0	nil	41.	
19	4	1985	A48	0.95	N	N	0	nil	41.	
19	4	1985	A49	0.82	N	N	0	nil	40.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
19	4	1985	B01	1.55	N	N	0	mon	39.	
19	4	1985	B02	1.55	N	N	0	mon	40.	
19	4	1985	B03	1.52	N	N	0	mon	40.	
19	4	1985	B04	1.55	N	N	0	mon	41.	
19	4	1985	B05	1.63	N	N	0	mon	41.	
19	4	1985	B06	1.51	N	N	0	mon	41.	
19	4	1985	B07	1.03	N	N	0	mon	39.	
19	4	1985	B08	1.05	N	N	0	mon	40.	
19	4	1985	B09	1.05	N	N	0	mon	39.	
19	4	1985	B10	1.02	N	N	0	mon	38.	
19	4	1985	B11	1.01	N	N	0	mon	39.	
19	4	1985	B13	0.97	N	N	0	mon	40.	
19	4	1985	B14	0.85	N	N	0	mon	40.	
19	4	1985	B15	0.85	N	N	0	mon	41.	
19	4	1985	B16	0.99	N	N	0	mon	40.	
19	4	1985	B18	0.66	N	N	0	mon	41.	
19	4	1985	B19	0.3	N	N	0	mon	41.	
19	4	1985	B20	0.76	N	N	0	mon	40.	
22	4	1985	A29	0.59	N	N	0	nil	43.	
22	4	1985	A30	0.7	N	N	0	nil	43.	
22	4	1985	A31	0.58	N	N	0	nil	43.	
22	4	1985	A32	0.64	N	N	0	nil	43.	
22	4	1985	A33	0.54	N	N	0	nil	44.	
22	4	1985	A34	0.56	N	N	0	nil	45.	
22	4	1985	A35	0.55	N	N	0	nil	45.	
22	4	1985	A36	0.81	N	N	0	nil	42.	
22	4	1985	A37	0.73	N	N	0	nil	43.	
22	4	1985	A38	0.89	N	N	0	nil	42.	
22	4	1985	A39	0.85	N	N	0	nil	42.	
22	4	1985	A40	0.77	N	N	0	nil	43.	
22	4	1985	A41	0.73	N	N	0	nil	43.	
22	4	1985	A42	0.61	N	N	0	nil	43.	
22	4	1985	A43	0.99	N	N	0	nil	42.	
22	4	1985	A44	0.99	N	N	0	nil	45.	
22	4	1985	A45	0.99	N	N	0	nil	41.	
22	4	1985	A46	0.77	N	N	0	nil	41.	
22	4	1985	A47	0.78	N	N	0	nil	42.	
22	4	1985	A48	0.78	N	N	0	nil	42.	
22	4	1985	A49	0.85	N	N	0	nil	43.	
22	4	1985	B01	1.55	N	N	0	mon	39.	
22	4	1985	B02	1.55	N	N	0	mon	39.	
22	4	1985	B03	1.56	N	N	0	mon	40.	
22	4	1985	B04	1.6	N	N	0	mon	40.	
22	4	1985	B05	1.63	N	N	0	mon	40.	
22	4	1985	B06	1.51	N	N	0	mon	41.	
22	4	1985	B07	1.07	N	N	0	mon	40.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
22	4	1985	B08	1.1	N	N	0	mon	40.	
22	4	1985	B09	1.03	N	N	0	mon	39.	
22	4	1985	B10	1.04	N	N	0	mon	39.	
22	4	1985	B11	1.01	N	N	0	mon	40.	
22	4	1985	B13	0.97	N	N	0	mon	40.	
22	4	1985	B14	0.88	N	N	0	mon	41.	
22	4	1985	B15	0.88	N	N	0	mon	41.	
22	4	1985	B16	0.98	N	N	0	mon	40.	
22	4	1985	B18	0.7	N	N	0	mon	41.	
22	4	1985	B19	0.85	N	N	0	mon	41.	
22	4	1985	B20	0.8	N	N	0	mon	41.	
23	4	1985	A29	0.51	N	N	0	nil	41.	
23	4	1985	A30	0.61	N	N	0	nil	41.	
23	4	1985	A31	0.51	N	N	0	nil	41.	
23	4	1985	A32	0.55	N	N	0	nil	42.	
23	4	1985	A33	0.46	N	N	0	nil	43.	
23	4	1985	A34	0.53	N	N	0	nil	43.	
23	4	1985	A35	0.54	N	N	0	nil	43.	
23	4	1985	A36	0.81	N	N	0	nil	42.	
23	4	1985	A37	0.74	N	N	0	nil	42.	
23	4	1985	A38	0.89	N	N	0	nil	41.	
23	4	1985	A39	0.86	N	N	0	nil	42.	
23	4	1985	A40	0.79	N	N	0	nil	42.	
23	4	1985	A41	0.73	N	N	0	nil	42.	
23	4	1985	A42	0.62	N	N	0	nil	42.	
23	4	1985	A43	0.99	N	N	0	nil	41.	
23	4	1985	A44	0.99	N	N	0	nil	41.	
23	4	1985	A45	0.99	N	N	0	nil	41.	
23	4	1985	A46	0.97	N	N	0	nil	41.	
23	4	1985	A47	0.97	N	N	0	nil	42.	
23	4	1985	A48	0.97	N	N	0	nil	42.	
23	4	1985	A49	0.85	N	N	0	nil	43.	
23	4	1985	B01	1.49	N	N	0	mon	35.	
23	4	1985	B02	1.51	N	N	0	mon	37.	
23	4	1985	B03	1.55	N	N	0	mon	38.	
23	4	1985	B04	1.57	N	N	0	mon	39.	
23	4	1985	B05	1.59	N	N	0	mon	39.	
23	4	1985	B06	1.48	N	N	0	mon	39.	
23	4	1985	B07	1.05	N	N	0	mon	37.	
23	4	1985	B08	1.09	N	N	0	mon	38.	
23	4	1985	B09	1.03	N	N	0	mon	37.	
23	4	1985	B10	1.01	N	N	0	mon	37.	
23	4	1985	B11	1.02	N	N	0	mon	38.	
23	4	1985	B13	0.97	N	N	0	mon	38.	
23	4	1985	B14	0.89	N	N	0	mon	40.	
23	4	1985	B15	0.9	N	N	0	mon	40.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
23	4	1985	B16	0.97	N	N	0	mon	39.	
23	4	1985	B18	0.73	N	N	0	mon	39.	
23	4	1985	B19	0.87	N	N	0	mon	39.	
23	4	1985	B20	0.84	N	N	0	mon	39.	
24	4	1985	B01	1.49	N	N	0	mon	35.	
24	4	1985	B02	1.51	N	N	0	mon	37.	
24	4	1985	B03	1.55	N	N	0	mon	38.	
24	4	1985	B04	1.57	N	N	0	mon	39.	
24	4	1985	B05	1.59	N	N	0	mon	39.	
24	4	1985	B06	1.48	N	N	0	mon	39.	
24	4	1985	B07	1.05	N	N	0	mon	37.	
24	4	1985	B08	1.09	N	N	0	mon	38.	
24	4	1985	B09	1.03	N	N	0	mon	37.	
24	4	1985	B10	1.01	N	N	0	mon	37.	
24	4	1985	B11	1.02	N	N	0	mon	38.	
24	4	1985	B13	0.97	N	N	0	mon	38.	
24	4	1985	B14	0.89	N	N	0	mon	40.	
24	4	1985	B15	0.88	N	N	0	mon	40.	
24	4	1985	B16	0.96	N	N	0	mon	39.	
24	4	1985	B18	0.73	N	N	0	mon	39.	
24	4	1985	B19	0.87	N	N	0	mon	39.	
24	4	1985	B20	0.84	N	N	0	mon	39.	
25	4	1985	B01	1.6	N	N	0	mon	35.	
25	4	1985	B02	1.61	N	N	0	mon	36.	
25	4	1985	B03	1.59	N	N	0	mon	37.	
25	4	1985	B04	1.63	N	N	0	mon	37.	
25	4	1985	B05	1.66	N	N	0	mon	37.	
25	4	1985	B06	1.55	N	N	0	mon	37.	
25	4	1985	B07	0.64	N	N	0	mon	35.	
25	4	1985	B08	1.	N	N	0	mon	35.	
25	4	1985	B09	0.86	N	N	0	mon	35.	
25	4	1985	B10	0.83	N	N	0	mon	35.	
25	4	1985	B11	0.63	N	N	0	mon	35.	
25	4	1985	B13	0.71	N	N	0	mon	35.	
25	4	1985	B14	0.67	N	N	0	mon	35.	
25	4	1985	B15	0.57	N	N	0	mon	34.	
25	4	1985	B16	0.69	N	N	0	mon	35.	
25	4	1985	B18	0.61	N	N	0	mon	35.	
25	4	1985	B19	0.69	N	N	0	mon	36.	
25	4	1985	B20	0.65	N	N	0	mon	35.	
26	4	1985	B01	1.51	N	N	0	mon	37.	
26	4	1985	B02	1.56	N	N	0	mon	38.	
26	4	1985	B03	1.54	N	N	0	mon	38.	
26	4	1985	B04	1.59	N	N	0	mon	38.	
26	4	1985	B05	1.6	N	N	0	mon	38.	
26	4	1985	B06	1.49	N	N	0	mon	38.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
26	4	1985	B07	1.	N	N	0	mon	35.	
26	4	1985	B08	1.01	N	N	0	mon	37.	
26	4	1985	B09	0.9	N	N	0	mon	36.	
26	4	1985	B10	0.88	N	N	0	mon	36.	
26	4	1985	B11	1.	N	N	0	mon	36.	
26	4	1985	B13	0.8	N	N	0	mon	36.	
26	4	1985	B14	0.69	N	N	0	mon	37.	
26	4	1985	B15	0.66	N	N	0	mon	36.	
26	4	1985	B16	0.78	N	N	0	mon	36.	
26	4	1985	B18	0.69	N	N	0	mon	36.	
26	4	1985	B19	0.73	N	N	0	mon	37.	
26	4	1985	B20	0.73	N	N	0	mon	37.	
29	4	1985	B01	1.51	N	N	0	mon	36.	
29	4	1985	B02	1.51	N	N	0	mon	37.	
29	4	1985	B03	1.43	N	N	0	mon	37.	
29	4	1985	B04	1.57	N	N	0	mon	37.	
29	4	1985	B05	1.54	N	N	0	mon	37.	
29	4	1985	B06	1.47	N	N	0	mon	37.	
29	4	1985	B07	1.	N	N	0	mon	35.	
29	4	1985	B08	1.02	N	N	0	mon	36.	
29	4	1985	B09	1.01	N	N	0	mon	35.	
29	4	1985	B10	1.	N	N	0	mon	36.	
29	4	1985	B11	0.99	N	N	0	mon	36.	
29	4	1985	B13	0.89	N	N	0	mon	35.	
29	4	1985	B14	0.75	N	N	0	mon	36.	
29	4	1985	B15	0.75	N	N	0	mon	35.	
29	4	1985	B16	0.82	N	N	0	mon	35.	
29	4	1985	B18	0.74	N	N	0	mon	36.	
29	4	1985	B19	0.77	N	N	0	mon	36.	
29	4	1985	B20	0.76	N	N	0	mon	36.	
30	4	1985	B01	1.4	N	N	0	mon	37.	
30	4	1985	B02	1.45	N	N	0	mon	37.	
30	4	1985	B03	1.38	N	N	0	mon	37.	
30	4	1985	B04	1.47	N	N	0	mon	37.	
30	4	1985	B05	1.44	N	N	0	mon	37.	
30	4	1985	B06	1.4	N	N	0	mon	36.	
30	4	1985	B07	1.	N	N	0	mon	35.	
30	4	1985	B08	1.05	N	N	0	mon	36.	
30	4	1985	B09	1.01	N	N	0	mon	35.	
30	4	1985	B10	1.	N	N	0	mon	35.	
30	4	1985	B11	0.97	N	N	0	mon	35.	
30	4	1985	B13	0.86	N	N	0	mon	35.	
30	4	1985	B14	0.75	N	N	0	mon	37.	
30	4	1985	B15	0.76	N	N	0	mon	36.	
30	4	1985	B16	0.83	N	N	0	mon	35.	
30	4	1985	B18	0.73	N	N	0	mon	36.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
30	4	1985	B19	0.77	N	N	0	mon	36.	
30	4	1985	B20	0.76	N	N	0	mon	36.	
2	5	1985	B01	1.4	Y	N	0	mon	35.	
2	5	1985	B02	1.44	Y	N	0	mon	35.	
2	5	1985	B03	1.32	Y	N	0	mon	36.	
2	5	1985	B04	1.36	Y	N	0	mon	36.	
2	5	1985	B05	1.45	Y	N	0	mon	36.	
2	5	1985	B06	1.4	Y	N	0	mon	36.	
2	5	1985	B07	1.04	N	N	0	mon	35.	
2	5	1985	B08	1.06	N	N	0	mon	36.	
2	5	1985	B09	1.01	N	N	0	mon	35.	
2	5	1985	B10	1.	N	N	0	mon	35.	
2	5	1985	B11	0.96	N	N	0	mon	35.	
2	5	1985	B13	0.93	N	N	0	mon	36.	
2	5	1985	B14	0.8	N	N	0	mon	36.	
2	5	1985	B15	0.8	Y	N	0	mon	36.	
2	5	1985	B16	0.88	N	N	0	mon	35.	
2	5	1985	B18	0.8	Y	N	0	mon	35.	
2	5	1985	B19	0.84	N	N	0	mon	35.	
2	5	1985	B20	0.82	N	N	0	mon	36.	
3	5	1985	B01	1.36	Y	N	0	mon	37.	
3	5	1985	B02	1.43	Y	N	0	mon	39.	
3	5	1985	B03	1.33	Y	N	0	mon	38.	
3	5	1985	B04	1.37	Y	N	0	mon	38.	
3	5	1985	B05	1.44	Y	N	0	mon	38.	
3	5	1985	B06	1.4	Y	N	0	mon	38.	
3	5	1985	B07	1.04	N	N	0	mon	36.	
3	5	1985	B08	1.08	N	N	0	mon	37.	
3	5	1985	B09	1.02	N	N	0	mon	36.	
3	5	1985	B10	1.01	N	N	0	mon	36.	
3	5	1985	B11	0.98	N	N	0	mon	36.	
3	5	1985	B13	0.97	N	N	0	mon	37.	
3	5	1985	B14	0.82	N	N	0	mon	37.	
3	5	1985	B15	0.95	Y	N	0	mon	37.	
3	5	1985	B16	0.9	Y	N	0	mon	36.	
3	5	1985	B18	0.82	N	N	0	mon	36.	
3	5	1985	B19	0.88	N	N	0	mon	37.	
3	5	1985	B20	0.81	N	N	0	mon	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
19	8	1985	B01	0.59	N	N	0	mon	28.	
19	8	1985	E02	0.52	N	N	0	mon	29.	
19	8	1985	B03	0.57	N	N	0	mon	28.	
19	8	1985	B04	0.56	N	N	0	mon	28.	
19	8	1985	B05	0.55	N	N	0	mon	29.	
19	8	1985	B06	0.54	N	N	0	mon	27.	
19	8	1985	B07	0.56	N	N	0	mon	30.	
19	8	1985	B08	0.58	N	N	0	mon	29.	
19	8	1985	B09	0.55	N	N	0	mon	30.	
19	8	1985	B10	0.53	N	N	0	mon	30.	
19	8	1985	B11	0.53	N	N	0	mon	30.	
19	8	1985	B13	0.28	N	N	0	mon	31.	
19	8	1985	B14	0.5	N	N	0	mon	30.	
19	8	1985	B15	0.55	N	N	0	mon	30.	
19	8	1985	B16	0.57	N	N	0	mon	28.	
19	8	1985	B18	0.6	N	N	0	mon	32.	
19	8	1985	B19	0.55	N	N	0	mon	31.	
19	8	1985	B20	0.56	N	N	0	mon	30.	
20	8	1985	B01	0.58	N	N	0	mon		
20	8	1985	B02	0.52	N	N	0	mon		
20	8	1985	B03	0.57	N	N	0	mon		
20	8	1985	B04	0.56	N	N	0	mon		
20	8	1985	B05	0.55	N	N	0	mon		
20	8	1985	B06	0.53	N	N	0	mon		
20	8	1985	B07	0.56	N	N	0	mon		
20	8	1985	B08	0.59	N	N	0	mon		
20	8	1985	B09	0.55	N	N	0	mon		
20	8	1985	B10	0.52	N	N	0	mon		
20	8	1985	B11	0.53	N	N	0	mon		
20	8	1985	B13	0.3	N	N	0	mon		
20	8	1985	B14	0.45	N	N	0	mon		
20	8	1985	B15	0.54	N	N	0	mon		
20	8	1985	B16	0.56	N	N	0	mon		
20	8	1985	B18	0.59	N	N	0	mon		
20	8	1985	B19	0.54	N	N	0	mon		
20	8	1985	B20	0.55	N	N	0	mon		
21	8	1985	B01	0.59	N	N	0	mon	28.	
21	8	1985	B02	0.53	N	N	0	mon	29.	
21	8	1985	E03	0.57	N	N	0	mon	28.	
21	8	1985	B04	0.56	N	N	0	mon	28.	
21	8	1985	B05	0.56	N	N	0	mon	29.	
21	8	1985	B06	0.52	N	N	0	mon	27.	
21	8	1985	B07	0.56	N	N	0	mon	30.	
21	8	1985	B08	0.6	N	N	0	mon	29.	
21	8	1985	B09	0.55	N	N	0	mon	30.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
21	8	1985	B10	0.52	N	N	0	mon	30.	
21	8	1985	B11	0.53	N	N	0	mon	30.	
21	8	1985	B13	0.58	N	N	0	mon	31.	
21	8	1985	B14	0.45	N	N	0	mon	30.	
21	8	1985	B15	0.54	N	N	0	mon	30.	
21	8	1985	B16	0.55	N	N	0	mon	28.	
21	8	1985	B18	0.58	N	N	0	mon	32.	
21	8	1985	B19	0.54	N	N	0	mon	31.	
21	8	1985	B20	0.55	N	N	0	mon	30.	
22	8	1985	B01	0.57	N	N	0	mon		
22	8	1985	B02	0.52	N	N	0	mon		
22	8	1985	B03	0.56	N	N	0	mon		
22	8	1985	B04	0.56	N	N	0	mon		
22	8	1985	B05	0.56	N	N	0	mon		
22	8	1985	B06	0.52	N	N	0	mon		
22	8	1985	B07	0.56	N	N	0	mon		
22	8	1985	B08	0.6	N	N	0	mon		
22	8	1985	B09	0.54	N	N	0	mon		
22	8	1985	B10	0.51	N	N	0	mon		
22	8	1985	B11	0.52	N	N	0	mon		
22	8	1985	B13	0.44	N	N	0	mon		
22	8	1985	B14	0.47	N	N	0	mon		
22	8	1985	B15	0.52	N	N	0	mon		
22	8	1985	B16	0.55	N	N	0	mon		
22	8	1985	B18	0.57	N	N	0	mon		
22	8	1985	B19	0.52	N	N	0	mon		
22	8	1985	B20	0.54	N	N	0	mon		
23	8	1985	B01	0.63	N	N	0	mon	29.	
23	8	1985	B02	0.58	N	N	0	mon	30.	
23	8	1985	B03	0.61	N	N	0	mon	30.	
23	8	1985	B04	0.6	N	N	0	mon	30.	
23	8	1985	B05	0.6	N	N	0	mon	31.	
23	8	1985	B06	0.56	N	N	0	mon	30.	
23	8	1985	B07	0.61	N	N	0	mon	32.	
23	8	1985	B08	0.65	N	N	0	mon	31.	
23	8	1985	B09	0.58	N	N	0	mon	32.	
23	8	1985	B10	0.55	N	N	0	mon	32.	
23	8	1985	B11	0.57	N	N	0	mon	31.	
23	8	1985	B13	0.52	N	N	0	mon	33.	
23	8	1985	B14	0.49	N	N	0	mon	33.	
23	8	1985	B15	0.56	N	N	0	mon	33.	
23	8	1985	B16	0.59	N	N	0	mon	32.	
23	8	1985	B18	0.6	N	N	0	mon	33.	
23	8	1985	B19	0.57	N	N	0	mon	35.	
23	8	1985	B20	0.58	N	N	0	mon	32.	
26	8	1985	B01	0.61	N	N	0	mon	28.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
26	8	1985	B02	0.56	N	N	0	mon	29.	
26	8	1985	B03	0.59	N	N	0	mon	29.	
26	8	1985	B04	0.59	N	N	0	mon	30.	
26	8	1985	B05	0.58	N	N	0	mon	30.	
26	8	1985	B06	0.53	N	N	0	mon	29.	
26	8	1985	B07	0.56	N	N	0	mon	31.	
26	8	1985	B08	0.64	N	N	0	mon	30.	
26	8	1985	B09	0.56	N	N	0	mon	31.	
26	8	1985	B10	0.52	N	N	0	worm	31.	
26	8	1985	B11	0.55	N	N	0	mon	32.	
26	8	1985	B13	0.51	N	N	0	mon	31.	
26	8	1985	B14	0.48	N	N	0	mon	31.	
26	8	1985	B15	0.54	N	N	0	mon	32.	
26	8	1985	B16	0.56	N	N	0	mon	32.	
26	8	1985	B18	0.58	N	N	0	mon	32.	
26	8	1985	B19	0.55	N	N	0	mon	31.	
26	8	1985	B20	0.56	N	N	0	mon	32.	
27	8	1985	B01	0.6	N	N	0	mon		
27	8	1985	B02	0.56	N	N	0	mon		
27	8	1985	B03	0.59	N	N	0	mon		
27	8	1985	B04	0.58	N	N	0	mon		
27	8	1985	B05	0.57	N	N	0	mon		
27	8	1985	B06	0.53	N	N	0	mon		
27	8	1985	B07	0.55	N	N	0	mon		
27	8	1985	B08	0.63	N	N	0	mon		
27	8	1985	B09	0.55	N	N	0	mon		
27	8	1985	B10	0.51	N	N	0	mon		
27	8	1985	B11	0.54	N	N	0	mon		
27	8	1985	B13	0.51	N	N	0	mon		
27	8	1985	B14	0.48	N	N	0	mon		
27	8	1985	B15	0.53	N	N	0	mon		
27	8	1985	B16	0.55	N	N	0	mon		
27	8	1985	B18	0.56	N	N	0	mon		
27	8	1985	B19	0.53	N	N	0	mon		
27	8	1985	B20	0.55	N	N	0	mon		
28	8	1985	B01	0.59	N	N	0	mon	30.	
28	8	1985	B02	0.55	N	N	0	mon	30.	
28	8	1985	B03	0.58	N	N	0	mon	30.	
28	8	1985	B04	0.57	N	N	0	mon	31.	
28	8	1985	B05	0.55	N	N	0	mon	31.	
28	8	1985	B06	0.61	N	N	0	mon	30.	
28	8	1985	B07	0.53	N	N	0	mon	32.	
28	8	1985	B08	0.63	N	N	0	mon	31.	
28	8	1985	B09	0.54	N	N	0	mon	31.	
28	8	1985	B10	0.5	N	N	0	mon	32.	
28	8	1985	B11	0.54	N	N	0	mon	32.	

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
28	8	1985	B13	0.5	N	N	0	mon	32.	
28	8	1985	B14	0.47	N	N	0	mon	33.	
28	8	1985	B15	0.52	N	N	0	mon	33.	
28	8	1985	B16	0.55	N	N	0	mon	33.	
28	8	1985	B18	0.56	N	N	0	mon	34.	
28	8	1985	B19	0.53	N	N	0	mon	33.	
28	8	1985	B20	0.54	N	N	0	mon	32.	
29	8	1985	B01	0.59	N	N	0	mon		
29	8	1985	B02	0.55	N	N	0	mon		
29	8	1985	B03	0.56	N	N	0	mon		
29	8	1985	B04	0.56	N	N	0	mon		
29	8	1985	B05	0.54	N	N	0	mon		
29	8	1985	B06	0.5	N	N	0	mon		
29	8	1985	B07	0.53	N	N	0	mon		
29	8	1985	B08	0.61	N	N	0	mon		
29	8	1985	B09	0.53	N	N	0	mon		
29	8	1985	B10	0.5	N	N	0	mon		
29	8	1985	B11	0.53	N	N	0	mon		
29	8	1985	B13	0.5	N	N	0	mon		
29	8	1985	B14	0.46	N	N	0	mon		
29	8	1985	B15	0.51	N	N	0	mon		
29	8	1985	B16	0.53	N	N	0	mon		
29	8	1985	B18	0.55	N	N	0	mon		
29	8	1985	B19	0.52	N	N	0	mon		
29	8	1985	B20	0.53	N	N	0	mon		
30	8	1985	B01	0.58	N	N	0	mon	30.	
30	8	1985	B02	0.55	N	N	0	mon	31.	
30	8	1985	B03	0.56	N	N	0	mon	30.	
30	8	1985	B04	0.56	N	N	0	mon	31.	
30	8	1985	B05	0.54	N	N	0	mon	32.	
30	8	1985	B06	0.49	N	N	0	mon	30.	
30	8	1985	B07	0.52	N	N	0	mon	33.	
30	8	1985	B08	0.62	N	N	0	mon	32.	
30	8	1985	B09	0.53	N	N	0	mon	33.	
30	8	1985	B10	0.49	N	N	0	mon	33.	
30	8	1985	B11	0.53	N	N	0	mon	33.	
30	8	1985	B13	0.5	N	N	0	mon	29.	
30	8	1985	B14	0.46	N	N	0	mon	33.	
30	8	1985	B15	0.51	N	N	0	mon	34.	
30	8	1985	B16	0.53	N	N	0	mon	34.	
30	8	1985	B18	0.54	N	N	0	mon	34.	
30	8	1985	B19	0.51	N	N	0	mon	34.	
30	8	1985	B20	0.53	N	N	0	mon	34.	
2	9	1985	B01	0.56	N	N	0	mon	30.	
2	9	1985	B02	0.54	N	N	0	mon	30.	
2	9	1985	B03	0.55	N	N	0	mon	31.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
2	9	1985	B04	0.54	N	N	0	mon	31.	
2	9	1985	B05	0.56	N	N	0	mon	32.	
2	9	1985	B06	0.54	N	N	0	mon	31.	
2	9	1985	B07	0.51	N	N	0	mon	35.	
2	9	1985	B08	0.61	N	N	0	mon	33.	
2	9	1985	B09	0.53	N	N	0	mon	33.	
2	9	1985	B10	0.52	N	N	0	mon	34.	
2	9	1985	B11	0.5	N	N	0	mon	35.	
2	9	1985	B13	0.57	N	N	0	mon	34.	
2	9	1985	B14	0.53	N	N	0	mon	35.	
2	9	1985	B15	0.5	N	N	0	mon	34.	
2	9	1985	B16	0.52	N	N	0	mon	35.	
2	9	1985	B18	0.53	N	N	0	mon	36.	
2	9	1985	B19	0.5	N	N	0	mon	35.	
2	9	1985	B20	0.51	N	N	0	mon	35.	
3	9	1985	B01	0.57	N	N	0	mon		
3	9	1985	B02	0.55	N	N	0	mon		
3	9	1985	B03	0.56	N	N	0	mon		
3	9	1985	B04	0.56	N	N	0	mon		
3	9	1985	B05	0.57	N	N	0	mon		
3	9	1985	B06	0.54	N	N	0	mon		
3	9	1985	B07	0.52	N	N	0	mon		
3	9	1985	B08	0.52	N	N	0	mon		
3	9	1985	B09	0.53	N	N	0	mon		
3	9	1985	B10	0.52	N	N	0	mon		
3	9	1985	B11	0.52	N	N	0	mon		
3	9	1985	B13	0.55	N	N	0	mon		
3	9	1985	B14	0.52	N	N	0	mon		
3	9	1985	B15	0.51	N	N	0	mon		
3	9	1985	B16	0.52	N	N	0	mon		
3	9	1985	B18	0.53	N	N	0	mon		
3	9	1985	B19	0.51	N	N	0	mon		
3	9	1985	B20	0.52	N	N	0	mon		
4	9	1985	B01	0.63	N	N	0	mon	28.	
4	9	1985	B02	0.61	N	N	0	mon	28.	
4	9	1985	B03	0.61	N	N	0	mon	28.	
4	9	1985	B04	0.62	N	N	0	mon	29.	
4	9	1985	B05	0.64	N	N	0	mon	30.	
4	9	1985	B06	0.6	N	N	0	mon	28.	
4	9	1985	B07	0.57	N	N	0	mon	31.	
4	9	1985	B08	0.67	N	N	0	mon	30.	
4	9	1985	B09	0.59	N	N	0	mon	30.	
4	9	1985	B10	0.57	N	N	0	mon	31.	
4	9	1985	B11	0.58	N	N	0	mon	30.	
4	9	1985	B13	0.61	N	N	0	mon	31.	
4	9	1985	B14	0.58	N	N	0	mon	31.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
4	9	1985	B15	0.57	N	N	0	mon	31.	
4	9	1985	B16	0.58	N	N	0	mon	31.	
4	9	1985	B18	0.58	N	N	0	mon	31.	
4	9	1985	B19	0.56	N	N	0	mon	30.	
4	9	1985	B20	0.57	N	N	0	mon	31.	
5	9	1985	B01	0.66	N	N	0	mon		
5	9	1985	B02	0.65	N	N	0	mon		
5	9	1985	B03	0.65	N	N	0	mon		
5	9	1985	B04	0.66	N	N	0	mon		
5	9	1985	B05	0.66	N	N	0	mon		
5	9	1985	B06	0.62	N	N	0	mon		
5	9	1985	B07	0.61	N	N	0	mon		
5	9	1985	B08	0.7	N	N	0	mon		
5	9	1985	B09	0.62	N	N	0	mon		
5	9	1985	B10	0.59	N	N	0	mon		
5	9	1985	B11	0.61	N	N	0	mon		
5	9	1985	B13	0.63	N	N	0	mon		
5	9	1985	B14	0.6	N	N	0	mon		
5	9	1985	B15	0.6	N	N	0	mon		
5	9	1985	B16	0.61	N	N	0	mon		
5	9	1985	B18	0.6	N	N	0	mon		
5	9	1985	B19	0.59	N	N	0	mon		
5	9	1985	B20	0.59	N	N	0	mon		
6	9	1985	B01	0.66	N	N	0	mon	26.	
6	9	1985	B02	0.64	N	N	0	mon	26.	
6	9	1985	B03	0.65	N	N	0	mon	26.	
6	9	1985	B04	0.65	N	N	0	mon	26.	
6	9	1985	B05	0.67	N	N	0	mon	27.	
6	9	1985	B06	0.61	N	N	0	mon	25.	
6	9	1985	B07	0.62	N	N	0	mon	29.	
6	9	1985	B08	0.7	N	N	0	mon	70.	
6	9	1985	B09	0.61	N	N	0	mon	28.	
6	9	1985	B10	0.58	N	N	0	mon	29.	
6	9	1985	B11	0.6	N	N	0	mon	29.	
6	9	1985	B13	0.63	N	N	0	mon	28.	
6	9	1985	B14	0.59	N	N	0	mon	30.	
6	9	1985	B15	0.59	N	N	0	mon	30.	
6	9	1985	B16	0.6	N	N	0	mon	30.	
6	9	1985	B18	0.6	N	N	0	mon	30.	
6	9	1985	B19	0.58	N	N	0	mon	30.	
6	9	1985	B20	0.59	N	N	0	mon	29.	
9	9	1985	B01	0.67	N	N	0	mon	26.	
9	9	1985	B02	0.65	N	N	0	mon	26.	
9	9	1985	B03	0.65	N	N	0	mon	26.	
9	9	1985	B04	0.66	N	N	0	mon	27.	
9	9	1985	B05	0.69	N	N	0	mon	27.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
9	9	1985	B06	0.6	N	N	0	mon	26.	
9	9	1985	B07	0.6	N	N	0	mon	29.	
9	9	1985	B08	0.71	N	N	0	mon	27.	
9	9	1985	B09	0.61	N	N	0	mon	28.	
9	9	1985	B10	0.57	N	N	0	mon	29.	
9	9	1985	B11	0.6	N	N	0	mon	29.	
9	9	1985	B13	0.61	N	N	0	mon	29.	
9	9	1985	B14	0.59	N	N	0	mon	30.	
9	9	1985	B15	0.59	N	N	0	mon	30.	
9	9	1985	B16	0.6	N	N	0	mon	29.	
9	9	1985	B18	0.6	N	N	0	mon	30.	
9	9	1985	B19	0.58	N	N	0	mon	29.	
9	9	1985	B20	0.55	N	N	0	mon	29.	
10	9	1985	B01	0.68	N	N	0	mon		
10	9	1985	B02	0.67	N	N	0	mon		
10	9	1985	B03	0.67	N	N	0	mon		
10	9	1985	B04	0.68	N	N	0	mon		
10	9	1985	B05	0.7	N	N	0	mon		
10	9	1985	B06	0.61	N	N	0	mon		
10	9	1985	B07	0.61	N	N	0	mon		
10	9	1985	B08	0.71	N	N	0	mon		
10	9	1985	B09	0.62	N	N	0	mon		
10	9	1985	B10	0.58	N	N	0	mon		
10	9	1985	B11	0.6	N	N	0	mon		
10	9	1985	B13	0.61	N	N	0	mon		
10	9	1985	B14	0.59	N	N	0	mon		
10	9	1985	B15	0.6	N	N	0	mon		
10	9	1985	B16	0.61	N	N	0	mon		
10	9	1985	B18	0.6	N	N	0	mon		
10	9	1985	B19	0.58	N	N	0	mon		
10	9	1985	B20	0.5	N	N	0	mon		
11	9	1985	B01	0.67	N	N	0	mon	27.	
11	9	1985	B02	0.68	N	N	0	mon	27.	
11	9	1985	B03	0.67	N	N	0	mon	28.	
11	9	1985	B04	0.67	N	N	0	mon	29.	
11	9	1985	B05	0.7	N	N	0	mon	29.	
11	9	1985	B06	0.6	N	N	0	mon	27.	
11	9	1985	B07	0.61	N	N	0	mon	30.	
11	9	1985	B08	0.71	N	N	0	mon	29.	
11	9	1985	B09	0.61	N	N	0	mon	29.	
11	9	1985	B10	0.57	N	N	0	mon	31.	
11	9	1985	B11	0.6	N	N	0	mon	30.	
11	9	1985	B13	0.6	N	N	0	mon	31.	
11	9	1985	B14	0.58	N	N	0	mon	31.	
11	9	1985	B15	0.59	N	N	0	mon	31.	
11	9	1985	B16	0.61	N	N	0	mon	31.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
11	9	1985	B18	0.6	N	N	0	mon	32.	
11	9	1985	B19	0.57	N	N	0	mon	31.	
11	9	1985	B20	0.55	N	N	0	mon	31.	
12	9	1985	B01	0.67	N	N	0	mon	24.	
12	9	1985	B02	0.67	N	N	0	mon	24.	
12	9	1985	B03	0.66	N	N	0	mon	25.	
12	9	1985	B04	0.47	N	N	0	mon	26.	
12	9	1985	B05	0.68	N	N	0	mon	26.	
12	9	1985	B06	0.6	N	N	0	mon	25.	
12	9	1985	B07	0.59	N	N	0	mon	26.	
12	9	1985	B08	0.7	N	N	0	mon	26.	
12	9	1985	B09	0.6	N	N	0	mon	26.	
12	9	1985	B10	0.56	N	N	0	mon	28.	
12	9	1985	B11	0.6	N	N	0	mon	27.	
12	9	1985	B13	0.59	N	N	0	mon	27.	
12	9	1985	B14	0.55	N	N	0	mon	28.	
12	9	1985	B15	0.59	N	N	0	mon	28.	
12	9	1985	B16	0.6	N	N	0	mon	27.	
12	9	1985	B18	0.58	N	N	0	mon	28.	
12	9	1985	B19	0.56	N	N	0	mon	27.	
12	9	1985	B20	0.52	N	N	0	mon	28.	
16	9	1985	B01	0.71	N	N	0	mon	22.	
16	9	1985	B02	0.73	N	N	0	mon	23.	
16	9	1985	B03	0.7	N	N	0	mon	23.	
16	9	1985	B04	0.35	N	N	0	mon	23.	
16	9	1985	B05	0.6	N	N	0	mon	25.	
16	9	1985	B06	0.65	N	N	0	mon	24.	
16	9	1985	B07	0.56	N	N	0	mon	26.	
16	9	1985	B08	0.72	N	N	0	mon	26.	
16	9	1985	B09	0.64	N	N	0	mon	26.	
16	9	1985	B10	0.58	N	N	0	mon	26.	
16	9	1985	B11	0.63	N	N	0	mon	25.	
16	9	1985	B13	0.59	N	N	0	mon	26.	
16	9	1985	B14	0.59	Y	N	0	mon	26.	
16	9	1985	B15	0.63	Y	N	0	mon	27.	
16	9	1985	B16	0.64	Y	N	0	mon	27.	
16	9	1985	B18	0.57	Y	N	0	mon	26.	
16	9	1985	B19	0.57	Y	N	0	mon	26.	
16	9	1985	B20	0.6	Y	N	0	mon	26.	
17	9	1985	B01	0.73	N	N	0	mon		
17	9	1985	B02	0.74	N	N	0	mon		
17	9	1985	B03	0.72	N	N	0	mon		
17	9	1985	B04	0.58	N	N	0	mon		
17	9	1985	B05	0.6	N	N	0	mon		
17	9	1985	B06	0.66	N	N	0	mon		
17	9	1985	B07	0.58	N	N	0	mon		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
17	9	1985	B08	0.74	N	N	0	mon		
17	9	1985	B09	0.75	N	N	0	mon		
17	9	1985	B10	0.59	N	N	0	mon		
17	9	1985	B11	0.64	N	N	0	mon		
17	9	1985	B13	0.6	N	N	0	mon		
17	9	1985	B14	0.53	N	N	0	mon		
17	9	1985	B15	0.55	N	N	0	mon		
17	9	1985	B16	0.52	N	N	0	mon		
17	9	1985	B18	0.52	N	N	0	mon		
17	9	1985	B19	0.53	N	N	0	mon		
17	9	1985	B20	0.55	N	N	0	mon		
18	9	1985	B01	0.72	N	N	0	mon	22.	
18	9	1985	B02	0.74	N	N	0	mon	23.	
18	9	1985	B03	0.71	N	N	0	mon	23.	
18	9	1985	B04	0.57	N	N	0	mon	24.	
18	9	1985	B05	0.57	N	N	0	mon	25.	
18	9	1985	B06	0.65	N	N	0	mon	23.	
18	9	1985	B07	0.57	N	N	0	mon	24.	
18	9	1985	B08	0.72	N	N	0	mon	24.	
18	9	1985	B09	0.63	N	N	0	mon	24.	
18	9	1985	B10	0.58	N	N	0	mon	25.	
18	9	1985	B11	0.63	N	N	0	mon	25.	
18	9	1985	B13	0.59	N	N	0	mon	25.	
18	9	1985	B14	0.52	N	N	0	mon	26.	
18	9	1985	B15	0.55	N	N	0	mon	27.	
18	9	1985	B16	0.52	N	N	0	mon	26.	
18	9	1985	B18	0.52	N	N	0	mon	27.	
18	9	1985	B19	0.52	N	N	0	mon	26.	
18	9	1985	B20	0.55	N	N	0	mon	26.	
19	9	1985	B01	0.71	Y	N	0	mon		
19	9	1985	B02	0.73	Y	N	0	mon		
19	9	1985	B03	0.7	Y	N	0	mon		
19	9	1985	B04	0.55	Y	N	0	mon		
19	9	1985	B05	0.54	Y	N	0	mon		
19	9	1985	B06	0.64	Y	N	0	mon		
19	9	1985	B07	0.56	N	N	0	mon		
19	9	1985	B08	0.71	N	N	0	mon		
19	9	1985	B09	0.61	N	N	0	mon		
19	9	1985	B10	0.58	N	N	0	mon		
19	9	1985	B11	0.62	N	N	0	mon		
19	9	1985	B13	0.57	N	N	0	mon		
19	9	1985	B14	0.51	N	N	0	mon		
19	9	1985	B15	0.54	N	N	0	mon		
19	9	1985	B16	0.52	N	N	0	mon		
19	9	1985	B18	0.51	N	N	0	mon		
19	9	1985	B19	0.52	N	N	0	mon		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
19	9	1985	B20	0.54	N	N	0	mon		
20	9	1985	B01	1.1	Y	N	0	mon	25.	
20	9	1985	B02	1.06	Y	N	0	mon	25.	
20	9	1985	B03	0.71	Y	N	0	mon	25.	
20	9	1985	B04	1.01	Y	N	0	mon	28.	
20	9	1985	B05	1.02	Y	N	0	mon	26.	
20	9	1985	B06	0.69	Y	N	0	mon	28.	
20	9	1985	B07	0.59	Y	N	0	mon	26.	
20	9	1985	B08	0.7	Y	N	0	mon	26.	
20	9	1985	B09	0.61	Y	N	0	mon	27.	
20	9	1985	B10	0.58	Y	N	0	mon	27.	
20	9	1985	B11	0.61	Y	N	0	mon	26.	
20	9	1985	B13	0.55	N	N	0	mon	27.	
20	9	1985	B14	0.51	N	N	0	mon	28.	
20	9	1985	B15	0.53	N	N	0	mon	29.	
20	9	1985	B16	0.51	N	N	0	mon	28.	
20	9	1985	B13	0.5	N	N	0	mon	29.	
20	9	1985	B19	0.51	N	N	0	mon	27.	
20	9	1985	B20	0.52	N	N	0	mon	28.	
23	9	1985	B01	1.25	Y	N	0	mon	26.	
23	9	1985	B02	1.2	Y	N	0	mon	24.	
23	9	1985	B03	1.17	Y	N	0	mon	25.	
23	9	1985	B04	1.17	Y	N	0	mon	25.	
23	9	1985	B05	1.18	Y	N	0	mon	25.	
23	9	1985	B06	1.08	Y	N	0	mon	25.	
23	9	1985	B07	1.	Y	N	0	mon	25.	
23	9	1985	B08	0.93	Y	N	0	mon	23.	
23	9	1985	B09	0.74	Y	N	0	mon	25.	
23	9	1985	B10	0.8	Y	N	0	mon	25.	
23	9	1985	B11	0.75	Y	N	0	mon	25.	
23	9	1985	B13	0.55	N	N	0	mon	23.	
23	9	1985	B14	0.53	N	N	0	mon	23.	
23	9	1985	B15	0.54	N	N	0	mon	23.	
23	9	1985	B16	0.53	N	N	0	mon	24.	
23	9	1985	B18	0.5	N	N	0	mon	23.	
23	9	1985	B19	0.52	N	N	0	mon	22.	
23	9	1985	B20	0.53	N	N	0	mon	22.	
24	9	1985	B01	1.31	Y	N	0	mon		
24	9	1985	B02	1.27	Y	N	0	mon		
24	9	1985	B03	1.22	Y	N	0	mon		
24	9	1985	B04	1.23	Y	N	0	mon		
24	9	1985	B05	1.25	Y	N	0	mon		
24	9	1985	B06	1.14	Y	N	0	mon		
24	9	1985	B07	1.01	Y	N	0	mon		
24	9	1985	B08	1.	Y	N	0	mon		
24	9	1985	B09	0.83	Y	N	0	mon		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
24	9	1985	B10	0.92	Y	N	0	mon		
24	9	1985	B11	0.84	Y	N	0	mon		
24	9	1985	B13	0.56	N	N	0	mon		
24	9	1985	B14	0.53	N	N	0	mon		
24	9	1985	B15	0.54	N	N	0	mon		
24	9	1985	B16	0.54	N	N	0	mon		
24	9	1985	B18	0.5	N	N	0	mon		
24	9	1985	B19	0.51	N	N	0	mon		
24	9	1985	B20	0.52	N	N	0	mon		
25	9	1985	B01	1.38	Y	N	0	mon	25.	
25	9	1985	B02	1.35	Y	N	0	mon	27.	
25	9	1985	B03	1.3	Y	N	0	mon	26.	
25	9	1985	B04	1.3	Y	N	0	mon	27.	
25	9	1985	B05	1.32	Y	N	0	mon	26.	
25	9	1985	B06	1.21	Y	N	0	mon	25.	
25	9	1985	B07	1.04	Y	N	0	mon	25.	
25	9	1985	B08	1.03	Y	N	0	mon	24.	
25	9	1985	B09	0.96	Y	N	0	mon	23.	
25	9	1985	B10	1.02	Y	N	0	mon	24.	
25	9	1985	B11	0.97	Y	N	0	mon	24.	
25	9	1985	B13	0.63	N	N	0	mon	23.	
25	9	1985	B14	0.6	N	N	0	mon	22.	
25	9	1985	B15	0.6	N	N	0	mon	24.	
25	9	1985	B16	0.61	N	N	0	mon	23.	
25	9	1985	B18	0.55	N	N	0	mon	24.	
25	9	1985	B19	0.56	N	N	1	mon	22.	
25	9	1985	B20	0.58	N	N	0	mon	23.	
26	9	1985	B01	1.5	Y	N	0	mon		
26	9	1985	B02	1.47	Y	N	0	mon		
26	9	1985	B03	1.41	Y	N	0	mon		
26	9	1985	B04	1.42	Y	N	0	mon		
26	9	1985	B05	1.4	Y	N	0	mon		
26	9	1985	B06	1.33	Y	N	0	mon		
26	9	1985	B07	1.03	N	N	0	mon		
26	9	1985	B08	1.03	N	N	0	mon		
26	9	1985	B09	1.01	N	N	0	mon		
26	9	1985	B10	0.97	N	N	0	mon		
26	9	1985	B11	0.97	N	N	0	mon		
26	9	1985	B13	0.81	N	N	0	mon		
26	9	1985	B14	0.65	N	N	0	mon		
26	9	1985	B15	0.62	N	N	0	mon		
26	9	1985	B16	0.62	N	N	0	mon		
26	9	1985	B18	0.6	N	N	0	mon		
26	9	1985	B19	0.56	N	N	0	mon		
26	9	1985	B20	0.58	N	N	0	mon		
27	9	1985	B01	1.43	Y	N	0	mon	23.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
27	9	1985	B02	1.4	Y	N	0	mon	23.	
27	9	1985	B03	1.36	Y	N	0	mon	25.	
27	9	1985	B04	1.36	Y	N	0	mon	25.	
27	9	1985	B05	1.37	Y	N	0	mon	23.	
27	9	1985	B06	1.27	Y	N	0	mon	23.	
27	9	1985	B07	1.03	N	N	0	mon	23.	
27	9	1985	B08	1.05	N	N	0	mon	23.	
27	9	1985	B09	1.02	N	N	0	mon	23.	
27	9	1985	B10	0.96	N	N	0	mon	22.	
27	9	1985	B11	0.93	N	N	0	mon	23.	
27	9	1985	B13	0.81	N	N	0	mon	23.	
27	9	1985	B14	0.69	N	N	0	mon	25.	
27	9	1985	B15	0.63	N	N	0	mon	26.	
27	9	1985	B16	0.64	N	N	0	mon	25.	
27	9	1985	B18	0.61	N	N	0	mon	26.	
27	9	1985	B19	0.58	N	N	0	mon	25.	
27	9	1985	B20	0.58	N	N	0	mon	25.	
30	9	1985	B01	1.49	N	N	0	mon	25.	
30	9	1985	B02	1.47	N	N	0	mon	26.	
30	9	1985	B03	1.41	N	N	0	mon	25.	
30	9	1985	B04	1.41	N	N	0	mon	26.	
30	9	1985	B05	1.43	N	N	0	mon	25.	
30	9	1985	B06	1.31	N	N	0	mon	25.	
30	9	1985	B07	1.02	N	N	0	mon	25.	
30	9	1985	B08	1.05	N	N	0	mon	25.	
30	9	1985	B09	0.96	N	N	0	mon	25.	
30	9	1985	B10	0.92	N	N	0	mon	25.	
30	9	1985	B11	0.91	N	N	0	mon	25.	
30	9	1985	B13	0.82	N	N	0	mon	24.	
30	9	1985	B14	0.73	N	N	0	mon	23.	
30	9	1985	B15	0.68	N	N	0	mon	25.	
30	9	1985	B16	0.69	N	N	0	mon	25.	
30	9	1985	B18	0.65	N	N	0	mon	25.	
30	9	1985	B19	0.6	N	N	0	mon	25.	
30	9	1985	B20	0.59	N	N	0	mon	25.	
1	10	1985	B01	1.45	Y	N	0	mon		
1	10	1985	B02	1.44	Y	N	0	mon		
1	10	1985	B03	1.36	Y	N	0	mon		
1	10	1985	B04	1.36	Y	N	0	mon		
1	10	1985	B05	1.29	Y	N	0	mon		
1	10	1985	B06	1.24	Y	N	0	mon		
1	10	1985	B07	1.02	N	N	0	mon		
1	10	1985	B08	1.03	N	N	0	mon		
1	10	1985	B09	0.94	N	N	0	mon		
1	10	1985	B10	0.9	N	N	0	mon		
1	10	1985	B11	0.91	N	N	0	mon		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
1	10	1985	B13	0.82	N	N	0	mon		
1	10	1985	B14	0.75	N	N	0	mon		
1	10	1985	B15	0.71	N	N	0	mon		
1	10	1985	B16	0.71	N	N	0	mon		
1	10	1985	B18	0.65	N	N	0	mon		
1	10	1985	B19	0.62	N	N	0	mon		
1	10	1985	B20	0.59	N	N	0	mon		
2	10	1985	A29	0.35	N	N	0	nil	21.	
2	10	1985	A30	0.5	N	N	0	nil	21.	
2	10	1985	A31	0.48	N	N	0	nil	22.	
2	10	1985	A32	0.4	N	N	0	nil	25.	
2	10	1985	A33	0.37	N	N	0	nil	24.	
2	10	1985	A34	0.39	N	N	0	nil	26.	
2	10	1985	A35	0.4	N	N	0	nil	26.	
2	10	1985	A36	0.48	N	N	0	nil	21.	
2	10	1985	A37	0.38	N	N	0	nil	22.	
2	10	1985	A38	0.4	N	N	0	nil	23.	
2	10	1985	A39	0.46	N	N	0	nil	25.	
2	10	1985	A40	0.43	N	N	0	nil	23.	
2	10	1985	A41	0.39	N	N	0	nil	24.	
2	10	1985	A42	0.42	N	N	0	nil	25.	
2	10	1985	A43	0.76	N	N	0	nil	25.	
2	10	1985	A44	0.76	N	N	0	nil	26.	
2	10	1985	A45	0.89	N	N	0	nil	26.	
2	10	1985	A46	0.94	N	N	0	nil	25.	
2	10	1985	A47	0.73	N	N	0	nil	25.	
2	10	1985	A48	0.67	N	N	0	nil	24.	
2	10	1985	A49	0.67	N	N	0	nil	23.	
2	10	1985	B01	1.28	N	N	0	mon	23.	
2	10	1985	B02	1.42	N	N	0	mon	23.	
2	10	1985	B03	1.31	N	N	0	mon	26.	
2	10	1985	B04	1.4	N	N	0	mon	24.	
2	10	1985	B05	1.34	N	N	0	mon	24.	
2	10	1985	B06	1.31	N	N	0	mon	23.	
2	10	1985	B07	1.02	N	N	0	mon	26.	
2	10	1985	B08	1.02	N	N	0	mon	25.	
2	10	1985	B09	0.93	N	N	0	mon	25.	
2	10	1985	B10	0.91	N	N	0	mon	25.	
2	10	1985	B11	0.91	N	N	0	mon	24.	
2	10	1985	B13	0.8	N	N	0	mon	24.	
2	10	1985	B14	0.75	N	N	0	mon	25.	
2	10	1985	B15	0.71	N	N	0	mon	26.	
2	10	1985	B16	0.72	N	N	0	mon	25.	
2	10	1985	B18	0.64	N	N	0	mon	25.	
2	10	1985	B19	0.63	N	N	0	mon	25.	
2	10	1985	B20	0.6	N	N	0	mon	25.	

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
7	10	1985	A29	0.54	Y	N	0	nil	17.	
7	10	1985	A30	0.62	Y	N	0	nil	17.	
7	10	1985	A31	0.61	Y	N	0	nil	17.	
7	10	1985	A32	0.57	Y	N	0	nil	17.	
7	10	1985	A33	0.53	Y	N	0	nil	17.	
7	10	1985	A34	0.55	Y	N	0	nil	17.	
7	10	1985	A35	0.57	Y	N	0	nil	16.	
7	10	1985	A36	0.7	Y	N	0	nil	17.	
7	10	1985	A37	0.6	Y	N	0	nil	18.	
7	10	1985	A38	0.71	Y	N	0	nil	18.	
7	10	1985	A39	0.71	Y	N	0	nil	19.	
7	10	1985	A40	0.62	Y	N	0	nil	18.	
7	10	1985	A41	0.53	Y	N	0	nil	17.	
7	10	1985	A42	0.54	Y	N	0	nil	17.	
7	10	1985	A43	0.81	Y	N	0	nil	18.	
7	10	1985	A44	0.97	Y	N	0	nil	18.	
7	10	1985	A45	0.99	Y	N	0	nil	18.	
7	10	1985	A46	0.92	Y	N	0	nil	19.	
7	10	1985	A47	0.91	Y	N	0	nil	18.	
7	10	1985	A48	0.85	Y	N	0	nil	18.	
7	10	1985	A49	0.92	Y	N	0	nil	18.	
7	10	1985	B01	1.45	N	N	0	mon	21.	
7	10	1985	B02	1.33	N	N	0	mon	22.	
7	10	1985	B03	1.37	N	N	0	mon	22.	
7	10	1985	B04	1.4	N	N	0	mon	22.	
7	10	1985	B05	1.4	N	N	0	mon	21.	
7	10	1985	B06	1.28	N	N	0	mon	20.	
7	10	1985	B07	0.99	N	N	0	mon	21.	
7	10	1985	B08	1.	N	N	0	mon	21.	
7	10	1985	B09	1.	N	N	0	mon	20.	
7	10	1985	B10	0.95	N	N	0	mon	20.	
7	10	1985	B11	0.95	N	N	0	mon	20.	
7	10	1985	B13	0.73	N	N	0	mon	20.	
7	10	1985	B14	0.59	N	N	0	mon	20.	
7	10	1985	B15	0.54	N	N	0	mon	21.	
7	10	1985	B16	0.54	N	N	0	mon	20.	
7	10	1985	B18	0.55	N	N	0	mon	20.	
7	10	1985	B19	0.55	N	N	0	mon	19.	
7	10	1985	B20	0.5	N	N	0	mon	20.	
8	10	1985	B01	1.54	Y	N	0	mon		
8	10	1985	B02	1.5	Y	N	0	mon		
8	10	1985	B03	1.46	Y	N	0	mon		
8	10	1985	B04	1.46	Y	N	0	mon		
8	10	1985	B05	1.47	Y	N	0	mon		
8	10	1985	B06	1.37	Y	N	0	mon		
8	10	1985	B07	1.	N	N	0	mon		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
8	10	1985	B08	1.	N	N	0	mon		
8	10	1985	B09	1.01	Y	N	0	mon		
8	10	1985	B10	0.98	N	N	0	mon		
8	10	1985	B11	0.93	N	N	0	mon		
8	10	1985	B13	0.91	N	N	0	mon		
8	10	1985	B14	0.6	N	N	0	mon		
8	10	1985	B15	0.56	N	N	0	mon		
8	10	1985	B16	0.55	N	N	0	mon		
8	10	1985	B18	0.56	N	N	0	mon		
8	10	1985	B19	0.55	N	N	0	mon		
8	10	1985	B20	0.51	N	N	0	mon		
9	10	1985	A29	0.54	N	N	0	nil	17.	
9	10	1985	A30	0.62	N	N	0	nil	17.	
9	10	1985	A31	0.61	N	N	0	nil	17.	
9	10	1985	A32	0.57	N	N	0	nil	18.	
9	10	1985	A33	0.53	N	N	0	nil	17.	
9	10	1985	A34	0.55	N	N	0	nil	17.	
9	10	1985	A35	0.57	N	N	0	nil	17.	
9	10	1985	A36	0.7	N	N	0	nil	17.	
9	10	1985	A37	0.6	N	N	0	nil	19.	
9	10	1985	A38	0.71	N	N	0	nil	18.	
9	10	1985	A39	0.71	N	N	0	nil	18.	
9	10	1985	A40	0.62	N	N	0	nil	18.	
9	10	1985	A41	0.53	N	N	0	nil	17.	
9	10	1985	A42	0.54	N	N	0	nil	17.	
9	10	1985	A43	0.81	N	N	0	nil	18.	
9	10	1985	A44	0.97	N	N	0	nil	19.	
9	10	1985	A45	0.99	N	N	0	nil	19.	
9	10	1985	A46	0.92	N	N	0	nil	19.	
9	10	1985	A47	0.91	N	N	0	nil	19.	
9	10	1985	A48	0.85	N	N	0	nil	18.	
9	10	1985	A49	0.92	N	N	0	nil	18.	
9	10	1985	B01	1.48	Y	N	0	mon	21.	
9	10	1985	B02	1.44	Y	N	0	mon	22.	
9	10	1985	B03	1.39	Y	N	0	mon	23.	
9	10	1985	B04	1.41	Y	N	0	mon	22.	
9	10	1985	B05	1.3	Y	N	0	mon	21.	
9	10	1985	B06	1.31	Y	N	0	mon	20.	
9	10	1985	B07	1.	N	N	0	mon	22.	
9	10	1985	B08	1.	N	N	0	mon	21.	
9	10	1985	B09	1.01	N	N	0	mon	20.	
9	10	1985	B10	0.99	N	N	0	mon	21.	
9	10	1985	B11	0.94	N	N	0	mon	20.	
9	10	1985	B13	0.68	N	N	0	mon	19.	
9	10	1985	B14	0.6	N	N	0	mon	20.	
9	10	1985	B15	0.55	N	N	0	mon	20.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
9	10	1985	B16	0.55	N	N	0	mon	20.	
9	10	1985	B18	0.55	N	N	0	mon	19.	
9	10	1985	B19	0.55	N	N	0	mon	19.	
9	10	1985	B20	0.51	N	N	0	mon	19.	
10	10	1985	A29	0.52	N	N	0	nil		
10	10	1985	A30	0.59	N	N	0	nil		
10	10	1985	A31	0.58	N	N	0	nil		
10	10	1985	A32	0.54	N	N	0	nil		
10	10	1985	A33	0.49	N	N	0	nil		
10	10	1985	A34	0.57	N	N	0	nil		
10	10	1985	A35	0.55	N	N	0	nil		
10	10	1985	A36	0.73	N	N	0	nil		
10	10	1985	A37	0.62	N	N	0	nil		
10	10	1985	A38	0.75	N	N	0	nil		
10	10	1985	A39	0.74	N	N	0	nil		
10	10	1985	A40	0.65	N	N	0	nil		
10	10	1985	A41	0.72	N	N	0	nil		
10	10	1985	A42	0.67	N	N	0	nil		
10	10	1985	A43	0.75	N	N	0	nil		
10	10	1985	A44	0.99	N	N	0	nil		
10	10	1985	A45	0.99	N	N	0	nil		
10	10	1985	A46	0.98	N	N	0	nil		
10	10	1985	A47	0.99	N	N	0	nil		
10	10	1985	A48	0.93	N	N	0	nil		
10	10	1985	A49	0.91	N	N	0	nil		
10	10	1985	B01	1.46	Y	N	0	mon		
10	10	1985	B02	1.41	Y	N	0	mon		
10	10	1985	B03	1.4	Y	N	0	mon		
10	10	1985	B04	1.43	Y	N	0	mon		
10	10	1985	B05	1.35	Y	N	0	mon		
10	10	1985	B06	1.34	Y	N	0	mon		
10	10	1985	B07	0.99	N	N	0	mon		
10	10	1985	B08	1.01	N	N	0	mon		
10	10	1985	B09	1.01	N	N	0	mon		
10	10	1985	B10	0.99	N	N	0	mon		
10	10	1985	B11	0.97	N	N	0	mon		
10	10	1985	B13	0.65	N	N	0	mon		
10	10	1985	B14	0.59	N	N	0	mon		
10	10	1985	B15	0.55	N	N	0	mon		
10	10	1985	B16	0.55	N	N	0	mon		
10	10	1985	B18	0.54	N	N	0	mon		
10	10	1985	B19	0.54	N	N	0	mon		
10	10	1985	B20	0.5	N	N	0	mon		
11	10	1985	B01	1.41	N	N	0	mon	21.	
11	10	1985	B02	1.42	N	N	0	mon	21.33333	
11	10	1985	B03	1.37	N	N	0	mon	23.66667	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
11	10	1985	B04	1.41	N	N	0	mon	22.33333	
11	10	1985	B05	1.33	N	N	0	mon	21.33333	
11	10	1985	B06	1.3	N	N	0	mon	21.	
11	10	1985	B07	1.01	N	N	0	mon	22.	
11	10	1985	B08	1.05	N	N	0	mon	21.	
11	10	1985	B09	1.03	N	N	0	mon	21.	
11	10	1985	B10	1.01	N	N	0	mon	22.	
11	10	1985	D10	0.35	Y	N	0	mon	23.	
11	10	1985	B11	1.01	N	N	0	mon	20.	
11	10	1985	B13	0.68	N	N	0	mon	20.	
11	10	1985	B14	0.62	N	N	0	mon	20.	
11	10	1985	B15	0.59	N	N	0	mon	21.	
11	10	1985	B16	0.59	N	N	0	mon	20.	
11	10	1985	B18	0.56	N	N	0	mon	20.	
11	10	1985	B19	0.57	N	N	0	mon	19.	
11	10	1985	B20	0.54	N	N	0	mon	20.	
14	10	1985	A29	0.6	N	N	0	nil	12.	
14	10	1985	A30	0.7	N	N	0	nil	13.	
14	10	1985	A31	0.68	N	N	0	nil	13.	
14	10	1985	A32	0.61	N	N	0	nil	13.	
14	10	1985	A33	0.58	N	N	0	nil	12.	
14	10	1985	A34	0.61	N	N	0	nil	12.	
14	10	1985	A35	0.64	N	N	0	nil	11.	
14	10	1985	A36	0.84	N	N	0	nil	13.	
14	10	1985	A37	0.73	N	N	0	nil	14.	
14	10	1985	A38	0.87	N	N	0	nil	14.	
14	10	1985	A39	0.86	N	N	0	nil	15.	
14	10	1985	A40	0.76	N	N	0	nil	14.	
14	10	1985	A41	0.72	N	N	0	nil	14.	
14	10	1985	A42	0.7	N	N	0	nil	14.	
14	10	1985	A43	0.92	N	N	0	nil	15.	
14	10	1985	A44	0.96	N	N	0	nil	16.	
14	10	1985	A45	0.99	N	N	0	nil	16.	
14	10	1985	A46	0.94	N	N	0	nil	16.	
14	10	1985	A47	0.95	N	N	0	nil	16.	
14	10	1985	A48	0.89	N	N	0	nil	15.	
14	10	1985	A49	0.35	N	N	0	nil	16.	
16	10	1985	A29	0.59	N	N	0	nil	15.	
16	10	1985	A30	0.68	N	N	0	nil	15.	
16	10	1985	A31	0.67	N	N	0	nil	15.	
16	10	1985	A32	0.57	N	N	0	nil	16.	
16	10	1985	A33	0.57	N	N	0	nil	15.	
16	10	1985	A34	0.61	N	N	0	nil	15.	
16	10	1985	A35	0.63	N	N	0	nil	15.	
16	10	1985	A36	0.82	N	N	0	nil	16.	
16	10	1985	A37	0.71	N	N	0	nil	16.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
16	10	1985	A38	0.65	N	N	0	nil	16.	
16	10	1985	A39	0.84	N	N	0	nil	17.	
16	10	1985	A40	0.75	N	N	0	nil	16.	
16	10	1985	A41	0.69	N	N	0	nil	15.	
16	10	1985	A42	0.67	N	N	0	nil	15.	
16	10	1985	A43	0.92	N	N	0	nil	17.	
16	10	1985	A44	0.96	N	N	0	nil	19.	
16	10	1985	A45	0.99	N	N	0	nil	17.	
16	10	1985	A46	0.94	N	N	0	nil	18.	
16	10	1985	A47	0.95	N	N	0	nil	18.	
16	10	1985	A48	0.89	N	N	0	nil	16.	
16	10	1985	A49	0.74	N	N	0	nil	18.	
17	10	1985	A29	0.75	N	N	0	nil	23.	
17	10	1985	A30	0.87	N	N	0	nil	20.	
17	10	1985	A31	0.85	N	N	0	nil	20.	
17	10	1985	A32	0.8	N	N	0	nil	21.	
17	10	1985	A33	0.77	N	N	0	nil	24.	
17	10	1985	A34	0.8	N	N	0	nil	22.	
17	10	1985	A35	0.71	N	N	0	nil	21.	
17	10	1985	A36	0.75	N	N	0	nil	20.	
17	10	1985	A37	0.66	N	N	0	nil	21.	
17	10	1985	A38	0.82	N	N	0	nil	20.	
17	10	1985	A39	0.81	N	N	0	nil	20.	
17	10	1985	A40	0.71	N	N	0	nil	21.	
17	10	1985	A41	0.61	N	N	0	nil	20.	
17	10	1985	A42	0.6	N	N	0	nil	20.	
17	10	1985	A43	0.83	N	N	0	nil	22.	
17	10	1985	A44	0.86	N	N	0	nil	24.	
17	10	1985	A45	0.94	N	N	0	nil	21.	
17	10	1985	A46	0.85	N	N	0	nil	23.	
17	10	1985	A47	0.86	N	N	0	nil	22.	
17	10	1985	A48	0.8	N	N	0	nil	22.	
17	10	1985	A49	0.74	N	N	0	nil	22.	
18	10	1985	B01	0.88	Y	N	0	mon	25.	
18	10	1985	B02	0.84	Y	N	0	mon	28.	
18	10	1985	B03	0.65	Y	N	0	mon	28.	
18	10	1985	B04	0.66	Y	N	0	mon	28.	
18	10	1985	B05	0.81	Y	N	0	mon	28.	
18	10	1985	B06	0.7	Y	N	0	mon	25.	
18	10	1985	B07	0.75	Y	N	0	mon	28.	
18	10	1985	B08	0.66	Y	N	0	mon	29.	
18	10	1985	B09	0.52	Y	N	0	mon	27.	
18	10	1985	B11	0.63	Y	N	0	mon	28.	
18	10	1985	B13	0.58	N	N	0	mon	26.	
18	10	1985	B14	0.4	N	N	0	mon	25.	
18	10	1985	B15	0.39	N	N	0	mon	29.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
18	10	1985	B16	0.41	N	N	0	mon	29.	
18	10	1985	B18	0.37	N	N	0	mon	24.	
18	10	1985	B19	0.38	N	N	0	mon	23.	
18	10	1985	B20	0.4	N	N	0	mon	28.	
21	10	1985	A29	0.66	N	N	0	nil	23.	
21	10	1985	A30	0.75	N	N	0	nil	23.	
21	10	1985	A31	0.74	N	N	0	nil	22.	
21	10	1985	A32	0.7	N	N	0	nil	23.	
21	10	1985	A33	0.65	N	N	0	nil	23.	
21	10	1985	A34	0.67	N	N	0	nil	24.	
21	10	1985	A35	0.7	N	N	0	nil	23.	
21	10	1985	A36	0.76	N	N	0	nil	23.	
21	10	1985	A37	0.66	N	N	0	nil	22.	
21	10	1985	A38	0.8	N	N	0	nil	23.	
21	10	1985	A39	0.78	N	N	0	nil	23.	
21	10	1985	A40	0.7	II	N	0	nil	22.	
21	10	1985	A41	0.62	N	N	0	nil	20.	
21	10	1985	A42	0.57	N	N	0	nil	21.	
21	10	1985	A43	0.8	N	N	0	nil	25.	
21	10	1985	A44	0.86	N	N	0	nil	25.	
21	10	1985	A45	0.95	N	N	0	nil	24.	
21	10	1985	A46	0.82	N	N	0	nil	25.	
21	10	1985	A47	0.84	N	N	0	nil	24.	
21	10	1985	A48	0.79	N	N	0	nil	23.	
21	10	1985	A49	0.72	N	N	0	nil	23.	
21	10	1985	B01	1.13	Y	N	0	mon	26.	
21	10	1985	B02	1.	Y	N	0	mon	26.	
21	10	1985	B03	1.04	Y	N	0	mon	26.	
21	10	1985	B04	1.13	Y	N	0	mon	26.	
21	10	1985	B05	1.07	Y	N	0	mon	25.	
21	10	1985	B06	1.05	Y	N	0	mon	23.	
21	10	1985	B07	0.74	Y	N	0	mon	26.	
21	10	1985	B08	0.75	Y	N	0	mon	27.	
21	10	1985	B09	0.6	Y	N	0	mon	25.	
21	10	1985	B10	0.61	Y	N	0	mon	23.	
21	10	1985	B11	0.8	Y	N	0	mon	25.	
21	10	1985	B13	0.52	Y	N	0	mon	24.	
21	10	1985	B14	0.4	Y	N	0	mon	23.	
21	10	1985	B15	0.4	Y	N	0	mon	28.	
21	10	1985	B16	0.43	Y	N	0	mon	26.	
21	10	1985	B18	0.38	Y	N	0	mon	22.	
21	10	1985	B19	0.39	Y	N	0	mon	22.	
21	10	1985	B20	0.41	Y	N	0	mon	26.	
22	10	1985	A29	0.65	N	N	0	nil		
22	10	1985	A30	0.73	N	N	0	nil		
22	10	1985	A31	0.73	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
22	10	1985	A32	0.7	N	N	0	nil		
22	10	1985	A33	0.64	N	N	0	nil		
22	10	1985	A34	0.66	N	N	0	nil		
22	10	1985	A35	0.65	N	N	0	nil		
22	10	1985	A36	0.76	N	N	0	nil		
22	10	1985	A37	0.66	N	N	0	nil		
22	10	1985	A38	0.79	N	N	0	nil		
22	10	1985	A39	0.77	N	N	0	nil		
22	10	1985	A40	0.69	N	N	0	nil		
22	10	1985	A41	0.62	N	N	0	nil		
22	10	1985	A42	0.59	N	N	0	nil		
22	10	1985	A43	0.82	N	N	0	nil		
22	10	1985	A44	0.97	N	N	0	nil		
22	10	1985	A45	0.99	N	N	0	nil		
22	10	1985	A46	0.83	N	N	0	nil		
22	10	1985	A47	0.85	N	N	0	nil		
22	10	1985	A48	0.8	N	N	0	nil		
22	10	1985	A49	0.74	N	N	0	nil		
22	10	1985	B01	1.21	Y	N	0	mon		
22	10	1985	B02	1.12	Y	N	0	mon		
22	10	1985	B03	1.14	Y	N	0	mon		
22	10	1985	B04	1.13	Y	N	0	mon		
22	10	1985	B05	1.09	Y	N	0	mon		
22	10	1985	B06	1.04	Y	N	0	mon		
22	10	1985	B07	0.78	N	N	0	mon		
22	10	1985	B08	0.79	N	N	0	mon		
22	10	1985	B09	0.88	N	N	0	mon		
22	10	1985	B10	0.67	N	N	0	mon		
22	10	1985	B11	0.86	N	N	0	mon		
22	10	1985	B13	0.53	Y	N	0	mon		
22	10	1985	B14	0.48	N	N	0	mon		
22	10	1985	B15	0.48	N	N	0	mon		
22	10	1985	B16	0.49	N	N	0	mon		
22	10	1985	B18	0.44	N	N	0	mon		
22	10	1985	B19	0.45	N	N	0	mon		
22	10	1985	B20	0.48	N	N	0	mon		
23	10	1985	A29	0.65	N	N	0	nil	23.	
23	10	1985	A30	0.73	N	N	0	nil	24.	
23	10	1985	A31	0.74	N	N	0	nil	22.	
23	10	1985	A32	0.7	N	N	0	nil	23.	
23	10	1985	A33	0.64	N	N	0	nil	23.	
23	10	1985	A34	0.66	N	N	0	nil	23.	
23	10	1985	A35	0.69	N	N	0	nil	22.	
23	10	1985	A36	0.77	N	N	0	nil	23.	
23	10	1985	A37	0.67	N	N	0	nil	21.	
23	10	1985	A38	0.81	N	N	0	nil	23.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
23	10	1985	A39	0.8	N	N	0	nil	23.	.
23	10	1985	A40	0.7	N	N	0	nil	21.	
23	10	1985	A41	0.63	N	N	0	nil	20.	
23	10	1985	A42	0.6	N	N	0	nil	20.	
23	10	1985	A43	0.86	N	N	0	nil	24.	
23	10	1985	A44	0.98	N	N	0	nil	21.	
23	10	1985	A45	0.99	N	N	0	nil	22.	
23	10	1985	A46	0.9	N	N	0	nil	23.	
23	10	1985	A47	0.9	N	N	0	nil	23.	
23	10	1985	A48	0.84	N	N	0	nil	23.	
23	10	1985	A49	0.78	N	N	0	nil	22.	
23	10	1985	B01	1.24	Y	N	0	mon	21.66667	
23	10	1985	B02	1.1	Y	N	0	mon	18.33333	
23	10	1985	B03	1.15	Y	N	0	mon	21.33333	
23	10	1985	B04	1.25	Y	N	0	mon	20.66667	
23	10	1985	B05	1.26	Y	N	0	mon	20.	
23	10	1985	B06	1.15	Y	N	0	mon	19.66667	
23	10	1985	B07	0.84	N	N	0	mon	23.	
23	10	1985	B08	0.87	N	N	0	mon	24.	
23	10	1985	B09	0.91	N	N	0	mon	21.	
23	10	1985	B10	0.87	N	N	0	mon	20.	
23	10	1985	B11	0.91	N	N	0	mon	23.	
23	10	1985	B13	0.74	N	N	0	mon	17.	
23	10	1985	B14	0.54	N	N	0	mon	24.	
23	10	1985	B15	0.5	N	N	0	mon	24.	
23	10	1985	B16	0.51	N	N	0	mon	23.	
23	10	1985	B18	0.49	N	N	0	mon	18.	
23	10	1985	B19	0.49	N	N	0	mon	19.	
23	10	1985	B20	0.52	N	N	0	mon	21.	
24	10	1985	A29	0.64	N	N	0	nil		
24	10	1985	A30	0.71	N	N	0	nil		
24	10	1985	A31	0.72	N	N	0	nil		
24	10	1985	A32	0.69	N	N	0	nil		
24	10	1985	A33	0.63	N	N	0	nil		
24	10	1985	A34	0.65	N	N	0	nil		
24	10	1985	A35	0.68	N	N	0	nil		
24	10	1985	A36	0.77	N	N	0	nil		
24	10	1985	A37	0.67	N	N	0	nil		
24	10	1985	A38	0.82	N	N	0	nil		
24	10	1985	A39	0.8	N	N	0	nil		
24	10	1985	A40	0.7	N	N	0	nil		
24	10	1985	A41	0.62	N	N	0	nil		
24	10	1985	A42	0.59	N	N	0	nil		
24	10	1985	A43	0.85	N	N	0	nil		
24	10	1985	A44	0.93	N	N	0	nil		
24	10	1985	A45	0.99	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
24	10	1985	A46	0.88	N	N	0	nil		
24	10	1985	A47	0.91	N	N	0	nil		
24	10	1985	A48	0.85	N	N	0	nil		
24	10	1985	A49	0.79	N	N	0	nil		
24	10	1985	B01	1.3	Y	N	0	mon		
24	10	1985	B02	1.19	Y	N	0	mon		
24	10	1985	B03	1.22	Y	N	0	mon		
24	10	1985	B04	1.23	Y	N	0	mon		
24	10	1985	B05	1.21	Y	N	0	mon		
24	10	1985	B06	1.12	Y	N	0	mon		
24	10	1985	B07	0.88	N	N	0	mon		
24	10	1985	B08	0.91	N	N	0	mon		
24	10	1985	B09	0.92	N	N	0	mon		
24	10	1985	B10	0.89	N	N	0	mon		
24	10	1985	B11	0.97	N	N	0	mon		
24	10	1985	B13	0.7	N	N	0	mon		
24	10	1985	B14	0.55	N	N	0	mon		
24	10	1985	B15	0.5	N	N	0	mon		
24	10	1985	B16	0.53	N	N	0	mon		
24	10	1985	B18	0.49	N	N	0	mon		
24	10	1985	B19	0.49	N	N	0	mon		
24	10	1985	B20	0.52	N	N	0	mon		
25	10	1985	A29	0.62	N	N	0	nil	23.	
25	10	1985	A30	0.7	N	N	0	nil	23.	
25	10	1985	A31	0.7	N	N	0	nil	22.	
25	10	1985	A32	0.68	N	N	0	nil	23.	
25	10	1985	A33	0.61	N	N	0	nil	23.	
25	10	1985	A34	0.63	N	N	0	nil	24.	
25	10	1985	A35	0.66	N	N	0	nil	22.	
25	10	1985	A36	0.76	N	N	0	nil	22.	
25	10	1985	A37	0.66	N	N	0	nil	22.	
25	10	1985	A38	0.8	N	N	0	nil	23.	
25	10	1985	A39	0.79	N	N	0	nil	22.	
25	10	1985	A40	0.69	N	N	0	nil	21.	
25	10	1985	A41	0.61	N	N	0	nil	20.	
25	10	1985	A42	0.58	N	N	0	nil	20.	
25	10	1985	A43	0.85	N	N	0	nil	24.	
25	10	1985	A44	0.9	N	N	0	nil	23.	
25	10	1985	A45	0.99	N	N	0	nil	23.	
25	10	1985	A46	0.86	N	N	0	nil	23.	
25	10	1985	A47	0.9	N	N	0	nil	22.	
25	10	1985	A48	0.85	N	N	0	nil	22.	
25	10	1985	A49	0.81	N	N	0	nil	22.	
25	10	1985	B01	1.28	Y	N	0	mon	21.	
25	10	1985	B02	1.19	Y	N	0	mon	20.33333	
25	10	1985	B03	1.23	Y	N	0	mon	21.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
25	10	1985	B04	1.24	Y	N	0	mon	21.	
25	10	1985	B05	1.2	Y	N	0	mon	21.66667	
25	10	1985	B06	1.15	Y	N	0	mon	20.	
25	10	1985	B07	0.91	N	N	0	mon	23.	
25	10	1985	B08	0.94	N	N	0	mon	23.	
25	10	1985	B09	0.93	N	N	0	mon	21.	
25	10	1985	B10	0.89	N	N	0	mon	20.	
25	10	1985	B11	1.	N	N	0	mon	21.	
25	10	1985	B13	0.76	N	N	0	mon	15.	
25	10	1985	B14	0.53	Y	N	0	mon	19.	
25	10	1985	B15	0.51	Y	N	0	mon	21.	
25	10	1985	B16	0.5	Y	N	0	mon	22.	
25	10	1985	B18	0.5	Y	N	0	mon	18.	
25	10	1985	B19	0.5	Y	N	0	mon	18.	
25	10	1985	B20	0.51	Y	N	0	mon	20.	
26	10	1985	A29	0.59	N	N	0	nil	23.	
28	10	1985	A30	0.69	N	N	0	nil	23.	
28	10	1985	A31	0.67	N	N	0	nil	22.	
28	10	1985	A32	0.64	N	N	0	nil	23.	
28	10	1985	A33	0.57	N	N	0	nil	23.	
28	10	1985	A34	0.6	N	N	0	nil	23.	
28	10	1985	A35	0.62	N	N	0	nil	22.	
28	10	1985	A36	0.72	N	N	0	nil	22.	
28	10	1985	A37	0.62	N	N	0	nil	21.	
28	10	1985	A38	0.75	N	N	0	nil	23.	
28	10	1985	A39	0.74	N	N	0	nil	22.	
28	10	1985	A40	0.65	N	N	0	nil	21.	
28	10	1985	A41	0.58	N	N	0	nil	20.	
28	10	1985	A42	0.55	N	N	0	nil	20.	
28	10	1985	A43	0.82	N	N	0	nil	24.	
28	10	1985	A44	0.88	N	N	0	nil	23.	
28	10	1985	A45	0.97	N	N	0	nil	23.	
28	10	1985	A46	0.81	N	N	0	nil	23.	
28	10	1985	A47	0.89	N	N	0	nil	23.	
28	10	1985	A48	0.83	N	N	0	nil	23.	
28	10	1985	A49	0.8	N	N	0	nil	22.	
28	10	1985	B01	1.5	Y	N	0	mon	22.	
28	10	1985	B02	1.47	Y	N	0	mon	22.33333	
28	10	1985	B03	1.49	Y	N	0	mon	23.	
28	10	1985	B04	1.48	Y	N	0	mon	23.	
28	10	1985	B05	1.46	Y	N	0	mon	22.33333	
28	10	1985	B06	1.38	Y	N	0	mon	21.66667	
28	10	1985	B07	1.	Y	N	0	mon	24.	
28	10	1985	B08	1.	Y	N	0	mon	24.	
28	10	1985	B09	1.	Y	N	0	mon	21.	
28	10	1985	B10	1.	Y	N	0	mon	21.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
28	10	1985	B11	1.	Y	N	0	mon	23.	
28	10	1985	B13	0.71	Y	N	0	mon	16.	
28	10	1985	B14	0.6	Y	N	0	mon	20.	
28	10	1985	B15	0.61	Y	N	0	mon	23.	
28	10	1985	B16	0.65	Y	N	0	mon	22.	
28	10	1985	B18	0.64	Y	N	0	mon	23.	
28	10	1985	B19	0.65	Y	N	0	mon	20.	
28	10	1985	B20	0.65	Y	N	0	mon	21.	
29	10	1985	A29	0.6	N	N	2	nil	25.	
29	10	1985	A30	0.59	N	N	0	nil	24.	
29	10	1985	A31	0.57	N	N	0	nil	23.	
29	10	1985	A32	0.63	N	N	0	nil	24.	
29	10	1985	A33	0.65	N	N	0	nil	24.	
29	10	1985	A34	0.66	N	N	0	nil	25.	
29	10	1985	A35	0.58	N	N	0	nil	24.	
29	10	1985	A36	0.7	N	N	0	nil	24.	
29	10	1985	A37	0.6	N	N	4	nil	23.	
29	10	1985	A38	0.76	N	N	0	nil	24.	
29	10	1985	A39	0.73	N	N	0	nil	24.	
29	10	1985	A40	0.64	N	N	0	nil	23.	
29	10	1985	A41	0.56	N	N	0	nil	22.	
29	10	1985	A42	0.53	N	N	0	nil	22.	
29	10	1985	A43	0.82	N	N	0	nil	25.	
29	10	1985	A44	0.89	N	N	0	nil	25.	
29	10	1985	A45	0.77	N	N	3	nil	24.	
29	10	1985	A46	0.82	N	N	0	nil	24.	
29	10	1985	A47	0.86	N	N	0	nil	24.	
29	10	1985	A48	0.82	N	N	0	nil	24.	
29	10	1985	A49	0.79	N	N	0	nil	23.	
29	10	1985	B01	1.46	Y	N	0	mon		
29	10	1985	B02	1.4	Y	N	0	mon		
29	10	1985	B03	1.45	Y	N	0	mon		
29	10	1985	B04	1.41	Y	N	0	mon		
29	10	1985	B05	1.41	Y	N	0	mon		
29	10	1985	B06	1.29	Y	N	0	mon		
29	10	1985	B07	1.01	Y	N	0	mon		
29	10	1985	B08	1.	Y	N	0	mon		
29	10	1985	B09	1.	Y	N	0	mon		
29	10	1985	B10	0.97	Y	N	0	mon		
29	10	1985	B11	1.	Y	N	0	mon		
29	10	1985	B13	0.75	Y	N	0	mon		
29	10	1985	B14	0.45	Y	N	0	mon		
29	10	1985	B15	0.4	Y	N	0	mon		
29	10	1985	B16	0.41	Y	N	0	mon		
29	10	1985	B18	0.4	Y	N	0	mon		
29	10	1985	B19	0.45	Y	N	0	mon		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
29	10	1985	B20	0.43	Y	N	0	mon		
30	10	1985	B01	1.41	N	N	0	mon	23.33333	
30	10	1985	B02	1.35	N	N	0	mon	24.33333	
30	10	1985	B03	1.4	N	N	0	mon	24.	
30	10	1985	B04	1.37	N	N	0	mon	24.	
30	10	1985	B05	1.35	N	N	0	mon	22.33333	
30	10	1985	B06	1.22	N	N	0	mon	23.	
30	10	1985	B07	1.	N	N	0	mon	25.	
30	10	1985	B08	1.01	N	N	0	mon	25.	
30	10	1985	B09	1.	N	N	0	mon	24.	
30	10	1985	B10	0.95	N	N	0	mon	24.	
30	10	1985	B11	1.	N	N	0	mon	24.	
30	10	1985	B13	0.66	Y	N	0	mon	17.	
30	10	1985	B14	0.45	Y	N	0	mon	25.	
30	10	1985	B15	0.48	Y	N	0	mon	26.	
30	10	1985	B16	0.55	Y	N	0	mon	25.	
30	10	1985	B18	0.4	Y	N	0	mon	23.	
30	10	1985	B19	0.48	Y	N	0	mon	22.	
30	10	1985	B20	0.47	Y	N	0	mon	25.	
31	10	1985	A29	0.53	Y	N	19	nil	28.	
31	10	1985	A30	0.6	Y	N	4	nil	28.	
31	10	1985	A31	0.65	Y	N	2	nil	27.	
31	10	1985	A32	0.66	Y	N	6	nil	28.	
31	10	1985	A33	0.58	Y	N	5	nil	27.	
31	10	1985	A34	0.58	Y	N	15	nil	27.	
31	10	1985	A35	0.63	Y	N	12	nil	26.	
31	10	1985	A36	0.52	Y	N	15	nil	27.	
31	10	1985	A37	0.47	Y	N	17	nil	30.	
31	10	1985	A38	0.63	Y	N	12	nil	27.	
31	10	1985	A39	0.58	Y	N	28	nil	28.	
31	10	1985	A40	0.5	Y	N	4	nil	28.	
31	10	1985	A41	0.44	Y	N	6	nil	28.	
31	10	1985	A42	0.42	Y	N	11	nil	26.	
31	10	1985	A43	0.6	Y	N	8	nil	28.	
31	10	1985	A44	0.67	Y	N	66	nil	28.	
31	10	1985	A45	0.73	Y	N	37	nil	26.	
31	10	1985	A46	0.67	Y	N	6	nil	25.	
31	10	1985	A47	0.64	Y	N	3	nil	27.	
31	10	1985	A48	0.57	Y	N	3	nil	29.	
31	10	1985	A49	0.58	Y	N	3	nil	25.	
31	10	1985	B01	1.47	N	N	0	mon		
31	10	1985	B02	1.42	N	N	0	mon		
31	10	1985	B03	1.4	N	N	0	mon		
31	10	1985	B04	1.41	N	N	0	mon		
31	10	1985	B05	1.4	N	N	0	mon		
31	10	1985	B06	1.3	N	N	0	mon		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
31	10	1985	B07	1.	N	N	0	mon		
31	10	1985	B08	1.	N	N	0	mon		
31	10	1985	B09	1.01	N	N	0	mon		
31	10	1985	B10	1.01	N	N	0	mon		
31	10	1985	B11	1.02	N	N	0	mon		
31	10	1985	B13	0.64	Y	N	0	mon		
31	10	1985	B14	0.49	N	N	0	mon		
31	10	1985	B15	0.5	N	N	0	mon		
31	10	1985	B16	0.52	N	N	0	mon		
31	10	1985	B18	0.48	N	N	0	mon		
31	10	1985	B19	0.5	N	N	0	mon		
31	10	1985	B20	0.5	N	N	0	mon		
4	11	1985	A29	0.6	Y	N	5	nil	33.	
4	11	1985	A30	0.68	Y	N	3	nil	33.	
4	11	1985	A31	0.7	Y	N	6	nil	32.	
4	11	1985	A32	0.7	Y	N	5	nil	33.	
4	11	1985	A33	0.64	Y	N	5	nil	33.	
4	11	1985	A34	0.66	Y	N	2	nil	32.	
4	11	1985	A35	0.69	Y	N	6	nil	32.	
4	11	1985	A36	0.54	Y	N	9	nil	31.	
4	11	1985	A37	0.44	Y	N	2	nil	32.	
4	11	1985	A38	0.59	Y	N	8	nil	30.	
4	11	1985	A39	0.58	Y	N	8	nil	31.	
4	11	1985	A40	0.49	Y	N	6	nil	31.	
4	11	1985	A41	0.43	Y	N	14	nil	30.	
4	11	1985	A42	0.4	Y	N	13	nil	30.	
4	11	1985	A43	0.6	Y	N	11	nil	30.	
4	11	1985	A44	0.78	Y	N	4	nil	29.	
4	11	1985	A45	0.82	Y	N	2	nil	29.	
4	11	1985	A46	0.76	Y	N	17	nil	28.	
4	11	1985	A47	0.69	Y	N	17	nil	30.	
4	11	1985	A48	0.62	Y	N	7	nil	30.	
4	11	1985	A49	0.67	Y	N	10	nil	28.	
4	11	1985	B01	1.35	Y	N	0	mon	25.66667	
4	11	1985	B02	1.33	Y	N	0	mon	27.	
4	11	1985	B03	1.31	Y	N	0	mon	25.66667	
4	11	1985	B04	1.33	Y	N	0	mon	26.	
4	11	1985	B05	1.31	Y	N	0	mon	25.33333	
4	11	1985	B06	1.2	Y	N	0	mon	26.	
4	11	1985	B07	0.99	Y	N	0	mon	27.	
4	11	1985	B08	1.	Y	N	0	mon	27.	
4	11	1985	B09	1.	Y	N	0	mon	26.	
4	11	1985	B10	0.95	Y	N	0	mon	27.	
4	11	1985	B11	0.96	Y	N	0	mon	28.	
4	11	1985	B13	0.79	Y	N	0	mon	24.	
4	11	1985	B14	0.58	Y	N	0	mon	28.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
4	11	1985	B15	0.5	Y	N	0	mon	30.	
4	11	1985	B16	0.59	Y	N	0	mon	27.	
4	11	1985	B18	0.45	Y	N	0	mon	28.	
4	11	1985	B19	0.46	Y	N	0	mon	26.	
4	11	1985	B20	0.46	Y	N	0	mon	29.	
5	11	1985	A29	0.56	N	N	0	nil		
5	11	1985	A30	0.67	N	N	0	nil		
5	11	1985	A31	0.69	N	N	0	nil		
5	11	1985	A32	0.67	N	N	0	nil		
5	11	1985	A33	0.62	N	N	0	nil		
5	11	1985	A34	0.64	N	N	0	nil		
5	11	1985	A35	0.67	N	N	0	nil		
5	11	1985	A36	0.55	N	N	0	nil		
5	11	1985	A37	0.45	N	N	0	nil		
5	11	1985	A38	0.59	N	N	0	nil		
5	11	1985	A39	0.6	N	N	0	nil		
5	11	1985	A40	0.49	N	N	0	nil		
5	11	1985	A41	0.43	N	N	0	nil		
5	11	1985	A42	0.39	N	N	0	nil		
5	11	1985	A43	0.6	N	N	0	nil		
5	11	1985	A44	0.8	N	N	0	nil		
5	11	1985	A45	0.34	N	N	0	nil		
5	11	1985	A46	0.8	N	N	0	nil		
5	11	1985	A47	0.7	N	N	0	nil		
5	11	1985	A48	0.64	N	N	0	nil		
5	11	1985	A49	0.68	N	N	0	nil		
5	11	1985	B01	1.44	Y	N	0	mon		
5	11	1985	B02	1.4	Y	N	0	mon		
5	11	1985	B03	1.4	Y	N	0	mon		
5	11	1985	B04	1.42	Y	N	0	mon		
5	11	1985	B05	1.34	Y	N	0	mon		
5	11	1985	B06	1.33	Y	N	0	mon		
5	11	1985	B07	1.	Y	N	0	mon		
5	11	1985	B08	1.	Y	N	0	mon		
5	11	1985	B09	1.	Y	N	0	mon		
5	11	1985	B10	0.95	Y	N	0	mon		
5	11	1985	B11	0.96	Y	N	0	mon		
5	11	1985	B13	0.73	Y	N	0	mon		
5	11	1985	B14	0.58	Y	N	0	mon		
5	11	1985	B15	0.5	Y	N	0	mon		
5	11	1985	B16	0.58	Y	N	0	mon		
5	11	1985	B18	0.43	Y	N	0	mon		
5	11	1985	B19	0.45	Y	N	0	mon		
5	11	1985	B20	0.45	Y	N	0	mon		
6	11	1985	A29	0.53	N	N	0	nil	31.	
6	11	1985	A30	0.66	N	N	0	nil	31.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
6	11	1985	A31	0.68	N	N	0	nil	30.	
6	11	1985	A32	0.65	N	N	0	nil	31.	
6	11	1985	A33	0.6	N	N	0	nil	31.	
6	11	1985	A34	0.62	N	N	0	nil	30.	
6	11	1985	A35	0.65	N	N	0	nil	30.	
6	11	1985	A36	0.55	N	N	0	nil	30.	
6	11	1985	A37	0.45	N	N	0	nil	31.	
6	11	1985	A38	0.59	N	N	0	nil	29.	
6	11	1985	A39	0.6	N	N	0	nil	30.	
6	11	1985	A40	0.49	N	N	0	nil	30.	
6	11	1985	A41	0.44	N	N	0	nil	30.	
6	11	1985	A42	0.39	N	N	0	nil	29.	
6	11	1985	A43	0.6	N	N	0	nil	30.	
6	11	1985	A44	0.82	N	N	0	nil	27.	
6	11	1985	A45	0.85	N	N	0	nil	28.	
6	11	1985	A46	0.82	N	N	0	nil	26.	
6	11	1985	A47	0.72	N	N	0	nil	29.	
6	11	1985	A48	0.66	N	N	0	nil	30.	
6	11	1985	A49	0.68	N	N	0	nil	25.	
6	11	1985	B01	1.45	Y	N	0	mon	25.33333	
6	11	1985	B02	1.4	Y	N	0	mon	27.	
6	11	1985	B03	1.39	Y	N	0	mon	26.	
6	11	1985	B04	1.4	Y	N	0	mon	26.	
6	11	1985	B05	1.38	Y	N	0	mon	26.	
6	11	1985	B06	1.24	Y	N	0	mon	26.	
6	11	1985	B07	1.	N	N	0	mon	27.	
6	11	1985	B08	1.	N	N	0	mon	27.	
6	11	1985	B09	1.	N	N	0	mon	26.	
6	11	1985	B10	0.95	N	N	0	mon	26.	
6	11	1985	B11	0.98	N	N	0	mon	27.	
6	11	1985	B13	0.69	Y	N	0	mon	23.	
6	11	1985	B14	0.56	Y	N	0	mon	27.	
6	11	1985	B15	0.54	Y	N	0	mon	29.	
6	11	1985	B16	0.58	Y	N	0	mon	27.	
6	11	1985	B18	0.41	Y	N	0	mon	29.	
6	11	1985	B19	0.55	Y	N	0	mon	25.	
6	11	1985	B20	0.45	Y	N	0	mon	27.	
7	11	1985	B01	1.46	Y	N	0	mon		
7	11	1985	B02	1.39	Y	N	0	mon		
7	11	1985	B03	1.41	Y	N	0	mon		
7	11	1985	B04	1.43	Y	N	0	mon		
7	11	1985	B05	1.39	Y	N	0	mon		
7	11	1985	B06	1.17	Y	N	0	mon		
7	11	1985	B07	1.05	N	N	0	mon		
7	11	1985	B08	1.05	N	N	0	mon		
7	11	1985	B09	0.99	N	N	0	mon		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
7	11	1985	B10	0.89	N	N	0	mon		
7	11	1985	B11	0.91	N	N	0	mon		
7	11	1985	B13	0.67	N	N	0	mon		
7	11	1985	B14	0.59	N	N	0	mon		
7	11	1985	B15	0.64	N	N	0	mon		
7	11	1985	B16	0.6	N	N	0	mon		
7	11	1985	B18	0.58	N	N	0	mon		
7	11	1985	B19	0.62	Y	N	0	mon		
7	11	1985	B20	0.6	N	N	0	mon		
8	11	1985	A29	0.56	N	N	0	nil	32.	
8	11	1985	A30	0.65	N	N	0	nil	33.	
8	11	1985	A31	0.66	N	N	0	nil	32.	
8	11	1985	A32	0.64	N	N	0	nil	33.	
8	11	1985	A33	0.59	N	N	0	nil	34.	
8	11	1985	A34	0.6	N	N	0	nil	33.	
8	11	1985	A35	0.64	N	N	0	nil	32.	
8	11	1985	A36	0.53	N	N	0	nil	32.	
8	11	1985	A37	0.46	N	N	0	nil	33.	
8	11	1985	A38	0.6	N	N	0	nil	32.	
8	11	1985	A39	0.62	N	N	0	nil	32.	
8	11	1985	A40	0.5	N	N	0	nil	33.	
8	11	1985	A41	0.47	N	N	0	nil	32.	
8	11	1985	A42	0.42	N	N	0	nil	32.	
8	11	1985	A43	0.63	N	N	0	nil	32.	
8	11	1985	A44	0.35	N	N	0	nil	31.	
8	11	1985	A45	0.89	N	N	0	nil	30.	
8	11	1985	A46	0.87	N	N	0	nil	28.	
8	11	1985	A47	0.79	N	N	0	nil	30.	
8	11	1985	A48	0.7	N	N	0	nil	31.	
8	11	1985	A49	0.73	N	N	0	nil	28.	
8	11	1985	B01	1.43	Y	N	0	mon	25.	
8	11	1985	B02	1.35	Y	N	0	mon	24.66667	
8	11	1985	B03	1.41	Y	N	0	mon	25.33333	
9	11	1985	B04	1.42	Y	N	0	mon	25.	
8	11	1985	B05	1.41	Y	N	0	mon	25.	
8	11	1985	B06	1.24	N	N	0	mon	25.	
8	11	1985	B07	1.05	N	N	0	mon	25.	
8	11	1985	B08	1.02	N	N	0	mon	25.	
8	11	1985	B09	0.99	N	N	0	mon	25.	
8	11	1985	B10	0.88	N	N	0	mon	25.	
8	11	1985	B11	0.95	N	N	0	mon	25.	
8	11	1985	B13	0.83	N	N	0	mon	23.	
8	11	1985	B14	0.61	N	N	0	mon	26.	
8	11	1985	B15	0.65	N	N	0	mon	27.	
8	11	1985	B16	0.67	N	N	0	mon	27.	
8	11	1985	B18	0.62	N	N	0	mon	27.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
8	11	1985	B19	0.61	N	N	0	mon	25.	
8	11	1985	B20	0.65	N	N	0	mon	27.	
11	11	1985	A29	0.47	N	N	0	nil	32.	
11	11	1985	A30	0.62	N	N	0	nil	32.	
11	11	1985	A31	0.63	N	N	0	nil	31.	
11	11	1985	A32	0.6	N	N	0	nil	32.	
11	11	1985	A33	0.55	N	N	0	nil	32.	
11	11	1985	A34	0.57	N	N	0	nil	32.	
11	11	1985	A35	0.59	N	N	0	nil	32.	
11	11	1985	A36	0.57	N	N	0	nil	30.	
11	11	1985	A37	0.56	N	N	0	nil	31.	
11	11	1985	A38	0.6	N	N	0	nil	30.	
11	11	1985	A39	0.62	N	N	0	nil	30.	
11	11	1985	A40	0.57	N	N	0	nil	31.	
11	11	1985	A41	0.54	N	N	0	nil	30.	
11	11	1985	A42	0.46	N	N	0	nil	30.	
11	11	1985	A43	0.65	N	N	0	nil	30.	
11	11	1985	A44	0.85	N	N	0	nil	28.	
11	11	1985	A45	0.86	N	N	0	nil	28.	
11	11	1985	A46	0.88	N	N	0	nil	27.	
11	11	1985	A47	0.8	N	N	0	nil	28.	
11	11	1985	A48	0.73	N	N	0	nil	30.	
11	11	1985	A49	0.74	N	N	0	nil	27.	
11	11	1985	B01	1.35	N	N	0	mon	25.	
11	11	1985	B02	1.38	Y	N	12	mon	25.	
11	11	1985	B03	1.25	N	N	0	mon	25.33333	
11	11	1985	B04	1.4	Y	N	0	mon	25.66667	
11	11	1985	B05	1.3	N	N	0	mon	25.	
11	11	1985	B06	1.14	N	N	0	mon	25.	
11	11	1985	B07	1.	N	N	0	mon	25.	
11	11	1985	B08	1.	N	N	0	mon	25.	
11	11	1985	B09	0.95	N	N	0	mon	25.	
11	11	1985	B10	0.88	N	N	0	mon	26.	
11	11	1985	B11	0.95	N	N	0	mon	25.	
11	11	1985	B13	0.82	N	N	0	mon	25.	
11	11	1985	B14	0.64	N	N	0	mon	26.	
11	11	1985	B15	0.63	N	N	0	mon	25.	
11	11	1985	B16	0.61	N	N	0	mon	26.	
11	11	1985	B18	0.6	N	N	0	mon	25.	
11	11	1985	B19	0.61	N	N	0	mon	26.	
11	11	1985	B20	0.63	N	N	0	mon	26.	
12	11	1985	A29	0.45	N	N	0	nil		
12	11	1985	A30	0.59	N	N	0	nil		
12	11	1985	A31	0.6	N	N	0	nil		
12	11	1985	A32	0.58	N	N	0	nil		
12	11	1985	A33	0.53	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
12	11	1985	A34	0.55	N	N	0	nil		
12	11	1985	A35	0.57	N	N	0	nil		
12	11	1985	A36	0.69	N	N	0	nil		
12	11	1985	A37	0.59	N	N	0	nil		
12	11	1985	A38	0.62	N	N	0	nil		
12	11	1985	A39	0.65	N	N	0	nil		
12	11	1985	A40	0.59	N	N	0	nil		
12	11	1985	A41	0.53	N	N	0	nil		
12	11	1985	A42	0.52	N	N	0	nil		
12	11	1985	A43	0.63	N	N	0	nil		
12	11	1985	A44	0.85	N	N	0	nil		
12	11	1985	A45	0.86	N	N	0	nil		
12	11	1985	A46	0.88	N	N	0	nil		
12	11	1985	A47	0.8	N	N	0	nil		
12	11	1985	A48	0.73	N	N	0	nil		
12	11	1985	A49	0.74	N	N	0	nil		
12	11	1985	B01	1.35	Y	N	0	mon	25.	
12	11	1985	B02	1.38	Y	N	0	mon	25.	
12	11	1985	B03	1.35	Y	N	0	mon	25.33333	
12	11	1985	B04	1.4	Y	N	0	mon	25.66667	
12	11	1985	B05	1.3	Y	N	0	mon	25.	
12	11	1985	B06	1.14	Y	N	0	mon	25.	
12	11	1985	B07	1.	Y	N	0	mon	25.	
12	11	1985	B08	1.	Y	N	0	mon	25.	
12	11	1985	B09	0.95	Y	N	0	mon	25.	
12	11	1985	B10	0.88	Y	N	0	mon	26.	
12	11	1985	B11	0.95	Y	N	0	mon	25.	
12	11	1985	B13	0.82	Y	N	0	mon	25.	
12	11	1985	B14	0.64	Y	N	0	mon	26.	
12	11	1985	B15	0.63	Y	N	0	mon	25.	
12	11	1985	B16	0.61	Y	N	0	mon	26.	
12	11	1985	B18	0.6	Y	N	0	mon	25.	
12	11	1985	B19	0.61	Y	N	0	mon	26.	
12	11	1985	B20	0.63	Y	N	0	mon	26.	
13	11	1985	A29	0.57	N	N	0	nil	33.	
13	11	1985	A30	0.55	N	N	0	nil	33.	
13	11	1985	A31	0.56	N	N	0	nil	32.	
13	11	1985	A32	0.58	N	N	0	nil	34.	
13	11	1985	A33	0.6	N	N	0	nil	33.	
13	11	1985	A34	0.57	N	N	0	nil	33.	
13	11	1985	A35	0.45	N	N	0	nil	33.	
13	11	1985	A36	0.67	N	N	0	nil	31.	
13	11	1985	A37	0.57	N	N	0	nil	31.	
13	11	1985	A38	0.67	N	N	0	nil	31.	
13	11	1985	A39	0.69	N	N	0	nil	30.	
13	11	1985	A40	0.59	N	N	0	nil	31.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
13	11	1985	A41	0.52	N	N	0	nil	31.	
13	11	1985	A42	0.5	N	N	0	nil	30.	
13	11	1985	A43	0.71	N	N	0	nil	30.	
13	11	1985	A44	0.81	N	N	0	nil	29.	
13	11	1985	A45	0.84	N	N	0	nil	28.	
13	11	1985	A46	0.85	N	N	0	nil	27.	
13	11	1985	A47	0.78	N	N	0	nil	29.	
13	11	1985	A48	0.7	N	N	0	nil	30.	
13	11	1985	A49	0.71	N	N	0	nil	27.	
14	11	1985	A29	0.7	N	N	0	nil	34.	
14	11	1985	A30	0.78	N	N	0	nil	33.	
14	11	1985	A31	0.8	N	N	0	nil	34.	
14	11	1985	A32	0.75	N	N	0	nil	34.	
14	11	1985	A33	0.68	N	N	0	nil	34.	
14	11	1985	A34	0.67	N	N	0	nil	34.	
14	11	1985	A35	0.73	N	N	0	nil	34.	
14	11	1985	A36	0.74	N	N	0	nil	34.	
14	11	1985	A37	0.67	N	N	0	nil	34.	
14	11	1985	A38	0.85	N	N	0	nil	33.	
14	11	1985	A39	0.87	N	N	0	nil	33.	
14	11	1985	A40	0.78	N	N	0	nil	34.	
14	11	1985	A41	0.74	N	N	0	nil	33.	
14	11	1985	A42	0.72	N	N	0	nil	31.	
14	11	1985	A43	0.81	N	N	0	nil	31.	
14	11	1985	A44	0.88	N	N	0	nil	30.	
14	11	1985	A45	0.97	N	N	0	nil	30.	
14	11	1985	A46	0.91	N	N	0	nil	30.	
14	11	1985	A47	0.93	N	N	0	nil	32.	
14	11	1985	A48	0.87	N	N	0	il	33.	
14	11	1985	A49	0.84	N	N	0	nil	30.	
15	11	1985	A29	0.64	N	N	0	nil	35.	
15	11	1985	A30	0.67	N	N	0	nil	35.	
15	11	1985	A31	0.74	N	N	0	nil	34.	
15	11	1985	A32	0.69	N	N	0	nil	35.	
15	11	1985	A33	0.65	N	N	0	nil	35.	
15	11	1985	A34	0.66	N	N	0	nil	35.	
15	11	1985	A35	0.72	N	N	0	nil	34.	
15	11	1985	A36	0.76	N	N	0	nil	34.	
15	11	1985	A37	0.66	N	N	0	nil	34.	
15	11	1985	A38	0.84	N	N	0	nil	34.	
15	11	1985	A39	0.84	N	N	0	nil	34.	
15	11	1985	A40	0.76	N	N	0	nil	34.	
15	11	1985	A41	0.69	N	N	0	nil	34.	
15	11	1985	A42	0.68	N	N	0	nil	34.	
15	11	1985	A43	0.82	N	N	0	nil	33.	
15	11	1985	A44	0.89	N	N	0	nil	32.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
15	11	1985	A45	0.99	N	N	0	nil	32.	
15	11	1985	A46	0.91	N	N	0	nil	31.	
15	11	1985	A47	0.92	N	N	0	nil	32.	
15	11	1985	A48	0.87	N	N	0	nil	33.	
15	11	1985	A49	0.82	N	N	0	nil	32.	
15	11	1985	B01	0.98	Y	N	0	mon	33.	
15	11	1985	B02	0.95	Y	N	0	mon	34.	
15	11	1985	B03	0.69	Y	N	0	mon	32.	
15	11	1985	B04	0.71	Y	N	0	mon	32.	
15	11	1985	B05	0.7	Y	N	0	mon	32.	
15	11	1985	B06	0.63	Y	N	0	mon	32.	
15	11	1985	B07	0.67	N	N	0	mon	31.	
15	11	1985	B08	0.7	N	N	0	mon	32.	
15	11	1985	B09	0.61	N	N	0	mon	32.	
15	11	1985	B10	0.63	N	N	0	mon	32.	
15	11	1985	B11	0.63	N	N	0	mon	33.	
15	11	1985	B13	0.55	N	N	0	mon	34.	
15	11	1985	B14	0.55	N	N	0	mon	34.	
15	11	1985	B15	0.6	N	N	0	mon	35.	
15	11	1985	B16	0.59	N	N	0	mon	35.	
15	11	1985	B18	0.54	N	N	0	mon	35.	
15	11	1985	B19	0.59	N	N	0	mon	35.	
15	11	1985	B20	0.61	N	N	0	mon	35.	
16	11	1985	A29	0.53	N	N	0	nil	31.	
16	11	1985	A30	0.68	N	N	0	nil	30.	
16	11	1985	A31	0.68	N	N	0	nil	30.	
16	11	1985	A32	0.65	N	N	0	nil	31.	
16	11	1985	A33	0.6	N	N	0	nil	31.	
16	11	1985	A34	0.62	N	N	0	nil	30.	
16	11	1985	A35	0.65	N	N	0	nil	30.	
16	11	1985	A36	0.55	N	N	0	nil	30.	
16	11	1985	A37	0.45	N	N	0	nil	31.	
16	11	1985	A38	0.59	N	N	0	nil	29.	
16	11	1985	A39	0.6	N	N	0	nil	30.	
16	11	1985	A40	0.49	N	N	0	nil	30.	
16	11	1985	A41	0.44	N	N	0	nil	30.	
16	11	1985	A42	0.39	N	N	0	nil	29.	
16	11	1985	A43	0.6	N	N	0	nil	30.	
16	11	1985	A44	0.82	N	N	0	nil	27.	
16	11	1985	A45	0.35	N	N	0	nil	28.	
16	11	1985	A46	0.82	N	N	0	nil	26.	
16	11	1985	A47	0.72	N	N	0	nil	29.	
16	11	1985	A48	0.66	N	N	0	nil	30.	
16	11	1985	A49	0.68	N	N	0	nil	25.	
18	11	1985	A29	0.65	N	N	0	nil	34.	
18	11	1985	A30	0.72	N	N	0	nil	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
18	11	1985	A31	0.73	N	N	0	nil	34.	
18	11	1985	A32	0.67	N	N	0	nil	34.	
18	11	1985	A33	0.63	N	N	0	nil	35.	
18	11	1985	A34	0.65	N	N	0	nil	35.	
18	11	1985	A35	0.68	N	N	0	nil	34.	
18	11	1985	A36	0.77	N	N	0	nil	33.	
18	11	1985	A37	0.66	N	N	0	nil	33.	
18	11	1985	A38	0.85	N	N	0	nil	32.	
18	11	1985	A39	0.84	N	N	0	nil	32.	
18	11	1985	A40	0.73	N	N	0	nil	34.	
18	11	1985	A41	0.66	N	N	0	nil	34.	
18	11	1985	A42	0.63	N	N	0	nil	34.	
18	11	1985	A43	0.83	N	N	0	nil	34.	
18	11	1985	A44	0.92	N	N	0	nil	31.	
18	11	1985	A45	0.99	N	N	0	nil	32.	
18	11	1985	A46	0.97	N	N	0	nil	32.	
18	11	1985	A47	0.96	N	N	0	nil	32.	
18	11	1985	A48	0.87	N	N	0	nil	33.	
18	11	1985	A49	0.87	N	N	0	nil	31.	
18	11	1985	B01	1.46	N	N	0	mon	30.	
18	11	1985	B02	1.44	N	N	0	mon	29.33333	
18	11	1985	B03	1.39	N	N	0	mon	29.33333	
18	11	1985	B04	1.39	N	N	0	mon	30.	
18	11	1985	B05	1.39	N	N	0	mon	30.33333	
18	11	1985	B06	1.3	N	N	0	mon	30.33333	
18	11	1985	B07	0.85	N	N	0	mon	30.	
18	11	1985	B08	0.85	N	N	0	mon	30.	
18	11	1985	B09	0.79	N	N	0	mon	30.	
18	11	1985	B10	0.75	N	N	0	mon	31.	
18	11	1985	B11	0.75	N	N	0	mon	30.	
18	11	1985	B13	0.69	N	N	0	mon	33.	
18	11	1985	B14	0.59	Y	N	0	mon	33.	
18	11	1985	B15	0.55	Y	N	0	mon	33.	
18	11	1985	B16	0.52	N	N	0	mon	33.	
18	11	1985	B18	0.52	Y	N	0	mon	33.	
18	11	1985	B19	0.57	N	N	0	mon	33.	
18	11	1985	B20	0.59	N	N	0	mon	33.	
19	11	1985	A29	0.65	N	N	0	nil		
19	11	1985	A30	0.7	N	N	0	nil		
19	11	1985	A31	0.72	N	N	0	nil		
19	11	1985	A32	0.66	N	N	0	nil		
19	11	1985	A33	0.62	N	N	0	nil		
19	11	1985	A34	0.65	N	N	0	nil		
19	11	1985	A35	0.67	N	N	0	nil		
19	11	1985	A36	0.77	N	N	0	nil		
19	11	1985	A37	0.67	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
19	11	1985	A38	0.85	N	N	0	nil		
19	11	1985	A39	0.84	N	N	0	nil		
19	11	1985	A40	0.72	N	N	0	nil		
19	11	1985	A41	0.65	N	N	0	nil		
19	11	1985	A42	0.62	N	N	0	nil		
19	11	1985	A43	0.85	N	N	0	nil		
19	11	1985	A44	0.93	N	N	0	nil		
19	11	1985	A45	0.99	N	N	0	nil		
19	11	1985	A46	0.99	N	N	0	nil		
19	11	1985	A47	0.97	N	N	0	nil		
19	11	1985	A48	0.89	N	N	0	nil		
19	11	1985	A49	0.9	N	N	0	nil		
19	11	1985	B01	1.47	Y	N	0	mon		
19	11	1985	B02	1.44	Y	N	0	mon		
19	11	1985	B03	1.46	Y	N	0	mon		
19	11	1985	B04	1.46	Y	N	0	mon		
19	11	1985	B05	1.44	Y	N	0	mon		
19	11	1985	B06	1.3	Y	N	0	mon		
19	11	1985	B07	0.96	Y	N	0	mon		
19	11	1985	B08	0.92	Y	N	0	mon		
19	11	1985	B09	0.84	Y	N	0	mon		
19	11	1985	B10	0.8	Y	N	0	mon		
19	11	1985	B11	0.79	Y	N	0	mon		
19	11	1985	B13	0.65	Y	N	0	mon		
19	11	1985	B14	0.58	Y	N	0	mon		
19	11	1985	B15	0.55	Y	N	0	mon		
19	11	1985	B16	0.51	Y	N	0	mon		
19	11	1985	B18	0.59	Y	N	0	mon		
19	11	1985	B19	0.53	Y	N	0	mon		
19	11	1985	B20	0.57	Y	N	0	mon		
20	11	1985	A29	0.66	N	N	0	nil	36.	
20	11	1985	A30	0.68	N	N	0	nil	36.	
20	11	1985	A31	0.7	N	N	0	nil	36.	
20	11	1985	A32	0.64	N	N	0	nil	36.	
20	11	1985	A33	0.6	N	N	0	nil	37.	
20	11	1985	A34	0.64	N	N	0	nil	37.	
20	11	1985	A35	0.66	N	N	0	nil	36.	
20	11	1985	A36	0.77	N	N	0	nil	35.	
20	11	1985	A37	0.72	Y	N	0	nil	35.	
20	11	1985	A38	0.86	N	N	0	nil	35.	
20	11	1985	A39	0.84	N	N	0	nil	35.	
20	11	1985	A40	0.71	N	N	0	nil	36.	
20	11	1985	A41	0.64	N	N	0	nil	36.	
20	11	1985	A42	0.61	N	N	0	nil	35.	
20	11	1985	A43	0.85	N	N	0	nil	35.	
20	11	1985	A44	0.93	N	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
20	11	1985	A45	0.99	N	N	0	nil	35.	
20	11	1985	A46	0.99	N	N	0	nil	35.	
20	11	1985	A47	0.96	N	N	0	nil	35.	
20	11	1985	A48	0.89	N	N	0	nil	35.	
20	11	1985	A49	0.92	N	N	0	nil	35.	
20	11	1985	B01	1.44	Y	N	0	mon	30.	
20	11	1985	B02	1.4	Y	N	0	mon	29.66667	
20	11	1985	B03	1.43	Y	N	0	mon	29.	
20	11	1985	B04	1.42	Y	N	0	mon	30.33333	
20	11	1985	B05	1.47	Y	N	0	mon	27.33333	
20	11	1985	B06	1.35	Y	N	0	mon	26.33333	
20	11	1985	B07	1.01	Y	N	0	mon	29.	
20	11	1985	B08	0.8	Y	N	0	mon	29.	
20	11	1985	B08	1.08	N	N	0	mon		
20	11	1985	B09	0.73	Y	N	0	mon	29.	
20	11	1985	B10	0.73	Y	N	0	mon	29.	
20	11	1985	B11	0.69	Y	N	0	mon	29.	
20	11	1985	B13	0.75	Y	N	0	mon	29.	
20	11	1985	B14	0.55	Y	N	0	mon	29.	
20	11	1985	B15	0.58	Y	N	0	mon	27.	
20	11	1985	B16	0.61	Y	N	0	mon	28.	
20	11	1985	B18	0.56	Y	N	0	mon	29.	
20	11	1985	B19	0.56	Y	N	0	mon	28.	
20	11	1985	B20	0.59	Y	N	0	mon	29.	
21	11	1985	A29	0.74	N	N	0	nil		
21	11	1985	A30	0.73	N	N	0	nil		
21	11	1985	A31	0.75	N	N	0	nil		
21	11	1985	A32	0.7	N	N	0	nil		
21	11	1985	A33	0.66	N	N	0	nil		
21	11	1985	A34	0.7	N	N	0	nil		
21	11	1985	A35	0.72	N	N	0	nil		
21	11	1985	A36	0.9	N	N	0	nil		
21	11	1985	A37	0.8	N	N	0	nil		
21	11	1985	A38	0.93	N	N	0	nil		
21	11	1985	A39	0.91	N	N	0	nil		
21	11	1985	A40	0.78	N	N	0	nil		
21	11	1985	A41	0.7	N	N	0	nil		
21	11	1985	A42	0.66	N	N	0	nil		
21	11	1985	A43	0.92	N	N	0	nil		
21	11	1985	A44	0.99	N	N	0	nil		
21	11	1985	A45	0.99	N	N	0	nil		
21	11	1985	A46	0.99	N	N	0	nil		
21	11	1985	A47	0.99	N	N	0	nil		
21	11	1985	A48	0.96	N	N	0	nil		
21	11	1985	A49	0.99	N	N	0	nil		
21	11	1985	B01	1.49	N	N	0	mon		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
21	11	1985	B02	1.5	N	N	0	mon		
21	11	1985	B03	1.52	N	N	0	mon		
21	11	1985	B04	1.53	N	N	0	mon		
21	11	1985	B05	1.5	N	N	0	mon		
21	11	1985	B06	1.46	N	N	0	mon		
21	11	1985	B07	1.08	N	N	0	mon		
21	11	1985	B09	0.8	N	N	0	mon		
21	11	1985	B10	0.8	N	N	0	mon		
21	11	1985	B11	0.75	N	N	0	mon		
21	11	1985	B13	0.87	N	N	0	mon		
21	11	1985	B14	0.6	N	N	0	mon		
21	11	1985	B15	0.6	N	N	0	mon		
21	11	1985	B16	0.65	N	N	0	mon		
21	11	1985	B18	0.62	N	N	0	mon		
21	11	1985	B19	0.62	N	N	0	mon		
21	11	1985	B20	0.64	N	N	0	mon		
22	11	1985	A29	0.75	N	N	0	nil	25.	
22	11	1985	A30	0.73	N	N	0	nil	24.	
22	11	1985	A31	0.75	N	N	0	nil	27.	
22	11	1985	A32	0.7	N	N	0	nil	28.	
22	11	1985	A33	0.64	N	N	0	nil	29.	
22	11	1985	A34	0.7	N	N	0	nil	25.	
22	11	1985	A35	0.7	N	N	0	nil	29.	
22	11	1985	A36	0.9	N	N	0	nil	29.	
22	11	1985	A37	0.8	N	N	0	nil	28.	
22	11	1985	A38	0.94	N	N	0	nil	25.	
22	11	1985	A39	0.91	N	N	0	nil	28.	
22	11	1985	A40	0.78	N	N	0	nil	26.	
22	11	1985	A41	0.7	N	N	0	nil	23.	
22	11	1985	A42	0.66	N	N	0	nil	26.	
22	11	1985	A43	0.93	N	N	0	nil	23.	
22	11	1985	A44	0.99	N	N	0	nil	25.	
22	11	1985	A45	0.99	N	N	0	nil	21.	
22	11	1985	A46	0.99	N	N	0	nil	25.	
22	11	1985	A47	0.99	N	N	0	nil	25.	
22	11	1985	A48	0.96	N	N	0	nil	26.	
22	11	1985	A49	0.99	N	N	0	nil	25.	
22	11	1985	B01	1.51	Y	N	0	mon	23.33333	
22	11	1985	B02	1.49	Y	N	0	mon	23.66667	
22	11	1985	B03	1.5	Y	N	0	mon	23.33333	
22	11	1985	B04	1.5	Y	N	0	mon	27.	
22	11	1985	B05	1.5	Y	N	0	mon	26.	
22	11	1985	B06	1.42	Y	N	0	mon	25.	
22	11	1985	B07	1.05	Y	N	0	mon	23.	
22	11	1985	B08	1.05	Y	N	0	mon	21.	
22	11	1985	B09	1.01	Y	N	0	mon	22.	

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
22	11	1985	B10	0.9	Y	N	0	mon	23.	
22	11	1985	B11	0.95	Y	N	0	mon	22.	
22	11	1985	B13	0.89	Y	N	0	mon	21.	
22	11	1985	B14	0.6	Y	N	0	mon	23.	
22	11	1985	B15	0.61	Y	N	0	mon	25.	
22	11	1985	B16	0.65	Y	N	0	mon	18.	
22	11	1985	B18	0.6	Y	N	0	mon	20.	
22	11	1985	B19	0.54	Y	N	0	mon	20.	
22	11	1985	B20	0.59	Y	N	0	mon	20.	
25	11	1985	A29	0.77	N	N	0	nil	28.	
25	11	1985	A30	0.74	N	N	0	nil	29.	
25	11	1985	A31	0.77	N	N	0	nil	30.	
25	11	1985	A32	0.73	N	N	0	nil	30.	
25	11	1985	A33	0.68	N	N	0	nil	30.	
25	11	1985	A34	0.72	N	N	0	nil	30.	
25	11	1985	A35	0.74	N	N	0	nil	30.	
25	11	1985	A36	0.9	N	N	0	nil	28.	
25	11	1985	A37	0.8	N	N	0	nil	28.	
25	11	1985	A38	0.94	N	N	0	nil	28.	
25	11	1985	A39	0.92	N	N	0	nil	29.	
25	11	1985	A40	0.79	N	N	0	nil	26.	
25	11	1985	A41	0.74	N	N	0	nil	30.	
25	11	1985	A42	0.69	N	N	0	nil	28.	
25	11	1985	A43	0.94	N	N	0	nil	29.	
25	11	1985	A44	0.99	N	N	0	nil	27.	
25	11	1985	A45	0.99	N	N	0	nil	28.	
25	11	1985	A46	0.97	N	N	0	nil	26.	
25	11	1985	A47	0.93	N	N	0	nil	29.	
25	11	1985	A48	0.92	N	N	0	nil	30.	
25	11	1985	A49	0.88	N	N	0	nil	27.	
25	11	1985	B01	1.48	Y	N	0	mon	20.33333	
25	11	1985	B02	1.45	Y	N	0	mon	22.33333	
25	11	1985	B03	1.45	Y	N	0	mon	21.66667	
25	11	1985	B04	1.46	Y	N	0	mon	24.66667	
25	11	1985	B05	1.49	Y	N	0	mon	22.	
25	11	1985	B06	1.3	Y	N	0	mon	20.33333	
25	11	1985	B07	1.01	N	N	0	mon	21.	
25	11	1985	B08	0.97	N	N	0	mon	19.	
25	11	1985	B09	0.91	N	N	0	mon	21.	
25	11	1985	B10	0.85	N	N	0	mon	20.	
25	11	1985	B11	0.79	N	N	0	mon	20.	
25	11	1985	B13	0.78	Y	N	0	mon	14.	
25	11	1985	B14	0.57	N	N	0	mon	21.	
25	11	1985	B15	0.6	N	N	0	mon	18.	
25	11	1985	B16	0.63	N	N	0	mon	16.	
25	11	1985	B19	0.58	N	N	0	mon	18.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
25	11	1985	B19	0.58	N	N	0	mon	17.	
25	11	1985	B20	0.6	N	N	0	mon	17.	
26	11	1985	A29	0.75	N	N	0	nil	28.	
26	11	1985	A30	0.72	N	N	0	nil	29.	
26	11	1985	A31	0.76	N	N	0	nil	30.	
26	11	1985	A32	0.71	N	N	0	nil	30.	
26	11	1985	A33	0.66	N	N	0	nil	30.	
26	11	1985	A34	0.7	N	N	0	nil	30.	
26	11	1985	A35	0.72	N	N	0	nil	30.	
26	11	1985	A36	0.9	N	N	0	nil	28.	
26	11	1985	A37	0.8	N	N	0	nil	28.	
26	11	1985	A38	0.93	N	N	0	nil	28.	
26	11	1985	A39	0.91	N	N	0	nil	29.	
26	11	1985	A40	0.79	N	N	0	nil	28.	
26	11	1985	A41	0.74	N	N	0	nil	30.	
26	11	1985	A42	0.68	N	N	0	nil	28.	
26	11	1985	A43	0.94	N	N	0	nil	29.	
26	11	1985	A44	0.98	N	N	0	nil	27.	
26	11	1985	A45	0.99	N	N	0	nil	28.	
26	11	1985	A46	0.96	N	N	0	nil	26.	
26	11	1985	A47	0.98	N	N	0	nil	29.	
26	11	1985	A48	0.92	N	N	0	nil	30.	
26	11	1985	A49	0.88	N	N	0	nil	27.	
26	11	1985	B01	1.47	Y	N	0	mon		
26	11	1985	B02	1.43	Y	N	0	mon		
26	11	1985	B03	1.38	Y	N	0	mon		
26	11	1985	B04	1.43	Y	N	0	mon		
26	11	1985	B05	1.43	Y	N	0	mon		
26	11	1985	B06	1.29	Y	N	0	mon		
26	11	1985	B07	1.05	N	N	0	mon		
26	11	1985	B08	0.98	N	N	0	mon		
26	11	1985	B09	0.92	N	N	0	mon		
26	11	1985	B10	0.9	N	N	0	mon		
26	11	1985	B11	0.83	N	N	0	mon		
26	11	1985	B13	0.7	N	N	0	mon		
26	11	1985	B14	0.56	N	N	0	mon		
26	11	1985	B15	0.59	N	N	0	mon		
26	11	1985	B16	0.61	N	N	0	mon		
26	11	1985	B18	0.55	N	N	0	mon		
26	11	1985	B19	0.58	N	N	0	mon		
26	11	1985	B20	0.6	N	N	0	mon		
27	11	1985	B01	1.5	Y	N	0	mon	22.	
27	11	1985	B02	1.45	Y	N	0	mon	21.33333	
27	11	1985	B03	1.46	Y	N	0	mon	21.33333	
27	11	1985	B04	1.46	Y	N	0	mon	21.33333	
27	11	1985	B05	1.5	Y	N	0	mon	21.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
27	11	1985	B06	1.35	Y	N	0	mon	16.66667	
27	11	1985	B07	1.04	N	N	0	mon	20.	
27	11	1985	B08	0.98	N	N	0	mon	20.	
27	11	1985	B09	0.93	N	N	0	mon	21.	
27	11	1985	B10	0.87	N	N	0	mon	21.	
27	11	1985	B11	0.85	N	N	0	mon	20.	
27	11	1985	B13	0..	N	N	0	mon	17.	
27	11	1985	B14	0.55	N	N	0	mon	22.	
27	11	1985	B15	0.58	N	N	0	mon	19.	
27	11	1985	B16	0.6	N	N	0	mon	20.	
27	11	1985	B18	0.56	N	N	0	mon	21.	
27	11	1985	B19	0.57	N	N	0	mon	20.	
27	11	1985	B20	0.58	N	N	0	mon	20.	
28	11	1985	B01	1.45	N	N	0	mon	20.66667	
28	11	1985	B02	1.42	N	N	0	mon	21.33333	
28	11	1985	B03	1.46	N	N	0	mon	25.33333	
28	11	1985	B04	1.43	N	N	0	mon	20.66667	
28	11	1985	B05	1.45	N	N	0	mon	20.	
28	11	1985	B06	1.27	N	N	0	mon	18.	
28	11	1985	B07	1.04	N	N	0	mon	20.	
28	11	1985	B08	0.96	N	N	0	mon	20.	
28	11	1985	B09	0.92	N	N	0	mon	21.	
28	11	1985	B10	0.88	N	N	0	mon	20.	
28	11	1985	B11	0.87	N	N	0	mon	20.	
28	11	1985	B13	0.7	N	N	0	mon	16.	
28	11	1985	B14	0.55	N	N	0	mon	21.	
28	11	1985	B15	0.58	N	N	0	mon	19.	
28	11	1985	B16	0.57	N	N	0	mon	20.	
28	11	1985	B18	0.55	N	N	0	mon	21.	
28	11	1985	B19	0.56	N	N	0	mon	20.	
28	11	1985	B20	0.58	N	N	0	mon	20.	
29	11	1985	A29	0.64	N	N	0	nil	28.	
29	11	1985	A30	0.77	N	N	0	nil	29.	
29	11	1985	A31	0.72	N	N	0	nil	30.	
29	11	1985	A32	0.72	N	N	0	nil	30.	
29	11	1985	A33	0.69	N	N	0	nil	30.	
29	11	1985	A34	0.7	N	N	0	nil	30.	
29	11	1985	A35	0.72	N	N	0	nil	30.	
29	11	1985	A36	0.65	N	N	0	nil	28.	
29	11	1985	A37	0.55	N	N	0	nil	28.	
29	11	1985	A38	0.69	N	N	0	nil	28.	
29	11	1985	A39	0.69	N	N	0	nil	29.	
29	11	1985	A40	0.6	N	N	0	nil	28.	
29	11	1985	A41	0.54	N	N	0	nil	30.	
29	11	1985	A42	0.52	N	N	0	nil	28.	
29	11	1985	A43	0.67	N	N	0	nil	29.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
29	11	1985	A44	0.82	N	N	0	nil	27.	
29	11	1985	A45	0.8	N	N	0	nil	28.	
29	11	1985	A46	0.75	N	N	0	nil	26.	
29	11	1985	A47	0.75	N	N	0	nil	29.	
29	11	1985	A48	0.69	N	N	0	nil	30.	
29	11	1985	A49	0.62	N	N	0	nil	27.	
2	12	1985	B01	1.44	Y	N	0	mon	20.	
2	12	1985	B02	1.42	Y	M	0	mon	20.	
2	12	1985	B03	1.4	Y	N	0	mon	23.66667	
2	12	1985	B04	1.34	N	N	0	mon	20.66667	
2	12	1985	B05	1.3	N	N	0	mon	20.	
2	12	1985	B06	1.15	N	N	0	mon	18.33333	
2	12	1985	B07	1.01	N	N	0	mon	20.	
2	12	1985	B08	0.94	N	M	0	mon	20.	
2	12	1985	B09	0.85	N	N	0	mon	20.	
2	12	1985	B10	0.8	N	N	0	mon	20.	
2	12	1985	B11	0.85	N	N	0	mon	20.	
2	12	1985	B13	0.65	Y	N	0	mon	18.	
2	12	1985	B14	0.52	N	N	0	mon	20.	
2	12	1985	B15	0.55	N	N	0	mon	19.	
2	12	1985	B16	0.56	N	N	0	mon	20.	
2	12	1985	B18	0.52	N	N	0	mon	20.	
2	12	1985	B19	0.51	N	N	0	mon	20.	
2	12	1985	B20	0.54	N	N	0	mon	20.	
3	12	1985	A29	0.63	N	N	0	nil	31.	
3	12	1985	A30	0.73	N	N	0	nil	30.	
3	12	1985	A31	0.72	N	N	0	nil	32.	
3	12	1985	A32	0.68	N	N	0	nil	32.	
3	12	1985	A33	0.63	N	N	0	nil	32.	
3	12	1985	A34	0.66	N	N	0	nil	31.	
3	12	1985	A35	0.67	N	N	0	nil	31.	
3	12	1985	A36	0.69	N	N	0	nil	32.	
3	12	1985	A37	0.58	N	N	0	nil	31.	
3	12	1985	A38	0.74	N	N	0	nil	31.	
3	12	1985	A39	0.73	N	N	0	nil	31.	
3	12	1985	A40	0.64	N	N	0	nil	32.	
3	12	1985	A41	0.59	N	N	0	nil	31.	
3	12	1985	A42	0.51	N	N	0	nil	31.	
3	12	1985	A43	0.69	N	N	0	nil	31.	
3	12	1985	A44	0.91	N	N	0	nil	25.	
3	12	1985	A45	0.93	N	N	0	nil	30.	
3	12	1985	A46	0.88	N	N	0	nil	28.	
3	12	1985	A47	0.82	N	N	0	nil	30.	
3	12	1985	A48	0.77	N	N	0	nil	31.	
3	12	1985	A49	0.65	N	N	0	nil	30.	
4	12	1985	A29	0.62	N	N	0	nil	30.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
4	12	1985	A30	0.71	N	N	0	nil	30.	
4	12	1985	A31	0.7	N	N	0	nil	30.	
4	12	1985	A32	0.67	N	N	0	nil	30.	
4	12	1985	A33	0.61	N	N	0	nil	31.	
4	12	1985	A34	0.64	N	N	0	nil	30.	
4	12	1985	A35	0.65	N	N	0	nil	30.	
4	12	1985	A36	0.7	N	N	0	nil	30.	
4	12	1985	A37	0.59	N	N	0	nil	30.	
4	12	1985	A38	0.74	N	N	0	nil	30.	
4	12	1985	A39	0.73	N	N	0	nil	30.	
4	12	1985	A40	0.64	N	N	0	nil	30.	
4	12	1985	A41	0.54	N	N	0	nil	30.	
4	12	1985	A42	0.5	N	N	0	nil	32.	
4	12	1985	A43	0.7	N	N	0	nil	30.	
4	12	1985	A44	0.94	N	N	0	nil	23.	
4	12	1985	A45	0.96	N	N	0	nil	30.	
4	12	1985	A46	0.9	N	N	0	nil	25.	
4	12	1985	A47	0.84	N	N	0	nil	30.	
4	12	1985	A48	0.78	N	N	0	nil	30.	
4	12	1985	A49	0.66	N	N	0	nil	28.	
4	12	1985	B01	1.47	Y	N	0	mon	20.	
4	12	1985	B02	1.44	Y	N	0	mon	21.66667	
4	12	1985	B03	1.44	Y	N	0	mon	21.	
4	12	1985	B04	1.43	Y	N	0	mon	20.66667	
4	12	1985	B05	1.44	Y	N	0	mon	20.	
4	12	1985	B06	1.32	Y	N	0	mon	20.	
4	12	1985	B07	1.05	N	N	0	mon	21.	
4	12	1985	B08	0.95	N	N	0	mon	20.	
4	12	1985	B09	0.88	N	N	0	mon	20.	
4	12	1985	B10	0.88	N	N	0	mon	18.	
4	12	1985	B11	0.88	N	N	0	mon	19.	
4	12	1985	B13	0.79	N	N	0	mon	15.	
4	12	1985	B14	0.55	N	N	0	mon	22.	
4	12	1985	B15	0.57	N	N	0	mon	21.	
4	12	1985	B16	0.59	N	N	0	mon	20.	
4	12	1985	B18	0.54	N	N	0	mon	19.	
4	12	1985	B19	0.58	N	N	0	mon	19.	
4	12	1985	B20	0.57	N	N	0	mon	18.	
5	12	1985	A29	0.61	N	N	0	nil		
5	12	1985	A30	0.71	N	N	0	nil		
5	12	1985	A31	0.7	N	N	0	nil		
5	12	1985	A32	0.66	N	N	0	nil		
5	12	1985	A33	0.61	N	N	0	nil		
5	12	1985	A34	0.63	N	N	0	nil		
5	12	1985	A35	0.64	N	N	0	nil		
5	12	1985	A36	0.7	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
5	12	1985	A37	0.6	N	N	0	nil		
5	12	1985	A38	0.74	N	N	0	nil		
5	12	1985	A39	0.74	N	N	0	nil		
5	12	1985	A40	0.64	N	N	0	nil		
5	12	1985	A41	0.54	N	N	0	nil		
5	12	1985	A42	0.5	N	N	0	nil		
5	12	1985	A43	0.71	N	N	0	nil		
5	12	1985	A44	0.95	N	N	0	nil		
5	12	1985	A45	0.97	N	N	0	nil		
5	12	1985	A46	0.9	N	N	0	nil		
5	12	1985	A47	0.85	N	N	0	nil		
5	12	1985	A48	0.79	N	N	0	nil		
5	12	1985	A49	0.67	N	N	0	nil		
5	12	1985	B01	1.4	N	N	0	mon		
5	12	1985	B02	1.38	N	N	0	mon		
5	12	1985	B03	1.4	N	N	0	mon		
5	12	1985	B04	1.38	N	N	0	mon		
5	12	1985	B05	1.35	N	N	0	mon		
5	12	1985	B06	1.24	N	N	0	mon		
5	12	1985	B07	1.05	N	N	0	mon		
5	12	1985	B08	0.95	N	N	0	mon		
5	12	1985	B09	0.89	N	N	0	mon		
5	12	1985	B10	0.85	N	N	0	mon		
5	12	1985	B11	0.85	N	N	0	mon		
5	12	1985	B13	0.68	N	N	0	mon		
5	12	1985	B14	0.54	N	N	0	mon		
5	12	1985	B15	0.58	N	N	0	mon		
5	12	1985	B16	0.58	N	N	0	mon		
5	12	1985	B18	0.53	N	N	0	mon		
5	12	1985	B19	0.55	N	N	0	mon		
5	12	1985	B20	0.55	N	N	0	mon		
6	12	1985	A29	0.61	N	N	0	nil	29.	
6	12	1985	A30	0.7	N	N	0	nil	30.	
6	12	1985	A31	0.69	N	N	0	nil	31.	
6	12	1985	A32	0.66	N	N	0	nil	31.	
6	12	1985	A33	0.6	N	N	0	nil	31.	
6	12	1985	A34	0.62	N	N	0	nil	31.	
6	12	1985	A35	0.63	N	N	0	nil	30.	
6	12	1985	A36	0.75	N	N	0	nil	30.	
6	12	1985	A37	0.61	N	N	0	nil	30.	
6	12	1985	A38	0.79	N	N	0	nil	31.	
6	12	1985	A39	0.74	N	N	0	nil	31.	
6	12	1985	A40	0.64	N	N	0	nil	31.	
6	12	1985	A41	0.54	N	N	0	nil	32.	
6	12	1985	A42	0.5	N	N	0	nil	31.	
6	12	1985	A43	0.73	N	N	0	nil	30.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLCH
6	12	1985	A44	0.95	N	N	0	nil	24.	
6	12	1985	A45	0.99	N	N	0	nil	29.	
6	12	1985	A46	0.9	N	N	0	nil	25.	
6	12	1985	A47	0.86	N	N	0	nil	30.	
6	12	1985	A48	0.79	N	N	0	nil	30.	
6	12	1985	A49	0.68	N	N	0	nil	29.	
6	12	1985	B01	1.4	N	N	0	mon	22.	
6	12	1985	B02	1.4	N	N	0	mon	24.	
6	12	1985	B03	1.4	N	N	0	mon	25.	
6	12	1985	B04	1.4	N	N	0	mon	24.	
6	12	1985	B05	1.4	N	N	0	mon	20.66667	
6	12	1985	B06	1.3	N	N	0	mon	17.66667	
6	12	1985	B07	1.03	N	N	0	mon	21.	
6	12	1985	B08	0.96	N	N	0	mon	20.	
6	12	1985	B09	0.88	N	N	0	mon	21.	
6	12	1985	B10	0.82	N	N	0	mon	20.	
6	12	1985	B11	0.84	N	N	0	mon	18.	
6	12	1985	B13	0.7	N	N	0	mon	15.	
6	12	1985	B14	0.52	N	N	0	mon	21.	
6	12	1985	B15	0.55	N	N	0	mon	20.	
6	12	1985	B16	0.58	N	N	0	mon	20.	
6	12	1985	B18	0.52	N	N	0	mon	20.	
6	12	1985	B19	0.54	N	N	0	mon	20.	
6	12	1985	B20	0.54	N	N	0	mon	20.	
9	12	1985	A29	0.63	N	N	0	nil	31.	
9	12	1985	A30	0.71	N	N	0	nil	32.	
9	12	1985	A31	0.69	N	N	0	nil	32.	
9	12	1985	A32	0.65	N	N	0	nil	31.	
9	12	1985	A33	0.58	N	N	0	nil	32.	
9	12	1985	A34	0.6	N	N	0	nil	32.	
9	12	1985	A35	0.6	N	N	0	nil	31.	
9	12	1985	A36	0.8	N	N	0	nil	31.	
9	12	1985	A37	0.7	N	N	0	nil	32.	
9	12	1985	A38	0.84	N	N	0	nil	30.	
9	12	1985	A39	0.81	N	N	0	nil	30.	
9	12	1985	A40	0.71	N	N	0	nil	30.	
9	12	1985	A41	0.56	N	N	0	nil	32.	
9	12	1985	A42	0.49	N	N	0	nil	32.	
9	12	1985	A43	0.77	N	N	0	nil	31.	
9	12	1985	A44	0.9	N	N	0	nil	25.	
9	12	1985	A45	0.99	N	N	0	nil	30.	
9	12	1985	A46	0.9	N	N	0	nil	28.	
9	12	1985	A47	0.87	N	N	0	nil	30.	
9	12	1985	A48	0.81	N	N	0	nil	30.	
9	12	1985	A49	0.7	N	N	0	nil	30.	
11	12	1985	A29	0.63	Y	N	0	nil	30.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
11	12	1985	A30	0.71	Y	N	0	nil	30.	
11	12	1985	A31	0.69	Y	N	0	nil	30.	
11	12	1985	A32	0.65	Y	N	0	nil	30.	
11	12	1985	A33	0.58	Y	N	0	nil	30.	
11	12	1985	A34	0.6	Y	N	0	nil	30.	
11	12	1985	A35	0.6	Y	N	0	nil	30.	
11	12	1985	A36	0.6	Y	N	0	nil	29.	
11	12	1985	A37	0.7	Y	N	0	nil	30.	
11	12	1985	A38	0.84	Y	N	0	nil	28.	
11	12	1985	A39	0.81	Y	N	0	nil	30.	
11	12	1985	A40	0.71	Y	N	0	nil	29.	
11	12	1985	A41	0.56	Y	N	0	nil	30.	
11	12	1985	A42	0.49	Y	N	0	nil	30.	
11	12	1985	A43	0.77	Y	N	0	nil	29.	
11	12	1985	A44	0.9	Y	N	0	nil	23.	
11	12	1985	A45	0.99	Y	N	0	nil	30.	
11	12	1985	A46	0.9	Y	N	0	nil	27.	
11	12	1985	A47	0.88	Y	N	0	nil	30.	
11	12	1985	A48	0.81	Y	N	0	nil	30.	
11	12	1985	A49	0.7	Y	N	0	nil	29.	
12	12	1985	A29	0.78	N	N	0	nil	30.	
12	12	1985	A30	0.9	N	N	0	nil	30.	
12	12	1985	A31	0.89	N	N	0	nil	30.	
12	12	1985	A32	0.84	N	N	0	nil	30.	
12	12	1985	A33	0.8	N	N	0	nil	30.	
12	12	1985	A34	0.83	N	N	0	nil	30.	
12	12	1985	A35	0.84	N	N	0	nil	30.	
12	12	1985	A36	0.91	N	N	0	nil	29.	
12	12	1985	A37	0.8	N	N	0	nil	30.	
12	12	1985	A38	0.95	N	N	0	nil	28.	
12	12	1985	A39	0.94	N	N	0	nil	30.	
12	12	1985	A40	0.83	N	N	0	nil	29.	
12	12	1985	A41	0.75	N	N	0	nil	30.	
12	12	1985	A42	0.76	N	N	0	nil	30.	
12	12	1985	A43	0.95	N	N	0	nil	29.	
12	12	1985	A44	0.99	N	N	0	nil	23.	
12	12	1985	A45	0.99	N	N	0	nil	29.	
12	12	1985	A46	0.99	N	N	0	nil	27.	
12	12	1985	A47	0.99	N	N	0	nil	30.	
12	12	1985	A48	0.95	N	N	0	nil	30.	
12	12	1985	A49	0.81	N	N	0	nil	29.	
13	12	1985	A29	0.78	N	N	0	nil	18.	
13	12	1985	A30	0.9	N	N	0	nil	17.	
13	12	1985	A31	0.89	N	N	0	nil	19.	
13	12	1985	A32	0.84	N	N	0	nil	21.	
13	12	1985	A33	0.8	N	N	0	nil	21.	

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
13	12	1985	A34	0.83	N	N	0	nil	18.	
13	12	1985	A35	0.84	N	N	0	nil	21.	
13	12	1985	A36	0.91	N	N	0	nil	21.	
13	12	1985	A37	0.8	N	N	0	nil	22.	
13	12	1985	A38	0.95	N	N	0	nil	20.	
13	12	1985	A39	0.94	N	N	0	nil	21.	
13	12	1985	A40	0.83	N	N	0	nil	18.	
13	12	1985	A41	0.75	N	N	0	nil	21.	
13	12	1985	A42	0.76	N	N	0	nil	15.	
13	12	1985	A43	0.95	N	N	0	nil	20.	
13	12	1985	A44	0.99	N	N	0	nil	19.	
13	12	1985	A45	0.99	N	N	0	nil	15.	
13	12	1985	A46	0.99	N	N	0	nil	16.	
13	12	1985	A47	0.99	N	N	0	nil	20.	
13	12	1985	A48	0.95	N	N	0	nil	21.	
13	12	1985	A49	0.81	N	N	0	nil	18.	
19	12	1985	A29	0.61	N	N	0	nil		
19	12	1985	A30	0.74	N	N	0	nil		
19	12	1985	A31	0.73	N	N	0	nil		
19	12	1985	A32	0.69	N	N	0	nil		
19	12	1985	A33	0.66	N	N	0	nil		
19	12	1985	A34	0.71	N	N	0	nil		
19	12	1985	A35	0.73	N	N	0	nil		
19	12	1985	A36	0.68	N	N	0	nil		
19	12	1985	A37	0.57	N	N	0	nil		
19	12	1985	A38	0.72	N	N	0	nil		
19	12	1985	A39	0.7	N	N	0	nil		
19	12	1985	A40	0.66	N	N	0	nil		
19	12	1985	A41	0.54	N	N	0	nil		
19	12	1985	A42	0.57	N	N	0	nil		
19	12	1985	A43	0.76	N	N	0	nil		
19	12	1985	A44	0.65	N	N	0	nil		
19	12	1985	A45	0.72	N	N	0	nil		
19	12	1985	A46	0.82	N	N	0	nil		
19	12	1985	A47	0.75	N	N	0	nil		
19	12	1985	A48	0.7	N	N	0	nil		
19	12	1985	A49	0.67	N	N	0	nil		
20	12	1985	A29	0.49	N	N	0	nil	29.	
20	12	1985	A30	0.72	N	N	0	nil	29.	
20	12	1985	A31	0.71	N	N	0	nil	29.	
20	12	1985	A32	0.66	N	N	0	nil	28.	
20	12	1985	A33	0.64	N	N	0	nil	27.	
20	12	1985	A34	0.69	N	N	0	nil	28.	
20	12	1985	A35	0.72	N	N	0	nil	28.	
20	12	1985	A36	0.65	N	N	0	nil	28.	
20	12	1985	A37	0.54	N	N	0	nil	29.	

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
20	12	1985	A38	0.7	N	N	0	nil	29.	
20	12	1985	A39	0.63	N	N	0	nil	28.	
20	12	1985	A40	0.63	N	N	0	nil	28.	
20	12	1985	A41	0.51	N	N	0	nil	29.	
20	12	1985	A42	0.55	N	N	0	nil	29.	
20	12	1985	A43	0.73	N	N	0	nil	28.	
20	12	1985	A44	0.63	N	N	0	nil	27.	
20	12	1985	A45	0.7	N	N	0	nil	28.	
20	12	1985	A46	0.79	N	N	0	nil	27.	
20	12	1985	A47	0.72	N	N	0	nil	28.	
20	12	1985	A48	0.77	N	N	0	nil	28.	
20	12	1985	A49	0.65	N	N	0	nil	27.	
23	12	1985	A29	0.52	N	N	1	nil	26.	
23	12	1985	A30	0.66	N	N	0	nil	27.	
23	12	1985	A31	0.66	N	N	0	nil	26.	
23	12	1985	A32	0.6	N	N	0	nil	25.	
23	12	1985	A33	0.59	N	N	0	nil	26.	
23	12	1985	A34	0.63	N	N	1	nil	27.	
23	12	1985	A35	0.67	N	N	0	nil	26.	
23	12	1985	A36	0.6	N	N	3	nil	25.	
23	12	1985	A37	0.48	N	N	1	nil	26.	
23	12	1985	A38	0.64	N	N	1	nil	26.	
23	12	1985	A39	0.6	N	N	0	nil	25.	
23	12	1985	A40	0.57	N	N	1	nil	26.	
23	12	1985	A41	0.46	N	N	0	nil	26.	
23	12	1985	A42	0.5	N	N	0	nil	26.	
23	12	1985	A43	0.65	N	N	0	nil	26.	
23	12	1985	A44	0.67	N	N	1	nil	25.	
23	12	1985	A45	0.66	N	N	1	nil	26.	
23	12	1985	A46	0.7	N	N	0	nil	25.	
23	12	1985	A47	0.66	N	N	0	nil	25.	
23	12	1985	A48	0.6	N	N	3	nil	26.	
23	12	1985	A49	0.57	N	N	0	nil	25.	
24	12	1985	A29	0.5	N	N	0	nil		
24	12	1985	A30	0.65	N	N	0	nil		
24	12	1985	A31	0.64	N	N	0	nil		
24	12	1985	A32	0.6	N	N	0	nil		
24	12	1985	A33	0.57	N	N	0	nil		
24	12	1985	A34	0.62	N	N	0	nil		
24	12	1985	A35	0.65	N	N	0	nil		
24	12	1985	A36	0.58	N	N	0	nil		
24	12	1985	A37	0.47	N	N	0	nil		
24	12	1985	A38	0.62	N	N	0	nil		
24	12	1985	A39	0.59	N	N	0	nil		
24	12	1985	A40	0.55	N	N	0	nil		
24	12	1985	A41	0.45	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
24	12	1985	A42	0.48	N	N	0	nil		
24	12	1985	A43	0.62	N	N	0	nil		
24	12	1985	A44	0.67	N	N	0	nil		
24	12	1985	A45	0.65	N	N	0	nil		
24	12	1985	A46	0.67	N	N	0	nil		
24	12	1985	A47	0.65	N	N	0	nil		
24	12	1985	A48	0.59	N	N	0	nil		
24	12	1985	A49	0.54	N	N	0	nil		
2	1	1986	A29	0.49	N	N	0	nil		
2	1	1986	A30	0.6	N	N	0	nil		
2	1	1986	A31	0.6	N	N	0	nil		
2	1	1986	A32	0.57	N	N	0	nil		
2	1	1986	A33	0.5	N	N	0	nil		
2	1	1986	A34	0.57	N	N	0	nil		
2	1	1986	A35	0.6	N	N	0	nil		
2	1	1986	A36	0.61	N	N	0	nil		
2	1	1986	A37	0.51	N	N	0	nil		
2	1	1986	A38	0.62	N	N	0	nil		
2	1	1986	A39	0.62	N	N	0	nil		
2	1	1986	A40	0.54	N	N	0	nil		
2	1	1986	A41	0.46	N	N	0	nil		
2	1	1986	A42	0.45	N	N	0	nil		
2	1	1986	A43	0.63	N	N	0	nil		
2	1	1986	A44	0.7	N	N	0	nil		
2	1	1986	A45	0.72	N	N	0	nil		
2	1	1986	A46	0.67	N	N	0	nil		
2	1	1986	A47	0.7	N	N	0	nil		
2	1	1986	A48	0.64	N	N	0	nil		
2	1	1986	A49	0.53	N	N	0	nil		
3	1	1986	A29	0.47	N	N	0	nil	35.	
3	1	1986	A30	0.59	N	N	0	nil	35.	
3	1	1986	A31	0.6	N	N	0	nil	35.	
3	1	1986	A32	0.56	N	N	0	nil	35.	
3	1	1986	A33	0.5	N	N	0	nil	35.	
3	1	1986	A34	0.57	N	N	0	nil	35.	
3	1	1986	A35	0.59	N	N	0	nil	35.	
3	1	1986	A36	0.59	N	N	0	nil	35.	
3	1	1986	A37	0.5	N	N	0	nil	35.	
3	1	1986	A38	0.6	N	N	0	nil	35.	
3	1	1986	A39	0.6	N	N	0	nil	35.	
3	1	1986	A40	0.52	N	N	0	nil	35.	
3	1	1986	A41	0.45	N	N	0	nil	35.	
3	1	1986	A42	0.44	N	N	0	nil	35.	
3	1	1986	A43	0.62	N	N	0	nil	35.	
3	1	1986	A44	0.7	N	N	0	nil	35.	
3	1	1986	A45	0.72	N	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
3	1	1986	A46	0.66	N	N	0	nil	35.	
3	1	1986	A47	0.69	N	N	0	nil	35.	
3	1	1986	A48	0.63	N	N	0	nil	35.	
3	1	1986	A49	0.52	N	N	0	nil	34.	
6	1	1986	A29	0.56	N	N	0	nil	35.	
6	1	1986	A30	0.57	N	N	0	nil	35.	
6	1	1986	A31	0.57	N	N	0	nil	36.	
6	1	1986	A32	0.54	N	N	0	nil	36.	
6	1	1986	A33	0.47	N	N	0	nil	36.	
6	1	1986	A34	0.53	N	N	0	nil	36.	
6	1	1986	A35	0.56	N	N	0	nil	36.	
6	1	1986	A36	0.56	N	N	0	nil	36.	
6	1	1986	A37	0.47	N	N	0	nil	36.	
6	1	1986	A38	0.58	N	N	0	nil	35.	
6	1	1986	A39	0.58	N	N	0	nil	35.	
6	1	1986	A40	0.49	N	N	0	nil	35.	
6	1	1986	A41	0.42	N	N	0	nil	36.	
6	1	1986	A42	0.41	N	N	0	nil	36.	
6	1	1986	A43	0.58	N	N	0	nil	36.	
6	1	1986	A44	0.57	N	N	0	nil	36.	
6	1	1986	A45	0.71	N	N	0	nil	36.	
6	1	1986	A46	0.64	N	N	0	nil	36.	
6	1	1986	A47	0.65	N	N	0	nil	35.	
6	1	1986	A48	0.59	N	N	0	nil	36.	
6	1	1986	A49	0.49	N	N	0	nil	35.	
7	1	1986	A29	0.46	N	N	0	nil		
7	1	1986	A30	0.56	N	N	0	nil		
7	1	1986	A31	0.56	N	N	0	nil		
7	1	1986	A32	0.52	N	N	0	nil		
7	1	1986	A33	0.46	N	N	0	nil		
7	1	1986	A34	0.51	N	N	0	nil		
7	1	1986	A35	0.55	N	N	0	nil		
7	1	1986	A36	0.55	N	N	0	nil		
7	1	1986	A37	0.45	N	N	0	nil		
7	1	1986	A38	0.58	N	N	0	nil		
7	1	1986	A39	0.56	N	N	0	nil		
7	1	1986	A40	0.48	N	N	0	nil		
7	1	1986	A41	0.4	N	N	0	nil		
7	1	1986	A42	0.4	N	N	0	nil		
7	1	1986	A43	0.57	N	N	0	nil		
7	1	1986	A44	0.65	N	N	0	nil		
7	1	1986	A45	0.7	N	N	0	nil		
7	1	1986	A46	0.68	N	N	0	nil		
7	1	1986	A47	0.63	N	N	0	nil		
7	1	1986	A48	0.78	N	N	0	nil		
7	1	1986	A49	0.48	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
8	1	1986	A29	0.46	N	N	0	nil	36.	
8	1	1986	A30	0.56	N	N	0	nil	36.	
8	1	1986	A31	0.56	N	N	0	nil	31.	
8	1	1986	A32	0.52	N	N	0	nil	36.	
8	1	1986	A33	0.46	N	N	0	nil	36.	
8	1	1986	A34	0.51	N	N	0	nil	36.	
8	1	1986	A35	0.5	N	N	0	nil	36.	
8	1	1986	A36	0.55	N	N	0	nil	36.	
8	1	1986	A37	0.45	N	N	0	nil	36.	
8	1	1986	A38	0.58	N	N	0	nil	35.	
8	1	1986	A39	0.56	N	N	0	nil	35.	
8	1	1986	A40	0.47	N	N	0	nil	36.	
8	1	1986	A41	0.4	N	N	0	nil	36.	
8	1	1986	A42	0.39	N	N	0	nil	36.	
8	1	1986	A43	0.56	N	N	0	nil	37.	
8	1	1986	A44	0.65	N	N	0	nil	37.	
8	1	1986	A45	0.7	N	N	0	nil	36.	
8	1	1986	A46	0.62	N	N	0	nil	35.	
8	1	1986	A47	0.63	N	N	0	nil	35.	
8	1	1986	A48	0.57	N	N	0	nil	35.	
8	1	1986	A49	0.48	N	N	0	nil	35.	
9	1	1986	A29	0.45	N	N	0	nil		
9	1	1986	A30	0.55	N	N	0	nil		
9	1	1986	A31	0.55	N	N	0	nil		
9	1	1986	A32	0.51	N	N	0	nil		
9	1	1986	A33	0.45	N	N	0	nil		
9	1	1986	A34	0.5	N	N	0	nil		
9	1	1986	A35	0.52	N	N	0	nil		
9	1	1986	A36	0.54	N	N	0	nil		
9	1	1986	A37	0.44	N	N	0	nil		
9	1	1986	A38	0.57	N	N	0	nil		
9	1	1986	A39	0.56	N	N	0	nil		
9	1	1986	A40	0.47	N	N	0	nil		
9	1	1986	A41	0.39	N	N	0	nil		
9	1	1986	A42	0.39	N	N	0	nil		
9	1	1986	A43	0.55	N	N	0	nil		
9	1	1986	A44	0.64	N	N	0	nil		
9	1	1986	A45	0.69	N	N	0	nil		
9	1	1986	A46	0.6	N	N	0	nil		
9	1	1986	A47	0.62	N	N	0	nil		
9	1	1986	A48	0.57	N	N	0	nil		
9	1	1986	A49	0.47	N	N	0	nil		
10	1	1986	A29	0.44	N	N	0	nil	37.	
10	1	1986	A30	0.54	N	N	0	nil	38.	
10	1	1986	A31	0.54	N	N	0	nil	38.	
10	1	1986	A32	0.51	N	N	0	nil	38.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
10	1	1986	A33	0.44	N	N	0	nil	38.	
10	1	1986	A34	0.48	N	N	0	nil	39.	
10	1	1986	A35	0.52	N	N	0	nil	38.	
10	1	1986	A36	0.53	N	N	0	nil	38.	
10	1	1986	A37	0.42	N	N	0	nil	39.	
10	1	1986	A38	0.57	N	N	0	nil	37.	
10	1	1986	A39	0.55	N	N	0	nil	37.	
10	1	1986	A40	0.46	N	N	0	nil	38.	
10	1	1986	A41	0.38	N	N	0	nil	39.	
10	1	1986	A42	0.37	N	N	0	nil	39.	
10	1	1986	A43	0.55	N	N	0	nil	38.	
10	1	1986	A44	0.63	N	N	0	nil	38.	
10	1	1986	A45	0.68	N	N	0	nil	37.	
10	1	1986	A46	0.59	N	N	0	nil	38.	
10	1	1986	A47	0.61	N	N	0	nil	37.	
10	1	1986	A48	0.55	N	N	0	nil	38.	
10	1	1986	A49	0.44	N	N	0	nil	37.	
13	1	1986	A29	0.58	Y	N	0	nil	35.	
13	1	1986	A30	0.61	Y	N	0	nil	36.	
13	1	1986	A31	0.64	Y	N	0	nil	35.	
13	1	1986	A32	0.6	Y	N	0	nil	36.	
13	1	1986	A33	0.62	Y	N	0	nil	36.	
13	1	1986	A34	0.55	Y	N	0	nil	36.	
13	1	1986	A35	0.55	Y	N	0	nil	36.	
13	1	1986	A36	0.64	Y	N	0	nil	36.	
13	1	1986	A37	0.55	Y	N	0	nil	36.	
13	1	1986	A38	0.7	Y	N	0	nil	35.	
13	1	1986	A39	0.64	Y	N	0	nil	35.	
13	1	1986	A40	0.5	Y	N	0	nil	36.	
13	1	1986	A41	0.49	Y	N	0	nil	36.	
13	1	1986	A42	0.4	Y	N	0	nil	36.	
13	1	1986	A43	0.7	Y	N	0	nil	36.	
13	1	1986	A44	0.7	Y	N	0	nil	36.	
13	1	1986	A45	0.7	Y	N	0	nil	35.	
13	1	1986	A46	0.61	Y	N	0	nil	35.	
13	1	1986	A47	0.72	Y	N	0	nil	35.	
13	1	1986	A48	0.67	Y	N	0	nil	35.	
13	1	1986	A49	0.45	Y	N	0	nil	35.	
14	1	1986	A29	0.57	N	N	0	nil		
14	1	1986	A30	0.35	N	N	0	nil		
14	1	1986	A31	0.35	N	N	0	nil		
14	1	1986	A32	0.35	N	N	0	nil		
14	1	1986	A33	0.35	N	N	0	nil		
14	1	1986	A34	0.68	N	N	0	nil		
14	1	1986	A35	0.69	N	N	0	nil		
14	1	1986	A36	0.66	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
14	1	1986	A37	0.6	N	N	0	nil		
14	1	1986	A38	0.69	N	N	0	nil		
14	1	1986	A39	0.7	N	N	0	nil		
14	1	1986	A40	0.55	N	N	0	nil		
14	1	1986	A41	0.54	N	N	0	nil		
14	1	1986	A42	0.52	N	N	0	nil		
14	1	1986	A43	0.62	N	N	0	nil		
14	1	1986	A44	0.65	N	N	0	nil		
14	1	1986	A45	0.78	N	N	0	nil		
14	1	1986	A46	0.72	N	N	0	nil		
14	1	1986	A47	0.69	N	N	0	nil		
14	1	1986	A48	0.6	N	N	0	nil	35.	
14	1	1986	A49	0.62	N	N	0	nil	35.	
15	1	1986	A29	0.55	N	N	0	nil	35.	
15	1	1986	A30	0.71	N	N	0	nil	35.	
15	1	1986	A31	0.7	N	N	0	nil	35.	
15	1	1986	A32	0.66	N	N	0	nil	35.	
15	1	1986	A33	0.62	N	N	0	nil	35.	
15	1	1986	A34	0.66	N	N	0	nil	35.	
15	1	1986	A35	0.68	N	N	0	nil	35.	
15	1	1986	A36	0.66	N	N	0	nil	35.	
15	1	1986	A37	0.57	N	N	0	nil	34.	
15	1	1986	A38	0.6	N	N	0	nil	34.	
15	1	1986	A39	0.66	N	N	0	nil	35.	
15	1	1986	A40	0.5	N	N	0	nil	35.	
15	1	1986	A41	0.5	N	N	0	nil	35.	
15	1	1986	A42	0.49	N	N	0	nil	34.	
15	1	1986	A43	0.59	N	N	0	nil	35.	
15	1	1986	A44	0.64	N	N	0	nil	35.	
15	1	1986	A45	0.77	N	N	0	nil	35.	
15	1	1986	A46	0.69	N	N	0	nil	35.	
15	1	1986	A47	0.66	N	N	0	nil	35.	
15	1	1986	A48	0.61	N	N	0	nil	35.	
15	1	1986	A49	0.59	N	N	0	nil	35.	
16	1	1986	A29	0.47	N	N	0	nil		
16	1	1986	A30	0.69	N	N	0	nil		
16	1	1986	A31	0.64	N	N	0	nil		
16	1	1986	A32	0.6	N	N	0	nil		
16	1	1986	A33	0.58	N	N	0	nil		
16	1	1986	A34	0.63	N	N	0	nil		
16	1	1986	A35	0.66	N	N	0	nil		
16	1	1986	A36	0.64	N	N	0	nil		
16	1	1986	A37	0.52	N	N	0	nil		
16	1	1986	A38	0.49	N	N	0	nil		
16	1	1986	A39	0.6	N	N	0	nil		
16	1	1986	A40	0.5	N	N	0	nil		

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
16	1	1986	A41	0.45	N	N	0	nil		
16	1	1986	A42	0.45	N	N	0	nil		
16	1	1986	A43	0.58	N	N	0	nil		
16	1	1986	A44	0.65	N	N	0	nil		
16	1	1986	A45	0.76	N	N	0	nil		
16	1	1986	A46	0.67	N	N	0	nil		
16	1	1986	A47	0.67	N	N	0	nil		
16	1	1986	A48	0.8	N	N	0	nil		
16	1	1986	A49	0.55	N	N	0	nil		
17	1	1986	A29	0.55	N	N	0	nil	36.	
17	1	1986	A30	0.64	N	N	0	nil	36.	
17	1	1986	A31	0.6	N	N	0	nil	36.	
17	1	1986	A32	0.6	N	N	0	nil	37.	
17	1	1986	A33	0.56	N	N	0	nil	37.	
17	1	1986	A34	0.61	N	N	0	nil	37.	
17	1	1986	A35	0.65	N	N	0	nil	37.	
17	1	1986	A36	0.62	N	N	0	nil	36.	
17	1	1986	A37	0.5	N	N	0	nil	37.	
17	1	1986	A38	0.5	N	N	0	nil	37.	
17	1	1986	A39	0.58	N	N	0	nil	37.	
17	1	1986	A40	0.49	N	N	0	nil	37.	
17	1	1986	A41	0.43	N	N	0	nil	38.	
17	1	1986	A42	0.43	N	N	0	nil	38.	
17	1	1986	A43	0.56	N	N	0	nil	36.	
17	1	1986	A44	0.66	N	N	0	nil	37.	
17	1	1986	A45	0.47	N	N	0	nil	36.	
17	1	1986	A46	0.66	N	N	0	nil	36.	
17	1	1986	A47	0.67	N	N	0	nil	36.	
17	1	1986	A48	0.61	N	N	0	nil	36.	
17	1	1986	A49	0.53	N	N	0	nil	36.	
20	1	1986	A29	0.46	N	N	0	nil	36.	
20	1	1986	A30	0.58	N	N	0	nil	36.	
20	1	1986	A31	0.55	N	N	0	nil	36.	
20	1	1986	A32	0.56	N	N	0	nil	37.	
20	1	1986	A33	0.53	N	N	0	nil	37.	
20	1	1986	A34	0.57	N	N	0	nil	37.	
20	1	1986	A35	0.6	N	N	0	nil	37.	
20	1	1986	A36	0.58	N	N	0	nil	36.	
20	1	1986	A37	0.49	N	N	0	nil	37.	
20	1	1986	A38	0.56	N	N	0	nil	37.	
20	1	1986	A39	0.58	N	N	0	nil	37.	
20	1	1986	A40	0.43	N	N	0	nil	37.	
20	1	1986	A41	0.4	N	N	0	nil	38.	
20	1	1986	A42	0.38	N	N	0	nil	38.	
20	1	1986	A43	0.55	N	N	0	nil	36.	
20	1	1986	A44	0.64	N	N	0	nil	37.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
20	1	1986	A45	0.71	N	N	0	nil	36.	
20	1	1986	A46	0.62	N	N	0	nil	36.	
20	1	1986	A47	0.64	N	N	0	nil	36.	
20	1	1986	A48	0.58	N	N	0	nil	36.	
20	1	1986	A49	0.51	N	N	0	nil	36.	
22	1	1986	A29	0.57	N	N	0	nil	37.	
22	1	1986	A30	0.54	N	N	0	nil	37.	
22	1	1986	A31	0.54	N	N	0	nil	37.	
22	1	1986	A32	0.55	N	N	0	nil	36.	
22	1	1986	A33	0.31	N	N	0	nil	37.	
22	1	1986	A34	0.55	N	N	0	nil	37.	
22	1	1986	A35	0.59	N	N	0	nil	37.	
22	1	1986	A36	0.58	N	N	0	nil	35.	
22	1	1986	A37	0.46	N	N	0	nil	36.	
22	1	1986	A38	0.56	N	N	0	nil	36.	
22	1	1986	A39	0.57	N	N	0	nil	36.	
22	1	1986	A40	0.47	N	N	0	nil	37.	
22	1	1986	A41	0.41	N	N	0	nil	37.	
22	1	1986	A42	0.38	N	N	0	nil	37.	
22	1	1986	A43	0.54	N	N	0	nil	36.	
22	1	1986	A44	0.64	N	N	0	nil	36.	
22	1	1986	A45	0.72	N	N	0	nil	36.	
22	1	1986	A46	0.61	N	N	0	nil	36.	
22	1	1986	A47	0.63	N	N	0	nil	36.	
22	1	1986	A48	0.58	N	N	0	nil	36.	
22	1	1986	A49	0.5	N	N	0	nil	36.	
24	1	1986	A29	0.55	N	N	0	nil	37.	
24	1	1986	A30	0.51	N	N	0	nil	37.	
24	1	1986	A31	0.51	N	N	0	nil	37.	
24	1	1986	A32	0.54	N	N	0	nil	36.	
24	1	1986	A33	0.5	N	N	0	nil	37.	
24	1	1986	A34	0.54	N	N	0	nil	37.	
24	1	1986	A35	0.56	N	N	0	nil	37.	
24	1	1986	A36	0.55	N	N	0	nil	35.	
24	1	1986	A37	0.45	N	N	0	nil	36.	
24	1	1986	A38	0.56	N	N	0	nil	36.	
24	1	1986	A39	0.56	N	N	0	nil	36.	
24	1	1986	A40	0.46	N	N	0	nil	37.	
24	1	1986	A41	0.39	N	N	0	nil	37.	
24	1	1986	A42	0.36	N	N	0	nil	37.	
24	1	1986	A43	0.53	N	N	0	nil	36.	
24	1	1986	A44	0.61	N	N	0	nil	36.	
24	1	1986	A45	0.7	N	N	0	nil	36.	
24	1	1986	A46	0.6	N	N	0	nil	36.	
24	1	1986	A47	0.61	N	N	0	nil	36.	
24	1	1986	A48	0.56	N	N	0	nil	36.	

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
24	1	1986	A49	0.48	N	N	0	nil	36.	
25	1	1986	A29	0.55	N	N	0	nil	37.	
25	1	1986	A30	0.51	N	N	0	nil	37.	
25	1	1986	A31	0.51	N	N	0	nil	36.	
25	1	1986	A32	0.54	N	N	0	nil	37.	
25	1	1986	A33	0.5	N	N	0	nil	37.	
25	1	1986	A34	0.54	N	N	0	nil	37.	
25	1	1986	A35	0.56	N	N	0	nil	35.	
25	1	1986	A36	0.55	N	N	0	nil	36.	
25	1	1986	A37	0.45	N	N	0	nil	36.	
25	1	1986	A38	0.56	N	N	0	nil	36.	
25	1	1986	A39	0.56	N	N	0	nil	37.	
25	1	1986	A40	0.46	N	N	0	nil	37.	
25	1	1986	A41	0.39	N	N	0	nil	37.	
25	1	1986	A42	0.36	N	N	0	nil	36.	
25	1	1986	A43	0.53	N	N	0	nil	36.	
25	1	1986	A44	0.61	N	N	0	nil	36.	
25	1	1986	A45	0.7	N	N	0	nil	36.	
25	1	1986	A46	0.6	N	N	0	nil	36.	
25	1	1986	A47	0.61	N	N	0	nil	36.	
25	1	1986	A48	0.56	N	N	0	nil	36.	
25	1	1986	A49	0.48	N	N	0	nil	36.	
29	1	1986	A29	0.58	N	N	0	nil	31.	
29	1	1986	A30	0.7	N	N	0	nil	30.	
29	1	1986	A31	0.7	N	N	0	nil	29.	
29	1	1986	A32	0.67	N	N	0	nil	32.	
29	1	1986	A33	0.61	N	N	0	nil	32.	
29	1	1986	A34	0.63	N	N	0	nil	31.	
29	1	1986	A35	0.63	N	N	0	nil	31.	
29	1	1986	A36	0.67	N	N	0	nil	34.	
29	1	1986	A37	0.58	N	N	0	nil	34.	
29	1	1986	A38	0.71	N	N	0	nil	33.	
29	1	1986	A39	0.71	N	N	0	nil	32.	
29	1	1986	A40	0.6	N	N	0	nil	32.	
29	1	1986	A41	0.54	N	N	0	nil	32.	
29	1	1986	A42	0.5	N	N	0	nil	31.	
29	1	1986	A43	0.71	N	N	0	nil	30.	
29	1	1986	A44	0.76	N	N	0	nil	25.	
29	1	1986	A45	0.77	N	N	0	nil	29.	
29	1	1986	A46	0.68	N	N	0	nil	31.	
29	1	1986	A47	0.68	N	N	0	nil	32.	
29	1	1986	A48	0.63	N	N	0	nil	31.	
29	1	1986	A49	0.62	N	N	0	nil	31.	
30	1	1986	A29	0.57	N	N	0	nil		
30	1	1986	A30	0.66	N	N	0	nil		
30	1	1986	A31	0.65	N	N	0	nil		

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
30	1	1986	A32	0.63	N	N	0	nil		
30	1	1986	A33	0.58	N	N	0	nil		
30	1	1986	A34	0.61	N	N	0	nil		
30	1	1986	A35	0.6	N	N	0	nil		
30	1	1986	A36	0.65	N	N	0	nil		
30	1	1986	A37	0.55	N	N	0	nil		
30	1	1986	A38	0.7	N	N	0	nil		
30	1	1986	A39	0.7	N	N	0	nil		
30	1	1986	A40	0.57	N	N	0	nil		
30	1	1986	A41	0.52	N	N	0	nil		
30	1	1986	A42	0.5	N	N	0	nil		
30	1	1986	A43	0.7	N	N	0	nil		
30	1	1986	A44	0.74	N	N	0	nil		
30	1	1986	A45	0.77	N	N	0	nil		
30	1	1986	A46	0.67	N	N	0	nil		
30	1	1986	A47	0.69	N	N	0	nil		
30	1	1986	A48	0.64	N	N	0	nil		
30	1	1986	A49	0.57	N	N	0	nil		
31	1	1986	A29	0.51	N	N	0	nil	33.	
31	1	1986	A30	0.6	N	N	0	nil	31.	
31	1	1986	A31	0.6	N	N	0	nil	31.	
31	1	1986	A32	0.58	N	N	0	nil	33.	
31	1	1986	A33	0.57	N	N	0	nil	32.	
31	1	1986	A34	0.54	N	N	0	nil	32.	
31	1	1986	A35	0.52	N	N	0	nil	32.	
31	1	1986	A36	0.61	N	N	0	nil	35.	
31	1	1986	A37	0.5	N	N	0	nil	34.	
31	1	1986	A38	0.65	N	N	0	nil	34.	
31	1	1986	A39	0.63	N	N	0	nil	32.	
31	1	1986	A40	0.54	N	N	0	nil	33.	
31	1	1986	A41	0.48	N	N	0	nil	33.	
31	1	1986	A42	0.45	N	N	0	nil	34.	
31	1	1986	A43	0.65	N	N	0	nil	31.	
31	1	1986	A44	0.7	N	N	0	nil	33.	
31	1	1986	A45	0.75	N	N	0	nil	31.	
31	1	1986	A46	0.65	N	N	0	nil	32.	
31	1	1986	A47	0.69	N	N	0	nil	34.	
31	1	1986	A48	0.63	N	N	0	nil	31.	
31	1	1986	A49	0.52	N	N	0	nil	33.	
3	2	1986	A29	0.51	N	N	0	nil	33.	
3	2	1986	A30	0.6	N	N	0	nil	31.	
3	2	1986	A31	0.6	N	N	0	nil	31.	
3	2	1986	A32	0.58	N	N	0	nil	33.	
3	2	1986	A33	0.57	N	N	0	nil	32.	
3	2	1986	A34	0.54	N	N	0	nil	32.	
3	2	1986	A35	0.52	N	N	0	nil	32.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
3	2	1986	A36	0.61	N	N	0	nil	35.	
3	2	1986	A37	0.5	N	N	0	nil	34.	
3	2	1986	A38	0.65	N	N	0	nil	34.	
3	2	1986	A39	0.63	N	N	0	nil	32.	
3	2	1986	A40	0.54	N	N	0	nil	33.	
3	2	1986	A41	0.48	N	N	0	nil	33.	
3	2	1986	A42	0.45	N	N	0	nil	34.	
3	2	1986	A43	0.65	N	N	0	nil	31.	
3	2	1986	A44	0.7	N	N	0	nil	33.	
3	2	1986	A45	0.75	N	N	0	nil	31.	
3	2	1986	A46	0.65	N	N	0	nil	32.	
3	2	1986	A47	0.69	N	N	0	nil	34.	
3	2	1986	A48	0.63	N	N	0	nil	31.	
3	2	1986	A49	0.52	N	N	0	nil	33.	
4	2	1986	A29	0.4	N	N	0	nil		
4	2	1986	A30	0.52	N	N	0	nil		
4	2	1986	A31	0.54	N	N	0	nil		
4	2	1986	A32	0.55	N	N	0	nil		
4	2	1986	A33	0.5	N	N	0	nil		
4	2	1986	A34	0.53	N	N	0	nil		
4	2	1986	A35	0.47	N	N	0	nil		
4	2	1986	A36	0.61	N	N	0	nil		
4	2	1986	A37	0.5	N	N	0	nil		
4	2	1986	A38	0.64	N	N	0	nil		
4	2	1986	A39	0.62	N	N	0	nil		
4	2	1986	A40	0.52	N	N	0	nil		
4	2	1986	A41	0.46	N	N	0	nil		
4	2	1986	A42	0.43	N	N	0	nil		
4	2	1986	A43	0.64	N	N	0	nil		
4	2	1986	A44	0.67	N	N	0	nil		
4	2	1986	A45	0.75	N	N	0	nil		
4	2	1986	A46	0.63	N	N	0	nil		
4	2	1986	A47	0.68	N	N	0	nil		
4	2	1986	A48	0.62	N	N	0	nil		
4	2	1986	A49	0.5	N	N	0	nil		
5	2	1986	A29	0.41	N	N	0	nil	34.	
5	2	1986	A30	0.52	N	N	0	nil	32.	
5	2	1986	A31	0.54	N	N	0	nil	31.	
5	2	1986	A32	0.55	N	N	0	nil	34.	
5	2	1986	A33	0.48	N	N	0	nil	33.	
5	2	1986	A34	0.51	N	N	0	nil	33.	
5	2	1986	A35	0.48	N	N	0	nil	32.	
5	2	1986	A36	0.6	N	N	0	nil	35.	
5	2	1986	A37	0.7	N	N	0	nil	35.	
5	2	1986	A38	0.64	N	N	0	nil	34.	
5	2	1986	A39	0.61	N	N	0	nil	33.	

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
5	2	1986	A40	0.5	N	N	0	nil	33.	
5	2	1986	A41	0.45	N	N	0	nil	33.	
5	2	1986	A42	0.42	N	N	0	nil	34.	
5	2	1986	A43	0.65	N	N	0	nil	31.	
5	2	1986	A44	0.69	N	N	0	nil	33.	
5	2	1986	A45	0.75	N	N	0	nil	31.	
5	2	1986	A46	0.64	N	N	0	nil	33.	
5	2	1986	A47	0.67	N	N	0	nil	33.	
5	2	1986	A48	0.61	N	N	0	nil	33.	
5	2	1986	A49	0.5	N	N	0	nil	34.	
6	2	1986	A29	0.43	N	N	0	nil	36.	
6	2	1986	A30	0.51	N	N	0	nil	35.	
6	2	1986	A31	0.49	N	N	0	nil	34.	
6	2	1986	A32	0.49	N	N	0	nil	36.	
6	2	1986	A33	0.42	N	N	0	nil	35.	
6	2	1986	A34	0.45	N	N	0	nil	35.	
6	2	1986	A35	0.45	N	N	0	nil	35.	
6	2	1986	A36	0.55	N	N	0	nil	35.	
6	2	1986	A37	0.45	N	N	0	nil	36.	
6	2	1986	A38	0.6	N	N	0	nil	36.	
6	2	1986	A39	0.59	N	N	0	nil	35.	
6	2	1986	A40	0.48	N	N	0	nil	35.	
6	2	1986	A41	0.4	N	N	0	nil	35.	
6	2	1986	A42	0.38	N	N	0	nil	36.	
6	2	1986	A43	0.6	N	N	0	nil	34.	
6	2	1986	A44	0.64	N	N	0	nil	35.	
6	2	1986	A45	0.72	N	N	0	nil	33.	
6	2	1986	A46	0.6	N	N	0	nil	35.	
6	2	1986	A47	0.63	N	N	0	nil	36.	
6	2	1986	A48	0.58	N	N	0	nil	35.	
6	2	1986	A49	0.46	N	N	0	nil	35.	
7	2	1986	A29	0.43	N	N	0	nil	36.	
7	2	1986	A30	0.51	N	N	0	nil	35.	
7	2	1986	A31	0.49	N	N	0	nil	34.	
7	2	1986	A32	0.49	N	N	0	nil	36.	
7	2	1986	A33	0.42	N	N	0	nil	35.	
7	2	1986	A34	0.45	N	N	0	nil	35.	
7	2	1986	A35	0.45	N	N	0	nil	35.	
7	2	1986	A36	0.55	N	N	0	nil	35.	
7	2	1986	A37	0.45	N	N	0	nil	36.	
7	2	1986	A38	0.6	N	N	0	nil	36.	
7	2	1986	A39	0.59	N	N	0	nil	35.	
7	2	1986	A40	0.48	N	N	0	nil	35.	
7	2	1986	A41	0.4	N	N	0	nil	35.	
7	2	1986	A42	0.38	N	N	0	nil	36.	
7	2	1986	A43	0.6	N	N	0	nil	34.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
7	2	1986	A44	0.64	N	N	0	nil	35.	
7	2	1986	A45	0.72	N	N	0	nil	33.	
7	2	1986	A46	0.6	N	N	0	nil	35.	
7	2	1986	A47	0.63	N	N	0	nil	36.	
7	2	1986	A48	0.58	N	N	0	nil	35.	
7	2	1986	A49	0.46	N	N	0	nil	35.	
12	2	1986	A29	0.59	N	N	0	nil	36.	
12	2	1986	A30	0.7	N	N	0	nil	36.	
12	2	1986	A31	0.68	N	N	0	nil	36.	
12	2	1986	A32	0.65	N	N	0	nil	36.	
12	2	1986	A33	0.59	N	N	0	nil	36.	
12	2	1986	A34	0.62	N	N	0	nil	36.	
12	2	1986	A35	0.64	N	N	0	nil	36.	
12	2	1986	A36	0.7	N	N	0	nil	36.	
12	2	1986	A37	0.61	N	N	0	nil	36.	
12	2	1986	A38	0.76	N	N	0	nil	36.	
12	2	1986	A39	0.74	N	N	0	nil	36.	
12	2	1986	A40	0.65	N	N	0	nil	36.	
12	2	1986	A41	0.56	N	N	0	nil	36.	
12	2	1986	A42	0.55	N	N	0	nil	36.	
12	2	1986	A43	0.75	N	N	0	nil	35.	
12	2	1986	A44	0.8	N	N	0	nil	34.	
12	2	1986	A45	0.89	N	N	0	nil	35.	
12	2	1986	A46	0.78	N	N	0	nil	36.	
12	2	1986	A47	0.8	N	N	0	nil	36.	
12	2	1986	A48	0.74	N	N	0	nil	36.	
12	2	1986	A49	0.62	N	N	0	nil	35.	
13	2	1986	A29	0.57	N	N	0	nil		
13	2	1986	A30	0.66	N	N	0	nil		
13	2	1986	A31	0.65	N	N	0	nil		
13	2	1986	A32	0.59	N	N	0	nil		
13	2	1986	A33	0.58	N	N	0	nil		
13	2	1986	A34	0.61	N	N	0	nil		
13	2	1986	A35	0.62	N	N	0	nil		
13	2	1986	A36	0.69	N	N	0	nil		
13	2	1986	A37	0.6	N	N	0	nil		
13	2	1986	A38	0.75	N	N	0	nil		
13	2	1986	A39	0.73	N	N	0	nil		
13	2	1986	A40	0.63	N	N	0	nil		
13	2	1986	A41	0.55	N	N	0	nil		
13	2	1986	A42	0.53	N	N	0	nil		
13	2	1986	A43	0.73	N	N	0	nil		
13	2	1986	A44	0.78	N	N	0	nil		
13	2	1986	A45	0.87	N	N	0	nil		
13	2	1986	A46	0.77	N	N	0	nil		
13	2	1986	A47	0.77	N	N	0	nil		

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
13	2	1986	A48	0.77	N	N	0	nil		
13	2	1986	A49	0.6	N	N	0	nil		
14	2	1986	A29	0.55	N	N	0	nil		
14	2	1986	A30	0.65	N	N	0	nil	36.	
14	2	1986	A31	0.64	N	N	0	nil	36.	
14	2	1986	A32	0.64	N	N	0	nil	37.	
14	2	1986	A33	0.58	N	N	0	nil	37.	
14	2	1986	A34	0.6	N	N	0	nil	37.	
14	2	1986	A35	0.61	N	N	0	nil	37.	
14	2	1986	A36	0.7	N	N	0	nil	37.	
14	2	1986	A37	0.6	N	N	0	nil	37.	
14	2	1986	A38	0.74	N	N	0	nil	36.	
14	2	1986	A39	0.73	N	N	0	nil	36.	
14	2	1986	A40	0.62	N	N	0	nil	36.	
14	2	1986	A41	0.55	N	N	0	nil	36.	
14	2	1986	A42	0.52	N	N	0	nil	37.	
14	2	1986	A43	0.71	N	N	0	nil	37.	
14	2	1986	A44	0.76	N	N	0	nil	35.	
14	2	1986	A45	0.86	N	N	0	nil	35.	
14	2	1986	A46	0.76	N	N	0	nil	36.	
14	2	1986	A47	0.78	N	N	0	nil	37.	
14	2	1986	A48	0.72	N	N	0	nil	37.	
14	2	1986	A49	0.6	N	N	0	nil	37.	
17	2	1986	A29	0.54	N	N	0	nil	36.	
17	2	1986	A30	0.6	N	N	0	nil	36.	
17	2	1986	A31	0.6	N	N	0	nil	37.	
17	2	1986	A32	0.6	N	N	0	nil	37.	
17	2	1986	A33	0.53	N	N	0	nil	37.	
17	2	1986	A34	0.56	N	N	0	nil	37.	
17	2	1986	A35	0.58	N	N	0	nil	37.	
17	2	1986	A36	0.66	N	N	0	nil	37.	
17	2	1986	A37	0.56	N	N	0	nil	37.	
17	2	1986	A38	0.7	N	N	0	nil	36.	
17	2	1986	A39	0.69	N	N	0	nil	36.	
17	2	1986	A40	0.59	N	N	0	nil	36.	
17	2	1986	A41	0.51	N	N	0	nil	36.	
17	2	1986	A42	0.48	N	N	0	nil	37.	
17	2	1986	A43	0.66	N	N	0	nil	37.	
17	2	1986	A44	0.72	N	N	0	nil	35.	
17	2	1986	A45	0.83	N	N	0	nil	35.	
17	2	1986	A46	0.72	N	N	0	nil	36.	
17	2	1986	A47	0.74	N	N	0	nil	37.	
17	2	1986	A48	0.69	N	N	0	nil	37.	
17	2	1986	A49	0.58	N	N	0	nil	37.	
19	2	1986	A29	0.5	N	N	0	nil	36.	
19	2	1986	A30	0.58	N	N	0	nil	36.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
19	2	1986	A31	0.59	N	N	0	nil	36.	
19	2	1986	A32	0.57	N	N	0	nil	35.	
19	2	1986	A33	0.51	N	N	0	nil	36.	
19	2	1986	A34	0.55	N	N	0	nil	37.	
19	2	1986	A35	0.55	N	N	0	nil	37.	
19	2	1986	A36	0.65	N	N	0	nil	38.	
19	2	1986	A37	0.55	N	N	0	nil	37.	
19	2	1986	A38	0.68	N	N	0	nil	37.	
19	2	1986	A39	0.66	Y	N	0	nil	36.	
19	2	1986	A40	0.55	N	N	0	nil	36.	
19	2	1986	A41	0.49	N	N	0	nil	36.	
19	2	1986	A42	0.45	N	N	0	nil	37.	
19	2	1986	A43	0.65	N	N	0	nil	35.	
19	2	1986	A44	0.7	N	N	0	nil	35.	
19	2	1986	A45	0.8	N	N	0	nil	35.	
19	2	1986	A46	0.7	N	N	0	nil	36.	
19	2	1986	A47	0.72	N	N	0	nil	37.	
19	2	1986	A48	0.65	N	N	0	nil	36.	
19	2	1986	A49	0.58	N	N	0	nil	37.	
20	2	1986	A29	0.5	N	N	0	nil		
20	2	1986	A30	0.57	N	N	0	nil		
20	2	1986	A31	0.57	N	N	0	nil		
20	2	1986	A32	0.56	N	N	0	nil		
20	2	1986	A33	0.47	N	N	0	nil		
20	2	1986	A34	0.51	N	N	0	nil		
20	2	1986	A35	0.55	N	N	0	nil		
20	2	1986	A36	0.66	N	N	0	nil		
20	2	1986	A37	0.52	N	N	0	nil		
20	2	1986	A38	0.66	N	N	0	nil		
20	2	1986	A39	0.65	N	N	0	nil		
20	2	1986	A40	0.46	N	N	0	nil		
20	2	1986	A41	0.45	N	N	0	nil		
20	2	1986	A42	0.44	N	N	0	nil		
20	2	1986	A43	0.59	N	N	0	nil		
20	2	1986	A44	0.58	N	N	0	nil		
20	2	1986	A45	0.75	N	N	0	nil		
20	2	1986	A46	0.63	N	N	0	nil		
20	2	1986	A47	0.68	N	N	0	nil		
20	2	1986	A48	0.63	N	N	0	nil		
20	2	1986	A49	0.55	N	N	0	nil		
21	2	1986	A29	0.49	N	N	0	nil	35.	
21	2	1986	A30	0.58	N	N	0	nil	35.	
21	2	1986	A31	0.57	N	N	0	nil	35.	
21	2	1986	A32	0.56	N	N	0	nil	35.	
21	2	1986	A33	0.5	N	N	0	nil	35.	
21	2	1986	A34	0.52	N	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
21	2	1986	A35	0.54	N	N	0	nil	35.	
21	2	1986	A36	0.6	N	N	0	nil	35.	
21	2	1986	A37	0.52	N	N	0	nil	35.	
21	2	1986	A38	0.66	N	N	0	nil	35.	
21	2	1986	A39	0.64	N	N	0	nil	35.	
21	2	1986	A40	0.45	N	N	0	nil	35.	
21	2	1986	A41	0.45	N	N	0	nil	35.	
21	2	1986	A42	0.43	N	N	0	nil	35.	
21	2	1986	A43	0.55	N	N	0	nil	35.	
21	2	1986	A44	0.6	N	N	0	nil	35.	
21	2	1986	A45	0.72	N	N	0	nil	35.	
21	2	1986	A46	0.61	N	N	0	nil	35.	
21	2	1986	A47	0.67	N	N	0	nil	35.	
21	2	1986	A48	0.61	N	N	0	nil	35.	
21	2	1986	A49	0.54	N	N	0	nil	35.	
24	2	1986	A29	0.48	N	N	0	nil	35.	
24	2	1986	A30	0.52	N	N	0	nil	35.	
24	2	1986	A31	0.55	N	N	0	nil	35.	
24	2	1986	A32	0.54	N	N	0	nil	35.	
24	2	1986	A33	0.46	N	N	0	nil	35.	
24	2	1986	A34	0.5	N	N	0	nil	35.	
24	2	1986	A35	0.51	N	N	0	nil	35.	
24	2	1986	A36	0.58	N	N	0	nil	35.	
24	2	1986	A37	0.5	N	N	0	nil	35.	
24	2	1986	A38	0.63	N	N	0	nil	35.	
24	2	1986	A39	0.61	N	N	0	nil	35.	
24	2	1986	A40	0.45	N	N	0	nil	35.	
24	2	1986	A41	0.46	N	N	0	nil	35.	
24	2	1986	A42	0.4	N	N	0	nil	35.	
24	2	1986	A43	0.56	N	N	0	nil	35.	
24	2	1986	A44	0.6	N	N	0	nil	35.	
24	2	1986	A45	0.7	N	N	0	nil	35.	
24	2	1986	A46	0.59	N	N	0	nil	35.	
24	2	1986	A47	0.63	N	N	0	nil	35.	
24	2	1986	A48	0.57	N	N	0	nil	35.	
24	2	1986	A49	0.51	N	N	0	nil	35.	
25	2	1986	A29	0.55	N	N	0	nil	35.	
25	2	1986	A30	0.7	N	N	0	nil	35.	
25	2	1986	A31	0.69	N	N	0	nil	35.	
25	2	1986	A32	0.65	N	N	0	nil	35.	
25	2	1986	A33	0.58	N	N	0	nil	35.	
25	2	1986	A34	0.6	N	N	0	nil	35.	
25	2	1986	A35	0.6	N	N	0	nil	35.	
25	2	1986	A36	0.65	N	N	0	nil	35.	
25	2	1986	A37	0.55	N	N	0	nil	35.	
25	2	1986	A38	0.7	N	N	0	nil	35.	

Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POUND	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
25	2	1986	A39	0.68	N	N	0	nil	35.	
25	2	1986	A40	0.59	N	N	0	nil	35.	
25	2	1986	A41	0.57	N	N	0	nil	35.	
25	2	1986	A42	0.48	N	N	0	nil	35.	
25	2	1986	A43	0.69	N	N	0	nil	35.	
25	2	1986	A44	0.73	N	N	0	nil	35.	
25	2	1986	A45	0.83	N	N	0	nil	35.	
25	2	1986	A46	0.72	N	N	0	nil	35.	
25	2	1986	A47	0.69	N	N	0	nil	35.	
25	2	1986	A48	0.68	N	N	0	nil	35.	
25	2	1986	A49	0.6	N	N	0	nil	35.	
26	2	1986	A29	0.55	N	N	0	nil	40.	
26	2	1986	A30	0.7	N	N	0	nil	40.	
26	2	1986	A31	0.69	N	N	0	nil	40.	
26	2	1986	A32	0.65	N	N	0	nil	40.	
26	2	1986	A33	0.58	N	N	0	nil	39.	
26	2	1986	A34	0.6	N	N	0	nil	40.	
26	2	1986	A35	0.6	N	N	0	nil	40.	
26	2	1986	A36	0.65	N	N	0	nil	40.	
26	2	1986	A37	0.55	N	N	0	nil	40.	
26	2	1986	A38	0.7	N	N	0	nil	38.	
26	2	1986	A39	0.68	N	N	0	nil	40.	
26	2	1986	A40	0.59	N	N	0	nil	40.	
26	2	1986	A41	0.51	N	N	0	nil	40.	
26	2	1986	A42	0.48	N	N	0	nil	40.	
26	2	1986	A43	0.69	N	N	0	nil	39.	
26	2	1986	A44	0.73	N	N	0	nil	39.	
26	2	1986	A45	0.33	N	N	0	nil	39.	
26	2	1986	A46	0.72	N	N	0	nil	40.	
26	2	1986	A47	0.69	N	N	0	nil	40.	
26	2	1986	A48	0.68	N	N	0	nil	40.	
26	2	1986	A49	0.6	N	N	0	nil	40.	
27	2	1986	A29	0.51	N	N	0	nil		
27	2	1986	A30	0.64	N	N	0	nil		
27	2	1986	A31	0.64	N	N	0	nil		
27	2	1986	A32	0.6	N	N	0	nil		
27	2	1986	A33	0.54	N	N	0	nil		
27	2	1986	A34	0.57	N	N	0	nil		
27	2	1986	A35	0.6	N	N	0	nil		
27	2	1986	A36	0.64	N	N	0	nil		
27	2	1986	A37	0.54	N	N	0	nil		
27	2	1986	A38	0.68	N	N	0	nil		
27	2	1986	A39	0.65	N	N	0	nil		
27	2	1986	A40	0.57	N	N	0	nil		
27	2	1986	A41	0.5	N	N	0	nil		
27	2	1986	A42	0.47	N	N	0	nil		

**Table 2. Daily Pond Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES	SALINITY	H2O-FLOW
27	2	1986	A43	0.66	N	N	0	nil		
27	2	1986	A44	0.71	N	N	0	nil		
27	2	1986	A45	0.8	N	N	0	nil		
27	2	1986	A46	0.7	N	N	0	nil		
27	2	1986	A47	0.72	N	N	0	nil		
27	2	1986	A48	0.66	N	N	0	nil		
27	2	1986	A49	0.58	N	N	0	nil		
28	2	1986	A29	0.51	N	N	0	nil	40.	
28	2	1986	A30	0.64	N	N	0	nil	40.	
28	2	1986	A31	0.64	N	N	0	nil	40.	
28	2	1986	A32	0.6	N	N	0	nil	40.	
28	2	1986	A33	0.54	N	N	0	nil	39.	
28	2	1986	A34	0.57	N	N	0	nil	40.	
28	2	1986	A35	0.6	N	N	0	nil	40.	
28	2	1986	A36	0.64	N	N	0	nil	40.	
28	2	1986	A37	0.54	N	N	0	nil	40.	
28	2	1986	A38	0.68	N	N	0	nil	38.	
28	2	1986	A39	0.65	N	N	0	nil	40.	
28	2	1986	A40	0.57	N	N	0	nil	40.	
28	2	1986	A41	0.5	N	N	0	nil	40.	
28	2	1986	A42	0.47	N	N	0	nil	40.	
28	2	1986	A43	0.66	N	N	0	nil	39.	
28	2	1986	A44	0.71	N	N	0	nil	39.	
28	2	1986	A45	0.8	N	N	0	nil	39.	
28	2	1986	A46	0.7	N	N	0	nil	40.	
28	2	1986	A47	0.72	N	N	0	nil	40.	
28	2	1986	A48	0.66	N	N	0	nil	40.	
28	2	1986	A49	0.58	N	N	0	nil	40.	

**Table 3. Miscellaneous Observations Including Fish Health. Iloilo, Philippines.**  
**Cycle II, Dry Season**

DAY	MONTH	YEAR	POND#	OBSERVATIONS
3	12	1984	B02	Pond water is very clear.
3	12	1984	B03	Visibility was bottom.
3	12	1984	B08	Abundant growth of lablab was observed.
10	12	1984	B01	Jelly fish were found floating on the pond.
11	12	1984	A41	Pond water was very clear.
11	12	1984	A46	Pond water was very clear.
14	12	1984	B18	Sea urchin were found and removed.
19	12	1984	B15	Prawn juveniles were pouched.
19	12	1984	B16	Prawn juveniles were pouched.
19	12	1984	B20	Pouching of prawn juveniles was discovered at noon.
20	12	1984	B14	Sea urchin were again found and removed.
20	12	1984	B18	Sea urchin were removed.
2	1	1985	A29	Growth of lablab was luxurious.
2	1	1985	A31	Abundant growth of lablab was observed.
2	1	1985	A37	Abundant growth of lablab was observed.
2	1	1985	A41	Growth of pond algae was abundant.
3	1	1985	B19	Sea urchin were also found present in this pond.
7	1	1985	A32	Fishes were not found eating the feeds.
7	1	1985	A33	Fishes were not found eating the feeds.
7	1	1985	A35	Fishes were not found eating the feeds.
7	1	1985	A36	Fishes were not found eating the feeds.
7	1	1985	A37	Fishes were not found eating the feeds.
7	1	1985	A41	Fishes were not found eating the feeds.
7	1	1985	A43	Fishes were not found eating the feeds.
7	1	1985	A48	Fishes were not found eating the feeds.
7	1	1985	A49	Fishes were not found eating the feeds.
9	1	1985	B01	First stock sampling, prawn samples were mostly found clinging on coconut palm leaves
9	1	1985	B14	Prawn were of larger sizes and collecting of samples took only a short time.
10	1	1985	A29	Growth of lablab was still abundant.
10	1	1985	A31	Growth of lablab was abundant.
10	1	1985	A32	Fishes were found eating the feeds after the pond was flooded.
10	1	1985	A48	Fishes were found eating the feeds after the pond was flooded.
17	1	1985	A29	Water depth was very low.
20	1	1985	A30	Fish samples were hard to catch.
21	1	1985	A29	Abundant growth of lablab was observed.
23	1	1985	A29	Pond was overdrained.
23	1	1985	A30	The pond was overdrained.
23	1	1985	A31	The pond was overdrained.
23	1	1985	A32	The pond was overdrained.
23	1	1985	A33	The pond was overdrained.
23	1	1985	A34	The pond was overdrained.
23	1	1985	A35	The pond was overdrained.
23	1	1985	A42	Fish samples were hard to collect.
26	1	1985	B13	Mortalities were found floating near the pond gate.
5	2	1985	B01	Samples were gathered from both the coconut palm leaves and the feeding trays.

**Table 3. Miscellaneous Observations Including Fish Health. Iloilo, Philippines.**  
**Cycle II, Dry Season**

DAY	MONTH	YEAR	POND#	OBSERVATIONS
5	2	1985	B02	Small sized samples were found to abound the coconut palm leaves while bigger sized ones were taken from the feeding trays.
5	2	1985	B09	Samples were also taken from both the feeding trays and the coconut palm leaves.
5	2	1985	B13	Collecting of samples took a longer time.
5	2	1985	B13	Fawn samples were of larger size and found to abound the feeding trays.
5	2	1985	B20	Sampling took a longer time and few samples were collected hence sampling was repeated at night.
18	2	1985	B01	Salinity decreased; no feed was left on the feeding trays.
18	2	1985	B02	Salinity decreased; water was brownish in color and no feeds were left on the feeding trays.
18	2	1985	B03	Feeding trays were found empty and the water salinity decreased.
18	2	1985	B04	Prawns were found on feeding trays; salinity decreased.
18	2	1985	B05	Bigger prawns were found on the feeding trays near the gate where water was pumped and smaller ones were present on the other trays.
18	2	1985	B06	Small leaks were found on the sides of the dike going to the diversion canal.
18	2	1985	B07	Abundant growth of natural food was observed and no feeds were found left on feeding trays.
13	2	1985	B08	Lablab were found floating on the pond.
13	2	1985	B10	Feeds were found on feeding trays and no prawn was seen on the trays.
18	2	1985	B19	Pond water has a very dark brown color.
20	2	1985	B10	A very big leak was found on the north side near the gate.
4	3	1985	B01	Sampling was done at around 1700 to 0200H.
4	3	1985	B02	Shrimp samples were found to frequent the feeding trays.
4	3	1985	B14	Samples were easier to collect than the previous month.
4	3	1985	B18	Shrimps found on feeding trays were bigger at night than at daytime.
6	3	1985	B05	Several tilapia fingerlings were found eating on feeding trays.
6	3	1985	B07	Tilapia fingerlings were also found eating the natural food floating on the pond.
6	3	1985	B16	Feeds inside the feeding trays were found eaten by some tilapia fingerlings.
6	3	1985	B20	Several tilapia fingerlings were found swimming near the pond gate.
14	3	1985	B15	Fry of tilapia were also found floating and eating on the feeding trays.
14	3	1985	B16	Several tilapia were caught on the feeding trays.
14	3	1985	B26	Tilapia fingerlings were found and removed on the feeding trays.
20	3	1985	A30	Lesions were dominant on female tilapia.
20	3	1985	A37	Few lesions were found.
20	3	1985	A43	Some of the fishes with severe lesions were taken for analysis.
21	3	1985	B16	Fish competitors were removed using cast net.
21	3	1985	B19	Fish competitors were caught using cast net.
21	3	1985	B20	Tilapia fingerlings were caught on feeding trays and also by cast net.
28	3	1985	B03	Pond water had a rusty brown color.
2	4	1985	A33	Sea urchin were found near the pond gate.
3	4	1985	B05	Sample mean weight decreased.
8	4	1985	A41	Plankton bloom occurred.
17	4	1985	B01	Salinity dropped due to very heavy rainfall.
17	4	1985	B02	Salinity dropped due to very heavy rainfall.
17	4	1985	B03	Salinity dropped due to a very heavy rainfall.
17	4	1985	B04	Salinity dropped due a very heavy rainfall.
17	4	1985	B05	Salinity dropped due to a very heavy rainfall.
17	4	1985	B06	Salinity dropped due to a very heavy rainfall.
17	4	1985	B07	Salinity dropped due to a very heavy rainfall.
17	4	1985	B08	Salinity dropped due to a very heavy rainfall.
17	4	1985	B09	Salinity dropped due to heavy rainfall.

Table 3. Miscellaneous Observations Including Fish Health. Iloilo, Philippines.  
Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	OBSERVATIONS
17	4	1985	B10	Salinity dropped due to heavy rainfall.
17	4	1985	B11	A heavy rain occurred causing the sudden drop of salinity.
17	4	1985	B13	Salinity dropped due to a very heavy rainfall.
17	4	1985	B14	Salinity dropped, pond water has a very dark brown color.
17	4	1985	B15	Salinity dropped caused by a sudden and heavy rainfall.
17	4	1985	B16	Salinity dropped due to very heavy rainfall.
17	4	1985	B18	Salinity dropped due to a very heavy rain.
17	4	1985	B19	Color of pond water improved; salinity dropped.
17	4	1985	B20	Salinity dropped due to a very heavy rainfall.
2	5	1985	B15	Prawn were surfacing at around 0430 to 0600H; DO level was very low.
2	5	1985	B18	Surfacing of prawn occurred.
3	5	1985	B15	Prawn were surfacing again.
4	5	1985	B13	Prawn were surfacing but no mortality was found.
5	5	1985	B13	Prawn were still surfacing at early morning.
20	12	1985	A35	Visibility was poor.

**Table 3. Miscellaneous Observations Including Fish Health. Iloilo, Philippines.**  
**Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	OBSERVATIONS
13	9	1985	B01	Sampling took only a few minutes.
13	9	1985	B02	Sizes of prawn were several times bigger.
13	9	1985	B03	Samples were found mostly on the coconut palm leaves.
13	9	1985	B04	Bigger shrimp were no longer found on the coconut palm leaves.
13	9	1985	B11	Shrimp samples were smaller thus sampling took a longer time than in other ponds.
13	9	1985	B20	Samples were easy to collect.
17	9	1985	B04	Pond water was very clear; prawn can be seen crawling on the pond floor.
25	9	1985	B05	Several tilapia fingerlings were found eating on feeding trays.
25	9	1985	B07	Several tilapia fingerlings were found eating on feeding trays.
30	9	1985	B15	Prawns were surfacing.
3	10	1985	A29	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A30	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A31	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A32	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A33	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A34	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A35	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A36	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A37	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A38	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A39	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A40	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A41	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A42	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A43	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A44	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A45	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A46	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A47	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A48	Initial sampling was done a month after the fish were stocked in the pond.
3	10	1985	A49	Initial sampling was done a month after the fish were stocked in the pond.
7	10	1985	B03	Pond water was very clear.
9	10	1985	B16	Shrimps were surfacing.
15	10	1985	A20	Gobies were the most number of species eradicated.
15	10	1985	B01	Tea seed cake was applied, gobies were the most species killed.
15	10	1985	B02	Tea seed cake application.
15	10	1985	B03	Tea seed cake application, gobies were the hardest species affected.
15	10	1985	B04	Application of tea seed cake. Several tilapia fingerlings were eradicated.
15	10	1985	B06	Application of tea seed cake, less competitors were found.
15	10	1985	B07	Several fish competitors were killed.
15	10	1985	B08	Fish competitors were found surfacing thirty minutes after tea seed cake was applied.
15	10	1985	B09	Sea bass was found after tea seed cake was applied.
15	10	1985	B10	Large sizes of tilapia were taken an hour after the application of tea seed cake.
15	10	1985	B11	Less fish competitors were found.
15	10	1985	B15	Application of tea seed cake, gobies were the last to be affected.

**Table 3. Miscellaneous Observations Including Fish Health. Iloilo, Philippines.**  
**Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	OBSERVATIONS
15	10	1985	B14	Chanos chanos were the first species to die after tea seed cake was applied.
15	10	1985	B15	Application of tea seed cake.
15	10	1985	B16	Application of tea seed cake.
15	10	1985	B18	Application of tea seed cake.
15	10	1985	B19	Several fish competitors were found and eradicated.
17	10	1985	A32	Tilapia were found eating the feeds after the ponds were just flooded.
17	10	1985	A33	Tilapia were found eating the feeds after the pond was flooded.
17	10	1985	A35	Tilapia were found eating the feeds after the pond was just flooded.
17	10	1985	A36	Tilapia were found eating the feeds after the pond was just flooded.
17	10	1985	A37	Tilapia were found eating the feeds after the pond was flooded.
17	10	1985	A38	Tilapia were found eating the feed after the pond was flooded.
17	10	1985	A39	Tilapia were found eating the feeds after the pond was flooded.
17	10	1985	A44	Tilapia were found eating the feeds after the pond was flooded.
17	10	1985	A48	Tilapia were found eating the feeds after the pond was flooded.
23	10	1985	A44	A big leak was found in the dike going to the diversion canal.
23	10	1985	B01	Salinity reading stratifies.
23	10	1985	B02	Salinity reading stratifies.
23	10	1985	B03	Salinity reading stratifies.
23	10	1985	B04	Salinity reading stratifies.
23	10	1985	B05	Salinity reading stratifies.
23	10	1985	B06	Salinity reading stratifies.
23	10	1985	B07	Salinity reading stratifies.
23	10	1985	B08	Salinity reading stratifies.
23	10	1985	B09	Salinity reading stratifies.
23	10	1985	B10	Salinity reading stratifies.
23	10	1985	B11	Salinity reading stratifies.
25	10	1985	B14	Surfacing of prawns occurred.
25	10	1985	B15	Surfacing of prawn occurred.
25	10	1985	B16	Surfacing of prawn occurred.
25	10	1985	B18	Surfacing of prawn occurred, no mortality was found.
25	10	1985	B19	Surfacing of prawn occurred.
25	10	1985	B20	Surfacing of prawn occurred.
26	10	1985	B14	Surfacing still occur.
26	10	1985	B15	Surfacing still occur.
26	10	1985	B16	Surfacing still occur.
26	10	1985	B19	Surfacing still occur.
26	10	1985	B20	Shrimp started surfacing at around 0500H.
27	10	1985	B14	Shrimps continued to surface at early morning.
27	10	1985	B15	Shrimp continued to surface at early morning.
27	10	1985	B16	Shrimps were again surfacing at early morning.
27	10	1985	B18	Less number of shrimps were found surfacing.
27	10	1985	B19	Shrimps were surfacing but no mortalities were monitored.
27	10	1985	B20	Shrimps were surfacing and were found near the dikes.
28	10	1985	A32	Surfacing occurred.
28	10	1985	B14	Shrimps are found going against the incoming water.

**Table 3. Miscellaneous Observations Including Fish Health. Iloilo, Philippines.**  
**Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	OBSERVATIONS
28	10	1985	B15	Surfacing continued, flow through system was adapted.
28	10	1985	B16	Surfacing continued, continuous change of water was done.
28	10	1985	B18	Continued surfacing, continuous changing of pond water was done.
28	10	1985	B19	Surfacing continued, pond water was continuously changed.
28	10	1985	B20	Less shrimps were found surfacing, no mortality was monitored.
29	10	1985	B16	Surfacing continued, no mortality was monitored.
29	10	1985	B20	Surfacing continued, no mortality was monitored.
30	10	1985	A36	Several mortalities occurred while the fishes were sampled.
30	10	1985	A44	Hundred percent of the fish samples died.
30	10	1985	B13	Surfacing again occurred, pond was flooded.
30	10	1985	B15	Surfacing occurred again, no mortality was monitored.
31	10	1985	B13	Surfacing continued.
6	11	1985	B13	Surfacing still occurred.
6	11	1985	B14	Shrimps were again surfacing.
6	11	1985	B15	Shrimps were again surfacing.
6	11	1985	B16	Few shrimps were found surfacing.
6	11	1985	B18	Shrimps were found surfacing and flocked to the sides of the pond.
6	11	1985	B19	Plenty of shrimps were found surfacing and on the sides of the pond.
6	11	1985	B20	Shrimps were found surfacing again.
8	11	1985	B03	Surfacing occurred, pond water has a rusty brown color.
9	11	1985	A36	Surfacing occurred.
9	11	1985	A37	Surfacing occurred.
9	11	1985	B13	Stocks in B13 were still surfacing.
10	11	1985	B03	Pond water had a rusty brown color.
10	11	1985	B04	Shrimps were surfacing until around 0900H.
10	11	1985	B09	Surfacing occurred, several mortalities were monitored.
10	11	1985	B13	Stocks in continued to surface and several mortalities were collected.
10	11	1985	B15	Stocks were still surfacing.
10	11	1985	B16	Surfacing still occurred.
10	11	1985	B20	Prawn were surfacing, no mortalities were monitored.
11	11	1985	A37	Tilapia were surfacing, D O reading was zero.
11	11	1985	B02	Mortalities were found and the stock continued to surface.
11	11	1985	B04	Surfacing continued.
18	11	1985	B14	Shrimps were again found surfacing, feeding was only half of the ration.
18	11	1985	B15	Surfacing continued, feeding was half of the ration.
18	11	1985	B18	Feeding was adjusted to half of the ration for the shrimps were still surfacing.
20	11	1985	A37	Tilapia were surfacing again.
7	12	1985	B01	Stock were still surfacing.
7	12	1985	B02	Surfacing occurred.
7	12	1985	B03	Surfacing occurred.
7	12	1985	B04	Surfacing occurred.
7	12	1985	B16	Surfacing occurred again.
7	12	1985	B19	Stock were again found surfacing, feed was reduced.
3	2	1986	A32	Fishes were surfacing, several small bubbles were found on the water surface.
18	2	1986	A37	Fishes were surfacing again.
19	2	1986	A39	Surfacing occurred.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND #	TIME	WATER						KJELDAHL ALKA.	HARD.	PH	TOTAL		SECHII		SECHII		CHLOR-		CHLOR-		
					DO # TOP	DO # MID	DO # BOTTOM	TEMP # TOP	TEMP # MID	TEMP # BOTTOM				N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	A	B	A	B	C
24	11 1984	Y	A29	830		5.2				27.														
24	11 1984	Y	A30	831		5.4				27.5														
24	11 1984	Y	A31	832		4.7				27.5														
24	11 1984	Y	A32	834		5.1				27.5														
24	11 1984	Y	A33	835		4.4				27.														
24	11 1984	Y	A34	836		5.2				27.														
24	11 1984	Y	A35	838		4.4				27.														
24	11 1984	Y	A36	840		5.8				27.														
24	11 1984	Y	A37	847		5.6				27.5														
24	11 1984	Y	A38	846		5.7				27.														
24	11 1984	Y	A39	844		5.				27.5														
24	11 1984	Y	A40	843		5.3				27.														
24	11 1984	Y	A41	841		5.				27.														
24	11 1984	Y	A42	840		5.4				26.7														
24	11 1984	Y	A43	851		5.7				27.														
24	11 1984	Y	A44	853		5.7				27.														
24	11 1984	Y	A45	854		5.6				27.														
24	11 1984	Y	A46	855		5.6				27.														
24	11 1984	Y	A47	856		5.8				27.														
24	11 1984	Y	A48	858		5.5				27.														
24	11 1984	Y	A49	859		5.6				27.														
26	11 1984	Y	A29	659		4.6				26.5														
26	11 1984	Y	A30	700		4.1				26.														
26	11 1984	Y	A31	701		3.7				27.														
26	11 1984	Y	A32	703		4.1				27.														
26	11 1984	Y	A33	704		4.8				26.5														
26	11 1984	Y	A34	706		4.4				26.5														
26	11 1984	Y	A35	707		4.3				26.5														
26	11 1984	Y	A36	716		2.2				26.5														
26	11 1984	Y	A37	715		2.8				27.														
26	11 1984	Y	A38	714		4.				27.														
26	11 1984	Y	A39	713		3.3				27.														
26	11 1984	Y	A40	712		3.5				26.														
26	11 1984	Y	A41	710		3.8				26.														
26	11 1984	Y	A42	709		3.7				26.														
26	11 1984	Y	A43	719		4.3				27.5														
26	11 1984	Y	A44	721		4.				26.5														
26	11 1984	Y	A45	722		3.8				27.														
26	11 1984	Y	A46	724		4.3				27.														
26	11 1984	Y	A47	725		4.				27.														
26	11 1984	Y	A48	727		4.4				27.														
26	11 1984	Y	A49	728		4.2				27.														
28	11 1984	Y	A29	541		5.6				26.														

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						FELDAHL	TOTAL						SECHII															
					DO	DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	DO	DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALFA.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	T	PO4-P	A	B
30	11 1984	Y	A35	604		5.3				25.																							59.
30	11 1984	Y	A36	616		4.3				25.5																							53.
30	11 1984	Y	A37	615		4.7				25.																						42.	
30	11 1984	Y	A38	613		4.6				25.1																						49.	
30	11 1984	Y	A39	611		4.7				25.75																						60.	
30	11 1984	Y	A40	610		5.1				25.1																						51.	
30	11 1984	Y	A41	608		5.7				24.75																						35.	
30	11 1984	Y	A42	607		4.7				24.																						20.	
30	11 1984	Y	A43	620		6.3				25.75																						53.	
30	11 1984	Y	A44	622		5.2				25.5																						69.	
30	11 1984	Y	A45	623		5.3				25.75																						63.	
30	11 1984	Y	A46	624		5.1				25.5																						69.	
30	11 1984	Y	A47	626		5.3				25.25																						69.	
30	11 1984	Y	A48	627		5.7				25.1																						57.	
30	11 1984	Y	A49	628		5.3				25.2																						61.	
30	11 1984	N	B01	440		6.7	6.6	6.6																							1.2		
30	11 1984	N	B02	443		6.4	6.2	6.1																							1.		
30	11 1984	N	B03	445		5.8	5.8	5.9																							1.		
30	11 1984	N	B04	447		6.3	6.2	6.																							1.05		
30	11 1984	N	B05	450		6.4	6.2	6.1																							1.3		
30	11 1984	N	B06	453		6.5	6.4	6.																							1.14		
30	11 1984	N	B07	503		6.				5.8																						0.85	
30	11 1984	N	B08	501		6.				5.9																						0.9	
30	11 1984	N	B09	500		6.2				6.2																						0.94	
30	11 1984	N	B10	458		6.2				6.1																						0.87	
30	11 1984	N	B11	456		6.				5.7																						0.9	
30	11 1984	N	B13	506		5.				5.																						0.76	
30	11 1984	N	B14	508			3.7																									0.32	
30	11 1984	N	B15	509			4.4																										0.63
30	11 1984	N	B16	511			3.																										0.59
30	11 1984	N	B18	516			4.4																										0.57
30	11 1984	N	B19	514			3.6																									0.62	
30	11 1984	N	B20	513			4.6																									0.68	
3	12 1984	Y	A29	625		3.6				26.75																						34.	
3	12 1984	Y	A30	625		3.7				26.25																						47.	
3	12 1984	Y	A31	627		2.7				26.25																						24.	
3	12 1984	Y	A32	629		3.7				26.75																						34.	
3	12 1984	Y	A33	630		3.7				26.25																						30.	
3	12 1984	Y	A34	631		4.				26.5																						34.	
3	12 1984	Y	A35	632		3.6				26.25																						33.	
3	12 1984	Y	A36	642		2.5				26.75																						34.	
3	12 1984	Y	A37	640		3.5				26.																						31.	
3	12 1984	Y	A38	639		3.7				27.																						47.	
3	12 1984	Y	A39	638		3.7				27.																						49.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII												
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MAX	TEMP @ TOP-MIN	TEMP @ MID-MIN	TEMP @ BOTTOM-MIN	ALKALI.	HARD.	pH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	ORTHOPHOSPHATE	DISK	DISK	OPHYLL	OPHYLL
																										A	B	A	B	C
3	12 1984	Y	A40	636		4.3				26.75																				
3	12 1984	Y	A41	635		4.1				26.																				46.
3	12 1984	Y	A42	634		3.2				24.1																			30.	
3	12 1984	Y	A43	645		5.6				27.5																			10.	
3	12 1984	Y	A44	646		4.7				27.25																			50.	
3	12 1984	Y	A45	647		4.3				27.5																			50.	
3	12 1984	Y	A46	648		5.4				27.25																			70.	
3	12 1984	Y	A47	649		5.1				27.25																			50.	
3	12 1984	Y	A48	651		4.3				27.25																			62.	
3	12 1984	Y	A49	653		4.4				27.																			53.	
3	12 1984	N	E01	345	7.	6.8	6.4	30.	30.	30.																		50.		
3	12 1984	N	E02	347	6.3	6.3	5.6	30.	30.	29.5																		1.4		
3	12 1984	N	E03	350	7.8	6.8	6.2	30.25	30.	30.																		1.48		
3	12 1984	N	E04	354	6.2	6.	6.6	30.	30.	29.75																	1.32			
3	12 1984	N	E05	357	5.3	5.1	4.9	30.25	30.	29.75																	1.41			
3	12 1984	N	E06	359	6.2	6.2	6.1	30.	30.	30.																	1.46			
3	12 1984	N	E07	411	5.1		4.8	30.75		30.																	1.3			
3	12 1984	N	E08	409	5.6		4.8	30.25		30.1																	0.93			
3	12 1984	N	E09	407	5.5		5.1	30.5		30.																	1.03			
3	12 1984	N	E10	405	6.2		6.4	31.		29.5																	1.			
3	12 1984	N	E11	402	5.1		5.2	30.75		30.																	0.73			
3	12 1984	N	E13	415	5.8		5.6	31.25		31.																	0.96			
3	12 1984	N	E14	417		3.4				33.																	0.71			
3	12 1984	N	E15	418		5.1				32.																	0.42			
3	12 1984	N	E16	420		4.3				31.5																	0.58			
3	12 1984	N	E18	424		3.7				32.																	0.5			
3	12 1984	N	E19	422		4.4				31.25																	0.53			
3	12 1984	N	E20	422		4.3				31.5																	0.51			
4	12 1984	Y	A29																									0.64		
4	12 1984	Y	A30																									30.		
4	12 1984	Y	A31																									44.		
4	12 1984	Y	A32																									15.		
4	12 1984	Y	A33																									28.		
4	12 1984	Y	A24																									28.		
4	12 1984	Y	A35																									29.		
4	12 1984	Y	A36																									35.		
4	12 1984	Y	A37																									24.		
4	12 1984	Y	A38																									29.		
4	12 1984	Y	A39																									44.		
4	12 1984	Y	A40																									45.		
4	12 1984	Y	A41																									44.		
4	12 1984	Y	A42																									28.		
4	12 1984	Y	A43																									9.		
4	12 1984	Y	A44																									55.		
																												53.		

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

EXTRA DAY NO.	YEAR	DATA?	POND#	TIME	WATER	WATER	WATER	WATER	WATER	KJELDAHL	TOTAL	SECHII	SECHII	CHLOR-	CHLOR-	CHLOR-							
					DO @ TOP	DO @ MID	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	ALKAL.	NH3-N	NO2-N	NO3-N	P	ORTHODISK	DISK	DISK	O PHYLL	O PHYLL	O PHYLL			
										pH	.	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	A	B	C	
4	12 1984	Y	A45																				68.
4	12 1984	Y	A46																				50.
4	12 1984	Y	A47																				59.
4	12 1984	Y	A48																				50.
4	12 1984	Y	A49																				45.
4	12 1984	Y	B01																				1.38
4	12 1984	Y	B02																				1.3
4	12 1984	Y	B03																				1.27
4	12 1984	Y	B04																				1.37
4	12 1984	Y	B05																				1.1
4	12 1984	Y	B06																				1.25
4	12 1984	Y	B07																				0.7
4	12 1984	Y	B08																				0.95
4	12 1984	Y	B09																				1.
4	12 1984	Y	B10																				0.74
4	12 1984	Y	B11																				0.85
4	12 1984	Y	B13																				0.69
4	12 1984	Y	B14																				0.43
4	12 1984	Y	B15																				0.57
4	12 1984	Y	B16																				0.37
4	12 1984	Y	B18																				0.52
4	12 1984	Y	B19																				0.39
4	12 1984	Y	B20																				0.5
5	12 1984	Y	A29	603	3.7		27.75																30.
5	12 1984	Y	A30	604	4.1		26.25																42.
5	12 1984	Y	A31	606	2.6		25.																13.
5	12 1984	Y	A32	607	3.9		26.																18.
5	12 1984	Y	A33	608	4.2		26.																25.
5	12 1984	Y	A34	609	4.4		26.																29.
5	12 1984	Y	A35	610	4.1		26.25																32.
5	12 1984	Y	A36	620	1.5		26.																24.
5	12 1984	Y	A37	619	2.4		26.																28.
5	12 1984	Y	A38	618	3.9		27.2																43.
5	12 1984	Y	A39	616	4.3		27.																43.
5	12 1984	Y	A40	615	4.3		26.8																42.
5	12 1984	Y	A41	613	4.6		26.																26.
5	12 1984	Y	A42	612	2.9		24.5																9.
5	12 1984	Y	A43	623	5.2		28.																50.
5	12 1984	Y	A44	624	5.9		27.9																50.
5	12 1984	Y	A45	626	5.4		27.																60.
5	12 1984	Y	A46	627	5.7		27.5																50.
5	12 1984	Y	A47	628	5.3		27.5																59.
5	12 1984	Y	A48	630	5.6		27.25																56.
5	12 1984	Y	A49	632	4.7		27.																43.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA?	POINT#	TIME	WATER										KJELDAHL	TOTAL						SECHII			CHLOR-			
					DO	DO	DO	DO A	TEMP	TEMP	TEMP A	TEMP	TEMP A	TEMP	TEMP A	NH3-N	N02-N	N03-N	P	P04-P	A	B	C	DISK	RISK	OHALYL	OHALYL	OHALYL
5	12 1984	Y	B01	303	6.8	6.5	6.1	30.	30.	29.75	29.75	29.75	29.75	29.75														
5	12 1984	Y	B02	311	6.3	6.2	5.9	29.75	29.75	29.75	29.75	29.75	29.75	29.75														1.2
5	12 1984	Y	B03	314	6.1	5.8	5.7	29.75	29.75	29.75	29.75	29.75	29.75	29.75														1.43
5	12 1984	Y	B04	318	6.4	6.6	6.3	29.75	29.75	29.75	29.75	29.75	29.75	29.75														1.01
5	12 1984	Y	B05	321	6.8	6.6	6.4	29.75	29.75	29.75	29.75	29.75	29.75	29.75														1.34
5	12 1984	Y	B06	323	6.9	6.4	5.3	29.75	29.75	29.75	29.75	29.75	29.75	29.75														1.02
5	12 1984	Y	B07	334	6.			5.4	30.25			30.1																1.22
5	12 1984	Y	B08	333	5.5			5.2	30.			30.																0.85
5	12 1984	Y	B09	331	6.9			6.5	30.			30.																1.03
5	12 1984	Y	B10	329	5.			4.6	30.			30.																0.99
5	12 1984	Y	B11	326	5.4			5.1	29.75			29.																0.5
5	12 1984	Y	B13	339	5.			4.2	30.25			30.5																0.79
5	12 1984	Y	B14	342		3.3						31.																0.68
5	12 1984	Y	B15	345		4.2						31.																0.44
5	12 1984	Y	B16	348		3.8						30.5																0.56
5	12 1984	Y	B18	400		3.6			30.75																			0.3
5	12 1984	Y	B19	357		3.1			30.25																			0.51
5	12 1984	Y	B20	355		4.4			30.5																			0.42
5	12 1984	Y	A29																									0.45
6	12 1984	Y	A30																									41.
6	12 1984	Y	A31																									50.
6	12 1984	Y	A32																									41.
6	12 1984	Y	A33																									45.
c	12 1984	Y	A34																									34.
5	12 1984	Y	A35																									40.
6	12 1984	I	A36																									41.
6	12 1984	Y	A37																									44.
6	12 1984	Y	A38																									30.
6	12 1984	Y	A39																									48.
6	12 1984	Y	A40																									49.
6	12 1984	Y	A41																									41.
6	12 1984	Y	A42																									30.
6	12 1984	Y	A43																									19.
6	12 1984	Y	A44																									45.
6	12 1984	Y	A45																									40.
6	12 1984	I	A46																									45.
6	12 1984	I	A47																									45.
6	12 1984	I	A48																									57.
6	12 1984	I	A49																									50.
6	12 1984	Y	E01																									41.
6	12 1984	Y	E02																									1.
6	12 1984	Y	E03																									0.85
6	12 1984	Y	E04																									0.8
6	12 1984	Y	E05																									1.03
																												0.87

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA#	POND#	TIME	WATER						WATER						KJELDAHL						TOTAL						SECHII						CHLOR-					
					10	10	10	10	10	10	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	PH	N	NH3-N	NO2-N	NO3-N	P	F04-P	A	B	A	B	C	OXYLL	OXYLL	OXYLL	OXYLL	OXYLL	OXYLL					
6	12 1984	Y	B06																																	1.04				
6	12 1984	Y	B07																																	0.75				
6	12 1984	Y	B08																																	0.95				
6	12 1984	Y	B09																																	0.77				
6	12 1984	Y	B10																																	0.65				
6	12 1984	Y	B11																																	0.58				
6	12 1984	Y	B13																																	0.67				
6	12 1984	Y	B14																																	0.45				
6	12 1984	Y	B15																																	0.56				
6	12 1984	Y	B16																																	0.3				
6	12 1984	Y	B18																																	0.5				
6	12 1984	Y	B19																																	0.4				
6	12 1984	Y	B20																																	0.45				
7	12 1984	Y	A29	556		5.8					27.2																								36.					
7	12 1984	Y	A30	557		5.4					27.25																								50.					
7	12 1984	Y	A31	558		4.8					27.																								39.					
7	12 1984	Y	A32	600		5.					27.																								42.					
7	12 1984	Y	A33	601		3.8					26.5																								34.					
7	12 1984	Y	A34	602		4.8					26.5																								38.					
7	12 1984	Y	A35	604		3.6					26.5																								39.					
7	12 1984	Y	A36	617		4.					26.5																								36.					
7	12 1984	Y	A37	615		3.2					26.5																								33.					
7	12 1984	Y	A38	613		5.7					26.25																								40.					
7	12 1984	Y	A39	611		5.3					26.																								44.					
7	12 1984	Y	A40	616		5.1					25.8																								40.					
7	12 1984	Y	A41	609		4.4					26.																								29.					
7	12 1984	Y	A42	607		3.7					25.25																								16.					
7	12 1984	Y	A43	621		5.6					27.9																								50.					
7	12 1984	Y	A44	622		4.1					27.5																								45.					
7	12 1984	Y	A45	623		5.					27.5																								55.					
7	12 1984	Y	A46	625		5.					27.25																								40.					
7	12 1984	Y	A47	626		5.7					27.1																								56.					
7	12 1984	Y	A48	626		4.5					27.1																								53.					
7	12 1984	Y	A49	629		6.					27.																								35.					
7	12 1984	N	B01	310	5.7	5.5	5.2	29.25	29.25	29.																									0.89					
7	12 1984	N	B02	314	4.6	4.4	4.2	29.	29.	29.																									0.84					
7	12 1984	N	B03	318	4.9	5.4	5.4	29.	28.9	28.5																									0.7					
7	12 1984	N	B04	321	6.7	6.4	5.8	29.	29.	28.75																									0.68					
7	12 1984	N	B05	325	5.8	5.5	4.6	28.75	28.75	28.																									0.7					
7	12 1984	N	B06	328	6.1	5.6	5.8	29.	29.25	28.75																								0.72						
7	12 1984	N	B07	341	5.6					29.25																								0.97						
7	12 1984	N	B08	340	5.8					4.8	29.																							0.89						
7	12 1984	N	B09	338	5.9					6.1	28.75																							0.59						
7	12 1984	N	B10	335	5.7					6.3	29.																							0.95						

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA#	POINT	TIME	WATER								ALKA.	HARD.	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	NO <sub>2</sub> -P	TOTAL			SECHII			CHLOR-		
					# TOP	# MID	BOTTOM	TEMP #									TOTAL	ORTHO	DISK	DISK	OPHYLL	OPHYLL	OPHYLL						
7	12 1984	N	B11	332	5.7		5.2	29.		29.75																			
7	12 1984	N	B13	347	5.1			4.5	29.25		29.25																		0.5
7	12 1984	N	B14	350			4.5			29.5																		0.65	
7	12 1984	N	B15	351			5.3			29.5																		0.45	
7	12 1984	N	B16	355			4.			29.25																		0.45	
7	12 1984	N	B19	407			4.2			29.5																		0.25	
7	12 1984	N	B19	409			4.5			29.25																		0.45	
7	12 1984	N	B20	409			5.6			29.25																		0.35	
10	12 1984	Y	A29	613			4.2			25.																		0.45	
10	12 1984	Y	A30	614			4.2			25.																		49.	
10	12 1984	Y	A31	616			4.4			26.																		56.	
10	12 1984	Y	A32	617			4.			25.																		51.	
10	12 1984	Y	A33	619			2.8			24.75																	45.		
10	12 1984	Y	A34	619			3.			24.8																	42.		
10	12 1984	Y	A35	620			3.4			24.5																	48.		
10	12 1984	Y	A36	621			3.6			25.25																	30.		
10	12 1984	Y	A37	620			3.4			25.25																	51.		
10	12 1984	Y	A38	629			3.7			25.25																	52.		
10	12 1984	Y	A39	622			5.5			25.5																	45.		
10	12 1984	Y	A40	626			3.8			25.																	60.		
10	12 1984	Y	A41	625			3.5			24.75																	45.		
10	12 1984	Y	A42	624			4.1			24.25																	54.		
10	12 1984	Y	A43	624			5.1			25.5																	40.		
10	12 1984	Y	A44	625			4.7			25.25																	50.		
10	12 1984	Y	A45	626			4.7			25.5																	50.		
10	12 1984	Y	A46	625			4.9			25.1																	55.		
10	12 1984	Y	A47	629			5.1			25.																	45.		
10	12 1984	Y	A48	640			4.4			25.																	55.		
10	12 1984	Y	A49	642			3.2			24.5																	41.		
10	12 1984	N	B01	304	7.2	7.	6.8	25.75	26.	28.																	39.		
10	12 1984	N	B02	309	7.2	7.5	7.5	25.5	25.25	27.5																	1.05		
10	12 1984	N	B03	313	5.2	5.1	4.8	25.5	26.	26.5																	0.9		
10	12 1984	N	B04	317	6.4	6.1	6.1	25.5	26.	27.																	0.72		
10	12 1984	N	B05	319	5.9	5.6	6.1	25.5	26.	27.																0.92			
10	12 1984	N	B06	321	4.9	6.2	6.2	25.5	25.25	27.75																0.67			
10	12 1984	N	B07	322	7.2	7.2	28.75			29.25																	0.97		
10	12 1984	N	B08	329	7.1		6.5	26.25		26.																	0.92		
10	12 1984	N	B09	327	5.6		4.7	28.75		28.5																	0.91		
10	12 1984	N	B10	328	7.7		7.5	28.75		28.25																	0.62		
10	12 1984	N	B11	325	4.6		4.7	26.75		28.																	0.7		
10	12 1984	N	B13	326	7.1		6.5	25.25		25.1																	6.55		
10	12 1984	N	B14	329		4.4		26.75																			0.28		
10	12 1984	N	B15	341		5.6		26.75																			0.5		
10	12 1984	N	B16	342		4.7		26.75																			0.47		
																											0.29		

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA <sup>a</sup>	POND#	TIME	WATER								ALKALI	HARD.	PH	N	TOTAL				SECHII			CHLOR-				
					D	D	D	A	TEMP	TEMP @	TEMP @	TEMP @					NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	A	B	C		
10	12 1984	N	B18	346		4.4			29.5																			
10	12 1984	N	B19	345		4.7			29.5																			
10	12 1984	N	B20	344		4.5			26.75																			
11	12 1984	Y	A29																									
11	12 1984	Y	A30																									
11	12 1984	Y	A31																									
11	12 1984	Y	A32																									
..	12 1984	Y	A33																									
11	12 1984	Y	A34																									
11	12 1984	Y	A35																									
11	12 1984	Y	A36																									
11	12 1984	Y	A37																									
11	12 1984	Y	A38																									
11	12 1984	Y	A39																									
11	12 1984	Y	A40																									
11	12 1984	Y	A41																									
11	12 1984	Y	A42																									
11	12 1984	Y	A43																									
11	12 1984	Y	A44																									
11	12 1984	Y	A45																									
11	12 1984	Y	A46																									
11	12 1984	Y	A47																									
11	12 1984	Y	A48																									
11	12 1984	Y	A49																									
11	12 1984	Y	B01																									
11	12 1984	Y	B02																									
11	12 1984	Y	B03																									
11	12 1984	Y	B04																									
11	12 1984	Y	B05																									
11	12 1984	Y	B06																									
11	12 1984	Y	B07																									
11	12 1984	Y	B08																									
11	12 1984	Y	B09																									
11	12 1984	Y	B10																									
11	12 1984	Y	B11																									
11	12 1984	Y	B12																									
11	12 1984	Y	B13																									
11	12 1984	Y	B14																									
11	12 1984	Y	B15																									
11	12 1984	Y	B16																									
11	12 1984	Y	B17																									
11	12 1984	Y	B18																									
11	12 1984	Y	B19																									
11	12 1984	Y	B20																									
12	12 1984	Y	A29	603		5.8			25.75																			
12	12 1984	Y	A30	605		5.2																						

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MO.	YEAR	DATA#	POINT#	TIME	WATER	WATER	WATER	WATER	WATER	WATER	KJELDAHL	TOTAL			SECHII	SECHII	CHLOR-	CHLOR-	CHLOR-		
						DO @ TOP	DO @ MID BOTTOM	TEMP @ TOP	TEMP @ MID BOTTOM	TEMP @ MAX	TEMP @ MIN	ALKAL.	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	A	B	C
12	12	1984	Y	A31	606	5.7	25.													50.		
12	12	1984	Y	A32	608	5.2	24.75													50.		
12	12	1984	Y	A33	609	4.6	24.5													55.		
12	12	1984	Y	A34	610	4.2	24.5													50.		
12	12	1984	Y	A35	611	4.2	25.25													30.		
12	12	1984	Y	A36	622	4.9	24.5													60.		
12	12	1984	Y	A37	621	4.3	25.5													55.		
12	12	1984	Y	A38	619	5.2	25.75													45.		
12	12	1984	Y	A39	618	5.2	24.75													55.		
12	12	1984	Y	A40	616	4.8	25.25													40.		
12	12	1984	Y	A41	615	5.	25.													54.		
12	12	1984	Y	A42	614	6.	24.75													35.		
12	12	1984	Y	A43	626	6.3	26.25													50.		
12	12	1984	Y	A44	627	6.2	26.25													50.		
12	12	1984	Y	A45	628	5.3	26.1													55.		
12	12	1984	Y	A46	630	5.6	26.													40.		
12	12	1984	Y	A47	631	6.5	25.75													50.		
12	12	1984	Y	A48	632	5.6	25.25													50.		
12	12	1984	Y	A49	633	4.8	25.15													43.		
12	12	1984	Y	B01	307	5.5	5.1	6.7	27.75	27.5	27.75									0.9		
12	12	1984	Y	B02	310	4.8	4.6	4.5	27.	27.	27.									0.6		
12	12	1984	Y	B03	315	4.	4.1	3.8	27.	27.	27.									0.6		
12	12	1984	Y	B04	320	4.2	4.4	4.	27.	27.	27.									0.73		
12	12	1984	Y	B05	324	4.4	4.2	3.8	27.	27.	27.									0.62		
12	12	1984	Y	B06	329	4.5	5.	4.5	27.	27.	27.									0.73		
12	12	1984	Y	B07	350	4.1	3.7	27.5												0.73		
12	12	1984	Y	B08	342	4.6	4.7	27.1												0.9		
12	12	1984	Y	B09	348	4.6	4.3	27.												0.68		
12	12	1984	Y	B10	352	4.5	4.8	27.												0.59		
12	12	1984	Y	B11	334	4.3	4.2	27.												0.6		
12	12	1984	Y	B12	356	4.3	4.2	27.												0.44		
12	12	1984	Y	B13	359	4.4			27.25											0.72		
12	12	1984	Y	B14	405					27.25										0.47		
12	12	1984	Y	B15	406						27.25										0.49	
12	12	1984	Y	B16	415							27.									0.25	
12	12	1984	Y	B18	434							27.1									0.47	
12	12	1984	Y	B19	430							27.2									0.37	
12	12	1984	Y	B20	427							27.									0.33	
13	12	1984	Y	A29	611															55.		
13	12	1984	Y	A30	612															40.		
13	12	1984	Y	A31	613															45.		
13	12	1984	Y	A32	615															45.		
13	12	1984	Y	A33	616															45.		
13	12	1984	Y	A34	617															55.		
13	12	1984	Y	A35	619															35.		

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL						TOTAL						SECHII						CHLOR-	CHLOR-
					DO	DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MIN	TEMP @ BOT-MIN	ALKA.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	NO2-N	P	P04-P	A	B	A
13	12 1984	Y	A36	629																										35.
13	12 1984	Y	A37	628																										66.
13	12 1984	Y	A38	626																										40.
13	12 1984	Y	A39	625																										55.
13	12 1984	Y	A40	624																										40.
13	12 1984	Y	A41	622																										57.
13	12 1984	Y	A42	621																										45.
13	12 1984	Y	A43	631																										50.
13	12 1984	Y	A44	632																										55.
13	12 1984	Y	A45	633																										55.
13	12 1984	Y	A46	634																										40.
13	12 1984	Y	A47	635																										47.
13	12 1984	Y	A48	637																										45.
13	12 1984	Y	A49	638																										45.
13	12 1984	N	B01															8.1		0.0222	0.0068	0.0106	0.0174	0.2615	0.158	0.73	4.3	1.1	7.3	
13	12 1984	N	B02															8.		0.0251	0.0049	0.0644	0.0693	0.2639	0.175	0.7	1.7	2.	8.3	
13	12 1984	N	B03															7.8		0.0323	0.006	0.3551	0.3611	0.1765	0.099	0.6	1.7	2.4	3.6	
13	12 1984	N	B04															8.1		0.0272	0.0049	0.8576	0.8625	0.2615	0.175	0.65	1.5	3.3	12.6	
13	12 1984	N	B05															8.		0.0373	0.0035	0.	0.0035	0.2075	0.104	0.6	1.8	0.2	9.3	
13	12 1984	N	B06															8.4		0.0143	0.0041	0.1828	0.1669	0.2157	0.141	0.66	33.6	0.	0.	
13	12 1984	N	B07															8.2		0.0452	0.0033	0.2726	0.2759	0.3909	0.303	0.77	3.9	6.5	19.1	
13	12 1984	N	B08															8.3		0.0179	0.0063	0.5824	0.5947	0.3423	0.281	0.66	1.8	0.2	0.5	
13	12 1984	N	B09															8.3		0.0294	0.009	0.6243	0.6433	0.2652	0.165	0.58	3.8	1.5	22.6	
13	12 1984	N	B10															8.5		0.0272	0.0079	0.5956	0.6035	0.2412	0.099	0.5	1.8	0.	8.2	
13	12 1984	N	B11															8.		0.0287	0.0137	0.3962	0.4121	0.2345	0.062	0.4	0.8	0.	13.2	
13	12 1984	N	B13															8.4		0.0179	0.0025	0.5364	0.5309	0.3491	0.276	0.71	0.9	0.	20.4	
13	12 1984	N	B14															8.4		0.0351	0.0106	0.0824	0.093	0.4556	0.32	0.49	5.8	2.7	0.	
13	12 1984	N	B15															8.3		0.0391	0.0112	0.4629	0.474	0.407	0.242	0.43	0.	0.	0.	
13	12 1984	N	B16															8.1		0.043	0.0259	0.3731	0.399	0.2817	0.111	0.3	4.	6.4	0.	
13	12 1984	N	B18															7.6		0.172	0.0055	0.	0.0055	0.4559	0.23	0.55	1.8	1.	0.	
13	12 1984	N	B19															7.8		0.4301	0.0134	0.3443	0.3577	0.6456	0.466	0.39	4.2	1.8	0.	
13	12 1984	N	B20															8.2		0.043	0.0221	0.1254	0.1475	0.3625	0.102	0.33	2.9	0.6	0.	
14	12 1984	Y	A29	605	8.4		26.25																						55.	
14	12 1984	Y	A30	607	6.2		26.25																						45.	
14	12 1984	Y	A31	603	6.1		26.																						50.	
14	12 1984	Y	A32	610	4.1		25.9																						40.	
14	12 1984	Y	A33	611	7.7		25.25																						40.	
14	12 1984	Y	A34	612	6.5		25.																						45.	
14	12 1984	Y	A35	614	4.4		25.																						30.	
14	12 1984	Y	A36	624	7.6		26.																						50.	
14	12 1984	Y	A37	623	3.3		25.75																						60.	
14	12 1984	Y	A38	621	4.5		26.																						50.	
14	12 1984	Y	A39	620	4.1		26.																						50.	
14	12 1984	Y	A40	619	5.4		25.5																						45.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	DATA?	POND#	TIME	WATER								KJELDAHL	TOTAL				SECHII				SECHII				CHLOR-		CHLOR-	
					ATOP	AMID	BTM	ATOP	AMID	BTM	ATOP	BTM		N	NH <sub>3</sub> -N	N02-N	N03-N	P	PO <sub>4</sub> -P	A	B	A	B	C	DISK	DISK	DISK	DISK	
14	12 1984	Y	A41	617		6.					25.25															59.			
14	12 1984	Y	A42	616		6.6					25.															45.			
14	12 1984	Y	13	628		5.3					26.25															55.			
14	12 1984	Y	A44	629		4.2					26.															57.			
14	12 1984	Y	A45	630		4.5					25.8															55.			
14	12 1984	Y	A46	631		6.7					27.75															40.			
14	12 1984	Y	A47	632		7.7					25.															46.			
14	12 1984	Y	A48	633		3.5					25.															50.			
14	12 1984	Y	A49	635		5.					25.5															46.			
14	12 1984	N	B01	315	5.6	5.2	4.8	26.5	26.25	26.25															0.79				
14	12 1984	N	B02	321	3.9	3.8	4.	26.1	26.1	26.2	26.1															0.76			
14	12 1984	N	B03	325	3.1	3.1	3.1	26.1	26.1	26.1	26.															0.69			
14	12 1984	N	B04	329	4.2	4.2	3.	26.	26.	26.	26.															0.74			
14	12 1984	N	B05	333	4.	3.6	3.8	26.	26.	26.	26.															0.56			
14	12 1984	N	B06	338	4.9	4.9	5.4	26.	26.	26.	26.															0.68			
14	12 1984	N	B07	357	4.4		4.1	26.25		26.25																0.73			
14	12 1984	N	B08	353	4.8		5.	26.		26.																0.68			
14	12 1984	N	B09	349	4.6		4.5	26.		26.																0.64			
14	12 1984	N	B10	345	4.9		4.8	26.		26.																0.49			
14	12 1984	N	B11	342	3.9		3.6	26.		25.9																0.47			
14	12 1984	N	B13	405	5.1		5.3	26.		25.75																0.8			
14	12 1984	N	B14	410		4.4					26.															0.51			
14	12 1984	N	B15	413		4.8					26.1															0.5			
14	12 1984	N	B16	415		3.2					26.															0.32			
14	12 1984	N	B19	425		2.4					26.															0.57			
14	12 1984	N	B20	426		3.5					26.															0.52			
17	12 1984	Y	A29	540		5.1					25.25															0.3			
17	12 1984	Y	A30	541		3.7					25.															55.			
17	12 1984	Y	A31	543		4.3					25.															40.			
17	12 1984	Y	A32	544		4.					24.3															35.			
17	12 1984	Y	A33	545		4.4					24.75															30.			
17	12 1984	Y	A34	546		4.4					24.75															40.			
17	12 1984	Y	A35	546		3.					25.															20.			
17	12 1984	Y	A36	560		2.4					25.															50.			
17	12 1984	Y	A37	558		2.					25.															50.			
17	12 1984	Y	A38	557		3.4					25.															61.			
17	12 1984	Y	A39	555		4.2					24.75															35.			
17	12 1984	Y	A40	554		3.1					24.75															35.			
17	12 1984	Y	A41	553		4.8					24.75															45.			
17	12 1984	Y	A42	551		5.					24.75															59.			
17	12 1984	Y	A43	603		4.6					25.25															40.			
17	12 1984	Y	A44	604		4.7					25.															45.			
17	12 1984	Y	A45	606		4.3					25.															45.			
																											48.		

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY	MO.	YEAR	EXTRA	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII									
							DO	DO	DO	TEMP	TEMP	TEMP	TEMP	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	A	B	C	CHLOR-	CHLOR-	CHLOR-			
#							#	TOP	MID	BOTTOM	#	TOP	MID	BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKAL.	HARD.	PH	N	NO2 & TOTAL	ORTHO	DISK	DISK	OPHYLL	OPHYLL	OPHYLL
17	12	1984	Y	A46	609			5.4				25.																35.	
17	12	1984	Y	A47	609			5.4				25.																30.	
17	12	1984	Y	A48	611			4.4				25.																35.	
17	12	1984	Y	A49	612			3.				25.																48.	
17	12	1984	N	B01	313	5.6	5.5	5.2	25.25	25.25	25.25	25.25															0.65		
17	12	1984	N	B02	315	5.2	4.8	5.2	25.25	25.1	25.1	25.1															0.9		
17	12	1984	N	B03	318	4.8	4.5	4.7	25.	25.	25.	25.															0.6		
17	12	1984	N	B04	320	5.3	5.2	5.	25.25	25.1	25.2	25.2															0.95		
17	12	1984	N	B05	324	4.9	4.7	5.	25.25	25.25	25.25	25.25															1.75		
17	12	1984	N	B06	328	5.6	5.5	5.7	25.25	25.25	25.25	25.25															0.57		
17	12	1984	N	B07	342	4.5		4.2	25.75		25.25																0.8		
17	12	1984	N	B08	340	5.2		5.7	25.25		25.5																0.7		
17	12	1984	N	B09	337	5.4		5.2	25.5		25.25																0.6		
17	12	1984	N	B10	335	5.		4.7	25.25		25.25																0.45		
17	12	1984	N	B11	332	4.8		5.	25.25		25.																0.4		
17	12	1984	N	B13	348	5.4		5.2	25.25		25.25																0.75		
17	12	1984	N	B14	351		5.8		25.75																		0.3		
17	12	1984	N	B15	353		5.7		25.75																		0.3		
17	12	1984	N	B16	355		4.2		25.5																		0.3		
17	12	1984	N	B18	408		3.8		25.5																		0.6		
17	12	1984	N	B19	403		5.8		25.25																		0.25		
17	12	1984	N	B20	359		4.6		25.5																		0.36		
18	12	1984	Y	A29																							60.		
18	12	1984	Y	A30																							45.		
18	12	1984	Y	A31																							45.		
18	12	1984	Y	A32																							35.		
18	12	1984	Y	A33																							40.		
18	12	1984	Y	A34																							45.		
18	12	1984	Y	A35																							27.		
18	12	1984	Y	A36																							45.		
18	12	1984	Y	A37																							62.		
18	12	1984	Y	A38																							50.		
18	12	1984	Y	A39																							50.		
18	12	1984	Y	A40																							52.		
18	12	1984	Y	A41																							64.		
18	12	1984	Y	A42																							50.		
18	12	1984	Y	A43																							55.		
18	12	1984	Y	A44																							50.		
18	12	1984	Y	A45																							55.		
18	12	1984	Y	A46																							45.		
18	12	1984	Y	A47																							40.		
18	12	1984	Y	A48																							40.		
18	12	1984	Y	A49																							58.		
18	12	1984	Y	B01																							0.65		

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	DO POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MAX	TEMP @ TOP-MIN	TEMP @ MID-MIN	TEMP @ BOTTOM-MIN	ALKALI KJELDAHL	HARD. PH	TOTAL						SECHII			CHLOR-			CHLOR-		
																			N	NH3-N	N02-N	N03-N	N03-N	P	PO4-P	A	B	A	B	C			
18	12 1984	Y	B02																														
18	12 1984	Y	B03																										0.9				
13	12 1984	Y	B04																										0.6				
18	12 1984	Y	B05																										0.79				
18	12 1984	Y	B06																										0.71				
18	12 1984	Y	B07																										0.49				
18	12 1984	Y	B08																										0.62				
18	12 1984	Y	B09																										0.56				
18	12 1984	Y	B10																										0.5				
18	12 1984	Y	B11																										0.4				
18	12 1984	Y	B13																										0.45				
18	12 1984	Y	B14																										0.6				
18	12 1984	Y	B15																										0.34				
18	12 1984	Y	B16																										0.42				
18	12 1984	Y	B18																										0.29				
18	12 1984	Y	B19																										0.52				
18	12 1984	Y	B20																										0.28				
19	12 1984	Y	A29	615		5.6																						0.3					
19	12 1984	Y	A30	616		1.9																						65.					
19	12 1984	Y	A31	617		4.2																						45.					
19	12 1984	Y	A32	619		3.																						35.					
19	12 1984	Y	A33	620		4.9																						40.					
19	12 1984	Y	A34	622		7.2																						38.					
19	12 1984	Y	A35	624		4.																						50.					
19	12 1984	Y	A36	635		3.1																						15.					
19	12 1984	Y	A37	633		4.4																						50.					
19	12 1984	Y	A38	632		5.7																						64.					
19	12 1984	Y	A39	630		3.6																						50.					
19	12 1984	Y	A40	629		2.3																						48.					
19	12 1984	Y	A41	628		6.6																						50.					
19	12 1984	Y	H42	627		7.4																						61.					
19	12 1984	Y	A43	638		6.2																						45.					
19	12 1984	Y	A44	639		6.5																						50.					
19	12 1984	Y	A45	641		5.8																						45.					
19	12 1984	Y	A46	642		7.8																						55.					
19	12 1984	Y	A47	644		4.4																						50.					
19	12 1984	Y	A48	645		2.1																						40.					
19	12 1984	Y	A49	647		2.3																						40.					
19	12 1984	I	E91	325	6.2	5.	4.1	26.25	26.2	26.25																	55.						
19	12 1984	Y	E02	329	5.6	4.3	3.5	26.	26.5	26.75																		0.6					
19	12 1984	Y	E03	332	6.4	2.8	1.8	26.	26.	26.																	0.97						
19	12 1984	Y	E04	335	5.4	4.4	4.	25.9	26.	26.25																	0.71						
19	12 1984	Y	E05	336	5.4	3.9	2.5	26.1	26.	26.																	1.06						
19	12 1984	Y	E06	342	6.2	5.	4.7	26.	26.	25.9																	0.65						
																												0.5					

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

EXTRA DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII						CHLOR-					
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALK.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	A	B	C
19	12 1984	Y	B07	359	5.4			3.4	26.75	27.																		0.32	
19	12 1984	Y	B08	355	4.8			6.2	26.25	26.2																		0.6	
19	12 1984	Y	B09	353	5.7			4.5	26.25	26.25																		0.59	
19	12 1984	Y	B10	350	5.7			5.4	26.	26.																		0.4	
19	12 1984	Y	B11	347	5.8			1.9	26.25	26.75																		0.5	
19	12 1984	Y	B13	404	6.2			6.2	26.25	26.25																		0.67	
19	12 1984	Y	B14	408		5.3			26.25																				0.35
19	12 1984	Y	B15	411		5.6			26.25																				0.44
19	12 1984	Y	B16	414		4.2			26.1																				0.33
19	12 1984	Y	B16	423		4.5			26.5																				0.6
19	12 1984	Y	B19	421		5.			26.25																				0.38
19	12 1984	Y	B20	419		3.7			26.5																				0.34
20	12 1984	Y	A29																										64.
20	12 1984	Y	A30																										45.
20	12 1984	Y	A31																										40.
20	12 1984	Y	A32																										30.
20	12 1984	Y	A33																										27.
20	12 1984	Y	A34																										40.
20	12 1984	Y	A35																										15.
20	12 1984	Y	A36																										45.
20	12 1984	Y	A37																										56.
20	12 1984	Y	A38																										55.
20	12 1984	Y	A39																										42.
20	12 1984	Y	A40																										33.
20	12 1984	Y	A41																										54.
20	12 1984	Y	A42																										32.
20	12 1984	Y	A43																										55.
20	12 1984	Y	A44																										55.
20	12 1984	Y	A45																										60.
20	12 1984	Y	A46																										50.
20	12 1984	Y	A47																										45.
20	12 1984	Y	A48																										45.
20	12 1984	Y	A49																										60.
20	12 1984	Y	B01																										0.67
20	12 1984	Y	B02																										1.02
20	12 1984	Y	B03																										0.74
20	12 1984	Y	B04																										1.12
20	12 1984	Y	B05																										0.52
20	12 1984	Y	B06																										0.54
20	12 1984	Y	B07																										0.81
20	12 1984	Y	B08																										0.62
20	12 1984	Y	B09																										0.58
20	12 1984	Y	B10																										0.41
20	12 1984	Y	B11																										0.45

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA POND#	TIME	WATER								KJELDAHL	TOTAL		SECHII		SECHII		CHLOR-		CHLOR-	
				DO @ TOP	DO @ MID BOTTOM	TEMP @ TOP	TEMP @ MID BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MIN	TEMP @ TOP-MIN	TEMP @ BOT-MAX		N	NH3-N	NO2-N	NO3-N	P	F04-P	A	B	A	B
20	12 1984	Y	B13																		0.59	
20	12 1984	Y	B14																		0.3	
20	12 1984	Y	B15																		0.42	
20	12 1984	Y	B16																		0.28	
20	12 1984	Y	B18																		0.43	
20	12 1984	Y	B19																		0.34	
20	12 1984	Y	B20																		0.3	
21	12 1984	Y	A29	600		6.		25.													55.	
21	12 1984	Y	A30	602		3.		27.													47.	
21	12 1984	Y	A31	604		3.4		25.5													30.	
21	12 1984	Y	A32	605		2.1		25.25													23.	
21	12 1984	Y	A33	606		2.8		25.													25.	
21	12 1984	Y	A34	608		4.1		25.													35.	
21	12 1984	Y	A35	609		1.5		25.													20.	
21	12 1984	Y	A36	619		3.		26.													35.	
21	12 1984	Y	A37	618		2.7		25.25													50.	
21	12 1984	Y	A38	617		6.		25.5													55.	
21	12 1984	Y	A39	616		5.7		25.5													50.	
21	12 1984	Y	A40	614		3.7		25.25													33.	
21	12 1984	Y	A41	613		4.2		25.													50.	
21	12 1984	Y	A42	612		4.2		25.													40.	
21	12 1984	Y	A43	622		5.2		25.5													55.	
21	12 1984	Y	A44	624		3.6		25.75													60.	
21	12 1984	Y	A45	625		4.7		26.													60.	
21	12 1984	Y	A46	627		5.9		25.25													55.	
21	12 1984	Y	A47	626		4.4		25.25													45.	
21	12 1984	Y	A48	629		4.7		25.5													45.	
21	12 1984	Y	A49	631		3.9		25.5													46.	
21	12 1984	N	B01	407	5.	5.	5.2	27.75	27.5	27.5											0.63	
21	12 1984	N	B02	410	4.4	5.3	4.4	26.	27.9	27.5											1.06	
21	12 1984	N	B03	412	4.	4.1	3.8	27.9	27.75	27.											0.71	
21	12 1984	N	B04	415	5.7	5.9	5.9	27.75	27.75	27.2											0.9	
21	12 1984	N	B05	418	4.9	4.8	5.	27.5	27.5	27.5											0.7	
21	12 1984	N	B06	421	4.7	4.8	5.	27.75	27.5	27.5											0.59	
21	12 1984	N	B07	424	5.2		3.7	28.2		28.2											0.81	
21	12 1984	N	B08	432	5.6		5.2	27.9		27.75											0.59	
21	12 1984	N	B09	430	5.		4.7	27.9		27.5											0.56	
21	12 1984	N	B10	427	5.5		5.6	28.		27.9											0.47	
21	12 1984	N	B11	424	4.5		4.6	28.		27.75											0.42	
21	12 1984	N	B13	437	5.		4.5	27.2		28.1											0.62	
21	12 1984	N	B14	440		3.4		28.													0.33	
21	12 1984	N	B15	442		4.2		28..													0.43	
21	12 1984	N	B16	444		3.5		27.9													0.35	
21	12 1984	N	B18	454		6.2		28.25													0.4	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

EXTRA DAY NO.	YEAR	DATA#	POND#	TIME	WATER						KJELDAHL	PH	N	NH3-N	NO2-N	NO3-N	F	PO4-P	TOTAL			SECHII			CHLOR-				
					DO	DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ MAX	TEMP @ MIN	TEMP @ BOT-MIN	ALKALI.	HARD.			NO2 &	TOTAL	ORTHO	DISK	DISK	OPHYLL	OPHYLL	OPHYLL	CHLOR-	CHLOR-	CHLOR-
																			A	B	A	B	C	A	B	C	A	B	C
21	12 1984	N	B19	451		4.1			28.25																		0.35		
21	12 1984	N	B20	448		3.5			28.25																		0.27		
24	12 1984	Y	A19	609		4.3			26.75																		45.		
24	12 1984	Y	A30	610		3.5			27.																		35.		
24	12 1984	Y	A31	611		3.8			26.75																	30.			
24	12 1984	Y	A32	612		4.1			26.25																	30.			
24	12 1984	Y	A33	613		2.5			26.5																	30.			
24	12 1984	Y	A34	614		3.8			26.25																	35.			
24	12 1984	Y	A35	616		4.1			26.15																	20.			
24	12 1984	Y	A36	626		2.2			26.5																	25.			
24	12 1984	Y	A37	624		4.4			26.5																	45.			
24	12 1984	Y	A38	623		4.			26.75																	35.			
24	12 1984	Y	A39	622		3.7			26.5																	33.			
24	12 1984	Y	A40	621		2.9			26.25																	25.			
24	12 1984	Y	A41	619		3.3			26.																	45.			
24	12 1984	Y	A42	618		3.6			26.																	40.			
24	12 1984	Y	A43	629		3.7			27.																	50.			
24	12 1984	Y	A44	629		3.4			27.																	50.			
24	12 1984	Y	A45	630		3.5			27.																	40.			
24	12 1984	Y	A46	632		4.			26.5																	40.			
24	12 1984	Y	A47	633		2.5			26.25																	40.			
24	12 1984	Y	A48	634		2.7			26.25																	35.			
24	12 1984	Y	A49	636		2.4			26.25																	25.			
24	12 1984	N	B01	425	5.	4.7	4.9	23.25	23.2	28.															0.71				
24	12 1984	N	B02	427	4.4	4.2	3.9	29.	26.	28.															0.72				
24	12 1984	N	B03	428	3.6	3.4	3.4	26.1	26.	28.															0.95				
24	12 1984	N	B04	432	4.9	4.6	4.2	28.	26.	29.															0.98				
24	12 1984	N	B05	435	4.4	4.4	4.5	26.	26.	27.75															0.69				
24	12 1984	N	B06	439	4.3	4.5	4.	27.	26.	27.9															0.58				
24	12 1984	N	B07	453	4.2		4.2	28.5		26.1															6.64				
24	12 1984	N	B08	451	4.6		4.6	26.1		28.															0.5				
24	12 1984	N	B09	448	4.7		4.5	28.1		28.															0.54				
24	12 1984	N	B10	446	4.4		4.1	29.1		28.															0.43				
24	12 1984	N	B11	443	4.5		4.2	28.		28.															0.35				
24	12 1984	N	B13	451	4.4		4.4	28.25		28.															0.6				
24	12 1984	N	B14	456		3.1			28.																	0.27			
24	12 1984	N	B15	459		3.6			28.																	0.3			
24	12 1984	N	B16	503		3.5			28.																	0.28			
24	12 1984	N	B19	513		1.9			29.5																	0.33			
24	12 1984	N	B19	514		2.1			28.25																	0.32			
24	12 1984	N	B20	511		3.5			28.																	0.28			
26	12 1984	Y	A29	555		4.2			26.75										8.07	0.0753	0.0093	0.	0.0093	0.1402	0.075	50.	2.7	0.7	20.2
26	12 1984	Y	A30	557		3.4			26.75										7.65	0.0583	0.015	0.1972	0.2122	0.0566	0.119	30.	3.9	1.5	23.2
26	12 1984	Y	A31	558		3.4			26.25										7.5	0.1075	0.0177	0.4377	0.4554	0.2103	0.082	30.	4.5	0.	34.4

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA	DO	DO	DO	DO	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	WATER	WATER	WATER	WATER	WATER	KJELDAHL		TOTAL		SECHII		SECHII		CHLOR-		CHLOR-				
																A TOP	A MID	BOTTOM	TOP-MAX	BOT-MIN	ALK.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	A	B	C
26	12 1984	Y	A32	559		3.1			26.25															7.3	0.0645	0.0156	0.2474	0.263	0.3235	0.085	25.	3.3	0.	14.5
26	12 1984	Y	A33	601		3.3			26.															8.27	0.0846	0.0175	0.4413	0.4588	0.38	0.204	30.	6.6	0.	17.1
26	12 1984	Y	A34	602		4.1			26.															8.4	0.0444	0.0123	0.1434	0.1557	0.1159	0.051	25.	2.6	0.	29.2
26	12 1984	Y	A35	603		3.1			26.															8.05	0.0609	0.0232	0.6099	0.6331	0.1644	0.065	25.	8.4	4.8	17.3
26	12 1984	Y	A36	614		2.2			26.25															7.32	0.0573	0.0177	0.3515	0.3632	0.4205	0.288	25.	6.1	0.	18.1
26	12 1984	Y	A37	613		1.3			26.25															8.	0.1004	0.0076	0.3204	0.334	0.1906	0.133	40.	4.4	0.	7.6
26	12 1984	Y	A38	611		3.3			26.75															7.4	0.1075	0.0134	0.1793	0.1927	0.1294	0.043	30.	4.3	0.	7.4
26	12 1984	Y	A39	616		3.3			26.5															8.17	0.0588	0.0145	0.2044	0.2139	0.4771	0.318	35.	6.5	1.2	19.5
26	12 1984	Y	A40	609		2.9			26.25															8.45	0.0774	0.0175	0.5561	0.5736	0.5264	0.097	25.	10.7	4.1	16.8
26	12 1984	Y	A41	607		3.4			26.8															8.41	0.1075	0.0095	0.3264	0.3359	0.558	0.431	35.	6.5	2.3	6.8
26	12 1984	Y	A42	606		4.			25.75															8.35	0.036	0.0136	0.3587	0.3723	0.1294	0.063	30.	4.2	1.1	7.3
26	12 1984	Y	A43	617		4.			26.5															8.26	0.1075	0.0063	0.4125	0.4188	0.1267	0.082	45.	4.6	0.	6.
26	12 1984	Y	A44	619		3.2			26.75															8.25	0.1448	0.006	0.5669	0.5729	0.3395	0.291	50.	4.3	3.4	2.6
26	12 1984	Y	A45	621		3.8			26.5															8.	0.0287	0.0074	0.4125	0.4199	0.0054	0.046	45.	3.1	0.	8.6
26	12 1984	Y	A46	622		3.8			26.25															7.85	0.0357	0.0071	0.208	0.2151	0.7548	0.046	40.	4.1	2.9	7.2
26	12 1984	Y	A47	623		4.			26.25															7.77	0.0303	0.0147	0.3515	0.3662	0.3903	0.097	35.	4.1	0.7	11.9
26	12 1984	Y	A48	624		3.8			26.15															7.9	0.0344	0.0145	0.3515	0.366	0.2534	0.167	30.	6.9	0.	20.2
26	12 1984	Y	A49	625		3.			26.																				7.	0.	20.4			
26	12 1984	Y	B01	406	7.	6.7	6.2	28.25	28.25	28.25																				0.77				
26	12 1984	Y	B02	410	7.	6.6	6.4	28.	28.	28.																				0.78				
26	12 1984	Y	B03	413	6.6	6.1	6.1	28.	28.	28.																				0.8				
26	12 1984	Y	B04	412	7.	7.	6.4	28.5	28.	28.																					1.01			
26	12 1984	Y	B05	418	6.3	5.7	6.2	28.	28.	28.																					0.65			
26	12 1984	Y	B06	422	6.7	6.4	5.8	28.	28.	28.																					0.52			
26	12 1984	Y	B07	437	6.2		5.8	28.5																							0.54			
26	12 1984	Y	B08	434	6.3		6.6	28.																							0.55			
26	12 1984	Y	B09	431	6.3		6.	28.																							0.61			
26	12 1984	Y	B10	423	6.		5.4	28.2																							0.42			
26	12 1984	Y	B11	426	6.		6.7	28.25																							0.4			
26	12 1984	Y	B12	421	6.1		6.	28.5																							0.43			
26	12 1984	Y	B13	445		4.		28.75																							0.3			
26	12 1984	Y	B15	447		5.6		28.25																							0.34			
26	12 1984	Y	B16	450		5.1		28.25																							0.3			
26	12 1984	Y	B18	503		2.7		28.5																							0.3			
26	12 1984	Y	B19	500		4.8		28.75																							0.32			
26	12 1984	Y	B20	456		5.6		28.25																							0.33			
27	12 1984	N	B01				27.	27.	27.																						0.33			
27	12 1984	N	B02				26.3	26.9	26.75																						5.5			
27	12 1984	N	B03				26.3	26.9	26.75																						3.7			
27	12 1984	N	B04				26.9	26.9	26.9																						0.			
27	12 1984	N	B05				26.3	26.9	26.9																						0.71			
27	12 1984	N	B06				26.75	26.75	26.25																					0.71				
27	12 1984	N	B07				27.		26.9																						0.66			
27	12 1984	N	B08				26.75		26.25																						6.6			
27	12 1984	N	B09				26.75		26.25																						4.2			
27	12 1984	N	B10				27.		26.9																						19.7			
27	12 1984	N	B11				26.75		26.25																						7.8			

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA POND#	TIME	WATER						WATER						KJELDAHL						TOTAL						SECHII								
				NO TOP	DO TOP	DO MID	DO BOT	TEMP @ TOP	TEMP @ MID	TEMP @ BOT	TEMP @ MAX	TEMP @ TOP	TEMP @ MID	TEMP @ BOT	TEMP @ MIN	TOP-MAX	BOT-MAX	BOT-MIN	ALKALI	HARD.	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	F	PO <sub>4</sub> -P	A	B	C	SECHII	SECHII	CHLOR-	CHLOR-	CHLOR-	CHLOR-
27	12 1984	N	B09					26.75		26.5											8.2		0.0156	0.0035	0.4305	0.4343	0.1213	0.048	0.56		8.8	5.	18.1			
27	12 1984	N	B10					26.5		26.5											8.		0.0144	0.003	0.574	0.589	0.1779	0.039	0.44		6.5	3.4	30.7			
27	12 1984	N	B11					26.25		26.2											7.7		0.0315	0.0142	0.4367	0.5129	0.1837	0.039	0.41		6.2	1.2	19.1			
27	12 1984	N	B13					26.75		26.5											8.3		0.0215	0.006	0.4484	0.4544	0.2615	0.206	0.64		6.4	5.4	30.5			
27	12 1984	N	B14					26.75													8.		0.0272	0.0134	0.5904	0.5638	0.2723	0.085	0.25		4.6	16.	2.9			
27	12 1984	N	B15					26.5													7.8		0.0267	0.0139	0.5597	0.5736	0.2615	0.056	0.36		8.4	7.6	5.			
27	12 1984	N	B16					26.75													7.7		0.0244	0.0137	0.5592	0.6129	0.2453	0.024	0.31		6.2	5.3	46.8			
27	12 1984	N	B18					26.5													8.		0.1267	0.0112	0.6039	0.6219	0.3019	0.112	0.26		9.4	6.2	36.			
27	12 1984	N	B19					26.9													8.4		0.0244	0.0093	1.2201	1.2294	0.3612	0.164	0.31		4.5	1.6	2.8			
27	12 1984	N	B20					26.5													7.8		0.0229	0.0126	0.7535	0.7661	0.2507	0.651	0.34		20.4	10.1	22.4			
28	12 1984	Y	A29	607	3.6			23.9													8.07		0.0215	0.0074	0.0249	0.0323	0.2099	0.082	43.		2.8	0.7	20.7			
29	12 1984	Y	A30	608	3.9			24.15													8.02		0.2058	0.0123	0.1182	0.1305	0.3444	0.07	35.		4.2	0.	25.8			
29	12 1984	Y	A31	609	3.9			24.													8.05		0.0201	0.0093	0.269	0.2723	0.0111	0.053	45.		4.5	0.	23.6			
29	12 1984	Y	A32	610	4.			24.													8.1		0.0244	0.0063	0.2762	0.2825	0.5324	0.068	35.		4.1	0.	7.1			
28	12 1984	Y	A33	611	3.5			23.75													8.15		0.0158	0.0136	0.573	0.5666	0.2224	0.08	40.		8.3	0.	5.3			
28	12 1984	Y	A34	613	3.4			23.75													8.2		0.0287	0.0136	0.3639	0.3974	0.1146	0.058	35.		4.1	0.	28.6			
29	12 1984	Y	A35	614	2.8			23.75													8.06		0.0315	0.0169	0.0668	0.0237	0.093	0.058	25.		8.5	6.4	22.5			
28	12 1984	Y	A36	623	2.9			24.9													8.05		0.0301	0.0118	0.3336	0.3516	0.2817	0.15	35.		7.2	0.	6.1			
28	12 1984	Y	A37	622	2.8			23.75													8.1		0.256	0.0175	0.1218	0.1393	0.1927	0.058	40.		4.5	0.	7.8			
23	12 1984	I	A38	621	3.8			23.5													7.95		0.0272	0.0172	0.2493	0.2575	0.1685	0.058	37.		4.4	0.	7.6			
23	12 1984	I	A39	620	3.1			23.2													3.		0.0315	0.0169	0.3587	0.3636	0.1652	0.141	35.		7.6	1.5	11.5			
28	12 1984	Y	A40	618	3.2			23.5													6.25		0.0287	0.0109	0.4771	0.488	0.2817	0.116	35.		10.6	5.6	21.6			
23	12 1984	Y	A41	617	3.6			23.5													8.07		0.0344	0.0126	0.4269	0.4395	0.1577	0.124	36.		6.5	3.1	6.			
23	12 1984	Y	A42	616	3.7			23.25													8.2		0.0258	0.0095	0.3392	0.3457	0.1523	0.055	50.		4.2	1.1	7.3			
23	12 1984	Y	A43	626	4.1			24.05													8.15		0.0143	0.0065	0.2762	0.2817	0.1631	0.044	50.		4.6	0.	5.			
26	12 1984	Y	A44	627	4.1			24.2													5.22		0.0158	0.0076	0.1218	0.1294	0.2493	0.119	50.		5.1	5.6	1.9			
26	12 1984	Y	A45	628	4.2			24.2													5.12		0.0244	0.0063	0.2762	0.287	0.1927	0.061	50.		3.1	0.	8.6			
26	12 1984	Y	A46	629	3.9			24.2													8.01		0.0315	0.0046	0.3665	0.3131	0.1685	0.053	50.		5.1	2.5	5.8			
26	12 1984	Y	A47	630	3.8			24.													8.02		0.0251	0.0103	0.4305	0.4414	0.252	0.08	50.		4.3	0.7	12.3			
26	12 1984	Y	A48	632	4.			24.													8.1		0.0258	0.0117	0.0536	0.0653	0.1934	0.082	40.		6.6	0.	2.			
26	12 1984	Y	A49	634	3.1			23.9													7.92		0.0272	0.0139	0.5202	0.5341	0.1442	0.082	45.		6.6	0.	0.			
26	12 1984	N	B01	305	4.3	5.	5.	26.75	26.75	26.5																	0.92									
26	12 1984	N	B02	306	4.3	4.5	5.5	26.5	26.5	26.5																		0.77								
28	12 1984	N	B03	310	4.6	4.4	4.4	26.5	26.25	26.																		0.71								
28	12 1984	N	B04	313	5.1	4.3	4.9	26.25	26.25	26.25																		0.91								
28	12 1984	N	B05	317	4.3	4.2	4.2	26.2	26.2	26.2																		0.69								
28	12 1984	N	B06	320	4.3	4.7	4.6	26.2	26.2	26.1																		0.66								
28	12 1984	N	B07	333	5.		4.6	26.9		26.5																		0.63								
28	12 1984	N	B08	331	5.2		5.	26.5		26.2																		0.41								
29	12 1984	N	B09	329	5.		4.8	26.		26.																		0.56								
28	12 1984	N	B10	326	5.		4.3	26.25		26.25																		0.44								
28	12 1984	N	B11	324	4.4		4.6	26.25		26.																		0.41								
28	12 1984	N	B13	337	4.4		4.4	26.75		26.5																		0.64								
28	12 1984	N	B14	339	4.4			26.9																				0.25								

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII			SECHII			CHLOR-								
					DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MIN	TEMP @ BOT-MIN	ALKA.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	NO3-N	P	PO4-P	A	B	A	B	C
28	12 1984	N	B15	341	3.9							26.9																				
28	12 1984	N	B16	343		4.						26.9																	0.36			
28	12 1984	N	B18	347		4.2						26.75																	0.31			
28	12 1984	N	B19	346		3.7						26.9																	0.28			
28	12 1984	N	B20	345		4.7						26.75																	0.31			
2	1 1985	Y	A29	530		4.4						24.9																	0.34			
2	1 1985	Y	A30	532		4.5						24.6																	35.			
2	1 1985	Y	A31	533		4.4						24.75																	36.			
2	1 1985	Y	A32	534		4.5						24.5																	25.			
2	1 1985	Y	A33	535		3.3						24.																	40.			
2	1 1985	Y	A34	537		4.6						24.																	35.			
2	1 1985	Y	A35	538		4.						24.																	35.			
2	1 1985	Y	A36	539		2.7						24.																	40.			
2	1 1985	Y	A37	549		2.7						24.																	30.			
2	1 1985	Y	A38	547		4.2						24.5																	30.			
2	1 1985	Y	A39	546		2.5						24.25																	35.			
2	1 1985	Y	A40	544		3.9						24.																	30.			
2	1 1985	Y	A41	543		3.9						23.75																	30.			
2	1 1985	Y	A42	542		3.8						23.75																	35.			
2	1 1985	Y	A43	552		4.8						25.																	30.			
2	1 1985	Y	A44	553		5.1						24.9																	47.			
2	1 1985	Y	A45	554		5.2						25.																	50.			
2	1 1985	Y	A46	556		4.8						24.9																	55.			
2	1 1985	Y	A47	557		4.4						24.75																	55.			
2	1 1985	Y	A48	559		3.7						24.5																	40.			
2	1 1985	Y	A49	600		4.2						24.5																	40.			
2	1 1985	N	B01	400	5.6	5.6	5.2	27.	27.	27.																		37.				
2	1 1985	N	B02	403	5.4	5.3	5.1	26.9	26.75	26.5																			0.65			
2	1 1985	N	B03	407	5.5	5.4	5.1	26.9	26.75	26.5																			0.75			
2	1 1985	N	B04	411	5.7	5.6	5.	26.75	26.75	26.5																			0.83			
2	1 1985	N	B05	415	5.1	5.	4.6	26.9	26.9	26.9																			1.16			
2	1 1985	N	B06	418	5.8	5.4	5.2	26.75	26.75	26.5																			0.65			
2	1 1985	N	B07	435	4.6		4.3	27.		27.																				0.69		
2	1 1985	N	B03	431	5.4		5.1	26.75		26.75																			0.35			
2	1 1985	N	B09	427	5.5		5.1	27.		26.75																				0.33		
2	1 1985	N	B10	424	5.1		4.6	27.		26.5																				0.46		
2	1 1985	N	B11	421	4.2		3.6	27.		26.2																				0.39		
2	1 1985	N	B13	429	5.		4.7	27.		27.																				0.58		
2	1 1985	N	B14	442		4.						27.																		0.47		
2	1 1985	N	B15	444		3.7						27.2																		0.27		
2	1 1985	N	B16	445		3.						27.																		0.34		
2	1 1985	N	B18	449		3.2						27.																			0.4	
2	1 1985	N	B19	448		3.6						27.2																		0.29		
2	1 1985	N	B20	447		5.2						27.																		0.3		
																															0.4	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL						TOTAL		SECHII		SECHII		CHLOR-		CHLOR-			
					DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MIN	ALFA.	HARD.	pH	N	NH3-N	N02-N	N03-N	P	F04-P	A	B
3	1 1985	Y	A29																									38.
3	1 1985	Y	A30																									35.
3	1 1985	Y	A31																									35.
3	1 1985	Y	A32																									35.
3	1 1985	Y	A33																									28.
3	1 1985	Y	A34																									34.
3	1 1985	Y	A35																									30.
3	1 1985	Y	A36																									30.
3	1 1985	Y	A37																									30.
3	1 1985	Y	A38																									40.
3	1 1985	Y	A39																									35.
3	1 1985	Y	A40																									35.
3	1 1985	Y	A41																									33.
3	1 1985	Y	A42																									29.
3	1 1985	Y	A43																									40.
3	1 1985	Y	A44																									55.
3	1 1985	Y	A45																									55.
3	1 1985	Y	A46																									55.
3	1 1985	Y	A47																									45.
3	1 1985	Y	A48																									45.
3	1 1985	Y	A49																									45.
3	1 1985	Y	B01																									0.72
3	1 1985	Y	B02																									0.72
3	1 1985	Y	B03																									0.68
3	1 1985	Y	B04																									0.86
3	1 1985	Y	B05																									0.53
3	1 1985	Y	B06																									0.53
3	1 1985	Y	B07																									0.45
3	1 1985	Y	B08																									0.4
3	1 1985	Y	B09																									0.57
3	1 1985	Y	B10																									0.35
3	1 1985	Y	B11																									0.36
3	1 1985	Y	B13																									0.5
3	1 1985	Y	B14																									0.23
3	1 1985	Y	B15																									0.38
3	1 1985	Y	B16																									0.41
3	1 1985	Y	B18																									0.2
3	1 1985	Y	B19																									0.25
3	1 1985	Y	B20																									0.26
4	1 1985	Y	A29	617	3.4																						39.	
4	1 1985	Y	A30	618	3.3																						37.	
4	1 1985	Y	A31	620	3.4																						42.	
4	1 1985	Y	A32	621	2.9																						39.	
4	1 1985	Y	A33	622	2.4																						32.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA	PONDS	TIME	WATER								KJELDAHL	TOTAL				SECHII				CHLOR-					
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ MAX	TEMP @ MIN		N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	A	B	A	B	C		
4	1 1985	Y	A34	623	3.2			23.8																			
4	1 1985	Y	A35	634	2.7			24.																		34.	
4	1 1985	Y	A36	634	0.7			24.75																		32.	
4	1 1985	Y	A37	633	2.5			24.																		32.	
4	1 1985	Y	A38	632	2.3			24.5																		35.	
4	1 1985	Y	A39	630	1.6			24.5																		36.	
4	1 1985	Y	A40	629	2.3			24.25																		32.	
4	1 1985	Y	A41	628	2.1			23.7																		34.	
4	1 1985	Y	A42	627	3.2			23.75																		33.	
4	1 1985	Y	A43	627	3.4			25.																		28.	
4	1 1985	Y	A44	639	3.6			25.																		36.	
4	1 1985	Y	A45	640	4.3			25.																		50.	
4	1 1985	Y	A46	641	4.1			24.9																		52.	
4	1 1985	Y	A47	642	3.9			24.75																		48.	
4	1 1985	Y	A48	643	3.9			24.75																		41.	
4	1 1985	Y	A49	644	3.5			25.																		48.	
4	1 1985	N	B01	317	5.4	5.2	5.	27.	27.	27.															40.		
4	1 1985	N	B02	319	4.8	4.6	4.7	27.	27.	27.																0.83	
4	1 1985	N	B03	321	4.6	4.7	4.8	27.	27.	26.9																0.67	
4	1 1985	N	B04	325	5.6	5.4	5.5	27.	27.	27.																0.63	
4	1 1985	N	B05	328	5.	5.	4.8	27.	27.	26.9																0.95	
4	1 1985	N	B06	330	5.6	5.6	5.4	27.	27.	27.																0.59	
4	1 1985	N	B07	343	4.			4.	27.9	27.25																0.47	
4	1 1985	N	B08	341	5.			4.9	27.25	27.																0.3	
4	1 1985	N	B09	339	5.3			5.1	27.25	27.																0.33	
4	1 1985	N	B10	336	4.3			4.1	27.25	27.1																0.46	
4	1 1985	N	B11	334	4.			4.2	27.25	27.																0.37	
4	1 1985	N	B13	347	4.8			4.6	27.9	27.75																0.3	
4	1 1985	N	B14	349		4.9			28.																	0.47	
4	1 1985	N	B15	352		4.7			28.																	0.24	
4	1 1985	N	B16	355		3.8			28.																	0.33	
4	1 1985	N	B18	406		2.			27.9																	0.28	
4	1 1985	N	B19	404		3.2			27.9																	0.28	
4	1 1985	N	B20	400		4.2			28.																	0.28	
7	1 1985	Y	A29	601		4.			23.																	0.32	
7	1 1985	Y	A30	602	3.2			23.			26.67		25.56														35.
7	1 1985	Y	A31	604	3.5			23.																		32.	
7	1 1985	Y	A32	605	1.3			23.																		32.	
7	1 1985	Y	A33	606	2.1			22.5			27.78		23.89													32.	
7	1 1985	Y	A34	602	3.6			22.25																		27.	
7	1 1985	Y	A35	609	2.2			22.5																		30.	
7	1 1985	Y	A36	620	3.4			23.25																		32.	
7	1 1985	Y	A37	619	2.5			22.25			28.89		24.44													30.	
7	1 1985	Y	A38	617	3.7			23.																		31.	
																										37.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY	MO.	YEAR	EXTRA DATA?	POND#	TIME	DO @ TOP	DO @ MID-BOTTOM	TEMP @ TOP	TEMP @ MID-BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MIN	TEMP @ ROT-MIN	ALKAL. HARD.	KJELDAHL CH N	NH3-N	NO2-N	NO3-N	P	PO4-P	TOTAL		SECHII		CHLOR-		CHLOR-			
																				NO2-E	TOTAL	ORTHO	DISH	DISH.	OPHYLL	OPHYLL	OPHYLL		
8	1	1985	Y	A44	633	3.8	23.								8.35	0.0257	0.0052	0.3049	0.3101	0.4717	0.232	52.	4.3	0.1	0.				
8	1	1985	Y	A45	634	4.	23.5								8.22	0.0223	0.0065	0.3874	0.3939	0.182	0.073	47.	9.	1.2	5.7				
8	1	1985	Y	A46	636	4.5	23.								8.37	0.0223	0.0066	0.531	0.5406	0.2156	0.061	48.	3.7	1.3	2.3				
8	1	1985	Y	A47	637	4.	23.								8.29	0.0223	0.0066	0.2403	0.2501	0.2561	0.134	47.	5.8	5.	1.4				
8	1	1985	Y	A48	638	3.8	23.								7.91	0.0538	0.0287	0.3429	0.3716	0.4583	0.179	40.	9.	3.1	18.2				
8	1	1985	Y	A49	640	4.1	23.75								7.9	0.0573	0.0065	0.3802	0.3667	0.2493	0.097	50.	6.3	0.	1.9				
8	1	1985	Y	B01																									
8	1	1985	Y	B02																									
8	1	1985	Y	B03																									
8	1	1985	Y	B04																									
8	1	1985	Y	B05																									
8	1	1985	Y	B06																									
8	1	1985	Y	B07																									
8	1	1985	Y	B08																									
8	1	1985	Y	B09																									
8	1	1985	Y	B10																									
8	1	1985	Y	B11																									
8	1	1985	Y	B13																									
8	1	1985	Y	B14																									
8	1	1985	Y	B15																									
8	1	1985	Y	B16																									
8	1	1985	Y	B18																									
8	1	1985	Y	B19																									
8	1	1985	Y	B20																									
8	1	1985	Y	A29	620	4.4	24.								8.12	0.0137	0.0052	1.0406	1.0458	0.12	0.039	52.	4.3	1.1	7.5				
9	1	1985	Y	A30	622	4.3	24.								8.07	0.0272	0.0055	1.0586	1.0641	0.2224	0.061	67.	4.9	1.3	6.5				
9	1	1985	Y	A31	623	4.1	24.								8.11	0.0251	0.006	1.0586	1.0646	0.0944	0.056	67.	4.7	2.1	6.				
9	1	1985	Y	A32	624	3.9	24.								8.17	0.0255	0.0066	1.0765	1.0931	0.1367	0.097	67.	5.6	1.7	20.8				
9	1	1985	Y	A33	625	4.4	24.								8.15	0.0272	0.0055	1.1086	1.1143	0.0209	0.068	50.	4.4	2.7	13.				
9	1	1985	Y	A34	626	4.5	23.75								8.2	0.0294	0.006	0.9668	0.9748	0.0539	0.032	52.	4.7	1.1	8.2				
9	1	1985	Y	A35	627	4.3	24.								8.2	0.0215	0.0057	1.1411	1.1468	0.059	0.036	57.	5.8	16.3	0.				
9	1	1985	Y	A36	637	2.5	24.								8.3	0.038	0.0104	0.2295	0.2399	0.2049	0.061	57.	10.5	5.8	0.				
9	1	1985	Y	A37	635	3.	24.								8.2	0.0272	0.0063	0.1147	0.121	0.2224	0.061	56.	4.6	2.	0.				
9	1	1985	Y	A38	634	4.1	24.								8.05	0.0185	0.006	1.0944	1.1004	0.0344	0.036	58.	6.2	7.7	24.6				
9	1	1985	Y	A39	633	2.7	24.								8.21	0.0252	0.0093	0.2401	0.2454	0.2022	0.053	52.	11.6	2.	23.1				
9	1	1985	Y	A40	631	4.1	23.75								8.27	0.0155	0.0035	0.9181	0.9276	0.1685	0.078	56.	8.2	4.3	21.6				
9	1	1985	Y	A41	630	3.8	25.5								8.3	0.0244	0.0074	1.0047	1.0121	0.182	0.104	52.	5.7	0.3	11.9				
9	1	1985	Y	A42	629	3.9	23.25								8.26	0.0151	0.0068	0.3659	0.3727	0.0741	0.039	52.	9.1	6.1	35.2				
9	1	1985	Y	A43	640	4.1	24.								8.21	0.0251	0.0049	0.5274	0.5323	0.0512	0.034	57.	4.5	3.1	7.9				
9	1	1985	Y	A44	641	4.3	24.								8.25	0.0255	0.0041	0.654	0.6581	0.1573	0.061	57.	2.	0.	4.				
9	1	1985	Y	A45	642	4.4	24.								8.24	0.0237	0.0052	0.714	0.7192	0.0741	0.041	62.	1.9	0.6	5.5				
9	1	1985	Y	A46	643	4.3	24.								8.27	0.0215	0.0067	0.9401	0.9486	0.12	0.034	60.	5.2	0.	14.8				
9	1	1985	Y	A47	644	4.	24.								8.25	0.0344	0.008	0.9042	0.9132	0.1752	0.061	57.	9.	0.8	10.6				
9	1	1985	Y	A48	646	3.5	24.								8.12	0.0223	0.0067	0.8648	0.8735	0.4446	0.068	57.	4.7	0.	3.				

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MO.	YEAR	EXTRA DATA?	POND#	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER						KJELIAHL	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	TOTAL			SECHII			SECHII			CHLOR-			CHLOR-		
									TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKAL.	HARD.	A	B	C	DISK	DISK	DISK	O <sub>2</sub> PHYL	O <sub>2</sub> PHYL	O <sub>2</sub> PHYL							
11	1	1985	Y	B02	349	4.7		4.6	27.		27.																									
11	1	1985	Y	B03	351	4.2		4.4	27.		27.																						0.61			
11	1	1985	Y	B04	353	4.3		4.	27.		27.2																						0.49			
11	1	1985	Y	B05	356	5.		5.	27.1		27.1																					0.59				
11	1	1985	Y	B06	358	5.5		5.5	27.25		27.																					0.25				
11	1	1985	Y	B07	408	4.3			28.25																							0.36				
11	1	1985	Y	B08	406	4.2			28.																							0.31				
11	1	1985	Y	B09	404	5.			28.																							0.29				
11	1	1985	Y	B10	403	5.2			28.																							0.32				
11	1	1985	Y	B11	401	4.2			27.																						0.29					
11	1	1985	Y	B13	411	5.3			27.5																						0.24					
11	1	1985	Y	B14	413	3.8			28.5																						0.38					
11	1	1985	Y	B15	414	4.4			28.1																						0.27					
11	1	1985	Y	B16	415	4.2			28.																						0.3					
11	1	1985	Y	B18	419	3.2			28.																						0.36					
11	1	1985	Y	B19	418	4.			27.9																					0.2						
11	1	1985	Y	B20	417	4.5			28.																						0.19					
14	1	1985	Y	A29	601	5.			25.																						0.27					
14	1	1985	Y	A30	602	4.2			24.75		30.																				48.					
14	1	1985	Y	A31	604	3.6			24.5																						45.					
14	1	1985	Y	A32	605	3.7			24.25																						42.					
14	1	1985	Y	A33	606	4.3			24.		28.89																				48.					
14	1	1985	Y	A34	607	4.2			24.																						38.					
14	1	1985	Y	A35	609	4.5			24.5																						42.					
14	1	1985	Y	A36	620	3.4			24.8																						52.					
14	1	1985	Y	A37	619	3.2			24.		30.																				48.					
14	1	1985	Y	A38	617	3.6			24.75																						48.					
14	1	1985	Y	A39	615	2.6			24.		31.11																				48.					
14	1	1985	Y	A40	614	3.9			24.																						48.					
14	1	1985	Y	A41	613	3.5			24.																						58.					
14	1	1985	Y	A42	611	4.4			23.8		30.56																				42.					
14	1	1985	Y	A42	622	4.2			25.																						48.					
14	1	1985	Y	A44	623	4.2			24.5																						56.					
14	1	1985	Y	A45	624	4.4			24.9																						58.					
14	1	1985	Y	A46	625	4.2			24.5		28.89																				62.					
14	1	1985	Y	A47	627	4.4			24.5																						46.					
14	1	1985	Y	A48	628	3.8			24.25																						55.					
14	1	1985	Y	A49	629	4.8			24.																						48.					
14	1	1985	N	B01	325	7.3		6.1	27.		27.78	28.89	23.33	23.33																52.						
14	1	1985	N	B02	339	7.		7.1	27.		27.																			55.						
14	1	1985	N	B03	344	6.8		6.8	27.		27.	28.89	28.89	23.33	23.33															45.						
14	1	1985	N	R04	348	7.2		6.4	26.75		26.5																			49.						
14	1	1985	N	B05	352	7.2		6.7	27.		26.75																			64.						
14	1	1985	N	B06	356	7.		6.9	26.9		26.75																			4.						
																															0.35					

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER										KJELDAHL	TOTAL		SECHII		CHLOR-		CHLOR-					
					DO #	DO #	DO #	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MIN	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	A	B	A	B	C
14	1 1985	N	B07	409	6.2			6.1	27.25		27.	27.22	27.72	24.44	25.56										0.43		
14	1 1985	N	B08	406	7.			6.8	27.		27.	27.													0.38		
14	1 1985	N	B09	404	6.6			6.1	27.		27.														0.47		
14	1 1985	N	B10	402	7.3			6.9	27.		27.														0.32		
14	1 1985	N	B11	359	5.8			4.9	27.		26.75														0.29		
14	1 1985	N	B13	413	6.3			6.3	27.		27.														0.4		
14	1 1985	N	B14	416				5.6			28.		27.78		23.33											0.41	
14	1 1985	N	B15	418				4.9			27.75		27.22		23.89											0.26	
14	1 1985	N	B16	420				5.2																	0.3		
14	1 1985	N	B18	426				4.			27.75														0.23		
14	1 1985	N	B19	424				5.			28.														0.26		
14	1 1985	N	B20	422				5.6			27.75														0.24		
15	1 1985	Y	B01					26.5			26.5																
15	1 1985	Y	B02					26.25			26.25																
15	1 1985	Y	B03					26.25			26.																
15	1 1985	Y	B04					26.5			26.																
15	1 1985	Y	B05					26.			26.																
15	1 1985	Y	B06					26.			26.																
15	1 1985	Y	B07					26.5			26.5																
15	1 1985	Y	B08					26.			26.																
15	1 1985	Y	B09					26.			26.																
15	1 1985	Y	B10					26.			26.																
15	1 1985	Y	B11					26.25			26.																
15	1 1985	Y	B13					26.			26.																
15	1 1985	Y	B14					26.5																			
15	1 1985	Y	B15								26.																
15	1 1985	Y	B16								26.																
15	1 1985	Y	B16								26.5																
15	1 1985	Y	B19								26.5																
15	1 1985	Y	B20								26.25																
16	1 1985	Y	A29	550				5.1			25.5															52.	
16	1 1985	Y	A30	552				3.2			24.75															48.	
16	1 1985	Y	A31	553				3.5			24.75															42.	
16	1 1985	Y	A32	554				4.7			24.8															38.	
16	1 1985	Y	A33	555				4.6			24.25															35.	
16	1 1985	Y	A34	556				5.7			24.25															42.	
16	1 1985	Y	A35	558				5.			24.															42.	
16	1 1985	Y	A36	607				1.9			25.															42.	
16	1 1985	Y	A37	606				3.2			24.15															52.	
16	1 1985	Y	A38	605				3.7			24.															58.	
16	1 1985	Y	A39	604				4.6			24.5															52.	
16	1 1985	Y	A40	602				4.1			23.9															52.	
16	1 1985	Y	A41	501				5.5			23.8															38.	
16	1 1985	Y	A42	600				5.4			23.8															42.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII											
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKAL.	HARD.	pH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	A	B	C		
16	1 1985	Y	A43	610	3.1			26.																					
16	1 1985	Y	A44	611	3.9			25.15																				50.	
16	1 1985	Y	A45	612	4.4			25.15																				62.	
16	1 1985	Y	A46	614	3.7			25.																				68.	
16	1 1985	Y	A47	615	2.6			25.15																				52.	
16	1 1985	Y	A48	617	3.1			24.9																				42.	
16	1 1985	Y	A49	613	3.4			24.5																				48.	
16	1 1985	Y	B01	335	6.5			6.6	25.																			48.	
16	1 1985	Y	B02	337	7.7			7.8	25.																			0.55	
16	1 1985	Y	B03	341	5.4			5.4	25.																			0.48	
16	1 1985	Y	B04	344	6.			6.2	25.																			0.41	
16	1 1985	Y	B05	347	6.8			7.	25.																			0.61	
16	1 1985	Y	B06	350	6.7			6.8	25.																			0.53	
16	1 1985	Y	B07	359	5.4			5.7	25.																			0.3	
16	1 1985	Y	B08	358	4.1			6.3	25.																			0.51	
16	1 1985	Y	B09	357	6.			6.1	25.																		0.3		
16	1 1985	Y	B10	355	7.			7.2	25.																		0.39		
16	1 1985	Y	B11	353	5.2			5.2	25.																		0.27		
16	1 1985	Y	B13	402	5.9			5.9	25.																		0.32		
16	1 1985	Y	B14	405		2.1			25.																			0.43	
16	1 1985	Y	B15	406		4.4			25.																			0.25	
16	1 1985	Y	B16	407		4.9			25.																			0.2	
16	1 1985	Y	B18	412		4.1			25.																			0.3	
16	1 1985	Y	B19	410		4.1			25.																			0.21	
16	1 1985	Y	B20	409		4.5			25.																			0.24	
17	1 1985	Y	A23	611																								0.27	
17	1 1985	Y	A30	612																								52.	
17	1 1985	Y	A31	613																								32.	
17	1 1985	Y	A32	614																								42.	
17	1 1985	Y	A33	616																								36.	
17	1 1985	Y	A34	617																								32.	
17	1 1985	Y	A35	618																								40.	
17	1 1985	Y	A36	627																								45.	
17	1 1985	Y	A37	626																								42.	
17	1 1985	Y	A38	625																								48.	
17	1 1985	Y	A39	623																								68.	
17	1 1985	Y	A40	622																								52.	
17	1 1985	Y	A41	621																								58.	
17	1 1985	Y	A42	620																								38.	
17	1 1985	Y	A43	630																								42.	
17	1 1985	Y	A44	631																								48.	
17	1 1985	Y	A45	633																								62.	
17	1 1985	Y	A46	634																								68.	
17	1 1985	Y	A47	635																								52.	
																												48.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						WATER						KJELIAHL						TOTAL						SECHII					
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ MID-MIN	TEMP @ BOT-MIN	ALKA.	HARO.	PH	N	NH3-N	N02-N	N03-N	P	PD4-P	A	B	C	SECHII	SECHII	CHLOR-	CHLOR-	CHLOR-	
21	1 1985	N	B09	330	5.6			5.6	26.15		25.8																					0.51		
21	1 1985	N	B10	328	5.3			5.3	26.		26.																				0.35			
21	1 1985	N	B11	325	5.4			5.4	25.75		25.5																				0.32			
21	1 1985	N	B13	339	4.8			4.9	26.		26.																				0.47			
21	1 1985	N	B14	342		4.2			26.		30.	30.	25.	25.																	0.27			
21	1 1985	N	B15	346		4.2			25.75		30.	30.	24.44	25.																0.32				
21	1 1985	N	B16	348		5.4			26.																						0.27			
21	1 1985	N	B18	355		3.1			26.																						0.24			
21	1 1985	N	B19	353		4.3			26.																						0.29			
21	1 1985	N	B20	351		4.4			26.																						0.24			
22	1 1985	Y	A29	525	3.3			23.5																							16.3			
22	1 1985	Y	A30	527	4.6			23.8		30.		24.44																		1.3	32.6			
22	1 1985	Y	A31	528	3.			23.8																						17.9	2.1	26.6		
22	1 1985	Y	A32	529	1.5			23.8																						32.7	1.3	32.5		
22	1 1985	Y	A33	531	1.8			23.		28.89		23.33																		34.4	15.5	61.5		
22	1 1985	Y	A34	533	6.4			23.25																						30.8	4.3	20.2		
22	1 1985	Y	A35	534	6.			23.8																						16.8	23.1	76.4		
22	1 1985	Y	A36	544	1.8			24.5																						14.3	4.6	22.2		
22	1 1985	Y	A37	542	2.1			24.		30.		25.56																		21.8	2.5	14.9		
22	1 1985	Y	A38	541	5.5			24.25																						11.9	2.9	4.2		
22	1 1985	Y	A39	540	3.9			24.25		28.89		25.56																		1.4	7.7			
22	1 1985	Y	A40	539	4.1			24.25																						21.7	0.	4.1		
22	1 1985	Y	A41	538	3.2			23.8		28.89		25.56																		16.7	4.2	11.7		
22	1 1985	Y	A42	536	5.3			23.8		28.33		25.56																		19.6	2.7	5.		
22	1 1985	Y	A43	547	5.9			25.																						36.7	33.	6.		
22	1 1985	Y	A44	542	5.2			24.8																						8.5	0.2	17.1		
22	1 1985	Y	A45	543	5.6			24.75																						1.6	0.6	0.		
22	1 1985	Y	A46	550	5.9			24.75		27.78		25.56																		6.1	1.1	6.		
22	1 1985	Y	A47	551	3.4			24.75																						16.1	3.	4.3		
22	1 1985	Y	A48	553	3.9			24.5																						24.5	3.6	31.4		
22	1 1985	Y	A49	554	2.9			24.25																						19.	5.5	14.5		
22	1 1985	Y	B01																												0.63			
22	1 1985	Y	B02																												0.74			
22	1 1985	Y	B03																													0.47		
22	1 1985	Y	B04																													0.79		
22	1 1985	Y	B05																													0.41		
22	1 1985	Y	B06																													0.43		
22	1 1985	Y	B07																													0.36		
22	1 1985	Y	B08																													0.32		
22	1 1985	Y	B09																													0.52		
22	1 1985	Y	B10																													0.36		
22	1 1985	Y	B11																													0.37		
22	1 1985	Y	B13																													0.43		
22	1 1985	Y	B14																													0.31		

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL						TOTAL						SECHII								
					DO	DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALK.	HARD.	pH	N	NH <sub>3</sub> -N	N <sub>2</sub> O-N	N <sub>2</sub> S-N	N <sub>2</sub> O <sub>3</sub> -N	P	PO <sub>4</sub> -P	TOTAL	ORTHO	DISK	DISK	OPHYLL	OPHYLL
25	1 1985	Y	A32	550	4.7		24.25										8.05		0.0203	0.0096	0.7966	0.8062	0.165	60.	6.6	7.5	6.9				
25	1 1985	Y	A33	551	3.8		24.										8.02		0.0156	0.0117	0.9516	0.9733	0.145	40.	9.2	5.2	18.2				
25	1 1985	Y	A34	552	5.2		24.										8.2		0.0143	0.0076	0.9115	0.9226	0.048	55.	6.6	5.2	6.9				
25	1 1985	Y	A35	554	4.6		24.15										8.16		0.0129	0.0063	0.9042	0.9105	0.056	60.	12.9	4.9	15.3				
25	1 1985	Y	A36	604	3.6		24.25										8.15		0.0179	0.0112	0.6171	0.6283	0.148	40.	13.2	4.6	20.6				
25	1 1985	Y	A37	603	4.3		24.15										8.16		0.0194	0.0126	0.6169	0.6235	0.046	40.	16.2	8.2	25.2				
25	1 1985	Y	A38	602	4.6		24.25										7.85		0.0265	0.0093	0.9616	0.9714	0.062	35.	10.8	6.1	17.				
25	1 1985	Y	A39	601	4.6		24.25										8.1		0.0156	0.0104	0.8181	0.8285	0.08	45.	20.6	15.2	21.5				
25	1 1985	Y	A40	559	4.5		24.15										8.21		0.0137	0.0068	0.976	0.9628	0.124	40.	11.3	6.4	17.8				
25	1 1985	Y	A41	558	3.4		23.75										8.05		0.0115	0.0147	0.9616	0.9763	0.136	35.	11.2	10.7	26.5				
25	1 1985	Y	A42	557	4.7		23.75										8.3		0.0201	0.009	0.2791	0.9531	0.048	40.	6.9	5.6	7.2				
25	1 1985	Y	A43	607	4.6		23.75										8.		0.0297	0.0063	0.7212	0.7275	0.046	50.	9.9	3.4	20.2				
25	1 1985	Y	A44	608	4.4		24.										8.1		0.0143	0.0115	0.7104	0.7219	0.065	40.	14.4	1.4	17.				
25	1 1985	Y	A45	609	4.6		24.										8.1		0.0158	0.0055	0.6502	0.6657	0.032	55	6.3	6.1	19.5				
25	1 1985	Y	A46	610	4.6		23.8										8.1		0.0158	0.0068	0.9652	0.972	0.039	45.	9.7	6.	6.2				
25	1 1985	Y	A47	612	4.4		23.8										8.11		0.0143	0.0068	0.714	0.7208	0.049	45.	6.	3.9	18.4				
25	1 1985	Y	A48	613	4.		23.8										8.		0.0258	0.0053	0.6817	0.688	0.073	40.	10.1	5.3	20.7				
25	1 1985	Y	A49	614	3.9		23.5										8.		0.061	0.0079	0.8145	0.8224	0.068	40.	11.2	3.9	22.7				
25	1 1985	Y	B01	335	5.7	5.6	5.7	27.5	27.5	27.5						8.1667								0.58							
25	1 1985	Y	B02	336	5.4	5.4	5.4	27.25	27.2	27.						7.9667								0.47							
25	1 1985	Y	B03	341	5.	5.	5.	27.5	27.1	27.						7.8667								0.45							
25	1 1985	Y	B04	344	5.6	5.6	5.6	27.5	27.1	27.						7.9								0.6							
25	1 1985	Y	B05	346	4.	4.	4.	27.1	27.1	27.1						7.8								0.42							
25	1 1985	Y	B06	351	5.1	5.	5.1	27.1	27.1	27.						8.0667								0.45							
25	1 1985	Y	B07	502	4.8		4.9	27.8		27.25						7.8								0.35							
25	1 1985	Y	B08	404	5.6		5.8	27.5		27.5						8.1								0.37							
25	1 1985	Y	B09	401	5.5		5.5	27.1		27.						8.								0.5							
25	1 1985	Y	B10	359	4.8		4.6	27.5		27.5						8.1								0.41							
25	1 1985	Y	B11	355	5.1		5.2	27.75		27.1						8.1								0.33							
25	1 1985	Y	B12	412	4.8		4.8	27.5		27.25						8.1								0.42							
25	1 1985	Y	B14	415		4.3		28.5								7.8								0.35							
25	1 1985	Y	B15	418		4.1		28.5								7.8								0.35							
25	1 1985	Y	B16	420		4.		28.1								8.2								0.28							
25	1 1985	Y	B18	431		5.6		28.5								8.								0.29							
25	1 1985	Y	B19	428		3.6		28.75								8.2								0.31							
25	1 1985	Y	B20	415		4.1		28.5								7.8								0.24							
28	1 1985	Y	A29	620		4.6		27.																	45.						
28	1 1985	Y	A30	621		4.2		27.		32.22															50.						
28	1 1985	Y	A31	623		4.6		26.9																	45.						
28	1 1985	Y	A32	624		5.4		27.																	45.						
28	1 1985	Y	A33	625		2.6		26.75		31.11															30.						
28	1 1985	Y	A34	627		5.		26.75																	45.						
28	1 1985	Y	A35	628		5.2		26.75																	45.						
28	1 1985	Y	A36	638		3.		27.5																	45.						

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII					
					DO	DO	DO A	TEMP #	TEMP #	TEMP #		NH3-N	NO2-N	NO3-N	P	ORTHOPHOSPHATE	DISK A	DISK B	CHLOROPHYLL A	CHLOROPHYLL B	CHLOROPHYLL C		
28	1 1985	Y	A37	636	2.2			27.		30.33		25.56										35.	
28	1 1985	Y	A38	635	3.8			27.25														40.	
28	1 1985	Y	A39	634	5.			26.9		32.22		25.56											40.
28	1 1985	Y	A40	633	5.			26.75															40.
28	1 1985	Y	A41	631	2.7			26.25		30.		24.44											40.
28	1 1985	Y	A42	630	4.3			25.		32.22		24.44											33.
28	1 1985	Y	A43	642	4.6			27.25															55.
28	1 1985	Y	A44	643	4.9			27.15															50.
28	1 1985	Y	A45	644	5.			27.25															55.
28	1 1985	Y	A46	646	3.8			27.		30.		25.56											45.
28	1 1985	Y	A47	648	4.8			27.															50.
28	1 1985	Y	A48	650	4.8			27.															50.
28	1 1985	Y	A49	652	4.9			26.9															40.
28	1 1985	N	B01	310	5.7	5.6	5.8	23.5	24.5	29.5	28.89	28.89	24.44	26.11									0.54
28	1 1985	N	B02	312	5.8	5.9	5.9	36.	29.25	28.5													0.5
28	1 1985	N	B03	315	5.5	5.4	5.	29.8	28.	28.	29.89												0.6
28	1 1985	N	B04	315	6.	5.8	5.7	29.8	28.	28.													0.64
28	1 1985	N	B05	321	6.2	6.3	6.3	29.	29.	29.													0.42
28	1 1985	N	B06	324	5.	5.	5.1	29.25	29.25	29.													0.41
28	1 1985	N	B07	327	3.9	4.	30.25		29.5	28.89		25.											0.35
28	1 1985	N	B08	334	5.6	5.6	5.6	30.	29.9	28.89	28.33	25.56	25.56										0.29
28	1 1985	N	B09	332	5.5	5.6	5.6	29.5		29.2													0.26
28	1 1985	N	B10	330	5.6	5.6	5.6	30.		30.													0.39
28	1 1985	N	B11	327	4.2	4.3	4.3	30.		29.1													0.31
28	1 1985	N	B13	340	5.2	5.1	30.25		30.														0.34
28	1 1985	N	B14	344	4.6			30.8		29.44	28.89	24.44	25.56										0.3
28	1 1985	N	B15	346	4.5			30.9		30.	28.33	24.44	25.56										0.28
28	1 1985	N	B16	349	4.			31.2															0.27
28	1 1985	N	B18	356	2.1			32.															0.22
28	1 1985	N	B19	354	3.			32.															0.27
28	1 1985	N	B20	352	2.9			32.															0.18
29	1 1985	Y	A29																				40.
29	1 1985	Y	A30																				45.
29	1 1985	Y	A31																				40.
29	1 1985	Y	A32																				45.
29	1 1985	Y	A33																				25.
29	1 1985	Y	A34																				50.
29	1 1985	Y	A35																				40.
29	1 1985	Y	A36																				40.
29	1 1985	Y	A37																				40.
29	1 1985	Y	A38																				45.
29	1 1985	Y	A39																				40.
29	1 1985	Y	A40																				40.
29	1 1985	Y	A41																				35.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II. Dry Season

MAY NO.	YEAR	DATA?	FONDS	TIME	WATER						TEMP						KJELDAHL						TOTAL						SECHII						
					DO	DO	DO	DO	TEMP @	PH	N	NH3-N	NO2-N	NO3-N	P	F04-P	A	B	A	B	C	DISK	OPHYLL	OPHYLL	OPHYLL	OPHYLL	OPHYLL								
29	1 1985	Y	A42																																37.
29	1 1985	Y	A43																																45.
29	1 1985	Y	A44																															40.	
29	1 1985	Y	A45																															45.	
29	1 1985	Y	A46																															45.	
29	1 1985	Y	A47																															45.	
29	1 1985	Y	A48																															45.	
29	1 1985	Y	A49																															40.	
29	1 1985	Y	B01																															0.52	
29	1 1985	Y	B02																															0.46	
29	1 1985	Y	B03																															0.5	
29	1 1985	Y	B04																															0.52	
29	1 1985	Y	B05																															0.39	
29	1 1985	Y	B06																															0.39	
29	1 1985	Y	B07																															0.27	
29	1 1985	Y	B08																															0.32	
29	1 1985	Y	B09																															0.36	
29	1 1985	Y	B10																															0.43	
29	1 1985	Y	B11																															0.26	
29	1 1985	Y	B13																															0.33	
29	1 1985	Y	B14																															0.29	
29	1 1985	Y	B15																															0.32	
29	1 1985	Y	B16																															0.26	
29	1 1985	Y	B18																															0.25	
29	1 1985	Y	B19																															0.22	
29	1 1985	Y	B20																															0.23	
30	1 1985	Y	A29	545	3.6																													45.	
30	1 1985	Y	A30	546	4.4																													45.	
30	1 1985	Y	A31	547	4.4																													40.	
30	1 1985	Y	A32	549	3.8																													40.	
30	1 1985	Y	A33	550	2.3																													35.	
30	1 1985	Y	A34	551	4.7																													49.	
30	1 1985	Y	A35	553	3.4																													45.	
30	1 1985	Y	A36	604	4.4																													45.	
30	1 1985	Y	A37	602	3.2																													45.	
30	1 1985	Y	A38	601	4.3																													40.	
30	1 1985	Y	A39	559	4.8																													50.	
30	1 1985	Y	A40	557	4.2																													45.	
30	1 1985	Y	A41	556	1.8																													40.	
30	1 1985	Y	A42	555	4.1																													37.	
30	1 1985	Y	A43	607	4.6																													50.	
30	1 1985	Y	A44	668	5.1																													50.	
30	1 1985	Y	A45	610	4.8																													55.	
30	1 1985	Y	A46	611	5.7																													45.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	DATA <sup>a</sup>	POND#	TIME	WATER										KJELDAHL	TOTAL		SECHII		CHLOR-		CHLOR-							
					DO	DO	DO	DO	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP		PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	NO <sub>2</sub> &NO <sub>3</sub> -N	TOTAL	ORTHO	DISK	DISK	OPHYLL	OPHYLL	OPHYLL	
30	1 1985	Y	A47	613		5.3				27.25																			
30	1 1985	Y	A48	614		5.2				27.15																			
30	1 1985	Y	A49	615		3.6				27.																			
30	1 1985	Y	B01	410	5.2	5.2	5.2	28.9	28.9	29.25																			
30	1 1985	Y	B02	413	4.6	4.6	4.7	29.5	29.5	29.25	29.1																		
30	1 1985	Y	B03	415	4.5	4.9	4.9	28.	28.	28.	28.																		
30	1 1985	Y	B04	418	5.4	5.3	5.3	28.1	28.	28.	28.																		
30	1 1985	Y	B05	421	4.3	5.	5.	28.5	29.1	29.																			
30	1 1985	Y	B06	425	4.9	4.9	4.9	29.5	29.5	29.1																			
30	1 1985	Y	B07	427	3.1		5.1	29.5	29.1																				
30	1 1985	Y	B08	435	4.6		4.7	29.75	29.5																				
30	1 1985	Y	B09	432	4.6		4.6	30.	29.75																				
30	1 1985	Y	B10	430	4.9		4.9	30.	29.9																				
30	1 1985	Y	B11	428	5.2		5.2	29.5	29.5																				
30	1 1985	Y	B13	441	4.4		4.4	30.	29.9																				
30	1 1985	Y	B14	443		3.8			30.																				
30	1 1985	Y	B15	445		4.2			30.																				
30	1 1985	Y	B16	446		3.8			30.																				
30	1 1985	Y	B18	450		2.1			30.1																				
30	1 1985	Y	B19	449		2.9			30.1																				
30	1 1985	Y	B20	443		2.6			30.25																				
31	1 1985	Y	A29																										
31	1 1985	Y	A30																										
31	1 1985	Y	A31																										
31	1 1985	Y	A32																										
31	1 1985	Y	A33																										
31	1 1985	Y	A34																										
31	1 1985	Y	A35																										
31	1 1985	Y	A36																										
31	1 1985	Y	A37																										
31	1 1985	Y	A38																										
31	1 1985	Y	A39																										
31	1 1985	Y	A40																										
31	1 1985	Y	A41																										
31	1 1985	Y	A42																										
31	1 1985	Y	A43																										
31	1 1985	Y	A44																										
31	1 1985	Y	A45																										
31	1 1985	Y	A46																										
31	1 1985	Y	A47																										
31	1 1985	Y	A48																										
31	1 1985	Y	A49																										
31	1 1985	Y	B01	435	5.1	5.1	5.1	29.1	29.1	29.																			
31	1 1985	Y	B02	438	4.6	4.7	4.7	29.	29.	28.9																			

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER			WATER			WATER			WATER			KJELDIHL			TOTAL			SECHII			SECHII			CHLOR-		
							TEMP	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALK.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	ORTHODISK	DISK	OPHYLL	OPHYLL	OPHYLL
31	1 1985	Y B03	442	1.8	4.3	4.9	28.8	25.75	25.5																						0.52		
31	1 1985	Y B04	445	4.9	4.9	4.9	28.8	26.8	28.5																						0.47		
31	1 1985	Y B05	448	4.3	4.4	4.5	28.9	29.	28.75																						0.37		
31	1 1985	Y B06	450	4.4	4.4	4.6	28.25	28.9	28.9																						0.36		
31	1 1985	Y B07	504	4.			28.5		28.9																						0.35		
31	1 1985	Y B08	502	4.5			4.6	29.		28.1																					0.31		
31	1 1985	Y B09	500	4.3			4.4	27.9		26.9																					0.32		
31	1 1985	Y B10	457	4.8			4.9	27.		28.1																					0.39		
31	1 1985	Y B11	453	4.2			4.2	28.2		28.75																				0.32			
31	1 1985	Y B13	508	4.2			4.3	27.75		28.																				0.39			
31	1 1985	Y B14	510				3.7		29.																						0.29		
31	1 1985	Y B15	511				3.9		29.																						0.28		
31	1 1985	Y B16	513				3.6		28.8																						0.32		
31	1 1985	Y B18	518				3.3		29.1																						0.25		
31	1 1985	Y B19	516				3.8		29.25																						0.28		
31	1 1985	Y B20	515				3.2		27.																						0.25		
1	2 1985	Y A29	455				3.2		25.																						35.		
1	2 1985	Y A30	457				3.5		27.		31.11																				40.		
1	2 1985	Y A31	458				3.2		26.5																						35.		
1	2 1985	Y A32	459				2.7		26.25																						35.		
1	2 1985	Y A33	500				1.5		26.25		31.11																				25.		
1	2 1985	Y A34	502				4.8		25.8																						48.		
1	2 1985	Y A35	503				3.4		25.8																						48.		
1	2 1985	Y A36	514				1.9		26.8																						40.		
1	2 1985	Y A37	513				2.1		25.8																						50.		
1	2 1985	Y A38	511				3.9		26.25																						40.		
1	2 1985	Y A39	510				2.9		26.5		31.11																				45.		
1	2 1985	Y A40	508				2.3		26.25																						35.		
1	2 1985	Y A41	507				1.4		27.75		30.																				30.		
1	2 1985	Y A42	506				4.		25.15		30.56																				36.		
1	2 1985	Y A43	517				3.		26.8																						45.		
1	2 1985	Y A44	512				4.		26.25																						56.		
1	2 1985	Y A45	520				4.5		26.5																						65.		
1	2 1985	Y A46	521				4.8		26.25		30.																			50.			
1	2 1985	Y A47	522				3.8		26.25																						45.		
1	2 1985	Y A48	523				2.6		26.25																						50.		
1	2 1985	Y A49	525				2.5		26.75																						35.		
1	2 1985	N B01	420	5.4	5.4	5.4	28.1	28.	28.																					0.37			
1	2 1985	N B02	423	5.3	5.2	5.2	28.	28.	28.																						0.47		
1	2 1985	N B03	426	5.1	5.	5.3	27.9	27.9	27.5																					7.4667			
1	2 1985	N B04	428	5.1	5.1	5.1	28.	28.	27.9																					7.5667			
1	2 1985	N B05	430	4.4	4.4	4.4	27.9	27.9	27.75																					7.5333			
1	2 1985	N B06	433	4.8	4.8	5.	28.	28.	27.9																					7.7			
1	2 1985	N B07	445	4.2	4.2	4.2	28.1	28.																						7.4			
																																0.51	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MO.	YEAR	DATA?	POINT#	TIME	# TOP	# MID	# BOTTOM	WATER						KJELDAHL	TOTAL						SECHII									
									DO	DO	TEMP	TEMP	TEMP	TEMP	TEMP	ALKAL.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	P	ORTHOPHOSPHATE	DISK	DISK	OPHYLL	OPHYLL	CHLOR-A	CHLOR-B	
1	2	1985	N	B03	443	4.4			4.5	28.		28.							7.8												0.37
1	2	1985	N	B09	441	4.7			4.7	28.		27.9							7.6												0.39
1	2	1985	N	B10	438	5.1			5.1	28.		27.75							7.9												0.37
1	2	1985	N	B11	436	4.5			4.5	28.		27.75							7.5												0.36
1	2	1985	N	B13	446	4.2			4.4	27.75		27.75							7.8												0.38
1	2	1985	N	B14	450		3.8				28.								7.7												0.37
1	2	1985	N	B15	452		3.6				27.9								7.4												0.33
1	2	1985	N	B16	454		3.4				27.5								7.6												0.36
1	2	1985	N	B19	563		3.9				27.75								7.4												0.3
1	2	1985	N	B19	501		3.5				27.75								7.9												0.35
1	2	1985	N	B20	458		3.2				27.5								7.4												0.27
4	2	1985	Y	A29	610		2.6				26.																			35.	
4	2	1985	Y	A30	611		3.				26.5		35.33		25.56															35.	
4	2	1985	Y	A31	613		2.5				26.25																		30.		
4	2	1985	Y	A32	614		2.6				26.15																		30.		
4	2	1985	Y	A33	615		1.8				26.		32.22		28.89														20.		
4	2	1985	Y	A34	616		1.3				26.																	47.			
4	2	1985	Y	A35	618		3.				26.15																	47.			
4	2	1985	Y	A36	628		2.4				26.8																	40.			
4	2	1985	Y	A37	627		2.6				26.		26.07		25.56													40.			
4	2	1985	Y	A38	625		2.				26.5																	35.			
4	2	1985	Y	A39	624		1.9				26.5		32.22		26.67													35.			
4	2	1985	Y	A40	623		1.8				25.5																	35.			
4	2	1985	Y	A41	621		1.2				25.5		30.		25.56													35.			
4	2	1985	Y	A42	620		3.8				25.5																	35.			
4	2	1985	Y	A43	630		3.2				27.																	36.			
4	2	1985	Y	A44	631		4.1				27.																	45.			
4	2	1985	Y	A45	632		5.				27.																	45.			
4	2	1985	Y	A46	633		4.1				26.75		31.11		26.67													50.			
4	2	1985	Y	A47	635		3.8				26.5																	45.			
4	2	1985	Y	A48	636		1.9				26.25																	40.			
4	2	1985	Y	A49	630		2.4				26.5																	40.			
4	2	1985	N	B01	410	6.4	6.3	6.3										0.0535	0.0161	0.	0.0161		0.141		14.9	1.3	8.2				
4	2	1985	N	B02	414	5.3	5.4	5.6										0.0373	0.0093	0.312	0.3213		0.075		16.7	0.	1.				
4	2	1985	N	B03	416	5.4	5.4	5.5										0.0272	0.0106	0.7643	0.7749		0.073		3.9	0.	0.				
4	2	1985	N	B04	419	5.	4.9	5.4										0.0244	0.0055	0.0106	0.0161		0.082		23.	2.3	14.1				
4	2	1985	N	B05	421	5.9	5.3	5.										0.01	0.0104	0.79	0.8004		0.046		10.	4.6	6.1				
4	2	1985	N	B06	424	5.	5.	5.9										0.0129	0.0131	0.0572	0.0703		0.109		9.7	0.	0.9				
4	2	1985	N	B07	437	5.												0.1075	0.0128	0.1254	0.1382		0.119		7.2	3.4	0.				
4	2	1985	N	B08	435	5.1												0.0457	0.0137	0.2726	0.2863		0.078		9.5	0.	0.9				
4	2	1985	N	B09	432	4.8												0.0267	0.0139	0.0752	0.0891		0.073		5.8	1.2	2.5				
4	2	1985	N	B10	429	5.1												0.0129	0.0056	0.3006	0.9102		0.078		7.7	0.	6.6				
4	2	1985	N	B11	427	3.9												0.0129	0.0095	0.3922	0.4078		0.066		14.3	0.	3.9				
4	2	1985	N	B13	440	4.												0.0652	0.0202	0.1721	0.1923		0.143		16.8	0.3	15.5				

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER						WATER						KJELDAHL						TOTAL						SECHII			CHLOR-			
					D0	D0	D0	D0	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALMA.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	C	SECHII	SECHII	OPHYLL	OPHYLL	OPHYLL
4	2 1985	N	B14	444					4.1																						19.	6.1	6.9		
4	2 1985	N	B15	447					4.2																						20.	2.9	20.9		
4	2 1985	N	B16	448					3.5																						12.8	0.8	5.4		
4	2 1985	N	B18	458					3.1																						23.4	1.1	6.1		
4	2 1985	N	B19	456					3.4																						0.055	0.003	0.4915	0.5105	
4	2 1985	N	B20	453					3.																						0.0774	0.03	0.2582	0.2832	
5	2 1985	Y	A29	439					3.8																						8.21	0.0287	0.015	0.5633	0.5793
5	2 1985	Y	A30	440					2.7																						7.92	0.0258	0.0245	0.3649	0.3295
5	2 1985	Y	A31	441					2.6																						7.51	0.0279	0.0213	0.0501	0.0714
5	2 1985	Y	A32	442					1.7																						6.02	0.0309	0.0306	0.1264	0.217
5	2 1985	Y	A33	444					2.4																						8.07	0.0522	0.0472	0.8466	0.894
5	2 1985	Y	A34	445					4.9																						6.37	0.0165	0.0128	0.129	0.1418
5	2 1985	Y	A35	447					3.4																						9.07	0.0172	0.009	0.0716	0.0306
5	2 1985	Y	A36	458					1.6																						8.2	0.0251	0.0161	0.2762	0.2923
5	2 1985	Y	A37	457					2.4																						8.	0.0272	0.0185	0.1434	0.1622
5	2 1985	Y	A38	456					2.9																						7.35	0.0251	0.0183	0.0572	0.0755
5	2 1985	Y	A39	454					2.4																						8.16	0.0605	0.0213	0.0367	0.1112
5	2 1985	Y	A40	452					1.6																						8.07	0.0523	0.0174	0.47	0.4874
5	2 1985	Y	A41	451					0.8																						7.72	0.0588	0.011	0.4377	0.4587
5	2 1985	Y	A42	459					4.3																						8.36	0.0236	0.0164	0.1254	0.1418
5	2 1985	Y	A43	501					2.8																						7.7	0.0237	0.0183	0.0183	0.0183
5	2 1985	Y	A44	502					3.3																						7.9	0.0251	0.0125	0.6937	0.7122
5	2 1985	Y	A45	503					4.6																						8.	0.0158	0.0093	0.2395	0.2395
5	2 1985	Y	A46	503					3.9																						7.32	0.0215	0.0177	0.2737	0.2974
5	2 1985	Y	A47	506					3.																						8.1	0.0251	0.0246	0.2403	0.2645
5	2 1985	Y	A48	507					2.4																						7.65	0.0358	0.0191	0.4083	0.4221
5	2 1985	Y	A49	509					1.9																						7.75	0.0358	0.0116	0.2474	0.2654
6	2 1985	Y	A29	539					4.3																						8.07	0.0201	0.0115	0.5042	0.5157
6	2 1985	Y	A30	531					4.3																						7.7	0.0143	0.0076	0.7756	0.7862
6	2 1985	Y	A31	533					3.9																						7.57	0.0215	0.0128	0.5112	0.5145
6	2 1985	Y	A32	534					3.2																						8.07	0.0215	0.0123	0.0337	0.036
6	2 1985	Y	A33	535					3.5																						8.16	0.0165	0.0118	0.3365	0.3545
6	2 1985	Y	A34	537					4.6																						8.25	0.0179	0.0081	0.6243	0.6325
6	2 1985	Y	A35	538					4.																						8.15	0.0179	0.0106	0.8217	0.8323
6	2 1985	Y	A36	549					3.5																						8.2	0.0194	0.0095	1.2811	1.1871
6	2 1985	Y	A37	547					3.4																						8.15	0.0201	0.0164	0.9366	1.0032
6	2 1985	Y	A38	545					4.5																						7.96	0.0194	0.0074	0.7058	0.7142
6	2 1985	Y	A39	544					4.3																						8.2	0.0179	0.0079	0.592	0.5999
6	2 1985	Y	A40	543					3.9																						8.2	0.0179	0.0052	0.3346	0.3993
6	2 1985	Y	A41	541					3.7																						8.1	0.0201	0.0093	0.7714	0.7812
6	2 1985	Y	A42	540					4.6																						8.	0.0201	0.0057	1.3816	1.3903
6	2 1985	Y	A43	551					4.3																						8.15	0.0143	0.0027	0.934	1.0027
6	2 1985	Y	A44	553					4.2																						8.22	0.0251	0.0101	0.3731	0.3832
6	2 1985	Y	A45	554					4.7																						8.16	0.0194	0.0087	1.0657	1.0744

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

EXTRA DAY NO.	YEAR	DATA?	FOND#	TIME	DO	DO	DO	DO	TEMP @	TEMP @	TEMP @	TEMP @	TEMP @	TEMP @	WATER @ TOP	WATER @ MID	WATER @ BOTTOM	KJELDAHL	TOTAL			SECHII	SECHII	CHLOR-	CHLOR-	CHLOR-	
					%	%	%	%	@ TOP	@ MID	@ BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKA.	HARD.	pH	N	NH3-N	N02-N	N03-N	N03-N	P	PO4-P	A	B
12	2 1985	Y	A40																								40.
12	2 1985	Y	A41																								45.
12	2 1985	Y	A42																								45.
12	2 1985	Y	A43																								45.
12	2 1985	Y	A44																								45.
12	2 1985	Y	A45																								55.
12	2 1985	Y	A46																								45.
12	2 1985	Y	A47																								40.
12	2 1985	Y	A48																								40.
12	2 1985	Y	A49																								40.
12	2 1985	Y	B01						29.	29.	29.																0.46
12	2 1985	Y	B02						29.	28.75	28.5																0.37
12	2 1985	Y	B03						23.9	28.75	28.2																0.45
12	2 1985	Y	B04						26.9	28.8	28.5																0.42
12	2 1985	Y	B05						28.75	28.75	28.5																0.55
12	2 1985	Y	B06						28.9	28.9	28.5																0.37
12	2 1985	Y	B07						29.		28.75																0.3
12	2 1985	Y	B08						29.		28.9																0.4
12	2 1985	Y	B09						29.		28.9																0.27
12	2 1985	Y	B10						29.		28.8																0.37
12	2 1985	Y	B11						29.		28.75																0.32
12	2 1985	Y	B13						29.1		29.																0.34
12	2 1985	Y	B14							29.5																	0.27
12	2 1985	Y	B15							29.25																	0.3
12	2 1985	Y	B16							29.5																	0.23
12	2 1985	Y	B18							29.5																	0.2
12	2 1985	Y	B19							29.5																	0.3
12	2 1985	Y	B20							29.75																	0.21
13	2 1985	Y	A29	545	4.				25.75																		35.
13	2 1985	Y	A30	547	3.8				26.																		35.
13	2 1985	Y	A31	548	3.3				25.75																		35.
13	2 1985	Y	A32	548	3.3				25.5																		40.
13	2 1985	Y	A33	549	2.7				25.15																		30.
13	2 1985	Y	A34	552	4.6				25.15																		50.
13	2 1985	Y	A35	553	2.8				25.																		45.
13	2 1985	Y	A36	604	1.4				25.8																		45.
13	2 1985	Y	A37	603	2.				25.8																		35.
13	2 1985	Y	A38	602	4.1				25.8																		35.
13	2 1985	Y	A39	600	2.7				25.8																		35.
13	2 1985	Y	A40	559	2.8				25.15																		45.
13	2 1985	Y	A41	557	2.2				25.																		50.
13	2 1985	Y	A42	556	4.6				25.																		45.
13	2 1985	Y	A43	606	3.7				25.75																		40.
13	2 1985	Y	A44	607	4.5				25.8																		50.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL NO2 & NH3-N	TOTAL ORTHO NO2-N	DISK NO3-N	DISK PO4-P	SECHII			CHLOR-							
					DO	DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM					pH	N	NH3-N	NO2-N	NO3-N	P	A	B	C	O <sub>PHILL</sub>	O <sub>PHILL</sub>
14	2 1985	Y	B01																					0.47		
14	2 1985	Y	B02																					0.34		
14	2 1985	Y	B03																					0.37		
14	2 1985	Y	B04																					0.4		
14	2 1985	Y	B05																					0.42		
14	2 1985	Y	B06																					0.4		
14	2 1985	Y	B07																					0.32		
14	2 1985	Y	B08																					0.3		
14	2 1985	Y	B09																					0.44		
14	2 1985	Y	B10																					0.41		
14	2 1985	Y	B11																					0.3		
14	2 1985	Y	B13																					0.35		
14	2 1985	Y	B14																					0.25		
14	2 1985	Y	B15																					0.27		
14	2 1985	Y	B16																					0.23		
14	2 1985	Y	B18																					0.24		
14	2 1985	Y	B19																					0.37		
14	2 1985	Y	B20																					0.25		
15	2 1985	Y	A29	616	4.3				26.															40.		
15	2 1985	Y	A30	617	4.3				25.8		30.													35.		
15	2 1985	Y	A31	619	3.6				25.8															30.		
15	2 1985	Y	A32	619	2.9				25.8															35.		
15	2 1985	Y	A32	620	2.2				25.15															35.		
15	2 1985	Y	A34	622	5.				25.															51.		
15	2 1985	Y	A35	624	4.				25.															40.		
15	2 1985	Y	A36	634	2.2				26.															40.		
15	2 1985	Y	A37	633	2.7				26.		30.													35.		
15	2 1985	Y	A38	631	4.4				26.															35.		
15	2 1985	Y	A39	630	4.3				25.															35.		
15	2 1985	Y	A40	629	2.1				25.5															40.		
15	2 1985	Y	A41	627	2.5				25.		30.													40.		
15	2 1985	Y	A42	626	5.2				24.8															45.		
15	2 1985	Y	A43	637	4.1				26.25															45.		
15	2 1985	Y	A44	638	4.9				26.															45.		
15	2 1985	Y	A45	639	5.4				26.															55.		
15	2 1985	Y	A46	640	5.3				26.		30.													45.		
15	2 1985	Y	A47	642	4.5				26.15															45.		
15	2 1985	Y	A48	643	3.6				26.															46.		
15	2 1985	Y	A49	644	2.5				25.75															35.		
15	2 1985	N	B01	315	5.5	5.6	6.	28.5	28.5	26.5	28.89	28.89	27.22	27.22			8.						0.46			
15	2 1985	N	B02	317	5.	5.	5.2	28.1	28.	27.9								7.9						0.45		
15	2 1985	N	B03	320	5.3	5.3	5.5	28.1	28.	27.8	28.89	28.89	26.67	27.22			7.9							0.44		
15	2 1985	N	B04	326	4.8	4.8	5.2	28.1	28.	27.8								7.9						0.47		
15	2 1985	N	B05	330	5.2	5.2	5.4	28.	28.1	28.								8.						0.43		

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	FONDS	TIME	WATER								KJELDAHL	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	TOTAL		SECHII		SECHII		CHLOR-		CHLOR-							
					DO	DO	DO %	TEMP	TEMP %	TEMP %	TEMP %	TEMP %								TOTAL NO <sub>2</sub> & NO <sub>3</sub>	TOTAL ORTHODISK	DISK	DISK	OPHYLL	OPHYLL	OPHYLL	OPHYLL								
15	2 1985	N	B06	333	5.5	5.6	5.6	28.2	28.	28.	28.	28.	8.1	8.	8.	0.42	0.32	0.33	0.47	0.42	0.31	0.35	0.25	0.23	0.25	0.27	0.26	0.22	0.20						
15	2 1985	N	B07	344	4.6	4.8	4.8	28.25	28.	28.89	28.89	28.89	7.6	7.6	7.6	0.32	0.33	0.33	0.47	0.42	0.31	0.35	0.25	0.23	0.25	0.27	0.26	0.22	0.20						
15	2 1985	N	B08	342	4.9	5.2	5.2	28.25	28.	28.89	28.89	28.89	8.1	8.1	8.1	0.32	0.33	0.33	0.47	0.42	0.31	0.35	0.25	0.23	0.25	0.27	0.26	0.22	0.20						
15	2 1985	N	B09	341	5.	5.2	5.2	28.2	28.	28.	28.	28.	8.	8.	8.	0.33	0.33	0.33	0.47	0.42	0.31	0.35	0.25	0.23	0.25	0.27	0.26	0.22	0.20						
15	2 1985	N	B10	339	4.7	4.9	4.9	28.1	28.	28.	28.	28.	7.9	7.9	7.9	0.42	0.42	0.42	0.31	0.31	0.31	0.35	0.25	0.23	0.25	0.27	0.26	0.22	0.20						
15	2 1985	N	B11	337	4.7	5.1	5.1	28.1	28.	28.	28.	28.	8.	8.	8.	0.42	0.42	0.42	0.31	0.31	0.31	0.35	0.25	0.23	0.25	0.27	0.26	0.22	0.20						
15	2 1985	N	B13	343	4.5	4.7	4.7	28.2	28.1	28.1	28.1	28.1	8.	8.	8.	0.35	0.35	0.35	0.25	0.25	0.25	0.35	0.25	0.23	0.25	0.27	0.26	0.22	0.20						
15	2 1985	N	B14	351		4.2		28.		29.44		29.44	7.8	7.8	7.8	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.23	0.25	0.25	0.27	0.26	0.22	0.20					
15	2 1985	N	B15	352		4.3		28.1		29.44		29.44	7.7	7.7	7.7	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.23	0.25	0.25	0.27	0.26	0.22	0.20					
15	2 1985	N	B16	354		3.7		28.5					7.8	7.8	7.8	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.23	0.25	0.25	0.27	0.26	0.22	0.20					
15	2 1985	N	B18	358		3.4		29.5					7.8	7.8	7.8	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.23	0.25	0.25	0.27	0.26	0.22	0.20					
15	2 1985	N	B19	357		3.7		28.25					7.9	7.9	7.9	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.25	0.27	0.27	0.26	0.26	0.22	0.20					
15	2 1985	N	B20	356		3.6		28.75					8.	8.	8.	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.25	0.27	0.27	0.26	0.26	0.22	0.20					
18	2 1985	Y	A29	630		2.8		27.					7.8	7.8	7.8	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A30	632		3.4		26.8		31.11		26.67	35.	35.	35.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A31	633		2.7		26.5					35.	35.	35.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A32	634		1.8		26.75					35.	35.	35.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A33	635		2.6		26.					35.	35.	35.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A34	636		4.4		26.25					35.	35.	35.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A35	638		3.4		26.15					43.	43.	43.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A36	647		2.4		27.					40.	40.	40.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A37	646		3.		26.75		31.11		26.67	40.	40.	40.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A38	644		3.9		27.					35.	35.	35.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A39	643		3.4		27.		31.11		26.67	35.	35.	35.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A40	642		3.		26.5					30.	30.	30.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A41	641		2.9		26.					25.56	35.	35.	35.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18				
18	2 1985	Y	A42	640		4.5		26.					30.	30.	30.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A43	649		4.		27.					25.56	35.	35.	35.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18				
18	2 1985	Y	A44	650		3.8		27.					30.	30.	30.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A45	651		4.8		27.					30.	30.	30.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A46	652		4.5		27.		31.11		26.67	55.	55.	55.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18					
18	2 1985	Y	A47	654		3.4		27.					31.11	56.	56.	56.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18				
18	2 1985	Y	A48	655		3.		27.					26.67	45.	45.	45.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18				
18	2 1985	Y	A49	657		2.5		26.8					31.11	45.	45.	45.	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.20	0.22	0.22	0.21	0.21	0.19	0.18				
19	2 1985	N	B01	325	4.6	4.6	4.4	28.	28.	28.	28.	28.	29.44	29.44	29.44	26.67	26.67	26.67	26.11	26.11	26.11	26.11	26.11	26.11	26.11	26.11	26.11	26.11	26.11	26.11	26.11	26.11	26.11		
18	2 1985	N	B02	327	4.6	4.6	4.8	28.	27.9	27.75			34.	34.	34.	37.	37.	37.	37.	37.	37.	37.	37.	37.	37.	37.	37.	37.	37.	37.	37.				
18	2 1985	N	B03	330	4.2	4.4	4.6	28.	27.9	27.75	28.	28.	28.89	28.89	28.89	26.11	26.11	26.11	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	
18	2 1985	N	B04	332	4.9	5.	5.	5.1	27.	27.	27.	27.	27.8	28.89	28.89	28.89	26.11	26.11	26.11	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67
18	2 1985	N	B05	335	5.	5.	5.	5.1	27.9	27.9	27.9	27.9	27.9	29.44	29.44	29.44	26.11	26.11	26.11	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67	26.67
18	2 1985	N	B06	338	4.9	4.9	4.9	27.9	27.75	27.75	27.75	27.75	27.75	29.44	29.44	29.44	26.11	26.11	26.11	26.67	26.67	26.67	26.67	2											

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER										KJELDAHL	TOTAL NO2 & NH3-N	TOTAL P	SECHII DISK						SECHII DISK						CHLOR- OPHYLL					
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MAX	TEMP @ TOP-MIN	TEMP @ MID-MIN	TEMP @ BOTTOM-MIN	ALKAL. HARD.	pH	N	NO2-N	NO3-N	P04-P	A	B	A	B	C	DISK	OPHYLL	OPHYLL	OPHYLL	OPHYLL	OPHYLL		
19	2 1985	Y	B18																																
19	2 1985	Y	B19																																
19	2 1985	Y	B20																																
20	2 1985	N	B01	302	5.4	5.4	5.5	27.	27.	27.	30.	29.44	26.11	26.67																					
20	2 1985	N	B02	304	4.4	4.4	4.6	27.	27.	27.																									
20	2 1985	N	B03	307	4.4	4.5	4.7	27.	27.	27.	28.89	29.44	26.67	26.67																					
20	2 1985	N	B04	309	4.9	4.9	5.	27.	27.	27.																									
20	2 1985	N	B05	312	4.3	4.3	4.3	27.1	27.1	27.1																									
20	2 1985	N	B06	315	4.9	4.9	5.	27.	27.	27.	26.9																								
20	2 1985	N	B07	328	4.3			4.5	26.9		26.5		28.89		26.11																				
20	2 1985	N	B08	326	5.			5.1	27.		26.5	28.89	28.89	26.67	26.67																				
20	2 1985	N	B09	323	5.1			5.1	26.9		26.75																								
20	2 1985	N	B10	321	5.			5.2	27.75		26.5																								
20	2 1985	N	B11	319	3.7			3.9	26.75		26.5																								
20	2 1985	N	B13	331	3.8			4.	26.2		16.																								
20	2 1985	N	B14	333	3.7			26.		29.44	29.44	24.44	24.44	26.11																					
20	2 1985	N	B15	335	3.4			25.9		30.																									
20	2 1985	N	B16	336	3.			25.9																											
20	2 1985	N	B18	346	2.2			25.																											
20	2 1985	N	B19	344	2.4			25.2																											
20	2 1985	N	B20	341	2.7			25.																											
21	2 1985	Y	A29	559	4.4			26.15																											
21	2 1985	Y	A30	600	4.2			26.9																											
21	2 1985	Y	A31	602	3.7			26.25																											
21	2 1985	Y	A32	603	3.7			26.5																											
21	2 1985	Y	A33	604	3.9			26.25																											
21	2 1985	Y	A34	606	4.6			25.9																											
21	2 1985	Y	A35	607	3.5			25.25																											
21	2 1985	Y	A36	613	2.3			26.																											
21	2 1985	Y	A37	615	3.5			26.																											
21	2 1985	Y	A38	615	4.6			26.15																											
21	2 1985	Y	A39	614	3.7			26.25																											
21	2 1985	Y	A40	611	3.3			25.9																											
21	2 1985	Y	A41	610	3.4			25.75																											
21	2 1985	Y	A42	609	4.4			25.																											
21	2 1985	Y	A43	620	4.3			26.5																											
21	2 1985	Y	A44	621	4.4			26.5																											
21	2 1985	Y	A45	622	4.2			26.75																											
21	2 1985	Y	A46	624	4.4			26.5																											
21	2 1985	Y	A47	626	4.1			26.15																											
21	2 1985	Y	A48	627	4.			26.																											
21	2 1985	Y	A49	629	3.1			26.																											
21	2 1985	Y	B01																																
21	2 1985	Y	B02																																

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY	NO.	YEAR	DATA?	POND#	TIME	@ TOP	@ MID	BOTTOM	WATER	WATER	WATER	WATER	WATER	WATER	KJELDAHL	PH	N	NH3-N	NO2-N	NO3-N	NO3-N	TOTAL	SECHII	SECHII	CHLOR-	CHLOR-	CHLOR-
									TEMP				NO2 & TOTAL	ORTHO P	DISK A	DISK B	DISK A	DISK B	OPHYLL C								
21	2	1985	Y	B03																						47.	
21	2	1985	Y	B04																						55.	
21	2	1985	Y	B05																						44.	
21	2	1985	Y	B06																						42.	
21	2	1985	Y	B07																							
21	2	1985	Y	B08																							
21	2	1985	Y	B09																							
21	2	1985	Y	B10																							
21	2	1985	Y	B11																							
21	2	1985	Y	B13																							
21	2	1985	Y	B14																							
21	2	1985	Y	B15																							
21	2	1985	Y	B16																							
21	2	1985	Y	B18																							
21	2	1985	Y	B19																							
21	2	1985	Y	B20																							
22	2	1985	Y	A29	450				3.9																	50.	
22	2	1985	Y	A30	451				4.																	50.	
22	2	1985	Y	A31	452				4.3																	47.	
22	2	1985	Y	A32	453				3.2																	45.	
22	2	1985	Y	A33	454				3.4																	40.	
22	2	1985	Y	A34	456				4.3																	50.	
22	2	1985	Y	A35	457				4.																	45.	
22	2	1985	Y	A36	509				3.6																	45.	
22	2	1985	Y	A37	507				3.8																	45.	
22	2	1985	Y	A38	506				4.5																	45.	
22	2	1985	Y	A39	504				4.5																	40.	
22	2	1985	Y	A40	503				4.2																	40.	
22	2	1985	Y	A41	502				2.9																	50.	
22	2	1985	Y	A42	500				4.6																	49.	
22	2	1985	Y	A43	511				4.2																	45.	
22	2	1985	Y	A44	512				4.5																	47.	
22	2	1985	Y	A45	513				4.6																	50.	
22	2	1985	Y	A46	515				4.8																	45.	
22	2	1985	Y	A47	516				4.6																	40.	
22	2	1985	Y	A48	517				3.5																	40.	
22	2	1985	Y	A49	518				2.9																	40.	
22	2	1985	N	B01	334	4.6	4.6	4.9	28.	28.	27.75								7.9	.						36.	
22	2	1985	N	B02	337	4.2	4.4	4.5	27.5	27.5	27.5								7.7	.						34.	
22	2	1985	N	B03	341	3.6	3.6	3.8	27.8	27.8	27.5								7.6	.						36.	
22	2	1985	N	B04	344	4.1	4.1	4.3	27.9	27.9	27.75								7.8	.						46.	
22	2	1985	N	B05	347	3.7	3.8	3.9	28.	28.	28.								7.8	.						39.	
22	2	1985	N	B06	349	4.6	4.6	4.7	28.	28.	27.9								7.9	.						41.	
22	2	1985	N	B07	402	3.7	3.8	27.25			27.								7.9	.						24.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	POINT#	TIME	WATER						KJELDAHL	PH	N	NH3-N	NO2-N	NO3-N	P	TOTAL		SECIII		SECIII		CHLOR-		CHLOR-	
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM								F	PO4-P	A	B	A	B	C			
26	2 1985	Y	820																								
27	2 1985	Y	A29	603				4.3			25.																26.
27	2 1985	Y	A30	604				3.9			24.75															40.	
27	2 1985	Y	A31	606				4.			24.5															50.	
27	2 1985	Y	A32	607				2.8			24.5															50.	
27	2 1985	Y	A33	608				2.4			24.															40.	
27	2 1985	I	A34	610				4.8			24.															45.	
27	2 1985	Y	A35	611				3.4			24.25															35.	
27	2 1985	I	A36	620				3.8			24.75															51.	
27	2 1985	Y	A37	619				2.6			24.5	31.67														40.	
27	2 1985	Y	A38	618				4.6			24.75															35.	
27	2 1985	Y	A39	617				4.1			24.75	31.11														40.	
27	2 1985	Y	A40	615				3.6			24.															45.	
27	2 1985	Y	A41	614				3.			24.	31.11														40.	
27	2 1985	Y	A42	613				4.2			24.															40.	
27	2 1985	Y	A43	622				4.			24.75															41.	
27	2 1985	Y	A44	623				4.2			25.															45.	
27	2 1985	Y	A45	625				5.			24.															45.	
27	2 1985	Y	A46	626				5.2			24.	29.44														60.	
27	2 1985	Y	A47	627				4.4			23.															50.	
27	2 1985	Y	A48	629				3.4			23.															45.	
27	2 1985	Y	A49	630				2.6			23.															45.	
27	2 1985	Y	B01	307	4.9	4.8	4.7	27.	27.	27.	27.															40.	
27	2 1985	Y	B02	310	3.8	3.6	3.6	26.75	26.75	26.75	26.75															45.	
27	2 1985	Y	B03	312	4.5	4.4	4.3	26.1	26.1	26.1	26.1															37.	
27	2 1985	I	B04	314	4.8	4.6	4.6	26.25	26.25	26.25	26.25															40.	
27	2 1985	Y	B05	317	5.	4.9	5.	26.5	26.5	26.5	26.5															47.	
27	2 1985	Y	B06	319	4.6	4.9	4.9	26.1	26.1	26.1	26.1															45.	
27	2 1985	I	B07	322	4.9			5.1	26.1		26.1															44.	
27	2 1985	I	B08	320	4.6			4.6	25.5		25.5															32.	
27	2 1985	I	B09	327	5.2			5.2	26.		26.															39.	
27	2 1985	Y	B10	325	4.7			4.6	25.		25.															47.	
27	2 1985	Y	B11	323	4.6			3.8	26.		26.															39.	
27	2 1985	Y	B13	336	4.7			4.2	25.		25.															39.	
27	2 1985	Y	B14	338		3.7					25.5															37.	
27	2 1985	Y	B15	339		4.4					25.5															28.	
27	2 1985	Y	B16	341		4.2					25.															33.	
27	2 1985	Y	B17	345		2.5					24.75															30.	
27	2 1985	Y	B19	344		3.4					25.75															33.	
27	2 1985	Y	B20	343		4.					24.6															28.	
28	2 1985	Y	A29																								30.
28	2 1985	Y	A30																								35.
29	2 1985	Y	A31																								45.
28	2 1985	Y	A32																								35.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

EXTRA DAY NO.	YEAR	POND#	TIME	WATER								KJELDAHL	TOTAL		SECHII		SECHII		CHLUR-		CHLOR-					
				DO	DO	DO	DO A	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP		N	NO2-N	NO2-N	NO3-N	NO3-N	F	PO4-P	A	B	A	B	C		
28	2 1985	Y	A33																						36.	
28	2 1985	Y	A34																						50.	
28	2 1985	Y	A35																						40.	
28	2 1985	Y	A36																						45.	
28	2 1985	Y	A37																						40.	
28	2 1985	Y	A38																						45.	
28	2 1985	Y	A39																						45.	
28	2 1985	Y	A40																						40.	
28	2 1985	Y	A41																						40.	
28	2 1985	Y	A42																						40.	
28	2 1985	Y	A43																						50.	
28	2 1985	Y	A44																						50.	
28	2 1985	Y	A45																						60.	
28	2 1985	Y	A46																						55.	
28	2 1985	Y	A47																						50.	
28	2 1985	Y	A48																						40.	
28	2 1985	Y	A49																						40.	
29	2 1985	Y	B01	330	5.5	5.5	5.6	26.25	26.25	26.															51.	
29	2 1985	Y	B02	333	4.5	4.4	4.5	26.25	26.	26.															40.	
28	2 1985	Y	B03	336	4.5	4.4	4.4	25.75	26.	25.9															41.	
28	2 1985	Y	B04	338	5.1	5.2	5.2	25.75	25.75	25.5															53.	
28	2 1985	Y	B05	340	5.1	5.1	5.1	25.5	25.	25.75															46.	
28	2 1985	Y	B06	342	5.4	5.4	5.4	25.2	25.5	25.75															41.	
28	2 1985	Y	B07	354	4.9		4.9	24.75		25.75															37.	
28	2 1985	Y	B08	353	4.7		4.8	25.9		25.75															39.	
28	2 1985	Y	B09	351	5.4		5.4	25.75		25.25															49.	
28	2 1985	Y	B10	348	4.7		4.	25.5		25.25															34.	
28	2 1985	Y	B11	346	4.9		5.	25.75		24.75															34.	
28	2 1985	Y	B13	357	4.6		4.7	25.25		25.															36.	
28	2 1985	Y	B14	400		4.		24.75																	30.	
28	2 1985	Y	B15	401		4.4		24.75																	32.	
28	2 1985	Y	B16	403		4.		24.75																	28.	
28	2 1985	Y	B18	403		3.1			24.																34.	
28	2 1985	Y	B19	407		3.4		24.75																	25.	
20	2 1985	Y	B20	406		3.4		24.75																	33.	
1	3 1985	Y	A29	610		4.2			25.																	33.
1	3 1985	Y	A30	611		4.1		25.25																		45.
1	3 1985	Y	A31	612		4.2			25.																	33.
1	3 1985	Y	A32	614		2.4			25.																	40.
1	3 1985	Y	A33	615		1.9			25.																	30.
1	3 1985	Y	A34	616		4.7			25.																	48.
1	3 1985	Y	A35	618		2.3			25.																	40.
1	3 1985	Y	A36	630		2.1			25.75																	40.
1	3 1985	Y	A37	628		1.6			25.25																	35.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII SECHII CHLOR- CHLOR- CHLOR-											
					DO	DO	DO	#	TEMP	TEMP		TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	NH3-N	N02-N	N03-N	P	PO4-P	A	B	C	DISK	DISK	O PHYLL	O PHYLL
1	3 1985	Y	A38	627	4.4				25.25																				
1	3 1985	Y	A39	625	4.2				25.25																				40.
1	3 1985	Y	A40	624	4.3				25.25																			40.	
1	3 1985	Y	A41	622	1.8				24.75																			40.	
1	3 1985	Y	A42	621	4.4				24.5																			35.	
1	3 1985	Y	A43	622	3.5				26.																			39.	
1	3 1985	Y	A44	630	4.3				25.25																			45.	
1	3 1985	Y	A45	634	5.1				25.5																			45.	
1	3 1985	Y	A46	636	5.1				25.25																			55.	
1	3 1985	Y	A47	637	5.				26.																			50.	
1	3 1985	Y	A48	633	3.5				26.																			45.	
1	3 1985	Y	A49	639	2.3				25.																			45.	
1	3 1985	N	B01	330	5.5	5.5	5.5	#	27.15	27.15	27.15	30.	30.	28.33	27.22			7.8									35.		
1	3 1985	N	B02	332	5.3	5.3	5.3		27.	27.	27.								8.8								46.		
1	3 1985	N	B03	335	4.8	4.8	4.9		27.	27.	27.	29.44	30.	27.22	27.78			7.5									40.		
1	3 1985	N	B04	338	5.3	5.3	5.3		27.	27.	27.								7.6								38.		
1	3 1985	N	B05	340	5.2	5.2	5.2		27.	27.	27.								7.6								51.		
1	3 1985	N	B06	342	5.5	5.4	5.4		27.	27.	27.								7.7								42.		
1	3 1985	N	B07	354	5.1				27.	27.	26.75		29.44		27.22			7.7									44.		
1	3 1985	N	B08	352	4.9				26.75		26.		30.	29.44	27.22	27.22		7.6									35.		
1	3 1985	N	B09	350	5.6				26.75		26.15							7.7									42.		
1	3 1985	N	B10	345	4.7				26.75		26.25							7.8									47.		
1	3 1985	N	B11	345	5.3				26.5		26.25							7.6									37.		
1	3 1985	N	B13	400	4.4				26.25		26.							7.6									37.		
1	3 1985	N	B14	403	4.2				25.75		30.56	29.44	26.67	26.67				7.6									35.		
1	3 1985	N	B15	405	4.3				25.75		30.56		27.22					7.5									29.		
1	3 1985	N	B16	406	3.5				26.									7.4									35.		
1	3 1985	N	B18	411	3.6				26.5									7.4									26.		
1	3 1985	N	B19	410	2.1				25.25									7.5									38.		
1	3 1985	N	B20	405	3.9				25.75									7.5									24.		
4	3 1985	Y	A29	600	2.9				27.																			28.	
4	3 1985	Y	A30	601	3.2				27.75																			30.	
4	3 1985	Y	A31	603	2.7				27.25																			40.	
4	3 1985	Y	A32	604	1.8				27.																			40.	
4	3 1985	Y	A33	605	2.				26.75																		35.		
4	3 1985	Y	A34	606	4.				26.75																		35.		
4	3 1985	Y	A35	608	2.2				27.																		46.		
4	3 1985	Y	A36	617	2.				27.																		40.		
4	3 1985	Y	A37	616	1.9				27.		32.22		25.56															35.	
4	3 1985	Y	A38	615	3.5				27.																		30.		
4	3 1985	Y	A39	614	2.9				27.																		40.		
4	3 1985	Y	A40	612	2.6				26.75																		40.		
4	3 1985	Y	A41	611	1.6				26.75																		35.		
4	3 1985	Y	A42	610	4.				26.5																		30.		
																												38.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

Table 4. Intensive Sampling Measurements. Ilollo, Philippines. Cycle II, Dry Season

EXTRA MAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL						TOTAL		SECHII		SECHII		CHLOR-		CHLOR-		
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKALI.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	DISK A	DISK B	OPHYLL A	OPHYLL B
7	3 1985	Y	A32	620	3.1			26.								8.12		0.0251	0.0109	1.1196	1.1305	0.17	50.	10.5	3.9	5.4	
7	3 1985	Y	A33	621	3.2			26.								8.21		0.0179	0.012	1.6902	1.7022	0.179	45.	8.9	0.2	0.	
7	3 1985	Y	A34	623	5.			25.5								8.22		0.0143	0.0062	1.3457	1.3539	0.412	60.	10.5	7.1	26.4	
7	3 1985	Y	A35	625	3.9			25.75								8.14		0.0129	0.0032	0.6351	0.6433	0.043	55.	6.9	3.5	17.6	
7	3 1985	Y	A36	634	3.3			25.75								8.21		0.0308	0.0191	0.1299	0.1559	0.148	45.	13.7	6.6	21.3	
7	3 1985	Y	A37	633	3.4			25.	31.11		24.44					8.02		0.0244	0.0158	0.1434	0.1532	0.07	45.	9.2	4.2	5.7	
7	3 1985	Y	A36	632	4.6			25.75								8.01		0.0201	0.0144	0.5059	0.5403	0.034	60.	16.6	13.4	43.9	
7	3 1985	Y	A39	631	4.3			25.25								8.		0.0582	0.0137	0.934	1.0077	0.09	55.	9.3	5.2	21.6	
7	3 1985	Y	A40	629	4.4			25.25								8.1		0.0265	0.0164	0.9329	0.9493	0.179	55.	25.5	27.	67.3	
7	3 1985	Y	A41	622	4.2			25.	31.11		25.56					8.25		0.0215	0.0137	0.3538	0.3975	0.136	50.	22.9	16.1	57.3	
7	3 1985	Y	A42	627	5.2			25.								8.1		0.0122	0.0093	0.4664	0.4757	0.048	36.	8.5	6.6	23.5	
7	3 1985	Y	A43	636	4.2			26.								8.1		0.0165	0.0101	0.4054	0.4155	0.053	55.	6.9	6.6	23.5	
7	3 1985	Y	A44	637	4.2			26.								8.06		0.043	0.3065	1.36	1.6685	0.665	55.	6.	4.5	11.2	
7	3 1985	Y	A45	638	4.8			26.								8.07		0.0153	0.0062	0.6145	0.6227	0.029	65.	24.5	23.3	54.3	
7	3 1985	Y	A46	639	4.6			26.								8.25		0.0165	0.0076	0.4054	0.4113	0.027	55.	8.	10.4	26.4	
7	3 1985	Y	A47	641	3.9			25.75								8.32		0.0201	0.0164	1.2452	1.2616	0.087	50.	11.1	6.3	17.4	
7	3 1985	Y	A48	642	3.4			25.5								8.16		0.0215	0.0137	0.6596	0.6523	0.131	50.	12.8	9.7	37.4	
7	3 1985	Y	A49	644	3.2			25.								8.24		0.0215	0.0131	0.6638	0.6769	0.124	45.	16.2	8.2	25.2	
7	3 1985	Y	B01																				33.				
7	3 1985	Y	B02																					29.			
7	3 1985	Y	B03																					25.			
7	3 1985	Y	B04																					45.			
7	3 1985	Y	B05																					29.			
7	3 1985	Y	B06																					36.			
7	3 1985	Y	B07																					25.			
7	3 1985	Y	B08																					23.			
7	3 1985	Y	B09																					32.			
7	3 1985	Y	B10																					22.			
7	3 1985	Y	B11																					27.			
7	3 1985	Y	B13																					25.			
7	3 1985	Y	B14																					29.			
7	3 1985	Y	B15																					32.			
7	3 1985	Y	B16																					33.			
7	3 1985	Y	B18																					36.			
7	3 1985	Y	B19																					28.			
7	3 1985	Y	B20																					29.			
8	3 1985	Y	A29	515	4.7			20.																	45.		
8	3 1985	Y	A30	517	4.6			20.																	50.		
8	3 1985	Y	A31	518	4.7			20.																	45.		
8	3 1985	Y	A32	519	2.4			20.																	50.		
8	3 1985	Y	A33	521	3.6			19.																	28.		
8	3 1985	Y	A34	522	6.2			19.5																	60.		
8	3 1985	Y	A35	523	5.			19.25																	55.		
8	3 1985	Y	A36	533	3.9			20.																	45.		

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	PONI#	TIME	WATER						KJELDAHL	PH	TOTAL						SECHII						CHLOR-						
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM			NH3-N	N02-N	N03-N	N03-N	F	P04-P	A	E	A	B	C	GPHYLL	GPHYLL	GPHYLL	GPHYLL	OPHYLL	OPHYLL		
8	3 1985	Y	A37	501	3.5			19.5																						45.	
9	3 1985	Y	A38	500	5.4			19.75																						60.	
8	3 1985	Y	A39	529	4.6			19.75																						55.	
9	3 1985	Y	A40	527	4.4			19.																						55.	
9	3 1985	Y	A41	526	5.7			19.																						50.	
9	3 1985	Y	A42	525	5.9			18.8																						57.	
8	3 1985	Y	A43	506	4.7			19.75																						55.	
8	3 1985	Y	A44	527	5.3			20.																						55.	
8	3 1985	Y	A45	538	5.7			20.																						65.	
8	3 1985	Y	A46	539	5.6			20.																						55.	
8	3 1985	Y	A47	540	5.2			19.75																						50.	
9	3 1985	Y	A48	541	3.4			20.																						50.	
8	3 1985	Y	A49	543	2.8			20.																						45.	
8	3 1985	N	B01	309	4.6			4.9	27.																					36.	
8	3 1985	N	B02	311	4.8			4.9	26.75																					33.	
8	3 1985	N	B03	313	4.9			4.9	26.25																					36.	
8	3 1985	N	B04	315	5.			5.1	26.5																					56.	
9	3 1985	N	B05	317	4.4			4.6	26.25																					35.	
9	3 1985	N	B06	320	4.8			5.	26.25																					35.	
8	3 1985	N	B07	330	5.			5.2	25.25																					25.	
8	3 1985	N	B08	308	4.8			4.9	25.25																					21.	
8	3 1985	N	B09	327	5.1			5.3	25.25																					34.	
8	3 1985	N	B10	325	4.6			4.8	25.25																					26.	
9	3 1985	N	B11	323	5.3			5.4	25.25																					35.	
8	3 1985	N	B13	323	4.2			4.2	25.25																					44.	
8	3 1985	N	B14	325	4.4				25.																					29.	
8	2 1985	N	B15	336	4.				25.5																					41.	
9	3 1985	N	B16	337	4.4				25.																						34.
8	3 1985	N	B18	343	4.6				25.25																					37.	
8	3 1985	N	B19	342	4.4				25.																					49.	
8	3 1985	N	B20	340	4.6				25.																					35.	
11	3 1985	Y	A29	553	4.				25.																					45.	
11	3 1985	Y	A30	559	3.9				25.25																					50.	
11	3 1985	Y	A31	600	3.7				25.																					45.	
11	3 1985	Y	A32	601	2.				25.																					45.	
11	3 1985	Y	A33	603	3.				24.9																					40.	
11	3 1985	Y	A34	604	4.4				24.75																					53.	
11	3 1985	Y	A35	605	3.8				24.75																					47.	
11	3 1985	Y	A36	616	2.6				25.																					35.	
11	3 1985	Y	A37	614	3.				24.75					31.11															46.		
11	3 1985	Y	A38	613	4.6				25.																					60.	
11	3 1985	Y	A39	612	3.9				24.75																					40.	
11	3 1985	Y	A40	610	3.6				24.75																					40.	
11	3 1985	Y	A41	609	2.5				24.					32.22																40.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII			CHLOR-			CHLOR-				
					TO A	TO TOP	TO MID	TO BOT	TEMP @ TOP	TEMP @ MID	TEMP @ BOT	TEMP MAX	TEMP MIN	TEMP @ TOP	TEMP @ MID	TEMP @ BOT	TEMP MAX	TEMP MIN	NH3-N	NO2-N	NO3-N	NO3-N	P	ORTHOPHOSPHATE	DISK	DISK	DIAHYLL	DIAHYLL
																						A	B	A	B	C		
11	3 1985	Y	A42	608			5.					24.																46.
11	3 1985	Y	A43	613			3.6					25.75																45.
11	3 1985	Y	A44	619			4.2					25.																45.
11	3 1985	Y	A45	620			4.9					25.																55.
11	3 1985	Y	A46	622			4.6					25.																50.
11	3 1985	Y	A47	623			3.9					25.																40.
11	3 1985	Y	A48	624			2.8					25.																40.
11	3 1985	Y	A49	626			2.2					24.75																40.
11	3 1985	N	B01	325	6.6	6.6	6.6	28.	28.	28.	28.	28.															40.	
11	3 1985	N	B02	326	5.7	5.8	5.7	28.	28.	28.	28.	28.															24.	
11	3 1985	N	B03	329	5.1	5.1	5.1	27.5	28.	28.	27.5																29.	
11	3 1985	N	B04	331	6.	6.1	6.1	23.	23.	23.	23.	23.															40.	
11	3 1985	N	B05	333	6.4	6.4	6.4	28.	28.	28.	28.	28.															35.	
11	3 1985	N	B06	336	6.	6.	6.	28.	28.	28.	27.9															30.		
11	3 1985	N	B07	348	7.		6.9	27.				26.9															33.	
11	3 1985	N	B08	345	5.2		5.2	27.				27.															24.	
11	3 1985	N	B09	343	6.		6.	27.				27.															36.	
11	3 1985	N	B10	341	4.8		4.9	27.				27.															36.	
11	3 1985	N	B11	339	4.8		4.8	27.				27.															34.	
11	3 1985	N	B13	350	4.7		4.7	27.				27.															30.	
11	3 1985	N	B14	352		3.6						26.															23.	
11	3 1985	N	B15	354		3.3						26.															33.	
11	3 1985	N	B16	355			3.9					26.															30.	
11	3 1985	N	B18	400		4.1						25.8															35.	
11	3 1985	N	B19	353		4.6						26.															27.	
11	3 1985	N	B20	353		4.1						26.															29.	
12	3 1985	Y	A29																								45.	
12	3 1985	Y	A29																								50.	
12	3 1985	Y	A31																								40.	
12	3 1985	Y	A32																								45.	
12	3 1985	Y	A33																								36.	
12	3 1985	Y	A34																								44.	
12	3 1985	Y	A35																								45.	
12	3 1985	Y	A36																								40.	
12	3 1985	Y	A37																								35.	
12	3 1985	Y	A38																								55.	
12	3 1985	Y	A39																								40.	
12	3 1985	Y	A40																								40.	
12	3 1985	Y	A41																								35.	
12	3 1985	Y	A42																								35.	
12	3 1985	Y	A43																								45.	
12	3 1985	Y	A44																								45.	
12	3 1985	Y	A45																								55.	
12	3 1985	Y	A46																								56.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER								WATER TEMP @ TOP	WATER TEMP @ MID BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID BOTTOM	WATER TEMP @ MAX	WATER TEMP @ MIN	WATER BOT-MIN	WATER ALFA.	WATER HARD.	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	TOTAL NO <sub>2</sub> & TOTAL	TOTAL			SECHII			CHLOR-			CHLOR-					
					DO	DO	DO	DO	TEMP	TEMP	TEMP	TEMP									F	P04-P	A	B	A	B	S	C														
12	3 1985	Y	A47																																							
12	3 1985	Y	A48																																							
12	3 1985	Y	A49																																							
12	3 1985	Y	B01	330	5.1	5.6	5.1	23.	28.	28.	27.5																															
12	3 1985	Y	B02	332	4.6	4.7	5.	27.9	27.5	27.5	27.5																															
12	3 1985	Y	B03	336	4.1	4.1	4.4	28.	28.	28.	27.75																															
12	3 1985	Y	B04	339	5.	5.1	5.4	28.	28.	28.	27.75																															
12	3 1985	Y	B05	349	5.3	5.4	5.6	23.	28.	28.	28.																															
12	3 1985	Y	B06	343	4.4	4.5	4.8	28.	28.	28.	28.																															
12	3 1985	Y	B07	353	5.6			5.7	27.25		27.																															
12	3 1985	Y	B08	351	4.2			4.4	27.25		27.																															
12	3 1985	Y	B09	349	5.3			5.3	27.25		27.25																															
12	3 1985	Y	B10	348	4.4			4.6	27.25		27.																															
12	3 1985	Y	B11	346	4.			4.2	27.		27.																															
12	3 1985	Y	B12	356	4.9			5.2	26.9		26.75																															
12	3 1985	Y	B14	358		3.9			26.																																	
12	3 1985	Y	B15	359		4.1			26.																																	
12	3 1985	Y	B16	401		4.			26.																																	
12	3 1985	Y	B18	405		3.7			25.9																																	
12	3 1985	Y	B19	404		3.7			26.																																	
12	3 1985	Y	B20	403		4.			26.																																	
13	3 1985	Y	A29	601		4.1			26.25																																	
13	3 1985	Y	A30	602		4.6			26.75																																	
13	3 1985	Y	A31	603		4.			26.																																	
13	3 1985	Y	A32	604		1.3			26.																																	
13	3 1985	Y	A33	605		2.5			26.																																	
13	3 1985	Y	A34	607		4.5			26.																																	
13	3 1985	Y	A35	608		3.			26.																																	
13	3 1985	Y	A36	612		2.7			26.25																																	
13	3 1985	Y	A37	617		2.6			26.																																	
13	3 1985	Y	A38	615		4.5			26.25																																	
13	3 1985	Y	A39	615		4.3			26.																																	
13	3 1985	Y	A40	612		3.6			26.																																	
13	3 1985	Y	A41	611		2.1			26.25																																	
13	3 1985	Y	A42	610		4.6			26.25																																	
13	3 1985	Y	A43	621		3.3			27.																																	
13	3 1985	Y	A44	621		4.6			26.5																																	
13	3 1985	Y	A45	623		5.			26.75																																	
13	3 1985	Y	A46	625		4.2			26.5																																	
13	3 1985	Y	A47	627		4.6			26.25																																	
13	3 1985	Y	A48	628		1.3			26.																																	
13	3 1985	Y	A49	629		2.			26.																																	
13	3 1985	Y	B01	301	5.7	5.7	5.7	26.75	26.75	26.75	26.75																															
13	3 1985	Y	B02	304	4.6	4.6	4.	26.25	26.25	26.25	26.25																															

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA?	POINT#	TIME	WATER						ALKALI	ALKALINITY	PH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	TOTAL			SECHII			CHLOR-		CHLOR-	
					DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM										A	B	C	DISK	OPHYLL	OPHYLL	OPHYLL	OPHYLL		
13	3 1985	Y	B03	306	3.1	3.6	3.4	28.5	28.25	28.																31.			
13	3 1985	Y	B04	307	5.	5.1	5.2	28.25	28.25	28.25																43.			
13	3 1985	Y	E05	311	5.8	5.8	5.8	28.25	28.25	28.																34.			
13	3 1985	Y	B06	313	5.	5.	5.1	28.25	28.25	28.																36.			
13	3 1985	Y	E07	324	4.7		4.8	28.		28.																37.			
13	3 1985	Y	B03	322	5.9		5.9	28.		28.																32.			
13	3 1985	Y	B03	329	4.9		5.1	28.		28.																40.			
13	3 1985	Y	B10	313	4.8		4.8	28.		28.																30.			
13	3 1985	Y	B11	316	5.4		5.5	28.		28.																27.			
13	3 1985	Y	B13	327	5.2		5.3	27.5		27.5																36.			
13	3 1985	Y	B14	329		3.8			27.																	20.			
13	3 1985	Y	B15	330		4.4			27.																	25.			
13	3 1985	Y	B16	332		3.9			27.1																	21.			
13	3 1985	Y	B18	336		3.7			27.																	28.			
13	3 1985	Y	B19	335		4.			27.																	31.			
13	3 1985	Y	B20	334		3.4			27.																	20.			
14	3 1985	Y	A29																							40.			
14	3 1985	Y	A30																							40.			
14	3 1985	Y	A31																							40.			
14	3 1985	Y	A32																							35.			
14	3 1985	Y	A33																							30.			
14	3 1985	Y	A34																							44.			
14	3 1985	Y	A35																							38.			
14	3 1985	Y	A36																							35.			
14	3 1985	Y	A37																							35.			
14	3 1985	Y	A38																							45.			
14	3 1985	Y	A39																							35.			
14	3 1985	Y	A40																							37.			
14	3 1985	Y	A41																							35.			
14	3 1985	Y	A42																							36.			
14	3 1985	Y	A43																							45.			
14	3 1985	Y	A44																							45.			
14	3 1985	Y	A45																							55.			
14	3 1985	Y	A46																							45.			
14	3 1985	Y	A47																							40.			
14	3 1985	Y	A48																							35.			
14	3 1985	Y	A49																							35.			
14	3 1985	Y	B01																							29.			
14	3 1985	Y	B02																							25.			
14	3 1985	Y	E03																							24.			
14	3 1985	Y	B04																							50.			
14	3 1985	Y	B05																							33.			
14	3 1985	Y	B06																							36.			
14	3 1985	Y	B07																							31.			

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER								KJELDAHL	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	F	TOTAL			SECHII			CHLOR-			
					DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM							A	B	C	D	E	F	G	H	I	
14	3 1985	Y	B03																										
14	3 1985	Y	B09																										40.
14	3 1985	Y	B10																										40.
14	3 1985	Y	B11																										32.
14	3 1985	Y	B13																										31.
14	3 1985	Y	B14																										26.
14	3 1985	Y	B15																										20.
14	3 1985	Y	B16																										29.
14	3 1985	Y	B18																										25.
14	3 1985	Y	B19																										26.
14	3 1985	Y	B20																										25.
15	3 1985	Y	A29	430		3.5																							25.
15	3 1985	Y	A30	432		4.3																							40.
15	3 1985	Y	A31	433		3.1																							40.
15	3 1985	Y	A32	434		0.1																							35.
15	3 1985	Y	A33	436		0.8																							30.
15	3 1985	Y	A34	437		4.4																							30.
15	3 1985	Y	A35	438		1.4																							41.
15	3 1985	Y	A36	447		1.8																							35.
15	3 1985	Y	A37	446		1.2																							35.
15	3 1985	Y	A38	445		5.3																							25.
15	3 1985	Y	A39	443		3.																							45.
15	3 1985	Y	A40	442		3.1																							35.
15	3 1985	Y	A41	441		0.3																							35.
15	3 1985	Y	A42	440		4.5																							33.
15	3 1985	Y	A43	450		1.4																							45.
15	3 1985	Y	A44	551		4.4																							45.
15	3 1985	Y	A45	552		5.2																							45.
15	3 1985	Y	A46	553		5.7																							60.
15	3 1985	Y	A47	555		4.4																							55.
15	3 1985	Y	A48	556		1.2																							46.
15	3 1985	Y	A49	558		1.																							35.
15	3 1985	N	E01	315	5.	5.3	5.7	30.	29.25	29.25	30.56	30.56	29.44	25.56															35.
15	3 1985	N	E02	318	4.8	5.	5.2	29.75	29.5	29.25																			33.
15	3 1985	N	E03	320	4.8	4.9	5.1	30.	29.8	29.75	30.	30.	26.11	27.78															27.
15	3 1985	N	E04	325	4.9	5.	5.2	29.3	29.8	29.25																		24.	
15	3 1985	N	E05	328	5.1	5.1	5.4	29.75	29.75	29.																		45.	
15	3 1985	N	E06	331	4.8	4.9	5.2	29.25	29.25	29.25																		26.	
15	3 1985	N	E07	340	4.5			30.75		30.																		31.	
15	3 1985	N	E08	339	4.1			4.3	31.		30.5	30.56	28.89	27.78	27.78														28.
15	3 1985	N	E09	337	4.1			4.4	31.		30.25																	33.	
15	3 1985	N	E10	335	3.5			3.6	31.		30.25																	33.	
15	3 1985	N	E11	334	4.4			47.3	31.		28.75																	25.	
15	3 1985	N	E12	343	3.9			4.2	30.8		30.25																	26.	
15	3 1985	N	E13	343	3.9			4.2	30.8		30.25																	29.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII															
					DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MIN	ALKAL.	HARD.	PH	N	NH <sub>3</sub> -N	N02-N	N03-N	F	PO4-P	DISK	DISK	OPHYLL	OPHYLL	OPHYLL
																												A	B	A	B	C	
15	3 1985	N	B14	345	3.			29.8		31.11		30.			26.11		26.67			8.3											23.		
15	3 1985	N	B15	346	2.3			29.75												8.4											26.		
15	3 1985	N	B16	347	3.			29.75												8.											24.		
15	3 1985	N	B18	354	3.1			28.												7.4											25.		
15	3 1985	N	B19	352	3.6			26.25												8.4											26.		
15	3 1985	N	B20	350	3.4			29.75												8.1											27.		
16	3 1985	Y	A29	621	3.2			26.5																								39.	
16	3 1985	Y	A30	622	3.3			26.8																								37.	
16	3 1985	Y	A31	623	2.4			26.5																								30.	
16	3 1985	Y	A32	625	0.3			26.25																								30.	
16	3 1985	Y	A33	626	0.5			26.																								35.	
16	3 1985	Y	A34	627	3.5			26.																								36.	
16	3 1985	Y	A35	628	0.6			26.																								33.	
16	3 1985	Y	A36	647	1.1			26.25																								35.	
16	3 1985	Y	A37	636	0.9			26.25		34.44		25.56																					30.
16	3 1985	Y	A38	635	3.6			26.75																								50.	
16	3 1985	Y	A39	532	2.6			26.5																								30.	
16	3 1985	Y	A40	632	2.			26.																								35.	
16	3 1985	Y	A41	631	0.5			25.75		34.44		26.67																			36.		
16	3 1985	Y	A42	630	3.7			25.25																								28.	
16	3 1985	Y	A43	641	1.9			27.25																								45.	
16	3 1985	Y	A44	642	3.8			27.																								45.	
16	3 1985	Y	A45	643	4.6			27.25																								55.	
16	3 1985	Y	A46	645	4.9			27.		33.33		27.78																			54.		
16	3 1985	Y	A47	646	3.7			26.8																							45.		
16	3 1985	Y	A48	647	0.6			26.75																							40.		
16	3 1985	Y	A49	646	0.5			26.5																								35.	
16	3 1985	N	B01	313	5.1	5.3	5.3	26.	26.	26.																					35.		
16	3 1985	N	B02	316	3.5	3.4	3.9	26.	26.	26.																						27.	
16	3 1985	N	B03	318	4.	3.3	3.8	27.	27.	29.																						27.	
16	3 1985	N	B04	320	5.4	5.5	5.6	27.5	27.	26.																						46.	
16	3 1985	N	B05	313	3.6	3.6	3.7	27.	27.	29.																						30.	
16	3 1985	N	B06	326	4.6	4.5	4.6	28.	28.	26.																						41.	
16	3 1985	N	B07	328	5.			26.																									24.
16	3 1985	N	B08	396	4.4			26.																									31.
16	3 1985	N	B09	330	5.4			26.																									30.
16	3 1985	N	B10	331	5.4			26.25		26.																						25.	
16	3 1985	N	B11	329	4.			27.																								23.	
16	3 1985	N	B13	341	3.7			28.																								29.	
16	3 1985	N	B14	344	3.			27.																								20.	
16	3 1985	N	B15	346	2.6			27.																								28.	
16	3 1985	N	B16	347	2.6			27.																								22.	
16	3 1985	N	B18	351	2.8			27.																								25.	
16	3 1985	N	B19	350	2.6			27.																								23.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

EXTRA DAY NO.	YEAR	DATA?	POINT#	TIME	WATER						KJELDAHL						TOTAL						SECHII									
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MIN	TEMP @ MAX	TEMP @ TOP	TEMP @ MIN	TEMP @ MAX	TEMP @ TOP	TEMP @ MIN	TEMP @ MAX	ALK.	HARD.	pH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	O <sub>2</sub> THO	DISK	DISK	OPHYLL	OPHYLL	OPHYLL	
20	3 1985	N	B05	358	5.5	5.6	3.4	29.	29.	29.																						
20	3 1985	N	B06	400	4.6	4.6	4.9	29.	29.	29.																						
20	3 1985	N	B07	412	4.5		4.5	29.		28.75		30.56		26.33																		
20	3 1985	N	B08	410	3.6		3.6	29.		29.	31.11	31.11	27.78	28.33																		
20	3 1985	N	B09	408	4.9		4.6	29.		29.																						
20	3 1985	N	B10	405	3.2		3.2	29.		29.																						
20	3 1985	N	B11	403	3.2		3.4	26.5		28.25																						
20	3 1985	N	B13	415	3.2		3.4	29.75		28.5																						
20	3 1985	N	B14	416		2.9		28.		31.67	31.11	26.11	27.78																			
20	3 1985	N	B15	418		3.2		28.																								
20	3 1985	N	B16	419		3.6		28.																								
20	3 1985	N	B18	424		2.6		28.																								
20	3 1985	N	B19	422		3.		27.5																								
20	3 1985	N	B20	421		3.2		28.																								
21	3 1985		A29																													
21	3 1985		A30																													
21	3 1985		A31																													
21	3 1985		A32																													
21	3 1985		A33																													
21	3 1985		A34																													
21	3 1985		A35																													
21	3 1985		A36																													
21	3 1985		A37																													
21	3 1985		A38																													
21	3 1985		A39																													
21	3 1985		A40																													
21	3 1985		A41																													
21	3 1985		A42																													
21	3 1985		A43																													
21	3 1985		A44																													
21	3 1985		A45																													
21	3 1985		A46																													
21	3 1985		A47																													
21	3 1985		A48																													
21	3 1985		A49																													
21	3 1985	Y	B01																													
21	3 1985	Y	B02																													
21	3 1985	Y	B03																													
21	3 1985	Y	B04																													
21	3 1985	Y	B05																													
21	3 1985	Y	B06																													
21	3 1985	Y	B07																													
21	3 1985	Y	B08																													
21	3 1985	Y	B09																													

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY MO. YEAR	DATA?	POND#	TIME	WATER										KJELDAHL	TOTAL										SECHII				CHLOR-		CHLOR-	
				TO	DO	DO	DO	A	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	NO <sub>3</sub> -N	P	ORTHOPHOSPHATE	DISK	DISK	OPHYLL	OPHYLL	OPHYLL	OPHYLL			
				@ TOP	@ MID	BOTTOM	@ TOP	@ MID	BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKAL.	HARD.	PH								A	B	A	B	C				
22	3 1985	Y	B16	438		2.8			30.5								7.8									20.						
22	3 1985	Y	B15	445		2.4			30.5								7.7									29.						
22	3 1985	Y	B19	442		2.4			31.								2.									32.						
22	3 1985	Y	B20	440		2.9			30.5								7.9									22.						
25	3 1985	Y	A29	602		4.			27.																	30.						
25	3 1985	Y	A30	603		4.2			27.																	25.						
25	3 1985	Y	A31	604		3.5			26.8																	30.						
25	3 1985	Y	A32	606		1.6			26.75																	35.						
25	3 1985	Y	A33	607		2.4			26.25																	39.						
25	3 1985	Y	A34	608		4.2			26.25																	40.						
25	3 1985	Y	A35	610		2.9			26.25																	37.						
25	3 1985	Y	A36	620		3.1			27.25																	30.						
25	3 1985	Y	A37	619		3.1			26.75																	25.						
25	3 1985	Y	A38	618		4.3			27.25																	40.						
25	3 1985	Y	A39	617		3.9			27.																	30.						
25	3 1985	Y	A40	616		3.2			26.25																	25.						
25	3 1985	Y	A41	614		2.5			26.25	33.33							26.67									30.						
25	3 1985	Y	A42	613		5.1			26.25																	41.						
25	3 1985	Y	A43	622		3.5			28.																	35.						
25	3 1985	Y	A44	623		4.1			23.																	35.						
25	3 1985	Y	A45	624		4.7			28.																	35.						
25	3 1985	Y	A46	625		4.8			27.5	32.22							28.89									35.						
25	3 1985	Y	A47	626		4.2			27.5																	35.						
25	3 1985	Y	A48	625		2.3			27.25																	30.						
25	3 1985	Y	A49	629		3.			27.																	30.						
25	3 1985	N	B01	323	5.	5.1	5.2	29.	29.	29.	31.67	30.56	28.89	28.33												34.						
25	3 1985	N	B02	325	4.4	4.4	4.6	29.	24.	29.																32.						
25	3 1985	N	B03	323	3.5	3.6	3.9	1.9	29.	23.	31.11	31.67	27.22	26.33												29.						
25	3 1985	N	B04	320	4.7	4.7	4.8	29.	29.	29.																44.						
25	3 1985	N	B05	322	4.4	4.4	4.6	29.	29.	29.																55.						
25	3 1985	N	B06	324	4.4	4.4	4.6	29.	29.	29.																40.						
25	3 1985	N	B07	343	4.6		4.6	28.25		28.25							31.11			28.33						34.						
25	3 1985	N	B08	342	4.		4.3	28.75		28.25	31.67	31.11	27.78	27.22													34.					
25	3 1985	N	B09	340	4.4		4.6	28.5		28.																	37.					
25	3 1985	N	B10	336	3.2		3.4	28.5		28.																	27.					
25	3 1985	N	B11	337	4.2		4.2	28.25		28.25																	27.					
25	3 1985	N	B13	347	3.3		3.6	28.		28.																	30.					
25	3 1985	N	B14	349		3.2			27.25		31.22	31.11	25.56	28.33													22.					
25	3 1985	N	B15	350		3.			27.																		24.					
25	3 1985	N	B16	352		3.6			27.5																		22.					
25	3 1985	N	B18	359		3.3			27.																		27.					
25	3 1985	N	B19	357		3.6			27.																		36.					
25	3 1985	N	B20	355		3.2			27.																		24.					
26	3 1985	Y	A29																								33.					

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MO.	YEAR	EXTRA	DO	DO	DO	DO	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	KJELDAHL	TOTAL								
																% N	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B
26	3	1985	Y	A30																				
26	3	1985	Y	A31																				37.
26	3	1985	Y	A32																				30.
26	3	1985	Y	A33																				35.
26	3	1985	Y	A34																				30.
26	3	1985	Y	A35																				33.
26	3	1985	Y	A36																				38.
26	3	1985	Y	A37																				35.
26	3	1985	Y	A38																				30.
26	3	1985	Y	A39																				45.
26	3	1985	Y	A40																				35.
26	3	1985	Y	A41																				30.
26	3	1985	Y	A42																				30.
26	3	1985	Y	A43																				36.
26	3	1985	Y	A44																				37.
26	3	1985	Y	A45																				46.
26	3	1985	Y	A46																				50.
26	3	1985	Y	A47																				52.
26	3	1985	Y	A48																				45.
26	3	1985	Y	A49																				30.
26	3	1985	Y	B01																				33.
26	3	1985	Y	B02																				42.
26	3	1985	Y	B03																				35.
26	3	1985	Y	B04																				34.
26	3	1985	Y	B05																				40.
26	3	1985	Y	B06																				49.
26	3	1985	Y	B07																				45.
26	3	1985	Y	B08																				45.
26	3	1985	Y	B09																				41.
26	3	1985	Y	B10																				30.
26	3	1985	Y	B11																				34.
26	3	1985	Y	B13																				35.
26	3	1985	Y	B14																				36.
26	3	1985	Y	B15																				37.
26	3	1985	Y	B16																				27.
26	3	1985	Y	B18																				40.
26	3	1985	Y	B19																				60.
26	3	1985	Y	B20																				21.
27	3	1985	Y	A29	545	4.3			27.25															35.
27	3	1985	Y	A30	546	4.4			27.75															30.
27	3	1985	Y	A31	548	3.9			27.5															30.
27	3	1985	Y	A32	549	2.5			27.75															32.
27	3	1985	Y	A33	550	2.8			27.25															25.
27	3	1985	Y	A34	551	4.1			27.25															35.

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY	MO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO A TOP	DO A MID	DO A BOTTOM	TEMP A TOP	TEMP A MID	TEMP A BOTTOM	TEMP A TOP-MAX	TEMP A MID-MAX	TEMP A BOT-MIN	TEMP A BOT-MIN	KJELDAHL ALKALI HARD.	PH	TOTAL				SECHII SECHII CHLOR- CHLOR- CHLOR-					
																		N	NH3-N	N02-N	N03-N	P	P04-P	A	B	A	B
28	3	1985	Y	A40																							
28	3	1985	Y	A41																							25.
28	3	1985	Y	A42																						30.	
28	3	1985	Y	A43																						44.	
28	3	1985	Y	A44																						32.	
28	3	1985	Y	A45																						36.	
28	3	1985	Y	A46																						45.	
28	3	1985	Y	A47																						45.	
28	3	1985	Y	A48																						35.	
28	3	1985	Y	A49																						25.	
28	3	1985	Y	B01																						25.	
28	3	1985	Y	B02																						50.	
28	3	1985	Y	B03																						29.	
28	3	1985	Y	B04																						29.	
28	3	1985	Y	B05																						37.	
28	3	1985	Y	B06																						38.	
28	3	1985	Y	B07																						46.	
28	3	1985	Y	B08																						32.	
28	3	1985	Y	B09																						37.	
28	3	1985	Y	B10																						32.	
28	3	1985	Y	B11																						27.	
28	3	1985	Y	B13																						29.	
28	3	1985	Y	B14																						36.	
28	3	1985	Y	B15																						36.	
28	3	1985	Y	B16																						32.	
28	3	1985	Y	B18																						24.	
28	3	1985	Y	B19																						25.	
28	3	1985	Y	B20																						27.	
28	3	1985	Y	A29	611	5.			26.																25.		
28	3	1985	Y	A30	612	5.3		26.5																		25.	
28	3	1985	Y	A31	613	4.2			26.																	25.	
28	3	1985	Y	A32	614	1.5			26.																	25.	
28	3	1985	Y	A33	616	2.		25.25																		25.	
28	3	1985	Y	A34	617	3.9			25.25																	25.	
28	3	1985	Y	A35	618	2.6			25.75																	35.	
28	3	1985	Y	A36	628	4.1			26.75																	35.	
28	3	1985	Y	A37	626	2.			26.25																	25.	
28	3	1985	Y	A38	625	5.2			26.5																	22.	
28	3	1985	Y	A39	624	4.			26.75																	35.	
28	3	1985	Y	A40	623	4.3			26.																	39.	
28	3	1985	Y	A41	621	2.2			25.5		33.89			25.56													25.
28	3	1985	Y	A42	620	4.5			25.75																	25.	
28	3	1985	Y	A43	630	3.1						27.25														40.	
28	3	1985	Y	A44	631	4.5			27.25																	36.	
																										35.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II. Dry Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	EXTRA DATA <sup>a</sup>	POND#	TIME	WATER						KJELDAHL	pH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	TOTAL			SECHII			CHLOR-						
					DO	DO	DO	DO	TEMP °C	TEMP °C								TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKA.	HARD.	A	B	C	DISK	DISK	OPHYLL	OPHYLL
1	4 1985	N	B01	310	5.2	5.2	5.2	5.2	28.75	28.75	28.	30.56	30.56	27.78	27.78															
1	4 1985	N	B02	313	4.9	5.	5.	5.	26.	26.	26.																	47.		
1	4 1985	N	B03	315	4.2	4.2	4.2	4.2	28.	28.	28.	30.	30.	26.67	27.22														35.	
1	4 1985	N	B04	317	4.6	4.7	4.6	4.6	28.	28.	28.																	29.		
1	4 1985	N	B05	318	5.1	5.1	5.1	5.1	27.9	27.9	27.5																	36.		
1	4 1985	N	B06	320	4.9	4.9	5.	5.	26.	26.	27.75																	33.		
1	4 1985	N	B07	320	4.2		4.9	28.		28.																		41.		
1	4 1985	N	B08	328	4.6			4.8	28.		28.	30.56	31.11	27.22	25.56														30.	
1	4 1985	N	B09	329	4.5				4.9	23.		27.75																	48.	
1	4 1985	N	B10	325	4.6				4.7	28.		27.5																	31.	
1	4 1985	N	B11	322	4.4				4.6	27.5		27.25																	36.	
1	4 1985	N	B13	333	3.4				5.6	27.5		27.																	27.	
1	4 1985	N	B14	336		4.				27.		31.11	30.56	25.	27.78														31.	
1	4 1985	N	B15	338		2.6				27.																			30.	
1	4 1985	N	B16	340		3.6				27.																			33.	
1	4 1985	N	B18	345		3.2				27.																			26.	
1	4 1985	N	B19	344		3.8				26.5																			35.	
1	4 1985	N	B20	343		3.5				26.75																			32.	
2	4 1985	Y	A25																										20.	
2	4 1985	Y	A30																											39.
2	4 1985	Y	A31																											30.
2	4 1985	Y	A32																											26.
2	4 1985	Y	A33																											25.
2	4 1985	Y	A34																											31.
2	4 1985	Y	A35																											35.
2	4 1985	Y	A36																											35.
2	4 1985	Y	A37																											36.
2	4 1985	Y	A38																											25.
2	4 1985	Y	A39																											40.
2	4 1985	Y	A40																											35.
2	4 1985	Y	A41																											30.
2	4 1985	Y	A42																											25.
2	4 1985	Y	A43																											40.
2	4 1985	Y	A44																											37.
2	4 1985	Y	A45																											40.
2	4 1985	Y	A46																											40.
2	4 1985	Y	A47																											40.
2	4 1985	Y	A48																											30.
2	4 1985	Y	A49																											30.
2	4 1985	Y	B01																											27.
2	4 1985	Y	B02																											51.
2	4 1985	Y	B03																											37.
2	4 1985	Y	B04																											35.
2	4 1985	Y	B05																											36.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII						CHLOR-								
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKAL.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	NO2-N	P	PO4-F	A	B	C	OPHYLL	OPHYLL	OPHYLL	
2	4 1985	Y	B06																													
2	4 1985	Y	B07																													
2	4 1985	Y	B08																													
2	4 1985	Y	B09																													
2	4 1985	Y	B10																													
2	4 1985	Y	B11																													
2	4 1985	Y	B13																													
2	4 1985	Y	B14																													
2	4 1985	Y	B15																													
2	4 1985	Y	B16																													
2	4 1985	Y	B18																													
2	4 1985	Y	B19																													
2	4 1985	Y	B20																													
3	4 1985	Y	A29	416	2.7																											
3	4 1985	Y	A30	416	2.7																											
3	4 1985	Y	A31	419	2.2																											
3	4 1985	Y	A32	420	0.6																											
3	4 1985	Y	A33	421	1.																											
3	4 1985	Y	A34	423	2.9																											
3	4 1985	Y	A35	424	1.5																											
3	4 1985	Y	A36	424	1.7																											
3	4 1985	Y	A37	433	1.6																											
3	4 1985	Y	A38	431	3.6																											
3	4 1985	Y	A39	439	2.3																											
3	4 1985	Y	A40	429	1.1																											
3	4 1985	Y	A41	428	6.2																											
3	4 1985	Y	A42	428	3.8																											
3	4 1985	Y	A43	436	2.4																											
3	4 1985	Y	A44	437	3.6																											
3	4 1985	Y	A45	438	4.																											
3	4 1985	Y	A46	439	4.																											
3	4 1985	Y	A47	440	3.5																											
3	4 1985	Y	A48	442	1.3																											
3	4 1985	Y	A49	443	0.5																											
3	4 1985	Y	A29	600	4.																											
3	4 1985	Y	A30	602	3.5																											
3	4 1985	Y	A31	603	3.																											
3	4 1985	Y	A32	604	2.5																											
3	4 1985	Y	A33	605	2.3																											
3	4 1985	Y	A34	606	3.4																											
3	4 1985	Y	A35	607	3.2																											
3	4 1985	Y	A36	617	2.2																											
3	4 1985	Y	A37	616	2.																											
3	4 1985	Y	A38	614	3.3																											

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA POND#	TIME	WATER								KJELDAHL	PH	N	TOTAL					SECHII			CHLOR-					
				TO	DO	DO	DO P	TEMP	TEMP	TEMP	TEMP	TEMP			NH3-N	NO2-N	NO3-N	NO3-N	P	PO4-P	A	B	A	B	C			
8	4 1985	Y A39	613		3.1			29.																				
6	4 1985	Y A40	612		2.6			29.																			25.	
9	4 1985	Y A41	611		0.7			26.25		37.78		25.56															23.	
8	4 1985	Y A42	610		4.2			29.																			15.	
6	4 1985	Y A43	619		3.6			29.																			35.	
8	4 1985	Y A44	620		4.			23.25																			40.	
6	4 1985	Y A45	622		4.0			29.																			40.	
6	4 1985	Y A46	623		4.7			29.		36.33		26.67															40.	
8	4 1985	Y A47	624		3.9			29.																			45.	
6	4 1985	Y A48	626		3.			28.5																			40.	
8	4 1985	Y A49	627		0.6			28.75																			30.	
6	4 1985	N B01	315	5.4	5.4	5.5	30.	30.	29.75																		30.	
6	4 1985	N B02	318	5.4	5.2	5.4	26.	29.75	29.5																		32.6	
6	4 1985	N B03	320	4.8	4.	4.5	29.5	29.25	29.																		3.3	
6	4 1985	N B04	322	4.8	4.8	4.2	23.5	29.5	29.25																		21.	
6	4 1985	N B05	324	4.1	4.1	4.2	29.75	30.	30.																		47.9.	
6	4 1985	N B06	327	5.2	5.2	5.2	30.	30.	30.																		32.8	
6	4 1985	N B07	336	4.5		4.5	30.																				58.9	
6	4 1985	N B08	335	4.8		4.2	30.		29.75																		29.4	
6	4 1985	N B09	333	5.3		5.2	30.		30.																		20.6	
6	4 1985	N B10	331	4.7		4.7	30.		30.																		16.5	
6	4 1985	N B11	330	5.1		5.1	29.25		29.																		40.3	
6	4 1985	N B13	339	2.9		3.2	29.5		29.																		22.2	
6	4 1985	N B14	341		4.1			29.																			3.1	
6	4 1985	N B15	343		2.6			29.																			35.6	
6	4 1985	N B16	344		3.6			29.																			33.3	
6	4 1985	N B18	350		4.8			29.25																			15.1	
6	4 1985	N B19	349		4.1			29.																			41.1	
6	4 1985	N B20	347		2.5			29.																			11.1	
6	4 1985	Y A29	610		2.7			29.																			10.7	
6	4 1985	Y A30	611		2.9			29.25																			19.1	
6	4 1985	Y A31	612		2.6			27.75																			2.1	
6	4 1985	Y A32	613		1.1			29.5																			0.	
6	4 1985	Y A33	615		1.4			29.5																			27.1	
6	4 1985	Y A34	616		3.5			29.75																			0.	
6	4 1985	Y A35	617		2.5			29.5																			0.	
6	4 1985	Y A36	626		1.3			29.25																			0.	
6	4 1985	Y A37	625		1.2			29.25																			3.9	
6	4 1985	Y A38	624		2.7			29.75																			0.	
6	4 1985	Y A39	623		2.6			29.25																			16.7	
6	4 1985	Y A40	621		1.8			29.																			27.5	
6	4 1985	Y A41	620		0.4			29.25																			36.1	
6	4 1985	Y A42	619		3.5			29.																			92.5	
6	4 1985	Y A43	626		3.			29.																			10.1	
6	4 1985	Y A44	628																									0.
6	4 1985	Y A45	629																									4.9
6	4 1985	Y A46	630																									0.
6	4 1985	Y A47	631																									0.
6	4 1985	Y A48	632																									0.
6	4 1985	Y A49	633																									0.
6	4 1985	Y A50	634																									0.
6	4 1985	Y A51	635																									0.
6	4 1985	Y A52	636																									0.
6	4 1985	Y A53	637																									0.
6	4 1985	Y A54	638																									0.
6	4 1985	Y A55	639																									0.
6	4 1985	Y A56	640																									0.
6	4 1985	Y A57	641																									0.
6	4 1985	Y A58	642																									0.
6	4 1985	Y A59	643																									0.
6	4 1985	Y A60	644																									0.
6	4 1985	Y A61	645																									0.
6	4 1985	Y A62	646																									0.
6	4 1985	Y A63	647																									0.
6	4 1985	Y A64	648																									0.
6	4 1985	Y A65	649																									0.
6	4 1985	Y A66	650																									0.
6	4 1985	Y A67	651																									0.
6	4 1985	Y A68	652																									0.
6	4 1985	Y A69	653																									0.
6	4 1985	Y A70	654																									0.
6	4 1985	Y A71	655					</td																				

**Table 4.** Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	STATION	POINT	TIME	WATER								ALK.	HARD.	PH	MELDahl	TOTAL												
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MAX				NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	SECHII NO <sub>2</sub> & TOTAL	ORTHO DISK	DISK	O <sub>2</sub> HILL O <sub>2</sub> HILL	O <sub>2</sub> HILL O <sub>2</sub> HILL	CHLOR-A A	CHLOR-B B	CHLOR-C C
11	4 1985	Y	A20																										
12	4 1985	Y	A29	624		4.1		29.75																			20.		
12	4 1985	Y	A30	625		4.1		29.75																			35.		
12	4 1985	Y	A31	626		3.6		29.75																			35.		
12	4 1985	Y	A32	628		1.5		29.75																			40.		
12	4 1985	Y	A33	629		1.		29.2																			45.		
12	4 1985	Y	A34	630		3.6		29.25																			40.		
12	4 1985	Y	A35	631		2.1		29.25																			40.		
12	4 1985	Y	A36	640		1.5		29.5																			50.		
12	4 1985	Y	A37	633		1.7		29.25										32.22		28.89							35.		
12	4 1985	Y	A38	635		5.		29.5																			30.		
12	4 1985	Y	A39	637		3.5		29.5																			50.		
12	4 1985	Y	A40	635		3.1		28.75																			49.		
12	4 1985	Y	A41	634		2.1		29.										33.33		27.78							40.		
12	4 1985	Y	A42	633		3.8		29.																			45.		
12	4 1985	Y	A43	642		3.1		29.5																			45.		
12	4 1985	Y	A44	643		4.3		29.5																			45.		
12	4 1985	Y	A45	644		4.4		29.5																			45.		
12	4 1985	Y	A46	646		4.3		29.5										33.33		27.78							50.		
12	4 1985	Y	A47	647		3.6		29.25																			50.		
12	4 1985	Y	A48	648		1.4		29.5																			45.		
12	4 1985	Y	A49	649		1.4		29.5																			40.		
12	4 1985	N	B01	315	4.5	5.	5.1	29.5	29.8	30.	30.	33.33	32.22	28.89	28.33												45.		
12	4 1985	N	B02	313	3.1	3.1	4.5	28.9	28.5	28.5	28.5	32.22	31.11	30.	27.78												47.		
12	4 1985	N	B03	320	3.3	3.4	3.3	28.5	28.5	28.5	28.5	32.22	31.11	30.	27.78												29.		
12	4 1985	N	B04	321	3.7	3.5	4.1	28.9	28.5	28.5	28.5	32.22	31.11	30.	27.78												27.		
12	4 1985	N	B05	324	4.6	4.6	4.6	29.15	29.5	29.	29.															36.			
12	4 1985	N	B06	327	4.5	4.6	4.9	24.	24.	24.	24.															32.			
12	4 1985	N	B07	327	4.6	5.	28.15		28.									31.22	31.67	27.78	28.33						40.		
12	4 1985	N	B08	325	5.1	5.4	29.											31.22	31.67	27.78	27.78						43.		
12	4 1985	N	B09	323	4.6	4.5	4.5	28.9										31.22	31.67	27.78	27.78						40.		
12	4 1985	N	B10	322	4.4	4.6	29.																				42.		
12	4 1985	N	B11	320	4.	4.4	29.																				40.		
12	4 1985	N	B13	340	4.4	4.6	29.25		28.																		35.		
12	4 1985	N	B14	342		3.7		28.										33.33	33.33	26.67	29.44						44.		
12	4 1985	N	B15	343		3.		27.9										33.33	33.89	27.78	28.89						36.		
12	4 1985	N	B16	345		3.6		28.																			37.		
12	4 1985	N	B16	349		5.5		27.																			30.		
12	4 1985	N	B19	348		3.7		27.																			27.		
12	4 1985	N	B20	347		1.7		27.																			37.		
15	4 1985	Y	A29	516		4.5		27.15																			25.		
15	4 1985	Y	A30	517		4.5		27.5										34.44		30.							38.		
15	4 1985	Y	A31	518		4.6		27.5																			30.		
15	4 1985	Y	A32	520		3.3		27.5																			40.		
																												35.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA#	PONDS	TIME	WATER								KJELDHAL	TOTAL		SECHII		SECHII		CHLOR-		CHLOR-	
					DO	DO	DO	TEMP	TEMP	TEMP	TEMP	TEMP		NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	A	B	C
16	4 1985	Y	A36																				
16	4 1985	Y	A39																				37.
16	4 1985	Y	A40																				40.
16	4 1985	Y	A41																				35.
16	4 1985	Y	A42																				45.
16	4 1985	Y	A43																				40.
16	4 1985	Y	A44																				40.
16	4 1985	Y	A45																				40.
16	4 1985	Y	A46																				40.
16	4 1985	Y	A47																				45.
16	4 1985	Y	A48																				37.
16	4 1985	Y	A49																				35.
16	4 1985	Y	B01																				35.
16	4 1985	Y	B02																				54.
16	4 1985	Y	B03																				34.
16	4 1985	Y	B04																				32.
16	4 1985	Y	B05																				27.
16	4 1985	Y	B06																				29.
16	4 1985	Y	B07																				45.
16	4 1985	Y	B08																				40.
16	4 1985	Y	B09																				40.
16	4 1985	Y	B10																				35.
16	4 1985	Y	B11																				37.
16	4 1985	Y	B13																				35.
16	4 1985	Y	B14																				37.
16	4 1985	Y	B15																				35.
16	4 1985	Y	B16																				31.
16	4 1985	Y	B18																				15.
16	4 1985	Y	B19																				28.
16	4 1985	Y	B20																				23.
17	4 1985	Y	A29	600		3.3																	29.
17	4 1985	Y	A30	601		4.1																	35.
17	4 1985	Y	A31	603		3.3																	30.
17	4 1985	Y	A32	604		1.8																	35.
17	4 1985	Y	A33	605		2.2																	35.
17	4 1985	Y	A34	606		3.6																	40.
17	4 1985	Y	A35	607		2.4																	30.
17	4 1985	Y	A36	616		1.3																	55.
17	4 1985	Y	A37	615		1.4																	25.
17	4 1985	Y	A38	614		4.																	30.
17	4 1985	Y	A39	613		3.6																	35.
17	4 1985	Y	A40	612		3.4																	35.
17	4 1985	Y	A41	610		3.4																	36.
17	4 1985	Y	A42	609		4.4																	35.
																							40.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER						WATER						WATER						WATER						KJELDAHL						TOTAL						SECHII						CHLOR-		CHLOR-		CHLOR-	
					NO	DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MIN	ALKA.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	NO23-N	F	PO4-F	A	B	A	B	C	DISK	DISK	DISK	DISK	DISK	DISK	DISK	DISK												
17	4 1985	Y	A43	618					3.4			24.75																										40.														
17	4 1985	Y	A44	619					4.2			25.																										40.														
17	4 1985	Y	A45	620					4.3			25.																										40.														
17	4 1985	Y	A46	621					4.2			25.																										45.														
17	4 1985	Y	A47	623					3.8			25.																										37.														
17	4 1985	Y	A48	624					2.7			24.9																										35.														
17	4 1985	Y	A49	625					2.			24.75																										35.														
17	4 1985	Y	E01	335	4.6	4.7	4.8	30.	30.	29.5																											47.															
17	4 1985	Y	E02	333	4.4	4.4	4.4	29.5	29.5	29.5																											31.															
17	4 1985	Y	E03	340	3.8	3.8	3.8	29.25	29.25	29.25																											34.															
17	4 1985	Y	E04	343	4.	4.	4.5	29.	29.	29.																										30.																
17	4 1985	Y	E05	346	4.4	4.4	4.5	29.25	29.25	29.25																										30.																
17	4 1985	Y	E06	349	4.	4.	4.	29.25	29.25	29.25																										43.																
17	4 1985	Y	E07	405	4.2		4.2	29.		29.																										37.																
17	4 1985	Y	E08	402	4.2		4.2	29.		29.																										35.																
17	4 1985	Y	E09	359	4.2			4.3	29.	29.																										40.																
17	4 1985	Y	E10	357	4.7			4.7	29.	29.																										37.																
17	4 1985	Y	E11	354	4.2			4.2	29.	29.																										30.																
17	4 1985	Y	E13	410	3.2			3.2	26.	26.																										32.																
17	4 1985	Y	E14	414			3.2			25.																										32.																
17	4 1985	Y	E15	416			3.1			24.																										32.																
17	4 1985	Y	E16	418			3.9			24.																										29.																
17	4 1985	Y	E18	430			3.1			23.																										26.																
17	4 1985	Y	E19	428			3.4			23.25																									28.																	
17	4 1985	Y	E20	425			3.			23.																										24.																
18	4 1985	Y	A25																																			35.														
18	4 1985	Y	A30																																			35.														
18	4 1985	Y	A31																																			60.														
18	4 1985	Y	A32																																			35.														
18	4 1985	Y	A33																																			40.														
18	4 1985	Y	A34																																			35.														
18	4 1985	Y	A35																																			40.														
18	4 1985	Y	A36																																			25.														
18	4 1985	Y	A37																																			30.														
18	4 1985	Y	A38																																			30.														
18	4 1985	Y	A39																																			40.														
18	4 1985	Y	A40																																			30.														
18	4 1985	Y	A41																																			45.														
18	4 1985	Y	A42																																			40.														
18	4 1985	Y	A43																																			40.														
18	4 1985	Y	A44																																			40.														
18	4 1985	Y	A45																																			40.														
18	4 1985	Y	A46																																			40.														
18	4 1985	Y	A47																																			40.														

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA?	FONDS	TIME	WATER						KJELDAHL	PH	N	NH3-N	NO2-N	NO3-N	F	TOTAL			SECHII			CHLOR-				
					ID	DO	DO	DO	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	ALKA.	HARD.	SECHII	SECHII	DISK	DISK	DISK	OPHYLL	OPHYLL	OPHYLL	
18	4 1985	Y	A48																									
18	4 1985	Y	A49																									
18	4 1985	Y	B01																									
18	4 1985	Y	B02																									
18	4 1985	Y	B03																									
18	4 1985	Y	B04																									
18	4 1985	Y	B05																									
18	4 1985	Y	B06																									
18	4 1985	Y	B07																									
18	4 1985	Y	B08																									
18	4 1985	Y	B09																									
18	4 1985	Y	B10																									
18	4 1985	Y	B11																									
18	4 1985	Y	B13																									
18	4 1985	Y	B14																									
18	4 1985	Y	B15																									
18	4 1985	Y	B16																									
18	4 1985	Y	B18																									
18	- 1985	Y	B19																									
18	- 1985	Y	B20																									
19	4 1985	Y	A29	605	3.7				23.25																			
19	4 1985	Y	A30	606	3.7				23.25	30.33																		
19	4 1985	Y	A31	607	3.4				23.25																			
19	4 1985	Y	A32	609	2.				23.25																			
19	4 1985	Y	A33	610	1.6				23.25	32.22																		
19	4 1985	Y	A34	611	3.8				23.25																			
19	4 1985	Y	A35	612	2.4				23.25																			
19	4 1985	Y	A36	622	1.4				24.																			
19	4 1985	Y	A37	621	2.2				24.15	32.22																		
19	4 1985	Y	A38	620	4.3				24.																			
19	4 1985	Y	A39	613	4.3				23.75																			
19	4 1985	I	A40	616	3.6				23.5																			
19	4 1985	Y	A41	615	4.1				23.5	31.11																		
19	4 1985	I	A42	614	4.4				23.25																			
19	4 1985	Y	A43	624	3.4				24.25																			
19	4 1985	Y	A44	625	4.4				24.																			
19	4 1985	Y	A45	626	4.4				24.																			
19	4 1985	Y	A46	628	4.				24.	32.22																		
19	4 1985	Y	A47	629	4.7				23.8																			
19	4 1985	Y	A48	630	2.4				23.8																			
19	4 1985	Y	A49	631	2.7				23.8																			
19	4 1985	N	B01	359	5.	5.	5.	27.5	27.5	27.5	31.67	30.	27.78	27.22						8.1								
19	4 1985	N	B02	400	4.1	4.	3.1	26.5	26.5	26.5											7.9							
19	4 1985	N	B03	403	3.7	3.6	2.	26.	26.25	26.	32.22	28.89	28.33	27.78						7.8								

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY MO.	YEAR	DATA#	POND#	TIME	DO	DO	DO	DO	WATER		WATER		WATER		WATER		WATER		KJELDAHL	PH	N	TOTAL		SECHII		SECHII		CHLOR-		CHLOR-		
									@ TOP	@ MID	BOTTOM	@ TOP	TEMP	@ TOP	TEMP	@ MID	TEMP	@ TOP	TEMP			NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	A	B	C	
22	4 1985	N	B09	359	4.2				4.1	29.25		29.5																				
22	4 1985	N	B10	356	3.8				3.8	29.5		29.5																				37.
22	4 1985	N	B11	353	3.1				3.1	29.		28.																				40.
22	4 1985	N	B13	406	3.6				3.6	28.15		28.																			38.	
22	4 1985	N	B14	409		3.3				29.				31.22	32.22	26.67	28.33														31.	
22	4 1985	N	B15	410		2.2				27.9				32.78	31.11	27.78	28.33														30.	
22	4 1985	N	B16	412		3.3				28.																					29.	
22	4 1985	N	B18	413		1.				27.5																					26.	
22	4 1985	N	B19	418		3.2				27.																					30.	
22	4 1985	N	B20	416		3.1				28.																					32.	
23	4 1985	Y	A23																												25.	
23	4 1985	Y	A30																													
23	4 1985	Y	A31																													
23	4 1985	Y	A32																													
23	4 1985	V	A33																													
23	4 1985	Y	A34																													
23	4 1985	Y	A35																													
23	4 1985	Y	A36																													
23	4 1985	Y	A37																													
23	4 1985	Y	A38																													
23	4 1985	Y	A39																													
23	4 1985	Y	A40																													
23	4 1985	Y	A41																													
23	4 1985	Y	A42																													
23	4 1985	Y	A43																													
23	4 1985	Y	A44																													
23	4 1985	Y	A45																													
23	4 1985	Y	A46																													
23	4 1985	Y	A47																													
23	4 1985	Y	A48																													
23	4 1985	Y	A49																													
23	4 1985	Y	B01																													
23	4 1985	Y	B02																													
23	4 1985	Y	B03																													
23	4 1985	Y	B04																													
23	4 1985	Y	B05																													
23	4 1985	Y	B06																													
23	4 1985	Y	B07																													
23	4 1985	Y	B08																													
23	4 1985	Y	B09																													
23	4 1985	Y	B10																													
23	4 1985	Y	B11																													
23	4 1985	Y	B13																													
23	4 1985	Y	B14																													

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season**

DAY NO.	YEAR	DATA?	FOND#	TIME	WATER										KJELDAHL	TOTAL						SECHII							
					DO	DO	DO	DO	TEMP	TEMP	TEMP	A	TEMP	B	TEMP	C	DO2 &	TOTAL	ORTHO	DISK	DISK	OPHYLL	OPHYLL	OPHYLL	A	B	A	B	C
23	4 1985	Y	B15																										
23	4 1985	Y	B16																										
23	4 1985	Y	B18																										
23	4 1985	Y	B19																										
23	4 1985	Y	B20																										
24	4 1985	N	B01	304	4.6	5.4	4.6	24.	25.5	25.								0.0244	0.0172	0.	0.0172	0.048			15.1	1.7	59.7		
24	4 1985	N	B02	311	5.4	5.	2.	24.5	25.5	25.25								0.0272	0.0169	0.	0.0169	0.046			39.7	5.2	43.9		
24	4 1985	N	B03	314	5.4	5.3	4.	2	27.75	25.75								0.043	0.0123	0.	0.0123	0.048			10.1	6.6	31.		
24	4 1985	N	B04	318	4.7	2.3	1.6	25.	24.	24.								0.0645	0.0142	0.068	0.0622	0.046			13.3	13.3	44.2		
24	4 1985	N	B05	321	6.4	7.4	6.9	24.	25.25	25.25								0.0215	0.0065	0.	0.0068	0.044			12.7	2.6	29.8		
24	4 1985	N	B06	323	5.6	5.3	5.	24.	25.	25.								0.0768	0.0257	0.0249	0.0506	0.041			10.5	4.3	23.4		
24	4 1985	N	B07	337	5.4			4.2	25.	26.								0.0244	0.0037	0.	0.0037	0.036			20.5	7.9	32.2		
24	4 1985	N	B08	338	4.4			2.7	24.5	25.75								0.043	0.0202	0.	0.0202	0.061			19.4	1.6	34.3		
24	4 1985	N	B09	331	5.2			4.6	25.	26.								0.0323	0.0096	0.	0.0096	0.044			20.8	4.4	32.5		
24	4 1985	N	B10	323	5.4			4.6	23.25	24.5								0.0946	0.0169	0.	0.0169	0.032			24.6	7.1	32.4		
24	4 1985	N	B11	335	4.			3.4	24.	25.25								0.0409	0.0161	0.	0.0161	0.036			25.8	5.4	46.1		
24	4 1985	N	B13	341	4.			2.2	26.	26.5								0.043	0.0202	0.0605	0.051	0.048			24.	5.9	40.4		
24	4 1985	N	B14	344		3.3			22.8									0.0344	0.0124	0.0249	0.0473	0.051			25.	6.6	33.7		
24	4 1985	N	B15	346		1.6			22.1									0.0824	0.0116	0.0439	0.045	0.073			27.7	4.7	35.6		
24	4 1985	N	B16	349		4.2			22.									0.0301	0.0118	0.	0.0118	0.056			23.	6.6	36.3		
24	4 1985	N	B18	355		3.9			22.									0.0394	0.0235	0.	0.0235	0.048			21.2	11.3	60.7		
24	4 1985	N	B19	353		3.2			22.5									0.0315	0.0156	0.	0.0156	0.039			14.8	5.6	21.7		
24	4 1985	N	B20	352		3.1			22.									0.0516	0.0199	0.	0.0199	0.041			49.2	8.2	39.		
25	4 1985	Y	B01																										
25	4 1985	Y	B02																										
25	4 1985	Y	B03																										
25	4 1985	Y	B04																										
25	4 1985	Y	B05																										
25	4 1985	Y	B06																										
25	4 1985	Y	B07																										
25	4 1985	Y	B08																										
25	4 1985	Y	B09																										
25	4 1985	Y	B10																										
25	4 1985	Y	B11																										
25	4 1985	Y	B13																										
25	4 1985	Y	B14																										
25	4 1985	Y	B15																										
25	4 1985	Y	B16																										
25	4 1985	Y	B18																										
25	4 1985	Y	B19																										
25	4 1985	Y	B20																										
26	4 1985	N	B01	336	5.5	5.5	5.5	23.75	23.75	24.	31.11	30.56	27.22	26.67				8.											
26	4 1985	N	B02	339	6.3	6.2	2.	24.	24.	25.								8.											
26	4 1985	N	B03	342	5.	5.	4.8	24.	24.	24.5	32.22	29.44	26.67	27.22				7.8											

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	EXTRA DATA	PONDS	TIME	WATER								KJELDAHL	TOTAL													
					DO # TOP	DO # MID	DO # BOTTOM	TEMP # TOP	TEMP # MID	TEMP # BOTTOM	TEMP # TOP-MAX	TEMP # BOT-MAX		ALKALI.	HARD.	PH	N	NH3-N	N02-N	N03-N	N03-N	TOTAL NO2 & P	ORTHOG. PO4-P	SECHII DISK A	SECHII DISK B	CHLOR- OPHYLL A	CHLOR- OPHYLL B
26	4 1985	N	B04	346	2.2	2.2	1.6	23.	23.	24.						7.7									36.		
26	4 1985	N	B05	349	4.7	4.7	4.7	23.5	23.9	24.						7.9									37.		
26	4 1985	N	B06	351	5.8	5.8	5.8	23.9	24.	24.5						7.9									46.		
26	4 1985	N	B07	402	4.4		4.1	24.5		25.	32.78	31.67	25.	26.67			8.								41.		
26	4 1985	N	B08	400	7.0		7.0	23.			23.9	31.22	30.56	26.67	26.11			8.								36.	
26	4 1985	N	B09	359	6.		6.	23.			23.75														39.		
26	4 1985	N	B10	357	6.4		6.3	25.9			26.														29.		
26	4 1985	N	B11	355	5.6		5.6	23.25			23.25														32.		
26	4 1985	N	B12	405	3.6		3.6	24.			24.														30.		
26	4 1985	N	B14	407		3.4			26.		31.11	31.67	25.56	27.78			7.8								23.		
26	4 1985	N	B15	405		3.6			26.		31.78	30.56	23.33	26.67			7.4								25.		
26	4 1985	N	B16	410		4.4			26.5																22.		
26	4 1985	N	B18	415		4.8			21.																25.		
26	4 1985	N	B19	413		3.5			21.																30.		
26	4 1985	N	B20	412		4.7			21.																22.		
29	4 1985	N	B01	305	5.6	5.6	5.6	28.	29.	29.		32.22	30.56	27.22	26.67									43.			
29	4 1985	N	B02	303	4.8	4.2	3.6	29.	29.	29.															49.		
29	4 1985	N	B03	310	4.4	4.1	1.6	29.5	28.6	29.		32.22	30.56	27.22	27.22									39.			
29	4 1985	N	B04	312	6.4	4.4	1.4	28.25	28.25	28.5															42.		
29	4 1985	N	B05	315	6.1	6.1	6.2	29.	29.	29.															44.		
29	4 1985	N	B06	317	5.4	5.4	5.4	29.	29.	29.															46.		
29	4 1985	N	B07	328	5.4		5.2	29.			29.	31.67	30.56	26.11	26.11										37.		
29	4 1985	N	B08	327	5.6		5.6	28.5			29.	32.22	31.11	26.33	26.67										33.		
29	4 1985	N	B09	325	4.6		4.6	28.75			29.														31.		
29	4 1985	N	B10	323	3.8		3.9	21.			29.														31.		
29	4 1985	N	B11	320	4.5		4.6	28.5			28.5														31.		
29	4 1985	N	B12	321	4.4		4.6	28.9			28.5														31.		
29	4 1985	N	B14	303		3.5			27.		32.22	31.11	27.78	27.78											29.		
29	4 1985	N	B15	325		3.2			27.		33.33	31.11	23.89	26.67											30.		
29	4 1985	N	B16	336		4.			27.																33.		
29	4 1985	N	B18	345		3.1			27.																36.		
29	4 1985	N	B19	342		4.7			27.																31.		
29	4 1985	N	B20	340		4.			26.																32.		
30	4 1985	Y	B01																						36.		
30	4 1985	Y	B02																						42.		
30	4 1985	Y	B03																						44.		
30	4 1985	Y	B04																						32.		
30	4 1985	Y	B05																						30.		
30	4 1985	Y	B06																						45.		
30	4 1985	Y	B07																						51.		
30	4 1985	Y	B08																						33.		
30	4 1985	Y	B09																						35.		
30	4 1985	Y	B10																						33.		
30	4 1985	Y	B11																						36.		
																									29.		

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Dry Season

DAY NO.	YEAR	DATA?	PON#	TIME	WATER										KJELDAKE	TOTAL NO2 & N	TOTAL F	SECHII		CHLOR-		CHLOR-			
					DO	DO	DO	TEMP						A	B	C	D	E							
30	4 1985	Y	B13																						29.
30	4 1985	Y	B14																						25.
30	4 1985	Y	B15																						25.
30	4 1985	Y	B16																						25.
30	4 1985	Y	B18																						26.
30	4 1985	Y	B19																						26.
30	4 1985	Y	B20																						29.
2	5 1985	Y	B01																						47.
2	5 1985	Y	B02																						49.
2	5 1985	Y	B03																						36.
2	5 1985	Y	B04																						35.
2	5 1985	Y	B05																						40.
2	5 1985	Y	B06																						56.
2	5 1985	Y	B07																						39.
2	5 1985	Y	B08																						28.
2	5 1985	Y	B09																						41.
2	5 1985	Y	B10																						40.
2	5 1985	Y	B11																						31.
2	5 1985	Y	B13																						48.
2	5 1985	Y	B14																						26.
2	5 1985	Y	B15																						32.
2	5 1985	Y	B16																						32.
2	5 1985	Y	B18																						33.
2	5 1985	Y	B19																						37.
2	5 1985	Y	B20																						30.
3	5 1985	N	B01	255	4.9	4.9	4.9	30.75	20.5	30.	31.11	30.	28.33	27.22		7.9	0.0301								41.
3	5 1985	N	B02	259	4.2	4.2	4.2	30.	30.	30.						7.7	0.0538								41.
3	5 1985	N	B03	303	5.2	5.2	5.3	30.	30.	29.8	31.11	29.44	28.89	28.33		7.8	0.0645								31.
3	5 1985	N	B04	306	5.4	5.5	5.5	29.3	29.8	29.75						7.6	0.0635								33.
3	5 1985	N	B05	310	4.5	4.5	4.6	30.1	30.1	30.						7.8	0.0638								41.
3	5 1985	N	B06	314	5.	5.	5.	30.25	30.25	30.1						7.8	0.0595								60.
3	5 1985	N	B07	316	4.7		4.8	30.		29.8	31.22	32.22	26.33	29.33		7.8	0.0552								29.
3	5 1985	N	B09	324	3.4		3.5	30.		30.	31.67	30.	28.33	27.78		7.8	0.0717								32.
3	5 1985	N	B10	326	4.7		4.7	30.		30.						7.8	0.0631								34.
3	5 1985	N	B10	329	4.7		4.7	30.		30.						7.8	0.043								42.
3	5 1985	N	B11	317	3.6		3.7	29.5		29.25						7.6	0.0487								31.
3	5 1985	N	B13	329	2.6		2.5	30.		29.15						7.9	0.0688								27.
3	5 1985	N	B14	331		3.9		29.		30.56	31.67	27.78	28.33		7.6	0.0595									25.
3	5 1985	N	B15	332		6.8		29.1		30.56	30.	26.67	28.89		6.9	0.0502									35.
3	5 1985	N	B16	333		3.7		29.								7.8	0.0495								36.
3	5 1985	N	B18	337		3.7		29.								7.8	0.0609								24.
3	5 1985	N	B19	336		4.1		29.								8.	0.0562								28.
3	5 1985	N	B20	335		2.9		29.								7.5	0.0659								26.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MO.	YEAR	DATA?	POND#	TIME	@ TOP	@ MID	BOTTOM	WATER						KJELDAHL	PH	N	TOTAL				SECHII				CHLOR-		CHLOR-	
									DO	DO	DO	TEMP	TEMP	TEMP	TEMP			NH3-N	NO2-N	NO3-N	P	NO2 & P	TOTAL	ORTHO	DISK	DISK	OPHYLL	OPHYLL	OPHYLL
27	8	1985	Y	B06																									
27	8	1985	Y	B07																								34.	
27	8	1985	Y	B08																								55.	
27	8	1985	Y	B09																								43.	
27	8	1985	Y	B10																								55.	
27	8	1985	Y	B11																								47.	
27	8	1985	Y	B13																								49.	
27	8	1985	Y	B14																								51.	
27	8	1985	Y	B15																								48.	
27	8	1985	Y	B16																								53.	
27	8	1985	Y	B18																								55.	
27	8	1985	Y	B19																								54.	
27	8	1985	Y	B20																								50.	
28	8	1985	Y	B01	436	3.5			33.5										8.									55.	
28	8	1985	Y	B02	438	4.2			33.5										7.9									47.	
28	8	1985	Y	B03	439	3.5			33.75										8.2									55.	
28	8	1985	Y	B04	441	2.9			33.75										7.9									46.	
28	8	1985	Y	B05	443	2.6			33.5										8.1									50.	
28	8	1985	Y	B06	445	2.8			33.5										7.8									47.	
28	8	1985	Y	B07	457	4.1		32.15											8.									39.	
28	8	1985	Y	B08	455	3.6		32.25											8.1									53.	
28	8	1985	Y	B09	453	3.9		32.5											8.4									45.	
28	8	1985	Y	B10	451	3.4		34.											7.9									54.	
28	8	1985	Y	B11	449	4.1		34.											7.4									42.	
28	8	1985	Y	B13	501	4.		32.1											8.3									41.	
28	8	1985	Y	B14	503	3.2		32.5											7.7									56.	
28	8	1985	Y	B15	505	2.8		32.9											8.									47.	
28	8	1985	Y	B16	507	3.2		32.5											8.									52.	
28	8	1985	Y	B18	520	2.9		32.25											8.2									53.	
28	8	1985	Y	B19	517	3.		32.25											7.9									53.	
28	8	1985	Y	B20	513	3.		32.											7.8									45.	
29	8	1985	N	B01															0.0344	0.0191	0.562	0.5811	0.3692	41.		22.8	4.8	17.5	
29	8	1985	N	B02															0.0358	0.0053	0.576	0.5835	0.3359	55.		21.1	5.6	18.5	
29	8	1985	N	B03															0.0287	0.0153	0.539	0.5543	0.2074	44.		30.	9.	30.4	
29	8	1985	N	B04															0.0466	0.0164	0.539	0.5554	0.2908	56.		19.5	10.3	19.7	
29	8	1985	N	B05															0.0323	0.0191	0.624	0.6431	0.5243	41.		49.5	12.4	33.5	
29	8	1985	N	B06															0.0287	0.0164	0.539	0.5554	0.1591	44.		18.9	9.7	19.1	
29	8	1985	N	B07															0.0215	0.009	0.547	0.556	0.4743	53.		21.5	9.1	18.7	
29	8	1985	N	B08															0.0294	0.0188	0.478	0.4966	0.3692	40.		28.	8.4	28.4	
29	8	1985	N	B09															0.0244	0.0033	0.654	0.6573	0.561	53.		8.3	6.6	5.	
29	8	1985	N	B10															0.0215	0.0137	0.654	0.6677	0.4343	44.		29.2	6.2	15.2	
29	8	1985	N	B11															0.0287	0.0164	0.509	0.5254	0.1057	32.		23.1	4.8	17.7	
29	8	1985	N	B13															0.038	0.0044	0.279	0.2834	0.6778	50.		5.8	7.6	17.3	
29	8	1985	N	B14															0.0152	0.0068	0.8	0.8069	0.551	46.		20.8	17.3	48.2	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MO.	YEAR	EXTRA	DO	DO	DO	DO	@ TOP	@ MID	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ MAX	TEMP @ MIN	BOT-MAX	BOT-MIN	ALKA.	HARD.	PH	KJELDAHL	TOTAL				SECHII				CHLOR-							
																								NH3-N	NO2-N	NO3-N	P	PO4-P	TOTAL	ORTH	DISK	DISK	DPHYLL	DPHYLL	DPHYLL	A	B	A	B
29	8	1985	N	B15																						0.0244	0.0082	0.463	0.4712	0.7912	51.	21.2	7.	21.5					
29	8	1985	N	B16																						0.0251	0.0134	0.417	0.4304	0.4776	48.	26.8	11.9	35.4					
29	8	1985	N	B18																						0.0237	0.0104	0.884	0.6944	0.4009	55.	42.2	8.2	49.9					
29	8	1985	N	B19																						0.0229	0.0134	0.731	0.7444	0.3259	41.	43.6	4.6	39.					
29	8	1985	N	B20																						0.0201	0.009	0.164	0.173	0.2441	53.	13.5	11.8	3.4					
30	8	1985	N	B01	502			3.			33.25														8.1						38.								
30	8	1985	N	B02	503			7.			33.5														8.1						55.								
30	8	1985	N	B03	505			4.7			33.														8.1						38.								
30	8	1985	N	B04	506			4.5			33.														7.9						56.								
30	8	1985	N	B05	507			2.9			33.														8.2						37.								
30	8	1985	N	B06	509			3.4			33.														7.4						36.								
30	8	1985	N	B07	522			4.4			33.15														8.						52.								
30	8	1985	N	B08	520			3.6			33.15														8.						46.								
30	8	1985	N	B09	518			5.5			33.25														8.3						53.								
30	8	1985	N	B10	515			4.1			33.														7.9						46.								
30	8	1985	N	B11	512			4.3			33.25														7.6						39.								
30	8	1985	N	B13	525			5.4			32.9														8.4						50.								
30	8	1985	N	B14	527			3.6			33.														7.6						46.								
30	8	1985	N	B15	529			3.1			33.5														8.1						51.								
30	8	1985	N	B16	530			3.5			33.														8.						45.								
30	8	1985	N	B18	535			3.4			33.														8.3						52.								
30	8	1985	N	B19	533			3.1			33.														8.						47.								
30	8	1985	N	B20	532			4.			33.														7.9						53.								
2	9	1985	N	B01	442			4.2			31.			34.44			28.33								8.5						36.								
2	9	1985	N	B02	444			5.2			31.														8.3						54.								
2	9	1985	N	B03	446			6.2			31.			35.56			28.89								8.8						30.								
2	9	1985	N	B04	448			5.6			30.9														8.2						54.								
2	9	1985	N	B05	449			4.7			36.75														8.5						32.								
2	9	1985	N	B06	450			4.9			30.75														8.4						31.								
2	9	1985	N	B07	500			5.1			31.			35.			27.78								8.5						41.								
2	9	1985	N	B08	458			4.5			30.5			35.			27.22								8.3						39.								
2	9	1985	N	B09	456			6.2			30.5														8.5						53.								
2	9	1985	N	B10	454			4.7			30.75														8.2						46.								
2	9	1985	N	B11	453			5.1			30.5														8.3						32.								
2	9	1985	N	B13	503			6.3			30.5														8.4						57.								
2	9	1985	N	B14	505			3.9			30.5			35.			27.78								7.9						53.								
2	9	1985	N	B15	507			4.			30.5			35.			28.89								8.2						44.								
2	9	1985	N	B16	509			4.5			30.5														8.3						35.								
2	9	1985	N	B18	515			4.			30.25														8.6						45.								
2	9	1985	N	B19	513			3.9			30.5														8.3						36.								
2	9	1985	N	B20	511			4.5			30.5														8.3						41.								
3	9	1985	Y	B01																															34.				
3	9	1985	Y	B02																															55.				
3	9	1985	Y	B03																															30.				

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	DATA?	POINT#	TIME	WATER						KJELDAHL	TOTAL						SECHII		SECHII		CHLOR-		CHLOR-						
					DO	DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TOP-MIN	BOT-MIN	ALKA.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	NO3-N	P	PO4-P	A	B
3	9 1985	Y	B04																											
3	9 1985	Y	B05																										56.	
3	9 1985	Y	B06																										27.	
3	9 1985	Y	B07																										33.	
3	9 1985	Y	B08																										36.	
3	9 1985	Y	B09																										27.	
3	9 1985	Y	B10																										53.	
3	9 1985	Y	B11																										35.	
3	9 1985	Y	B13																										30.	
3	9 1985	Y	B14																										55.	
3	9 1985	Y	B15																										52.	
3	9 1985	Y	B16																										44.	
3	9 1985	Y	B18																										39.	
3	9 1985	Y	B19																										39.	
3	9 1985	Y	B20																										45.	
4	9 1985	Y	B01	445		5.			29.9																				39.	
4	9 1985	Y	B02	447		6.4			30.																				27.	
4	9 1985	Y	B03	449		7.9			30.																				40.	
4	9 1985	Y	B04	451		8.			30.																			32.		
4	9 1985	Y	B05	453		6.9		29.75																				36.		
4	9 1985	Y	B06	455		6.5		29.5																				30.		
4	9 1985	Y	B07	505		7.4		29.75																				35.		
4	9 1985	Y	B08	503		6.9		29.9																				33.		
4	9 1985	Y	B09	501		8.		29.9																				28.		
4	9 1985	Y	B10	449		7.		29.9																				59.		
4	9 1985	Y	B11	448		7.4		30.																				30.		
4	9 1985	Y	B13	510		6.5		29.75																				30.		
4	9 1985	Y	B14	512		5.8		29.9																				61.		
4	9 1985	Y	B15	514		5.6		30.																				44.		
4	9 1985	Y	B16	520		5.9		30.																				40.		
4	9 1985	Y	B18	530		6.5		30.																				27.		
4	9 1985	Y	B19	527		6.9		30.																				32.		
4	9 1985	Y	B20	525		4.4		30.																				36.		
5	9 1985	Y	B01																										30.	
5	9 1985	Y	B02																										25.	
5	9 1985	Y	B03																										48.	
5	9 1985	Y	B04																										31.	
5	9 1985	Y	B05																										38.	
5	9 1985	Y	B06																										26.	
5	9 1985	Y	B07																										30.	
5	9 1985	Y	B08																										27.	
5	9 1985	Y	B09																										26.	
5	9 1985	Y	B10																										50.	
5	9 1985	Y	B11																										34.	
																													31.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MO.	YEAR	DATA?	POND#	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP		WATER TEMP @ TOP		WATER TEMP @ MID		WATER TEMP @ BOTTOM		WATER TEMP @ MAX		WATER TEMP @ MIN		ALK.	HARD.	KJELDAHL		TOTAL NO2 & P		TOTAL ORTHO PO4-P		SECHII DISK A		SECHII DISK B		CHLOR-OPHYLL A		CHLOR-OPHYLL B		CHLOR-OPHYLL C	
									TEMP	TEMP	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	PH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	A	B	C									
12	9	1985	N	B10	459	3.			33.									7.2		0.0315	0.0175	0.279	0.2965	0.1641	36.		19.9	3.7	17.1									
12	9	1985	N	B11	455	4.4			33.									7.5		0.0301	0.0137	0.509	0.5227	0.0206	39.		21.3	3.9	18.3									
12	9	1985	N	B13	504	5.4			33.9									8.4		0.0208	0.0044	0.106	0.1104	0.8679	59.		13.5	5.1	16.									
12	9	1985	N	B14	505		5.6		34.									6.		0.0287	0.0095	0.24	0.2498	0.526	47.		27.5	6.4	11.3									
12	9	1985	N	B15	506		3.4		34.									8.1		0.0595	0.0317	0.355	0.3867	1.1264	35.		36.5	2.9	17.6									
12	9	1985	N	B16	508		2.3		34.									7.6		0.0358	0.0207	0.624	0.6447	0.6344	30.		24.9	5.6	23.1									
12	9	1985	N	B18	515		3.9		34.									7.9		0.0294	0.018	0.662	0.68	0.9013	35.		27.1	4.5	21.5									
12	9	1985	N	B19	513		5.2		33.									7.1		0.0287	0.0153	0.616	0.6313	0.2958	40.		24.9	5.	21.7									
12	9	1985	N	B20	511		4.3		34.									7.6		0.0609	0.0235	0.363	0.3865	0.2391	30.		24.9	5.	21.7									
16	9	1985	N	B01	445		5.8		29.5									8.9								25.												
16	9	1985	N	B02	447		7.2		29.25									7.9								73.												
16	9	1985	N	B03	449		4.6		29.75									8.6								32.												
16	9	1985	N	B04	450		3.5		29.5									8.3								35.												
16	9	1985	N	B05	451		3.2		29.8									8.6								27.												
16	9	1985	N	B06	453		2.5		29.									8.2								32.												
16	9	1985	N	B07	504	4.4		29.9										8.7								56.												
16	9	1985	N	B08	502	3.2		29.										8.5								33.												
16	9	1985	N	B09	500	4.4		29.5										8.4								64.												
16	9	1985	N	B10	458	3.2		29.5										8.4								32.												
16	9	1985	N	B11	456	4.		29.75										8.6								45.												
16	9	1985	N	B13	507	4.2		29.5										8.8								59.												
16	9	1985	N	B14	510		3.1		29.75									8.6								51.												
16	9	1985	N	B15	512		0.4		29.9									8.6								28.												
16	9	1985	N	B16	515		2.6		29.9									8.6								28.												
16	9	1985	N	B18	530		3.		29.5									8.3								40.												
16	9	1985	N	B19	526		2.4		29.25									8.5								38.												
16	9	1985	N	B20	525		3.2		29.5									8.4								35.												
17	9	1985	Y	B01				35.			25.																23.											
17	9	1985	Y	B02																							74.											
17	9	1985	Y	B03				35.56			27.22																22.											
17	9	1985	Y	B04																							58.											
17	9	1985	Y	B05																							22.											
17	9	1985	Y	B06																							26.											
17	9	1985	Y	B07				34.44			26.11																58.											
17	9	1985	Y	B08				33.89			26.11																35.											
17	9	1985	Y	B09																							75.											
17	9	1985	Y	B10																							32.											
17	9	1985	Y	B11																							51.											
17	9	1985	Y	B13																							60.											
17	9	1985	Y	B14				35.56			26.67																42.											
17	9	1985	Y	B15				36.11			26.67																29.											
17	9	1985	Y	B16																							35.											
17	9	1985	Y	B18																							36.											
17	9	1985	Y	B19																							36.											

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII			SECHII			CHLOR-					
					DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKAL.	HARD.	pH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	A	B
17	9 1985	Y	B20																										
18	9 1985	Y	B01	445		5.				30.									8.4									32.	
18	9 1985	Y	B02	447		5.9			30.										8.6									21.	
18	9 1985	Y	B03	449		4.3			30.										8.									74.	
18	9 1985	Y	B04	451		5.6			30.5										7.9								21.		
18	9 1985	Y	B05	452		3.2			30.5										7.8								57.		
18	9 1985	Y	B06	454		4.			30.25										7.7								19.		
18	9 1985	Y	B07	504	5.2			30.25											8.4								32.		
18	9 1985	Y	B08	502	4.3			30.											8.								57.		
18	9 1985	Y	B09	500	4.6			30.5											8.5								30.		
18	9 1985	Y	B10	459	3.8			30.25											7.5								63.		
18	9 1985	Y	B11	458	4.2			30.											7.7								29.		
18	9 1985	Y	B13	512	5.2			30.											8.4								45.		
18	9 1985	Y	B14	515		4.2		30.5											8.9								55.		
18	9 1985	Y	B15	519		2.2		31.25											8.								47.		
18	9 1985	Y	B16	520		3.2		31.											7.8								30.		
18	9 1985	Y	B18	527		4.5		31.											8.1								31.		
18	9 1985	Y	B19	524		3.5		30.5											7.9								46.		
18	9 1985	Y	B20	523		4.2		30.25											7.9								36.		
19	9 1985	Y	B01																									34.	
19	9 1985	Y	B02																									23.	
19	9 1985	Y	B03																									73.	
19	9 1985	Y	B04																									27.	
19	9 1985	Y	B05																									55.	
19	9 1985	Y	B06																									17.	
19	9 1985	Y	B07																									35.	
19	9 1985	Y	B08																									56.	
19	9 1985	Y	B09																									24.	
19	9 1985	Y	B10																									61.	
19	9 1985	Y	B11																									29.	
19	9 1985	Y	B13																									62.	
19	9 1985	Y	B14																									53.	
19	9 1985	Y	B15																									49.	
19	9 1985	Y	B16																									28.	
19	9 1985	Y	B18																									31.	
19	9 1985	Y	B19																									51.	
19	9 1985	Y	B20																									31.	
20	9 1985	N	B01	428	2.		2.8	33.25		33.25									8.5								33.		
20	9 1985	N	B02	430	5.5		4.8	34.		32.5									8.1								27.		
20	9 1985	N	B03	432	3.9		4.1	35.		34.									8.3								77.		
20	9 1985	N	B04	434	6.2		6.4	34.		33.									8.								22.		
20	9 1985	N	B05	436	4.2		4.2	33.5		33.5									8.								81.		
20	9 1985	N	B06	437	2.6		2.7	33.8		33.8									7.5								29.		
20	9 1985	N	B07	448	4.2			33.75											8.2								30.		
																												45.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY NO.	YEAR	DATA?	PONDS	TIME	WATER						WATER						KJELDAHL						TOTAL						SECHII						CHLOR-					
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MAX	TEMP @ TOP-MIN	TEMP @ MID-MIN	TEMP @ BOTTOM-MIN	ALKALI.	HARD.	pH	N	NH3-N	NO2-N	P	PO4-P	A	B	C	DISK	DISK	DISK	DISK	DISK	DISK	DISK	DISK	DISK	DISK	DISK	DISK	
20	9 1985	N	B08	446	2.			34.											8.2																		22.			
20	9 1985	N	B09	444	3.6			33.5											8.2																		50.			
20	9 1985	N	B10	443	2.7			34.											7.8																		25.			
20	9 1985	N	B11	441	3.5			33.5											7.2																		46.			
20	9 1985	N	B13	451	4.			34.											8.4																		27.			
20	9 1985	N	B14	443		3.5			33.										8.																		36.			
20	9 1985	N	B15	445		1.		33.75											8.																		22.			
20	9 1985	N	B16	446		3.1		34.											8.1																		25.			
20	9 1985	N	B18	503		3.3		34.											7.4																		50.			
20	9 1985	N	B19	501		2.3		33.5											7.5																		36.			
20	9 1985	N	B20	448		3.6		33.8											8.2																		27.			
23	9 1985	N	B01	450	9.9	10.2	3.1	32.	31.75	31.5	30.			28.89					8.4																		31.			
23	9 1985	N	B02	452	5.2	5.4	5.	33.	33.	32.									8.																		95.			
23	9 1985	N	B03	454	6.8	6.	2.1	34.75	33.	30.	30.			28.89					8.4																		27.			
23	9 1985	N	B04	456	3.4	2.7	2.1	32.75	32.	32.									8.																		94.			
23	9 1985	N	B05	458	4.2	5.6	3.2	32.9	32.	32.									8.2																		43.			
23	9 1985	N	B06	500	5.4	5.7	1.5	32.	32.	32.									8.2																		35.			
23	9 1985	N	B07	510	4.6		5.	31.	30.75	33.33		28.89						8.3																		50.				
23	9 1985	N	B08	506	1.			32.	32.15	31.67		28.89						7.8																		33.				
23	9 1985	N	B09	506	4.6	5.	2.	33.25		32.25								8.4																		52.				
23	9 1985	N	B10	505	5.		2.6	32.25		32.5								8.4																		31.				
23	9 1985	N	B11	502	4.9		2.1	34.		31.25								7.9																		37.				
23	9 1985	N	B13	515	3.		2.9	33.15		33.								8.7																		48.				
23	9 1985	N	B14	518		1.8		34.		35.		26.11						8.3																		33.				
23	9 1985	N	B15	520		0.1		33.5		35.		26.11						8.4																		30.				
23	9 1985	N	B16	524		2.1		29.										8.8																			24.			
23	9 1985	N	B18	540		2.4		28.										8.3																			37.			
23	9 1985	N	B19	537		4.		27.25										8.5																		33.				
23	9 1985	N	B20	533		3.2		28.75										8.8																		30.				
24	9 1985	Y	B01																																		36.			
24	9 1985	Y	B02																																		97.			
24	9 1985	Y	B03																																		31.			
24	9 1985	Y	B04																																		123.			
24	9 1985	Y	B05																																		36.			
24	9 1985	Y	B06																																		40.			
24	9 1985	Y	B07																																		65.			
24	9 1985	Y	B08																																		33.			
24	9 1985	Y	B09																																		49.			
24	9 1985	Y	B10																																		35.			
24	9 1985	Y	B11																																		39.			
24	9 1985	Y	B13																																		40.			
24	9 1985	Y	B14																																		36.			
24	9 1985	Y	B15																																		33.			
24	9 1985	Y	B16																																		27.			

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY MO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	PH	N	NH3-N	NO2-N	NO3-N	P	TOTAL		SECHII		CHLOR-		CHLOR-		
					DO @ TOP	DO @ MID BOTTOM	TEMP @ TOP	TEMP @ MID BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX								P04-P	A	B	A	B	A	B	C	
20	8 1985	Y	B08																8.3							
20	8 1985	Y	B09																8.5							
20	8 1985	Y	B10																7.8							
20	8 1985	Y	B11																8.							
20	8 1985	Y	B13																8.3							
20	8 1985	Y	B14																8.1							
20	8 1985	Y	B15																8.3							
20	8 1985	Y	B16																8.2							
20	8 1985	Y	B18																8.2							
20	8 1985	Y	B19																8.2							
20	8 1985	Y	B20																8.1							
21	8 1985	Y	B01	315		4.8			30.15										8.3							30.
21	8 1985	Y	B02	317		4.4			30.										8.1							34.
21	8 1985	Y	B03	319		5.9			30.										8.3							45.
21	8 1985	Y	B04	321		5.4			30.										8.1							33.
21	8 1985	Y	B05	323		5.6			30.										8.5							36.
21	8 1985	Y	B06	325		5.4			30.										8.1							33.
21	8 1985	Y	B07	336	3.1		28.75												8.5							32.
21	8 1985	Y	B08	334	4.2		30.												8.2							56.
21	8 1985	Y	B09	332	3.6		30.												8.2							55.
21	8 1985	Y	B10	330	6.3		29.9												8.3							37.
21	8 1985	Y	B11	328	5.2		29.9												8.3							49.
21	8 1985	Y	B13	339	4.6		28.5												8.5							58.
21	8 1985	Y	B14	341		5.7	30.25												8.4							45.
21	8 1985	Y	B15	342		5.	30.25												8.4							54.
21	8 1985	Y	B16	343		5.8		30.											8.2							55.
21	8 1985	Y	B18	350		5.2		30.											8.3							50.
21	8 1985	Y	B19	347		5.4		30.											8.2							47.
21	8 1985	Y	B20	345		5.7		30.											8.2							55.
22	8 1985	Y	B01																							39.
22	8 1985	Y	B02																							36.
22	8 1985	Y	B03																							37.
22	8 1985	Y	B04																							35.
22	8 1985	Y	B05																							36.
22	8 1985	Y	B06																							31.
22	8 1985	Y	B07																							56.
22	8 1985	Y	B08																							51.
22	8 1985	Y	B09																							54.
22	8 1985	Y	B10																							31.
22	8 1985	Y	B11																							52.
22	8 1985	Y	B13																							44.
22	8 1985	Y	B14																							42.
22	8 1985	Y	B15																							52.
22	8 1985	Y	B16																							55.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MG.	YEAR	DATA?	POND#	TIME	EXTRA	DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKAL.	HARD.	PH	KJELDAHL	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	NO <sub>2</sub> & NO <sub>3</sub> -N	TOTAL P	TOTAL			SECHII			SECHII			CHLOR-		
22	8	1985	Y	B18																																					
22	8	1985	Y	B19																																50.					
22	8	1985	Y	B20																															51.						
23	8	1985	N	B01	435		4.8			30.																								54.							
23	8	1985	N	B02	437		5.1			28.																								28.							
23	8	1985	N	B03	439		4.9			30.																								27.							
23	8	1985	N	B04	441		4.7			30.																								32.							
23	8	1985	N	B05	443		4.1			30.																								29.							
23	8	1985	N	B06	445		4.2			30.																								27.							
23	8	1985	N	B07	457	4.4				30.																								24.							
23	8	1985	N	B08	455	4.4				29.9																								43.							
23	8	1985	N	B09	453	4.3				30.																								39.							
23	8	1985	N	B10	451	4.1				30.																								39.							
23	8	1985	N	B11	449	4.9				30.																								41.							
23	8	1985	N	B13	501	4.4				30.																								32.							
23	8	1985	N	B14	503	4.3				29.9																								52.							
23	8	1985	N	B15	504	4.2				30.																								49.							
23	8	1985	N	B16	507	4.4				29.9																								53.							
23	8	1985	N	B18	519	4.4				29.5																								53.							
23	8	1985	N	B19	516	3.9				29.5																								47.							
23	8	1985	N	B20	513	4.5				29.5																								45.							
26	8	1985	N	B01	435	1.9				32.				34.44				27.78																	50.						
26	8	1985	N	B02	437	3.5				31.5																								58.							
26	8	1985	N	B03	439	3.7				31.5				35.56				28.89																54.							
26	8	1985	N	B04	441	4.				31.75																								42.							
26	8	1985	N	B05	443	2.4				32.																								40.							
26	8	1985	N	B06	445	3.5				31.75																								32.							
26	8	1985	N	B07	457	4.4				31.9				35.				27.22																	27.						
26	8	1985	N	B08	455	4.4				31.5				34.44				27.22																	56.						
26	8	1985	N	B09	453	4.6				31.5																								44.							
26	8	1985	N	B10	451	4.2				32.																								56.							
26	8	1985	N	B11	449	4.4				31.9																								46.							
26	8	1985	N	B13	459	4.2				31.5																								47.							
26	8	1985	N	B14	500	3.6				31.5				35.				27.78																	51.						
26	8	1985	N	B15	502	3.8				31.9				34.44				28.89																48.							
26	8	1985	N	B16	503	4.1				31.75																								54.							
26	8	1985	N	B18	507	3.6				31.25																								53.							
26	8	1985	N	B19	505	3.3				31.5																								45.							
26	8	1985	N	B20	503	4.4				31.5																								51.							
27	8	1985	Y	B01																															47.						
27	8	1985	Y	B02																															46.						
27	8	1985	Y	B03																															52.						
27	8	1985	Y	B04																															42.						
27	8	1985	Y	B05																															42.						
27	8	1985	Y	B05																															45.						

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL NO2 & NH3-N	TOTAL P	SECHII			SECHII			CHLOR-				
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM				N	NO2-N	NO3-N	PC4-P	A	B	C	OPHYLL	OPHYLL	OPHYLL	
1	10 1985	Y	B15																		33.			
1	10 1985	Y	B16																		30.			
1	10 1985	Y	B18																		32.			
1	10 1985	Y	B19																		50.			
1	10 1985	Y	B20																		25.			
2	10 1985	N	A29	535	2.2		26.																	
2	10 1985	N	A30	536	3.9		25.75																	
2	10 1985	N	A31	538	3.3		25.15																	
2	10 1985	N	A32	539	2.9		25.25																	
2	10 1985	N	A33	541	3.7		25.																	
2	10 1985	N	A34	542	5.2		25.																	
2	10 1985	N	A35	543	4.1		25.																	
2	10 1985	N	A36	554	3.2		25.25																	
2	10 1985	N	A37	552	2.		25.5																	
2	10 1985	N	A38	551	2.6		25.75																	
2	10 1985	N	A39	549	1.4		25.5																	
2	10 1985	N	A40	548	2.5		25.25																	
2	10 1985	N	A41	546	1.6		25.5																	
2	10 1985	N	A42	545	3.6		25.25																	
2	10 1985	N	A43	558	4.		27.																	
2	10 1985	N	A44	600	3.7		26.25																	
2	10 1985	N	A45	602	3.8		26.75																	
2	10 1985	N	A46	603	3.9		27.																	
2	10 1985	N	A47	605	3.1		26.25																	
2	10 1985	N	A48	606	2.7		26.5																	
2	10 1985	N	A49	607	2.8		26.5																	
2	10 1985	N	B01	433	4.1	4.3	4.4	28.		28.						8.2								
2	10 1985	N	B02	435	5.8	8.6	0.8	28.25		31.						8.								
2	10 1985	N	B03	436	4.8	7.8	1.8	28.		32.						7.8								
2	10 1985	N	B04	438	5.	5.	2.8	29.		29.5						8.								
2	10 1985	N	B05	438	3.6	3.6	3.8	28.		28.						8.								
2	10 1985	N	B06	439	4.	4.2	4.4	27.5		28.						7.8								
2	10 1985	N	B07	449	2.6		2.8	25.25		26.						7.9								
2	10 1985	N	B08	447	1.		1.7	26.		26.						7.6								
2	10 1985	N	B09	445	1.6		1.8	25.		25.5						7.8								
2	10 1985	N	B10	443	1.1		1.2	21.		22.5						7.6								
2	10 1985	N	B11	440	3.		2.6	21.5		22.						7.1								
2	10 1985	N	B13	552	1.4		1.2	26.		26.25						7.8								
2	10 1985	N	B14	554		1.7		24.								7.9								
2	10 1985	N	B15	557		2.		20.5								7.5								
2	10 1985	N	B16	559		2.2		22.								7.4								
2	10 1985	N	B18	521		3.2		23.								7.9								
2	10 1985	N	B19	519		2.7		24.								7.2								
2	10 1985	N	B20	517		2.2		22.								7.1								

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	DATA#	POINT	TIME	WATER						WATER						KJELDAHL						TOTAL						
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKA.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	NO2-N & NO3-N	P	ORTHOPHOSPHATE	DISK A	DISK B	CHLOROPHYLL A	CHLOROPHYLL B	CHLOROPHYLL C
4	10 1985	N	A29																										
4	10 1985	N	A30																										
4	10 1985	N	A31																										
4	10 1985	N	A32																										
4	10 1985	N	A33																										
4	10 1985	N	A34																										
4	10 1985	N	A35																										
4	10 1985	N	A36																										
4	10 1985	N	A37																										
4	10 1985	N	A38																										
4	10 1985	N	A39																										
4	10 1985	N	A40																										
4	10 1985	N	A41																										
4	10 1985	N	A42																										
4	10 1985	N	A43																										
4	10 1985	N	A44																										
4	10 1985	N	A45																										
4	10 1985	N	A46																										
4	10 1985	N	A47																										
4	10 1985	N	A48																										
4	10 1985	N	A49																										
7	10 1985	N	A29	530	3.			29.																					
7	10 1985	N	A30	531	2.4			29.																					50.
7	10 1985	N	A31	533	1.1			29.																				45.	
7	10 1985	N	A32	534	2.			28.5																				35.	
7	10 1985	N	A33	536	1.3			29.																				30.	
7	10 1985	N	A34	537	1.9			28.5																				25.	
7	10 1985	N	A35	538	2.4			28.75																				25.	
7	10 1985	N	A36	552	5.8			29.																				35.	
7	10 1985	N	A37	550	3.7			28.75																				50.	
7	10 1985	N	A38	549	5.4			29.																				40.	
7	10 1985	N	A39	547	5.9			29.																				55.	
7	10 1985	N	A40	544	5.2			29.																				45.	
7	10 1985	N	A41	542	3.6			28.75																				50.	
7	10 1985	N	A42	541	3.8			28.75																				35.	
7	10 1985	N	A43	555	2.6			29.																				45.	
7	10 1985	N	A44	556	3.3			28.75																				45.	
7	10 1985	N	A45	558	5.5			28.25																				45.	
7	10 1985	N	A46	559	5.3			28.75																				50.	
7	10 1985	N	A47	601	5.7			28.75																				40.	
7	10 1985	N	A48	602	4.8			28.75																				35.	
7	10 1985	N	A49	604	5.6			28.5																				45.	
7	10 1985	N	B01	436	6.1	5.2	5.9	33.	33.	33.5	33.89	32.22	25.56	26.67					8.2									35.	
7	10 1985	N	B02	438	5.9	6.2	6.3	32.	32.75	32.										8.1								36.	
																													32.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY NO.	YEAR	DATA?	POUND	TIME	WATER										KJELDAHL		TOTAL		SECHII		CHLOR-		CHLOR-				
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALK.	HARD.	PH	N	NH <sub>3</sub> -N	N02-N	I03-N	I03-W	P	PO4-P	A	B	A
7	10 1985	N	B03	440	1.2	1.6	2.2	31.25	32.	32.	32.78	33.89	23.33	27.22			7.5									102.	
7	10 1985	N	B04	441	3.8	4.1	3.6	31.	32.	32.							8.									57.	
7	10 1985	N	B05	443	4.4	5.	4.8	31.	32.	32.							8.2									42.	
7	10 1985	N	B06	445	5.6	6.	5.9	31.	32.	31.75							8.									51.	
7	10 1985	N	B07	455	2.6		2.6	31.		32.	31.67	31.11	25.56	27.78			6.3									62.	
7	10 1985	N	B08	453	2.4		2.4	31.		31.5	31.5	33.89	30.56	25.56	25.			8.								26.	
7	10 1985	N	B09	451	1.8		2.2	31.5		31.							8.4									41.	
7	10 1985	N	B10	450	2.4		2.6	31.5		32.							8.4									32.	
7	10 1985	N	B11	448	2.		2.2	31.		32.							8.1									37.	
7	10 1985	N	B13	458	1.6		1.9	31.		32.							8.3									43.	
7	10 1985	N	B14	503		1.			32.		34.44	33.33	25.56	25.			8.2									27.	
7	10 1985	N	B15	506		0.1			32.		34.44	33.33	26.11	26.67			7.8									25.	
7	10 1985	N	B16	509					32.25								8.									22.	
7	10 1985	N	B18	523		0.1				31.							8.2									27.	
7	10 1985	N	B19	520						31.							7.5									30.	
7	10 1985	N	B20	519						31.5							7.3									17.	
8	10 1985	Y	B01																							30.	
8	10 1985	Y	B02																							38.	
9	10 1985	Y	B03																							104.	
8	10 1985	Y	B04																							55.	
8	10 1985	Y	B05																							28.	
9	10 1985	Y	B06																							37.	
8	10 1985	Y	B07																							54.	
9	10 1985	Y	B03																							35.	
8	10 1985	Y	B09																							38.	
8	10 1985	Y	B10																							31.	
8	10 1985	Y	B11																							37.	
8	10 1985	Y	B13																							45.	
8	10 1985	Y	B14																							25.	
8	10 1985	Y	B15																							26.	
8	10 1985	Y	B16																							25.	
8	10 1985	Y	B18																							32.	
8	10 1985	Y	B19																							41.	
8	10 1985	Y	B20																							25.	
9	10 1985	N	A29	550		1.2		28.																		50.	
9	10 1985	N	A30	551		3.4		28.																		45.	
9	10 1985	N	A31	553		2.6		28.																		35.	
9	10 1985	N	A32	554		1.6		28.																		30.	
9	10 1985	N	A33	556		2.8		27.95																		25.	
9	10 1985	N	A34	557		4.4		27.75																		25.	
9	10 1985	N	A35	558		3.8		27.95																		25.	
9	10 1985	N	A36	612		3.8		28.																		50.	
9	10 1985	N	A37	610		2.6		28.																		40.	
9	10 1985	N	A38	609		2.6		28.																		55.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER										KJELDAHL	TOTAL		SECHII		CHLOR-		CHLOR-						
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN		ALKA.	HARD.	pH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	NO <sub>2</sub> & NO <sub>3</sub> -N	TOTAL P	ORTHODISK PO4-P	DISK A	DISK B	OPHYLL A
9	10 1985	N	A39	607	3.1			28.																				
9	10 1985	N	A40	605	3.8			26.																				45.
9	10 1985	N	A41	604	2.2			28.																			50.	
9	10 1985	N	A42	602	3.8			28.																			35.	
9	10 1985	N	A43	613	4.6			28.5																			45.	
9	10 1985	N	A44	614	4.4			28.5																			45.	
9	10 1985	N	A45	610	5.2			28.5																			45.	
9	10 1985	N	A46	617	4.4			28.5																			50.	
9	10 1985	N	A47	619	3.8			28.																			40.	
9	10 1985	N	A48	621	3.2			28.																			35.	
9	10 1985	N	A49	623	4.2			28.																			45.	
9	10 1985	Y	B01	430	4.8	4.8	5.	30.	31.	31.								8.2								35.		
9	10 1985	Y	B02	432	5.4	5.4	2.1	29.9	31.	30.5								8.0333								28.		
9	10 1985	Y	B03	434	4.6	4.6	4.8	30.	31.	30.9								7.5								42.		
9	10 1985	Y	B04	436	5.2	5.2	2.6	30.	30.5	30.5								8.								139.		
9	10 1985	Y	B05	438	4.2	4.2	4.4	30.	30.75	30.5								7.9								64.		
9	10 1985	Y	B06	441	4.3	4.3	4.4	30.	30.25	30.15								7.8								39.		
9	10 1985	Y	B07	451	3.6		3.6	30.75		31.								8.2								46.		
9	10 1985	Y	B08	449	2.		2.	30.		30.5								7.5								49.		
9	10 1985	Y	B09	448	2.2		2.2	30.		30.5								7.8								29.		
9	10 1985	Y	B10	447	3.2		3.2	30.		30.75								8.3								42.		
9	10 1985	Y	B11	445	3.8		3.8	30.		30.75								8.1								32.		
9	10 1985	Y	B13	455	2.		2.	30.		31.								6.3								36.		
9	10 1985	Y	B14	457		2.4		30.15									8.1								61.			
9	10 1985	Y	B15	459		1.4			31.									8.4								26.		
9	10 1985	Y	B16	500					30.5									8.2								27.		
9	10 1985	Y	B18	425		1.3			30.									7.2								31.		
9	10 1985	Y	B19	538		1.4		30.75										7.4								35.		
9	10 1985	Y	B20	530		0.8		30.75										7.6								35.		
10	10 1985	Y	A29																							20.		
10	10 1985	Y	A30																							30.		
10	10 1985	Y	A31																							35.		
10	10 1985	Y	A32																							25.		
10	10 1985	Y	A33																							25.		
10	10 1985	Y	A34																							30.		
10	10 1985	Y	A35																							35.		
10	10 1985	Y	A36																							35.		
10	10 1985	Y	A37																							30.		
10	10 1985	Y	A38																							40.		
10	10 1985	Y	A39																							30.		
10	10 1985	Y	A40																							30.		
10	10 1985	Y	A41																							45.		
10	10 1985	Y	A42																							37.		
10	10 1985	Y	A43																							40.		
																										30.		

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY NO.	YEAR	DATA?	POND#	TIME	WATER								KJELDAHL	TOTAL				SECHII				CHLOR-					
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MAX	ALKALI.	HARD.	PH	N	NH <sub>3</sub> -N	N <sub>02</sub> -N	N <sub>03</sub> -N	P	ORTHOPHOSPHATE	DISK	DISK	OPHYLL	OPHYLL	OPHYLL
																						A	B	A	B	C	
10	10	1985	Y	A44																						30.	
10	10	1985	Y	A45																						40.	
10	10	1985	Y	A46																						30.	
10	10	1985	Y	A47																						35.	
10	10	1985	Y	A48																						35.	
10	10	1985	Y	A49																						35.	
10	10	1985	Y	B01																						41.	
10	10	1985	Y	B02																						45.	
10	10	1985	Y	B03																						140.	
10	10	1985	Y	B04																						45.	
10	10	1985	Y	B05																						36.	
10	10	1985	Y	B06																						46.	
10	10	1985	Y	B07																						53.	
10	10	1985	Y	B08																						31.	
10	10	1985	Y	B09																						41.	
10	10	1985	Y	B10																						31.	
10	10	1985	Y	B11																						34.	
10	10	1985	Y	B13																						48.	
10	10	1985	Y	B14																						30.	
10	10	1985	Y	B15																						26.	
10	10	1985	Y	B16																						26.	
10	10	1985	Y	B19																						32.	
10	10	1985	Y	B19																						36.	
10	10	1985	Y	B20																						21.	
11	10	1985	N	B01	412	5.	5.	4.6	30.	30.15	30.15				8.0333		0.0487	0.0273	0.198	0.2253	0.034	30.	24.	0.	0.		
11	10	1985	N	B02	424	4.2	5.	2.2	30.25	30.25	30.25				7.7		0.0272	0.0096	0.189	0.1986	0.0023	60.	19.4	6.5	0.		
11	10	1985	N	B03	427	5.2	7.2	7.6	30.	30.5	30.25				7.9333		0.0158	0.0076	0.328	0.3356	0.	95.	19.9	0.	0.		
11	10	1985	N	B04	429	4.4	5.	2.4	30.	30.	30.5				7.8		0.0237	0.0087	0.221	0.2297	0.	62.	18.2	0.	0.		
11	10	1985	N	B05	431	4.3	4.8	3.8	30.	30.	30.				7.8		0.0366	0.0164	0.167	0.1834	0.	40.	21.8	0.	0.		
11	10	1985	N	B06	432	4.	4.	3.4	30.	30.	30.				7.6		0.0344	0.0126	0.229	0.2418	0.	38.	18.7	0.	0.		
11	10	1985	N	B07	445	3.		1.8	30.		30.				8.5		0.0337	0.0147	0.	0.0147	0.1891	39.	22.4	0.	0.		
11	10	1985	N	B08	443	3.		2.3	30.		30.15				8.8		0.0609	0.0306	0.344	0.3746	0.0707	31.	58.	10.8	0.		
11	10	1985	N	B09	440	3.		0.2	30.		30.				8.		0.0409	0.0161	0.029	0.0451	0.129	36.	41.4	9.7	0.		
11	10	1985	N	B10	438	1.7		1.	30.		30.				7.4		0.0308	0.0139	0.045	0.0589	0.	40.	25.3	0.	0.		
11	10	1985	N	B10	531	4.		4.4	26.75		27.				7.8												30.
11	10	1985	N	B11	436	3.2		2.5	30.		30.				7.9		0.0416	0.0227	0.052	0.0747	0.	37.	64.5	6.	0.		
11	10	1985	N	B13	450	2.		2.	28.		28.				8.		0.0272	0.0109	0.	0.0109	0.6211	38.	57.4	7.6	0.		
11	10	1985	N	B14	453		1.		29.						8.		0.0416	0.0221	0.06	0.0821	0.1874	27.	58.7	9.6	0.		
11	10	1985	N	B15	456		0.4		29.						7.9		0.0487	0.0235	0.006	0.0295	0.3375	24.	142.1	14.2	24.3		
11	10	1985	N	B16	500		0.4		29.						7.1		0.0523	0.0273	0.198	0.2253	0.3042	27.	89.3	6.8	0.		
11	10	1985	N	B18	515		1.		29.						7.		0.043	0.0218	0.022	0.0438	0.020E	26.	56.2	11.4	0.		
11	10	1985	N	B19	509		0.8		29.						7.1		0.043	0.0191	0.022	0.0411	0.0039	37.	55.6	7.6	0.		
11	10	1985	N	B20	505		0.2		29.						7.4		0.0361	0.0437	0.045	0.0887	0.1207	22.	95.3	11.9	7.		
14	10	1985	Y	A29	600		4.3		26.5																35.		

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER								KJELDAHL	TOTAL				SECHII				CHLOR-		CHLOR-		
					DO	DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP		N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	F	P04-P	A	B	A	B	C		
14	10 1985	Y	A30	602	3.				26.8																	
14	10 1985	Y	A31	603	2.				26.25																	40.
14	10 1985	Y	A32	604	2.6				26.25																	30.
14	10 1985	Y	A33	605	0.9				26.25																	30.
14	10 1985	Y	A34	607	3.5				26.25																	35.
14	10 1985	Y	A35	609	3.4				26.5																	40.
14	10 1985	Y	A36	622	4.3				26.5																	35.
14	10 1985	Y	A37	620	2.1				26.5																	40.
14	10 1985	Y	A38	619	4.1				27.																	35.
14	10 1985	Y	A39	617	4.5				26.5																	40.
14	10 1985	Y	A40	615	5.6				26.5																	35.
14	10 1985	Y	A41	613	5.1				26.5																	50.
14	10 1985	Y	A42	611	3.7				26.5																	40.
14	10 1985	Y	A43	625	5.8				26.75																	50.
14	10 1985	Y	A44	626	3.				26.5																	45.
14	10 1985	Y	A45	628	5.4				26.5																	40.
14	10 1985	Y	A46	629	5.4				26.5																	40.
14	10 1985	Y	A47	631	5.1				26.5																	40.
14	10 1985	Y	A48	633	5.1				26.5																	35.
14	10 1985	Y	A49	635	4.4				26.25																	30.
16	10 1985	N	A29	510	2.6				28.25																	74.
16	10 1985	N	A30	511	4.				28.5																	
16	10 1985	N	A31	512	1.8				28.																	32.4
16	10 1985	N	A32	513	0.7				28.																	0.
16	10 1985	N	A33	514	3.				28.																	0.
16	10 1985	N	A34	515	4.5				28.																	36.9
16	10 1985	N	A35	516	2.				28.																	14.6
16	10 1985	N	A36	524	2.7				28.5																	0.
16	10 1985	N	A37	523	2.5				28.																	0.
16	10 1985	N	A38	522	3.2				28.25																	0.
16	10 1985	N	A39	521	2.6				28.25																	32.1
16	10 1985	N	A40	520	4.4				28.																	36.3
16	10 1985	N	A41	519	3.9				29.																	7.3
16	10 1985	N	A42	518	4.3				28.																	6.
16	10 1985	N	A43	526	5.4				28.75																	0.
16	10 1985	N	A44	527	4.				28.25																	11.1
16	10 1985	N	A45	528	5.2				28.25																	17.1
16	10 1985	N	A46	529	4.6				28.																	0.
16	10 1985	N	A47	530	4.4				28.																	18.3
16	10 1985	N	A48	531	3.6				28.																	4.1
16	10 1985	N	A49	532	3.8				28.																	12.5
17	10 1985	N	A29	601	2.7				28.																	0.
17	10 1985	N	A30	603	4.2				28.																	9.1
17	10 1985	N	A31	604	2.6				28.																	6.2
																										33.7

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	DO	DO	DO	DO %	TEMP	TEMP	TEMP @	WATER	WATER	WATER	WATER	WATER	KJELDAHL	TOTAL				SECHII				CHLOR-							
																						%	N02-N	TOTAL	P	ORTHO	DISK	DISK	OXYPHILL	OXYPHILL	OXYPHILL	OXYPHILL	
17	10 1985	N	A32	605		2.			28.													0.039	0.023	0.275	0.299	0.1474	30.	26.	7.8	26.4			
17	10 1985	N	A33	606		2.8			28.													0.026	0.015	0.033	0.098	0.0523	30.	16.4	3.	1.3			
17	10 1985	N	A34	608		3.8			28.													0.015	0.01	0.	0.01	0.	40.	24.9	6.	0.			
17	10 1985	N	A35	610		2.6			28.													0.026	0.017	0.175	0.192	0.	30.	19.4	6.5	0.			
17	10 1985	N	A36	622		1.2			27.5													0.025	0.015	0.116	0.131	0.099	35.	45.4	0.	0.			
17	10 1985	N	A37	620		1.			28.													0.034	0.024	0.098	0.122	0.069	35.	24.4	9.3	28.9			
17	10 1985	N	A38	618		1.6			28.													0.028	0.016	0.236	0.252	0.	40.	18.6	0.	0.			
17	10 1985	N	A39	616		2.2			28.													0.025	0.016	0.	0.016	0.069	35.	37.2	0.	0.			
17	10 1985	N	A40	615		3.6			28.													0.022	0.013	0.275	0.289	0.2374	40.	48.6	12.6	0.			
17	10 1985	N	A41	613		3.			28.													0.03	0.019	0.	0.019	0.1757	35.	18.	13.5	28.3			
17	10 1985	N	A42	612		3.2			28.													0.019	0.01	0.	0.01	0.	45.	16.6	3.1	1.3			
17	10 1985	N	A43	625		3.4			28.													0.028	0.011	0.	0.011	0.	45.	22.3	0.	0.			
17	10 1985	N	A44	627		2.9			28.													0.028	0.016	0.39	0.406	0.	40.	19.9	8.7	17.4			
17	10 1985	N	A45	629		3.4			28.5													0.027	0.013	0.091	0.104	0.	40.	17.2	5.8	0.			
17	10 1985	N	A46	631		3.4			28.													0.02	0.011	0.39	0.401	0.	45.	13.2	2.6	20.			
17	10 1985	N	A47	633		3.6			28.													0.029	0.015	0.025	0.044	0.	35.	25.7	6.7	5.4			
17	10 1985	N	A48	635		3.2			28.													0.042	0.026	0.083	0.109	0.0073	30.	34.7	4.9	9.			
17	10 1985	N	A49	638		3.			28.													0.029	0.018	0.064	0.082	0.	35.	25.	4.8	26.7			
18	10 1985	N	B01	514	6.4		8.4	27.5		28.												7.9					30.						
18	10 1985	N	B02	516	5.2		7.7	27.		27.25												7.8					60.						
16	10 1985	N	B03	518	5.7		7.4	27.		27.25												8.					65.						
18	10 1985	N	B04	520	5.8		6.9	27.		27.5												7.9					62.						
18	10 1985	N	B05	523	6.1		7.6	27.25		27.5												7.8					40.						
18	10 1985	N	B06	525	5.3		5.8	27.		27.5												7.8					38.						
18	10 1985	N	B07	536	5.2		7.4	26.75		27.25												8.					39.						
18	10 1985	N	B08	534	5.2		6.8	26.		27.25												7.8					31.						
18	10 1985	N	B09	532	5.4		6.3	27.		27.5												8.4					38.						
18	10 1985	N	B11	529	5.6		6.9	27.		27.5												7.8					37.						
18	10 1985	N	B13	539	5.1		6.2	27.		27.5												7.9					38.						
18	10 1985	N	B14	541	4.5			26.75														8.					27.						
18	10 1985	N	B15	543	4.4			27.														8.1					24.						
18	10 1985	N	B16	545	4.2			26.25														7.6					27.						
18	10 1985	N	B18	550	5.6			26.5														7.8					26.						
18	10 1985	N	B19	548	4.7			26.25														7.7					37.						
18	10 1985	N	B20	547	6.2			27.														7.5					22.						
21	10 1985	N	A29	535	3.3			27.5																				30.					
21	10 1985	N	A30	537	6.4			27.5																				35.					
21	10 1985	N	A31	539	3.8			27.25																				25.					
21	10 1985	N	A32	541	2.7			27.																				25.					
21	10 1985	N	A33	542	4.			27.25																			25.						
21	10 1985	N	A34	543	6.5			27.																			35.						
21	10 1985	N	A35	545	3.8			27.25																			25.						
21	10 1985	N	A36	555	3.9			27.75																			35.						
21	10 1985	N	A37	554	2.1			27.75																			30.						

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	DATA?	POINT	TIME	WATER						KJELDAHL	TOTAL						SECHII			CHLOR-			
					DO	DO	DO @	TEMP	TEMP @	TEMP @		NH3-N	NO2-N	NO3-N	P	ORTHOPHOSPHATE	DISK A	DISK B	OPHYLL A	OPHYLL B	OPHYLL C			
21	10 1985	N	A39	553	3.4			27.75														35.		
21	10 1985	N	A39	551	4.9			27.75														30.		
21	10 1985	N	A40	550	6.2			27.8														35.		
21	10 1985	N	A41	543	3.9			27.8														25.		
21	10 1985	N	A42	547	6.1			27.75														40.		
21	10 1985	N	A43	559	6.8			25.														35.		
21	10 1985	N	A44	601	5.4			28.														30.		
21	10 1985	N	A45	602	6.2			28.														40.		
21	10 1985	N	A46	604	6.1			28.														30.		
21	10 1985	N	A47	606	4.8			27.75														25.		
21	10 1985	N	A48	609	2.			27.75														20.		
21	10 1985	N	A49	610	5.2			27.75														25.		
21	10 1985	N	E01	448	6.2	8.	30.		31.	34.44	33.33	23.33	24.44			8.4						48.		
21	10 1985	N	E02	450	6.7	8.2	31.		30.								8.6					36.		
21	10 1985	N	E03	451	5.4	6.	31.		30.	35.56	33.33	24.44	25.56			8.5						48.		
21	10 1985	N	E04	453	5.9	7.	31.		30.							8.4						47.		
21	10 1985	N	E05	455	6.7	8.4	30.		31.							8.6						47.		
21	10 1985	N	E06	457	6.4	7.6	30.		36.5							8.5						41.		
21	10 1985	N	E07	509	4.1	6.4	31.		31.	33.33	34.44	25.56	25.56			8.6						31.		
21	10 1985	N	E08	507	3.1	3.7	31.		31.	32.22	33.33	25.56	25.56			8.7						37.		
21	10 1985	N	E09	505	1.4	1.4	31.		30.							8.8						40.		
21	10 1985	N	E10	503	1.4	1.8	31.		31.							8.8						25.		
21	10 1985	N	E11	500	4.2	5.6	31.		31.							8.6						38.		
21	10 1985	N	E12	514	1.9	2.3	31.		32.							8.5						38.		
21	10 1985	N	E14	516	0.1		32.5		33.33		26.67					8.8						29.		
21	10 1985	N	E15	518	1.6		32.		32.78		27.22					8.7						24.		
21	10 1985	N	E16	521	0.3		32.									8.9						20.		
21	10 1985	N	E18	533	0.4		31.									8.6						28.		
21	10 1985	S	E19	531	0.4		32.									8.8						26.		
21	10 1985	Y	E20	525	0.6		31.									8.7						20.		
22	10 1985	Y	A29																			30.		
22	10 1985	Y	A30																			35.		
22	10 1985	Y	A31																			30.		
22	10 1985	Y	A32																			25.		
22	10 1985	Y	A33																			25.		
22	10 1985	Y	A34																			35.		
22	10 1985	Y	A35																			30.		
22	10 1985	Y	A36																			35.		
22	10 1985	Y	A37																			30.		
22	10 1985	Y	A38																			30.		
22	10 1985	Y	A39																			35.		
22	10 1985	Y	A40																			25.		
22	10 1985	Y	A41																			25.		
22	10 1985	Y	A42																			35.		

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II. Wet Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II. Wet Season

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						WATER						KJELDAHL						TOTAL						SECHII			CHLOR-			
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKA.	HARD.	PH	N	NH <sub>3</sub> -N	N <sub>02</sub> -N	N <sub>03</sub> -N	P	PO <sub>4</sub> -P	A	B	A	B	C	
24	10 1985	Y	B04																																55.
24	10 1985	Y	B05																																42.
24	10 1985	Y	B06																																40.
24	10 1985	Y	B07																																31.
24	10 1985	Y	B08																																26.
24	10 1985	Y	B09																																36.
24	10 1985	Y	B10																																23.
24	10 1985	Y	B11																																27.
24	10 1985	Y	B13																																36.
24	10 1985	Y	B14																																27.
24	10 1985	Y	B15																																25.
24	10 1985	Y	B16																																20.
24	10 1985	Y	B18																																26.
24	10 1985	Y	B19																																25.
24	10 1985	Y	B20																																21.
25	10 1985	N	A29	553		3.4			29.																									35.	
25	10 1985	N	A30	555		5.4		28.75																										35.	
25	10 1985	N	A31	556		3.2			28.25																									20.	
25	10 1985	N	A32	557		2.6			28.25																									20.	
25	10 1985	N	A33	558		3.4			28.75																									25.	
25	10 1985	N	A34	559		5.6			28.75																									40.	
25	10 1985	N	A35	600		3.1			28.75																									25.	
25	10 1985	N	A36	609		3.2			28.75																									25.	
25	10 1985	N	A37	608		1.8			28.5																									25.	
25	10 1985	N	A38	607		3.8			28.75																									25.	
25	10 1985	N	A39	606		3.4			28.5																									25.	
25	10 1985	N	A40	605		4.6			28.5																									35.	
25	10 1985	N	A41	603		2.7			28.5																									25.	
25	10 1985	N	A42	602		3.8			28.5																									20.	
25	10 1985	N	A43	611		5.8			29.																									40.	
25	10 1985	N	A44	612		5.1			29.																									35.	
25	10 1985	N	A45	614		5.2			28.75																									40.	
25	10 1985	N	A46	616		6.			28.75																									35.	
25	10 1985	N	A47	617		4.7			28.5																									25.	
25	10 1985	N	A48	619		3.7			28.25																									25.	
25	10 1985	N	A49	621		4.2			28.5																									35.	
25	10 1985	N	B01	509	5.4	5.2	5.3	31.	31.5	31.5																								45.	
25	10 1985	N	P02	511	6.1	4.7	1.2	31.	32.	32.																								62.	
25	10 1985	N	B03	513	6.6	3.9	1.3	31.5	32.	32.																								45.	
25	10 1985	N	B04	515	7.2	5.2	2.6	31.	32.	32.																								51.	
25	10 1985	N	B05	517	5.4	5.2	5.	31.	31.	31.																								45.	
25	10 1985	N	B06	519	5.1	5.	4.9	31.	31.	31.																								36.	
25	10 1985	N	B07	531	3.6			3.3	31.																									32.	
25	10 1985	N	B08	528	2.4			2.1	31.																									26.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA POND#	DO TIME	WATER								KJELDAHL	TOTAL								SECHII			CHLOR-		
				DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX		NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	A	B	A	B	C	OPHYLL	OPHYLL	OPHYLL	
25	10 1985	N B09	526	4.1	3.9	31.	31.						8.4										28.			
25	10 1985	N B10	524	3.	2.8	30.		32.					8.2										30.			
25	10 1985	N B11	522	4.	3.6	31.		31.					8.1										35.			
25	10 1985	N B13	534	3.6	3.2	32.		31.					8.4										28.			
25	10 1985	N B14	534		2.6		31.						8.4										27.			
25	10 1985	N B15	536		1.2		31.						8.2										28.			
25	10 1985	N B16	538		0.7		32.						8.2										25.			
25	10 1985	N B18	546		1.2		32.						8.2										23.			
25	10 1985	N B19	544		0.6		31.5						8.4										22.			
25	10 1985	N B20	543		0.8		31.						8.										25.			
28	10 1985	Y A29	534		2.		29.5																40.			
28	10 1985	Y A30	536		4.3		29.5																35.			
28	10 1985	Y A31	537		1.7		29.																25.			
28	10 1985	Y A32	538		1.6		29.																20.			
28	10 1985	Y A23	539		2.9		29.																25.			
29	10 1985	Y A34	541		4.9		29.																25.			
29	10 1985	Y A35	542		2.4		29.																25.			
28	10 1985	Y A36	552		3.		29.																25.			
28	10 1985	Y A37	550		1.4		29.																25.			
28	10 1985	Y A38	549		2.4		29.																25.			
28	10 1985	Y A39	548		2.		29.25																20.			
28	10 1985	Y A40	547		3.7		29.5																25.			
28	10 1985	Y A41	546		1.2		29.																40.			
28	10 1985	Y A42	545		4.1		29.																25.			
28	10 1985	Y A43	555		5.		28.75																35.			
28	10 1985	Y A44	556		4.1		29.25																40.			
28	10 1985	Y A45	558		4.2		29.25																35.			
28	10 1985	Y A46	600		3.8		29.15																40.			
28	10 1985	Y A47	601		3.2		29.																35.			
28	10 1985	Y A48	603		2.		28.8																25.			
28	10 1985	Y A49	605		3.9		23.																20.			
28	10 1985	N B01	417	3.6	3.5	3.4	32.	32.	32.	32.22	31.67	28.89	28.89	8.1	0.03	0.02	0.	0.02	0.	39.	28.7	17.5	19.7			
28	10 1985	N B02	419	5.	5.	4.4	32.	32.	32.					3.0333	0.03	0.012	0.045	0.057	0.024	46.	30.3	15.6	0.			
28	10 1985	N B03	421	3.	2.8	2.8	32.	32.	31.	31.67	31.67	28.33	30.	8.1	0.028	0.012	0.	0.012	0.0206	52.	59.5	27.5	46.3			
28	10 1985	N B04	423	5.4	5.2	3.7	32.25	32.5	31.5					8.0333	0.029	0.024	0.229	0.253	0.0039	36.	91.8	35.1	56.1			
28	10 1985	N B05	425	4.8	4.8	2.7	31.9	32.	32.					3.	0.032	0.021	1.118	1.139	0.0173	43.	38.9	23.6	35.9			
28	10 1985	N B06	426	5.2	2.4	1.4	31.	32.	32.					7.8667	0.043	0.024	0.052	0.076	0.	31.	52.9	30.5	39.7			
28	10 1985	N B07	436	2.9		2.9	32.		31.5	32.78	32.22	27.78	27.78	8.	0.036	0.022	0.466	0.488	0.1207	40.	35.6	17.4	19.7			
28	10 1985	N B08	434	2.8		2.6	32.		32.	32.78	32.22	28.89	28.89	8.2	0.056	0.041	0.14	0.191	0.0506	26.	37.5	24.7	31.7			
28	10 1985	N B09	432	2.6		2.6	32.		31.					8.5	0.042	0.031	0.428	0.459	0.2341	30.	40.7	16.	37.7			
28	10 1985	N B10	431	3.4		3.2	32.		32.					8.2	0.05	0.035	0.466	0.501	0.0506	26.	79.9	29.4	123.1			
28	10 1985	N B11	429	4.		3.9	32.		31.5					8.	0.036	0.026	0.812	0.838	0.0056	28.	58.7	19.1	31.9			
28	10 1985	N B13	440	1.		0.6	32.		33.					8.4	0.044	0.031	0.62	0.651	0.3992	30.	78.7	27.9	76.7			
28	10 1985	N B14	442		1.6		33.		33.33	31.67	28.89	28.89		8.4	0.05	0.052	0.405	0.457	0.4876	25.	94.1	62.2	120.6			

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	NO.	YEAR	DATA?	POND#	TIME	DO	DO	DO	DO	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	KJELDAHL	PH	N	TOTAL				SECHII				CHLOR-			
																						N02 & N03-N				ORTHODISK				OPIHYLL			
28	10	1985	N	B15	444		0.2			32.	32.78	32.22	28.89	28.89					8.4	0.064	0.05	0.565	0.635	0.2558	20.	139.7	66.8	127.9					
28	10	1985	N	B16	446		0.6			33.									7.8	0.044	0.062	0.466	0.528	0.1624	25.	89.6	34.9	41.4					
28	10	1985	N	B18	452		1.1			32.									7.8	0.054	0.026	0.267	0.293	0.3425	33.	65.	32.5	46.					
28	10	1985	N	B19	453		0.2			32.5									9.1	0.047	0.026	0.152	0.178	0.2591	25.	58.8	24.5	27.4					
28	10	1985	N	B20	449		0.4			32.									7.8	0.047	0.04	0.102	0.142	0.1557	25.	90.5	34.6	35.5					
29	10	1985	N	A29	600		2.6			28.25									7.	0.074	0.025	0.288	0.311	0.	40.	25.5	4.4	0.					
29	10	1985	N	A30	602		4.9			28.75									7.65	0.048	0.022	0.359	0.381	0.0039	30.	16.1	0.	0.					
29	10	1985	N	A31	603		1.8			28.25									7.1	0.068	0.045	0.386	0.411	0.019	20.	44.6	6.9	0.					
29	10	1985	N	A32	604		1.			28.25									7.15	0.068	0.047	0.256	0.303	0.1474	20.	58.3	5.7	0.					
29	10	1985	N	A33	605		3.2			28.15									7.4	0.064	0.035	0.041	0.076	0.0523	20.	51.5	18.3	0.					
29	10	1985	N	A34	606		5.5			28.25									7.9	0.039	0.017	0.225	0.242	0.	30.	22.3	1.6	0.					
29	10	1985	N	A35	607		2.7			28.25									7.3	0.061	0.041	0.179	0.22	0.	20.	53.2	8.	0.					
29	10	1985	N	A36	616		2.5			28.75									7.4	0.057	0.04	0.716	0.756	0.099	20.	46.2	5.2	0.					
29	10	1985	N	A37	615		1.4			28.5									6.95	0.062	0.031	0.033	0.064	0.069	25.	43.4	3.3	0.					
29	10	1985	N	A38	614		2.1			28.75									7.	0.061	0.036	0.371	0.407	0.	20.	38.1	20.2	0.					
29	10	1985	N	A39	613		2.8			28.75									7.4	0.06	0.035	0.493	0.528	0.069	20.	34.5	2.8	1.2					
29	10	1985	N	A40	612		4.4			28.5									8.2	0.032	0.021	1.203	1.224	0.2374	30.	46.	9.6	0.					
29	10	1985	N	A41	610		2.			28.25									7.5	0.068	0.042	0.202	0.244	0.1757	20.	54.5	0.	0.					
29	10	1985	N	A42	609		5.4			28.25									7.2	0.046	0.019	0.67	0.889	0.	35.	22.5	0.	0.					
29	10	1985	N	A43	619		5.8			29.75									7.55	0.043	0.016	0.831	0.847	0.	35.	14.	0.	0.					
29	10	1985	N	A44	620		4.4			28.5									7.2	0.039	0.021	0.371	0.392	0.	30.	8.3	0.	0.					
29	10	1985	N	A45	621		4.8			28.8									7.3	0.032	0.015	0.317	0.332	0.	35.	11.4	0.	0.					
29	10	1985	N	A46	623		5.7			28.5									7.2	0.06	0.026	0.279	0.305	0.	30.	16.4	0.	0.					
29	10	1985	N	A47	624		4.1			28.5									7.4	0.054	0.036	0.34	0.376	0.	20.	29.	0.	0.					
29	10	1985	N	A48	626		2.6			28.25									7.25	0.067	0.041	0.473	0.511	0.0073	20.	42.2	2.4	2.7					
29	10	1985	N	A49	628		5.			28.25									7.6	0.046	0.025	0.087	0.112	0.	25.	22.7	0.	0.					
29	10	1985	Y	B01																					36.								
29	10	1985	Y	B02																						49.							
29	10	1985	Y	B03																						46.							
29	10	1985	Y	B04																						33.							
29	10	1985	Y	B05																						35.							
29	10	1985	Y	B06																						32.							
29	10	1985	Y	B07																						36.							
29	10	1985	Y	B08																						25.							
29	10	1985	Y	B09																						36.							
29	10	1985	Y	B10																						32.							
29	10	1985	Y	B11																						26.							
29	10	1985	Y	B13																						30.							
29	10	1985	Y	B14																						26.							
29	10	1985	Y	B15																						21.							
29	10	1985	Y	B16																						26.							
29	10	1985	Y	B18																						32.							
29	10	1985	Y	B19																						26.							
29	10	1985	Y	B20																						27.							

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA POND#	TIME	WATER								KJELDAHL	PH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	TOTAL			SECHII			SECLII			CHLOR-			
				DO	DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP												TOTAL NO2 &	ORTHOPHOSPHATE	DISK	DISK	OPHYLL A	OPHYLL B	OPHYLL C	A	B	C
30	10 1985	N	A29																													
30	10 1985	N	A30																													
30	10 1985	N	A31																													
30	10 1985	N	A32																													
30	10 1985	N	A33																													
30	10 1985	N	A34																													
30	10 1985	N	A35																													
30	10 1985	N	A36																													
30	10 1985	N	A37																													
30	10 1985	N	A38																													
30	10 1985	N	A39																													
30	10 1985	N	A40																													
30	10 1985	N	A41																													
30	10 1985	N	A42																													
30	10 1985	N	A43																													
30	10 1985	N	A44																													
30	10 1985	N	A45																													
30	10 1985	N	A46																													
30	10 1985	N	A47																													
30	10 1985	N	A48																													
30	10 1985	N	A49																													
30	10 1985	N	B01	450	4.4	4.4	4.6	31.75	32.	32.																						
30	10 1985	N	B02	452	5.2	5.2	5.3	33.	32.	31.75																						
30	10 1985	N	B03	454	4.5	4.4	4.4	33.	32.	30.5																						
30	10 1985	N	B04	455	3.7	3.6	3.6	32.	33.	31.																						
30	10 1985	N	B05	457	4.5	4.5	4.6	31.	32.	32.																						
30	10 1985	N	B06	459	4.6	4.6	4.8	31.	32.	32.																						
30	10 1985	N	B07	511	3.7		3.2	33.		31.																						
30	10 1985	N	B08	509	4.		4.2	22.		32.																						
30	10 1995	N	B09	507	3.6		3.1	33.		30.5																						
30	10 1985	N	B10	505	4.1		2.4	32.		32.																						
30	10 1985	N	B11	503	4.6		4.2	33.		30.																						
30	10 1985	N	B13	515	0.9		0.4	31.5		32.																						
30	10 1985	N	B14	517		1.7		32.																								
30	10 1985	N	B15	519		0.5		32.																								
30	10 1985	N	B16	520		2.		32.																								
30	10 1985	N	B18	524		1.1		33.																								
30	10 1985	N	B19	523		1.8		33.																								
30	10 1985	N	B20	522		1.2		32.																								
31	10 1985	N	A29	630		2.9		28.																								
31	10 1985	N	A30	632		5.1		28.																								
31	10 1995	N	A31	634		3.2		28.																								
31	10 1985	N	A32	636		3.7		28.																								
31	10 1985	N	A33	638		4.1		27.8																								

**Table 4.** Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MO.	YEAR	DATA?	POND#	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER						KJELDAHL	TOTAL						SECHII		SECHII		CHLOR-		CHLOR-	
									TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		PH	N	NH <sub>3</sub> -N	N <sub>O</sub> 2-N	N <sub>O</sub> 2-N	N <sub>O</sub> 3-N	P	P <sub>O</sub> 4-P	A	B	A	B	C	
4	11	1985	N	A39	606		3.6		25.							7.9													
4	11	1985	N	A40	604		3.6		25.							8.36													
4	11	1985	N	A41	602		3.2		24.75							7.98													
4	11	1985	N	A42	609		4.1		24.5							7.88													
4	11	1985	N	A43	614		7.5		26.5							8.16													
4	11	1985	N	A44	616		5.4		26.5							7.78													
4	11	1985	N	A45	618		5.		26.							7.75													
4	11	1985	N	A46	620		4.4		25.5							7.7													
4	11	1985	N	A47	621		3.4		25.							7.68													
4	11	1985	N	A48	623		3.5		25.							7.65													
4	11	1985	N	A49	625		3.4		25.5							7.78													
4	11	1985	N	B01	445	5.	4.9	4.8	31.	30.	29.25					8.2333													
4	11	1985	N	B02	447	6.4	6.6	5.4	30.15	30.5	29.25					8.2													
4	11	1985	N	B03	448	4.6	4.2	4.	30.	30.	28.75					8.1333													
4	11	1985	N	B04	459	5.4	5.2	5.2	30.	30.	29.					8.3													
4	11	1985	N	B05	552	3.6	3.4	3.4	30.	30.	29.					8.1667													
4	11	1985	N	B06	554	3.9	3.7	3.5	30.	29.5	29.5					8.1667													
4	11	1985	N	B07	504	3.4		3.2	31.	29.75						8.2													
4	11	1985	N	B08	502	4.1		3.6	30.	30.						8.3													
4	11	1985	N	B09	501	2.8		2.7	30.5	29.5						8.3													
4	11	1985	N	B10	459	3.6		3.6	29.75	29.5						6.3													
4	11	1985	N	B11	457	4.1		4.4	36.	28.5						8.1													
4	11	1985	N	B13	507	2.3		2.2	30.	29.						8.3													
4	11	1985	N	B14	510		1.6		30.							8.3													
4	11	1985	N	B15	512		1.7		30.							8.5													
4	11	1985	N	B16	514		0.9		29.8							8.4													
4	11	1985	N	B18	523		1.4		30.							8.4													
4	11	1985	N	B19	520		0.8		30.							8.7													
4	11	1985	N	B20	518		0.9		30.							7.9													
5	11	1985	Y	A29																									
5	11	1985	Y	A30																									
5	11	1985	Y	A31																									
5	11	1985	Y	A32																									
5	11	1985	Y	A33																									
5	11	1985	Y	A34																									
5	11	1985	Y	A35																									
5	11	1985	Y	A36																									
5	11	1985	Y	A37																									
5	11	1985	Y	A38																									
5	11	1985	Y	A39																									
5	11	1985	Y	A40																									
5	11	1985	Y	A41																									
5	11	1985	Y	A42																									
5	11	1985	Y	A43																									

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY NO.	YEAR	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII			SECHII			CHLOR-				
				TG	DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	ALKAL. HARD.	pH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PC <sub>4</sub> -P	A	B	A	B	C	
5	11 1985	Y	A44																								
5	11 1985	Y	A45																								25.
5	11 1985	Y	A46																								30.
5	11 1985	Y	A47																								30.
5	11 1985	Y	A48																								25.
5	11 1985	Y	A49																								25.
5	11 1985	Y	B01																								25.
5	11 1985	Y	B02																								30.
5	11 1985	Y	B03																								35.
5	11 1985	Y	B04																								47.
5	11 1985	Y	B05																								35.
5	11 1985	Y	B06																								26.
5	11 1985	Y	B07																								22.
5	11 1985	Y	B08																								22.
5	11 1985	Y	B09																								20.
5	11 1985	Y	B10																								20.
5	11 1985	Y	B11																								24.
5	11 1985	Y	B13																								21.
5	11 1985	Y	B14																								21.
5	11 1985	Y	B15																								20.
5	11 1985	Y	B16																								20.
5	11 1985	Y	B18																								20.
5	11 1985	Y	B19																								20.
5	11 1985	Y	B20																								20.
6	11 1985	Y	A29	522	2.8		27.											7.52									30.
6	11 1985	Y	A30	533	4.8		27.										7.92									35.	
6	11 1985	Y	A31	535	3.6		26.8										7.62									25.	
6	11 1985	Y	A32	536	2.5		27.										7.5									25.	
6	11 1985	Y	A33	538	3.8		27.										7.76									25.	
6	11 1985	Y	A34	539	5.4		27.										8.12									30.	
6	11 1985	Y	A35	540	4.		27.										7.86									30.	
6	11 1985	Y	A36	551	2.6		27.										7.55									25.	
6	11 1985	Y	A37	550	1.4		26.75										7.5									20.	
6	11 1985	Y	A38	548	2.9		27.										7.5									25.	
6	11 1985	Y	A39	547	2.6		27.										7.55									25.	
6	11 1985	Y	A40	546	4.2		26.5										8.28									35.	
6	11 1985	Y	A41	544	2.5		26.5										7.9									20.	
6	11 1985	Y	A42	543	4.		26.										7.78									25.	
6	11 1985	Y	A43	553	5.		27.5										8.08									35.	
6	11 1985	Y	A44	554	4.2		27.										7.58									30.	
6	11 1985	Y	A45	555	5.		27.										7.5									35.	
6	11 1985	Y	A46	556	4.6		27.										7.6									30.	
6	11 1985	Y	A47	557	3.8		27.										7.85									25.	
6	11 1985	Y	A48	559	2.6		26.75										7.5									20.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MO.	YEAR	EXTRA POND#	TIME	WATER						WATER						KJELDAHL						TOTAL						SECHII					
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TOP-MAX	BOT-MIN	BOT-MIN	ALKA.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	NO3-N	P	PO4-P	A	B	A	B	C	OXYGEN	OPHYLL	OPHYLL
6	11	1985	Y	A49	600		4.4		27.																									
6	11	1985	Y	B01	422	4.4	4.4	4.4	32.	31.	30.5	32.22	30.	27.78	27.78																			30.
6	11	1985	Y	B02	434	3.9	3.6	3.6	31.15	32.	29.																							22.
6	11	1985	Y	B03	436	3.	2.8	2.8	31.	31.25	29.	30.56	29.44	27.78	28.33																			35.
6	11	1985	Y	B04	438	3.4	3.2	3.2	31.	31.15	29.																						54.	
6	11	1985	Y	B05	440	4.1	3.9	3.8	31.	31.15	30.25																						31.	
6	11	1985	Y	B06	442	4.4	4.1	4.1	31.	31.	30.																						30.	
6	11	1985	Y	B07	453	3.4		3.4	31.	30.15	35.	36.67	25.	25.56																			26.	
6	11	1985	Y	B08	452	3.6		3.4	31.	31.	35.	37.22	25.	25.																			19.	
6	11	1985	Y	B09	450	2.1		1.9	31.15	29.																							25.	
6	11	1985	Y	B10	448	3.4		3.3	31.	31.																						21.		
6	11	1985	Y	B11	446	3.9		3.4	31.	29.																						25.		
6	11	1985	Y	B13	456	1.2		0.8	31.	31.25																						22.		
6	11	1985	Y	B14	458		1.		31.75		32.22	30.56	27.78	27.22																		20.		
6	11	1985	Y	B15	459		0.2		31.15		31.11	31.67	27.78	28.89																		17.		
6	11	1985	Y	B16	500		0.8			31.																						15.		
6	11	1985	Y	B18	513		1.8		32.																							18.		
6	11	1985	Y	B19	509		0.1		31.9																							18.		
6	11	1985	Y	B20	505		0.5		31.5																							18.		
7	11	1985	Y	B01																												20.		
7	11	1985	Y	B02																												31.		
7	11	1985	Y	B03																												29.		
7	11	1985	Y	B04																												53.		
7	11	1985	Y	B05																												42.		
7	11	1985	Y	B06																												30.		
7	11	1985	Y	B07																												21.		
7	11	1985	Y	B08																												32.		
7	11	1985	Y	B09																												30.		
7	11	1985	Y	B10																												23.		
7	11	1985	Y	B11																												26.		
7	11	1985	Y	B13																												27.		
7	11	1985	Y	B14																												28.		
7	11	1985	Y	B15																												26.		
7	11	1985	Y	B16																												25.		
7	11	1985	Y	B18																												26.		
7	11	1985	Y	B19																												22.		
7	11	1985	Y	B20																												20.		
8	11	1985	N	A29	530		1.8		26.75																						20.			
8	11	1985	N	A30	531		5.1			27.																						32.		
8	11	1985	N	A31	532		2.2			27.																						35.		
8	11	1985	N	A32	533		2.4			26.5																						25.		
8	11	1985	N	A33	535		2.9			26.5																					25.			
8	11	1985	N	A34	536		5.8			26.																					23.			
8	11	1985	N	A35	537		2.9			26.																					30.			
																																27.		

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII			SECHII			CHLOR-			
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKA.	HARD.	pH	N	NH3-N	N02-N	N03-N	P	PO4-P	A	B	A
8	11	1985	N	A36	548	2.	26.75					7.2															20.
8	11	1985	N	A37	546	1.3	26.					7.15															18.
8	11	1985	N	A38	545	1.8	27.					7.05															18.
8	11	1985	N	A39	544	1.8	26.5					7.2															20.
8	11	1985	N	A40	543	4.6	26.					8.3															42.
8	11	1985	N	A41	541	3.9	26.					7.75															18.
8	11	1985	N	A42	540	4.	26.					7.75															25.
8	11	1985	N	A43	551	4.9	27.					7.85															35.
8	11	1985	N	A44	552	3.4	26.25					7.15															22.
8	11	1985	N	A45	554	4.7	26.5					7.4															28.
8	11	1985	N	A46	555	4.5	26.					7.35															25.
8	11	1985	N	A47	557	4.4	26.					7.45															25.
8	11	1985	N	A48	558	2.8	26.					7.1															20.
8	11	1985	N	A49	600	4.8	26.					7.55															26.
8	11	1985	N	B01	426	2.4	2.	1.9	32.	30.5	30.	8.1															21.
8	11	1985	N	B02	428	6.8	2.5	1.2	32.	31.	29.9	8.1333															41.
8	11	1985	N	B03	430	1.7	1.2	1.1	31.	31.	29.5	7.8															50.
8	11	1985	N	B04	432	2.6	2.2	1.3	31.	31.	29.75	8.2															27.
8	11	1985	N	B05	434	4.2	3.9	3.8	31.	31.	30.	8.2															25.
8	11	1985	N	B06	436	4.2	3.8	2.	31.	31.	30.	8.2															21.
8	11	1985	N	B07	446	4.4	1.4	31.		30.75		8.2															30.
8	11	1985	N	B08	446	4.	3.7	31.		31.		8.1															28.
8	11	1985	N	B09	444	2.2	1.7	31.		29.		8.2															18.
8	11	1985	N	B10	442	4.	2.	31.		31.		8.1															22.
8	11	1985	N	B11	440	4.8	4.	31.		29.		8.1															21.
8	11	1985	N	B13	451	2.	1.4	31.		31.		8.2															27.
8	11	1985	N	B14	453	2.9		31.				8.1															20.
8	11	1985	N	B15	455	2.2		31.				8.2															18.
8	11	1985	N	B16	457	2.7		31.				8.2															21.
8	11	1985	N	B18	512	2.		31.				8.4															23.
8	11	1985	N	B19	510	1.6		31.				8.4															18.
8	11	1985	N	B20	509	2.8		31.				8.1															20.
11	11	1985	Y	A29	530	2.4		28.																			22.
11	11	1985	Y	A30	532	4.3		28.																			25.
11	11	1985	Y	A31	533	2.8		28.																			20.
11	11	1985	Y	A32	534	1.8		27.75																			18.
11	11	1985	Y	A33	535	2.4		27.75																			20.
11	11	1985	Y	A34	536	5.1		27.25																			25.
11	11	1985	Y	A35	538	2.1		27.75																			20.
11	11	1985	Y	A36	548	1.4		28.25																			22.
11	11	1985	Y	A37	547	0.		28.																			17.
11	11	1985	Y	A38	545	2.		27.75																			18.
11	11	1985	Y	A39	544	2.7		28.																			18.
11	11	1985	Y	A40	542	4.2		28.25																			35.

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MO.	YEAR	EXTRA DATA?	POND#	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER						KJELDAHL	PH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	TOTAL			SECHII			CHLOR-		
									TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN				NO2 & TOTAL			ORTHO	DISK	DISK	O PHYLL	O PHYLL	O PHYLL				
11	11	1985	Y	A41	541		1.5		27.75																						
11	11	1985	Y	A42	540		3.8		27.5																					15.	
11	11	1985	Y	A43	551		5.8		28.75																				20.		
11	11	1985	Y	A44	553		3.4		28.25																				33.		
11	11	1985	Y	A45	554		4.		28.25																				23.		
11	11	1985	Y	A46	556		4.6		28.15																				25.		
11	11	1985	Y	A47	557		3.6		28.																				25.		
11	11	1985	Y	A48	558		3.1		28.																				28.		
11	11	1985	Y	A49	600		4.4		28.																				20.		
11	11	1985	Y	B01	436	3.1	2.6	2.6	31.75	32.	31.	34.44	30.	28.33	27.78				8.2										20.		
11	11	1985	Y	B02	438	0.5	0.1		32.	32.	30.									8.									23.		
11	11	1985	Y	B03	439	3.4	2.1	1.9	32.	31.5	30.	33.33	30.	27.22	28.33				8.2										35.		
11	11	1985	Y	B04	441	0.7	0.2	0.2	32.	31.5	30.								8.1333										46.		
11	11	1985	Y	B05	443	4.	3.6	3.5	31.	31.	31.								8.4										30.		
11	11	1985	Y	B06	445	2.4	2.	1.8	31.	31.	31.							8.1667										23.			
11	11	1985	Y	B07	457	3.3		2.6	31.		31.	33.33	30.56	27.78	26.67				8.1										23.		
11	11	1985	Y	B08	455	4.2		3.6	31.		31.5	32.22	30.56	27.78	27.22				8.2										27.		
11	11	1985	Y	B09	453	3.6		3.2	31.		31.								8.2										24.		
11	11	1985	Y	B10	451	2.6		2.6	31.		31.5								8.4										21.		
11	11	1985	Y	B11	449	3.7		3.7	30.5		31.								8.2										19.		
11	11	1985	Y	B13	500	2.4		1.8	31.		31.75								8.2										22.		
11	11	1985	Y	B14	503	1.6			31.		35.	32.78	26.11	26.11				8.3										27.			
11	11	1985	Y	B15	505	1.6			31.75		32.22	32.22	26.11	27.78				8.2										20.			
11	11	1985	Y	B16	507		3.		31.										8.2										19.		
11	11	1985	Y	B18	518		2.5			31.								8.3										20.			
11	11	1985	Y	B19	515		3.		31.25									8.4										20.			
11	11	1985	Y	B20	512		1.8			31.5								8.1										21.			
12	11	1985	Y	A29																									22.		
12	11	1985	Y	A30																									22.		
12	11	1985	Y	A31																									25.		
12	11	1985	Y	A32																									20.		
12	11	1985	Y	A33																									18.		
12	11	1985	Y	A34																									20.		
12	11	1985	Y	A35																									25.		
12	11	1985	Y	A36																									20.		
12	11	1985	Y	A37																									22.		
12	11	1985	Y	A38																									17.		
12	11	1985	Y	A39																									18.		
12	11	1985	Y	A40																									18.		
12	11	1985	Y	A41																									35.		
12	11	1985	Y	A42																									15.		
12	11	1985	Y	A43																									20.		
12	11	1985	Y	A44																									33.		
12	11	1985	Y	A45																									23.		
12	11	1985																											25.		

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MO.	YEAR	DATA?	POND#	TIME	DO	DO	DO	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	WATER	WATER	WATER	WATER	WATER	KJELDAHL		TOTAL		SECHII		SECHII		CHLOR-		CHLOR-		CHLOR-	
																					NH3-N	NO2-N	NO3-N	NO3-N	P	PO4-P	A	B	A	B	C	OPHYLL	OPHYLL	OPHYLL
12	11	1985	Y	A46																														
12	11	1985	Y	A47																														
12	11	1985	Y	A48																														
12	11	1985	Y	A49																														
12	11	1985	N	B01	427	2.8	2.2	1.9	32.	32.	31.5										8.2		0.086	0.042	0.225	0.267	0.079	25.		101.5	4.3	78.4		
12	11	1985	N	B02	429	4.	3.3	3.	32.	32.	31.										8.		0.07	0.027	0.624	0.651	0.0506	38.		107.3	6.4	85.5		
12	11	1985	N	B03	433	3.7	3.	2.8	32.	32.	31.									8.2		0.055	0.014	0.486	0.5	0.044	40.		122.3	1.5	64.7			
12	11	1985	N	B04	435	2.4	1.8	1.6	32.	32.	30.75									8.1333		0.065	0.028	0.466	0.492	0.1174	32.		142.7	4.8	96.8			
12	11	1985	N	B05	437	5.1	4.4	4.2	31.15	32.	31.75									8.4		0.062	0.047	0.639	0.686	0.0723	23.		149.8	6.4	92.			
12	11	1985	N	B06	441	3.6	2.9	2.7	32.	32.	32.								8.1667		0.072	0.045	1.31	1.355	0.059	23.		118.6	5.9	59.2				
12	11	1985	N	B07	453	2.4		1.4	31.		32.								8.1		0.059	0.017	0.401	0.418	0.2058	27.		66.3	4.6	51.2				
12	11	1985	N	B08	450	4.8		3.9	31.		31.9								8.2		0.072	0.026	0.754	0.78	0.0356	24.		87.4	7.6	72.8				
12	11	1985	N	B09	449	3.		2.4	31.75		30.								8.2		0.085	0.045	1.387	1.432	0.3325	21.		159.8	3.5	94.8				
12	11	1985	N	B10	447	4.2		3.2	31.5		31.75								8.4		0.068	0.035	0.363	0.398	0.0573	19.		151.3	4.8	94.6				
12	11	1985	N	B11	444	4.6		3.9	31.		31.9								8.2		0.07	0.041	0.555	0.596	0.029	22.		101.1	3.2	63.8				
12	11	1985	N	B13	457	2.4		1.8	31.		32.								8.2		0.072	0.034	0.39	0.424	0.2258	27.		124.6	0.	83.5				
12	11	1985	N	B14	459		2.		32.										8.3		0.086	0.054	1.483	1.537	0.0957	20.		128.3	4.1	104.2				
12	11	1985	N	B15	502		1.6		32.										8.2		0.086	0.062	1.099	1.161	0.089	19.		138.6	1.7	82.9				
12	11	1985	N	B16	504		2.6		32.										8.2		0.063	0.054	0.624	0.678	0.0306	20.		132.1	0.	91.5				
12	11	1985	N	B18	510		2.4		32.										8.3		0.068	0.041	0.539	0.58	0.1507	20.		167.4	4.2	59.7				
12	11	1985	N	B19	508		2.2		31.9										8.4		0.062	0.049	0.754	0.803	0.0923	21.		144.3	0.	80.6				
12	11	1985	N	B20	507		1.7		32.										8.1		0.067	0.031	0.631	0.662	0.139	22.		90.8	5.8	87.6				
13	11	1985	N	A29	407		2.6		28.										7.35		0.066	0.032	0.	0.032	0.019	15.		2.5	33.4	0.				
13	11	1985	N	A30	408		4.6		28.										8.		0.055	0.021	0.	0.021	0.	20.		32.6	12.5	63.9				
13	11	1985	N	A31	410		3.2		28.										7.3		0.062	0.041	0.746	0.787	0.162	15.		5.	40.2	0.				
13	11	1985	N	A32	411		1.6		27.75										7.5		0.079	0.043	0.689	0.732	0.399	15.		0.	0.	0.				
13	11	1985	N	A33	413		2.8		27.25										7.4		0.066	0.036	0.262	0.318	0.095	16.		55.8	15.4	85.8				
13	11	1985	N	A34	415		4.1		28.										8.25		0.052	0.017	0.42	0.437	0.069	18.		0.7	24.9	84.2				
13	11	1985	N	A35	416		2.7		27.25										7.5		0.077	0.044	0.137	0.181	0.029	16.		4.1	43.3	0.				
13	11	1985	N	A36	430		2.1		28.										7.5		0.072	0.036	0.543	0.579	0.336	20.		92.	10.6	0.				
13	11	1985	N	A37	429		0.7		28.										7.35		0.084	0.035	0.	0.035	0.169	18.		88.4	11.3	0.				
13	11	1985	N	A38	428		1.9		28.										7.35		0.087	0.054	0.305	0.359	0.206	15.		0.	12.5	0.				
13	11	1985	N	A39	426		2.3		28.										7.4		0.065	0.036	0.	0.036	0.096	17.		76.6	27.5	97.1				
13	11	1985	N	A40	422		4.3		28.										8.2		0.355	0.013	0.321	0.334	0.296	35.		41.2	18.5	97.3				
13	11	1985	N	A41	421		2.		27.75										7.		0.073	0.048	0.668	0.116	0.256	18.		0.	10.5	0.				
13	11	1985	N	A42	419		4.4		27.5										7.6		0.052	0.028	0.336	0.364	0.	20.		53.7	14.7	81.5				
13	11	1985	N	A43	432		5.6		28.25										7.9		0.065	0.017	0.221	0.238	0.	20.		30.1	7.6	44.6				
13	11	1985	N	A44	433		4.		28.										7.4		0.069	0.021	0.292	0.313	0.	18.		46.2	14.2	80.5				
13	-11	1985	N	A45	434		4.9		28.25										7.4		0.065	0.021	0.29	0.311	0.	22.		37.5	11.1	62.3				
13	11	1985	N	A46	435		4.7		28.25										7.25		0.072	0.025	0.075	0.1	0.	22.		42.9	12.1	70.5				
13	11	1985	N	A47	436		2.4		28.25										7.3		0.13	0.021	0.022	0.043	0.089	20.		31.1	7.8	47.2				
13	11	1985	N	A48	438		1.4		28.										7.2		0.073	0.031	0.305	0.336	0.149	17.		60.1	13.5	83.7				
13	11	1985	N	A49	440		3.8		28.										7.6		0.072	0.029	0.244	0.273	0.	20.		49.	14.1	83.2				
14	11	1985	N	A29	711		5.2		25.15										8.		0.026	0.017	0.217	0.234	0.	30.		1.8	9.4	33.4				

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MO.	YEAR	EXTRA DATA?	POND#	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP			WATER TEMP @ MID			WATER TEMP @ BOTTOM			WATER TEMP @ TOP-MAX			WATER TEMP @ BOT-MIN			KJELDAHL ALKA.			TOTAL NO2 & N			TOTAL ORTHO P			SECHII DISK A			SECHII DISK B			CHLOR- OPHYLL A			CHLOR- OPHYLL B		
									TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TOP-MAX	BOT-MIN	TOP-MIN	BOT-MAX	ALKA.	HARD.	PH	NH3-N	NO2-N	NO3-N	NO3-N	P	P04-P	A	B	A	B	C	30.2	2.8	26.6									
14	11	1985	N	A30	712	5.6		25.														8.15	0.019	0.014	0.094	0.105	0.	35.	30.2	2.8	26.6													
14	11	1985	N	A31	713	4.7		25.														7.95	0.031	0.022	0.202	0.224	0.0723	30.	27.8	0.	0.													
14	11	1985	N	A32	714	4.8		25.														7.9	0.029	0.025	0.363	0.386	0.1424	27.	27.4	1.7	3.													
14	11	1985	N	A33	715	5.		24.25														8.	0.014	0.025	0.	0.025	0.0573	25.	22.4	3.8	13.6													
14	11	1985	N	A34	716	5.4		24.75														8.25	0.021	0.016	0.256	0.272	0.0056	35.	17.9	1.	6.5													
14	11	1985	N	A35	717	4.6		24.														8.	0.035	0.026	0.	0.026	0.0106	30.	30.6	5.5	0.													
14	11	1985	N	A36	726	2.9		24.75														7.85	0.033	0.025	0.033	0.058	0.2158	25.	34.9	14.7	79.1													
14	11	1985	N	A37	724	4.6		24.25														7.7	0.026	0.018	0.01	0.028	0.0923	30.	35.2	7.8	56.3													
14	11	1985	N	A38	723	4.9		23.25														7.8	0.039	0.031	0.163	0.194	0.1174	25.	29.4	21.1	27.5													
14	11	1985	N	A39	722	5.1		23.25														7.9	0.03	0.021	0.	0.021	0.0357	27.	19.6	9.7	16.2													
14	11	1985	N	A40	721	5.6		23.														8.25	0.012	0.01	0.	0.01	0.094	45.	8.9	8.5	18.3													
14	11	1985	N	A41	720	5.2		23.														8.05	0.035	0.025	0.	0.025	0.1224	30.	28.6	4.4	39.2													
14	11	1985	N	A42	719	6.2		23.														8.05	0.017	0.013	0.	0.012	0.	35.	9.6	3.7	4.													
14	11	1985	N	A43	728	4.8		26.25														8.15	0.026	0.015	0.	0.015	0.	40.	15.9	8.1	29.5													
14	11	1985	N	A44	729	5.		25.														8.	0.036	0.025	0.261	0.286	0.	25.	18.9	4.1	24.													
14	11	1985	N	A45	731	5.2		25.														8.	0.037	0.021	0.	0.021	0.	30.	17.4	3.5	20.6													
14	11	1985	N	A46	732	5.1		23.5														8.05	0.04	0.023	0.064	0.087	0.	25.	16.	3.4	25.3													
14	11	1985	N	A47	733	5.3		23.														8.15	0.026	0.016	0.	0.016	0.	30.	21.9	2.6	27.5													
14	11	1985	N	A48	735	5.4		24.														7.85	0.034	0.016	0.155	0.171	0.0907	30.	17.3	3.7	27.4													
15	11	1985	Y	A39	736	5.2		23.														8.1	0.043	0.02	0.14	0.16	0.	30.	12.6	0.	0.													
15	11	1985	Y	A29	546	4.		24.														7.9						27.																
15	11	1985	Y	A30	548	4.8		23.														8.						28.																
15	11	1985	Y	A31	549	4.1		23.														7.9						27.																
15	11	1985	Y	A32	550	3.9		23.25														7.9						22.																
15	11	1985	Y	A33	551	4.3		22.5														8.						25.																
15	11	1985	Y	A34	552	5.5		22.5														8.3						30.																
15	11	1985	Y	A35	554	4.5		23.														8.						25.																
15	11	1985	Y	A36	604	3.2		23.														7.9						30.																
15	11	1985	Y	A37	603	2.9		23.														7.5						35.																
15	11	1985	Y	A38	602	3.2		22.5														7.7						20.																
15	11	1985	Y	A39	601	3.2		23.														7.7						28.																
15	11	1985	Y	A40	559	5.3		22.25														8.3						40.																
15	11	1985	Y	A41	558	4.2		22.25														8.1						27.																
15	11	1985	Y	A42	557	5.2		22.25														8.1						35.																
15	11	1985	Y	A43	605	5.6		24.														8.05						40.																
15	11	1985	Y	A44	606	4.3		23.25														7.7						28.																
15	11	1985	Y	A45	607	5.4		23.														8.						35.																
15	11	1985	Y	A46	608	5.2		23.														8.						33.																
15	11	1985	Y	A47	609	4.5		23.														8.05						28.																
15	11	1985	Y	A48	610	3.1		23.														7.6						27.																
15	11	1985	Y	A49	612	4.6		23.														8.						30.																
15	11	1985	N	B01	440	4.2		4.2	30.	30.	28.75												8.4						25.															
15	11	1985	N	B02	442	5.6		4.8	29.		29.5												8.4						42.															
15	11	1985	N	B03	444	4.6		4.8	30.		30.											8.4						40.																

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MO.	YEAR	EXTRA	DO	DO	DO	DO	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	WATER	WATER	WATER	WATER	WATER	KJELDAHL		TOTAL		SECHII		SECHII		CHLOR-		CHLOR-	
18	11	1985	Y	A37	615			1.4		26.75													7.32									
18	11	1985	Y	A38	614			2.9		27.													7.18									22.
18	11	1985	Y	A39	613			2.6		27.													7.65									20.
18	11	1985	Y	A40	612			4.2		26.5													8.05									23.
18	11	1985	Y	A41	610			2.5		26.5													7.68									30.
18	11	1985	Y	A42	609			4.		26.													7.6									25.
18	11	1985	Y	A43	619			5.		27.5													7.7									25.
18	11	1985	Y	A44	620			4.2		27.													7.4									30.
18	11	1985	Y	A45	621			5.		27.													7.7									30.
18	11	1985	Y	A46	623			4.6		27.													7.72									25.
18	11	1985	Y	A47	624			3.8		27.													7.85									25.
18	11	1985	Y	A48	626			2.6		26.75													7.65									25.
18	11	1985	Y	A49	628			4.4		27.													7.7									25.
18	11	1985	N	B01	455	4.2	6.8	3.	32.	32.	32.	32.	32.22	30.56	26.67	27.78							8.1									30.
18	11	1985	N	B02	457	7.3	9.8	6.4	32.	32.5	31.												8.1667									35.
18	11	1985	N	B03	500	5.2	10.4	6.6	31.25	32.	31.	31.67	30.56	27.78	27.78								8.2667									63.
18	11	1985	N	B04	502	10.	9.	6.7	32.	31.5	30.												8.4									55.
18	11	1985	N	B05	504	5.1	4.8	5.4	31.	31.15	31.												8.0667									46.
18	11	1985	N	B06	507	2.6	1.4	0.4	31.	31.75	31.5												7.9									37.
18	11	1985	N	B07	520	1.2	0.4	32.		31.	31.11	30.56	26.11	27.78									8.1									55.
18	11	1985	N	B08	517	5.2	6.2	31.		32.	32.11	31.11	27.22	26.67									8.4									37.
18	11	1985	N	B09	515	3.		3.4	31.5		31.												8.4									35.
18	11	1985	N	B10	513	2.5		2.4	32.		31.5												8.4									22.
18	11	1985	N	B11	511	1.6		1.6	31.		31.25												8.2									20.
18	11	1985	N	B13	525	2.2		3.	30.75		31.												8.1									27.
18	11	1985	N	B14	528		0.4			31.		32.22	31.11	27.22	26.67								8.3									36.
18	11	1985	N	B15	530					32.		32.78	31.11	26.67	27.22								8.1									25.
18	11	1985	N	B16	531		0.3			32.													8.2									29.
18	11	1985	N	B18	536					32.												8.3									25.	
18	11	1985	N	B19	535		2.4			31.												8.6									30.	
18	11	1985	N	B20	533		1.6			31.5												8.3									31.	
19	11	1985	Y	A29																												25.
19	11	1985	Y	A30																												27.
19	11	1985	Y	A31																												33.
19	11	1985	Y	A32																												25.
19	11	1985	Y	A33																												22.
19	11	1985	Y	A34																												25.
19	11	1985	Y	A35																												32.
19	11	1985	Y	A36																												27.
19	11	1985	Y	A37																												30.
19	11	1985	Y	A38																												33.
19	11	1985	Y	A39																												23.
19	11	1985	Y	A40																												25.
19	11	1985	Y	A41																												35.
19	11	1985	Y	A42																												30.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII		SECHII		CHLOR-		CHLOR-				
					DO	DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKAL.	HARD.	pH	N	NH <sub>3</sub> -N	N <sub>02</sub> -N	N <sub>03</sub> -N	P	P <sub>04</sub> -P	A
19	11	1985	Y	A42																								33.
19	11	1985	Y	A43																								35.
19	11	1985	Y	A44																								30.
19	11	1985	Y	A45																								35.
19	11	1985	Y	A46																								25.
19	11	1985	Y	A47																								25.
19	11	1985	Y	A48																								25.
19	11	1985	Y	A49																								30.
19	11	1985	Y	B01																								47.
19	11	1985	Y	B02																								63.
19	11	1985	Y	B03																								69.
19	11	1985	Y	B04																								81.
19	11	1985	Y	B05																								41.
19	11	1985	Y	B06																								45.
19	11	1985	Y	B07																								54.
19	11	1985	Y	B08																								32.
19	11	1985	Y	B09																								28.
19	11	1985	Y	B10																								25.
19	11	1985	Y	B11																								27.
19	11	1985	Y	B13																								28.
19	11	1985	Y	B14																								27.
19	11	1985	Y	B15																								33.
13	11	1985	Y	B16																								24.
19	11	1985	Y	B18																								34.
19	11	1985	Y	B19																								33.
19	11	1985	Y	B20																								25.
20	11	1985	N	A29	540	4.2			21.											7.6								25.
20	11	1985	N	A30	542	4.2			20.											7.65								26.
20	11	1985	N	A31	543	1.4			20.											7.2								22.
20	11	1985	N	A32	545	0.3			21.											7.25								20.
20	11	1985	N	A33	546	0.8			23.											7.3								20.
20	11	1985	N	A34	547	4.1			20.											8.								25.
20	11	1985	N	A35	548	0.4			21.											7.3								25.
20	11	1985	N	A36	558	1.6			18.											7.5								20.
20	11	1985	N	A37	557	0.			17.5											7.15								30.
20	11	1985	N	A38	556	5.1			19.5											7.75								20.
20	11	1985	N	A39	554	1.9			18.											7.45								20.
20	11	1985	N	A40	553	4.8			18.25											8.								30.
20	11	1985	N	A41	551	3.5			18.											7.8								20.
20	11	1985	N	A42	550	4.1			18.5											7.65								35.
20	11	1985	N	A43	605	4.8			22.											7.7								30.
20	11	1985	N	A44	607	2.4			22.25											7.25								25.
20	11	1985	N	A45	608	4.6			24.											7.55								30.
20	11	1985	N	A46	609	3.6			24.5											7.6								25.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER								KJELDAHL	TOTAL		SECHII		SECHII		CHLGP-		CHLOR-		
					DO @ TOP	DO @ MID	DO BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MIN		ALKA.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B
20	11 1985	N	A47	611		3.8		23.75						7.65										25.
20	11 1985	N	A48	613		2.2		22.75						7.25										20.
20	11 1985	N	A49	615		3.8		24.25						7.65										30.
20	11 1985	N	B01	431	3.9	3.4	3.							7.8										46.
20	11 1985	N	B02	432	6.6	7.	3.4							8.2										64.
20	11 1985	N	B03	434	7.1	6.2	3.2							8.2										56.
20	11 1985	N	B04	436	7.4	13.2	3.							8.2667										68.
20	11 1985	N	B05	441	4.5	4.4	4.4							7.8667										43.
20	11 1985	N	B06	443	7.8	7.9	7.8							7.9333										38.
20	11 1985	N	B07	455	6.4		4.4							8.										55.
20	11 1985	N	B08	553	6.2		4.6							8.2										30.
20	11 1985	N	B09	449	2.4		0.4							8.1										25.
20	11 1985	M	B10	446	2.1		1.2							7.9										29.
20	11 1985	N	B11	444	4.2		2.4							7.8										29.
20	11 1985	N	B13	457	3.4		3.2							8.										45.
20	11 1985	N	B14	459		4.4								8.										32.
20	11 1985	N	B15	502		4.								7.8										31.
20	11 1985	N	B16	505		6.6								8.2										35.
20	11 1985	N	B18	510		3.8								8.1										34.
20	11 1985	N	B19	513		4.								8.1										38.
20	11 1985	N	B20	516		3.8								8.1										26.
21	11 1985	Y	A29																				30.	
21	11 1985	Y	A30																				30.	
21	11 1985	Y	A31																				28.	
21	11 1985	Y	A32																				25.	
21	11 1985	Y	A33																				25.	
21	11 1985	Y	A34																				35.	
21	11 1985	Y	A35																				25.	
21	11 1985	Y	A36																				25.	
21	11 1985	Y	A37																				25.	
21	11 1985	Y	A38																				30.	
21	11 1985	Y	A39																				33.	
21	11 1985	Y	A40																				25.	
21	11 1985	Y	A41																				35.	
21	11 1985	Y	A42																				30.	
21	11 1985	Y	A43																				40.	
21	11 1985	Y	A44																				35.	
21	11 1985	Y	A45																				25.	
21	11 1985	Y	A46																				35.	
21	11 1985	Y	A47																				30.	
21	11 1985	Y	A48																				30.	
21	11 1985	Y	A49																				27.	
21	11 1985	Y	B01																				30.	
21	11 1985	Y	B02																				36.	
																							44.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER								KJELDAHL	TOTAL						SECHII					
					DO	DO	DO	DO	TEMP	TEMP	TEMP	TEMP		NH3-N	NO2-N	NO3-N	P	ORTHOPHOSPHATE	DISK OPHYLL	DISK OPHYLL	CHLOROPHYLL A	CHLOROPHYLL B	CHLOROPHYLL C		
21	11	1985	Y	B03																	36.				
21	11	1985	Y	B04																	48.				
21	11	1985	Y	B05																	23.				
21	11	1985	Y	B06																	18.				
21	11	1985	Y	B07																	35.				
21	11	1985	Y	B08																	20.				
21	11	1985	Y	B09																	25.				
21	11	1985	Y	B10																	29.				
21	11	1985	Y	B11																	29.				
21	11	1985	Y	B13																	25.				
21	11	1985	Y	B14																	32.				
21	11	1985	Y	B15																	21.				
21	11	1985	Y	B16																	20.				
21	11	1985	Y	B18																	21.				
21	11	1985	Y	B19																	22.				
21	11	1985	Y	B20																	26.				
22	11	1985	Y	A29										7.35							30.				
22	11	1985	Y	A30										7.15							30.				
22	11	1985	Y	A31										7.5							28.				
22	11	1985	Y	A32										7.2							25.				
22	11	1985	Y	A33										7.3							25.				
22	11	1985	Y	A34										7.7							35.				
22	11	1985	Y	A35										7.35							25.				
22	11	1985	Y	A36										7.4							25.				
22	11	1985	Y	A37										7.2							30.				
22	11	1985	Y	A38										7.2							33.				
22	11	1985	Y	A39										7.2							25.				
22	11	1985	Y	A40										7.							35.				
22	11	1985	Y	A41										7.55							36.				
22	11	1985	Y	A42										7.6							40.				
22	11	1985	Y	A43										6.8							35.				
22	11	1985	Y	A44										7.1							25.				
22	11	1985	Y	A45										6.9							25.				
22	11	1985	Y	A46										7.5							30.				
22	11	1985	Y	A47										7.2							30.				
22	11	1985	Y	A48										6.0							27.				
22	11	1985	Y	A49										7.4							30.				
22	11	1985	Y	B01		29.75	29.	29.						7.6							41.				
22	11	1985	Y	B02		31.	29.	29.5						7.7							38.				
22	11	1985	Y	B03		32.	29.5	29.						7.7							42.				
22	11	1985	Y	B04		32.	29.	29.						7.8							51.				
22	11	1985	Y	B05		29.	29.	28.						7.6							54.				
22	11	1985	Y	B06		29.	29.	28.						7.9333							36.				
22	11	1985	Y	B07		32.	29.							7.8							41.				

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII									
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP-MIN	TEMP @ MID-MAX	TEMP @ BOTTOM-MIN	ALKALI.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	NO2 & P	TOTAL P	ORTHO PO4-P	DISK A	DISK B	OPHYLL A
22	11 1985	Y	B08		29.		29.5					7.7															31.
22	11 1985	Y	B09			32.		29.				7.6															41.
22	11 1985	Y	B10			29.		29.				7.4															31.
22	11 1985	Y	B11			32.		28.				7.5															36.
22	11 1985	Y	B13			28.		28.				7.8															40.
22	11 1985	Y	B14			36.						7.8															25.
22	11 1985	Y	B15				29.					7.6															22.
22	11 1985	Y	B16				30.					7.7															20.
22	11 1985	Y	B18			29.25						7.8															20.
22	11 1985	Y	B19				29.					7.7															25.
22	11 1985	Y	B20				30.					7.6															18.
25	11 1985	N	A29	535	5.8		27.																				27.
25	11 1985	N	A30	537	6.6		26.5																				22.
25	11 1985	N	A31	538	8.		26.75																				22.
25	11 1985	N	A32	539	3.6		27.																				17.
25	11 1985	N	A33	541	3.3		27.																				17.
25	11 1985	N	A34	542	5.3		26.5																				30.
25	11 1985	N	A35	543	3.2		27.																				17.
25	11 1985	N	A36	553	5.	27.25																					15.
25	11 1985	N	A37	551	7.8		27.																				20.
25	11 1985	N	A38	550	4.6		27.																				20.
25	11 1985	N	A39	549	4.2		27.																				20.
25	11 1985	N	A40	548	6.		26.5																				27.
25	11 1985	N	A41	547	7.3		26.																				28.
25	11 1985	N	A42	546	6.6		28.																				35.
25	11 1985	N	A43	556	7.		29.																				35.
25	11 1985	N	A44	558	5.2		26.5																				20.
25	11 1985	N	A45	559	7.2		29.																				35.
25	11 1985	N	A46	601	7.		27.																				20.
25	11 1985	N	A47	602	6.8		27.																				25.
25	11 1985	N	A48	605	5.8		26.5																				20.
25	11 1985	N	A49	607	6.	26.75																					22.
25	11 1985	Y	B01		30.	30.	29.25	35.	29.44	27.78	28.33		8.1667														36.
25	11 1985	Y	B02		30.	31.	31.						8.1														46.
25	11 1985	Y	B03		30.	31.	30.75	34.44	31.67	28.33	29.44		8.3														65.
25	11 1985	Y	B04		30.15	30.75	30.25						7.9667														74.
25	11 1985	Y	B05		29.5	29.5	29.15						8.2333														37.
25	11 1985	Y	B06		29.5	29.75	29.75						7.9														37.
25	11 1985	Y	B07		30.		30.9	33.33.	31.67	27.22	28.33		8.3														51.
25	11 1985	Y	B08		29.8		30.	33.89	31.11	26.67	26.67		8.5														29.
25	11 1985	Y	B09		30.15		30.25						8.2														54.
25	11 1985	Y	B10		29.75		29.9						8.4														22.
25	11 1985	Y	B11		30.		29.75						8.3														28.
25	11 1985	Y	B13		30.		29.9						8.3														25.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY MO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII									
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKAL.	HARD.	pH	N	NH3-N	N02-N	N03-N	P	PO4-P	A	B	C
25	11	1985	Y	B14				32.		34.44	30.	26.11	27.22			8.4									34.		
25	11	1985	Y	B15				30.15		33.89	31.67	26.11	28.89			8.5									24.		
25	11	1985	Y	B16				32.15								8.2									43.		
25	11	1985	Y	B18				30.								8.6									25.		
25	11	1985	Y	B19				30.								8.1									29.		
25	11	1985	Y	B20				30.								8.6									20.		
26	11	1985	N	A29	458	3.6		27.																	35.		
26	11	1985	N	A30	459	6.4		27.																	22.		
26	11	1985	N	A31	500	7.3		27.																	17.		
26	11	1985	N	A32	502	2.	26.75																		15.		
26	11	1985	N	A33	503	2.4	26.5																		15.		
26	11	1985	N	A34	504	5.6	26.5																		30.		
26	11	1985	N	A35	506	2.	26.5																		14.		
26	11	1985	N	A36	516	3.	27.																		15.		
26	11	1985	N	A37	515	3.	27.																		17.		
26	11	1985	N	A38	514	3.	27.																		15.		
26	11	1985	N	A39	513	3.	26.75																		17.		
26	11	1985	N	A40	511	6.5	26.75																		30.		
26	11	1985	N	A41	510	6.	27.																		28.		
26	11	1985	N	A42	509	9.9	28.5																		35.		
26	11	1985	N	A43	519	7.	26.75																		35.		
26	11	1985	N	A44	520	5.4	26.75																		20.		
26	11	1985	N	A45	521	8.8	30.																		37.		
26	11	1985	N	A46	522	7.2	27.																		22.		
26	11	1985	N	A47	523	8.5	27.																		27.		
26	11	1985	N	A48	524	4.8	27.																		18.		
26	11	1985	N	A49	525	5.8	26.5																		25.		
26	11	1985	Y	B01																					51.		
26	11	1985	Y	B02																					37.		
26	11	1985	Y	B03																					51.		
26	11	1985	Y	B04																					59.		
26	11	1985	Y	B05																					43.		
26	11	1985	Y	B06																					50.		
26	11	1985	Y	B07																					40.		
26	11	1985	Y	B08																					31.		
26	11	1985	Y	B09																					47.		
26	11	1985	Y	B10																					25.		
26	11	1985	Y	B11																					31.		
26	11	1985	Y	B13																					30.		
26	11	1985	Y	B14																					25.		
26	11	1985	Y	B15																					26.		
26	11	1985	Y	B16																					35.		
26	11	1985	Y	B18																					25.		
26	11	1985	Y	B19																					26.		

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II. Wet Season

DAY NO.	YEAR	EXT'A DATA?	DO POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ MAX	TEMP @ MIN	TEMP @ BOT-MIN	KJELDAHL ALKA.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	TOTAL NO2 & P	TOTAL ORTHODISK				SECHII SECHII CHLOR- CHLOR- CHLOR-					
26	11 1985	V	B20																												
27	11 1985	V	A29																										23.		
27	11 1985	N	A30																									21.6	3.3	24.1	
27	11 1985	N	A31																									24.6	4.2	21.7	
27	11 1985	N	A32																									86.	7.2	67.8	
27	11 1985	N	A33																									59.			
27	11 1985	N	A34																									0.717	0.016	0.317	0.333
27	11 1985	N	A35																									0.			
27	11 1985	N	A36																									0.05	0.031	0.233	0.264
27	11 1985	N	A37																									0.063	0.051	0.378	0.429
27	11 1985	N	A38																									0.07	0.051	0.332	0.383
27	11 1985	N	A39																									0.055	0.038	0.493	0.531
27	11 1985	N	A40																									0.029	0.017	0.309	0.326
27	11 1985	N	A41																									0.044	0.027	0.547	0.598
27	11 1985	N	A42																									0.063	0.046	0.57	0.616
27	11 1985	N	A43																									0.044	0.026	0.539	0.565
27	11 1985	N	A44																									0.052	0.036	0.409	0.445
27	11 1985	N	A45																									0.061	0.037	0.501	0.538
27	11 1985	N	A46																									0.036	0.019	0.294	0.313
27	11 1985	N	A47																									0.032	0.029	0.547	0.576
27	11 1985	N	A48																									0.034	0.015	0.455	0.47
27	11 1985	N	A49																									0.032	0.015	0.417	0.432
27	11 1985	N	B01	433	5.9	5.	4.4	29.	30.	30.																	0.056	0.03	0.512	0.542	
27	11 1985	N	B02	435	5.8	2.2	1.6	29.	31.	32.																		7.9667			
27	11 1985	N	B03	437	5.9	13.8	2.6	29.25	32.	32.																	7.9333				
27	11 1985	N	B04	439	5.8	3.8	2.3	29.	32.	32.																	8.2667				
27	11 1985	N	B05	441	5.6	7.4	6.4	30.	30.	30.																	8.0333				
27	11 1985	N	B06	443	6.3	6.	3.4	29.	30.	30.																8.0667					
27	11 1985	N	B07	455	6.9		5.	29.5		30.																7.9667					
27	11 1985	N	B08	453	6.3		6.4	29.15		29.15																8.3					
27	11 1985	N	B09	451	6.8		6.2	29.		29.5																8.5					
27	11 1985	N	B10	449	4.3		3.9	29.		29.15																8.2					
27	11 1985	N	B11	447	4.2		2.6	29.		30.																8.2					
27	11 1985	N	B13	459	2.8		2.7	29.		29.																7.7					
27	11 1985	N	B14	501		2.2			29.5																	7.9					
27	11 1985	N	B15	503		2.8			29.25																	8.1					
27	11 1985	N	B16	505		3.			30.																	8.2					
27	11 1985	N	B18	510		3.			29.																	8.					
27	11 1985	N	B19	509		2.6			29.																	8.2					
27	11 1985	N	B20	507		2.8			29.15																	7.7					
28	11 1985	N	B01	426	3.8	3.5	3.7	31.	31.	30.																8.4					
28	11 1985	N	B02	428	3.8	2.7	2.	30.	33.	32.																7.5667					
28	11 1985	N	B03	430	6.2	8.2	2.3	30.15	33.	33.																7.9333					
28	11 1985	N	B04	432	6.	6.8	2.1	30.9	33.	33.															8.2667						

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY NO.	YEAR	EXTRA DATA?	PONDS	TIME	WATER						KJELDAHL						TOTAL				SECHII				CHLOR-			
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKALI.	HARD.	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	DISK A	DISK B	O PHYLL A	O PHYLL B	O PHYLL C
28	11 1985	N	B05	434	3.6	3.6	3.1	30.	30.	30.15						8.0667	0.086	0.013	0.309	0.322	0.032	35.		26.7	2.8	13.		
28	11 1985	N	B06	436	4.2	4.	3.8	30.5	31.	30.15						7.9667	0.043	0.013	0.148	0.161	0.	40.		35.3	11.8	0.		
28	11 1985	N	B07	447	6.2		6.1	31.		31.						8.3	0.042	0.013	0.14	0.153	0.	31.		54.4	6.9	36.7		
28	11 1985	N	B08	445	5.9		5.7	30.		30.						8.5	0.038	0.014	0.171	0.185	0.	35.		77.1	2.1	46.8		
28	11 1985	N	B09	443	4.8		4.5	30.25		30.75						8.2	0.044	0.016	0.263	0.279	0.032	35.		47.8	1.6	23.4		
28	11 1985	N	B10	441	3.9		3.5	30.		30.						8.2	0.044	0.022	0.094	0.116	0.009	27.		64.9	0.	27.8		
28	11 1985	N	B11	429	2.8		2.5	30.		31.						7.7	0.061	0.042	0.125	0.167	0.011	27.		43.7	1.7	25.7		
28	11 1985	N	B13	450	3.3		2.8	30.		30.15						7.9	0.082	0.021	0.	0.021	0.157	32.		48.4	3.2	19.3		
28	11 1985	N	B14	452		2.9		30.75								8.1	0.05	0.043	0.14	0.183	0.146	25.		85.6	2.1	57.		
28	11 1985	N	B15	453		3.6		30.								8.2	0.057	0.033	0.132	0.165	0.026	20.		88.9	0.	55.7		
28	11 1985	N	B16	454		3.4		31.								8.	0.057	0.03	0.041	0.071	0.026	22.		102.	0.	51.2		
28	11 1985	N	B18	459		3.4		30.								8.2	0.056	0.028	0.148	0.176	0.029	26.		67.	1.	25.3		
28	11 1985	N	B19	458		2.7		30.								7.5	0.077	0.028	0.	0.028	0.119	21.		59.3	0.1	15.5		
28	11 1985	N	B20	457		3.6		30.								7.6	0.057	0.031	0.002	0.033	0.051	19.		131.4	0.	82.8		
29	11 1985	N	A29													0.148	0.015	0.133	0.148	0.	30.		87.6	57.5	0.			
29	11 1985	N	A30													0.125	0.021	0.401	0.422	0.	25.		31.1	21.1	0.			
29	11 1985	N	A31													0.132	0.02	0.355	0.375	0.006	27.		80.1	5.	0.			
29	11 1985	N	A32													0.147	0.028	0.048	0.076	0.096	22.		55.6	58.	4.6			
29	11 1985	N	A33													0.137	0.02	0.125	0.145	0.	22.		64.	72.	0.			
29	11 1985	N	A34													0.125	0.025	1.099	1.124	0.026	27.		38.1	16.5	0.			
29	11 1985	N	A35													0.125	0.025	1.099	1.124	0.026	25.		84.4	1.6	0.			
29	11 1985	N	A36													0.135	0.028	0.194	0.222	0.134	29.		91.8	0.	0.			
29	11 1985	N	A37													0.12	0.017	0.578	0.595	0.076	25.		0.	0.	0.			
29	11 1985	N	A38													0.175	0.025	0.243	0.273	0.041	26.		7.4	26.7	0.			
29	11 1985	N	A39													0.125	0.021	0.625	0.046	0.062	25.		50.8	44.1	0.			
29	11 1985	N	A40													0.14	0.016	0.639	0.655	0.046	27.		0.	54.3	0.			
29	11 1985	N	A41													0.129	0.017	0.639	0.656	0.059	30.		33.7	28.5	0.			
29	11 1985	N	A42													0.12	0.012	1.179	1.191	0.039	35.		89.3	89.7	0.			
29	11 1985	N	A43													0.148	0.021	0.147	0.468	0.006	27.		88.9	0.	0.			
29	11 1985	N	A44													0.137	0.029	0.167	0.696	0.029	20.		0.	0.	25.2			
29	11 1985	N	A45													0.13	0.024	0.156	0.18	0.016	25.		0.	0.	0.			
29	11 1985	N	A46													0.135	0.26	1.16	0.42	0.036	20.		99.3	0.	0.			
29	11 1985	N	A47													0.133	0.025	1.179	0.204	0.009	22.		97.9	66.1	0.			
29	11 1985	N	A48													0.155	0.034	0.002	0.036	0.046	20.		57.7	59.6	0.			
29	11 1985	N	A49													0.14	0.02	0.21	0.23	0.	25.		56.3	59.9	0.			
2	12 1985	N	B01	420	4.7	4.6	4.6	27.5	27.	26.5	32.22	30.56	27.78	27.78	7.3667								36.					
2	12 1985	N	B02	422	6.	3.	2.4	28.75	29.	29.25						7.4								32.				
2	12 1985	N	B03	424	4.9	4.8	4.7	28.	28.	27.	31.67	33.33	27.78	28.89		7.5								32.				
2	12 1985	N	B04	426	5.3	5.2	5.1	28.5	27.25	27.						7.5								45.				
2	12 1985	N	B05	428	4.8	4.8	4.7	28.	27.	27.						7.4								28.				
2	12 1985	N	B06	430	5.4	5.4	5.4	28.	27.	27.						7.4333								29.				
2	12 1985	N	B07	440	4.8		4.6	28.		28.	31.11	30.	27.22	26.11		7.4								25.				
2	12 1985	N	B08	438	5.4		5.4	28.		27.5	31.11	31.11	26.67	26.11		7.8								31.				
2	12 1985	N	B09	436	4.6		4.3	26.		27.						7.7								27.				

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	NO.	YEAR	DATA?	POINT	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @		WATER TEMP @		WATER TEMP @		WATER TEMP @		WATER TEMP @		KJELDAHL		TOTAL NO <sub>2</sub> & TOTAL ORTHOPHOSPHATE		SECHII NH <sub>3</sub> -N		SECHII NO <sub>2</sub> -N		CHLOR- DISK		CHLOR- OPHYLL		CHLOR- OPHYLL	
									TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKALI.	HARD.	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	NO <sub>3</sub> -N	P	P04-P	A	B	A	B	C		
2	12	1985	N	B10	435	4.9		4.7	28.		27.							7.7														
2	12	1985	N	B11	433	4.3		4.	28.		27.5							7.2														
2	12	1985	N	B13	443	3.6		3.2	28.		28.							7.4														
2	12	1985	N	B14	445		3.4		28.			32.22	31.67	25.56	26.67			7.6														
2	12	1985	N	B15	447		3.		28.25			30.	35.	25.56	27.78			7.6														
2	12	1985	N	B16	449		3.4		27.5									7.5														
2	12	1985	N	B18	455		3.6		27.									7.7														
2	12	1985	N	B19	453		3.2		28.									7.4														
2	12	1985	N	B20	451		2.4		28.									7.6														
3	12	1985	Y	A29																												
3	12	1985	Y	A30																												
3	12	1985	Y	A31																												
3	12	1985	Y	A32																												
3	12	1985	Y	A33																												
3	12	1985	Y	A34																												
3	12	1985	Y	A35																												
3	12	1985	Y	A36																												
3	12	1985	Y	A37																												
3	12	1985	Y	A38																												
3	12	1985	Y	A39																												
3	12	1985	Y	A40																												
3	12	1985	Y	A41																												
3	12	1985	Y	A42																												
3	12	1985	Y	A43																												
3	12	1985	Y	A44																												
3	12	1985	Y	A45																												
3	12	1985	Y	A46																												
3	12	1985	Y	A47																												
3	12	1985	Y	A48																												
3	12	1985	Y	A49																												
4	12	1985	N	A29	552		2.4		28.5																							
4	12	1985	N	A30	553		4.9		23.5																							
4	12	1985	N	A31	554		2.6		28.25																							
4	12	1985	N	A32	555		1.3		28.15																							
4	12	1985	N	A33	556		1.8		28.15																							
4	12	1985	N	A34	558		4.7		28.																							
4	12	1985	N	A35	559		1.2		28.																							
4	12	1985	N	A36	611		2.		28.																							
4	12	1985	N	A37	609		1.2		28.																							
4	12	1985	N	A38	608		2.3		28.																							
4	12	1985	N	A39	606		2.4		28.																							
4	12	1985	N	A40	605		4.6		28.																							
4	12	1985	N	A41	604		2.3		28.																							
4	12	1985	N	A42	603		4.		27.5																							

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY NO.	YEAR	POND#	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER						KJELDAHL	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	P	TOTAL		SECHII		SECHII		CHLOR-		CHLOR-				
							TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM								NO <sub>2</sub> & TOTAL	ORTHO	DISK	DISK	O PHYLL	O PHYLL	O PHYLL	O PHYLL					
4	12 1985	N	A43	613			4.9			27.15																						
4	12 1985	N	A44	614			4.			27.75																						
4	12 1985	N	A45	615			4.8			28.																						
4	12 1985	N	A46	616			5.4			28.																						
4	12 1985	N	A47	617			3.			28.																						
4	12 1985	N	A48	618			2.4			28.																						
4	12 1985	N	A49	619			3.9			27.75																						
4	12 1985	Y	B01	432	5.4	4.8	4.6	30.	30.	29.5																						
4	12 1985	Y	B02	434	5.7	3.8	2.1	31.	30.	30.																						
4	12 1985	Y	B03	436	7.8	2.2	1.1	31.	30.	29.																						
4	12 1985	Y	B04	438	5.6	3.4	1.9	27.	29.5	28.9																						
4	12 1985	Y	B05	440	5.2	5.	4.5	30.	30.	29.																						
4	12 1985	Y	B06	442	5.8	5.7	5.8	30.	30.	29.																						
4	12 1985	Y	B07	453	4.4		4.4	28.25		29.																						
4	12 1985	Y	B08	452	5.1		5.1	30.		30.5																						
4	12 1985	Y	B09	450	4.		3.8	30.		30.																						
4	12 1985	Y	B10	448	4.4		4.2	30.		30.5																						
4	12 1985	Y	B11	446	3.2		3.	30.		30.15																						
4	12 1985	Y	B13	457	3.2		3.1	28.		28.9																						
4	12 1985	Y	B14	459		2.6		28.75																								
4	12 1985	Y	B15	500		2.6			29.																							
4	12 1985	Y	B16	502		3.4			31.																							
4	12 1985	Y	B18	510		2.4			30.																							
4	12 1985	Y	B19	508		1.8			30.																							
4	12 1985	Y	B20	506		2.1			29.																							
5	12 1985	Y	A25																													
5	12 1985	Y	A30																													
5	12 1985	Y	A31																													
5	12 1985	Y	A32																													
5	12 1985	Y	A33																													
5	12 1985	Y	A34																													
5	12 1985	Y	A35																													
5	12 1985	Y	A36																													
5	12 1985	Y	A37																													
5	12 1985	Y	A38																													
5	12 1985	Y	A39																													
5	12 1985	Y	A40																													
5	12 1985	Y	A41																													
5	12 1985	Y	A42																													
5	12 1985	Y	A43																													
5	12 1985	Y	A44																													
5	12 1985	Y	A45																													
5	12 1985	Y	A46																													
5	12 1985	Y	A47																													

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						WATER						KJELDAHL	PH	N	TOTAL				SECHII				SECHII				CHLOR-				
					DO	DO	DO	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MIN	ALKA.	HARD.		M3-N	N02-N	N03-N	N03-N	P	P04-F	A	B	A	B	C	DISK	OPHYLL	OPHYLL	OPHYLL		
5	12 1985	Y	A48																																	
5	12 1985	Y	A49																																	20.
5	12 1985	Y	B01																																25.	
5	12 1985	Y	B02																															28.		
5	12 1985	Y	B03																															22.		
5	12 1985	Y	B04																															28.		
5	12 1985	Y	B05																															48.		
5	12 1985	Y	B06																															28.		
5	12 1985	Y	B07																															34.		
5	12 1985	Y	B08																															31.		
5	12 1985	Y	B09																															21.		
5	12 1985	Y	B10																															25.		
5	12 1985	Y	B11																															20.		
5	12 1985	Y	B13																															20.		
5	12 1985	Y	B14																															20.		
5	12 1985	Y	B15																															21.		
5	12 1985	Y	B16																															21.		
5	12 1985	Y	B18																															21.		
5	12 1985	Y	B19																															15.		
5	12 1985	Y	B20																															19.		
6	12 1985	N	A29	555	2.9																													16.		
6	12 1985	N	A30	556	6.8																													25.		
6	12 1985	N	A31	557	5.																													25.		
6	12 1985	N	A32	559	1.2																													25.		
6	12 1985	N	A33	601	2.1																												20.			
6	12 1985	N	A34	602	6.9																												22.			
6	12 1985	N	A35	604	0.6																												35.			
6	12 1985	N	A36	614	1.																												20.			
6	12 1985	N	A37	613	2.3																												25.			
6	12 1985	N	A38	612	1.6																												20.			
6	12 1985	N	A39	611	2.8																												20.			
6	12 1985	N	A40	610	5.6																												25.			
6	12 1985	N	A41	608	4.6																												30.			
6	12 1985	N	A42	607	4.9																												25.			
6	12 1985	N	A43	616	5.7																												30.			
6	12 1985	N	A44	618	3.3																												35.			
6	12 1985	N	A45	619	4.8																												25.			
6	12 1985	N	A46	621	7.9																												30.			
6	12 1985	N	A47	622	4.6																												32.			
6	12 1985	N	A48	624	2.6																												25.			
6	12 1985	N	A49	625	5.																												20.			
6	12 1985	N	B01	438	7.4	6.6	6.6	33.	32.	31.																					25.					
6	12 1985	N	B02	440	4.2	3.7	3.6	34.	31.	30.																					32.7					
6	12 1985	N	B03	442	2.7	2.8	2.4	34.	30.	30.																					8.6					
																																	18.6			
																																	16.1			
																																26.3				
																																17.8				
																																17.6				
																																7.6				
																																17.8				

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	MO.	YEAR	EXTRA DATA?	POND#	TIME	WATER			WATER			WATER			WATER			WATER			KJELDAHL			TOTAL			SECHII			SECHII			CHLOR-		
						DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKA.	HARD.	PH	%	NH3-N	NO2-N	NO3-N	NO3-N	P	PO4- <sup>3-</sup>	A	B	DISK	DISK	OPHYLL	OPHYLL	OPHYLL
6	12	1985	N	B04	444	8.2	5.6	3.4	33.	31.	30.											7.8667	0.019	0.027	0.	0.027	0.114	36.	17.8	7.6	13.1				
6	12	1985	N	B05	446	6.3	6.	6.	31.	30.5	29.											7.8	0.027	0.041	0.094	0.135	0.115	39.	27.7	4.1	14.4				
6	12	1985	N	B06	448	7.6	7.6	7.6	30.	36.	30.										8.0667	0.029	0.029	0.	0.029	0.029	36.	37.6	2.3	10.6					
6	12	1985	N	B07	458	5.9			5.8	33.		29.15									8.	0.017	0.036	0.056	0.092	0.072	26.	56.5	0.	0.					
6	12	1985	N	B08	456	6.8			6.8	32.		30.								8.2	0.028	0.036	0.	0.036	0.049	21.	81.1	0.	0.						
6	12	1985	N	B09	455	6.4			6.3	32.		30.							8.1	0.033	0.031	0.11	0.141	0.246	29.	60.5	0.	0.							
6	12	1985	N	B10	453	5.4			5.2	32.		30.5							8.2	0.028	0.041	0.44	0.481	0.031	16.	102.9	0.	0.							
6	12	1985	N	B11	451	4.4			4.2	32.		29.							7.9	0.04	0.048	0.018	0.066	0.046	23.	50.9	0.	0.							
6	12	1985	N	B13	502	4.2			4.2	32.		30.							8.2	0.045	0.053	0.041	0.094	0.162	21.	47.5	0.	0.							
6	12	1985	N	B14	504		3.8			32.75									8.2	0.041	0.05	0.133	0.183	0.237	20.	97.3	0.	0.							
6	12	1985	N	B15	506		3.3			33.									8.2	0.059	0.08	0.048	0.128	0.252	15.	98.4	0.	1.1							
6	12	1985	N	B16	509		2.2			33.									8.2	0.345	0.053	0.	0.053	0.131	19.	106.3	27.5	0.							
6	12	1985	N	B18	515		2.9			33.									8.2	0.061	0.082	0.148	0.23	0.323	15.	89.3	18.	0.							
6	12	1985	N	B19	514		3.2		32.75										8.	0.067	0.075	0.11	0.185	0.221	13.	69.8	7.1	2.4							
6	12	1985	N	B20	512		2.1			30.									8.	0.041	0.055	0.263	0.318	0.121	16.	128.2	38.8	0.							
9	12	1985	Y	A29	540		2.8			28.5									7.64						25.										
9	12	1985	Y	A30	541		6.4			28.5									8.08						29.										
9	12	1985	Y	A31	543		2.6			27.									7.84						22.										
9	12	1985	Y	A32	544		2.			27.									8.						18.										
9	12	1985	Y	A33	545		2.2			27.2									7.82						15.										
9	12	1985	Y	A34	546		5.6			27.									8.4						27.										
9	12	1985	Y	A35	547		1.			27.									7.52						17.										
9	12	1985	Y	A36	557		2.6			27.9									7.58						17.										
9	12	1985	Y	A37	556		1.2			27.2									7.72						16.										
9	12	1985	Y	A38	555		2.6			27.									7.44						21.										
9	12	1985	Y	A39	554		3.			27.5									7.78						21.										
9	12	1985	Y	A40	552		6.6			28.									8.14						28.										
9	12	1985	Y	A41	551		2.6			27.6									7.98						20.										
9	12	1985	Y	A42	550		3.2			27.									7.74						23.										
9	12	1985	Y	A43	600		5.8			28.									7.5						28.										
9	12	1985	Y	A44	601		2.6			27.									7.5						18.										
9	12	1985	Y	A45	603		5.2			27.5									7.64						22.										
9	12	1985	Y	A46	604		5.5			26.2									8.02						22.										
9	12	1985	Y	A47	605		5.2			26.5									7.84						20.										
9	12	1985	Y	A48	607		2.6			26.5									7.56						15.										
9	12	1985	Y	A49	608		5.2			26.2									7.68						20.										
11	12	1985	N	A29	525		3.6			27.									7.1	0.041	0.03	0.482	0.512	0.066	25.	2.7	89.2	27.							
11	12	1985	N	A30	526		6.4			26.									7.9	0.037	0.028	0.313	0.341	0.019	29.	31.1	21.1	0.							
11	12	1985	N	A31	527		3.2			27.									7.	0.062	0.027	0.397	0.424	0.217	22.	3.	78.7	25.9							
11	12	1985	N	A32	528		2.6			27.									7.	0.057	0.047	0.466	0.513	0.76	18.	55.6	58.1	4.6							
11	12	1985	N	A33	529		2.4			26.2									7.	0.064	0.048	0.543	0.591	0.176	15.	64.	73.2	0.							
11	12	1985	N	A34	530		6.			26.									7.	0.026	0.014	0.351	0.345	0.082	27.	38.1	16.5	0.							
11	12	1985	N	A35	531		1.8			26.									7.	0.044	0.033	0.628	0.551	0.504	17.	6.4	30.7	0.							
11	12	1985	N	A36	540		2.9			26.									7.	0.052	0.044	0.62	0.664	0.721	17.	84.3	95.7	0.							

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EXTRA DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII				CHLOR-		CHLOR-				
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKAL.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	A	B
13	12	1985	Y	A39	501	2.8	25.					7.55													32.			
13	12	1985	Y	A40	459	5.6	25.					7.99													40.			
13	12	1985	Y	A41	457	4.2	25.					7.92													35.			
13	12	1985	Y	A42	455	5.	25.8					7.8													36.			
13	12	1985	Y	A43	510	5.6	25.					7.48													30.			
13	12	1985	Y	A44	512	5.	24.					7.62													21.			
13	12	1985	Y	A45	514	5.3	24.2					7.32													33.			
13	12	1985	Y	A46	515	5.4	24.					7.72													31.			
13	12	1985	Y	A47	517	5.	24.					7.66													31.			
13	12	1985	Y	A48	519	4.4	23.5					7.65													20.			
13	12	1985	Y	A49	520	5.2	23.5					7.54													30.			
19	12	1985	Y	A29																					25.			
19	12	1985	Y	A30																					27.			
19	12	1985	Y	A31																					28.			
19	12	1985	Y	A32																					23.			
19	12	1985	Y	A33																					21.			
19	12	1985	Y	A34																					38.			
19	12	1985	Y	A35																					22.			
19	12	1985	Y	A36																					23.			
19	12	1985	Y	A37																					24.			
19	12	1985	Y	A38																					25.			
19	12	1985	Y	A39																					25.			
19	12	1985	Y	A40																					33.			
19	12	1985	Y	A41																					25.			
19	12	1985	Y	A42																					37.			
19	12	1985	Y	A43																					39.			
19	12	1985	Y	A44																					22.			
19	12	1985	Y	A45																					36.			
19	12	1985	Y	A46																					28.			
19	12	1985	Y	A47																					31.			
19	12	1985	Y	A48																					21.			
19	12	1985	Y	A49																					26.			
20	12	1985	N	A29	620	6.4	22.75					7.5													25.			
20	12	1985	N	A30	621	7.3	23.					7.5													27.			
20	12	1985	N	A31	623	6.6	22.75					7.6													28.			
20	12	1985	N	A32	624	4.	22.5					7.1													23.			
20	12	1985	N	A33	625	7.4	22.5					7.15													21.			
20	12	1985	N	A34	627	7.4	22.75					7.8													38.			
20	12	1985	N	A35	628	4.2	22.5					7.15													22.			
20	12	1985	N	A36	638	3.8	23.					7.2													23.			
20	12	1985	N	A37	636	3.2	22.95					7.1													24.			
20	12	1985	N	A38	635	5.2	22.75					7.4													25.			
20	12	1985	N	A39	635	4.6	22.75					7.15													25.			
20	12	1985	N	A40	633	7.	23.					7.8													33.			

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER						KJELDAHL ALKA.	HARD.	pH	TOTAL				SECHII SECHII CHLOR- CHLOR- CHLOR-						
							TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOT-MIN	TEMP @ TOP-MIN			N	NH3-N	N02-N	N03-N	N02 & P	TOTAL P	ORTHO PO4-P	DISK A	DISK B	DISK C	OPHYLL A
20	12 1985	N	A41	631	3.8	22.5								7.75												25.
20	12 1985	N	A42	630	6.4	22.75								7.7												37.
20	12 1985	N	A43	642	6.4	24.75								7.4												39.
20	12 1985	N	A44	642	3.8	23.5								7.25												22.
20	12 1985	N	A45	641	5.8	23.75								7.5												30.
20	12 1985	N	A46	646	6.2	23.5								7.5												28.
20	12 1985	N	A47	648	6.	23.25								7.6												31.
20	12 1985	N	A48	650	4.4	23.								7.3												21.
20	12 1985	N	A49	652	5.6	23.								7.3												26.
23	12 1985	N	A29	620	3.8	22.																				
23	12 1985	N	A30	622	6.8	23.												0.106	0.036	0.447	0.483	0.096	27.	29.	12.1	34.3
23	12 1985	N	A31	623	5.	23.25											0.09	0.027	0.639	0.666	0.012	30.	33.6	1.7	22.4	
23	12 1985	N	A32	624	2.8	23.											0.099	0.035	0.608	0.643	0.146	25.	64.6	13.2	68.1	
23	12 1985	N	A33	625	3.6	23.5											0.133	0.048	0.624	0.672	0.379	23.	44.	6.2	27.8	
23	12 1985	N	A34	628	6.6	24.											0.095	0.033	0.562	0.595	0.211	23.	39.5	0.	25.7	
23	12 1985	N	A35	630	3.4	23.95											0.08	0.017	0.57	0.587	0.056	33.	19.	5.5	28.9	
23	12 1985	N	A36	639	2.6	24.											0.1	0.147	0.486	0.631	0.132	20.	54.7	7.2	42.1	
23	12 1985	N	A37	638	2.	24.											0.102	0.057	0.746	0.803	0.279	17.	78.5	8.	50.8	
23	12 1985	N	A38	637	2.8	23.95											0.1	0.234	0.302	0.536	0.433	25.	63.7	0.	19.4	
23	12 1985	N	A39	636	3.	24.											0.102	0.044	0.532	0.576	0.236	20.	68.1	5.8	53.7	
23	12 1985	N	A40	633	6.	24.											0.093	0.04	0.063	0.103	0.166	21.	69.5	7.2	46.2	
23	12 1985	N	A41	633	4.2	23.95											0.032	0.019	0.907	0.926	0.176	25.	29.8	0.	6.2	
23	12 1985	N	A42	632	5.3	23.95											0.09	0.038	1.099	1.137	0.237	25.	54.7	3.9	28.8	
23	12 1985	N	A43	641	6.6	24.											0.08	0.021	0.34	0.361	0.012	37.	28.9	1.1	10.5	
23	12 1985	N	A44	642	3.	24.											0.075	0.016	0.417	0.433	0.187	43.	14.6	9.7	2.9	
23	12 1985	N	A45	643	6.2	24.											0.092	0.032	0.316	0.348	0.	26.	34.4	1.7	22.9	
23	12 1985	N	A46	644	5.	24.											0.082	0.021	0.236	0.257	0.	33.	18.7	0.	0.8	
23	12 1985	N	A47	645	4.	24.											0.085	0.023	0.325	0.346	0.079	31.	34.1	2.5	13.1	
23	12 1985	N	A48	646	2.4	23.95											0.085	0.019	0.261	0.28	0.046	33.	28.9	1.1	10.5	
23	12 1985	N	A49	647	4.8	23.95											0.111	0.058	0.34	0.398	0.137	20.	96.1	13.7	60.8	
24	12 1985	Y	A29														0.085	0.024	1.107	1.131	0.	25.	35.8	1.5	18.9	
24	12 1985	Y	A30																						20.	
24	12 1985	Y	A31																						23.	
24	12 1985	Y	A32																						17.	
24	12 1985	Y	A33																						18.	
24	12 1985	Y	A34																						20.	
24	12 1985	Y	A35																						25.	
24	12 1985	Y	A36																						16.	
24	12 1985	Y	A37																						15.	
24	12 1985	Y	A38																						17.	
24	12 1985	Y	A39																						17.	
24	12 1985	Y	A40																						20.	
24	12 1985	Y	A41																						25.	
24	12 1985	Y	A42																						15.	
24	12 1985	Y																							28.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

EX.RA DAY NO.	YEAR	POND#	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER						KJELDAHL						TOTAL				SFCHII			SECHII			CHLOR-		
							TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKA.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	DISK	DISK	DPHYLL	DPHYLL	DPHYLL	
24	12 1985	Y	A43																												
24	12 1985	Y	A44																												
24	12 1985	Y	A45																												
24	12 1985	Y	A46																												
24	12 1985	Y	A47																												
24	12 1985	Y	A48																												
24	12 1985	Y	A49																												
28	12 1985	N	A29																												
28	12 1985	N	A30																												
28	12 1985	N	A31																												
28	12 1985	N	A32																												
28	12 1985	N	A33																												
28	12 1985	N	A34																												
28	12 1985	N	A35																												
28	12 1985	N	A36																												
28	12 1985	N	A37																												
28	12 1985	N	A38																												
28	12 1985	N	A39																												
28	12 1985	N	A40																												
28	12 1985	N	A41																												
28	12 1985	N	A42																												
28	12 1985	N	A43																												
28	12 1985	N	A44																												
28	12 1985	N	A45																												
28	12 1985	N	A46																												
28	12 1985	N	A47																												
28	12 1985	N	A48																												
28	12 1985	N	A49																												
2	1 1986	Y	A29																												
2	1 1986	Y	A30																												
2	1 1986	Y	A31																												
2	1 1986	Y	A32																												
2	1 1986	Y	A33																												
2	1 1986	Y	A34																												
2	1 1986	Y	A35																												
2	1 1986	Y	A36																												
2	1 1986	Y	A37																												
2	1 1986	Y	A38																												
2	1 1986	Y	A39																												
2	1 1986	Y	A40																												
2	1 1986	Y	A41																												
2	1 1986	Y	A42																												
2	1 1986	Y	A43																												
2	1 1986	Y	A44																												

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	PH	TOTAL						SECHII							
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ M.D.	TEMP @ BOTTOM			ALKA.	HARD.	N	NH3-N	NO2-N	NO3-N	NO3-N	TOTAL P	ORTHOPHO	DISK A	DISK B	OPHYLL A	OPHYLL B	OPHYLL C
2	1 1986	Y	A45																							35.
2	1 1986	Y	A46																							30.
2	1 1986	Y	A47																							25.
2	1 1986	Y	A48																							20.
2	1 1986	Y	A49																							25.
3	1 1986	N	A29	555	4.8		24.									7.6										35.
3	1 1986	N	A30	556	5.8		24.									7.88										25.
3	1 1986	N	A31	557	4.7		24.									7.56										30.
3	1 1986	N	A32	558	2.4		24.									7.2										20.
3	1 1986	N	A33	559	3.6		24.									7.45										20.
3	1 1986	N	A34	600	5.4		24.5									7.9										15.
3	1 1986	N	A35	601	2.8		24.5									7.5										35.
3	1 1986	N	A36	609	1.4		25.									7.48										20.
3	1 1986	N	A37	608	4.		24.5									7.64										25.
3	1 1986	N	A38	607	2.2		24.95									7.1										15.
3	1 1986	N	A39	606	6.6		24.95									7.95										20.
3	1 1986	N	A40	605	5.2		24.5									8.										20.
3	1 1986	N	A41	604	3.8		24.25									7.75										30.
3	1 1986	N	A42	603	4.8		24.25									7.65										27.
3	1 1986	N	A43	611	6.2		25.25									7.78										44.
3	1 1986	N	A44	613	3.6		25.									7.62										35.
3	1 1986	N	A45	614	6.		25.									7.6										22.
3	1 1986	N	A46	616	6.1		25.									7.82										30.
3	1 1986	N	A47	616	5.		25.									7.72										25.
3	1 1986	N	A48	618	2.4		25.									7.44										20.
3	1 1986	N	A49	620	4.6		24.95									7.48										20.
6	1 1986	N	A29	640	4.2		23.25									7.2										27.
6	1 1986	N	A30	642	6.4		23.25									7.95										30.
6	1 1986	N	A31	643	4.6		23.									7.55										21.
6	1 1986	N	A32	644	3.7		23.									7.22										18.
6	1 1986	N	A33	645	3.7		23.									7.38										16.
6	1 1986	N	A34	646	6.6		23.									8.05										31.
6	1 1986	N	A35	647	2.7		23.									7.15										22.
6	1 1986	N	A36	657	2.5		23.5									7.4										21.
6	1 1986	N	A37	656	2.1		23.									7.74										17.
6	1 1986	N	A38	655	5.6		23.25									7.58										21.
6	1 1986	N	A39	654	2.9		23.									7.32										18.
6	1 1986	N	A40	654	5.1		23.									8.02										28.
6	1 1986	N	A41	651	4.7		22.75									7.78										27.
6	1 1986	N	A42	650	4.5		22.75									7.32										30.
6	1 1986	N	A43	700	6.1		23.75									7.8										38.
6	1 1986	N	A44	701	4.6		24.									7.75										22.
6	1 1986	N	A45	703	6.1		24.									7.6										25.
6	1 1986	N	A46	704	5.6		23.75									7.75										28.

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	DATA?	POND#	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MIN	TEMP @ BOT-MIN	WATER ALKA.	WATER HARD.	WATER PH	WATER N	WATER NH3-N	WATER NO2-N	WATER NO3-N	WATER P	TOTAL P04-P	TOTAL			SECHII			CHLOR-		
																							NO2 & TOTAL	ORTHO	DISK	DISK	OPHYLL	OPHYLL	OPHYLL		
6	1 1986	N	A47	705	4.9			23.75								7.7													23.		
6	1 1986	N	A48	706	4.4			23.75								7.5													18.		
6	1 1986	N	A49	707	5.7			23.25								7.5													24.		
7	1 1986	Y	A29																										20.		
7	1 1986	Y	A30													27.78		26.67												25.	
7	1 1986	Y	A31													32.22		27.78												15.	
7	1 1986	Y	A32																										15.		
7	1 1986	Y	A33													29.44		24.44												20.	
7	1 1986	Y	A34																										20.		
7	1 1986	Y	A35																										20.		
7	1 1986	Y	A36																										20.		
7	1 1986	Y	A37																										15.		
7	1 1986	Y	A38													28.89		24.44												15.	
7	1 1986	Y	A39																										15.		
7	1 1986	Y	A40													27.78		25.56											20.		
7	1 1986	Y	A41																										20.		
7	1 1986	Y	A42																										40.		
7	1 1986	Y	A43																										30.		
7	1 1986	Y	A44																										15.		
7	1 1986	Y	A45																										25.		
7	1 1986	Y	A46																										20.		
7	1 1986	Y	A47																										20.		
7	1 1986	Y	A48																										15.		
7	1 1986	Y	A49																										20.		
8	1 1986	Y	A29	625	7.			21.5									7.6												20.		
8	1 1986	Y	A30	626	5.8			22.									8.													20.	
8	1 1986	Y	A31	627	4.			22.									7.4													15.	
8	1 1986	Y	A32	628	3.2			22.									7.3													15.	
8	1 1986	Y	A33	629	3.4			21.5									7.3													15.	
8	1 1986	Y	A34	630	6.			21.5									8.													20.	
8	1 1986	Y	A35	631	3.3			21.95									7.4													15.	
8	1 1986	Y	A36	640	2.4			22.									7.2													20.	
8	1 1986	Y	A37	639	2.4			21.95									7.4													10.	
8	1 1986	Y	A38	638	4.2			21.5									7.8													15.	
8	1 1986	Y	A39	637	3.2			21.95									7.25													15.	
8	1 1986	Y	A40	636	4.7			21.5									7.9													25.	
8	1 1986	Y	A41	635	4.8			21.25									7.9													15.	
8	1 1986	Y	A42	634	6.2			21.25									7.6													39.	
8	1 1986	Y	A43	642	5.7			22.5									7.8													30.	
8	1 1986	Y	A44	643	3.6			22.									7.8													15.	
8	1 1986	Y	A45	644	5.4			22.									7.6													20.	
8	1 1986	Y	A46	645	5.2			22.									7.8													20.	
8	1 1986	Y	A47	646	4.7			22.									7.6													20.	
8	1 1986	Y	A48	647	3.8			22.									7.55													15.	

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	TOTAL						SECHII											
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM		TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKA.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	NO3-N	P	ORTHOPHO	DISK:	DISK:	CHLOR-OPHYLL A	CHLOR-OPHYLL B
8	1 1986	Y	A49	648	5.2			22.									7.5												
9	1 1986	Y	A29																								20.		
9	1 1986	Y	A30																								15.		
9	1 1986	Y	A32																								20.		
9	1 1986	Y	A33																								15.		
9	1 1986	Y	A34																								15.		
9	1 1986	Y	A35																								20.		
9	1 1986	Y	A36																								15.		
9	1 1986	Y	A37																								15.		
9	1 1986	Y	A38																								10.		
9	1 1986	Y	A39																								10.		
9	1 1986	Y	A40																								15.		
9	1 1986	Y	A41																								20.		
9	1 1986	Y	A42																								15.		
9	1 1986	Y	A43																								38.		
9	1 1986	Y	A44																								30.		
9	1 1986	Y	A45																								15.		
9	1 1986	Y	A46																								25.		
9	1 1986	Y	A47																								20.		
9	1 1986	Y	A48																								20.		
9	1 1986	Y	A49																								20.		
10	1 1986	N	A29	610	6.2		19.											7.5									15.		
10	1 1986	N	A30	611	7.4		19.	24.44		21.11							7.85									15.			
10	1 1986	N	A31	612	6.6		20.	23.33		22.22							7.6									20.			
10	1 1986	N	A32	613	4.5		19.75										7.2									15.			
10	1 1986	N	A33	614	4.4		19.85	23.33		22.22							7.2									15.			
10	1 1986	N	A34	615	7.2		20.										8.									15.			
10	1 1986	N	A35	616	4.3		20.										7.3									25.			
10	1 1986	N	A36	624	4.3		20.	24.44		22.22							7.3									15.			
10	1 1986	N	A37	623	2.9		20.										7.25									20.			
10	1 1986	N	A38	622	3.6		19.75										7.45									10.			
10	1 1986	N	A39	621	4.5		20.										7.2									10.			
10	1 1986	N	A40	620	6.7		19.85	23.33		21.11							8.									15.			
10	1 1986	N	A41	619	6.1		19.5										7.95									20.			
10	1 1986	N	A42	618	6.8		19.5										8.									10.			
10	1 1986	N	A43	628	7.4		21.										7.8									37.			
10	1 1986	N	A44	629	4.5		20.5										7.5									30.			
10	1 1986	N	A45	630	7.5		20.	23.33		22.22							7.6									15.			
10	1 1986	N	A46	632	6.9		20.										7.8									30.			
10	1 1986	N	A47	633	6.8		20.										7.55									15.			
10	1 1986	N	A48	634	4.8		20.25	24.44		22.22							7.5									15.			
10	1 1986	N	A49	635	6.8		20.25										7.4									10.			
13	1 1986	N	A29	605	6.		21.5										7.6	0.052	0.027	0.532	0.559	0.056	27.			58.8	10.4	11.3	
13	1 1986	N	A30	606	6.7		22.5	28.89		23.33							8.	0.061	0.02	0.547	0.567	0.046	28.			53.6	15.7	17.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	NO.	YEAR	EXTRA POND#	TIME	WATER		WATER		WATER		WATER		WATER		KJELDAHL		TOTAL				SECHII SECHII CHLOR- CHLOR- CHLOR-					
					DO @ TOP	DO @ MID BOTTOM	TEMP @ TOP	TEMP @ MID BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKA.	HARD.	pH	N	NH3-N	N02-N	N03-N	N03-N	P	ORTHOPHO-P	DISK A	DISK B	OPHYLL A	OPHYLL B
13	1	1986	N	A31	607	5.5	23.	28.89	22.22					7.8		0.068	0.039	0.47	0.509	0.199	33.			19.5	4.6	13.1
13	1	1986	N	A32	608	2.3	23.25							7.		0.079	0.035	0.647	0.682	0.388	23.			32.4	4.6	20.5
13	1	1986	N	A33	610	2.6	23.75	30.	21.11					7.3		0.061	0.03	0.573	0.608	0.323	25.			22.7	4.6	23.9
13	1	1986	N	A34	611	6.7	23.25							8.2		0.05	0.02	0.371	0.391	0.056	39.			23.3	3.5	12.2
13	1	1986	N	A35	612	3.	23.5							7.3		0.062	0.03	0.608	0.638	0.266	28.			26.4	5.2	10.6
13	1	1986	N	A36	620	2.8	24.	30.	22.22					7.6		0.35	0.028	0.585	0.613	0.196	15.			28.4	1.	10.4
13	1	1986	N	A37	619	1.2	23.5							7.15		0.1	0.034	0.647	0.681	0.549	10.			42.3	4.9	3.7
13	1	1986	N	A38	618	2.9	23.5							7.45		0.072	0.039	0.662	0.701	0.389	12.			23.3	0.	10.9
13	1	1986	N	A39	617	3.4	23.5							7.35		0.067	0.041	0.631	0.672	0.239	15.			21.3	0.	16.4
13	1	1986	N	A40	616	4.9	23.5	28.89	21.11					8.1		0.648	0.022	0.57	0.592	0.189	20.			24.6	0.	14.8
13	1	1986	N	A41	615	3.8	23.25							7.95		0.057	0.027	0.562	0.589	0.262	20.			15.	6.4	15.2
13	1	1986	N	A42	614	4.8	23.25							7.8		0.043	0.013	0.532	0.545	0.	40.			19.9	0.1	7.3
13	1	1986	N	A43	623	6.5	24.							8.		0.046	0.011	0.302	0.313	0.	30.			10.7	3.2	10.1
13	1	1986	N	A44	624	1.8	23.75							7.45		0.05	0.024	0.639	0.663	0.222	15.			31.4	8.7	16.2
13	1	1986	N	A45	625	6.4	24.							7.7		0.039	0.014	0.386	0.4	0.	25.			15.9	10.6	7.9
13	1	1986	N	A46	626	5.4	24.	27.78	22.22					8.		0.052	0.0025	0.486	0.4885	0.146	15.			26.6	0.	12.4
13	1	1986	N	A47	627	5.1	23.5							7.85		0.057	0.025	0.417	0.442	0.037	15.			27.7	2.4	11.3
13	1	1986	N	A48	629	4.5	24.	28.89	22.22					7.75		0.069	0.095	0.225	0.32	0.121	15.			41.1	0.3	5.7
13	1	1986	N	A49	630	5.3	23.5							7.5		0.05	0.055	0.547	0.602	0.012	20.			26.9	1.4	5.4
14	1	1986	N	A29										0.036	0.013	0.386	0.399	0.	27.			16.9	9.9	25.8		
14	1	1986	N	A30										0.036	0.01	0.087	0.097	0.	76.			13.4	6.7	1.7		
14	1	1986	N	A31										0.042	0.014	0.532	0.546	0.054	74.			16.5	9.4	10.2		
14	1	1986	N	A32										0.063	0.022	0.282	0.304	0.137	70.			18.1	12.1	9.		
14	1	1986	N	A33										0.05	0.015	0.079	0.094	0.132	65.			18.1	9.2	0.		
14	1	1986	N	A34										0.032	0.01	0.	0.01	0.	39.			16.6	8.4	0.		
14	1	1986	N	A35										0.046	0.022	0.417	0.439	0.104	28.			33.1	2.7	3.		
14	1	1986	N	A36										0.043	0.021	0.34	0.361	0.046	21.			34.2	7.6	0.8		
14	1	1986	N	A37										0.179	0.013	0.376	0.391	0.13	27.			18.1	7.7	0.3		
14	1	1986	N	A38										0.57	0.015	1.375	1.39	0.071	25.			12.	2.2	1.		
14	1	1986	N	A39										0.046	0.015	0.033	0.048	0.054	29.			0.9	11.6	6.9		
14	1	1986	N	A40										0.043	0.014	0.359	0.373	0.004	43.			15.7	8.	0.		
14	1	1986	N	A41										0.036	0.01	0.309	0.319	0.029	38.			18.1	2.3	0.6		
14	1	1986	N	A42										0.064	0.006	0.348	0.354	0.	30.			10.3	5.	3.5		
14	1	1986	N	A43										0.061	0.011	0.432	0.443	0.	44.			12.3	4.3	2.8		
14	1	1986	N	A44										0.104	0.019	0.225	0.244	0.079	26.			18.3	2.3	7.6		
14	1	1986	N	A45										0.052	0.01	0.455	0.465	0.	43.			16.4	3.	1.3		
14	1	1986	N	A46										0.082	0.015	0.271	0.286	0.	33.			27.5	3.1	0.		
14	1	1986	N	A47										0.086	0.015	0.244	0.259	0.	36.			0.	0.	0.		
14	1	1986	N	A48										0.054	0.021	0.263	0.284	0.082	24.			26.8	0.1	4.9		
14	1	1986	N	A49										0.046	0.012	0.271	0.293	0.	37.			18.7	5.2	9.7		
15	1	1986	Y	A29	625	5.4	21.							7.4						27.						
15	1	1986	Y	A30	626	7.2	21.75							7.75						38.						
15	1	1986	Y	A31	627	6.6	22.							7.62						33.						
15	1	1986	Y	A32	628	3.5	22.							7.26						23.						

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season.**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL						TOTAL		SECHII SECHII CHLOR- CHLOR- CHLOR-											
					DO	DO	DO	TEMP @	TEMP @	TEMP @	TEMP @	TEMP @	TEMP @	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKA.	HARD.	pH	N	NH3-N	NO2-N	NO3-N	NO3-N	P	PO4-P	A	E	A
22	1 1986	Y	A37	616	1.5			22.75									7.06												17.	
22	1 1986	Y	A38	617	4.7			22.5									7.26												20.	
22	1 1986	Y	A39	616	4.6			22.5									7.16												23.	
22	1 1986	Y	A40	615	7.1			22.25									8.												33.	
22	1 1986	Y	A41	614	7.1			22.25									7.42												35.	
22	1 1986	Y	A42	613	6.7			22.25									7.48												35.	
22	1 1986	Y	A43	621	7.2			23.									7.82												43.	
22	1 1986	Y	A44	622	2.8			23.									7.1												32.	
22	1 1986	Y	A45	623	7.			23.									7.4												42.	
22	1 1986	Y	A46	624	5.7			22.75									7.6												23.	
22	1 1986	Y	A47	625	6.8			22.75									7.56												35.	
22	1 1986	Y	A48	626	3.4			22.5									7.2												21.	
22	1 1986	Y	A49	627	6.7			22.5									7.38												35.	
24	1 1986	N	A29	600	6.2			19.									7.45	0.056	0.017	0.532	0.549	0.0573	32.		24.8	13.9	4.1			
24	1 1986	N	A30	601	8.2			20.15	27.78	24.44							8.	0.059	0.031	0.593	0.624	0.124	23.		34.1	17.4	0.1			
24	1 1986	N	A31	602	7.8			20.75	26.67	24.44							7.85	0.066	0.037	0.677	0.714	0.2508	25.		58.8	17.3	10.3			
24	1 1986	N	A32	604	3.1			21.									7.3	0.102	0.062	0.739	0.801	0.5443	15.		80.	29.7	13.2			
24	1 1986	N	A33	605	3.4			21.									7.25	0.068	0.04	0.44	0.48	0.501	18.		20.8	16.1	17.4			
24	1 1986	N	A34	606	8.2			21.25									8.	0.041	0.013	0.535	0.548	0.099	35.		25.3	20.3	12.4			
24	1 1986	N	A35	607	2.4			21.									7.3	0.092	0.045	0.554	0.599	0.4059	16.		51.	31.3	60.2			
24	1 1986	N	A36	617	2.9			21.75									7.45	0.108	0.038	0.459	0.497	0.3842	17.		59.8	8.1	56.6			
24	1 1986	N	A37	616	2.7			21.75									7.5	0.095	0.134	0.639	0.743	0.7395	16.		82.9	18.1	55.			
24	1 1986	N	A38	615	3.7			21.25									7.5	0.08	0.039	0.363	0.402	0.4276	18.		73.5	18.4	62.4			
24	1 1986	N	A39	613	3.8			21.25									7.35	0.05	0.022	0.466	0.508	0.2792	23.		41.8	17.9	63.5			
24	1 1986	N	A40	612	6.8			21.									8.2	0.052	0.015	0.532	0.547	0.3742	36.		42.5	11.1	30.4			
24	1 1986	N	A41	611	6.2			21.									7.85	0.178	0.008	0.524	0.532	0.461	32.		25.4	12.9	21.4			
24	1 1986	N	A42	610	8.			21.									7.75	0.05	0.007	0.248	0.255	0.0606	30.		10.9	0.	0.			
24	1 1986	N	A43	621	7.			22.									8.	0.044	0.006	0.037	0.043	0.	46.		23.2	14.2	27.4			
24	1 1986	N	A44	623	2.8			22.									7.3	0.05	0.018	0.41	0.438	0.2591	25.		21.4	11.4	14.1			
24	1 1986	N	A45	624	7.6			22.									7.7	0.045	0.007	0.6	0.677	0.	39.		0.	0.	0.			
24	1 1986	N	A46	625	6.8			21.75									7.9	0.064	0.022	0.2	0.232	0.2441	28.		54.	6.7	46.			
24	1 1986	N	A47	626	6.5			21.75									7.9	0.07	0.018	0.248	0.266	0.1224	28.		42.4	10.4	36.9			
24	1 1986	N	A48	628	3.2			21.75									7.15	0.031	0.046	0.325	0.371	0.4426	17.		79.3	20.1	47.9			
24	1 1986	N	A49	630	7.			21.5									7.65	0.049	0.01	0.171	0.181	0.	35.		24.9	1.3	5.			
25	1 1986	Y	A29	600	2.7			21.75																		32.				
25	1 1986	Y	A30	602	6.1			21.																		23.				
25	1 1986	Y	A31	603	4.8			21.																		25.				
25	1 1986	Y	A32	604	2.			21.																		15.				
25	1 1986	Y	A33	605	2.2			21.25																		18.				
25	1 1986	Y	A34	606	5.9			21.																		35.				
25	1 1986	Y	A35	607	2.2			21.																		16.				
25	1 1986	Y	A36	616	3.1			21.75																		17.				
25	1 1986	Y	A37	615	1.2			21.5																		16.				
25	1 1986	Y	A38	614	2.3			22.																		18.				

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER						KJELDAHL						TOTAL						SECHII						CHLOR-					
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ BOT-MIN	ALK.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	P	PO4-P	A	B	C	OXYLL	OXYLL	OXYLL	OXYLL					
25	1 1986	Y	A39	613	2.2			21.15																								23.		
25	1 1986	Y	A40	611	4.5			21.																								36.		
25	1 1986	Y	A41	610	4.			21.																								32.		
25	1 1986	Y	A42	609	5.2			21.																								30.		
25	1 1986	Y	A43	618	5.8			22.																								46.		
25	1 1986	Y	A44	619	2.6			22.																								25.		
25	1 1986	Y	A45	620	6.3			21.5																								39.		
25	1 1986	Y	A46	622	4.3			21.																								28.		
25	1 1986	Y	A47	623	5.			21.5																								28.		
25	1 1986	Y	A48	624	2.8			21.5																								17.		
25	1 1986	Y	A49	625	4.6			21.15																								35.		
29	1 1986	N	A29	610	6.6	20.75											7.8	0.023	0.0114	0.256	0.2674	0.	40.		28.2	16.4	36.1							
29	1 1986	N	A30	611	8.1		21.										7.8	0.007	0.02	0.217	0.237	0.	35.		17.4	6.2	0.							
29	1 1986	N	A31	613	6.6		22.										7.8	0.014	0.044	0.286	0.33	0.0406	33.		26.3	13.3	1.5							
29	1 1986	N	A32	614	6.		22.5										7.6	0.022	0.03	0.294	0.324	0.124	21.		52.2	25.1	0.							
29	1 1986	N	A33	615	5.2		22.75										7.6	0.027	0.031	0.21	0.241	0.1307	26.		23.7	11.8	3.							
29	1 1986	N	A34	617	6.4		22.75										7.9	0.029	0.0124	0.179	0.1914	0.	36.		16.7	12.5	6.7							
29	1 1986	N	A35	618	4.		23.25										7.5	0.28	0.041	0.493	0.534	0.079	21.		53.6	14.1	36.6							
29	1 1986	N	A36	628	4.		23.25										7.5	0.047	0.034	0.34	0.374	0.1724	27.		24.1	12.9	12.1							
29	1 1986	N	A37	627	3.6		23.										7.5	0.059	0.034	0.217	0.251	0.2408	31.		21.1	4.6	5.							
29	1 1986	N	A38	626	5.5		23.										7.7	0.01	0.042	0.217	0.259	0.119	23.		32.8	6.	17.1							
29	1 1986	N	A39	625	5.		23.15										7.6	0.159	0.025	0.248	0.273	0.1007	23.		21.8	17.5	10.7							
29	1 1986	N	A40	624	5.8		23.25										8.	0.011	0.019	0.417	0.436	0.094	43.		20.1	5.3	5.8							
29	1 1986	N	A41	622	5.7		23.										7.8	0.036	0.007	0.079	0.086	0.059	42.		10.3	3.6	2.3							
29	1 1986	N	A42	621	7.		23.25										7.8	0.029	0.007	0.156	0.163	0.	42.		18.1	11.9	19.							
29	1 1986	N	A43	631	5.9		23.25										7.9	0.05	0.0148	0.409	0.4233	0.	43.		13.8	4.8	9.6							
29	1 1986	N	A44	632	5.5		23.25										7.8	0.02	0.0203	0.025	0.6453	0.	35.		16.1	15.6	0.							
29	1 1986	N	A45	634	6.1		24.										7.75	0.023	0.0119	0.378	0.3398	0.	48.		12.1	11.6	9.							
29	1 1986	N	A46	635	5.3		23.25										7.85	0.03	0.029	0.294	0.322	0.054	28.		19.	5.	5.4							
29	1 1986	N	A47	636	5.3		23.15										7.8	0.014	0.027	0.428	0.455	0.0406	32.		23.4	8.3	5.3							
29	1 1986	N	A48	638	3.		23.15										7.5	0.025	0.035	0.524	0.559	0.1357	22.		33.5	8.6	25.7							
29	1 1986	N	A49	640	5.4		23.5										7.8	0.027	0.017	0.187	0.204	0.	45.		23.5	1.2	4.7							
30	1 1986	Y	A29																												27.			
30	1 1986	Y	A30					29.44																							27.			
30	1 1986	Y	A31					28.89																							20.			
30	1 1986	Y	A32																												17.			
30	1 1986	Y	A33					29.44																							17.			
30	1 1986	Y	A34																												25.			
30	1 1986	Y	A35																												15.			
30	1 1986	Y	A36					28.89																							20.			
30	1 1986	Y	A37																												20.			
30	1 1986	Y	A38																												15.			
30	1 1986	Y	A39																												15.			
30	1 1986	Y	A40																												35.			

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY	NO.	YEAR	DATA?	POND#	TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER		WATER		WATER		WATER		WATER		KJELDAHL		TOTAL		SECHII		SECHII		CHLOR-		CHLOR-			
									TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALK.	HARD.	pH	N	NH <sub>3</sub> -N	N02-N	N03-N	P	PO <sub>4</sub> -P	A	B	A	B	C
5	2	1986	Y	A45	612	4.3			26.75		32.22		28.89						7.6											43.		
5	2	1986	Y	A46	613	3.2					26.5									7.											42.	
5	2	1986	Y	A47	615	2.6					26.5									7.6											30.	
5	2	1986	Y	A48	616	1.					26.		33.33		28.89					7.2											20.	
5	2	1986	Y	A49	617	3.8					26.									7.3											33.	
6	2	1986	Y	A29	602	2.9			23.75																						21.	
6	2	1986	Y	A30	603	4.7					22.																					24.
6	2	1986	Y	A31	605	3.5					22.																					17.
6	2	1986	Y	A32	606	1.9					22.25																				16.	
6	2	1986	Y	A33	607	2.7					22.5																				17.	
6	2	1986	Y	A34	609	4.3					22.5																				29.	
6	2	1986	Y	A35	610	2.					22.75																				30.	
6	2	1986	Y	A36	621	1.5					23.5																				18.	
6	2	1986	Y	A37	620	2.					23.25																				24.	
6	2	1986	Y	A38	618	2.4					23.25																				17.	
6	2	1986	Y	A39	617	4.3					23.5																				25.	
6	2	1986	Y	A40	616	4.6					22.5																				43.	
6	2	1986	Y	A41	614	2.2					22.75																				28.	
6	2	1986	Y	A42	613	4.5					22.5																				28.	
6	2	1986	Y	A43	624	3.9					24.																				40.	
6	2	1986	Y	A44	625	2.7					24.																				20.	
6	2	1986	Y	A45	626	3.9					24.																				40.	
6	2	1986	Y	A46	627	3.7					24.																				40.	
6	2	1986	Y	A47	628	3.1					23.5																				28.	
6	2	1986	Y	A48	629	1.7					23.5																				23.	
6	2	1986	Y	A49	630	3.6					23.25																				28.	
7	2	1986	N	A29	600	3.					23.																					21.
7	2	1986	N	A30	601	6.2					23.25																				24.	
7	2	1986	N	A31	602	4.8					23.25																				17.	
7	2	1986	N	A32	603	1.8					24.																				16.	
7	2	1986	N	A33	604	2.1					24.																				17.	
7	2	1986	N	A34	606	6.					24.																				29.	
7	2	1986	N	A35	607	1.8					24.																				30.	
7	2	1986	N	A36	617	1.4					25.																				18.	
7	2	1986	N	A37	616	1.					24.95																				24.	
7	2	1986	N	A38	615	2.8					24.95																				17.	
7	2	1986	N	A39	614	1.5					24.95																				25.	
7	2	1986	N	A40	613	3.8					24.75																				43.	
7	2	1986	N	A41	611	5.					24.																				28.	
7	2	1986	N	A42	610	5.6					24.																				28.	
7	2	1986	N	A43	622	5.2					25.5																				40.	
7	2	1986	N	A44	624	2.					25.75																				20.	
7	2	1986	N	A45	626	4.8					25.5																				40.	
7	2	1986	N	A46	627	7.4					25.25																				40.	

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MO.	YEAR	EXTRA DATA?	POND#	TIME	@ TOP	@ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKALI	HARD.	PH	N	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	TOTAL		SECHII		SECHII		CHLOR-		CHLOR-	
																						NO <sub>2</sub> & P	TOTAL P04-P	ORTH A	DISK B	OPHYLL A	OPHYLL B	OPHYLL C				
7	2	1986	N	A47	628			4.8		25.																						
7	2	1986	N	A48	630			1.6		25.																						
7	2	1986	N	A49	631			4.8		25.																						
9	2	1986	Y	A31																												
10	2	1986	N	A29																												
10	2	1986	N	A30																												
10	2	1986	N	A31																												
10	2	1986	N	A32																												
10	2	1986	N	A33																												
10	2	1986	N	A34																												
10	2	1986	N	A35																												
10	2	1986	N	A36																												
10	2	1986	N	A37																												
10	2	1986	N	A38																												
10	2	1986	N	A39																												
10	2	1986	N	A40																												
10	2	1986	N	A41																												
10	2	1986	N	A42																												
10	2	1986	N	A43																												
10	2	1986	N	A44																												
10	2	1986	N	A45																												
10	2	1986	N	A46																												
10	2	1986	N	A47																												
11	2	1986	N	A29																												
11	2	1986	N	A30																												
11	2	1986	N	A31																												
11	2	1986	N	A32																												
11	2	1986	N	A33																												
11	2	1986	N	A34																												
11	2	1986	N	A35																												
11	2	1986	N	A36																												
11	2	1986	N	A37																												
11	2	1986	N	A38																												
11	2	1986	N	A39																												
11	2	1986	N	A40																												
11	2	1986	N	A41																												
11	2	1986	N	A42																												
11	2	1986	N	A43																												
11	2	1986	N	A44																												
11	2	1986	N	A45																												
11	2	1986	N	A46																												
11	2	1986	N	A47																												

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER						KJELDAHL	PH	TOTAL				SECHII				CHLOR-				
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM			NH3-N	N02-N	N03-N	P	PO4-P	A	B	C	DISK	DISK	OPHYLL	OPHYLL	OPHYLL
11	2 1986	N	A48										0.018	0.009	0.566	0.575		0.0757			35.9	12.	36.4		
11	2 1986	N	A49										0.034	0.009	0.566	0.575		0.			627.8	7.7	14.3		
12	2 1986	N	A29	555	4.2	25.							7.65								32.				
12	2 1986	N	A30	556	5.4	24.95	28.89	24.44					7.75								35.				
12	2 1986	N	A31	558	4.4	24.95	27.78	23.33					7.7								28.				
12	2 1986	N	A32	559	3.	24.95							7.4								21.				
12	2 1986	N	A33	601	3.5	24.95	32.22	25.56					7.4								22.				
12	2 1986	N	A34	602	5.2	24.95							8.6								33.				
12	2 1986	N	A35	603	2.4	25.							7.25								33.				
12	2 1986	N	A36	613	2.8	25.25	28.89	24.44					7.5								21.				
12	2 1986	N	A37	612	4.6	25.							7.7								33.				
12	2 1986	N	A38	611	3.	25.							8.3								20.				
12	2 1986	N	A39	610	3.8	25.							8.								28.				
12	2 1986	N	A40	609	5.2	25.	28.89	24.44					8.8								41.				
12	2 1986	N	A41	607	4.6	24.95							8.								39.				
12	2 1986	N	A42	606	4.8	24.95							7.7								38.				
12	2 1986	N	A43	617	5.	26.							7.7								47.				
12	2 1986	N	A44	618	4.4	25.							7.65								25.				
12	2 1986	N	A45	619	5.6	25.25	29.44	25.56					7.7								42.				
12	2 1986	N	A46	621	5.2	25.							8.45								43.				
12	2 1986	N	A47	623	4.9	25.							8.2								33.				
12	2 1986	N	A48	625	2.8	25.	33.33	25.56					7.8								24.				
12	2 1986	N	A49	627	4.6	25.							8.1								33.				
13	2 1986	Y	A29																	30.					
13	2 1986	Y	A30																	25.					
13	2 1986	Y	A31																	20.					
13	2 1986	Y	A32																	15.					
13	2 1986	Y	A33																	15.					
13	2 1986	Y	A34																	25.					
13	2 1986	Y	A35																	18.					
13	2 1986	Y	A36																	18.					
13	2 1986	Y	A37																	30.					
13	2 1986	Y	A38																	15.					
13	2 1986	Y	A39																	20.					
13	2 1986	Y	A40																	15.					
13	2 1986	Y	A41																	40.					
13	2 1986	Y	A42																	40.					
13	2 1986	Y	A43																	40.					
13	2 1986	Y	A44																	20.					
13	2 1986	Y	A45																	40.					
13	2 1986	Y	A46																	40.					
13	2 1986	Y	A47																	35.					
13	2 1986	Y	A48																	26.					
13	2 1986	Y	A49																	20.					
																				27.					

**Table 4. Intensive Sampling Measurements Ililo, Philippines. Cycle II, Wet Season**

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER						ALKA.	HARD.	PH	JELDAHL	TOTAL						SECHII			SECHII			CHLOR-			
					DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM					TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	NH3-N	N02-N	N03-N	P	ORTH	DISK	DISK	OPHYLL	OPHYLL	OPHYLL	A	B
19	2	1986	Y	A31	548	4.8	24.											7.55												17.
19	2	1986	Y	A32	550	1.6	24.											7.25												22.
19	2	1986	Y	A33	551	2.	24.											7.16												20.
19	2	1986	Y	A34	553	5.	24.											7.85												23.
19	2	1986	Y	A35	554	1.8	24.											7.08												30.
19	2	1986	Y	A36	604	1.6	25.											7.35												18.
19	2	1986	Y	A37	603	1.6	25.											7.05												42.
19	2	1986	Y	A38	602	1.2	24.95											7.05												17.
19	2	1986	Y	A39	601	1.4	24.95											7.1												47.
19	2	1986	Y	A40	600	5.6	24.75											8.06												38.
19	2	1986	Y	A41	559	5.6	24.5											7.6												32.
19	2	1986	Y	A42	557	5.2	24.											7.42												30.
19	2	1986	Y	A43	607	5.3	25.25											7.63												38.
19	2	1986	Y	A44	608	3.2	25.25											7.32												17.
19	2	1986	Y	A45	610	5.8	25.25											7.61												38.
19	2	1986	Y	A46	611	5.8	25.											7.76												32.
19	2	1986	Y	A47	612	5.	25.											7.62												23.
19	2	1986	Y	A48	613	1.8	25.											7.08												18.
19	2	1986	Y	A49	614	4.4	25.											7.38												32.
20	2	1986	Y	A29																									27.	
20	2	1986	Y	A30																									20.	
20	2	1986	Y	A31																									17.	
20	2	1986	Y	A32																									20.	
20	2	1986	Y	A33																									20.	
20	2	1986	Y	A34																									25.	
20	2	1986	Y	A35																									27.	
20	2	1986	Y	A36																									17.	
20	2	1986	Y	A37																									35.	
20	2	1986	Y	A38																									15.	
20	2	1986	Y	A39																									45.	
20	2	1986	Y	A40																									46.	
20	2	1986	Y	A41																									35.	
20	2	1986	Y	A42																									44.	
20	2	1986	Y	A43																									45.	
20	2	1986	Y	A44																									15.	
20	2	1986	Y	A45																									45.	
20	2	1986	Y	A46																									30.	
20	2	1986	Y	A47																									20.	
20	2	1986	Y	A48																									18.	
20	2	1986	Y	A49																									30.	
21	2	1986	N	A29	540	2.8	24.																					23.		
21	2	1986	N	A30	541	4.7	24.5																					22.		
21	2	1986	N	A31	542	4.	24.5																					16.		
21	2	1986	N	A32	543	1.1	24.5																					20.		

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	EXTRP	TIME	WATER										KJELDAHL	TOTAL						SECHII						
				DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOF MIN	TEMP @ BOT-MIN		ALKA.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	F	ORTHOP	DISK A	DISK B	CHLOROPHYLL A	CHLOROPHYLL B
21	2 1986	N	A33	544	2.1	24.25																					17.
21	2 1986	N	A34	546	4.6	24.5																					21.
21	2 1986	N	A35	547	2.2	24.5																					23.
21	2 1986	N	A36	558	2.1	25.																					16.
21	2 1986	N	A37	557	2.9	25.																					20.
21	2 1986	N	A38	556	2.2	24.95																					15.
21	2 1986	N	A39	555	1.6	25.																					37.
21	2 1986	N	A40	553	4.2	24.5																					36.
21	2 1986	N	A41	551	5.4	24.5																					37.
21	2 1986	N	A42	550	5.	24.																					27.
21	2 1986	N	A43	601	4.4	25.5																					33.
21	2 1986	N	A44	602	2.6	25.																					16.
21	2 1986	N	A45	604	4.5	25.25																					35.
21	2 1986	N	A46	606	5.2	25.25																					26.
21	2 1986	N	A47	607	3.8	25.																					22.
21	2 1986	N	A48	608	2.	25.																					16.
21	2 1986	N	A49	610	4.3	25.																					24.
24	2 1986	Y	A29	600	3.5	23.																					
24	2 1986	Y	A30	601	4.7	23.25	30.	25.56																			21.
24	2 1986	Y	A31	602	4.	23.25	32.22	24.44																			27.
24	2 1986	Y	A32	604	1.3	23.5																					22.
24	2 1986	Y	A33	605	2.6	23.25	30.	24.44																			21.
24	2 1986	Y	A34	607	5.1	23.5																					17.
24	2 1986	Y	A35	608	2.2	23.5																					24.
24	2 1986	Y	A36	620	1.2	24.25	30.	26.67																			25.
24	2 1986	Y	A37	619	1.2	24.																					17.
24	2 1986	Y	A38	617	2.4	24.																					27.
24	2 1986	Y	A39	616	7.	23.95																					15.
24	2 1986	Y	A40	614	4.8	23.25	31.11	26.67																			22.
24	2 1986	Y	A41	613	4.6	23.25																					28.
24	2 1986	Y	A42	612	5.2	23.																					32.
24	2 1986	Y	A43	625	5.2	24.95																					25.
24	2 1986	Y	A44	627	2.2	24.5																					32.
24	2 1986	Y	A45	629	5.	24.5	30.	25.56																			16.
24	2 1986	Y	A46	631	4.8	24.																					28.
24	2 1986	Y	A47	633	4.9	24.																					30.
24	2 1986	Y	A48	635	1.8	24.	32.22	26.67																			25.
24	2 1986	Y	A49	637	4.5	24.																					14.
25	2 1986	N	A29	622	4.2	23.																					26.
25	2 1986	N	A30	623	4.8	23.																					
25	2 1986	N	A31	625	3.8	23.																					
25	2 1986	N	A32	626	2.	23.																					
25	2 1986	N	A33	628	2.7	22.5																					
25	2 1986	N	A34	629	5.5	22.5																					

**Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season**

DAY NO.	YEAR	EXTRA DATA?	POND#	TIME	WATER		WATER		WATER		WATER		WATER		WATER		KJELDAHL		TOTAL		SECHII		SECHII		CHLOR-		CHLOR-		CHLOR-		
					DO #	DO #	DO #	DO #	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ MID-MAX	TEMP @ BOTTOM-MIN	TEMP @ TOP-MIN	ALK.	HARD.	PH	N	NH3-N	NO2-N	NO3-N	NO2 & NO3-N	P	F04-P	ORTHO	DISK	DISK
25	2 1986	N	A35	631	2.8		22.25											7.		0.024	0.015	0.601	0.616	0.119	32.	49.8	33.9	0.			
25	2 1986	N	A36	642	1.		23.											6.85		0.064	0.05	0.961	1.011	0.951	21.	74.1	26.2	46.2			
25	2 1986	N	A37	641	2.2		22.75										6.72		0.043	0.017	0.052	0.069	0.905	33.	78.3	0.	0.				
25	2 1986	N	A38	639	2.2		22.95										6.82		0.061	0.059	0.562	0.621	0.129	22.	66.4	13.9	50.9				
25	2 1986	N	A39	638	5.4		22.95										7.58		0.024	0.011	0.493	0.504	0.196	23.	75.9	22.1	50.4				
25	2 1986	N	A40	637	4.7		22.										7.7		0.018	0.011	0.581	0.592	0.376	37.	72.5	65.4	5.5				
25	2 1986	N	A41	636	4.8		22.										7.3		0.014	0.014	0.217	0.231	0.396	36.	0.	0.	0.				
25	2 1986	N	A42	634	5.2		22.										7.1		0.041	0.016	0.378	0.394	0.029	43.	0.	0.	0.				
25	2 1986	N	A43	645	5.		23.5										7.35		0.039	0.013	0.256	0.269	0.027	41.	0.	0.	0.				
25	2 1986	N	A44	647	2.2		23.25										6.75		0.031	0.03	0.562	0.592	0.096	26.	0.	0.	0.				
25	2 1986	N	A45	648	5.		23.25										7.15		0.021	0.014	0.447	0.461	0.	41.	0.	0.	0.				
25	2 1986	N	A46	650	4.8		23.										7.5		0.021	0.014	0.403	0.422	0.134	40.	0.	0.	0.				
25	2 1986	N	A47	651	5.1		23.										7.55		0.043	0.022	0.217	0.235	0.201	35.	0.	0.	0.				
25	2 1986	N	A48	653	1.8		23.										6.62		0.054	0.047	0.723	0.77	0.242	20.	0.	0.	0.				
26	2 1986	N	A49	655	4.8		23.										7.1		0.029	0.07	0.447	0.517	0.	26.	0.	13.4	0.				
26	2 1986	N	A50	530	5.		21.5										7.5		0.062	0.013	0.294	0.307	0.034	33.	0.	51.7	0.				
26	2 1986	N	A51	532	4.9		22.25										7.5		0.095	0.012	0.804	0.816	0.0023	34.	15.	8.2	30.6				
26	2 1986	N	A52	533	4.1		22.5										7.41		0.041	0.019	0.532	0.551	0.084	27.	13.9	7.6	28.4				
26	2 1986	N	A53	534	3.		22.5										7.3		0.069	0.018	0.539	0.557	0.2925	28.	29.8	7.3	18.7				
26	2 1986	N	A54	535	4.		22.5										7.34		0.062	0.016	0.476	0.494	0.1324	23.	12.7	2.6	9.7				
26	2 1986	N	A56	536	5.		22.5										7.78		0.045	0.01	0.248	0.255	0.0106	34.	10.9	8.2	26.5				
26	2 1986	N	A57	537	3.9		22.5										7.46		0.032	0.01	0.53	0.54	0.0456	32.	9.9	4.5	23.8				
26	2 1986	N	A58	547	3.4		22.5										7.28		0.088	0.029	0.524	0.552	0.4943	21.	11.4	6.8	23.4				
26	2 1986	N	A59	546	4.		22.5										7.3		0.046	0.01	0.516	0.526	0.2925	33.	28.	3.5	28.9				
26	2 1986	N	A60	545	4.4		22.5										7.52		0.039	0.029	0.263	0.392	0.1807	22.	31.2	15.8	59.7				
26	2 1986	N	A61	543	4.2		22.75										7.52		0.043	0.016	0.516	0.532	0.124	23.	39.7	27.3	97.2				
26	2 1986	N	A62	542	5.		22.25										7.74		0.05	0.007	0.223	0.236	0.105	37.	6.6	2.3	13.4				
26	2 1986	N	A63	541	5.7		22.										7.6		0.046	0.006	0.42	0.426	0.104	36.	10.9	8.2	26.5				
26	2 1986	N	A64	539	6.2		22.										7.52		0.061	0.009	0.286	0.295	0.	43.	3.9	5.1	11.6				
26	2 1986	N	A65	550	5.		23.										7.68		0.036	0.007	0.361	0.368	0.	41.	7.6	4.4	11.6				
26	2 1986	N	A66	551	4.		23.										7.42		0.034	0.14	0.708	0.846	0.0473	26.	14.	14.	21.5				
26	2 1986	N	A67	553	5.1		23.										7.55		0.026	0.007	0.804	0.811	0.	41.	0.	0.	0.				
26	2 1986	N	A68	554	5.1		23.										7.7		0.05	0.009	0.	0.009	0.059	40.	11.9	9.5	32.3				
26	2 1986	N	A69	555	5.		23.										7.64		0.068	0.01	0.459	0.469	0.064	35.	1.	0.	40.8				
26	2 1986	N	A70	556	3.9		23.										7.36		0.039	0.024	0.631	0.659	0.0357	20.	22.8	12.2	50.5				
27	2 1986	Y	A29														7.5		0.05	0.009	0.025	0.034	0.	36.	31.8	31.4	0.				
27	2 1986	Y	A30																				30.								
27	2 1986	Y	A31																				35.								
27	2 1986	Y	A32																				27.								
27	2 1986	Y	A33																				23.								
27	2 1986	Y	A34																				25.								
27	2 1986	Y	A35																				35.								
27	2 1986	Y	A36																				30.								
27	2 1986	Y	A37																				20.								

Table 4. Intensive Sampling Measurements. Iloilo, Philippines. Cycle II, Wet Season

DAY NO.	YEAR	DATA?	POND#	TIME	WATER								KJELDAHL	TOTAL		SECHII SECHII CHLOR- CHLOR- CHLOR-										
					DO	DO	DO	DO	TEMP	TEMP	TEMP	TEMP		NH3-N	N02-N	N03-N	P	ORTHO	DISH	DISH	OPHYLL	OPHYLL	OPHYLL			
					% TOF	% MID	BOTTOM	% TOP	% MID	BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKAL.	HARD.	PH	N	N02-N	N03-N	P04-P	A	B	A	B	C
27	2 1986	Y	A37																							25.
27	2 1986	Y	A38																							20.
27	2 1986	Y	A39																							25.
27	2 1986	Y	A40																							40.
27	2 1986	Y	A41																							40.
27	2 1986	Y	A42																							40.
27	2 1986	Y	A43																							45.
27	2 1986	Y	A44																							25.
27	2 1986	Y	A45																							40.
27	2 1986	Y	A46																							35.
27	2 1986	Y	A47																							30.
27	2 1986	Y	A48																							20.
27	2 1986	Y	A49																							35.
28	2 1986	Y	A29	505	4.8			22.										7.3								30.
28	2 1986	Y	A30	536	6.6			22.5		27.78		24.44						7.6								35.
28	2 1986	Y	A31	537	5.			22.5		27.78		24.44						7.3								27.
28	2 1986	Y	A32	539	3.4			22.5										6.9								23.
28	2 1986	Y	A33	540	3.8			22.5		27.78		25.56						7.15								25.
28	2 1986	Y	A34	541	6.8			22.5									7.72								35.	
28	2 1986	Y	A35	542	3.5			22.25									7.								30.	
28	2 1986	Y	A36	554	4.			22.75		27.78		22.22					7.15								20.	
28	2 1986	Y	A37	552	3.6			22.5									7.25								25.	
28	2 1986	Y	A38	551	4.8			22.75									7.25								26.	
28	2 1986	Y	A39	550	4.7			22.5									7.25								25.	
28	2 1986	Y	A40	549	5.8			22.25		31.11		24.44					7.6								40.	
28	2 1986	Y	A41	548	5.4			22.									7.5								40.	
28	2 1986	Y	A42	546	6.6			22.									7.45								40.	
28	2 1986	Y	A43	556	6.			23.25									7.5								45.	
28	2 1986	Y	A44	557	4.4			23.									7.2								25.	
28	2 1986	Y	A45	558	6.			23.		28.89		25.56					7.35								40.	
28	2 1986	Y	A46	559	5.8			23.									7.65								35.	
28	2 1986	Y	A47	600	5.4			23.									7.5								30.	
28	2 1986	Y	A48	601	4.			22.95		33.33		28.89					7.2								20.	
28	2 1986	Y	A49	602	6.			22.5									7.3								35.	

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Dry Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
24	11	1984	A29	STK	nil	4.62	500	9.25	49						
24	11	1984	A30	STK	nil	5.14	500	10.27	50						
24	11	1984	A31	STK	nil	4.48	500	8.95	50						
24	11	1984	A32	STK	nil	4.74	500	9.48	50						
24	11	1984	A33	STK	nil	4.88	500	9.75	50						
24	11	1984	A34	STK	nil	4.32	500	8.65	50						
24	11	1984	A35	STK	nil	4.69	500	9.38	50						
24	11	1984	A36	STK	nil	4.44	500	8.87	50						
24	11	1984	A37	STK	nil	4.52	500	9.04	51						
24	11	1984	A38	STK	nil	4.38	500	8.77	50						
24	11	1984	A39	STK	nil	5.02	500	10.05	51						
24	11	1984	A40	STK	nil	4.44	500	8.89	50						
24	11	1984	A41	STK	nil	4.19	500	8.38	50						
24	11	1984	A42	STK	nil	3.74	500	7.49	50						
24	11	1984	A43	STK	nil	4.11	500	8.21	53						
24	11	1984	A44	STK	nil	4.28	500	8.55	50						
24	11	1984	A45	STK	nil	3.82	500	7.64	52						
24	11	1984	A46	STK	nil	4.44	500	8.88	50						
24	11	1984	A47	STK	nil	4.17	500	8.34	50						
24	11	1984	A48	STK	nil	4.77	500	9.54	50						
24	11	1984	A49	STK	nil	4.34	500	8.67	74						
29	11	1984	B01	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B02	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B03	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B04	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B05	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B06	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B07	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B08	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B09	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B10	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B11	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B13	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B14	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B15	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B16	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B18	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B19	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
29	11	1984	B20	STK	mon	0.01974	4200	0.0047	100	0.0009	1.32	100	0.0796		
27	12	1984	A29	SAM	nil			39.3	50						
27	12	1984	A30	SAM	nil			27.	50						
27	12	1984	A31	SAM	nil			32.5	50						
27	12	1984	A32	SAM	nil			45.5	50						
27	12	1984	A33	SAM	nil			50.8	50						

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Dry Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
27	12	1984	A34	SAM	nil			32.14	50						
27	12	1984	A35	SAM	nil			43.5	50						
27	12	1984	A36	SAM	nil			37.73	50						
27	12	1984	A37	SAM	nil			45.	50						
27	12	1984	A38	SAM	nil			29.1	50						
27	12	1984	A39	SAM	nil			31.91	50						
27	12	1984	A40	SAM	nil			27.89	50						
27	12	1984	A41	SAM	nil			37.75	50						
27	12	1984	A42	SAM	nil			41.15	50						
27	12	1984	A43	SAM	nil			40.1	50						
27	12	1984	A44	SAM	nil			27.29	50						
27	12	1984	A45	SAM	nil			22.02	50						
27	12	1984	A46	SAM	nil			38.82	50						
27	12	1984	A47	SAM	nil			26.77	50						
27	12	1984	A48	SAM	nil			37.5	50						
27	12	1984	A49	SAM	nil			35.57	50						
10	1	1985	B01	SAM	mon			0.36	50	0.12	2.84	50	0.34		
10	1	1985	B02	SAM	mon			0.45	50	0.18	3.06	50	0.4		
10	1	1985	B03	SAM	mon			0.66	50	0.24	3.6	50	0.44		
10	1	1985	B04	SAM	mon			0.64	50	0.33	3.4	50	0.5		
10	1	1985	B05	SAM	mon			0.33	50	0.17	2.89	50	0.48		
10	1	1985	B06	SAM	mon			0.58	50	0.31	3.41	50	0.53		
10	1	1985	B07	SAM	mon			0.86	50	0.45	3.91	50	0.66		
10	1	1985	B08	SAM	mon			0.5	50	0.27	3.19	50	0.49		
10	1	1985	B09	SAM	mon			1.08	50	0.51	4.05	50	0.57		
10	1	1985	B10	SAM	mon			0.97	50	0.34	3.88	50	0.53		
10	1	1985	B11	SAM	mon			0.76	50	0.41	3.07	50	0.56		
10	1	1985	B13	SAM	mon			0.45	50	0.27	3.08	50	0.27		
10	1	1985	B14	SAM	mon			2.67	50	1.57	5.53	50	1.29		
10	1	1985	B15	SAM	mon			1.15	50	0.48	4.08	50	0.55		
10	1	1985	B16	SAM	mon			0.99	50	0.38	3.68	50	0.49		
10	1	1985	B18	SAM	mon			2.3	50	1.28	4.31	50	1.13		
10	1	1985	B19	SAM	mon			2.23	50	1.61	4.7	50	1.45		
10	1	1985	B20	SAM	mon			0.77	50	0.34	3.62	50	0.4		
23	1	1985	A29	SAM	nil			78.5	50						
23	1	1985	A30	SAM	nil			53.5	50						
23	1	1985	A31	SAM	nil			62.	50						
23	1	1985	A32	SAM	nil			91.	50						
23	1	1985	A33	SAM	nil			101.1	50						
23	1	1985	A34	SAM	nil			46.9	50						
23	1	1985	A35	SAM	nil			70.8	50						
23	1	1985	A36	SAM	nil			86.7	50						
23	1	1985	A37	SAM	nil			77.7	37						
23	1	1985	A38	SAM	nil			38.9	50						
23	1	1985	A39	SAM	nil			53.54	41						

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Dry Season

DAY	MONTH	YEAR	POND	ACTIVITY	POP. SPECIES	POP. WEIGHT	SAMPLE NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
23	1	1985	A40	SAM	nil			53.5	50						
23	1	1985	A41	SAM	nil			73.8	50						
23	1	1985	A42	SAM	nil			67.7	50						
23	1	1985	A43	SAM	nil			77.44	41						
23	1	1985	A44	SAM	nil			45.4	25						
23	1	1985	A45	SAM	nil			26.75	20						
23	1	1985	A46	SAM	nil			59.83	30						
23	1	1985	A47	SAM	nil			59.9	50						
23	1	1985	A48	SAM	nil			80.81	37						
23	1	1985	A49	SAM	nil			79.5	50						
5	2	1985	B01	SAM	mon			3.3	100	1.68	6.07	100		0.98	
5	2	1985	B02	SAM	mon			2.35	109	2.34	5.01	109		1.36	
5	2	1985	B03	SAM	mon			2.51	100	2.44	5.18	100		1.29	
5	2	1985	B04	SAM	mon			2.1	100	1.51	5.06	100		1.21	
5	2	1985	B05	SAM	mon			0.89	100	1.14	3.54	100		1.19	
5	2	1985	B06	SAM	mon			2.93	100	2.53	5.44	100		1.81	
5	2	1985	B07	SAM	mon			6.72	50	3.69	7.49	50		1.43	
5	2	1985	B08	SAM	mon			4.65	50	2.08	6.58	50		1.05	
5	2	1985	B09	SAM	mon			5.16	50	1.77	7.04	50		0.85	
5	2	1985	B10	SAM	mon			4.12	50	1.38	6.44	50		0.69	
5	2	1985	B11	SAM	mon			2.47	50	1.8	5.25	50		1.21	
5	2	1985	B13	SAM	mon			4.73	50	1.55	6.76	50		0.31	
5	2	1985	B16	SAM	mon			3.24	51	1.36	5.93	51		0.89	
5	2	1985	B18	SAM	mon			6.91	50	2.25	7.71	50		0.84	
5	2	1985	B19	SAM	mon			7.22	50	1.7	7.82	50		0.67	
5	2	1985	B20	SAM	mon			3.39	81	2.36	5.89	81		1.4	
6	2	1985	B14	SAM	mon			4.66	50	1.69	6.85	50		0.81	
6	2	1985	B15	SAM	mon			5.87	50	2.39	7.29	50		1.09	
20	2	1985	A29	SAM	nil			135.28	53						
20	2	1985	A30	SAM	nil			72.56	43						
20	2	1985	A31	SAM	nil			87.89	38						
20	2	1985	A32	SAM	nil			121.83	41						
20	2	1985	A33	SAM	nil			144.38	57						
20	2	1985	A34	SAM	nil			54.57	47						
20	2	1985	A35	SAM	nil			108.33	27						
20	2	1985	A36	SAM	nil			119.87	39						
20	2	1985	A37	SAM	nil			112.74	51						
20	2	1985	A38	SAM	nil			45.62	40						
20	2	1985	A39	SAM	nil			87.5	22						
20	2	1985	A40	SAM	nil			63.89	36						
20	2	1985	A41	SAM	nil			108.1	50						
20	2	1985	A42	SAM	nil			50.	17						
20	2	1985	A43	SAM	nil			118.59	39						
20	2	1985	A44	SAM	nil			75.93	27						
20	2	1985	A45	SAM	nil			50.	17						

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Dry Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
20	2	1985	A46	SAM	nil			74.24	33						
20	2	1985	A47	SAM	nil			68.42	38						
20	2	1985	A48	SAM	nil			114.15	53						
20	2	1985	A49	SAM	nil			109.71	35						
4	3	1985	B01	SAM	mon			3.74	50	1.57	6.27	50	0.87		
4	3	1985	B02	SAM	mon			3.42	50	1.38	6.11	50	0.84		
4	3	1985	B03	SAM	mon			5.21	50	2.68	6.87	50	1.07		
4	3	1985	B04	SAM	mon			4.73	50	2.64	6.68	50	1.12		
4	3	1985	B05	SAM	mon			3.54	50	2.33	5.93	50	1.4		
4	3	1985	B06	SAM	mon			7.01	50	3.53	7.62	50	1.14		
4	3	1985	B07	SAM	mon			7.37	50	4.91	7.75	50	1.46		
4	3	1985	B08	SAM	mon			4.23	50	2.3	6.52	50	1.13		
4	3	1985	B09	SAM	mon			6.41	50	2.64	7.54	50	1.01		
4	3	1985	B10	SAM	mon			6.13	50	2.32	7.5	50	1.06		
4	3	1985	B11	SAM	mon			3.53	50	1.9	6.06	50	1.02		
4	3	1985	B13	SAM	mon			4.29	50	2.35	6.63	50	1.07		
4	3	1985	B14	SAM	mon			6.07	50	1.9	7.48	50	0.82		
4	3	1985	B15	SAM	mon			6.43	39	2.77	7.54	39	1.13		
4	3	1985	B16	SAM	mon			5.23	50	2.24	7.07	50	1.02		
4	3	1985	B18	SAM	mon			7.45	50	2.29	8.04	50	0.85		
4	3	1985	B19	SAM	mon			7.23	44	3.06	7.86	44	1.86		
4	3	1985	B20	SAM	mon			4.51	47	2.11	6.53	47	1.31		
20	3	1985	A29	SAM	nil			150.	43						
20	3	1985	A30	SAM	nil			86.58	41						
20	3	1985	A31	SAM	nil			129.4	50						
20	3	1985	A32	SAM	nil			157.74	42						
20	3	1985	A33	SAM	nil			181.73	52						
20	3	1985	A34	SAM	nil			78.61	36						
20	3	1985	A35	SAM	nil			163.21	28						
20	3	1985	A36	SAM	nil			166.89	45						
20	3	1985	A37	SAM	nil			134.8	50						
20	3	1985	A38	SAM	nil			65.3	15						
20	3	1985	A39	SAM	nil			107.5	20						
20	3	1985	A40	SAM	nil			76.03	34						
20	3	1985	A41	SAM	nil			136.88	32						
20	3	1985	A42	SAM	nil			132.31	45						
20	3	1985	A43	SAM	nil			141.94	31						
20	3	1985	A44	SAM	nil			80.53	19						
20	3	1985	A45	SAM	nil			51.19	21						
20	3	1985	A46	SAM	nil			73.	25						
20	3	1985	A47	SAM	nil			105.15	41						
20	3	1985	A48	SAM	nil			145.22	23						
20	3	1985	A49	SAM	nil			133.2	25						
2	4	1985	B01	SAM	mon			9.39	50	7.01	8.31	50	1.87		
2	4	1985	B02	SAM	mon			12.94	50	10.7	8.85	50	2.68		

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Dry Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
2	4	1985	B03	SAM	mon			6.31	50	1.92	7.06	50		0.79	
2	4	1985	B04	SAM	mon			7.7	50	4.09	7.83	50		1.27	
2	4	1985	B05	SAM	mon			1.81	28	1.73	4.76	28		1.19	
2	4	1985	B06	SAM	mon			8.19	50	5.65	7.97	50		1.82	
2	4	1985	B07	SAM	mon			13.6	37	6.83	9.6	37		1.3	
2	4	1985	B08	SAM	mon			10.67	50	5.12	8.86	50		1.36	
2	4	1985	B09	SAM	mon			9.99	39	2.5	8.97	39		0.77	
2	4	1985	B10	SAM	mon			11.94	50	3.66	9.41	50		1.38	
2	4	1985	B11	SAM	mon			6.39	50	2.87	7.48	50		1.2	
2	4	1985	B13	SAM	mon			9.81	50	2.79	8.73	50		0.85	
2	4	1985	B14	SAM	mon			9.78	50	4.02	8.99	50		1.09	
2	4	1985	B15	SAM	mon			15.1	50	4.	10.26	50		0.84	
2	4	1985	B16	SAM	mon			9.71	43	5.14	8.52	43		1.48	
2	4	1985	B18	SAM	mon			13.13	50	3.12	9.88	50		0.76	
2	4	1985	B19	SAM	mon			12.6	50	2.98	9.82	50		0.8	
2	4	1985	B20	SAM	mon			13.12	50	3.86	9.98	50		1.1	
24	4	1985	A29	SAM	nil			166.15	50						
24	4	1985	A30	SAM	nil			97.78	50						
24	4	1985	A31	SAM	nil			135.43	50						
24	4	1985	A32	SAM	nil			186.63	50						
24	4	1985	A33	SAM	nil			228.33	50						
24	4	1985	A34	SAM	nil			89.	50						
24	4	1985	A35	SAM	nil			215.56	50						
24	4	1985	A36	SAM	nil			226.09	50						
24	4	1985	A37	SAM	nil			187.14	50						
24	4	1985	A38	SAM	nil			74.17	50						
24	4	1985	A39	SAM	nil			140.83	50						
24	4	1985	A40	SAM	nil			780.17	50						
24	4	1985	A41	SAM	nil			178.17	50						
24	4	1985	A42	SAM	nil			103.54	50						
24	4	1985	A43	SAM	nil			191.46	50						
24	4	1985	A44	SAM	nil			116.82	50						
24	4	1985	A45	SAM	nil			103.57	50						
24	4	1985	A46	SAM	nil			134.13	50						
24	4	1985	A47	SAM	nil			137.95	50						
24	4	1985	A48	SAM	nil			184.21	50						
24	4	1985	A49	SAM	nil			182.86	50						
25	4	1985	A29	HAR	nil	10.19	367								
25	4	1985	A30	HAR	nil	37.78	78								
25	4	1985	A31	HAR	nil	10.23	77								
25	4	1985	A32	HAR	nil	15.32	80								
25	4	1985	A33	HAR	nil	22.53	109								
25	4	1985	A34	HAR	nil	10.11	123								
25	4	1985	A35	HAR	nil	7.35	34								
25	4	1985	A36	HAR	nil	10.04	45								

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Dry Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
25	4	1985	A37	HAR	nil	12.36	71								
25	4	1985	A38	HAR	nil	5.	52								
25	4	1985	A39	HAR	nil	1.79	13								
25	'	1985	A40	HAR	nil	7.67	80								
25	4	1985	A41	HAR	nil	15.61	98								
25	4	1985	A42	HAR	nil	7.86	81								
25	4	1985	A43	HAR	nil	18.54	104								
25	4	1985	A44	HAR	nil	8.96	81								
25	4	1985	A45	HAR	nil	4.19	51								
25	4	1985	A46	HAR	nil	11.1	92								
25	4	1985	A47	HAR	nil	19.67	143								
25	4	1985	A48	HAR	nil	8.13	44								
25	4	1985	A49	HAR	nil	15.71	92								
6	5	1985	B01	SAM	mon			17.06	50	10.7	9.83	50	2.25		
6	5	1985	B02	SAM	mon			31.36	50	10.58	12.69	50	1.57		
6	5	1985	B03	SAM	mon			22.8	50	15.17	10.68	50	2.92		
6	5	1985	B04	SAM	mon			21.51	50	14.23	10.59	50	2.58		
6	5	1985	B05	SAM	mon			31.69	50	18.11	12.24	50	3.12		
6	5	1985	B06	SAM	mon			12.41	50	5.89	9.18	50	1.58		
6	5	1985	B07	SAM	mon			28.83	50	11.1	11.11	50	1.96		
6	5	1985	B08	SAM	mon			14.88	50	8.3	9.72	50	1.85		
6	5	1985	B09	SAM	mon			14.81	50	4.36	9.65	50	1.04		
6	5	1985	B10	SAM	mon			18.97	50	6.14	10.41	50	1.22		
6	5	1985	B11	SAM	mon			17.78	50	12.25	9.85	50	2.36		
6	5	1985	B13	SAM	mon			16.26	50	5.58	10.33	50	1.25		
6	5	1985	B14	SAM	mon			14.22	50	6.71	9.9	50	1.36		
6	5	1985	B15	SAM	mon			23.48	50	5.02	11.47	50	0.85		
6	5	1985	B16	SAM	mon			13.26	50	6.44	9.32	50	1.45		
6	5	1985	B18	SAM	mon			18.12	50	6.27	10.56	50	1.14		
6	5	1985	B19	SAM	mon			18.65	50	4.22	10.79	50	1.31		
6	5	1985	B20	SAM	mon			21.23	50	6.22	11.11	50	1.4		
7	5	1985	B01	HAR	mon	24.86	2662								
7	5	1985	B02	HAR	mon	54.19	2789								
7	5	1985	B03	HAR	mon	58.92	2988								
7	5	1985	B04	HAR	mon	55.11	3870								
7	5	1985	B05	HAR	mon	30.18	2551								
7	5	1985	B06	HAR	mon	26.26	2945								
7	5	1985	B07	HAR	mon	40.81	1906								
7	5	1985	B08	HAR	mon	37.	3056								
7	5	1985	B09	HAR	mon	15.67	1221								
7	5	1985	B10	HAR	mon	30.53	2006								
7	5	1985	B11	HAR	mon	24.17	2413								
7	5	1985	B13	HAR	mon	41.5	2834								
7	5	1985	B14	HAR	mon	36.68	2710								
7	5	1985	B15	HAR	mon	31.66	1182								

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Dry Season

DAY	MONTH	YEAR	POND	ACTIVITY	POP.	POP.	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	REPROD.	REPROD.
					SPECIES	WEIGHT	NUMBER	WEIGHT	WT.-#	WT.-SD	LENGTH	LT.-#	LT.-SD
7	5	1985	B16	HAR	mon	11.61	1275						
7	5	1985	B18	HAR	mon	42.79	3020						
7	5	1985	B19	HAR	mon	38.65	2512						
7	5	1985	B20	HAR	mon	11.56	694						

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Wet Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
16	8	1985	B01	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B02	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B03	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B04	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B05	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B06	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B07	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B08	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B09	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B10	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B11	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B13	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B14	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B15	STK	mon	0.0084		0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B16	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B18	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B19	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
16	8	1985	B20	STK	mon	0.0084	4000	0.0021	100	0.0011	1.24	100	0.1525		
13	9	1985	B01	SAM	mon			2.72	50	1.0676	5.58	50	0.7862		
13	9	1985	B02	SAM	mon			1.53	50	0.7862	4.67	50	0.8139		
13	9	1985	B03	SAM	mon			1.34	50	0.6462	4.45	50	0.7969		
13	9	1985	B04	SAM	mon			1.87	50	0.8537	5.	50	0.8074		
13	9	1985	B05	SAM	mon			1.18	50	0.6182	4.25	50	0.7522		
13	9	1985	B06	SAM	mon			2.21	50	0.8089	5.26	50	0.6489		
13	9	1985	B07	SAM	mon			0.96	50	0.437	3.97	50	0.5629		
13	9	1985	B08	SAM	mon			1.86	50	0.9793	4.9	50	0.8603		
13	9	1985	B09	SAM	mon			1.16	50	0.4866	4.2	50	0.5906		
13	9	1985	B10	SAM	mon			1.37	50	0.6494	5.01	50	0.6225		
13	9	1985	B11	SAM	mon			1.4	50	0.6438	4.43	50	0.6878		
13	9	1985	B13	SAM	mon			2.06	50	0.6743	5.11	50	0.6195		
13	9	1985	B14	SAM	mon			2.62	50	0.8886	5.52	50	0.8599		
13	9	1985	B15	SAM	mon			2.06	50	0.7044	5.1	50	0.6687		
13	9	1985	B16	SAM	mon			1.45	50	0.5668	4.52	50	0.5879		
13	9	1985	B18	SAM	mon			1.42	50	0.6994	4.44	50	0.576		
13	9	1985	B19	SAM	mon			1.73	50	0.6627	4.78	50	0.6131		
13	9	1985	B20	SAM	mon			1.74	50	0.4663	4.81	50	0.4497		
3	10	1985	A29	STK	nil	21.62	600	36.03	53						
3	10	1985	A30	STK	nil	36.65	600	61.09	55						
3	10	1985	A31	STK	nil	30.44	600	50.73	55						
3	10	1985	A32	STK	nil	27.47	600	45.79	57						
3	10	1985	A33	STK	nil	33.2	600	55.33	60						
3	10	1985	A34	STK	nil	29.8	600	49.66	58						
3	10	1985	A35	STK	nil	19.85	600	33.08	52						
3	10	1985	A36	STK	nil	33.64	600	56.07	56						

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Wet Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
3	10	1985	A37	STK	nil	27.49	600	45.82	51						
3	10	1985	A38	STK	nil	15.6	600	26.	55						
3	10	1985	A39	STK	nil	28.25	600	47.09	67						
3	10	1985	A40	STK	nil	32.95	600	54.92	59						
3	10	1985	A41	STK	nil	28.69	600	47.82	55						
3	10	1985	A42	STK	nil	11.33	600	18.89	63						
3	10	1985	A43	STK	nil	23.2	600	39.66	56						
3	10	1985	A44	STK	nil	20.41	600	34.01	71						
3	10	1985	A45	STK	nil	19.06	600	31.76	71						
3	10	1985	A46	STK	nil	21.48	600	35.8	69						
3	10	1985	A47	STK	nil	30.26	600	50.44	57						
3	10	1985	A48	STK	nil	34.81	600	58.02	63						
3	10	1985	A49	STK	nil	35.68	600	59.47	75						
14	10	1985	B01	SAM	mon			11.81	50	3.498	9.25	50	0.972		
14	10	1985	B02	SAM	mon			11.79	50	4.1435	9.16	50	1.0599		
14	10	1985	B03	SAM	mon			13.98	50	3.3943	9.77	50	0.7259		
14	10	1985	B04	SAM	mon			16.31	50	3.6408	10.27	50	0.8513		
14	10	1985	B05	SAM	mon			12.45	50	4.4272	9.34	50	1.1754		
14	10	1985	B06	SAM	mon			14.27	50	3.617	9.9	50	0.8586		
14	10	1985	B07	SAM	mon			8.35	50	3.3917	8.21	50	1.117		
14	10	1985	B08	SAM	mon			14.71	50	2.9814	9.97	50	0.6539		
14	10	1985	B09	SAM	mon			10.68	50	3.1812	8.87	50	0.8326		
14	10	1985	B10	SAM	mon			9.96	50	3.0851	8.68	50	0.9379		
14	10	1985	B11	SAM	mon			8.77	50	2.6852	8.33	50	0.8367		
14	10	1985	B13	SAM	mon			15.09	50	2.9981	9.91	50	0.6812		
14	10	1985	B14	SAM	mon			13.4	50	4.0359	9.62	50	0.9169		
14	10	1985	B15	SAM	mon			10.79	50	2.5144	8.97	50	0.7478		
14	10	1985	B16	SAM	mon			8.96	50	3.5215	8.43	50	1.0465		
14	10	1985	B18	SAM	mon			8.37	50	1.8222	8.39	50	0.6226		
14	10	1985	B19	SAM	mon			7.97	50	2.2008	8.21	50	0.7466		
14	10	1985	B20	SAM	mon			10.19	50	2.772	8.86	50	0.8488		
29	10	1985	A29	SAM	nil			46.01	69						
29	10	1985	A30	SAM	nil			81.09	64						
29	10	1985	A31	SAM	nil			89.78	68						
29	10	1985	A32	SAM	nil			73.39	62						
29	10	1985	A33	SAM	nil			91.33	65						
29	10	1985	A34	SAM	nil			61.06	66						
29	10	1985	A35	SAM	nil			68.36	76						
29	10	1985	A36	SAM	nil			83.33	66						
29	10	1985	A37	SAM	nil			78.06	67						
29	10	1985	A38	SAM	nil			52.18	71						
29	10	1985	A39	SAM	nil			66.	65						
29	10	1985	A40	SAM	nil			69.86	70						
29	10	1985	A41	SAM	nil			80.47	64						
29	10	1985	A42	SAM	nil			29.13	69						

**Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.**  
**Cycle II, Wet Season**

DAY	MONTH	YEAR	POND	POP. ACTIVITY	SPECIES	WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
29	10	1985	A43	SAM	nil			43.68	68						
29	10	1985	A44	SAM	nil			59.85	68						
29	10	1985	A45	SAM	nil			34.53	64						
29	10	1985	A46	SAM	nil			42.5	68						
29	10	1985	A47	SAM	nil			58.26	66						
29	10	1985	A48	SAM	nil			73.69	61						
29	10	1985	A49	SAM	nil			66.48	64						
13	11	1985	B01	SAM	mon			22.95	50	4.053	11.37	50	0.6593		
13	11	1985	B02	SAM	mon			22.11	50	3.8451	11.15	50	0.7519		
13	11	1985	B03	SAM	mon			24.63	50	5.3229	11.67	50	0.8249		
13	11	1985	B04	SAM	mon			29.56	50	4.2859	12.29	50	0.6793		
13	11	1985	B05	SAM	mon			27.59	50	3.7703	12.03	50	0.5939		
13	11	1985	B06	SAM	mon			27.18	50	4.5229	12.12	50	0.742		
13	11	1985	B07	SAM	mon			19.41	50	3.555	10.58	50	0.7919		
13	11	1985	B08	SAM	mon			30.37	50	4.9187	12.37	50	0.6839		
13	11	1985	B09	SAM	mon			25.17	50	4.2389	11.65	50	0.7346		
13	11	1985	B10	SAM	mon			25.93	50	4.8801	11.72	50	0.7611		
13	11	1985	B11	SAM	mon			21.53	50	3.7889	11.08	50	0.7249		
13	11	1985	B13	SAM	mon			28.36	50	4.5295	12.28	50	0.6393		
13	11	1985	B14	SAM	mon			25.3	50	4.9096	11.7	50	0.8041		
13	11	1985	B15	SAM	mon			22.68	50	3.6198	11.41	50	0.6323		
13	11	1985	B16	SAM	mon			19.28	50	3.5109	10.69	50	0.7264		
13	11	1985	B18	SAM	mon			17.68	50	3.2893	10.52	50	0.6498		
13	11	1985	B19	SAM	mon			17.08	50	3.0639	10.21	50	0.6151		
13	11	1985	B20	SAM	mon			21.14	50	2.5764	10.99	50	0.495		
28	11	1985	A29	SAM	nil			56.21	62						
28	11	1985	A30	SAM	nil			85.69	65						
28	11	1985	A31	SAM	nil			117.35	68						
28	11	1985	A32	SAM	nil			106.76	68						
28	11	1985	A33	SAM	nil			130.46	65						
28	11	1985	A34	SAM	nil			89.68	62						
28	11	1985	A35	SAM	nil			89.82	57						
28	11	1985	A36	SAM	nil			136.46	65						
28	11	1985	A37	SAM	nil			112.87	75						
28	11	1985	A38	SAM	nil			92.04	66						
28	11	1985	A39	SAM	nil			116.97	71						
28	11	1985	A40	SAM	nil			116.02	64						
28	11	1985	A41	SAM	nil			109.13	69						
28	11	1985	A42	SAM	nil			37.34	62						
28	11	1985	A43	SAM	nil			66.67	39						
28	11	1985	A44	SAM	nil			110.15	33						
28	11	1985	A45	SAM	nil			52.58	31						
28	11	1985	A46	SAM	nil			68.75	64						
28	11	1985	A47	SAM	nil			85.45	66						
28	11	1985	A48	SAM	nil			118.59	64						

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Wet Season

DAY	MONTH	YEAR	POND	ACTIVITY	POP. SPECIES	POP. WEIGHT	SAMPLE NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
28	11	1985	A49	SAM	nii			90.65	69						
6	12	1985	B01	SAM	mon			29.76	50	0.7152	12.47	50		5.4038	
6	12	1985	B02	SAM	mon			28.05	50	0.7376	12.33	50		4.5039	
6	12	1985	B03	SAM	mon			33.14	50	0.9236	12.84	50		6.3013	
6	12	1985	B04	SAM	mon			34.18	50	2.8705	13.16	50		6.1439	
6	12	1985	B05	SAM	mon			35.17	50	0.7965	13.36	50		5.9166	
6	12	1985	B06	SAM	mon			36.46	50	0.7296	13.37	50		5.2248	
6	12	1985	B07	SAM	mon			27.68	50	0.6469	12.29	50		4.4554	
6	12	1985	B08	SAM	mon			35.26	50	0.7053	13.28	50		5.8825	
6	12	1985	B09	SAM	mon			31.19	50	3.6813	12.84	50		5.0778	
6	12	1985	B10	SAM	mon			36.45	50	0.8917	13.46	50		7.0559	
6	12	1985	B11	SAM	mon			28.66	50	0.7595	12.3	50		8.2469	
6	12	1985	B13	SAM	mon			38.53	50	0.6856	13.81	50		5.9775	
6	12	1985	B14	SAM	mon			31.17	50	0.7023	12.87	50		4.913	
6	12	1985	B15	SAM	mon			30.75	50	0.5768	12.68	50		3.8326	
6	12	1985	B16	SAM	mon			24.99	50	0.5773	11.9	50		3.7986	
6	12	1985	B18	SAM	mon			25.06	50	0.5638	11.91	50		3.2389	
6	12	1985	B19	SAM	mon			23.97	50	0.5696	11.63	50		3.6869	
6	12	1985	B20	SAM	mon			28.26	50	0.6249	12.38	50		4.2053	
10	12	1985	B02	HAR	mon	64.40622	2234								
10	12	1985	B03	HAR	mon	86.52552	2566								
10	12	1985	B04	HAR	mon	80.925	2075								
10	12	1985	B05	HAR	mon	77.42852	2441								
10	12	1985	B06	HAR	mon	89.42544	2448								
10	12	1985	B07	HAR	mon	70.7458	2740								
10	12	1985	B08	HAR	mon	80.14932	2259								
10	12	1985	B09	HAR	mon	93.11104	2992								
10	12	1985	B10	HAR	mon	90.89364	2732								
10	12	1985	B11	HAR	mon	96.75064	3508								
10	12	1985	B13	HAR	mon	79.22508	2068								
10	12	1985	B14	HAR	mon	107.555	3483								
10	12	1985	B15	HAR	mon	82.71327	2883								
10	12	1985	B16	HAR	mon	73.06236	2844								
10	12	1985	B18	HAR	mon	98.111837	3493								
10	12	1985	B18	HAR	mon	74.94902	3337								
10	12	1985	B20	HAR	mon	85.40751	3019								
27	12	1985	A29	SAM	nii			71.35	37						
27	12	1985	A30	SAM	nii			99.35	46						
27	12	1985	A31	SAM	nii			111.37	51						
27	12	1985	A32	SAM	nii			142.9	62						
27	12	1985	A33	SAM	nii			160.54	56						
27	12	1985	A34	SAM	nii			120.2	49						
27	12	1985	A35	SAM	nii			119.38	40						
27	12	1985	A36	SAM	nii			165.57	61						
27	12	1985	A37	SAM	nii			134.82	56						

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Wet Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
27	12	1985	A38	SAM	nil			126.23	53						
27	12	1985	A39	SAM	nil			146.61	62						
27	12	1985	A40	SAM	nil			115.27	55						
27	12	1985	A41	SAM	nil			122.	60						
27	12	1985	A42	SAM	nil			44.12	68						
27	12	1985	A43	SAM	nil			76.3	27						
27	12	1985	A44	SAM	nil			148.82	34						
27	12	1985	A45	SAM	nil			50.12	40						
27	12	1985	A46	SAM	nil			59.53	43						
27	12	1985	A47	SAM	nil			98.42	38						
27	12	1985	A48	SAM	nil			152.5	40						
27	12	1985	A49	SAM	nil			86.19	42						
27	1	1986	A29	SAM	nil			78.72	47						
27	1	1986	A30	SAM	nil			115.	44						
27	1	1986	A31	SAM	nil			137.8	41						
27	1	1986	A32	SAM	nil			184.	45						
27	1	1986	A33	SAM	nil			197.14	42						
27	1	1986	A34	SAM	nil			145.29	34						
27	1	1986	A35	SAM	nil			186.05	43						
27	1	1986	A36	SAM	nil			226.44	45						
27	1	1986	A37	SAM	nil			170.	56						
27	1	1986	A38	SAM	nil			162.54	51						
27	1	1986	A39	SAM	nil			173.21	53						
27	1	1986	A40	SAM	nil			139.02	41						
27	1	1986	A41	SAM	nil			138.33	42						
27	1	1986	A42	SAM	nil			66.67	48						
27	1	1986	A43	SAM	nil			100.37	27						
27	1	1986	A44	SAM	nil			162.8	25						
27	1	1986	A45	SAM	nil			54.21	19						
27	1	1986	A46	SAM	nil			75.67	30						
27	1	1986	A47	SAM	nil			116.88	32						
27	1	1986	A48	SAM	nil			201.61	31						
27	1	1986	A49	SAM	nil			110.62	33						
28	2	1986	A29	HAR	nil	20.18	246	83.16	57					0.01	68.
28	2	1986	A30	HAR	nil	13.92	168	128.22	45					1.43	47.
28	2	1986	A31	HAR	nil	25.5	191	150.68	44					0.88	39.
28	2	1986	A32	HAR	nil	52.15	266	177.55	53					41.78	121.
28	2	1986	A33	HAR	nil	40.17	202	207.62	42					1.7	76.
28	2	1986	A34	HAR	nil	22.77	158	167.18	39					0.	0.
28	2	1986	A35	HAR	nil	36.92	203	204.65	43					5.15	146.
28	2	1986	A36	HAR	nil	84.56	380	265.	47					10.04	48.
28	2	1986	A37	HAR	nil	45.86	267	193.02	63					4.1	191.
28	2	1986	A38	HAR	nil	51.02	289	190.32	62					0.45	15.
28	2	1986	A39	HAR	nil	51.7	263	210.19	52					1.78	26.
28	2	1986	A40	HAR	nil	30.05	185	186.44	45					0.62	18.

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Iloilo, Philippines.  
Cycle II, Wet Season

DAY	MONTH	YEAR	POND	ACTIVITY	POP. SPECIES	POP. WEIGHT	SAMPLE NUMBER	SAMPLE WEIGHT	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
28	2	1986	A41	HAR	nil	25.12	183	145.	54				0.	0.
28	2	1986	A42	HAR	nil	14.96	192	90.34	44				0.1	4.
28	2	1986	A43	HAR	nil	17.98	191	98.11	37				0.1	6.
28	2	1986	A44	HAR	nil	48.62	227	228.14	43				0.23	7.
28	2	1986	A45	HAR	nil	11.38	185	135.92	27				1.24	61.
28	2	1986	A46	HAR	nil	14.69	201	88.	45				1.05	33.
28	2	1986	A47	HAR	nil	27.38	280	112.76	49				0.	0.
28	2	1986	A48	HAR	nil	50.52	266	196.31	42				1.48	34.
28	2	1986	A49	HAR	nil	17.28	185	99.36	39				0.14	9.

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER DIATOM PHYTO.	ROTIFE CLADOC COPEPO ZOOPL.	MOLLUS INSECT DECAPO BENTH	OTHER
11	12	1984	A29							
11	12	1984	A30							
11	12	1984	A31							
11	12	1984	A32							
11	12	1984	A33							
11	12	1984	A34							
11	12	1984	A35							
11	12	1984	A36							
11	12	1984	A37							
11	12	1984	A38							
11	12	1984	A39							
11	12	1984	A40							
11	12	1984	A41							
11	12	1984	A42							
11	12	1984	A43							
11	12	1984	A44							
11	12	1984	A45							
11	12	1984	A46							
11	12	1984	A47							
11	12	1984	A48							
11	12	1984	A49							
13	12	1984	B01	2	3	1	1	1	3	1
13	12	1984	B02	1	2	3	1	1	2	2
13	12	1984	B03	1	3	1	1	1	3	1
13	12	1984	B04	1	3	1	1	1	2	3
13	12	1984	B05	2	1	2	1	1	3	1
13	12	1984	B06	3	1	1	1	1	3	1
13	12	1984	B07	1	2	2	1	1	3	1
13	12	1984	B08	2	1	3	1	1	3	1
13	12	1984	B09	2	2	3	1	1	3	1
13	12	1984	B10	3	2	1	1	1	3	1
13	12	1984	B11	1	3	2	2	1	3	1
13	12	1984	B13	2	2	2	1	1	2	1
13	12	1984	B14	1	1	3	2	1	3	1
13	12	1984	B15	2	1	2	2	1	2	1
13	12	1984	B16	3	1	1	1	1	3	1
13	12	1984	B18	1	1	2	1	1	2	2
13	12	1984	B19	2	1	3	1	1	3	1
13	12	1984	B20	2	1	3	1	1	2	1
26	12	1984	A29							
26	12	1984	A30							
26	12	1984	A31							
26	12	1984	A32							
26	12	1984	A33							

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	NET PONDS	GROSS PRODUCTN	BLUE- PRODUCTN	OTHER GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOPL.	MOLLUS	INSECT	DECAPO	OTHER BENTH
26	12	1984	A34													
26	12	1984	A35													
26	12	1984	A36													
26	12	1984	A37													
26	12	1984	A38													
26	12	1984	A39													
26	12	1984	A40													
26	12	1984	A41													
26	12	1984	A42													
26	12	1984	A43													
26	12	1984	A44													
26	12	1984	A45													
26	12	1984	A46													
26	12	1984	A47													
26	12	1984	A48													
26	12	1984	A49													
27	12	1984	B01		1	1	3		1	1	1	3	1			
27	12	1984	B02		2	1	3		1	1	1	3	1			
27	12	1984	B03		1	3	2		1	1	1	2	2			
27	12	1984	B04		1	3	1		1	1	1	2	3			
27	12	1984	B05		1	1	3		1	1	1	2	2			
27	12	1984	B06		1	1	3		1	1	1	3	1			
27	12	1984	B07		1	3	1		1	1	1	1	3			
27	12	1984	B08		1	3	1		1	1	1	1	3			
27	12	1984	B09		3	1	3		1	1	1	2	2			
27	12	1984	B10		3	1	2		3	1	1	1	2			
27	12	1984	B11		3	1	1		1	1	1	2	3			
27	12	1984	B13		3	1	1		1	1	1	3	1			
27	12	1984	B14		1	1	3		1	1	1	3	2			
27	12	1984	B15		1	1	3		1	1	1	3	2			
27	12	1984	B16		1	3	2		1	1	1	3	1			
27	12	1984	B18		1	2	3		1	1	1	2	2			
27	12	1984	B19		1	1	3		1	1	1	3	1			
27	12	1984	B20		3	1	1		1	1	1	3	2			
28	12	1984	A29													
28	12	1984	A30													
28	12	1984	A31													
28	12	1984	A32													
28	12	1984	A33													
28	12	1984	A34													
28	12	1984	A35													
28	12	1984	A36													
28	12	1984	A37													
28	12	1984	A38													
28	12	1984	A39													

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER DIATOM PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO	OTHER BENTH
28	12	1984	A40												
28	12	1984	A41												
28	12	1984	A42												
28	12	1984	A43												
28	12	1984	A44												
28	12	1984	A45												
28	12	1984	A46												
28	12	1984	A47												
28	12	1984	A48												
28	12	1984	A49												
28	12	1984	B01	1058.											
28	12	1984	B02	934.											
28	12	1984	B03	1264.											
28	12	1984	B04	1189.											
28	12	1984	B05	1192.											
28	12	1984	B06	1451.											
28	12	1984	B08	1440.											
28	12	1984	B09	1286.											
28	12	1984	B10	1819.											
28	12	1984	B13	2584.											
28	12	1984	B14	3386.											
28	12	1984	B15	3724.											
28	12	1984	B16	3308.											
28	12	1984	B18	3210.											
28	12	1984	B19	3289.											
28	12	1984	B20	2115.											
7	1	1985	B01		3	2	3	1	1	2	2				
7	1	1985	B02		2	3	2	3	1	1	1	1			
7	1	1985	B03		1	1	3	1	1	3	1				
7	1	1985	B04		2	1	3	1	1	3	1				
7	1	1985	B05		1	2	3	1	1	3	1				
7	1	1985	B06		3	1	2	1	1	3	1				
7	1	1985	B07		1	1	3	1	1	3	1				
7	1	1985	B08		2	2	2	1	1	2	2				
7	1	1985	B09		3	1	1	1	1	3	1				
7	1	1985	B10		3	1	2	1	1	3	1				
7	1	1985	B11		2	1	3	1	1	3	2				
7	1	1985	B13		1	3	2	1	1	3	2				
7	1	1985	B14		1	2	3	1	1	3	2				
7	1	1985	B15		2	1	2	1	1	3	1				
7	1	1985	B16		1	2	2	1	1	3	1				
7	1	1985	B18		1	2	3	1	1	2	1				
7	1	1985	B19		1	2	2	1	1	3	1				
7	1	1985	B20		1	1	3	1	1	3	1				
8	1	1985	A29		3	1	2	1	1	3	1				

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND	NET	GROSS	BLUE-	OTHER			OTHER	OTHE				
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	
8	1	1985	A30			2	1	3		1	1	3	2		
8	1	1985	A31			3	2	2		1	1	3	2		
8	1	1985	A32			2	1	2		1	1	3	2		
8	1	1985	A33			2	1	3		2	1	3	2		
8	1	1985	A34			2	1	3		1	1	3	1		
8	1	1985	A35			2	3	2		1	1	3	1		
8	1	1985	A36			2	1	3		1	1	3	1		
8	1	1985	A37			2	1	3		1	1	3	1		
8	1	1985	A38			2	1	3		1	1	3	2		
8	1	1985	A39			3	1	2		2	1	3	2		
8	1	1985	A40			1	1	3		1	1	3	1		
8	1	1985	A41			2	1	3		1	1	3	1		
8	1	1985	A42			3	1	2		1	1	3	1		
8	1	1985	A43			2	1	3		1	1	3	1		
8	1	1985	A44			2	3	3		1	1	3	1		
8	1	1985	A45			1	3	2		1	1	3	1		
8	1	1985	A46			3	1	2		1	1	3	1		
8	1	1985	A47			2	1	3		1	1	2	3		
8	1	1985	A48			2	1	3		1	1	3	1		
8	1	1985	A49			1	3	2		1	1	3	1		
9	1	1985	A29			2	1	3		1	1	3	2		
9	1	1985	A30			1	3	2		1	1	3	2		
9	1	1985	A31			2	2	1		1	1	3	1		
9	1	1985	A32			2	1	2		1	1	3	1		
9	1	1985	A33			1	3	2		1	1	3	1		
9	1	1985	A34			1	3	2		1	1	3	1		
9	1	1985	A35			2	3	2		1	1	3	1		
9	1	1985	A36			1	3	3		1	1	3	1		
9	1	1985	A37			2	1	3		1	1	3	2		
9	1	1985	A38			1	1	3		1	1	3	1		
9	1	1985	A39			2	1	3		1	2	3	2		
9	1	1985	A40			1	3	2		1	1	3	2		
9	1	1985	A41			2	1	3		1	1	3	1		
9	1	1985	A42			2	1	3		1	1	3	1		
9	1	1985	A43			1	1	3		1	1	3	2		
9	1	1985	A44			1	2	2		1	1	3	1		
9	1	1985	A45			1	2	3		1	1	3	1		
9	1	1985	A46			2	2	1		1	1	3	1		
9	1	1985	A47			3	1	2		1	1	3	1		
9	1	1985	A48			1	1	3		1	1	3	1		
9	1	1985	A49			2	1	3		1	1	3	1		
15	1	1985	B01		1819.										
15	1	1985	B02		2876.										
15	1	1985	B03		3431.										
15	1	1985	B04		1421.										

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER DIATOM	ROTIFE	CLADOC	COPEPOD	ZOOPL.	MOLLUS	INSECT	OTHER DECAPOD	BENTI
15	1	1985	B05	1853.											
15	1	1985	B06	2168.											
15	1	1985	B07	1672.											
15	1	1985	B08	2318.											
15	1	1985	B09	1950.											
15	1	1985	B10	2760.											
15	1	1985	B11	2378.											
15	1	1985	B13	2070.											
15	1	1985	B14	8021.											
15	1	1985	B15	2730.											
15	1	1985	B16	3641.											
15	1	1985	B18	4534.											
15	1	1985	B19	5434.											
15	1	1985	B20	5216.											
22	1	1985	A29		1	1	3		1	1	3		1		
22	1	1985	A30		1	2	3		1	1	3		1		
22	1	1985	A31		1	2	2		1	1	3		1		
22	1	1985	A32		2	3	3		1	2	3		2		
22	1	1985	A33		2	3	2		1	1	3		1		
22	1	1985	A34		2	1	3		1	1	3		1		
22	1	1985	A35		2	3	2		1	1	3		1		
22	1	1985	A36		3	2	2		1	1	3		1		
22	1	1985	A37		3	1	2		1	1	3		1		
22	1	1985	A38		2	1	3		1	1	3		1		
22	1	1985	A39		1	2	2		1	1	3		1		
22	1	1985	A40		1	3	2		1	1	3		2		
22	1	1985	A41		1	3	2		1	1	3		1		
22	1	1985	A42		1	2	2		1	1	3		1		
22	1	1985	A43		2	1	2		1	1	3		1		
22	1	1985	A44		2	2	2		1	1	3		2		
22	1	1985	A45		1	3	1		1	1	2		2		
22	1	1985	A46		1	3	2		1	1	3		1		
22	1	1985	A47		2	1	2		1	1	3		1		
22	1	1985	A48		2	1	2		1	1	3		1		
22	1	1985	A49		2	1	2		1	1	3		1		
23	1	1985	B01		1	2	3		1	1	3		1		
23	1	1985	B02		1	1	3		1	1	3		1		
23	1	1985	B03		1	2	3		1	1	3		1		
23	1	1985	B04		2	1	3		1	1	2		2		
23	1	1985	B05		1	2	3		1	1	3		2		
23	1	1985	B06		2	2	3		1	1	3		1		
23	1	1985	B07		2	3	3		1	1	3		2		
23	1	1985	B08		1	3	2		1	1	3		1		
23	1	1985	B09		1	2	3		1	1	3		1		
23	1	1985	B10		1	1	3		1	1	3		1		

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHER			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
23	1	1985	B11			1	2	3		1	1	3	2			
23	1	1985	B13			2	2	2		1	1	3	1			
23	1	1985	B14			1	2	3		1	1	3	2			
23	1	1985	B15			1	2	3		3	1	2	1			
23	1	1985	B16			1	2	3		2	1	2	2			
23	1	1985	B18			1	2	3		1	1	3	1			
23	1	1985	B19			1	3	2		1	1	3	2			
23	1	1985	B20			1	2	2		1	1	3	2			
25	1	1985	A29			3	1	2		1	1	3	1			
25	1	1985	A30			1	1	3		1	1	2	1			
25	1	1985	A31			1	2	3		1	1	3	1			
25	1	1985	A32			2	2	1		1	1	3	1			
25	1	1985	A33			2	1	3		1	1	2	2			
25	1	1985	A34			1	1	3		1	1	2	2			
25	1	1985	A35			2	3	2		1	1	2	2			
25	1	1985	A36			2	1	3		1	1	2	1			
25	1	1985	A37			2	2	3		1	1	2	1			
25	1	1985	A38			1	2	2		1	1	2	1			
25	1	1985	A39			2	2	3		1	1	2	1			
25	1	1985	A40			2	2	2		1	1	2	1			
25	1	1985	A41			2	2	2		1	1	2	1			
25	1	1985	A42			1	1	3		1	2	3	2			
25	1	1985	A43			1	1	3		2	1	2	2			
25	1	1985	A44			2	1	3		1	1	2	1			
25	1	1985	A45			1	1	3		1	1	3	1			
25	1	1985	A46			1	1	3		1	1	3	1			
25	1	1985	A47			1	2	2		1	1	3	2			
25	1	1985	A48			2	1	2		1	1	2	1			
25	1	1985	A49			3	1	1		1	1	3	1			
29	1	1985	A29		3960.											
29	1	1985	A30		3750.											
29	1	1985	A31		4870.											
29	1	1985	A32		5430.											
29	1	1985	A33		6180.											
29	1	1985	A34		3450.											
29	1	1985	A35		2920.											
29	1	1985	A36		5740.											
29	1	1985	A37		4320.											
29	1	1985	A38		2360.											
29	1	1985	A39		4010.											
29	1	1985	A40		4660.											
29	1	1985	A41		5810.											
29	1	1985	A42		3470.											
29	1	1985	A43		3340.											
29	1	1985	A44		3300.											

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPD	OTHER BENTI
29	1	1985	A45	2920.													
29	1	1985	A46	3980.													
29	1	1985	A47	5020.													
29	1	1985	A48	4610.													
29	1	1985	A49	4280.													
30	1	1985	B01	1361.													
30	1	1985	B02	1429.													
30	1	1985	B03	1650.													
30	1	1985	B04	1748.													
30	1	1985	B05	1432.													
30	1	1985	B06	2070.													
30	1	1985	B07	1759.													
30	1	1985	B08	2531.													
30	1	1985	B09	2258.													
30	1	1985	B10	3202.													
30	1	1985	B11	2602.													
30	1	1985	B13	2692.													
30	1	1985	B14	3124.													
30	1	1985	B15	3818.													
30	1	1985	B16	3902.													
30	1	1985	B18	3518.													
30	1	1985	B19	3488.													
30	1	1985	B20	3679.													
4	2	1985	B01		2	3	1		1	2	3		1				
4	2	1985	B02		1	2	2		1	1	3		1				
4	2	1985	B03		1	3	2		1	1	3		1				
4	2	1985	B04		1	2	3		1	1	3		1				
4	2	1985	B05		1	3	2		1	1	3		1				
4	2	1985	B06		1	2	3		1	1	3		1				
4	2	1985	B07		1	3	2		1	1	3		1				
4	2	1985	B08		1	3	2		1	1	3		1				
4	2	1985	B09		1	2	2		1	1	3		1				
4	2	1985	B10		2	2	3		1	1	3		2				
4	2	1985	B11		1	2	3		2	1	3		1				
4	2	1985	B13		1	3	2		1	1	3		1				
4	2	1985	B14		1	2	3		1	1	3		1				
4	2	1985	B15		1	2	3		2	1	3		1				
4	2	1985	B16		1	3	2		1	1	3		1				
4	2	1985	B18		2	1	3		2	1	3		1				
4	2	1985	B19		1	1	3		1	1	3		2				
4	2	1985	B20		1	1	3		1	1	3		2				
5	2	1985	A29		2	2	3		1	1	3		1				
5	2	1985	A30		1	2	2		1	1	3		1				
5	2	1985	A31		2	1	3		1	1	3		1				
5	2	1985	A32		2	1	2		1	1	2		1				

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHER			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFF.	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
5	2	1985	A33			1	1	2		1	1	3	1			
5	2	1985	A34			1	1	3		1	1	3	1			
5	2	1985	A35			2	1	3		1	1	3	1			
5	2	1985	A36			2	1	3		2	1	3	1			
5	2	1985	A37			2	1	3		1	1	3	1			
5	2	1985	A38			1	2	3		1	1	3	1			
5	2	1985	A39			1	1	3		1	1	3	2			
5	2	1985	A40			2	1	2		1	1	3	1			
5	2	1985	A41			2	3	3		1	1	3	1			
5	2	1985	A42			1	1	3		1	1	3	1			
5	2	1985	A43			1	2	3		1	1	3	1			
5	2	1985	A44			2	2	3		1	1	3	1			
5	2	1985	A45			1	2	3		1	1	3	1			
5	2	1985	A46			1	2	3		1	1	3	1			
5	2	1985	A47			1	1	3		1	1	3	1			
5	2	1985	A48			1	1	3		1	1	3	1			
5	2	1985	A49			1	2	3		1	1	3	1			
6	2	1985	A29													
6	2	1985	A30													
6	2	1985	A31													
6	2	1985	A32													
6	2	1985	A33													
6	2	1985	A34													
6	2	1985	A35													
6	2	1985	A36													
6	2	1985	A37													
6	2	1985	A38													
6	2	1985	A39													
6	2	1985	A40													
6	2	1985	A41													
6	2	1985	A42													
6	2	1985	A43													
6	2	1985	A44													
6	2	1985	A45													
6	2	1985	A46													
6	2	1985	A47													
6	2	1985	A48													
6	2	1985	A49													
13	2	1985	A29		3930.											
13	2	1985	A30		4280.											
13	2	1985	A31		4790.											
13	2	1985	A32		5260.											
13	2	1985	A33		4560.											
13	2	1985	A34		2760.											
13	2	1985	A35		3540.											

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO	OTHER BENTH
13	2	1985	A36	3930.													
13	2	1985	A37	3430.													
13	2	1985	A38	2560.													
13	2	1985	A39	4420.													
13	2	1985	A40	4690.													
13	2	1985	A41	4230.													
13	2	1985	A42	2440.													
13	2	1985	A43	2380.													
13	2	1985	A44	3120.													
13	2	1985	A45	1770.													
13	2	1985	A46	2080.													
13	2	1985	A47	4110.													
13	2	1985	A48	4230.													
13	2	1985	A49	4780.													
13	2	1985	B01	2062.													
13	2	1985	B02	1890.													
13	2	1985	B03	2449.													
13	2	1985	B04	2306.													
13	2	1985	B05	2498.													
13	2	1985	B06	2498.													
13	2	1985	B07	2276.													
13	2	1985	B08	3056.													
13	2	1985	B09	2632.													
13	2	1985	B10	3754.													
13	2	1985	B11	3518.													
13	2	1985	B13	3656.													
13	2	1985	B14	4402.													
13	2	1985	B15	4549.													
13	2	1985	B16	4676.													
13	2	1985	B18	5055.													
13	2	1985	B19	4384.													
13	2	1985	B20	4354.													
19	2	1985	A29		1	2	3		1	1	1	3	1				
19	2	1985	A30		1	2	3		1	1	1	3	1				
19	2	1985	A31		2	1	2		1	1	1	3	2				
19	2	1985	A32		3	2	2		1	1	1	3	1				
19	2	1985	A33		2	1	3		1	1	1	3	1				
19	2	1985	A34		2	1	3		1	1	1	3	1				
19	2	1985	A35		2	1	3		1	1	1	3	1				
19	2	1985	A36		1	1	3		1	1	1	3	1				
19	2	1985	A37		1	2	3		1	1	1	3	1				
19	2	1985	A38		1	2	3		1	1	1	3	1				
19	2	1985	A39		1	2	3		1	1	1	3	1				
19	2	1985	A40		2	3	1		2	2	2	3	1				
19	2	1985	A41		2	2	3		1	1	1	3	1				

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHE	
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	
19	2	1985	A42			1	2	3		1	1	3	1	
19	2	1985	A43			1	1	3		1	2	3	1	
19	2	1985	A44			2	1	3		1	1	3	1	
19	2	1985	A45			1	3	2		1	1	3	1	
19	2	1985	A46			2	1	3		1	1	2	1	
19	2	1985	A47			3	1	2		1	1	3	1	
19	2	1985	A48			3	1	2		1	1	3	1	
19	2	1985	A49			1	1	3		1	1	3	1	
20	2	1985	B01			2	3	2		1	2	3	1	
20	2	1985	B02			1	3	2		1	1	3	1	
20	2	1985	B03			1	3	2		1	1	3	1	
20	2	1985	B04			1	2	3		1	1	3	1	
20	2	1985	B05			2	3	2		1	1	3	1	
20	2	1985	B06			1	2	3		1	1	3	1	
20	2	1985	B07			1	2	2		1	1	3	1	
20	2	1985	B08			1	2	3		1	1	3	1	
20	2	1985	B09			1	1	3		1	1	3	1	
20	2	1985	B10			2	1	3		1	1	3	1	
20	2	1985	B11			3	2	2		1	2	3	1	
20	2	1985	B13			3	1	2		1	1	3	1	
20	2	1985	B14			1	2	3		1	1	3	2	
20	2	1985	B15			2	2	3		1	1	3	1	
20	2	1985	B16			2	1	3		1	1	3	1	
20	2	1985	B18			1	2	3		1	1	3	1	
20	2	1985	B19			1	2	3		1	1	3	1	
20	2	1985	B20			2	1	3		1	1	3	1	
21	2	1985	A29	2220.		2	1	2		1	1	3	2	
21	2	1985	A30	2150.		1	2	3		1	1	3	1	
21	2	1985	A31	3340.		2	1	3		1	1	3	1	
21	2	1985	A32	3290.		3	1	2		1	1	3	1	
21	2	1985	A33	2110.		2	2	3		1	1	2	2	
21	2	1985	A34	2050.		2	2	3		1	1	2	2	
21	2	1985	A35	2410.		2	1	3		1	1	3	1	
21	2	1985	A36	3850.		1	2	2		1	1	3	1	
21	2	1985	A37	3460.		1	1	3		1	1	2	2	
21	2	1985	A38	2220.		1	1	3		1	1	2	1	
21	2	1985	A39	2250.		1	1	3		1	2	3	1	
21	2	1985	A40	3000.		2	1	3		1	1	2	2	
21	2	1985	A41	3350.		1	3	2		1	1	2	3	
21	2	1985	A42	2170.		1	2	3		1	1	1	3	
21	2	1985	A43	2130.		1	2	3		1	1	3	1	
21	2	1985	A44	2170.		2	1	3		1	1	3	1	
21	2	1985	A45	1780.		1	2	3		1	1	3	1	
21	2	1985	A46	2320.		2	1	3		1	1	3	1	
21	2	1985	A47	3440.		1	2	3		1	1	3	1	

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHE			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
21	2	1985	A48	3210.		1	2	2		1	1	1	3	1		
21	2	1985	A49	3150.		2	1	3		1	1	2	1			
28	2	1985	B01	1436.												
28	.	1985	B02	2055.												
28	2	1985	B03	2441.												
28	2	1985	B04	1942.												
28	2	1985	B05	1688.												
28	2	1985	B06	1950.												
28	2	1985	B07	2528.												
28	2	1985	B08	2494.												
28	2	1985	B09	2561.												
28	2	1985	B10	3592.												
28	2	1985	B11	2771.												
28	2	1985	B13	3698.												
28	2	1985	B14	4279.												
28	2	1985	B15	4826.												
25	2	1985	B16	4399.												
28	2	1985	B18	1650.												
28	2	1985	B19	3716.												
28	2	1985	B20	4009.												
4	3	1985	B01		1	2	3			1	1	3	1			
4	3	1985	B02		1	2	3			1	2	3	2			
4	3	1985	B03		1	2	3			1	1	3	2			
4	3	1985	B04		1	2	3			1	1	3	1			
4	3	1985	B05		1	3	2			1	1	2	2			
4	3	1985	B06		1	2	2			1	1	3	2			
4	3	1985	B07		1	3	1			1	1	3	2			
4	3	1985	B08		3	2	3			1	1	3	2			
4	3	1985	B09		2	3	3			1	1	3	1			
4	3	1985	B10		2	1	3			1	1	3	1			
4	3	1985	B11		1	3	2			1	1	3	2			
4	3	1985	B13		2	3	1			1	1	3	1			
4	3	1985	B14		2	2	3			2	1	3	2			
4	3	1985	B15		1	3	1			1	2	3	1			
4	3	1985	B16		3	1	2			1	1	3	2			
4	3	1985	B18		2	1	3			1	1	3	2			
4	3	1985	B19		1	2	3			1	1	3	1			
4	3	1985	B20		2	1	3			1	1	3	1			
6	3	1985	A29		3	2	3			1	1	3	2			
6	3	1985	A30		1	2	3			1	1	3	1			
6	3	1985	A31		1	2	3			1	2	2	1			
6	3	1985	A32		2	1	3			2	2	3	2			
6	3	1985	A33		1	1	3			1	1	3	1			
6	3	1985	A34		1	2	3			1	2	1	2			
6	3	1985	A35		1	2	3			1	1	1	2			

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHER			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFER	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
6	3	1985	A36			1	3	1		1	1	3	2			
6	3	1985	A37			1	2	3		1	2	3	1			
6	3	1985	A38			1	2	3		1	2	3	1			
6	3	1985	A39			1	1	3		1	1	3	1			
6	3	1985	A40			2	2	3		1	1	2	1			
6	3	1985	A41			1	1	3		1	1	3	1			
6	3	1985	A42			2	1	3		1	2	1	1			
6	3	1985	A43			1	1	3		1	3	2	1			
6	3	1985	A44			2	1	3		1	2	2	1			
6	3	1985	A45			1	2	3		1	2	2	1			
6	3	1985	A46			1	1	3		1	2	3	1			
6	3	1985	A47			2	1	3		1	3	2	1			
6	3	1985	A48			1	2	3		1	1	3	1			
6	3	1985	A49			2	1	3		1	2	2	1			
7	3	1985	A29			2	1	3		1	2	3	1			
7	3	1985	A30			1	2	3		2	1	3	1			
7	3	1985	A31			1	1	3		1	1	3	1			
7	3	1985	A32			3	1	2		1	2	3	1			
7	3	1985	A33			2	1	3		1	1	3	1			
7	3	1985	A35			1	1	3		1	1	3	1			
7	3	1985	A36			1	1	3		1	1	3	1			
7	3	1985	A37			1	1	3		1	1	3	1			
7	3	1985	A38			1	2	3		1	1	3	1			
7	3	1985	A39			1	2	3		2	1	3	1			
7	3	1985	A40			1	2	3		1	1	2	3			
7	3	1985	A41			1	3	2		1	1	2	3			
7	3	1985	A42			1	2	3		1	2	3	1			
7	3	1985	A43			1	2	3		1	1	2	3			
7	3	1985	A44			1	3	2		1	1	2	3			
7	3	1985	A45			2	1	3		1	1	3	1			
7	3	1985	A46			1	1	3		1	1	3	1			
7	3	1985	A47			1	1	3		1	1	2	3			
7	3	1985	A48			1	1	3		1	1	3	2			
7	3	1985	A49			1	3	2		1	1	1	3			
12	3	1985	B01		2228.											
12	3	1985	B02		2321.											
12	3	1985	B03		2419.											
12	3	1985	B04		2554.											
12	3	1985	B05		2944.											
12	3	1985	B06		2846.											
12	3	1985	B07		3071.											
12	3	1985	B08		4282.											
12	3	1985	B09		3266.											
12	3	1985	B10		4084.											
12	3	1985	B11		3607.											

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND	NET PRODUCTN	GROSS PRODUCTN	BLUE-GREEN	OTHER DIATOM	OTHER PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO	OTHER BENTH.
12	3	1985	B13	4204.												
12	3	1985	B14	5456.												
12	3	1985	B15	6045.												
12	3	1985	B16	4729.												
12	3	1985	B18	4755.												
12	3	1985	B19	5411.												
12	3	1985	B20	5126.												
18	3	1985	A29	4920.												
18	3	1985	A30	5090.												
18	3	1985	A31	7140.												
18	3	1985	A32	5070.												
18	3	1985	A33	7270.												
18	3	1985	A34	4510.												
18	3	1985	A35	7060.												
18	3	1985	A36	6760.												
18	3	1985	A37	4440.												
18	3	1985	A38	3350.												
18	3	1985	A39	4940.												
18	3	1985	A40	6610.												
18	3	1985	A41	8630.												
18	3	1985	A42	4280.												
18	3	1985	A43	2500.												
18	3	1985	A44	3050.												
18	3	1985	A45	2530.												
18	3	1985	A46	3040.												
18	3	1985	A47	4910.												
18	3	1985	A48	4640.												
18	3	1985	A49	4870.												
19	3	1985	A29		1	1	3		1	1	1	3	1			
19	3	1985	A30		1	1	3		1	1	1	3	1			
19	3	1985	A31		1	1	3		1	1	1	3	1			
19	3	1985	A32		3	1	2		1	1	1	3	1			
19	3	1985	A33		1	1	3		1	1	1	3	2			
19	3	1985	A34		2	1	3		1	1	1	3	1			
19	3	1985	A35		1	2	3		1	2	2	3	2			
19	3	1985	A36		2	1	3		1	1	1	3	1			
19	3	1985	A37		2	1	3		1	1	1	3	2			
19	3	1985	A38		1	2	3		1	1	1	3	1			
19	3	1985	A39		1	2	3		1	1	1	2	2			
19	3	1985	A40		1	2	2		1	1	1	3	2			
19	3	1985	A41		1	1	3		1	1	1	3	1			
19	3	1985	A42		1	1	3		1	1	1	3	1			
19	3	1985	A43		1	1	3		1	1	1	3	2			
19	3	1985	A44		1	1	3		1	1	1	3	1			
19	3	1985	A45		3	1	2		1	1	1	3	1			

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHEI	
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	
19	3	1985	A46			1	1	3		4	1	2	2	
19	3	1985	A47			2	1	3		1	1	2	2	
19	3	1985	A48			2	1	2		1	1	2	1	
19	3	1985	A49			1	1	3		1	1	2	1	
21	3	1985	A29	2670.										
21	3	1985	A30	3350.										
21	3	1985	A31	3540.										
21	3	1985	A32	5700.										
21	3	1985	A33	4050.										
21	3	1985	A34	2520.										
21	3	1985	A35	3460.										
21	3	1985	A36	4130.										
21	3	1985	A37	3760.										
21	3	1985	A38	2340.										
21	3	1985	A39	3010.										
21	3	1985	A40	3420.										
21	3	1985	A41	4520.										
21	3	1985	A42	2490.										
21	3	1985	A43	2660.										
21	3	1985	A44	2750.										
21	3	1985	A45	2640.										
21	3	1985	A46	2900.										
21	3	1985	A47	3870.										
21	3	1985	A48	4280.										
21	3	1985	A49	4090.										
9	4	1985	A29					1	2	3	1			
9	4	1985	A30					1	1	3	1			
9	4	1985	A31					1	1	2	3			
9	4	1985	A32					1	1	3	2			
9	4	1985	A33					1	1	2	3			
9	4	1985	A34					1	1	3	1			
9	4	1985	A35					1	1	3	2			
9	4	1985	A36					1	1	3	1			
9	4	1985	A37					1	1	3	1			
9	4	1985	A38					1	1	3	2			
9	4	1985	A39					2	1	3	1			
9	4	1985	A40					1	1	3	1			
9	4	1985	A41					3	1	1	2			
9	4	1985	A42					3	1	1	2			
9	4	1985	A43					2	1	2	1			
9	4	1985	A44					3	1	2	1			
9	4	1985	A45					2	1	3	1			
9	4	1985	A46					1	1	3	2			
9	4	1985	A47					1	1	3	1			
9	4	1985	A48					1	1	3	1			

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER DIATOM PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO	OTHER BENTH.
9	4	1985	A49												
10	4	1985	A29	3060.	1	2	3		2	1	2	1	3		
10	4	1985	A30	3010.	3	2	2		1	2	3	1			
10	4	1985	A31	3750.	1	2	3		1	2	3	1			
10	4	1985	A32	4500.	3	1	2		1	1	3	1			
10	4	1985	A33	4280.	2	1	2		1	1	3	1			
10	4	1985	A34	3620.	2	1	3		2	2	2	1			
10	4	1985	A35	4210.	1	2	3		1	1	3	1			
10	4	1985	A36	4170.	2	1	3		1	1	3	1			
10	4	1985	A37	4320.	3	2	3		1	2	3	2			
10	4	1985	A38	2200.	2	1	3		1	1	3	1			
10	4	1985	A39	2940.	1	2	3		1	1	2	1			
10	4	1985	A40	4070.	1	1	3		1	1	2	1			
10	4	1985	A41	6860.	1	2	3		3	1	2	1			
10	4	1985	A42	2910.	2	2	3		2	1	3	2			
10	4	1985	A43	2980.	1	2	3		1	1	3	1			
10	4	1985	A44	3420.	2	2	2		1	1	3	2			
10	4	1985	A45	2610.	2	1	3		1	1	3	1			
10	4	1985	A46	2940.	1	2	3		1	1	3	1			
10	4	1985	A47	3280.	2	1	3		1	1	3	2			
10	4	1985	A48	3830.	1	1	3		3	1	2	1			
10	4	1985	A49	4100.	2	2	2		1	1	3	2			
23	4	1985	A29		2	1	2		1	1	3	1			
23	4	1985	A30		2	3	2		1	1	3	1			
23	4	1985	A31		1	1	3		1	2	2	3			
23	4	1985	A32		3	2	1		1	1	3	2			
23	4	1985	A33		2	1	3		1	1	3	1			
23	4	1985	A34		1	1	3		1	1	3	1			
23	4	1985	A35		1	3	2		1	1	3	2			
23	4	1985	A36		2	2	3		1	1	3	2			
23	4	1985	A37		1	3	1		1	1	3	2			
23	4	1985	A38		1	1	3		1	1	3	1			
23	4	1985	A39		2	2	3		1	1	3	1			
23	4	1985	A40		1	2	2		1	1	3	1			
23	4	1985	A41		1	2	2		3	1	2	1			
23	4	1985	A42		1	2	3		3	1	2	1			
23	4	1985	A43		2	2	3		1	1	3	1			
23	4	1985	A44		2	1	3		2	1	3	1			
23	4	1985	A45		1	1	3		2	1	3	1			
23	4	1985	A46		1	2	2		2	1	1	2			
23	4	1985	A47		2	1	3		1	1	3	2			
23	4	1985	A48		1	3	2		1	1	3	1			
23	4	1985	A49		1	2	2		1	1	3	1			
24	4	1985	B01		1	2	3		1	1	2	1			
24	4	1985	B02		1	2	2		2	1	2	2			

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHE			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
24	4	1985	B03			1	1	3		1	1	3	1			
24	4	1985	B04			2	1	3		1	1	3	1			
24	4	1985	B05			2	1	3		1	1	3	1			
24	4	1985	B06			1	2	3		1	1	3	1			
24	4	1985	B07			1	2	3		1	1	3	2			
24	4	1985	B08			3	2	2		1	1	3	1			
24	4	1985	B09			2	1	3		1	1	3	1			
24	4	1985	B10			2	1	2		1	1	3	2			
24	4	1985	B11			1	2	3		1	1	3	1			
24	4	1985	B13			1	2	2		1	2	3	1			
24	4	1985	B14			1	2	2		1	3	1	1			
24	4	1985	B15			1	1	3		1	2	3	1			
24	4	1985	B16			1	3	2		1	1	3	1			
24	4	1985	B18			1	2	3		3	1	2	2			
24	4	1985	B19			2	2	3		1	2	3	1			
24	4	1985	B20			2	1	2		1	1	2	3			
7	5	1985	B01			2	2	2		1	1	3	2			
7	5	1985	B02			1	3	2		1	1	3	1			
7	5	1985	B03			1	3	2		1	1	3	1			
7	5	1985	B04			1	1	3		1	2	3	2			
7	5	1985	B05			2	2	1		1	2	3	1			
7	5	1985	B06			1	2	3		1	1	3	1			
7	5	1985	B07			2	1	3		1	1	3	2			
7	5	1985	B08			2	3	1		1	1	3	1			
7	5	1985	B09			2	2	3		1	2	3	2			
7	5	1985	B10			2	1	3		1	1	2	2			
7	5	1985	B11			2	1	3		1	1	3	1			
7	5	1985	B13			1	3	1		1	1	3	1			
7	5	1985	B14			2	1	2		1	1	3	1			
7	5	1985	B15			2	2	3		1	2	3	1			
7	5	1985	B16			2	3	2		1	2	3	1			
7	5	1985	B18			1	2	2		3	1	2	1			
7	5	1985	B19			1	1	3		3	1	2	1			
7	5	1985	B20			1	2	3		1	2	2	1			
28	12	1985	B11		1466.											
7	13	1985	A34			1	1	3		1	1	3	1			
28	12	1987	B07		1286.											

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHE			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
15	8	1985	B01			2	1	2		1	1	3	1			
15	8	1985	B02			2	1	2		1	1	3	1			
15	8	1985	B03			2	1	2		1	1	3	1			
15	8	1985	B04			1	1	3		1	2	3	2			
15	8	1985	B05			2	1	2		1	1	3	1			
15	8	1985	B06			2	1	2		1	1	3	1			
15	8	1985	B07			1	1	3		2	1	3	2			
15	8	1985	B08			2	2	3		1	1	3	1			
15	8	1985	B09			1	1	3		1	1	3	2			
15	8	1985	B10			2	1	3		2	1	3	1			
15	8	1985	B11			1	1	3		1	1	3	1			
15	8	1985	B13			2	1	3		1	1	3	1			
15	8	1985	B14			2	1	3		1	1	3	1			
15	8	1985	B15			2	1	3		1	1	3	1			
15	8	1985	B16			2	1	3		1	2	3	1			
15	8	1985	B18			2	1	3		1	1	3	1			
15	8	1985	B19			2	1	3		1	1	3	2			
15	8	1985	B20			2	1	3		1	1	3	1			
25	8	1985	B01			1	3	2		1	1	3	2			
25	8	1985	B02			2	1	3		3	1	2	1			
25	8	1985	B03			2	1	3		1	1	3	1			
25	8	1985	B04			2	1	3		3	1	2	2			
25	8	1985	B05			2	1	3		3	1	2	1			
25	8	1985	B06			2	1	2		2	1	3	2			
25	8	1985	B07			2	1	2		1	1	3	2			
25	8	1985	B08			2	1	3		1	2	3	1			
25	8	1985	B09			2	1	3		3	1	2	1			
25	8	1985	B10			2	3	2		1	1	2	2			
25	8	1985	B11			2	1	3		3	1	1	2			
25	8	1985	B13			1	1	3		1	1	3	2			
25	8	1985	B14			2	1	2		1	1	3	2			
25	8	1985	B15			1	1	3		3	1	3	2			
25	8	1985	B16			1	1	3		1	2	3	2			
25	8	1985	B18			2	1	2		2	1	3	1			
25	8	1985	B19			3	1	2		1	1	3	2			
25	8	1985	B20			2	1	2		1	1	3	2			
29	8	1985	B01		4106.25											
29	8	1985	B02		3045.											
29	8	1985	B03		2812.5											
29	8	1985	B04		2291.25											
29	8	1985	B05		5377.5											
29	8	1985	B06		3232.5											
29	8	1985	B07		1803.75											
29	8	1985	B08		2355.											

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER DIATOM	OTHER PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPD	OTHER BENTI
29	8	1985	B09	2385.												
29	8	1985	B10	2970.												
29	8	1985	B11	2088.75												
29	8	1985	B13	3228.75												
29	8	1985	B14	3251.25												
29	8	1985	B15	4473.75												
29	8	1985	B16	4642.5												
29	8	1985	B18	4376.25												
29	8	1985	B19	4200.												
29	8	1985	B20	3941.25												
12	9	1985	B01	5040.		2	1	3		1	1	3		1		
12	9	1985	B02	4980.		1	2	3		2	2	3		1		
12	9	1985	B03	5036.25		3	1	2		1	1	3		1		
12	9	1985	B04	3393.75		2	1	3		1	1	3		1		
12	9	1985	B05	6532.5		1	1	3		1	2	3		2		
12	9	1985	B06	6318.75		2	2	3		1	2	3		2		
12	9	1985	B07	3798.75		1	1	3		1	1	3		2		
12	9	1985	B08	5625.		1	1	3		1	1	3		1		
12	9	1985	B09	3720.		1	1	3		1	2	3		1		
12	9	1985	B10	5793.75		3	1	2		1	1	3		2		
12	9	1985	B11	4800.		1	1	3		1	1	2		3		
12	9	1985	B13	5996.25		1	1	3		1	1	3		2		
12	9	1985	B14	4522.5		2	3	3		1	1	3		2		
12	9	1985	B15	6041.25		1	3	2		1	2	3		2		
12	9	1985	B16	6322.5		2	2	3		1	1	3		2		
12	9	1985	B18	5152.5		1	2	3		1	1	2		2		
12	9	1985	B19	5767.5		2	2	3		1	1	3		2		
12	9	1985	B20	7140.		3	2	2		1	1	3		1		
26	9	1985	B01	2771.25		2	1	2		1	1	2		2		
26	9	1985	B02	1867.5		2	3	2		1	1	3		2		
26	9	1985	B03	1391.25		3	1	2		1	1	3		2		
26	9	1985	B04	2193.75		2	1	2		1	1	2		2		
26	9	1985	B05	3825.		2	1	3		1	1	3		2		
26	9	1985	B06	3270.		3	1	2		1	1	3		2		
26	9	1985	B07	4747.5		2	1	3		1	1	3		2		
26	9	1985	B08	5898.75		2	1	3		1	1	3		1		
26	9	1985	B09	4432.5		2	3	1		1	2	3		1		
26	9	1985	B10	4612.5		2	3	2		1	2	3		2		
26	9	1985	B11	3191.25		1	3	2		1	2	3		2		
26	9	1985	B13	6712.5		2	3	2		1	1	3		2		
26	9	1985	B14	7185.		1	3	2		1	3	2		1		
26	9	1985	B15	7248.75		1	2	3		1	1	3		2		
26	9	1985	B16	8917.5		1	2	3		1	1	3		2		
26	9	1985	B18	6333.75		1	3	2		1	1	3		2		
26	9	1985	B19	5857.5		3	2	1		1	1	3		2		

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER DIATOM	OTHER PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO	OTHE BENT
26	9	1985	B20	7755.		3 2 2		1 1	1 1	3	2					
2	10	1985	A29			1 2 3		1 1	1 1	3	2					
2	10	1985	A30			2 1 3		1 1	1 1	2	3					
2	10	1985	A31			1 1 3		1 1	1 1	2	1					
2	10	1985	A32			2 1 3		1 1	1 1	3	2					
2	10	1985	A33			2 1 3		1 1	2	3	1					
2	10	1985	A34			2 1 2		1 1	1 1	2	1					
2	10	1985	A35			3 1 2		1 1	1 1	3	1					
2	10	1985	A36			1 1 3		1 1	1 1	3	2					
2	10	1985	A37			2 1 3		1 1	1 1	2	3					
2	10	1985	A38			2 3 3		1 1	1 1	3	2					
2	10	1985	A39			1 2 3		1 1	2	3	2					
2	10	1985	A40			2 1 3		1 1	1 1	3	1					
2	10	1985	A41			2 1 3		1 1	2	3	1					
2	10	1985	A42			2 1 3		1 1	1 1	3	2					
2	10	1985	A43			2 1 3		1 1	1 1	3	1					
2	10	1985	A44			2 1 3		1 1	2	3	1					
2	10	1985	A45			2 1 3		1 1	1 1	2	2					
2	10	1985	A46			2 1 3		1 1	1 1	2	1					
2	10	1985	A47			2 1 3		1 1	1 1	1	1					
2	10	1985	A48			3 1 2		1 1	3	2	2					
2	10	1985	A49			2 1 3		1 1	2	3	1					
4	10	1985	A29			1 2 2		1 1	1 1	1	1					
4	10	1985	A30			2 3 3		1 1	1 1	1	1					
4	10	1985	A31			2 1 3		1 1	1 1	1	1					
4	10	1985	A32			3 1 3		1 1	1 1	1	1					
4	10	1985	A33			2 1 2		1 1	1 1	1	1					
4	10	1985	A34			2 1 3		1 1	1 1	1	1					
4	10	1985	A35			2 2 3		1 1	1 1	1	1					
4	10	1985	A36			1 1 3		1 1	1 1	1	1					
4	10	1985	A37			1 1 3		1 1	1 1	1	1					
4	10	1985	A38			2 1 3		1 1	1 1	1	1					
4	10	1985	A39			2 2 3		1 1	1 1	1	1					
4	10	1985	A40			2 1 3		1 1	1 1	1	1					
4	10	1985	A41			2 2 3		1 1	1 1	1	1					
4	10	1985	A43			2 2 3		1 1	1 1	1	1					
4	10	1985	A44			1 1 3		1 1	1 1	1	1					
4	10	1985	A45			1 1 3		1 1	1 1	1	1					
4	10	1985	A46			3 1 2		1 1	1 1	1	1					
4	10	1985	A47			1 2 2		1 1	1 1	1	1					
4	10	1985	A48			2 1 3		1 1	1 1	1	1					
4	10	1985	A49			1 1 3		1 1	1 1	1	1					
11	10	1985	B01		3701.25	1 2 3		1 2	3							
11	10	1985	B02		3723.75	2 2 3		1 2	3							
11	10	1985	B03		5838.75	2 1 3		1 2	3							

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHE			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
11	10	1985	B04	3558.75		2	1	3		1	1	3	1			
11	10	1985	B05	3746.25		2	1	2		1	1	3	1			
11	10	1985	B06	3446.25		2	1	2		1	1	3	2			
11	10	1985	B07	3615.		2	1	3		1	3	2	1			
11	10	1985	B08	4653.75		2	1	3		1	2	3	2			
11	10	1985	B09	3990.		2	1	3		1	1	3	1			
11	10	1985	B10	5902.5		3	2	1		1	1	3	2			
11	10	1985	B11	3326.25		2	3	1		1	1	3	2			
11	10	1985	B13	5085.		2	1	2		3	2	2	1			
11	10	1985	B14	5452.5		3	2	3		1	2	3	1			
11	10	1985	B15	6052.5		2	1	2		2	3	1	1			
11	10	1985	B16	6622.5		2	3	2		3	1	1	2			
11	10	1985	B18	5430.		3	1	2		1	1	3	2			
11	10	1985	B19	4938.75		2	1	2		1	1	2	3			
11	10	1985	B20	5835.		3	1	2		1	1	3	2			
16	10	1985	A29	5090.												
16	10	1985	A30	4330.												
16	10	1985	A31	4780.												
16	10	1985	A32	4300.												
16	10	1985	A33	4740.												
16	10	1985	A34	3560.												
16	10	1985	A35	3940.												
16	10	1985	A36	2850.												
16	10	1985	A37	3970.												
16	10	1985	A38	3720.												
16	10	1985	A39	3780.												
16	10	1985	A40	3300.												
16	10	1985	A41	4890.												
16	10	1985	A42	2760.												
16	10	1985	A43	2350.												
16	10	1985	A44	2430.												
16	10	1985	A45	1700.												
16	10	1985	A46	3310.												
16	10	1985	A47	3430.												
16	10	1985	A48	3960.												
16	10	1985	A49	3550.												
17	10	1985	A29	1740.		2	1	2		1	1	3	2			
17	10	1985	A30	1910.		2	1	2		1	2	3	1			
17	10	1985	A31	3440.		2	1	3		1	2	3	1			
17	10	1985	A32	4780.		2	1	3		1	1	3	1			
17	10	1985	A33	2370.		1	1	3		1	1	3	1			
17	10	1985	A34	2000.		2	1	3		1	2	3	1			
17	10	1985	A35	2010.		1	1	3		2	2	3	1			
17	10	1985	A36	17020.		1	2	3		1	1	3	2			
17	10	1985	A37	3190.		1	1	3		1	1	3	1			

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHE			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
17	10	1985	A38	3180.		1	1	3		1	1	2	3			
17	10	1985	A39	1090.		2	1	3		1	1	2	3			
17	10	1985	A40	2430.		1	1	3		1	1	3	2			
17	10	1985	A41	5370.		1	2	3		1	1	3	2			
17	10	1985	A42	2260.		2	1	3		1	1	3	2			
17	10	1985	A43	1060.		1	2	3		1	1	3	1			
17	10	1985	A44	570.		1	2	3		1	1	3	1			
17	10	1985	A45	830.		1	2	3		1	1	3	2			
17	10	1985	A46	1190.		2	1	3		1	1	3	1			
17	10	1985	A47	940.		1	2	3		1	1	3	2			
17	10	1985	A48	1500.		1	1	2		1	1	3	1			
17	10	1985	A49	550.		1	1	3		1	1	3	1			
28	10	1985	B01	-2381.25		2	1	3		2	1	1	3			
28	10	1985	B02	-1447.5		2	2	3		1	1	3	1			
28	10	1985	B03	-2505.		2	1	3		1	1	2	2			
28	10	1985	B04	-1811.25		1	2	2		2	1	3	1			
28	10	1985	B05	-2163.75		3	1	2		1	1	1	3			
28	10	1985	B06	-2490.		1	1	3		1	1	1	3			
28	10	1985	B07	-2298.75		1	1	3		1	1	2	3			
28	10	1985	B08	-2947.5		2	1	3		1	1	2	2			
28	10	1985	B09	-2670.		2	1	3		3	1	1	1			
28	10	1985	B10	-3543.75		2	1	3		2	3	1	1			
28	10	1985	B11	-2538.75		1	2	3		1	1	3	2			
28	10	1985	B13	0.		3	2	3		1	1	3	1			
28	10	1985	B14	0.		1	1	3		2	2	3	1			
28	10	1985	B15	0.		1	1	3		1	1	3	2			
28	10	1985	B16	0.		1	2	3		1	3	1	2			
28	10	1985	B18	0.		1	2	3		1	1	2	2			
28	10	1985	B19	0.		3	1	2		1	3	2	1			
28	10	1985	B20	0.		1	1	3		1	1	3	2			
29	10	1985	A29			3	1	2		1	2	3	1			
29	10	1985	A30			2	1	3		2	1	2	1			
29	10	1985	A31			2	1	2		1	1	3	1			
29	10	1985	A32			2	1	1		2	1	1	1			
29	10	1985	A33			2	1	3		1	2	1	3			
29	10	1985	A34			1	1	3		1	3	2	1			
29	10	1985	A35			2	3	3		1	1	3	1			
29	10	1985	A36			2	1	3		1	2	3	1			
29	10	1985	A37			2	3	1		1	2	3	1			
29	10	1985	A38			2	1	3		1	3	1	1			
29	10	1985	A39			2	1	3		1	2	2	1			
29	10	1985	A40			1	1	3		1	3	1	1			
29	10	1985	A41			2	1	3		1	2	2	1			
29	10	1985	A42			3	1	2		2	1	3	1			
29	10	1985	A43			2	3	1		2	1	1	2			

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHER	
				PRODUCTN	PRODUCTN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	
29	10	1985	A44			3	2	2		1	3	1	2	
29	10	1985	A45			1	1	3		1	2	3	2	
29	10	1985	A46			2	1	3		1	3	1	2	
29	10	1985	A47			1	2	3		1	1	2	2	
29	10	1985	A48			1	2	3		1	3	1	1	
29	10	1985	A49			1	2	3		2	3	1	2	
30	10	1985	A29			1	1	3		1	1	3	3	
30	10	1985	A30			3	1	2		1	3	2	1	
30	10	1985	A31			2	1	3		1	2	1	3	
30	10	1985	A32			2	1	3		1	1	2	3	
30	10	1985	A33			1	1	3		2	1	1	2	
30	10	1985	A34			1	1	3		1	3	1	1	
30	10	1985	A35			1	1	3		1	1	1	3	
30	10	1985	A36			2	1	3		2	1	2	3	
30	10	1985	A37			2	1	3		2	1	2	2	
30	10	1985	A38			2	1	3		1	1	2	2	
30	10	1985	A39			1	1	3		1	2	3	1	
30	10	1985	A40			2	1	3		1	2	3	1	
30	10	1985	A41			2	1	3		1	1	3	1	
30	10	1985	A42			2	1	3		1	2	2	2	
30	10	1985	A43			1	1	3		1	1	2	3	
30	10	1985	A44			1	1	3		1	2	1	2	
30	10	1985	A45			1	2	3		1	2	3	1	
30	10	1985	A46			1	1	3		1	1	3	2	
30	10	1985	A47			1	1	3		1	1	1	3	
30	10	1985	A48			1	1	3		1	1	2	3	
30	10	1985	A49			2	1	3		1	2	2	1	
12	11	1985	B01	-3528.75		2	1	3		1	1	2	2	
12	11	1985	B02	0.		2	3	1		1	1	3	1	
12	11	1985	B03	-3656.25		2	1	3		3	1	2	1	
12	11	1985	B04	-3041.25		2	1	3		2	1	2	3	
12	11	1985	B05	-2670.		2	1	3		1	1	3	2	
12	11	1985	B06	-2531.25		2	1	3		1	1	2	2	
12	11	1985	B07	-2493.75		2	1	3		1	1	3	2	
12	11	1985	B08	-2640.		1	1	3		1	1	1	3	
12	11	1985	B09	-2268.75		2	1	3		2	1	1	2	
12	11	1985	B10	-2947.5		2	1	3		1	1	1	3	
12	11	1985	B11	-2925.		1	1	3		1	1	3	2	
12	11	1985	B13	-3348.75		2	1	3		2	1	1	2	
12	11	1985	B14	-3371.25		1	1	3		1	1	3	2	
12	11	1985	B15	-3547.5		1	2	3		2	1	3	2	
12	11	1985	B16	-3123.75		2	1	3		1	1	2	2	
12	11	1985	B18	-3498.75		2	1	2		1	1	3	2	
12	11	1985	B19	-3547.5		1	1	3		1	1	2	3	
12	11	1985	B20	-3045.		1	1	3		3	2	1	3	

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND	NET	GROSS	BLUE-	OTHER			OTHER			OTHER				
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO	BENTI
13	11	1985	A29			2	2	2		2	1	2	2	3			
13	11	1985	A30			2	1	3		2	1	2	2	1			
13	11	1985	A31			2	1	2		1	1	2	2	1			
13	11	1985	A32			1	1	3		2	1	2	2	1			
13	11	1985	A33			1	1	3		1	1	2	2	2			
13	11	1985	A34			2	1	3		2	1	2	1	1			
13	11	1985	A35			3	1	2		1	1	1	1	2			
13	11	1985	A36			3	1	2		1	2	2	2	3			
13	11	1985	A37			2	1	3		1	1	3	2				
13	11	1985	A38			1	1	3		1	2	3		1			
13	11	1985	A39			2	1	3		2	1	1	1	2			
13	11	1985	A40			1	1	3		1	1	2	2	2			
13	11	1985	A41			2	1	3		1	2	1	1	2			
13	11	1985	A42			1	1	3		1	1	1	1	2			
13	11	1985	A43			2	1	3		2	2	1	1	1			
13	11	1985	A44			3	1	2		2	1	3	1				
13	11	1985	A45			2	2	3		1	1	2	3				
13	11	1985	A46			1	1	3		1	1	3	2				
13	11	1985	A47			1	1	2		1	1	3	1				
13	11	1985	A48			1	2	3		1	1	3	1				
13	11	1985	A49			2	1	3		2	1	1	1	3			
14	11	1985	A29			2	1	3		1	1	2	1				
14	11	1985	A30			2	1	3		1	1	2	2				
14	11	1985	A31			3	1	2		1	1	2	3				
14	11	1985	A32			1	1	3		2	1	3	2				
14	11	1985	A33			2	1	3		2	1	2	3				
14	11	1985	A34			2	1	2		1	3	1	1				
14	11	1985	A35			2	1	3		1	1	2	1				
14	11	1985	A36			2	1	3		1	2	1	1				
14	11	1985	A37			2	1	3		1	1	1	1	3			
14	11	1985	A38			2	1	3		1	1	1	3	2			
14	11	1985	A39			2	1	3		1	3	2	1				
14	11	1985	A40			2	1	3		1	1	1	1	3			
14	11	1985	A41			1	1	3		1	2	2	2	1			
14	11	1985	A42			1	1	3		1	3	1	1	2			
14	11	1985	A43			2	1	3		1	1	3	1				
14	11	1985	A44			1	1	3		1	3	1	1	2			
14	11	1985	A45			3	1	2		1	1	3	1				
14	11	1985	A46			3	1	2		1	2	2	2	1			
14	11	1985	A47			2	1	3		1	1	3	1				
14	11	1985	A48			2	1	3		1	2	2	2	3			
14	11	1985	A49			2	1	3		1	2	3	2				
27	11	1985	A29	3700.		2	2	2		1	2	2	2	2			
27	11	1985	A30	2240.		1	3	2		1	2	1	2	2			
27	11	1985	A31	4190.		2	1	3		1	1	3	1				

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHER			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
27	11	1985	A32	5210.		1	1	3		1	1	3		1		
27	11	1985	A33	3920.		2	1	3		1	1	3		1		
27	11	1985	A34	2860.		3	1	2		1	3	2		2		
27	11	1985	A35	4870.		1	2	3		1	2	3		1		
27	11	1985	A36	4280.		2	2	3		1	3	2		1		
27	11	1985	A37	4250.		1	2	2		1	2	1		3		
27	11	1985	A38	4410.		2	1	3		1	2	2		1		
27	11	1985	A39	4910.		3	1	2		1	2	2		1		
27	11	1985	A40	2660.		1	1	3		1	1	3		1		
27	11	1985	A41	5060.		2	1	3		1	3	2		1		
27	11	1985	A42	2150.		2	1	2		1	1	1		2		
27	11	1985	A43	2800.		2	1	3		1	1	2		2		
27	11	1985	A44	2030.		2	3	1		1	2	1		1		
27	11	1985	A45	1620.		1	3	2		1	2	3		1		
27	11	1985	A46	2270.		3	1	1		1	2	1		3		
27	11	1985	A47	4520.		1	2	3		1	2	1		3		
27	11	1985	A48	3410.		1	1	3		1	2	1		2		
27	11	1985	A49	2370.		2	2	3		1	1	2		1		
28	11	1985	B01	3236.25		2	1	3		1	2	1		3		
28	11	1985	B02	468.75		2	1	3		1	1	3		2		
28	11	1985	B03	3378.75		2	1	3		1	1	3		1		
28	11	1985	B04	3495.		2	1	3		1	1	3		2		
28	11	1985	B05	2966.25		2	1	2		1	2	1		3		
28	11	1985	B06	3607.5		3	1	2		1	1	3		2		
28	11	1985	B07	2557.5		2	2	3		1	1	1		3		
28	11	1985	B08	4612.5		1	2	3		1	1	3		1		
28	11	1985	B09	4098.75		2	1	3		1	1	3		1		
28	11	1985	B10	4957.5		2	1	2		1	1	3		1		
28	11	1985	B11	3802.5		2	1	3		1	2	3		2		
28	11	1985	B13	4016.25		2	1	3		1	1	2		3		
28	11	1985	B14	6213.75		2	1	3		1	1	3		1		
28	11	1985	B15	5988.75		2	1	3		1	1	2		3		
28	11	1985	B16	6626.25		1	2	3		1	2	3		1		
28	11	1985	B18	5343.75		2	1	2		1	1	3		2		
28	11	1985	B19	4991.25		2	1	3		1	2	2		1		
28	11	1985	B20	5257.5		1	1	3		1	1	2		2		
29	11	1985	A29			3	1	2		1	3	2		2		
29	11	1985	A30			2	1	3		1	3	2		1		
29	11	1985	A31			2	3	2		1	2	2		3		
29	11	1985	A32			1	1	2		1	1	1		3		
29	11	1985	A33			3	2	2		1	2	2		3		
29	11	1985	A34			2	1	2		1	1	2		2		
29	11	1985	A35			3	1	2		1	1	2		2		
29	11	1985	A36			3	1	2		1	2	3		1		
29	11	1985	A37			2	1	2		1	2	3		1		

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHE			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
29	11	1985	A38			2	3	1		1	2	1		3		
29	11	1985	A39			1	2	3		1	3	2		1		
29	11	1985	A40			1	2	3		1	3	2		2		
29	11	1985	A41			1	2	3		1	1	2		3		
29	11	1985	A42			2	1	3		1	1	3		2		
29	11	1985	A43			2	2	3		1	1	3		1		
29	11	1985	A44			2	1	3		1	1	3		1		
29	11	1985	A45			3	1	2		1	2	1		3		
29	11	1985	A46			1	2	3		1	3	1		2		
29	11	1985	A47			3	3	2		1	2	2		1		
29	11	1985	A48			2	3	2		1	2	3		1		
29	11	1985	A49			3	2	2		1	2	3		1		
6	12	1985	B01	3997.5		2	1	3		1	1	1		3		
6	12	1985	B02	3063.75		2	1	3		1	1	2		2		
6	12	1985	B03	3495.		2	1	3		1	2	2		2		
6	12	1985	B04	3468.75		1	2	2		1	1	3		2		
6	12	1985	B05	4110.		1	1	3		1	2	3		1		
6	12	1985	B06	3735.		2	1	2		1	2	3		1		
6	12	1985	B07	2902.5		2	1	2		1	1	2		2		
6	12	1985	B08	4976.25		3	1	2		1	1	3		2		
6	12	1985	B09	4278.75		3	1	2		1	2	3		1		
6	12	1985	B10	5651.25		1	1	3		1	2	3		1		
6	12	1985	B11	5851.25		3	1	1		1	2	3		1		
6	12	1985	B13	5763.75		3	1	1		1	2	2		1		
6	12	1985	B14	6790.75		2	1	3		1	1	2		3		
6	12	1985	B15	7301.25		2	1	2		1	2	3		1		
6	12	1985	B16	7357.5		2	1	3		1	1	3		2		
6	12	1985	B18	7773.75		2	1	3		1	2	3		2		
6	12	1985	B19	7308.75		3	1	1		1	2	2		1		
6	12	1985	B20	8362.5		2	1	3		1	1	2		2		
11	12	1985	A29	4470.		1	2	3		1	1	3		1		
11	12	1985	A30	2490.		1	2	3		1	1	3		1		
11	12	1985	A31	4460.		3	1	2		1	1	2		2		
11	12	1985	A32	5360.		1	2	3		1	2	3		1		
11	12	1985	A33	4750.		2	1	2		1	2	1		2		
11	12	1985	A34	3130.		3	2	1		1	3	3		2		
11	12	1985	A35	5280.		1	2	3		1	2	2		3		
11	12	1985	A36	3020.		3	1	2		1	2	3		2		
11	12	1985	A37	4200.		3	1	2		1	1	2		1		
11	12	1985	A38	3310.		2	1	3		1	2	3		1		
11	12	1985	A39	3230.		2	3	3		1	1	3		1		
11	12	1985	A40	3010.		3	2	1		1	2	2		1		
11	12	1985	A41	4430.		2	1	2		1	1	2		2		
11	12	1985	A42	3450.		1	3	2		1	3	2		3		
11	12	1985	A43	2110.		2	1	3		1	1	2		3		

Table 6. Plankton and Detritus. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER		OTHER				
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO
11	12	1985	A44	1260.		3	2	2		1	2	3	2			
11	12	1985	A45	2270.		1	2	3		1	2	1	3			
11	12	1985	A46	2790.		2	2	2		1	1	1	3			
11	12	1985	A47	2770.		2	1	3		1	2	2	3			
11	12	1985	A48	3210.		3	2	3		1	2	3	1			
11	12	1985	A49	2290.		3	1	2		1	1	2	2			
12	12	1985	A29	3460.		2	2	3		1	2	3	2			
12	12	1985	A30	2650.		1	2	2		1	2	2	3			
12	12	1985	A31	3840.		1	1	3		1	1	1	1			
12	12	1985	A32	1350.		2	1	1		1	2	2	1			
12	12	1985	A33	530.		1	1	3		1	1	2	2			
12	12	1985	A34	2640.		1	1	3		1	1	2	3			
12	12	1985	A35	2550.		2	1	3		1	1	3	2			
12	12	1985	A36	2410.		3	1	2		1	1	3	1			
12	12	1985	A37	2350.		3	1	1		1	1	3	1			
12	12	1985	A38	1710.		3	2	2		1	3	2	1			
12	12	1985	A39	2330.		3	1	2		1	2	2	2			
12	12	1985	A40	1670.		3	1	2		1	1	2	1			
12	12	1985	A41	3420.		2	3	1		1	2	2	1			
12	12	1985	A42	2210.		2	1	3		1	2	3	2			
12	12	1985	A43	1080.		3	2	1		1	2	2	1			
12	12	1985	A44	870.		2	1	2		1	1	3	1			
12	12	1985	A45	870.		3	3	2		1	2	3	2			
12	12	1985	A46	1750.		1	2	1		1	2	2	1			
12	12	1985	A47	1270.		1	1	3		1	1	2	3			
12	12	1985	A48	1700.		1	2	3		1	2	3	1			
12	12	1985	A49	940.		3	2	1		1	1	3	2			
23	12	1985	A29			2	1	3		1	2	2	1			
23	12	1985	A30			3	1	2		1	1	2	1			
23	12	1985	A31			2	2	1		1	2	1	3			
23	12	1985	A32			2	1	3		1	2	3	2			
23	12	1985	A33			3	1	1		1	1	3	2			
23	12	1985	A34			2	1	3		1	1	1	3			
23	12	1985	A35			2	1	2		1	1	3	1			
23	12	1985	A36			2	2	3		1	2	3	1			
23	12	1985	A37			1	2	3		1	1	3	2			
23	12	1985	A38			2	2	3		1	1	3	2			
23	12	1985	A39			3	3	2		1	1	3	2			
23	12	1985	A40			3	1	2		1	1	3	1			
23	12	1985	A41			1	2	3		1	1	3	2			
23	12	1985	A42			1	1	3		1	1	2	3			
23	12	1985	A43			1	1	3		1	2	2	2			
23	12	1985	A44			2	1	2		1	2	3	2			
23	12	1985	A45			1	1	2		1	1	3	1			
23	12	1985	A46			3	1	2		1	1	2	2			

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHER			
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOPL.	MOLLUS	INSECT	DECAPO
23	12	1985	A47			2	2	3		1	1	3	2			
23	12	1985	A48			3	2	3		1	1	3	2			
23	12	1985	A49			1	1	3		1	1	3	1			
26	12	1985	A28			1	3	2		1	1	3	1			
28	12	1985	A30			2	1	3		1	1	2	2			
28	12	1985	A31			2	3	3		1	2	2	3			
28	12	1985	A32			1	1	3		1	2	3	1			
28	12	1985	A33			1	2	2		1	1	1	2			
28	12	1985	A34			2	3	1		1	1	1	2			
28	12	1985	A35			2	3	1		1	1	1	2			
23	12	1985	A36			1	2	3		1	1	3	2			
28	12	1985	A37			2	2	1		1	2	2	3			
28	12	1985	A38			2	3	1		1	1	3	2			
28	12	1985	A39			3	1	2		1	1	2	1			
28	12	1985	A40			2	1	3		1	2	2	1			
28	12	1985	A41			1	2	2		1	1	2	3			
28	12	1985	A42			2	1	2		1	1	3	1			
28	12	1985	A43			2	2	2		1	1	3	1			
28	12	1985	A44			1	2	3		1	1	3	2			
28	12	1985	A45			2	2	2		1	1	3	1			
28	12	1985	A46			2	3	1		1	3	2	1			
28	12	1985	A47			3	1	2		1	1	2	3			
28	12	1985	A48			2	1	3		1	1	3	1			
28	12	1985	A49			3	1	2		1	1	3	2			
13	1	1986	A29			3	1	2		1	2	2	3			
13	1	1986	A30			2	3	3		1	2	3	2			
13	1	1986	A31			2	2	2		1	1	2	3			
13	1	1986	A32			1	2	3		1	2	1	3			
13	1	1986	A33			3	2	3		1	1	2	2			
13	1	1986	A34			2	3	3		1	1	3	2			
13	1	1986	A35			2	1	2		1	1	2	2			
13	1	1986	A36			3	1	2		1	1	2	3			
13	1	1986	A37			3	1	2		1	1	1	3			
13	1	1986	A38			3	1	2		1	1	2	3			
13	1	1986	A39			3	2	1		1	1	1	2			
13	1	1986	A40			1	1	3		1	1	1	3			
13	1	1986	A41			2	1	2		1	1	1	3			
13	1	1986	A42			3	1	2		1	1	1	1			
13	1	1986	A43			1	2	3		1	2	1	3			
13	1	1986	A44			3	1	1		1	2	3	2			
13	1	1986	A45			2	3	1		1	2	1	3			
13	1	1986	A46			3	2	3		1	1	3	2			
13	1	1986	A47			2	3	1		1	1	2	3			
13	1	1986	A48			1	2	2		1	2	1	2			
13	1	1986	A49			1	2	2		1	1	3	1			

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHER	
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	
14	1	1986	A29			3	1	2		1	1	2	2	2
14	1	1986	A30			2	1	3		1	1	2	3	1
14	1	1986	A31			2	1	3		1	3	2	1	
14	1	1986	A32			2	2	1		1	1	3	1	
14	1	1986	A33			3	1	2		1	2	3	2	
14	1	1986	A34			2	2	3		1	:	3	2	
14	1	1986	A35			3	1	1		1	2	1	3	
14	1	1986	A36			2	1	2		1	1	3	2	
14	1	1986	A37			3	2	2		1	2	2	3	
14	1	1986	A38			2	1	3		1	2	1	3	
14	1	1986	A39			3	2	2		1	1	2	3	
14	1	1986	A40			3	1	2		1	1	3	1	
14	1	1986	A41			3	2	2		1	3	2	1	
14	1	1986	A42			3	2	1		1	2	1	2	
14	1	1986	A43			2	2	1		1	1	2	2	
14	1	1986	A44			2	3	1		1	2	2	3	
14	1	1986	A45			3	3	2		1	1	2	3	
14	1	1986	A46			2	1	3		1	1	2	2	
14	1	1986	A47			3	2	1		1	2	1	3	
14	1	1986	A48			2	1	3		1	2	3	1	
14	1	1986	A49			3	1	2		1	1	1	3	
24	1	1986	A29	2400.		3	1	2		1	1	3	2	
24	1	1986	A30	4590.		1	2	3		1	1	2	2	
24	1	1986	A31	5390.		3	1	2		1	1	2	2	
24	1	1986	A32	5230.		2	1	2		1	1	3	1	
24	1	1986	A33	4460.		1	1	3		1	2	3	2	
24	1	1986	A34	4120.		1	2	1		1	1	3	2	
24	1	1986	A35	4830.		2	1	2		1	1	2	3	
24	1	1986	A36	5910.		2	3	2		1	2	3	1	
24	1	1986	A37	7310.		2	1	3		3	2	2	1	
24	1	1986	A38	6910.		3	1	2		1	2	3	1	
24	1	1986	A39	5340.		3	2	1		1	1	2	3	
24	1	1986	A40	4720.		3	1	2		1	2	3	2	
24	1	1986	A41	4890.		1	2	3		1	1	2	3	
24	1	1986	A42	3100.		1	1	2		1	1	2	1	
24	1	1986	A43	3040.		1	3	2		1	1	2	3	
24	1	1986	A44	3480.		2	1	2		1	1	3	2	
24	1	1986	A45	2410.		3	1	2		1	2	2	1	
24	1	1986	A46	5120.		2	3	3		1	3	2	1	
24	1	1986	A47	3630.		2	1	3		1	1	2	3	
24	1	1986	A48	6520.		2	1	3		1	1	3	1	
24	1	1986	A49	3080.		2	1	3		1	2	1	3	
29	1	1986	A29	3870.		2	1	2		1	2	1	3	
29	1	1986	A30	3860.		3	1	2		1	1	3	2	
29	1	1986	A31	3050.		2	1	3		1	1	2	3	

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO	OTHER BENTI
29	1	1986	A32	3630.		3	1	1		1	1	1	2	2			
29	1	1986	A33	3880.		3	1	2		1	1	1	2	2			
29	1	1986	A34	4790.		2	1	3		1	1	1	3	2			
29	1	1986	A35	4000.		3	1	2		1	1	1	2	3			
29	1	1986	A36	4320.		3	1	2		1	2	1	1	3			
29	1	1986	A37	5960.		2	1	2		1	1	1	3	1			
29	1	1986	A38	5360.		2	1	3		1	2	3	3	3			
29	1	1986	A39	2720.		1	2	3		1	2	3	3	1			
29	1	1986	A40	3870.		2	1	3		1	2	3	3	1			
29	1	1986	A41	3760.		2	1	3		1	1	1	2	3			
29	1	1986	A42	1910.		3	1	2		1	1	1	2	2			
29	1	1986	A43	3080.		1	1	3		1	1	1	1	3			
29	1	1986	A44	1630.		1	2	3		2	1	2	2	1			
29	1	1986	A45	2300.		1	1	3		1	1	1	1	3			
29	1	1986	A46	2850.		2	1	3		1	2	3	3	2			
29	1	1986	A47	3550.		2	1	3		1	1	1	3	2			
29	1	1986	A48	3880.		3	1	2		1	1	1	2	1			
29	1	1986	A49	3170.		3	1	2		1	1	1	2	1			
10	2	1986	A29		2360.	2	1	2		3	1	1	1	2			
10	2	1986	A30		2650.	2	1	3		1	1	1	3	2			
10	2	1986	A31		2610.	3	1	2		1	1	1	2	2			
10	2	1986	A32		2840.	2	1	3		3	1	1	2	1			
10	2	1986	A33		2610.	2	1	3		1	1	1	3	1			
10	2	1986	A34		2840.	1	2	3		1	1	1	2	2			
10	2	1986	A35		2610.	3	1	1		3	1	1	1	2			
10	2	1986	A36		2610.	3	1	2		1	1	1	3	1			
10	2	1986	A37		2610.	3	2	2		2	1	1	3	1			
10	2	1986	A38		2610.	1	2	3		3	1	1	2	1			
10	2	1986	A39		2610.	2	1	3		2	1	1	3	1			
10	2	1986	A40		2610.	3	1	2		3	1	1	1	2			
10	2	1986	A41		2610.	2	2	3		2	1	1	2	1			
10	2	1986	A42		2610.	1	1	3		1	2	3	3	2			
10	2	1986	A43		2610.	1	2	3		1	2	3	3	1			
10	2	1986	A44		2610.	2	3	3		1	2	3	3	1			
10	2	1986	A45		2610.	3	1	2		1	2	1	1	3			
10	2	1986	A46		2610.	1	1	3		1	1	1	1	3			
10	2	1986	A47		2610.	3	2	2		2	1	1	3	1			
10	2	1986	A48		2610.	2	1	3		3	1	1	1	1			
10	2	1986	A49		2610.	2	1	3		3	1	1	1	1			
11	2	1986	A29		2360.	3	2	2		3	1	1	2	1			
11	2	1986	A30		2650.	1	1	3		3	1	1	2	1			
11	2	1986	A31		2610.	3	1	2		1	2	3	3	1			
11	2	1986	A32		2840.	2	3	1		3	2	1	1	1			
11	2	1986	A33		2610.	3	2	1		1	2	3	3	1			
11	2	1986	A34		2840.	1	1	3		2	3	1	1	2			

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	NET	GROSS	BLUE-	OTHER			OTHER			OTHEI				
				PRODUCTN	PRODUCTN	GREEN	GREEN	DIATOM	PHYTO.	ROTIFE	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO	BENTI
11	2	1986	A35	3470.		1	2	3		3	1	2	3				
11	2	1986	A36	3290.		1	1	3		1	1	3	2				
11	2	1986	A37	4350.		3	1	2		3	3	1	1				
11	2	1986	A38	2850.		2	3	2		1	1	3	2				
11	2	1986	A39	3710.		2	1	3		2	1	3	1				
11	2	1986	A40	2880.		2	1	2		1	1	1	3				
11	2	1986	A41	2030.		3	1	2		3	1	2	1				
11	2	1986	A42	1660.		2	1	3		3	2	1	1				
11	2	1986	A43	1740.		3	2	1		2	1	3	1				
11	2	1986	A44	1920.		1	3	2		1	1	2	3				
11	2	1986	A45	1280.		2	3	2		1	1	2	3				
11	2	1986	A46	1970.		2	1	3		2	1	2	1				
11	2	1986	A47	2400.		2	1	3		3	1	2	1				
11	2	1986	A48	3210.		1	2	3		3	1	1	2				
11	2	1986	A49	1920.		2	1	3		2	1	2	1				
25	2	1986	A29	3170.		1	3	2		1	1	2	3				
25	2	1986	A30	3100.		2	1	3		1	1	2	3				
25	2	1986	A31	3680.		2	3	1		2	1	1	3				
25	2	1986	A32	3670.		2	3	1		3	1	1	1				
25	2	1986	A33	2890.		2	1	3		2	1	1	3				
25	2	1986	A34	3770.		2	1	3		1	1	2	1				
25	2	1986	A35	3980.		3	1	2		3	1	1	2				
25	2	1986	A36	4350.		2	1	2		2	1	1	3				
25	2	1986	A37	5950.		2	3	1		3	1	2	2				
25	2	1986	A38	4120.		2	1	3		3	1	2	2				
25	2	1986	A39	3610.		2	1	3		3	1	1	1				
25	2	1986	A40	3810.		3	1	2		2	1	1	3				
25	2	1986	A41	3070.		2	1	3		2	1	2	3				
25	2	1986	A42	2100.		2	1	3		1	1	1	3				
25	2	1986	A43	1890.		1	2	3		1	1	2	3				
25	2	1986	A44	2790.		2	3	3		1	1	2	2				
25	2	1986	A45	1410.		2	1	3		2	3	3	1				
25	2	1986	A46	2980.		2	1	3		1	1	2	3				
25	2	1986	A47	2920.		2	1	3		2	1	3	1				
25	2	1986	A48	4160.		2	1	3		3	1	2	1				
25	2	1986	A49	1710.		2	1	3		2	1	1	3				
26	2	1986	A29	5210.													
26	2	1986	A30	3360.													
26	2	1986	A31	3100.													
26	2	1986	A32	3240.													
26	2	1986	A33	2790.													
26	2	1986	A34	3510.													
26	2	1986	A35	3980.													
26	2	1986	A36	2140.													
26	2	1986	A37	6400.													

Table 6. Plankton and Benthos. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND	NET PRODUCTN	GROSS PRODUCTN	BLUE- GREEN	OTHER DIATOM PHYTO.	ROTIFER	CLADOC	COPEPO	ZOOPL.	MOLLUS	INSECT	DECAPO	OTHER BENTH.
26	2	1986	A38	3340.											
26	2	1986	A39		3410.										
26	2	1986	A40		3120.										
26	2	1986	A41		3540.										
26	2	1986	A42		1730.										
26	2	1986	A43		1710.										
26	2	1986	A44		1880.										
26	2	1986	A45		990.										
26	2	1986	A46		2190.										
26	2	1986	A47		2570.										
26	2	1986	A48		3210.										
26	2	1986	A49		1460.										

Table 7. Water Quality Characteristics. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	ALKALIN	HARDNESS	PH	NH3-N	NO2-N	NO3-N	NO2&3-N	TOTAL-P	ORTHO-P	CL-	SALT
28	11	1984	B01				0.0874	0.0052	0.5202	0.5254	0.155			
28	11	1984	B02				0.0573	0.0046	0.4125	0.4171	0.0768			
28	11	1984	B03				0.0337	0.0027		0.0027	0.0809			
28	11	1984	B04				0.0344	0.0033	0.1936	0.1969	0.0674			
28	11	1984	B05				0.114	0.0033	0.452	0.4553	0.0674			
28	11	1984	B06				0.0502	0.0027	0.3982	0.4009	0.0539			
28	11	1984	B07				0.0624	0.0025	0.5776	0.5901	0.1186			
28	11	1984	B08				0.0846	0.0038	0.6243	0.6281	0.1483	0.0173		
28	11	1984	B09				0.0294	0.0038	0.3013	0.3051	0.1213			
28	11	1984	B10				0.0538	0.0052	0.4161	0.4213	0.1011			
28	11	1984	B11				0.0573	0.0046	0.3515	0.3561	0.1078			
28	11	1984	B13				0.0745		0.3085	0.3085	0.2224	0.084		
28	11	1984	B14				0.0344	0.0063	0.6028	0.6091	0.2426	0.0056		
28	11	1984	B15				0.0337	0.0008	0.6315	0.6323	0.1617			
28	11	1984	B16				0.0602	0.0136	0.3695	0.3831	0.283			
28	11	1984	B18				0.0788	0.0041	0.6315	0.6356	0.1954			
28	11	1984	B19				0.0509	0.0005	0.7212	0.7217	0.2561	0.089		
28	11	1984	B20				0.0925	0.003	0.2044	0.2074	0.1617			
11	12	1984	A29		8.42		0.0301	0.0057	0.2869	0.2926	0.1563	0.082		
11	12	1984	A30		8.21		0.0344	0.0019	0.2905	0.2924	0.2237	0.099		
11	12	1984	A31		8.12		0.0573	0.0041	0.	0.0041	0.1307	0.084		
11	12	1984	A32		8.16		0.0401	0.006	0.2869	0.2929	0.372	0.172		
11	12	1984	A33		8.36		0.0416	0.0017	0.	0.0017	0.2507	0.172		
11	12	1984	A34		8.5		0.0215	0.0035	0.0608	0.0643	0.2237	0.065		
11	12	1984	A35		8.41		0.0466	0.0087	0.3372	0.3459	0.3315	0.058		
11	12	1984	A36		8.26		0.0201	0.0019	0.	0.0019	0.2103	0.056		
11	12	1984	A37		8.49		0.0287	0.0063	0.0824	0.0887	0.2507	0.137		
11	12	1984	A38		7.78		0.043	0.006	0.0429	0.0489	0.1577	0.056		
11	12	1984	A39		8.35		0.0172	0.0033	0.	0.0033	0.3113	0.213		
11	12	1984	A40		8.5		0.0466	0.0079	0.	0.0079	0.3383	0.245		
11	12	1984	A41		8.61		0.0109	0.0055	0.	0.0055	0.2102	0.133		
11	12	1984	A42		8.31		0.0171	0.0035	0.0213	0.0248	0.1846	0.061		
11	12	1984	A43		8.5		0.0373	0.0085	0.1685	0.177	0.372	0.082		
11	12	1984	A44		8.6		0.0394	0.006	0.	0.006	0.2628	0.175		
11	12	1984	A45		8.35		0.0631	0.003	0.	0.003	0.1698	0.054		
11	12	1984	A46		8.55		0.0323	0.0066	0.007	0.0136	0.1698	0.065		
11	12	1984	A47		8.55		0.0215	0.003	0.0967	0.0997	0.2237	0.138		
11	12	1984	A48		8.41		0.033	0.0057	0.2726	0.2783	0.2911	0.095		
11	12	1984	A49		9.46		0.0143	0.0063	0.5561	0.5624	0.3046	0.172		
23	4	1985	A29		8.		0.043	0.0295	0.3335	0.3631		0.084		
23	4	1985	A30		7.9		0.0452	0.0281	0.7894	0.8175		0.073		
23	4	1985	A31		7.9		0.0416	0.0251	0.0716	0.0967		0.103		
23	4	1985	A32		7.8		0.0487	0.0306	0.6638	0.6944		0.303		
23	4	1985	A33		8.		0.038	0.0227	0.007	0.0297		0.4		
23	4	1985	A34		8.1		0.0358	0.0191	0.2259	0.245		0.067		

Table 7. Water Quality Characteristics. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	ALKALIN	HARDNESS	PH	NH3-N	NO2-N	NO3-N	NO2&3-N	TOTAL-P	ORTHO-P	CL-	SALT
23	4	1985	A35		7.7	0.0366	0.0117	0.336	0.3477		0.145			
23	4	1985	A36		7.6	0.0753	0.1952	1.5251	1.7203		0.194			
23	4	1985	A37		7.5	0.0502	0.0284	0.9473	0.9757		0.085			
23	4	1985	A38		7.1	0.0358	0.0205	0.6171	0.6376		0.05			
23	4	1985	A39		7.7	0.048	0.0297	1.1196	1.1493		0.073			
23	4	1985	A40		7.9	0.052	0.0246	0.5561	0.5807		0.099			
23	4	1985	A41		8.4	0.0265	0.0093	0.4233	0.4326		0.109			
23	4	1985	A42		7.9	0.0344	0.1029	0.2187	0.3216		0.048			
23	4	1985	A43		7.6	0.0351	0.0202	0.9042	0.9244		0.051			
23	4	1985	A44		7.6	0.0344	0.0251	0.9509	0.976		0.051			
23	4	1985	A45		7.4	0.0344	0.021	0.391	0.412		0.036			
23	4	1985	A46		7.5	0.0337	0.0137	0.0788	0.0925		0.042			
23	4	1985	A47		7.6	0.0315	0.0142	0.8899	0.9041		0.087			
23	4	1985	A48		7.6	0.0401	0.0956	0.7499	0.8455		0.144			
23	4	1985	A49		7.5	0.0516	0.0287	0.3982	0.4269		0.145			
7	5	1985	B01			0.0502	0.0177	0.33	0.3477		0.022			
7	5	1985	B02			0.0946	0.0134	0.3587	0.3721		0.024			
7	5	1985	B03			0.1305	0.024	0.9365	0.9605		0.041			
7	5	1985	B04			0.0624	0.024	0.5489	0.5729		0.034			
7	5	1985	B05			0.0846	0.0303	0.4951	0.5259		0.041			
7	5	1985	B06			0.0839	0.0221	0.4413	0.4634		0.027			
7	5	1985	B07			0.0559	0.0415	0.1685	0.21		0.022			
7	5	1985	B08			0.0688	0.0259	1.1662	1.1921		0.044			
7	5	1985	B09			0.0358	0.0213	0.9258	0.9471		0.034			
7	5	1985	B10			0.033	0.0136	1.0478	1.0614		0.034			
7	5	1985	B11			0.0301	0.0188	1.1375	1.1563		0.041			
7	5	1985	B13			0.0516	0.0202	0.531	0.5512		0.059			
7	5	1985	B14			0.0366	0.0333	0.4628	0.4961		0.063			
7	5	1985	B15			0.0573	0.0666	0.2977	0.3643		0.061			
7	5	1985	B16			0.033	0.0259	0.976	1.0019		0.051			
7	5	1985	B18			0.0466	0.0267	0.7463	0.773		0.058			
7	5	1985	B19			0.0552	0.0306	1.2093	1.2399		0.046			
7	5	1985	B20			0.0695	0.086	1.2739	1.3599		0.095			

Table 7. Water Quality Characteristics. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND	ALKALIN	HARDNESS PH	NH3-N	NO2-N	NO3-N	NO2&3-N	TOTAL-P	ORTHO-P	CL-	SALT
15	8	1985	B01			0.0409	0.009	0.	0.009		0.2825		
15	8	1985	B02			0.0323	0.0066	0.447	0.4536		0.2892		
15	8	1985	B03			0.0258	0.0074	0.056	0.0634		0.1274		
15	8	1985	B04			0.0358	0.0079	0.547	0.5549		0.2653		
15	8	1985	B05			0.0301	0.009	0.286	0.295		0.2475		
15	8	1985	B06			0.0265	0.0123	0.401	0.4133		0.2074		
15	8	1985	B07			0.0172	0.0055	0.202	0.2075		0.1707		
15	8	1985	B08			0.0344	0.0079	0.424	0.4319		0.1691		
15	8	1985	B09			0.0272	0.0079	0.056	0.0639		0.501		
15	8	1985	B10			0.0237	0.0164	0.44	0.4564		0.3409		
15	8	1985	B11			0.0215	0.0082	0.114	0.1222		0.0323		
15	8	1985	B13			0.5304	0.0115	0.217	0.2285		0.6544		
15	8	1985	B14			0.3512	0.0298	0.486	0.5158		0.5911		
15	8	1985	B15			0.1075	0.0057	0.294	0.2997		0.1991		
15	8	1985	B16			0.0932	0.0098	0.171	0.1808		0.144		
15	8	1985	B18			0.0774	0.0071	0.325	0.3321		0.0406		
15	8	1985	B19			0.2996	0.0076	0.267	0.2746		0.039		
15	8	1985	B20			0.0287	0.0076	0.125	0.1326		0.039		
2	10	1985	A29			0.019	0.1075	0.367	0.4745		0.		
2	10	1985	A30			0.0164	0.0538	0.827	0.8308		0.		
2	10	1985	A31			0.0355	0.0559	0.501	0.5569		0.0723		
2	10	1985	A32			0.0355	0.0674	0.489	0.5564		0.1657		
2	10	1985	A33			0.0363	0.0573	0.413	0.4703		0.0673		
2	10	1985	A34			0.0509	0.0788	0.482	0.5608		0.		
2	10	1985	A35			0.0273	0.086	0.413	0.499		0.		
2	10	1985	A36			0.0109	0.0903	0.367	0.4573		0.1124		
2	10	1985	A37			0.0186	0.1412	0.221	0.3622		0.0139		
2	10	1985	A38			0.0254	0.0925	0.29	0.3825		0.		
2	10	1985	A39			0.0287	0.0954	0.336	0.4314		0.2141		
2	10	1985	A40			0.0183	0.0538	1.41	1.4638		0.2708		
2	10	1985	A41			0.0355	0.0867	0.558	0.6447		0.4776		
2	10	1985	A42			0.0281	0.0889	0.443	0.5319		0.0006		
2	10	1985	A43			0.0167	0.0968	0.687	0.7838		0.		
2	10	1985	A44			0.0251	0.0674	0.175	0.2424		0.0323		
2	10	1985	A45			0.0259	0.0416	0.367	0.4086		0.		
2	10	1985	A46			0.0213	0.0717	0.079	0.1507		0.		
2	10	1985	A47			0.03	0.0595	0.267	0.3265		0.044		
2	10	1985	A48			0.0382	0.0796	0.252	0.3316		0.0373		
2	10	1985	A49			0.6191	0.0358	0.	0.0358		0.		
6	12	1985	B01		7.833333	0.028	0.034	0.056	0.09		0.079		22.
6	12	1985	B02		7.8	0.042	0.044	0.087	0.131		0.192		24.
6	12	1985	B03		7.866667	0.041	0.057	0.037	0.094		0.166		25.
6	12	1985	B04		7.866667	0.019	0.027	0.	0.027		0.114		24.
6	12	1985	B05		7.8	0.027	0.041	0.094	0.135		0.115		20.66667
6	12	1985	B06		8.066667	0.029	0.029	0.	0.029		0.029		17.66667

Table 7. Water Quality Characteristics. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	ALKALIN	HARDNESS	PH	NH3-N	NO2-N	NO3-N	NO2&3-N	TOTAL-P	ORTHO-P	CL-	SALT
6	12	1985	B07		8.	0.017	0.036	0.056	0.092		0.072		21.	
6	12	1985	B08		8.2	0.028	0.036	0.	0.036		0.049		20.	
6	12	1985	B09		8.1	0.033	0.031	0.11	0.141		0.246		21.	
6	12	1985	B10		8.2	0.028	0.041	0.44	0.481		0.031		20.	
6	12	1985	B11		7.9	0.04	0.048	0.018	0.066		0.046		18.	
6	12	1985	B13		8.2	0.045	0.053	0.041	0.094		0.162		15.	
6	12	1985	B14		8.2	0.041	0.05	0.133	0.183		0.237		21.	
6	12	1985	B15		8.2	0.059	0.08	0.048	0.128		0.252		20.	
6	12	1985	B16		8.2	0.045	0.053	0.	0.053		0.131		20.	
6	12	1985	B18		8.2	0.061	0.082	0.148	0.23		0.323		20.	
6	12	1985	B19		8.	0.067	0.075	0.11	0.185		0.221		20.	
6	12	1985	B20		8.	0.041	0.055	0.263	0.318		0.121		20.	
26	2	1986	A29		7.5	0.062	0.013	0.294	0.307		0.034			
26	2	1986	A30		7.5	0.095	0.012	0.804	0.816		0.0023			
26	2	1986	A31		7.41	0.041	0.019	0.532	0.551		0.084			
26	2	1986	A32		7.3	0.069	0.018	0.539	0.557		0.2925			
26	2	1986	A33		7.34	0.062	0.016	0.478	0.494		0.1324			
26	2	1986	A34		7.78	0.045	0.01	0.248	0.258		0.0106			
26	2	1986	A35		7.46	0.032	0.01	0.53	0.54		0.0456			
26	2	1986	A36		7.28	0.088	0.028	0.524	0.552		0.4943			
26	2	1986	A37		7.3	0.046	0.01	0.516	0.526		0.2925			
26	2	1986	A38		7.52	0.039	0.029	0.363	0.392		0.1807			
26	2	1986	A39		7.52	0.043	0.016	0.516	0.532		0.124			
26	2	1986	A40		7.74	0.05	0.007	0.229	0.236		0.109			
26	2	1986	A41		7.6	0.046	0.006	0.42	0.426		0.104			
26	2	1986	A42		7.52	0.061	0.009	0.286	0.295		0.			
26	2	1986	A43		7.68	0.036	0.007	0.361	0.368		0.			
26	2	1986	A44		7.42	0.034	0.14	0.708	0.848		0.0473			
26	2	1986	A45		7.55	0.026	0.007	0.804	0.811		0.			
26	2	1986	A46		7.7	0.05	0.009	0.	0.009		0.069			
26	2	1986	A47		7.64	0.068	0.01	0.459	0.469		0.064			
26	2	1986	A48		7.36	0.039	0.024	0.631	0.655		0.0957			
26	2	1986	A49		7.5	0.05	0.009	0.025	0.034		0.			

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND	CLAY	SILT	SAND	ORGAN. MATTER	SOIL WET-PH SOIL-P CA	SOIL MG	SOIL K	SOIL NA	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL Mn	SOIL CU	SOIL SO4	LIME REQ	SOIL CACO3	EXCH H	EXCH NA
31	10	1984					3.9	6.66	17.54									525.55								
31	10	1984					3.87	6.42	16.11									1020.2								
31	10	1984					4.46	6.71	15.75									400.87								
31	10	1984					4.27	7.12	18.92									1086.8								
31	10	1984					3.17	7.11	13.26									722.95								
31	10	1984					3.17	6.96	11.22									467.67								
31	10	1984					2.84	6.96	9.55									512.02								
31	10	1984					3.61	6.48	10.79									431.06								
31	10	1984					3.43	7.08	13.85									1111.4								
31	10	1984					5.04	6.76	16.12									587.34								
31	10	1984					5.16	6.97	30.82									629.55								
31	10	1984					3.32	7.08	15.55									880.58								
31	10	1984					2.69	7.01	16.56									927.78								
31	10	1984					2.34	7.18	14.98									263.57								
31	10	1984					2.74	6.78	11.92									1177.7								
31	10	1984					2.85	6.98	11.01									1156.3								
31	10	1984					3.73	7.22	11.22									916.01								
31	10	1984					3.2	7.09	15.52									971.56								
31	10	1984					3.01	7.08	10.45									780.08								
31	10	1984					3.28	7.05	13.17									652.17								
31	10	1984					2.78	6.82	14.41									834.96								
12	11	1984	B01				3.386	6.65	17.92									47.399								
12	11	1984	B02				3.372	7.05	20.27									45.932								
12	11	1984	B03				3.705	7.1	17.45									44.834								
12	11	1984	B04				3.719	7.25	16.77									90.588								
12	11	1984	B05				3.526	7.15	16.55									57.89								
12	11	1984	B06				2.796	6.91	23.91									48.374								
12	11	1984	B07				3.091	6.98	17.12									26.79								
12	11	1984	B08				2.989	7.06	24.7									35.884								
12	11	1984	B09				2.756	6.95	20.05									81.45								
12	11	1984	B10				2.936	7.08	17.66									31.402								
12	11	1984	B11				3.103	6.82	13.93									40.466								
12	11	1984	B13				3.655	7.03	13.15									68.125								
12	11	1984	B14				3.319	7.2	21.96									58.723								
12	11	1984	B15				4.077	6.98	20.05									53.478								
12	11	1984	B16				4.091	7.25	18.82									57.685								
12	11	1984	B18				3.167	7.18	18.22									74.607								
12	11	1984	B19				4.947	7.38	14.3									58.52								
12	11	1984	B20				4.757	6.76	14.07									158.55								
12	11	1984					3.294	7.3	14.53									199.1								
12	11	1984					2.65	7.2	14.87									170.78								
12	11	1984					3.232	7.26	19.15									85.66								
12	11	1984					2.8	7.08	28.33									90.62								
12	11	1984					2.854	7.09	14.5																	

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND	CLAY	SILT	SAND	ORGAN.	MATTER	MET-PH	SOIL-P	CA	SOIL	Mg	K	SOIL	N	SOIL	NH4	SOIL	N03	SOIL	DEC	SOIL	SALT	SOIL	AL	SOIL	FE	SOIL	ZN	SOIL	MN	SOIL	CU	SOIL	S04	LIME	SOIL	EXCH	EXCH	H	NA
12	11	1984						3.78	7.37	13.16																								245.04								
12	11	1984						4.594	6.93	15.31																								341.99								
12	11	1984						4.73	6.91	26.95																								380.31								
12	11	1984						4.87 <sup>o</sup>	7.1	33.75																							90.36									
12	11	1984						3.079	7.38	16.78																							162.8									
12	11	1984						2.593	7.3	18.46																							52.02									
12	11	1984						2.885	6.77	19.14																							99.87									
12	11	1984						3.642	7.	14.52																							111.42									
12	11	1984						3.221	7.4	17.67																							226.83									
12	11	1984						3.751	6.82	20.29																							90.81									
12	11	1984						4.186	6.99	15.76																							97.48									
12	11	1984						4.662	6.42	21.88																							254.3									
12	11	1984						4.607	7.04	23.																							106.69									
12	11	1984						3.289	7.13	17.34																							249.54									
12	11	1984						2.759	7.15	19.71																							249.54									
12	11	1984						2.709	7.38	17.34																							283.18									
13	12	1984	B01					2.766	6.82	16.44																							332.66									
13	12	1984	B02					2.881	7.13	23.45																							333.53									
13	12	1984	B03					3.19	7.2	22.67																							293.8									
13	12	1984	B04					3.258	7.42	24.59																							315.78									
13	12	1984	B05					2.086	7.14	18.93																							245.16									
13	12	1984	B06					2.48	7.12	25.69																							343.59									
13	12	1984	B07					2.44	7.2	18.7																							369.18									
13	12	1984	B08					2.577	7.2	22.99																							315.83									
13	12	1984	B09					2.569	6.88	20.39																							297.72									
13	12	1984	B10					2.277	7.11	23.42																							502.95									
13	12	1984	B11					2.426	6.96	17.01																							228.65									
13	12	1984	B13					3.899	7.55	15.32																							404.									
13	12	1984	B14					2.808	7.76	24.33																							687.09									
13	12	1984	B15					2.815	7.46	26.62																							453.3									
13	12	1984	B16					4.035	7.65	24.56																							599.05									
13	12	1984	B18					4.253	7.48	17.01																							312.31									
13	12	1984	B19					4.607	7.5	19.93																							561.31									
13	12	1984	B20					3.653	7.2	20.07																							447.04									
26	12	1984						2.59	7.16	18.03																							16.03									
26	12	1984						4.708	6.91	16.32																							22.75									
26	12	1984						4.846	6.59	24.21																							52.52									
26	12	1984						4.578	6.88	17.43																							50.72									
26	12	1984						5.491	7.16	12.93																							57.57									
26	12	1984						6.238	6.81	14.04																							108.78									
26	12	1984						5.736	7.5	18.36																							38.91									
26	12	1984						3.115	7.48	16.88																							34.74									
26	12	1984						2.357	7.38	17.44																							26.73									
26	12	1984						2.752	7.09	15.2																							16.36									
26	12	1984						2.673	7.24	11.58																							62.31									

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	CLAY	SILT	SAND	ORGAN. MATTER	WET-PH SOIL-P	SOIL CA	SOIL MG	SOIL K	SOIL NA	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL MN	SOIL CU	SOIL SO4	LIME REQ	SOIL CACO3	EXCH H	EXCH NA
26	12	1984					4.694	7.28	12.02																		84.86
26	12	1984					4.075	7.08	10.32																		150.31
26	12	1984					3.462	7.43	10.67																		87.74
26	12	1984					3.389	7.39	14.06																		82.91
25	12	1984					3.298	7.26	14.94																		58.71
26	12	1984					3.982	7.01	11.81																		15.79
26	12	1984					2.713	6.94	16.44																		27.76
26	12	1984					2.881	6.94	15.2																		62.19
26	12	1984					4.54	7.25	16.21																		92.3
26	12	1984					3.85	7.01	19.72																		26.78
8	1	1985					2.636	7.15	27.85																		
8	1	1985					2.753	7.	14.85																		
8	1	1985					2.863	7.48	13.95																		
8	1	1985					4.06	7.25	19.95																		
8	1	1985					4.69	6.85	18.6																		
8	1	1985					4.746	6.89	17.9																		
8	1	1985					5.199	6.61	24.45																		
8	1	1985					5.303	6.91	19.39																		
8	1	1985					2.617	7.52	16.11																		
8	1	1985					2.037	6.88	25.81																		
8	1	1985					5.044	6.95	14.29																		
8	1	1985					3.329	7.1	17.1																		
8	1	1985					5.328	7.42	11.8																		
8	1	1985					2.147	7.31	15.2																		
8	1	1985					2.56	7.27	16.55																		
8	1	1985					2.552	7.12	18.91																		
8	1	1985					3.384	7.1	16.54																		
8	1	1985					5.633	7.09	24.46																		
8	1	1985					5.514	6.82	17.11																		
8	1	1985					3.155	7.42	17.68																		
8	1	1985					5.472	7.12	16.9																		
22	1	1985					3.795	7.01	21.99																		79.68
22	1	1985					4.444	7.3	20.84																		102.67
22	1	1985					4.92	6.95	26.48																		150.94
22	1	1985					4.981	7.37	19.72																		130.25
22	1	1985					4.977	7.45	24.22																		125.65
22	1	1985					5.346	7.34	31.58																		144.05
22	1	1985					5.117	7.02	19.73																		208.41
22	1	1985					2.987	7.65	19.7																		118.76
22	1	1985					3.14	7.43	19.49																		185.43
22	1	1985					2.148	6.78	22.21																		58.99
22	1	1985					2.596	7.11	14.63																		118.76
22	1	1985					2.069	7.4	18.58																		449.79
22	1	1985					3.327	7.25	14.06																		114.16
22	1	1985					2.606	7.38	15.2																		137.15

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	CLAY	SILT	SAND	ORGAN. MATTER	SOIL WET-PH	SOIL-P	CA	SOIL MG	SOIL K	SOIL NA	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL P.L.	SOIL FE	SOIL ZN	SOIL Mn	SOIL Cu	SOIL SO4	LIME	SOIL CACO3	EXCH REQ	EXCH H	EXCH NA
22	1	1985					2.53	7.42	17.22																	226.81			
22	1	1985					5.155	6.86	17.67																	86.57			
22	1	1985					2.65	7.35	23.31																	134.05			
22	1	1985					2.685	7.2	17.23																	61.29			
22	1	1985					2.415	7.32	12.92																	233.7			
22	1	1985					2.619	7.01	23.12																	86.57			
22	1	1985					3.58	7.13	17.23																	84.28			
5	2	1985					3.005	7.16	21.75																	206.11			
5	2	1985					2.717	6.91	21.75																	107.26			
5	2	1985					4.661	6.65	22.31																	91.17			
5	2	1985					4.52	6.71	24.15																	93.47			
5	2	1985					4.819	7.42	19.5																	84.28			
5	2	1985					4.068	7.4	29.8																	146.34			
5	2	1985					1.36	7.35	22.65																	130.25			
5	2	1985					3.233	7.53	20.4																	84.28			
5	2	1985					1.976	7.66	21.75																	279.68			
5	2	1985					2.753	6.85	17.8																	22.21			
5	2	1985					2.822	7.02	16.09																	162.44			
5	2	1985					4.531	7.2	20.62																	176.23			
5	2	1985					3.568	7.2	20.05																	245.19			
5	2	1985					5.34	7.16	12.71																	153.24			
5	2	1985					3.183	7.2	15.66																	157.84			
5	2	1985					2.9	6.93	21.73																	65.88			
5	2	1985					3.16	7.03	16.59																	116.46			
5	2	1985					4.361	7.35	19.27																	226.8			
5	2	1985					3.552	7.07	15.18																	201.52			
5	2	1985					3.749	7.1	20.61																	203.82			
5	2	1985					4.964	7.1	23.42																	155.54			
19	2	1985					4.184	6.88	26.71																	93.47			
19	2	1985					3.024	6.87	22.88																	84.28			
19	2	1985					2.744	7.08	17.69																	208.41			
19	2	1985					5.537	6.35	14.06																	107.26			
19	2	1985					5.223	7.31	18.02																	86.57			
19	2	1985					4.667	7.13	25.56																	77.38			
19	2	1985					4.605	6.52	22.54																	137.15			
19	2	1985					5.183	6.59	25.03																	116.46			
19	2	1985					2.956	7.	26.04																	160.14			
19	2	1985					2.353	6.6	23.1																	45.19			
19	2	1985					3.314	6.87	18.25																	146.34			
19	2	1985					4.052	7.21	19.5																	164.34			
19	2	1985					3.921	6.9	16.33																	95.77			
19	2	1985					3.19	5.85	15.21																	196.92			
19	2	1985					2.382	7.06	18.57																	183.13			
19	2	1985					3.296	6.95	19.95																	93.47			
19	2	1985					2.899	6.8	19.7																	81.98			

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND	CLAY	SILT	SAND	ORGANIC MATTER	WET-PH	SOIL-P	CA	SOIL Mg	SOIL K	SOIL Na	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL MN	SOIL CU	SOIL SO4	LIME REQ	SOIL CACO3	EXCH H	EXCH NA
19	2	1985					5.066	6.7	2.08											121.06								
19	2	1985					5.525	6.65	19.72											116.46								
19	2	1985					3.278	7.1	21.62											95.77								
19	2	1985					2.604	7.22	26.5											210.71								
6	3	1985					4.832	7.13	26.15											167.03								
6	3	1985					5.349	7.27	25.71											164.74								
6	3	1985					4.734	6.92	26.51											222.21								
6	3	1985					1.603	6.9	26.76											84.28								
6	3	1985					4.764	7.56	20.29											116.46								
6	3	1985					5.295	7.18	22.31											114.16								
6	3	1985					5.944	7.22	20.4											139.45								
6	3	1985					3.172	7.49	21.43											148.64								
6	3	1985					2.649	7.59	26.63											877.38								
6	3	1985					2.671	6.84	27.64											56.69								
6	3	1985					3.287	7.	20.27											148.64								
6	3	1985					4.035	7.21	22.2											261.29								
6	3	1985					3.442	7.38	16.1											185.42								
6	3	1985					3.388	7.51	16.89											226.8								
6	3	1985					2.455	7.35	19.71											210.71								
6	3	1985					2.502	7.03	25.94											137.15								
6	3	1985					2.977	7.4	25.94											553.24								
6	3	1985					2.825	7.22	20.95											245.19								
6	3	1985					2.918	7.31	21.2											436.								
6	3	1985					4.277	6.91	15.75											123.36								
6	3	1985					3.287	7.19	32.7											91.17								
19	3	1985					2.33	7.73	24.26											130.09								
19	3	1985					2.42	7.53	20.84											121.89								
19	3	1985					2.49	7.43	16.55											156.8								
19	3	1985					4.67	7.31	26.27											87.5								
19	3	1985					4.9	7.7	17.45											61.86								
19	3	1985					4.68	7.21	19.73											76.84								
19	3	1985					4.36	7.59	21.98											62.82								
19	3	1985					2.86	7.71	22.76											91.14								
19	3	1985					2.64	7.52	22.21											547.24								
19	3	1985					1.74	7.46	24.23											38.2								
19	3	1985					3.31	7.07	15.42											40.39								
19	3	1985					3.73	7.21	21.4											76.44								
19	3	1985					3.75	7.84	15.77											126.14								
19	3	1985					2.53	7.94	16.42											73.28								
19	3	1985					2.27	7.32	18.58											234.52								
19	3	1985					3.15	7.46	21.99											226.8								
19	3	1985					3.04	7.14	19.84											90.98								
19	3	1985					3.57	7.47	21.99											169.56								
19	3	1985					5.7	7.34	23.99											83.18								
19	3	1985					4.611	7.91	15.31											100.27								

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	CLAY	SILT	SAND	ORGAN. MATTER	SOIL WET-PH	SOIL-P	CA	SOIL Mg	SOIL K	SOIL NA	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL TK	SOIL MN	SOIL CU	SOIL SO4	LIME REQ	SOIL CACO3	EXCH H	EXCH NA
19	3	1985					4.31	7.98	24.24																120.16			
9	4	1985					3.94	7.84	20.86																163.77			
9	4	1985					4.89	7.62	21.99																242.41			
9	4	1985					3.26	7.41	14.97																143.39			
9	4	1985					3.75	6.36	15.19																142.66			
9	4	1985					3.39	7.12	13.73																151.42			
9	4	1985					5.23	7.14	20.84																175.19			
9	4	1985					4.57	7.38	14.17																101.71			
9	4	1985					4.87	7.46	23.1																67.22			
9	4	1985					3.04	7.56	13.96																60.11			
9	4	1985					3.02	7.52	13.16																104.95			
9	4	1985					3.34	7.59	13.83																214.07			
9	4	1985					3.93	7.52	14.06																155.99			
9	4	1985					3.88	7.51	12.36																152.63			
9	4	1985					3.3	7.76	12.71																275.08			
9	4	1985					3.03	7.94	13.15																109.25			
9	4	1985					4.22	7.28	13.72																174.62			
9	4	1985					3.58	7.57	14.64																175.46			
9	4	1985					2.8	7.28	12.92																54.93			
9	4	1985					5.54	7.1	13.71																151.33			
9	4	1985					5.49	7.62	15.2																63.4			
9	4	1985					2.53	7.79	15.41																94.44			
23	4	1985					2.69	7.51	29.88																306.35			
23	4	1985					4.55	7.42	27.5																261.63			
23	4	1985					4.95	6.82	30.45																153.77			
23	4	1985					4.12	6.85	27.75																186.97			
23	4	1985					3.47	6.98	31.05																659.55			
23	4	1985					5.48	7.1	28.75																267.44			
23	4	1985					4.99	6.84	20.85																133.52			
23	4	1985					3.13	7.65	22.22																245.53			
23	4	1985					2.36	7.33	27.87																440.27			
23	4	1985					2.66	6.83	22.87																267.96			
23	4	1985					3.66	7.04	20.88																222.2			
23	4	1985					3.98	7.34	17.66																482.71			
23	4	1985					3.95	7.33	16.33																228.45			
23	4	1985					2.85	7.31	17.46																474.13			
23	4	1985					2.7	7.21	18.68																170.95			
23	4	1985					2.96	7.36	25.35																425.7			
23	4	1985					3.89	7.21	25.74																175.46			
23	4	1985					2.5	7.19	21.96																267.6			
23	4	1985					2.68	7.16	21.07																630.95			
23	4	1985					3.57	6.76	23.21																209.99			
23	4	1985					3.9	7.24	25.35																359.42			
7	5	1985	B01				4.25	7.67	12.71																26.98			
7	5	1985	B02				6.02	7.09	14.4																50.58			

**Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Dry Season**

DAY	MONTH	YEAR	POND	CLAY	SILT	SAND	ORGAN. MATTER	SOIL WET-PH	SOIL-P CA	SOIL Mg	SOIL K	SOIL Na	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL Mn	SOIL Cu	SOIL SO4	LIME REQ	SOIL CACO3	EXCH K	EXCH Na
7	5	1985	B03				6.12	7.49	14.74											29.58							
7	5	1985	B04				5.75	7.55	14.18											107.86							
7	5	1985	B05				5.96	7.16	15.13											73.05							
7	5	1985	B06				4.42	7.13	20.17											142.04							
7	5	1985	B07				5.29	7.22	14.17											477.4							
7	5	1985	B08				5.16	7.3	15.31											600.26							
7	5	1985	B09				4.99	7.32	17.34											458.82							
7	5	1985	B10				5.4	7.35	14.38											597.98							
7	5	1985	B11				9.06	7.32	16.44											410.2							
7	5	1985	B13				7.12	7.28	13.71											563.67							
7	5	1985	B14				5.74	7.41	12.06											991.48							
7	5	1985	B15				7.18	7.42	12.6											734.72							
7	5	1985	B16				8.38	7.67	11.92											433.93							
7	5	1985	B18				7.35	7.53	15.29											1332.9							
7	5	1985	B19				7.02	7.62	19.82											1235.							
7	5	1985	B20				8.02	7.26	18.26											1729.1							

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	CLAY	SILT	SAND	ORGAN. MATTER	SOIL WET-PH	SOIL-P CA	SOIL MG	SOIL K	SOIL NA	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL MN	SOIL CU	SOIL SO4	LIME	SOIL REQ	EXCH CACO3	EXCH H	EXCH NA
28	5	1985	A29				2.58	6.46	1.11																			
28	5	1985	A30				4.58	6.68	14.64																			
28	5	1985	A31				4.37	6.47	6.08																			
28	5	1985	A32				4.42	6.8	12.36																			
28	5	1985	A33				4.28	7.28	0.																			
28	5	1985	A34				3.13	6.95	3.13																			
28	5	1985	A35				3.65	7.15	3.65																			
28	5	1985	A36				3.49	7.08	8.44																			
28	5	1985	A37				4.96	7.28	29.06																			
28	5	1985	A38				5.32	6.9	1.1																			
28	5	1985	A39				5.3	7.05	25.44																			
28	5	1985	A40				3.37	6.93	61.9																			
28	5	1985	A41				3.22	7.12	5.74																			
28	5	1985	A42				2.89	6.78	2.89																			
28	5	1985	A43				3.44	5.86	3.44																			
28	5	1985	A44				3.5	6.94	7.04																			
28	5	1985	A45				3.33	7.	3.33																			
28	5	1985	A46				3.28	1.12	0.																			
28	5	1985	A47				2.94	6.92	4.7																			
28	5	1985	A48				3.48	6.96	12.25																			
28	5	1985	A49				3.35	7.16	14.71																			
3	7	1985	B01				3.991	7.07	20.46															215.45				
3	7	1985	B02				3.999	7.35	34.57															120.04				
3	7	1985	B03				4.736	7.15	29.65															69.51				
3	7	1985	B04				4.247	7.28	26.06															63.75				
3	7	1985	B05				3.233	7.22	3.43															120.92				
3	7	1985	B06				2.797	7.32	23.															3763.8				
3	7	1985	B07				3.011	7.13	85.47															131.77				
3	7	1985	B08				2.443	7.31	64.45															149.21				
3	7	1985	B09				2.548	7.39	22.2															143.65				
3	7	1985	B10				3.499	7.31	4.93															205.61				
3	7	1985	B11				3.482	7.	21.59															131.3				
3	7	1985	B13				4.94	7.32	0.															113.35				
3	7	1985	B14				4.014	7.26	32.71															125.11				
3	7	1985	B15				4.591	7.48	12.05															135.18				
3	7	1985	B16				5.587	7.17	45.3															197.74				
3	7	1985	B18				5.159	7.4	53.11															201.16				
3	7	1985	B19				5.43	7.3	15.42															413.34				
3	7	1985	B20				5.277	7.29	26.24															180.6				
1	8	1985	A29				5.045		1.78															148.05				
1	8	1985	A30				6.146		0.															191.36				
1	8	1985	A31				5.587		8.27															375.14				
1	8	1985	A32				5.342		12.65															319.78				
1	8	1985	A33				2.838		11.79															85.32				

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Wet Season

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND	CLAY	SILT	SAND	ORGAN.	MATTER	WET-PH	SOIL-P	CA	SOIL Mg	SOIL K	SOIL NA	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL MN	SOIL CU	SOIL SO4	LIME REQ	SOIL CACO3	EXCH H	EXCH NA
2	10	1985	A40									3.461	7.68	7.09															
2	10	1985	A41									2.738	7.55	9.11															
2	10	1985	A42									2.627	7.1	8.97															
2	10	1985	A43									3.666	7.12	3.73															
2	10	1985	A44									4.551	7.57	0.															
2	10	1985	A45									3.78	7.25	0.76															
2	10	1985	A46									3.614	7.52	0.															
2	10	1985	A47									3.114	7.62	4.39															
2	10	1985	A48									3.286	7.29	6.27															
2	10	1985	A49									3.821	7.15	6.67															
16	10	1985	A29									4.543	7.45	6.12															
16	10	1985	A30									5.254	7.38	0.															
16	10	1985	A31									5.164	7.11	2.79															
16	10	1985	A32									5.308	7.33	0.															
16	10	1985	A33									2.832	7.62	3.79															
16	10	1985	A34									2.292	7.34	0.															
16	10	1985	A35									2.712	7.39	2.12															
16	10	1985	A36									4.799	7.41	0.															
16	10	1985	A37									4.553	7.83	8.44															
16	10	1985	A38									5.718	7.55	12.46															
16	10	1985	A39									5.753	7.22	7.12															
16	10	1985	A40									3.038	7.61	7.12															
16	10	1985	A41									2.45	7.68	2.45															
16	10	1985	A42									2.33	7.1	2.45															
16	10	1985	A43									4.324	7.74	0.															
16	10	1985	A44									6.674	7.22	0.															
16	10	1985	A45									4.655	7.2	0.															
16	10	1985	A46									3.297	7.36	0.															
16	10	1985	A47									2.707	7.69	3.12															
16	10	1985	A48									3.204	6.4	3.79															
16	10	1985	A49									4.273	7.63	3.79															
29	10	1985	A29									4.273	6.99	5.45													191.35		
29	10	1985	A30									5.249	7.37	0.78													67.83		
29	10	1985	A31									5.608	6.92	8.12													113.7		
29	10	1985	A32									5.52	6.92	4.79													113.93		
29	10	1985	A33									2.824	7.38	13.13													181.31		
29	10	1985	A34									2.759	7.1	1.45													67.29		
29	10	1985	A35									2.712	7.53	2.12													90.62		
29	10	1985	A36									5.489	7.03	13.15													136.06		
29	10	1985	A37									5.492	7.56	9.79													135.93		
29	10	1985	A38									4.495	7.13	12.13													51.17		
29	10	1985	A39									4.637	7.31	7.79													67.64		
29	10	1985	A40									3.12	7.46	6.01													44.57		
29	10	1985	A41									2.373	7.62	10.79													169.93		
29	10	1985	A42									2.497	7.15	13.46													113.54		

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND	CLAY	SILT	SAND	ORGAN. MATTER	SOIL												LIME REQ.	SOIL CACO3	EXCH H	EXCH NA
								WET-PH	SOIL-P	CA	Mg	K	SOIL NA	N	SOIL NH4	SOIL NO3	SOIL CaCO3	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL MN	SOIL CU
29	10	1985	A43				3.979	7.29	10.79											24.36			
29	10	1985	A44				5.145	7.42	1.12											227.74			
29	10	1985	A45				5.092	7.36	0.											66.88			
29	10	1985	A46				4.12	7.32	0.											124.97			
29	10	1985	A47				4.689	7.72	14.13											67.64			
29	10	1985	A48				3.977	7.23	16.8											21.67			
29	10	1985	A49				3.297	7.36	8.79											44.92			
13	11	1985	A29				4.218	7.57	6.79											183.02			
13	11	1985	A30				4.907	7.71	0.											324.86			
13	11	1985	A31				5.373	7.51	2.45											211.44			
13	11	1985	A32				5.661	7.38	6.12											165.22			
13	11	1985	A33				3.549	7.72	9.12											799.58			
13	11	1985	A34				2.723	7.48	0.											546.32			
13	11	1985	A35				3.022	7.45	3.79											803.14			
13	11	1985	A36				4.968	7.16	1.45											231.04			
13	11	1985	A37				5.446	7.88	3.79											324.86			
13	11	1985	A38				5.645	7.34	2.45											324.86			
13	11	1985	A39				5.359	7.45	0.											210.6			
13	11	1985	A40				3.063	8.23	2.45											165.22			
13	11	1985	A41				2.307	7.82	6.12											266.66			
13	11	1985	A42				2.55	7.49	8.79											549.			
13	11	1985	A43				3.278	7.58	0.45											324.21			
13	11	1985	A44				3.94	7.6	4.45											529.48			
13	11	1985	A45				4.795	7.58	0.											264.21			
13	11	1985	A46				3.252	7.69	0.											211.62			
13	11	1985	A47				2.601	7.74	2.79											253.01			
13	11	1985	A48				3.82	8.09	3.79											370.9			
13	11	1985	A49				3.786	7.83	5.79											231.83			
27	11	1985	A29				4.099	7.38	2.45														
27	11	1985	A30				5.276	7.26	0.														
27	11	1985	A31				5.406	7.19	4.76														
27	11	1985	A32				5.721	7.23	8.4														
27	11	1985	A33				3.725	7.4	8.06														
27	11	1985	A34				3.101	7.21	4.08														
27	11	1985	A35				2.824	7.46	3.1														
27	11	1985	A36				5.857	6.89	6.68														
27	11	1985	A37				5.762	7.37	8.77														
27	11	1985	A38				5.427	7.35	1.11														
27	11	1985	A39				5.645	7.39	9.66														
27	11	1985	A40				3.292	7.72	0.78														
27	11	1985	A41				2.574	7.5	6.7														
27	11	1985	A42				2.028	7.04	8.1														
27	11	1985	A43				2.07	7.27	3.11														
27	11	1985	A44				4.133	7.27	5.42														
27	11	1985	A45				5.448	7.56	1.45														

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND	CLAY	SILT	SAND	ORGAN.	MATTER	SOIL WET-PH	SOIL-P	CA	SOIL Mg	SOIL K	SOIL NA	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL MN	SOIL CU	SOIL SO4	LIME	SOIL REQ	EXCH CACO3	EXCH H	EXCH NA
27	11	1985	A46						3.542	7.39	1.44																			
27	11	1985	A47						3.221	7.54	4.02																			
27	11	1985	A48						3.022	7.32	5.34																			
27	11	1985	A49						3.029	7.11	3.11																			
11	12	1985	A29						3.593	7.07	24.63																			
11	12	1985	A30						4.369	7.48	21.36																			
11	12	1985	A31						4.441	7.46	37.2																			
11	12	1985	A32						5.131	7.47	36.39																			
11	12	1985	A33						3.412	7.33	28.15																			
11	12	1985	A34						3.811	7.23	41.97																			
11	12	1985	A35						2.924	7.4	27.9																			
11	12	1985	A36						4.618	7.43	19.6																			
11	12	1985	A37						4.811	7.38	33.93																			
11	12	1985	A38						5.365	7.32	30.41																			
11	12	1985	A39						5.562	7.34	22.37																			
11	12	1985	A40						3.647	7.65	34.43																			
11	12	1985	A41						3.374	7.48	27.64																			
11	12	1985	A42						3.435	7.31	34.18																			
11	12	1985	A43						3.566	7.27	24.38																			
11	12	1985	A44						4.587	7.44	29.4																			
11	12	1985	A45						3.752	7.28	23.37																			
11	12	1985	A46						3.533	7.53	19.1																			
11	12	1985	A47						3.411	7.48	29.65																			
11	12	1985	A48						4.844	7.4	62.33																			
11	12	1985	A49						5.002	7.53	38.45																			
13	12	1985	B01						2.902	7.29	8.49																	737.05		
13	12	1985	B02						4.229	7.61	18.36																	440.86		
13	12	1985	B03						5.054	7.38	8.46																	226.88		
13	12	1985	B04						4.592	7.9	0.57																	199.17		
13	12	1985	B05						4.391	7.63	1.39																	164.9		
13	12	1985	B06						3.001	7.88	15.12																	425.57		
13	12	1985	B07						3.24	7.7	9.67																	669.73		
13	12	1985	B08						2.84	7.84	20.06																	930.76		
13	12	1985	B09						2.649	7.44	14.69																	625.66		
13	12	1985	B10						2.648	7.9	15.72																	717.11		
13	12	1985	B11						3.813	7.51	2.64																	164.23		
13	12	1985	B13						4.429	7.93	5.44																	441.36		
13	12	1985	B14						5.272	7.97	10.7																	411.14		
13	12	1985	B15						5.38	7.84	14.54																	380.47		
13	12	1985	B16						5.788	7.81	11.68																	554.		
13	12	1985	B18						5.71	7.87	3.02																	316.54		
13	12	1985	B19						5.527	7.7	5.41																	900.43		
13	12	1985	B20						5.12	7.7	7.07																	1025.5		
23	12	1985	A29						3.909	7.14	8.79																			
23	12	1985	A30						4.469	7.05	9.12																			

**Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Wet Season**

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Wet Season

Table 8. Pond Soil Characteristics. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND	CLAY	SILT	SAND	ORGAN. MATTER	SOIL														LIME REQ	SOIL CACO3	EXCH H	EXCH NA
								WET-PH	SOIL-P	CA	Mg	K	Na	N	NH4	NO3	CEC	SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL MN	SOIL CU	SOIL SO4	
25	2	1986	A41				2.483		2.483																
25	2	1986	A42				2.342		49.51																
25	2	1986	A43				3.29		51.02																
25	2	1986	A44				3.455		48.																
25	2	1986	A45				3.763		35.44																
25	2	1986	A46				2.622		42.22																
25	2	1986	A47				3.032		41.72																
25	2	1986	A48				2.632		38.95																
25	2	1986	A49				2.932		45.49																
23	12	1986	A33				2.869	7.45	9.79																
23	12	1986	A42				2.337	7.16	12.46																
23	12	1986	A44				3.238	7.35	2.79																
23	12	1986	A45				5.2	7.41	2.12																

Table 9. Analysis of Nutrients and Lime. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	NUTRIENT TYPE	DRY	NUTRIENT	NUTRIENT	NUTRIENT	NUTRIENT	LIME
				MATTER %	N	P	K	ORG-C	S
10	10	1984	FD1	89.54	5.98	1.23			
10	10	1984	FD2	89.73	5.89	1.22			
10	10	1984	FD3	89.58	5.82	1.28			
21	11	1984	CHICK	80.18	0.	1.89			
21	11	1984	CHICK	80.18		1.89			
6	12	1984	FD1	84.4		1.23			
13	12	1984	CHICK	80.18		1.89			
24	1	1985	CHICK	82.26		1.93			

Table 9. Analysis of Nutrients and Lime. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	NUTRIENT TYPE	DRY MATTER %	NUTRIENT			ORG-C	S	NUTRIENT LIME NEUT %
					N	P	K			
30	6	1985	CACO <sub>3</sub>	97.						60.74
30	6	1985	CHICK	94.	2.09	3.45		26.92		
12	7	1985	CACO <sub>3</sub>	97.						60.74
12	7	1985	CHICK	94.	2.09	3.45		26.92		

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
27	10	1984	A29							CaC	2000.
27	10	1984	A30							CaC	2000.
27	10	1984	A31							CaC	2000.
27	10	1984	A32							CaC	2000.
27	10	1984	A33							CaC	2000.
27	10	1984	A34							CaC	2000.
27	10	1984	A35							CaC	2000.
30	10	1984	A36							CaC	2000.
30	10	1984	A37							CaC	2000.
30	10	1984	A38							CaC	2000.
30	10	1984	A39							CaC	2000.
30	10	1984	A40							CaC	2000.
30	10	1984	A41							CaC	2000.
30	10	1984	A42							CaC	2000.
31	10	1984	A43							CaC	2000.
31	10	1984	A44							CaC	2000.
31	10	1984	A45							CaC	2000.
31	10	1984	A46							CaC	2000.
31	10	1984	A47							CaC	2000.
31	10	1984	A48							CaC	2000.
31	10	1984	A49							CaC	2000.
3	11	1984	A29			CHICK	2000.				
3	11	1984	A30			CHICK	2000.				
3	11	1984	A31			CHICK	2000.				
3	11	1984	A32			CHICK	5000.				
3	11	1984	A33			CHICK	2000.				
3	11	1984	A34			CHICK	2000.				
3	11	1984	A35			CHICK	2000.				
3	11	1984	A36			CHICK	2000.				
3	11	1984	A37			CHICK	2000.				
3	11	1984	A38			CHICK	2000.				
3	11	1984	A39			CHICK	2000.				
3	11	1984	A40			CHICK	2000.				
3	11	1984	A41			CHICK	2000.				
3	11	1984	A42			CHICK	2000.				
3	11	1984	A43			CHICK	2000.				
3	11	1984	A44			CHICK	2000.				
3	11	1984	A45			CHICK	2000.				
3	11	1984	A46			CHICK	2000.				
3	11	1984	A47			CHICK	2000.				
3	11	1984	A48			CHICK	2000.				
3	11	1984	A49			CHICK	2000.				
12	11	1984	B01							CaC	2000.
12	11	1984	B02							CaC	2000.

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
12	11	1984	B03							CaC	2000.
12	11	1984	B04							CaC	2000.
12	11	1984	B05							CaC	2000.
12	11	1984	B06							CaC	2000.
15	11	1984	B07							CaC	2000.
15	11	1984	B08							CaC	2000.
15	11	1984	B09							CaC	2000.
15	11	1984	B10							CaC	2000.
15	11	1984	B11							CaC	2000.
15	11	1984	B13							CaC	2000.
15	11	1984	B14							CaC	2000.
15	11	1984	B15							CaC	2000.
15	11	1984	B16							CaC	2000.
15	11	1984	B18							CaC	2000.
15	11	1984	B19							CaC	2000.
15	11	1984	B20							CaC	2000.
17	11	1984	B01			CHICK	2000.				
17	11	1984	B02			CHICK	2000.				
17	11	1984	B03			CHICK	2000.				
17	11	1984	B04			CHICK	2000.				
17	11	1984	B05			CHICK	2000.				
17	11	1984	B06			CHICK	2000.				
17	11	1984	B07			CHICK	2000.				
17	11	1984	B08			CHICK	2000.				
17	11	1984	B09			CHICK	2000.				
17	11	1984	B10			CHICK	2000.				
17	11	1984	B11			CHICK	2000.				
17	11	1984	B13			CHICK	2000.				
17	11	1984	B14			CHICK	2000.				
17	11	1984	B15			CHICK	2000.				
17	11	1984	B16			CHICK	2000.				
17	11	1984	B18			CHICK	2000.				
17	11	1984	B19			CHICK	2000.				
17	11	1984	B20			CHICK	2000.				
3	12	1984	A30			CHICK	96.				
3	12	1984	A31			CHICK	96.				
3	12	1984	A32	FD1	11.	CHICK	96.				
3	12	1984	A33	FD1	11.	CHICK	96.				
3	12	1984	A35	FD1	11.						
3	12	1984	A36	FD1	11.	CHICK	96.				
3	12	1984	A37	FD1	11.						
3	12	1984	A39			CHICK	96.				
3	12	1984	A40			CHICK	96.				
3	12	1984	A41	FD1	11.	CHICK	96.				
3	12	1984	A43	FD1	11.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
3	12	1984	A44			CHICK	96.				
3	12	1984	A47			CHICK	96.				
3	12	1984	A48	FD1	11.	CHICK	96.				
3	12	1984	A49	FD1	11.	CHICK	96.				
4	12	1984	A32	FD1	11.						
4	12	1984	A33	FD1	11.						
4	12	1984	A35	FD1	11.						
4	12	1984	A36	FD1	11.						
4	12	1984	A37	FD1	11.						
4	12	1984	A41	FD1	11.						
4	12	1984	A43	FD1	11.						
4	12	1984	A48	FD1	11.						
4	12	1984	A49	FD1	11.						
5	12	1984	A29					TMP	12.		
5	12	1984	A30			CHICK	96.	TMP	12.		
5	12	1984	A31			CHICK	96.				
5	12	1984	A32	FD1	11.	CHICK	96.				
5	12	1984	A33	FD1	11.	CHICK	96.	TMP	12.		
5	12	1984	A35	FD1	11.						
5	12	1984	A36	FD1	11.	CHICK	96.	TMP	12.		
5	12	1984	A37	FD1	11.						
5	12	1984	A38					TMP	12.		
5	12	1984	A39			CHICK	96.				
5	12	1984	A40			CHICK	96.	TMP	12.		
5	12	1984	A41	FD1	11.	CHICK	96.				
5	12	1984	A43	FD1	11.						
5	12	1984	A44			CHICK	96.				
5	12	1984	A46					TMP	12.		
5	12	1984	A47			CHICK	96.	TMP	12.		
5	12	1984	A48	FD1	11.	CHICK	96.				
5	12	1984	A49	FD1	11.	CHICK	96.	TMP	12.		
5	12	1984	B01					TMP	50.		
5	12	1984	B02					TMP	50.		
5	12	1984	B03					TMP	50.		
5	12	1984	B04					TMP	50.		
5	12	1984	B05					TMP	50.		
5	12	1984	B06					TMP	50.		
5	12	1984	B07					TMP	50.		
5	12	1984	B08					TMP	50.		
5	12	1984	B09					TMP	50.		
5	12	1984	B10					TMP	50.		
5	12	1984	B11					TMP	50.		
5	12	1984	B13					TMP	50.		
5	12	1984	B14					TMP	50.		
5	12	1984	B15					TMP	50.		

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INC. GAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
5	12	1984	B16					TMP	50.		
5	12	1984	B18					TMP	50.		
5	12	1984	B19					TMP	50.		
5	12	1984	B20					TMP	50.		
6	12	1984	A32	FD1	11.						
6	12	1984	A33	FD1	11.						
6	12	1984	A35	FD1	11.						
6	12	1984	A36	FD1	11.						
6	12	1984	A37	FD1	11.						
6	12	1984	A41	FD1	11.						
6	12	1984	A43	FD1	11.						
6	12	1984	A48	FD1	11.						
6	12	1984	A49	FD1	11.						
7	12	1984	A30			CHICK	96.				
7	12	1984	A31			CHICK	96.				
7	12	1984	A32	FD1	11.	CHICK	96.				
7	12	1984	A33	FD1	11.	CHICK	96.				
7	12	1984	A35	FD1	11.						
7	12	1984	A36	FD1	11.	CHICK	96.				
7	12	1984	A37	FD1	11.						
7	12	1984	A39			CHICK	96.				
7	12	1984	A40			CHICK	96.				
7	12	1984	A41	FD1	11.	CHICK	96.				
7	12	1984	A43	FD1	11.						
7	12	1984	A44			CHICK	96.				
7	12	1984	A47			CHICK	96.				
7	12	1984	A48	FD1	11.	CHICK	96.				
7	12	1984	A49	FD1	11.	CHICK	96.				
8	12	1984	A32	FD1	11.						
8	12	1984	A33	FD1	11.						
8	12	1984	A35	FD1	11.						
8	12	1984	A36	FD1	11.						
8	12	1984	A37	FD1	11.						
8	12	1984	A41	FD1	11.						
8	12	1984	A43	FD1	11.						
8	12	1984	A48	FD1	11.						
8	12	1984	A49	FD1	11.						
10	12	1984	A30			CHICK	96.				
10	12	1984	A31			CHICK	96.				
10	12	1984	A32	FD1	11.	CHICK	96.				
10	12	1984	A33	FD1	11.	CHICK	96.				
10	12	1984	A35	FD1	11.						
10	12	1984	A36	FD1	11.	CHICK	96.				
10	12	1984	A37	FD1	11.						
10	12	1984	A39			CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
10	12	1984	A40			CHICK	96.				
10	12	1984	A41	FD1	11.	CHICK	96.				
10	12	1984	A43	FD1	11.						
10	12	1984	A44			CHICK	96.				
10	12	1984	A47			CHICK	96.				
10	12	1984	A48	FD1	11.	CHICK	96.				
10	12	1984	A49	FD1	11.	CHICK	96.				
11	12	1984	A32	FD1	11.						
11	12	1984	A33	FD1	11.						
11	12	1984	A35	FD1	11.						
11	12	1984	A36	FD1	11.						
11	12	1984	A37	FD1	11.						
11	12	1984	A41	FD1	11.						
11	12	1984	A43	FD1	11.						
11	12	1984	A48	FD1	11.						
11	12	1984	A49	FD1	11.						
12	12	1984	A29					TMP		12.	
12	12	1984	A30			CHICK	96.	TMP		12.	
12	12	1984	A31			CHICK	96.				
12	12	1984	A32	FD1	11.	CHICK	96.				
12	12	1984	A33	FD1	11.	CHICK	96.	TMP		12.	
12	12	1984	A35	FD1	11.						
12	12	1984	A36	FD1	11.	CHICK	96.	TMP		12.	
12	12	1984	A37	FD1	11.						
12	12	1984	A38					TMP		12.	
12	12	1984	A39			CHICK	96.				
12	12	1984	A40			CHICK	96.	TMP		12.	
12	12	1984	A41	FD1	11.	CHICK	96.				
12	12	1984	A43	FD1	11.						
12	12	1984	A44			CHICK	96.				
12	12	1984	A46					TMP		12.	
12	12	1984	A47			CHICK	96.	TMP		12.	
12	12	1984	A48	FD1	11.	CHICK	96.				
12	12	1984	A49	FD1	11.	CHICK	96.	TMP		12.	
13	12	1984	A32	FD1	11.						
13	12	1984	A33	FD1	11.						
13	12	1984	A35	FD1	11.						
13	12	1984	A36	FD1	11.						
13	12	1984	A37	FD1	11.						
13	12	1984	A41	FD1	11.						
13	12	1984	A43	FD1	11.						
13	12	1984	A48	FD1	11.						
13	12	1984	A49	FD1	11.						
14	12	1984	A30			CHICK	96.				
14	12	1984	A31			CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
14	12	1984	A32	FD1	11.	CHICK	96.				
14	12	1984	A33	FD1	11.	CHICK	96.				
14	12	1984	A35	FD1	11.						
14	12	1984	A36	FD1	11.	CHICK	96.				
14	12	1984	A37	FD1	11.						
14	12	1984	A39			CHICK	96.				
14	12	1984	A40			CHICK	96.				
14	12	1984	A41	FD1	11.	CHICK	96.				
14	12	1984	A43	FD1	11.						
14	12	1984	A44			CHICK	96.				
14	12	1984	A47			CHICK	96.				
14	12	1984	A48	FD1	11.	CHICK	96.				
14	12	1984	A49	FD1	11.	CHICK	96.				
15	12	1984	A32	FD1	11.						
15	12	1984	A33	FD1	11.						
15	12	1984	A35	FD1	11.						
15	12	1984	A36	FD1	11.						
15	12	1984	A37	FD1	11.						
15	12	1984	A41	FD1	11.						
15	12	1984	A43	FD1	11.						
15	12	1984	A48	FD1	11.						
15	12	1984	A49	FD1	11.						
17	12	1984	A30			CHICK	116.				
17	12	1984	A31			CHICK	116.				
17	12	1984	A32	FD1	11.	CHICK	116.				
17	12	1984	A33	FD1	11.	CHICK	116.				
17	12	1984	A35	FD1	11.						
17	12	1984	A36	FD1	11.	CHICK	116.				
17	12	1984	A37	FD1	11.						
17	12	1984	A39			CHICK	116.				
17	12	1984	A40			CHICK	116.				
17	12	1984	A41	FD1	11.	CHICK	116.				
17	12	1984	A43	FD1	11.						
17	12	1984	A44			CHICK	116.				
17	12	1984	A47			CHICK	116.				
17	12	1984	A48	FD1	11.	CHICK	116.				
17	12	1984	A49	FD1	11.	CHICK	116.				
18	12	1984	A32	FD1	11.						
18	12	1984	A33	FD1	11.						
18	12	1984	A35	FD1	11.						
18	12	1984	A36	FD1	11.						
18	12	1984	A37	FD1	11.						
18	12	1984	A41	FD1	11.	CHICK	116.				
18	12	1984	A43	FD1	11.						
18	12	1984	A48	FD1	11.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
18	12	1984	A49	FDI	11.						
19	12	1984	A29					TMP	12.		
19	12	1984	A30			CHICK	116.	TMP	12.		
19	12	1984	A31			CHICK	116.				
19	12	1984	A32	FDI	11.	CHICK	116.				
19	12	1984	A33	FDI	11.	CHICK	116.	TMP	12.		
19	12	1984	A35	FDI	11.						
19	12	1984	A36	FDI	11.	CHICK	116.	TMP	12.		
19	12	1984	A37	FDI	11.						
19	12	1984	A38					TMP	12.		
19	12	1984	A39			CHICK	116.				
19	12	1984	A40			CHICK	116.	TMP	12.		
19	12	1984	A41	FDI	11.	CHICK	116.				
19	12	1984	A43	FDI	11.						
19	12	1984	A44			CHICK	116.				
19	12	1984	A46					TMP	12.		
19	12	1984	A47			CHICK	116.	TMP	12.		
19	12	1984	A48	FDI	11.	CHICK	116.				
19	12	1984	A49	FDI	11.	CHICK	116.	TMP	12.		
20	12	1984	A32	FDI	11.						
20	12	1984	A33	FDI	11.						
20	12	1984	A35	FDI	11.						
20	12	1984	A36	FDI	11.						
20	12	1984	A37	FDI	11.						
20	12	1984	A41	FDI	11.						
20	12	1984	A43	FDI	11.						
20	12	1984	A48	FDI	11.						
20	12	1984	A49	FDI	11.						
21	12	1984	A30			CHICK	116.				
21	12	1984	A31			CHICK					
21	12	1984	A32	FDI	11.	CHICK	116.				
21	12	1984	A33	FDI	11.	CHICK	116.				
21	12	1984	A35	FDI	11.						
21	12	1984	A36	FDI	11.	CHICK	116.				
21	12	1984	A37	FDI	11.						
21	12	1984	A39			CHICK	116.				
21	12	1984	A40			CHICK	116.				
21	12	1984	A41	FDI	11.	CHICK	116.				
21	12	1984	A43	FDI	11.						
21	12	1984	A44			CHICK	116.				
21	12	1984	A47			CHICK	116.				
21	12	1984	A48	FDI	11.	CHICK	116.				
21	12	1984	A49	FDI	11.	CHICK	116.				
22	12	1984	A32	FDI	11.						
22	12	1984	A33	FDI	11.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
22	12	1984	A35	FD1	11.						
22	12	1984	A36	FD1	11.						
22	12	1984	A37	FD1	11.						
22	12	1984	A41	FD1	11.						
22	12	1984	A43	FD1	11.						
22	12	1984	A48	FD1	11.						
22	12	1984	A49	FM1	11.						
24	12	1984	A30			CHICK	116.				
24	12	1984	A31			CHICK	116.				
24	12	1984	A32	FD1	11.	CHICK	116.				
24	12	1984	A33	FD1	11.	CHICK	116.				
24	12	1984	A35	FD1	11.						
24	12	1984	A36	FD1	11.	CHICK	116.				
24	12	1984	A37	FD1	11.						
24	12	1984	A39			CHICK	116.				
24	12	1984	A40			CHICK	116.				
24	12	1984	A41	FD1	11.	CHICK	116.				
24	12	1984	A43	FD1	11.						
24	12	1984	A44			CHICK	116.				
24	12	1984	A47			CHICK	116.				
24	12	1984	A48	FD1	11.	CHICK	116.				
24	12	1984	A49	FD1	11.	CHICK	116.				
26	12	1984	A29					TMP	12.		
26	12	1984	A30			CHICK	116.	TMP	12.		
26	12	1984	A31			CHICK	116.				
26	12	1984	A32			CHICK	116.				
26	12	1984	A33			CHICK	116.	TMP	12.		
26	12	1984	A36			CHICK	116.				
26	12	1984	A38					TMP	12.		
26	12	1984	A39			CHICK	116.				
26	12	1984	A40			CHICK	116.	TMP	12.		
26	12	1984	A41			CHICK	116.				
26	12	1984	A44			CHICK	116.				
26	12	1984	A46					TMP	12.		
26	12	1984	A47			CHICK	116.	TMP	12.		
26	12	1984	A48			CHICK	116.				
26	12	1984	A49			CHICK	116.	TMP	12.		
28	12	1984	A30			CHICK	116.				
28	12	1984	A31			CHICK	116.				
28	12	1984	A32	FD1	38.	CHICK	116.				
28	12	1984	A33	FD1	39.	CHICK	116.				
28	12	1984	A35	FD1	40.						
28	12	1984	A36	FD1	39.	CHICK	116.				
28	12	1984	A37	FD1	40.						
28	12	1984	A39			CHICK	116.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
28	12	1984	A40			CHICK	116.				
28	12	1984	A41	FD1	38.	CHICK	116.				
28	12	1984	A43	FD1	40.						
28	12	1984	A44			CHICK	116.				
28	12	1984	A47			CHICK	116.				
28	12	1984	A48	FD1	38.	CHICK	116.				
28	12	1984	A49	FD1	39.	CHICK	117.				
28	12	1984	B01					TMP		50.	
28	12	1984	B02					TMP		50.	
28	12	1984	B03					TMP		50.	
28	12	1984	B04					TMP		50.	
28	12	1984	B05					TMP		50.	
28	12	1984	B06					TMP		50.	
28	12	1984	B07					TMP		50.	
28	12	1984	B08					TMP		50.	
28	12	1984	B09					TMP		50.	
28	12	1984	B10					TMP		50.	
28	12	1984	B11					TMP		50.	
28	12	1984	B13					TMP		50.	
28	12	1984	B14					TMP		50.	
28	12	1984	B15					TMP		50.	
28	12	1984	B16					TMP		50.	
28	12	1984	B18					TMP		50.	
28	12	1984	B19					TMP		50.	
28	12	1984	B20					TMP		50.	
29	12	1984	A32	FD1	38.						
29	12	1984	A33	FD1	39.						
29	12	1984	A35	FD1	40.						
29	12	1984	A36	FD1	39.						
29	12	1984	A37	FD1	40.						
29	12	1984	A41	FD1	38.						
29	12	1984	A43	FD1	40.						
29	12	1984	A48	FD1	38.						
29	12	1984	A49	FD1	39.						
31	12	1984	A30			CHICK	116.				
31	12	1984	A31			CHICK	116.				
31	12	1984	A32	FD1	38.	CHICK	116.				
31	12	1984	A33	FD1	39.	CHICK	116.				
31	12	1984	A35	FD1	40.						
31	12	1984	A36	FD1	39.	CHICK	116.				
31	12	1984	A37	FD1	40.						
31	12	1984	A39			CHICK	116.				
31	12	1984	A40			CHICK	116.				
31	12	1984	A41	FD1	38.	CHICK	116.				
31	12	1984	A43	FD1	40.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
31	12	1984	A44			CHICK	116.				
31	12	1984	A47			CHICK	116.				
31	12	1984	A48	FD1	38.	CHICK	116.				
31	12	1984	A49	FD1	39.	CHICK	116.				
2	1	1985	A29					TMP	12.		
2	1	1985	A30			CHICK	116.	TMP	12.		
2	1	1985	A31			CHICK	116.				
2	1	1985	A32	FD1	38.	CHICK	116.				
2	1	1985	A33	FD1	39.	CHICK	116.	TMP	12.		
2	1	1985	A35	FD1	40.						
2	1	1985	A36	FD1	39.	CHICK	116.	TMP	12.		
2	1	1985	A37	FD1	40.						
2	1	1985	A38					TMP	12.		
2	1	1985	A39			CHICK	116.				
2	1	1985	A40			CHICK	116.	TMP	12.		
2	1	1985	A41	FD1	38.	CHICK	116.				
2	1	1985	A43	FD1	40.						
2	1	1985	A44			CHICK	116.				
2	1	1985	A46					TMP	12.		
2	1	1985	A47			CHICK	116.	TMP	12.		
2	1	1985	A48	FD1	38.	CHICK	116.				
2	1	1985	A49	FD1	39.	CHICK	116.	TMP	12.		
3	1	1985	A32	FD1	36.						
3	1	1985	A33	FD1	39.						
3	1	1985	A35	FD1	40.						
3	1	1985	A36	FD1	39.						
3	1	1985	A37	FD1	40.						
3	1	1985	A41	FD1	38.						
3	1	1985	A43	FD1	40.						
3	1	1985	A48	FD1	38.						
3	1	1985	A49	FD1	39.						
4	1	1985	A30			CHICK	116.				
4	1	1985	A31			CHICK	116.				
4	1	1985	A32	FD1	38.	CHICK	116.				
4	1	1985	A33	FD1	39.	CHICK	116.				
4	1	1985	A35	FD1	40.						
4	1	1985	A36	FD1	39.	CHICK	116.				
4	1	1985	A37	FD1	40.						
4	1	1985	A39			CHICK	116.				
4	1	1985	A40			CHICK	116.				
4	1	1985	A41	FD1	38.	CHICK	116.				
4	1	1985	A43	FD1	40.						
4	1	1985	A44			CHICK	116.				
4	1	1985	A47			CHICK	116.				
4	1	1985	A48	FD1	38.	CHICK	116.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
4	1	1985	A49	FD1	39.	CHICK	116.				
5	1	1985	A32	FD1	38.						
5	1	1985	A33	FD1	39.						
5	1	1985	A35	FD1	40.						
5	1	1985	A36	FD1	39.						
5	1	1985	A37	FD1	40.						
5	1	1985	A41	FD1	38.						
5	1	1985	A43	FD1	40.						
5	1	1985	A48	FD1	38.						
5	1	1985	A49	FD1	39.						
7	1	1985	A30			CHICK	116.				
7	1	1985	A31			CHICK	116.				
7	1	1985	A32	FD1	38.	CHICK	116.				
7	1	1985	A33	FD1	39.	CHICK	116.				
7	1	1985	A35	FD1	40.						
7	1	1985	A36	FD1	39.	CHICK	116.				
9	1	1985	A29					TMP	12.		
9	1	1985	A30			CHICK	116.	TMP	12.		
9	1	1985	A32	FD1	38.	CHICK	116.				
9	1	1985	A33	FD1	39.	CHICK	39.	TMP	12.		
9	1	1985	A35	FD1	40.						
9	1	1985	A36	FD1	39.	CHICK	116.	TMP	12.		
9	1	1985	A37	FD1	40.						
9	1	1985	A38					TMP	12.		
9	1	1985	A39			CHICK	116.				
9	1	1985	A40			CHICK	116.	TMP	12.		
9	1	1985	A41	FD1	38.	CHICK	116.				
9	1	1985	A43	FD1	40.		0.				
9	1	1985	A44			CHICK	116.				
9	1	1985	A46					TMP	12.		
9	1	1985	A47			CHICK	116.	TMP	12.		
9	1	1985	A48	FD1	38.	CHICK	116.				
9	1	1985	A49	FD1	39.	CHICK	116.	TMP	12.		
10	1	1985	A32	FD1	38.						
10	1	1985	A33	FD1	39.						
10	1	1985	A35	FD1	40.						
10	1	1985	A36	FD1	39.						
10	1	1985	A37	FD1	40.						
10	1	1985	A41	FD1	38.						
10	1	1985	A43	FD1	40.						
10	1	1985	A48	FD1	39.						
10	1	1985	A49	FD1	39.						
11	1	1985	A30			CHICK	116.				
11	1	1985	A31			CHICK	116.				
11	1	1985	A32	FD1	38.	CHICK	116.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
11	1	1985	A33	FD1	39.	CHICK	116.				
11	1	1985	A35	FD1	40.						
11	1	1985	A36	FD1	39.	CHICK	116.				
11	1	1985	A37	FD1	40.						
11	1	1985	A39			CHICK	116.				
11	1	1985	A40			CHICK	116.				
11	1	1985	A41	FD1	38.	CHICK	116.				
11	1	1985	A43	FD1	40.						
11	1	1985	A44			CHICK	116.				
11	1	1985	A47			CHICK	116.				
11	1	1985	A48	FD1	38.	CHICK	116.				
11	1	1985	A49	FD1	39.	CHICK	116.				
11	1	1985	B01	FD1	2.15						
11	1	1985	B02	FD1	2.15						
11	1	1985	B03	FD1	2.15						
11	1	1985	B04	FD1	2.15						
11	1	1985	B05	FD1	2.15						
11	1	1985	B06	FD1	2.15						
11	1	1985	B07	FD1	2.77						
11	1	1985	B08	FD1	2.77						
11	1	1985	B09	FD1	2.77						
11	1	1985	B10	FD1	2.77						
11	1	1985	B11	FD1	2.77						
11	1	1985	B13	FD1	2.77						
11	1	1985	B14	FD1	5.65						
11	1	1985	B15	FD1	5.65						
11	1	1985	B16	FD1	2.65						
11	1	1985	B18	FD1	5.65						
11	1	1985	B19	FD1	5.65						
11	1	1985	B20	FD1	5.65						
12	1	1985	A32	FD1	38.						
12	1	1985	A33	FD1	39.						
12	1	1985	A35	FD1	40.						
12	1	1985	A36	FD1	39.						
12	1	1985	A37	FD1	40.						
12	1	1985	A41	FD1	38.						
12	1	1985	A43	FD1	40.						
12	1	1985	A48	FD1	38.						
12	1	1985	A49	FD1	39.						
12	1	1985	B01	FD1	2.15		TMP	50.			
12	1	1985	B02	FD1	2.15		TMP	50.			
12	1	1985	B03	FD1	2.15		TMP	50.			
12	1	1985	B04	FD1	2.15		TMP	50.			
12	1	1985	B05	FD1	2.15		TMP	50.			
12	1	1985	B06	FD1	2.15		TMP	50.			

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
12	1	1985	B07	FD1	2.77			TMP	50.		
12	1	1985	B08	FD1	2.77			TMP	50.		
12	1	1985	B09	FD1	2.77			TMP	50.		
12	1	1985	B10	FD1	2.77			TMP	50.		
12	1	1985	B11	FD1	2.77			TMP	50.		
12	1	1985	B13	FD1	2.77			TMP	50.		
12	1	1985	B14	FD1	5.65			TMP	50.		
12	1	1985	B15	FD1	5.65			TMP	50.		
12	1	1985	B16	FD1	5.65			TMP	50.		
12	1	1985	B18	FD1	5.65			TMP	50.		
12	1	1985	B19	FD1	5.65			TMP	50.		
12	1	1985	B20	FD1	5.65			TMP	50.		
14	1	1985	A30			CHICK	116.				
14	1	1985	A31			CHICK	116.				
14	1	1985	A32	FD1	38.	CHICK	116.				
14	1	1985	A33	FD1	39.	CHICK	116.				
14	1	1985	A35	FD1	40.						
14	1	1985	A36	FD1	39.	CHICK	116.				
14	1	1985	A37	FD1	40.						
14	1	1985	A39			CHICK	116.				
14	1	1985	A40			CHICK	116.				
14	1	1985	A41	FD1	38.	CHICK	116.				
14	1	1985	A43	FD1	40.						
14	1	1985	A44			CHICK	116.				
14	1	1985	A47			CHICK	116.				
14	1	1985	A48	FD1	38.	CHICK	116.				
14	1	1985	A49	FD1	39.	CHICK	116.				
14	1	1985	B01	FD1	2.15						
14	1	1985	B02	FD1	2.15						
14	1	1985	B03	FD1	2.15						
14	1	1985	B04	FD1	2.15						
14	1	1985	B05	FD1	2.15						
14	1	1985	B06	FD1	2.15						
14	1	1985	B07	FD1	2.77						
14	1	1985	B08	FD1	2.77						
14	1	1985	B09	FD1	2.77						
14	1	1985	B10	FD1	2.77						
14	1	1985	B11	FD1	2.77						
14	1	1985	B13	FD1	2.77						
14	1	1985	B14	FD1	5.65						
14	1	1985	B15	FD1	5.65						
14	1	1985	B16	FD1	5.65						
14	1	1985	B18	FD1	5.65						
14	1	1985	B19	FD1	5.65						
14	1	1985	B20	FD1	5.65						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
15	1	1985	A32	FD1	38.						
15	1	1985	A33	FD1	39.						
15	1	1985	A35	FD1	40.						
15	1	1985	A36	FD1	39.						
15	1	1985	A37	FD1	40.						
15	1	1985	A41	FD1	38.						
15	1	1985	A43	FD1	40.						
15	1	1985	A48	FD1	38.						
15	1	1985	A49	FD1	39.						
15	1	1985	B01	FD1	2.15						
15	1	1985	B02	FD1	2.15						
15	1	1985	B03	FD1	2.15						
15	1	1985	B04	FD1	2.15						
15	1	1985	B05	FD1	2.15						
15	1	1985	B06	FD1	2.15						
15	1	1985	B07	FD1	2.77						
15	1	1985	B08	FD1	2.77						
15	1	1985	B09	FD1	2.77						
15	1	1985	B10	FD1	2.77						
15	1	1985	B11	FD1	2.77						
15	1	1985	B13	FD1	2.77						
15	1	1985	B14	FD1	5.65						
15	1	1985	B15	FD1	5.65						
15	1	1985	B16	FD1	5.65						
15	1	1985	B18	FD1	5.65						
15	1	1985	B19	FD1	5.65						
15	1	1985	B20	FD1	5.65						
16	1	1985	A29					TMP			12.
16	1	1985	A30			CHICK	116.	TMP			12.
16	1	1985	A31			CHICK	116.				
16	1	1985	A32	FD1	38.	CHICK	116.				
16	1	1985	A33	FD1	39.	CHICK	116.	TMP			12.
16	1	1985	A35	FD1	40.						
16	1	1985	A36	FD1	39.	CHICK	116.	TMP			12.
16	1	1985	A37	FD1	40.						
16	1	1985	A38					TMP			12.
16	1	1985	A39			CHICK	116.				
16	1	1985	A40			CHICK	116.	TMP			12.
16	1	1985	A41	FD1	38.	CHICK	116.				
16	1	1985	A43	FD1	40.						
16	1	1985	A44			CHICK	116.				
16	1	1985	A46					TMP			12.
16	1	1985	A47			CHICK	115.	TMP			12.
16	1	1985	A48	FD1	38.	CHICK	116.				
16	1	1985	A49	FD1	39.	CHICK	116.	TMP			12.

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. TYPE	LIME QUANTITY	LIME TYPE
16	1	1985	B01	FD1	2.15						
16	1	1985	B02	FD1	2.15						
16	1	1985	B03	FD1	2.15						
16	1	1985	B04	FD1	2.15						
16	1	1985	B05	FD1	2.15						
16	1	1985	B06	FD1	2.15						
16	1	1985	B07	FD1	2.77						
16	1	1985	B08	FD1	2.77						
16	1	1985	B09	FD1	2.77						
16	1	1985	B10	FD1	2.77						
16	1	1985	B11	FD1	2.77						
16	1	1985	B13	FD1	2.77						
16	1	1985	B14	FD1	5.65						
16	1	1985	B15	FD1	5.65						
16	1	1985	B16	FD1	5.65						
16	1	1985	B18	FD1	5.65						
16	1	1985	B19	FD1	5.65						
16	1	1985	B20	FD1	5.65						
17	1	1985	A32	FD1	38.						
17	1	1985	A33	FD1	39.						
17	1	1985	A35	FD1	40.						
17	1	1985	A36	FD1	39.						
17	1	1985	A37	FD1	40.						
17	1	1985	A41	FD1	38.						
17	1	1985	A43	FD1	40.						
17	1	1985	A48	FD1	38.						
17	1	1985	A49	FD1	39.						
17	1	1985	B01	FD1	2.15						
17	1	1985	B02	FD1	2.15						
17	1	1985	B03	FD1	2.15						
17	1	1985	B04	FD1	2.15						
17	1	1985	B05	FD1	2.15						
17	1	1985	B06	FD1	2.15						
17	1	1985	B07	FD1	2.77						
17	1	1985	B08	FD1	2.77						
17	1	1985	B09	FD1	2.77						
17	1	1985	B10	FD1	2.77						
17	1	1985	B11	FD1	2.77						
17	1	1985	B13	FD1	2.77						
17	1	1985	B14	FD1	5.65						
17	1	1985	B15	FD1	5.65						
17	1	1985	B16	FD1	5.65						
17	1	1985	B18	FD1	5.65						
17	1	1985	B19	FD1	5.65						
17	1	1985	B20	FD1	5.65						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
18	1	1985	A30			CHICK	116.				
18	1	1985	A31			CHICK	116.				
18	1	1985	A32	FD1	38.	CHICK	116.				
18	1	1985	A33	FD1	39.	CHICK	39.				
18	1	1985	A35	FD1	40.						
18	1	1985	A36	FD1	39.	CHICK	116.				
18	1	1985	A37	FD1	40.						
18	1	1985	A39			CHICK	116.				
18	1	1985	A40			CHICK	116.				
18	1	1985	A41	FD1	38.	CHICK	116.				
18	1	1985	A43	FD1	40.						
18	1	1985	A44			CHICK	116.				
18	1	1985	A47			CHICK	116.				
18	1	1985	A48	FD1	38.	CHICK	116.				
18	1	1985	A49	FD1	39.	CHICK	116.				
18	1	1985	B01	FD1	2.15						
18	1	1985	B02	FD1	2.15						
18	1	1985	B03	FD1	2.15						
18	1	1985	B04	FD1	2.15						
18	1	1985	B05	FD1	2.15						
18	1	1985	B06	FD1	2.15						
18	1	1985	B07	FD1	2.77						
18	1	1985	B08	FD1	2.77						
18	1	1985	B09	FD1	2.77						
18	1	1985	B10	FD1	2.77						
18	1	1985	B11	FD1	2.77						
18	1	1985	B13	FD1	2.77						
18	1	1985	B14	FD1	5.65						
18	1	1985	B15	FD1	5.65						
18	1	1985	B16	FD1	5.65						
18	1	1985	B18	FD1	5.65						
18	1	1985	B19	FD1	5.65						
19	1	1985	B20	FD1	5.65						
19	1	1985	A32	FD1	38.						
19	1	1985	A33	FD1	39.						
19	1	1985	A35	FD1	40.						
19	1	1985	A36	FD1	39.						
19	1	1985	A37	FD1	40.						
19	1	1985	A41	FD1	38.						
19	1	1985	A43	FD1	40.						
19	1	1985	A48	FD1	38.						
19	1	1985	A49	FD1	39.						
19	1	1985	B01	FD1	2.15						
19	1	1985	B02	FD1	2.15						
19	1	1985	B03	FD1	2.15						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
19	1	1985	B04	FD1	2.15						
19	1	1985	B05	FD1	2.15						
19	1	1985	B06	FD1	2.15						
19	1	1985	B07	FD1	2.77						
19	1	1985	B08	FD1	2.77						
19	1	1985	B09	FD1	2.77						
19	1	1985	B10	FD1	2.77						
19	1	1985	B11	FD1	2.77						
19	1	1985	B13	FD1	2.77						
19	1	1985	B14	FD1	5.65						
19	1	1985	B15	FD1	5.65						
19	1	1985	B16	FD1	5.65						
19	1	1985	B18	FD1	5.65						
19	1	1985	B19	FD1	5.65						
19	1	1985	B20	FD1	5.65						
21	1	1985	A30			CHICK	116.				
21	1	1985	A31			CHICK	116.				
21	1	1985	A32	FD1	38.	CHICK	116.				
21	1	1985	A33	FD1	39.	CHICK	116.				
21	1	1985	A35	FD1	40.						
21	1	1985	A36	FD1	39.	CHICK	116.				
21	1	1985	A37	FD1	40.						
21	1	1985	A39			CHICK	116.				
21	1	1985	A40			CHICK	116.				
21	1	1985	A41	FD1	38.	CHICK	116.				
21	1	1985	A43	FD1	40.						
21	1	1985	A44			CHICK	116.				
21	1	1985	A47			CHICK	116.				
21	1	1985	A48	FD1	38.	CHICK	116.				
21	1	1985	A49	FD1	39.	CHICK	116.				
21	1	1985	B01	FD1	2.15						
21	1	1985	B02	FD1	2.15						
21	1	1985	B03	FD1	2.15						
21	1	1985	B04	FD1	2.15						
21	1	1985	B05	FD1	2.15						
21	1	1985	B06	FD1	2.15						
21	1	1985	B07	FD1	2.77						
21	1	1985	B08	FD1	2.77						
21	1	1985	B09	FD1	2.77						
21	1	1985	B10	FD1	2.77						
21	1	1985	B11	FD1	2.77						
21	1	1985	B13	FD1	2.77						
21	1	1985	B14	FD1	5.65						
21	1	1985	B15	FD1	5.65						
21	1	1985	B16	FD1	5.65						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
21	1	1985	B18	FD1	5.65						
21	1	1985	B19	FD1	5.65						
21	1	1985	B20	FD1	5.65						
22	1	1985	A32	FD1	38.						
22	1	1985	A33	FD1	39.						
22	1	1985	A35	FD1	40.						
22	1	1985	A36	FD1	39.						
22	1	1985	A37	FD1	40.						
22	1	1985	A41	FD1	38.						
22	1	1985	A43	FD1	40.						
22	1	1985	A48	FD1	38.						
22	1	1985	A49	FD1	39.						
22	1	1985	B01	FD1	2.15						
22	1	1985	B02	FD1	2.15						
22	1	1985	B03	FD1	2.15						
22	1	1985	B04	FD1	2.15						
22	1	1985	B05	FD1	2.15						
22	1	1985	B06	FD1	2.15						
22	1	1985	B07	FD1	2.77						
22	1	1985	B08	FD1	2.77						
22	1	1985	B09	FD1	2.77						
22	1	1985	B10	FD1	2.77						
22	1	1985	B11	FD1	2.77						
22	1	1985	B13	FD1	2.77						
22	1	1985	B14	FD1	5.65						
22	1	1985	B15	FD1	5.65						
22	1	1985	B16	FD1	5.65						
22	1	1985	B18	FD1	5.65						
22	1	1985	B19	FD1	5.65						
22	1	1985	B20	FD1	5.65						
23	1	1985	B01	FD1	2.15						
23	1	1985	B02	FD1	2.15						
23	1	1985	B03	FD1	2.15						
23	1	1985	B04	FD1	2.15						
23	1	1985	B05	FD1	2.15						
23	1	1985	B06	FD1	2.15						
23	1	1985	B07	FD1	2.77						
23	1	1985	B08	FD1	2.77						
23	1	1985	B09	FD1	2.77						
23	1	1985	B10	FD1	2.77						
23	1	1985	B11	FD1	2.77						
23	1	1985	B13	FD1	2.77						
23	1	1985	B14	FD1	5.65						
23	1	1985	B15	FD1	5.65						
23	1	1985	B16	FD1	5.65						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
23	1	1985	B13	FD1	5.65						
23	1	1985	B19	FD1	5.65						
23	1	1985	B20	FD1	5.65						
24	1	1985	B01	FD1	2.15						
24	1	1985	B02	FD1	2.15						
24	1	1985	B03	FD1	2.15						
24	1	1985	B04	FD1	2.15						
24	1	1985	B05	FD1	2.15						
24	1	1985	B06	FD1	2.15						
24	1	1985	B07	FD1	2.77						
24	1	1985	B08	FD1	2.77						
24	1	1985	B09	FD1	2.77						
24	1	1985	B10	FD1	2.77						
24	1	1985	B11	FD1	2.77						
24	1	1985	B13	FD1	2.77						
24	1	1985	B14	FD1	5.65						
24	1	1985	B15	FD1	5.65						
24	1	1985	B16	FD1	5.65						
24	1	1985	B18	FD1	5.65						
24	1	1985	B19	FD1	5.65						
24	1	1985	B20	FD1	5.65						
25	1	1985	A29					TMP	12.		
25	1	1985	A30			CHICK	116.	TMP	12.		
25	1	1985	A31			CHICK	116.				
25	1	1985	A32	FD1	58.	CHICK	116.				
25	1	1985	A33	FD1	63.	CHICK	116.	TMP	12.		
25	1	1985	A35	FD1	53.						
25	1	1985	A36	FD1	63.	CHICK	116.	TMP	12.		
25	1	1985	A37	FD1	53.						
25	1	1985	A38					TMP	12.		
25	1	1985	A39			CHICK	116.				
25	1	1985	A40			CHICK	116.	TMP	12.		
25	1	1985	A41	FD1	58.	CHICK	116.				
25	1	1985	A43	FD1	53.						
25	1	1985	A44			CHICK	116.				
25	1	1985	A46					TMP	12.		
25	1	1985	A47			CHICK	116.	TMP	12.		
25	1	1985	A48	FD1	58.	CHICK	116.				
25	1	1985	A49	FD1	63.	CHICK	116.	TMP	12.		
25	1	1985	B01	FD1	2.15						
25	1	1985	B02	FD1	2.15						
25	1	1985	B03	FD1	2.15						
25	1	1985	B04	FD1	2.15						
25	1	1985	B05	FD1	2.15						
25	1	1985	B06	FD1	2.15						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
25	1	1985	B07	FD1	2.77						
25	1	1985	B08	FD1	2.77						
25	1	1985	B09	FD1	2.77						
25	1	1985	B10	FD1	2.77						
25	1	1985	B11	FD1	2.77						
25	1	1985	B13	FD1	2.77						
25	1	1985	B14	FD1	5.65						
25	1	1985	B15	FD1	5.65						
25	1	1985	B16	FD1	5.65						
25	1	1985	B18	FD1	5.65						
25	1	1985	B19	FD1	5.65						
25	1	1985	B20	FD1	5.65						
26	1	1985	A32	FD1	53.						
26	1	1985	A33	FD1	63.						
26	1	1985	A35	FD1	54.						
26	1	1985	A36	FD1	63.						
26	1	1985	A37	FD1	53.						
26	1	1985	A41	FD1	58.						
26	1	1985	A43	FD1	53.						
26	1	1985	A48	FD1	58.						
26	1	1985	A49	FD1	63.						
26	1	1985	B01	FD1	3.4						
26	1	1985	B02	FD1	3.4						
26	1	1985	B03	FD1	3.4						
26	1	1985	B04	FD1	3.4						
26	1	1985	B05	FD1	3.4						
26	1	1985	B06	FD1	3.4						
26	1	1985	B07	FD1	4.38						
26	1	1985	B08	FD1	4.38						
26	1	1985	B09	FD1	4.38						
26	1	1985	B10	FD1	4.38						
26	1	1985	B11	FD1	4.38						
26	1	1985	B13	FD1	4.38						
26	1	1985	B14	FD1	8.92						
26	1	1985	B15	FD1	8.92						
26	1	1985	B16	FD1	8.92						
26	1	1985	B18	FD1	8.92						
26	1	1985	B19	FD1	8.92						
26	1	1985	B20	FD1	8.92						
28	1	1985	A30			CHICK	116.				
28	1	1985	A31			CHICK	116.				
28	1	1985	A32			CHICK	116.				
28	1	1985	A33			CHICK	116.				
28	1	1985	A36			CHICK	116.				
28	1	1985	A39			CHICK	116.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
28	1	1985	A40			CHICK	116.				
28	1	1985	B01	FD1	3.4						
28	1	1985	B02	FD1	3.4						
28	1	1985	B03	FD1	3.4						
28	1	1985	B04	FD1	3.4						
28	1	1985	B05	FD1	3.4						
28	1	1985	B06	FD1	3.4						
28	1	1985	B07	FD1	4.38						
28	1	1985	B08	FD1	4.38						
28	1	1985	B09	FD1	4.38						
28	1	1985	B10	FD1	4.38						
28	1	1985	B11	FD1	4.38						
28	1	1985	B13	FD1	4.38						
28	1	1985	B14	FD1	8.92						
28	1	1985	B15	FD1	8.92						
28	1	1985	B16	FD1	8.92						
28	1	1985	B18	FD1	8.92						
28	1	1985	B19	FD1	8.92						
28	1	1985	B20	FD1	8.92						
29	1	1985	A43	FD1	53.						
29	1	1985	A48	FD1	53.						
29	1	1985	A49	FD1	63.						
29	1	1985	B01	FD1	3.4						
29	1	1985	B02	FD1	3.4						
29	1	1985	B03	FD1	3.4						
29	1	1985	B04	FD1	3.4						
29	1	1985	B05	FD1	3.4						
29	1	1985	B06	FD1	3.4						
29	1	1985	B07	FD1	4.38						
29	1	1985	B08	FD1	4.38						
29	1	1985	B09	FD1	4.38						
29	1	1985	B10	FD1	4.38						
29	1	1985	B11	FD1	4.38						
29	1	1985	B13	FD1	4.38						
29	1	1985	B14	FD1	8.92						
29	1	1985	B15	FD1	8.92						
29	1	1985	B16	FD1	8.92						
29	1	1985	B18	FD1	8.92						
29	1	1985	B19	FD1	8.92						
29	1	1985	B20	FD1	8.92						
30	1	1985	A29					TMP	12.		
30	1	1985	A30			CHICK	116.	TMP	12.		
30	1	1985	A31			CHICK	116.				
30	1	1985	A32	FD1	58.	CHICK	116.				
30	1	1985	A33	FD1	63.	CHICK	116.	TMP	12.		

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
30	1	1985	A35	FD1	53.						
30	1	1985	A36	FD1	63.	CHICK	116.	TMP	12.		
30	1	1985	A37	FD1	53.						
30	1	1985	A38					TMP	12.		
30	1	1985	A39			CHICK	116.				
30	1	1985	A40			CHICK	116.	TMP	12.		
30	1	1985	A41	FD1	58.	CHICK	116.				
30	1	1985	A43	FD1	53.						
30	1	1985	A44			CHICK	116.				
30	1	1985	A46					TMP	12.		
30	1	1985	A47			CHICK	116.	TMP	12.		
30	1	1985	A48	FD1	58.	CHICK	116.				
30	1	1985	A49	FD1	63.	CHICK	116.	TMP	12.		
30	1	1985	B01	FD1	3.4						
30	1	1985	B02	FD1	3.4						
30	1	1985	B03	FD1	3.4						
30	1	1985	B04	FD1	3.4						
30	1	1985	B05	FD1	3.4						
30	1	1985	B06	FD1	3.4						
30	1	1985	B07	FD1	4.38						
30	1	1985	B08	FD1	4.38						
30	1	1985	B09	FD1	4.38						
30	1	1985	B10	FD1	4.38						
30	1	1985	B11	FD1	4.38						
30	1	1985	B13	FD1	4.38						
30	1	1985	B14	FD1	8.92						
30	1	1985	B15	FD1	8.92						
30	1	1985	B16	FD1	8.92						
30	1	1985	B18	FD1	8.92						
30	1	1985	B19	FD1	8.92						
30	1	1985	B20	FD1	8.92						
31	1	1985	A32	FD1	58.						
31	1	1985	A33	FD1	63.						
31	1	1985	A35	FD1	53.						
31	1	1985	A36	FD1	63.						
31	1	1985	A37	FD1	53.						
31	1	1985	A41	FD1	58.						
31	1	1985	A43	FD1	53.						
31	1	1985	A48	FD1	58.						
31	1	1985	A49	FD1	63.						
31	1	1985	B01	FD1	3.4			TMP	50.		
31	1	1985	B02	FD1	3.4			TMP	50.		
31	1	1985	B03	FD1	3.4			TMP	50.		
31	1	1985	B04	FD1	3.4			TMP	50.		
31	1	1985	B05	FD1	3.4			TMP	50.		

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
31	1	1985	B06	FD1	3.4			TMP	50.		
31	1	1985	B07	FD1	4.38			TMP	50.		
31	1	1985	B08	FD1	4.38			TMP	50.		
31	1	1985	B09	FD1	4.38			TMP	50.		
31	1	1985	B10	FD1	4.38			TMP	50.		
31	1	1985	B11	FD1	4.38			TMP	50.		
31	1	1985	B13	FD1	4.38			TMP	50.		
31	1	1985	B14	FD1	8.92			TMP	50.		
31	1	1985	B15	FD1	8.92			TMP	50.		
31	1	1985	B16	FD1	8.92			TMP	50.		
31	1	1985	B18	FD1	8.92			TMP	50.		
31	1	1985	B19	FD1	8.92			TMP	50.		
31	1	1985	B20	FD1	8.92			TMP	50.		
1	2	1985	A30			CHICK	116.				
1	2	1985	A31			CHICK	116.				
1	2	1985	A32	FD1	58.	CHICK	116.				
1	2	1985	A33	FD1	63.	CHICK	116.				
1	2	1985	A35	FD1	53.						
1	2	1985	A36	FD1	63.	CHICK	116.				
1	2	1985	A37	FD1	53.						
1	2	1985	A39			CHICK	116.				
1	2	1985	A40			CHICK	116.				
1	2	1985	A41	FD1	58.	CHICK	116.				
1	2	1985	A43	FD1	53.						
1	2	1985	A44			CHICK	116.				
1	2	1985	A47			CHICK	116.				
1	2	1985	A48	FD1	58.	CHICK	116.				
1	2	1985	A49	FD1	63.	CHICK	116.				
1	2	1985	B01	FD1	3.4						
1	2	1985	B02	FD1	3.4						
1	2	1985	B03	FD1	3.4						
1	2	1985	B04	FD1	3.4						
1	2	1985	B05	FD1	3.4						
1	2	1985	B06	FD1	3.4						
1	2	1985	B07	FD1	4.38						
1	2	1985	B08	FD1	4.38						
1	2	1985	B09	FD1	4.38						
1	2	1985	B10	FD1	4.38						
1	2	1985	B11	FD1	4.38						
1	2	1985	B13	FD1	4.38						
1	2	1985	B14	FD1	8.92						
1	2	1985	B15	FD1	8.92						
1	2	1985	B16	FD1	8.92						
1	2	1985	B18	FD1	8.92						
1	2	1985	B19	FD1	8.92						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
1	2	1985	B20	FD1	8.92						
2	2	1985	A32	FD1	58.						
2	2	1985	A33	FD1	63.						
2	2	1985	A35	FD1	53.						
2	2	1985	A36	FD1	63.						
2	2	1985	A37	FD1	53.						
2	2	1985	A41	FD1	58.						
2	2	1985	A43	FD1	53.						
2	2	1985	A48	FD1	58.						
2	2	1985	A49	FD1	63.						
2	2	1985	B01	FD1	3.4						
2	2	1985	B02	FD1	3.4						
2	2	1985	B03	FD1	3.4						
2	2	1985	B04	FD1	3.4						
2	2	1985	B05	FD1	3.4						
2	2	1985	B06	FD1	3.4						
2	2	1985	B07	FD1	4.38						
2	2	1985	B08	FD1	4.38						
2	2	1985	B09	FD1	4.38						
2	2	1985	B10	FD1	4.38						
2	2	1985	B11	FD1	4.38						
2	2	1985	B13	FD1	4.38						
2	2	1985	B14	FD1	8.92						
2	2	1985	B15	FD1	8.92						
2	2	1985	B16	FD1	8.92						
2	2	1985	B18	FD1	8.92						
2	2	1985	B19	FD1	8.92						
2	2	1985	B20	FD1	8.92						
4	2	1985	A30			CHICK		116.			
4	2	1985	A31			CHICK		116.			
4	2	1985	A32	FD1	58.	CHICK		116.			
4	2	1985	A33	FD1	63.	CHICK		116.			
4	2	1985	A35	FD1	53.						
4	2	1985	A36	FD1	63.	CHICK		117.			
4	2	1985	A37	FD1	53.						
4	2	1985	A39			CHICK		116.			
4	2	1985	A40			CHICK		116.			
4	2	1985	A41	FD1	58.	CHICK		116.			
4	2	1985	A43	FD1	53.						
4	2	1985	A44			CHICK		116.			
4	2	1985	A47			CHICK		116.			
4	2	1985	A48	FD1	58.	CHICK		116.			
4	2	1985	A49	FD1	63.	CHICK		116.			
4	2	1985	B01	FD1	3.4						
4	2	1985	B02	FD1	3.4						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
4	2	1985	B03	FD1	3.4						
4	2	1985	B04	FD1	3.4						
4	2	1985	B05	FD1	3.4						
4	2	1985	B06	FD1	3.4						
4	2	1985	B07	FD1	4.38						
4	2	1985	B08	FD1	4.38						
4	2	1985	B09	FD1	4.38						
4	2	1985	B10	FD1	4.38						
4	2	1985	B11	FD1	4.38						
4	2	1985	B13	FD1	4.38						
4	2	1985	B14	FD1	8.92						
4	2	1985	B15	FD1	8.92						
4	2	1985	B16	FD1	8.92						
4	2	1985	B18	FD1	8.92						
4	2	1985	B19	FD1	8.92						
4	2	1985	B20	FD1	8.92						
6	2	1985	A29					TMP			12.
6	2	1985	A30			CHICK	116.	TMP			12.
6	2	1985	A31			CHICK	116.				
6	2	1985	A32	FD1	58.	CHICK	116.				
6	2	1985	A33	FD1	63.	CHICK	116.	TMP			12.
6	2	1985	A35	FD1	53.						
6	2	1985	A36	FD1	63.	CHICK	116.	TMP			12.
6	2	1985	A37	FD1	53.						
6	2	1985	A38					TMP			12.
6	2	1985	A39			CHICK	116.				
6	2	1985	A40			CHICK	116.	TMP			12.
6	2	1985	A41	FD1	58.	CHICK	116.				
6	2	1985	A43	FD1	53.						
6	2	1985	A44			CHICK	116.				
6	2	1985	A46					TMP			12.
6	2	1985	A47			CHICK	116.	TMP			12.
6	2	1985	A48	FD1	58.	CHICK	116.				
6	2	1985	A49	FD1	63.	CHICK	116.				
6	2	1985	B01	FD1	7.59						
6	2	1985	B02	FD1	7.59						
6	2	1985	B03	FD1	7.59						
6	2	1985	B04	FD1	7.59						
6	2	1985	B05	FD1	7.59						
6	2	1985	B06	FD1	7.59						
6	2	1985	B07	FD1	14.68						
6	2	1985	B08	FD1	14.68						
6	2	1985	B09	FD1	14.68						
6	2	1985	B10	FD1	14.68						
6	2	1985	B11	FD1	14.68						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
6	2	1985	B13	FD1	14.68						
6	2	1985	B14	FD1	14.45						
6	2	1985	B15	FD1	14.45						
6	2	1985	B16	FD1	14.45						
6	2	1985	B18	FD1	14.45						
6	2	1985	B19	FD1	14.45						
6	2	1985	B20	FD1	14.45						
7	2	1985	A32	FD1	58.						
7	2	1985	A33	FD1	63.						
7	2	1985	A35	FD1	53.						
7	2	1985	A36	FD1	63.						
7	2	1985	A37	FD1	53.						
7	2	1985	A41	FD1	58.						
7	2	1985	A43	FD1	53.						
7	2	1985	A48	FD1	58.						
7	2	1985	A49	FD1	63.						
7	2	1985	B01	FD1	7.59						
7	2	1985	B02	FD1	7.59						
7	2	1985	B03	FD1	7.59						
7	2	1985	B04	FD1	7.59						
7	2	1985	B05	FD1	7.59						
7	2	1985	B06	FD1	7.59						
7	2	1985	B07	FM1	14.68						
7	2	1985	B08	FD1	14.68						
7	2	1985	B09	FD1	14.68						
7	2	1985	B10	FD1	14.68						
7	2	1985	B11	FD1	14.68						
7	2	1985	B13	FD1	14.68						
7	2	1985	B14	FD1	14.45						
7	2	1985	B15	FD1	14.45						
7	2	1985	B16	FD1	14.45						
7	2	1985	B18	FD1	14.45						
7	2	1985	B19	FD1	14.45						
7	2	1985	B20	FD1	14.45						
8	2	1985	A30			CHICK	116.				
8	2	1985	A31			CHICK	116.				
8	2	1985	A32	FD1	58.	CHICK	116.				
8	2	1985	A33	FD1	63.	CHICK	116.				
8	2	1985	A35	FD1	53.						
8	2	1985	A36	FD1	63.	CHICK	116.				
8	2	1985	A37	FD1	53.						
8	2	1985	A39			CHICK	116.				
8	2	1985	A40			CHICK	116.				
8	2	1985	A41	FD1	58.	CHICK	116.				
8	2	1985	A43	FD1	53.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
8	2	1985	A44			CHICK	116.				
8	2	1985	A47			CHICK	116.				
8	2	1985	A48	FD1	53.	CHICK	116.				
8	2	1985	A49	FD1	63.	CHICK	116.				
8	2	1985	B01	FD1	7.59			TMP	50.		
8	2	1985	B02	FD1	7.59			TMP	50.		
8	2	1985	B03	FD1	7.59			TMP	50.		
8	2	1985	B04	FD1	7.59			TMP	50.		
8	2	1985	B05	FD1	7.59			TMP	50.		
8	2	1985	B06	FD1	7.59			TMP	50.		
8	2	1985	B07	FD1	14.68			TMP	50.		
8	2	1985	B08	FD1	14.68			TMP	50.		
8	2	1985	B09	FD1	14.68			TMP	50.		
8	2	1985	B10	FD1	14.68			TMP	50.		
8	2	1985	B11	FD1	14.68			TMP	50.		
8	2	1985	B13	FD1	14.68			TMP	50.		
8	2	1985	B14	FD1	14.45			TMP	50.		
8	2	1985	B15	FD1	14.45			TMP	50.		
8	2	1985	B16	FD1	14.45			TMP	50.		
8	2	1985	B18	FD1	14.45			TMP	50.		
8	2	1985	B19	FD1	14.45			TMP	50.		
8	2	1985	B20	FD1	14.45			TMP	50.		
9	2	1985	A32	FD1	58.						
9	2	1985	A33	FD1	63.						
9	2	1985	A35	FD1	53.						
9	2	1985	A36	FD1	63.						
9	2	1985	A37	FD1	53.						
9	2	1985	A41	FD1	58.						
9	2	1985	A43	FD1	53.						
9	2	1985	A48	FD1	58.						
9	2	1985	A49	FD1	63.						
9	2	1985	B01	FD1	7.59						
9	2	1985	B02	FD1	7.59						
9	2	1985	B03	FD1	7.59						
9	2	1985	B04	FD1	7.59						
9	2	1985	B05	FD1	7.59						
9	2	1985	B06	FD1	7.59						
9	2	1985	B07	FD1	14.68						
9	2	1985	B08	FD1	14.68						
9	2	1985	B09	FD1	14.68						
9	2	1985	B10	FD1	14.68						
9	2	1985	B11	FD1	14.68						
9	2	1985	B13	FD1	14.68						
9	2	1985	B14	FD1	14.45						
9	2	1985	B15	FD1	14.45						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
9	2	1985	B16	FD1	14.45						
9	2	1985	B18	FD1	14.45						
9	2	1985	B19	FD1	14.45						
9	2	1985	B20	FD1	14.45						
11	2	1985	A30			CHICK	116.				
11	2	1985	A31			CHICK	116.				
11	2	1985	A32	FD1	58.	CHICK	116.				
11	2	1985	A33	FD1	63.	CHICK	116.				
11	2	1985	A35	FD1	53.						
11	2	1985	A36	FD1	63.	CHICK	116.				
11	2	1985	A37	FD1	53.						
11	2	1985	A39			CHICK	116.				
11	2	1985	A40			CHICK	116.				
11	2	1985	A41	FD1	58.	CHICK	116.				
11	2	1985	A43	FD1	53.						
11	2	1985	A44			CHICK	116.				
11	2	1985	A47			CHICK	116.				
11	2	1985	A48	FD1	58.	CHICK	116.				
11	2	1985	A49	FD1	63.	CHICK	116.				
11	2	1985	B01	FD1	7.59						
11	2	1985	B02	FD1	7.59						
11	2	1985	B03	FD1	7.59						
11	2	1985	B04	FD1	7.59						
11	2	1985	B05	FD1	7.59						
11	2	1985	B06	FD1	7.59						
11	2	1985	B07	FD1	14.68						
11	2	1985	B08	FD1	14.68						
11	2	1985	B09	FD1	14.68						
11	2	1985	B10	FD1	14.68						
11	2	1985	B11	FD1	14.68						
11	2	1985	B13	FD1	14.68						
11	2	1985	B14	FD1	14.45						
11	2	1985	B15	FD1	14.45						
11	2	1985	B16	FD1	14.45						
11	2	1985	B18	FD1	14.45						
11	2	1985	B19	FD1	14.45						
11	2	1985	B20	FD1	14.45						
12	2	1985	A32	FD1	58.						
12	2	1985	A33	FD1	63.						
12	2	1985	A35	FD1	53.						
12	2	1985	A36	FD1	63.						
12	2	1985	A37	FD1	53.						
12	2	1985	A41	FD1	58.						
12	2	1985	A43	FD1	53.						
12	2	1985	A48	FD1	58.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season.

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
12	2	1985	A49	FD1	63.						
12	2	1985	B01	FD1	7.59						
12	2	1985	B02	FD1	7.59						
12	2	1985	B03	FD1	7.59						
12	2	1985	B04	FD1	7.59						
12	2	1985	B05	FD1	7.59						
12	2	1985	B06	FD1	7.59						
12	2	1985	B07	FD1	14.68						
12	2	1985	B08	FD1	14.68						
12	2	1985	B09	FD1	14.68						
12	2	1985	B10	FD1	14.68						
12	2	1985	B11	FD1	14.68						
12	2	1985	B13	FD1	14.68						
12	2	1985	B14	FD1	14.45						
12	2	1985	B15	FD1	14.45						
12	2	1985	B16	FD1	14.45						
12	2	1985	B18	FD1	14.45						
12	2	1985	B19	FD1	14.45						
12	2	1985	B20	FD1	14.45						
13	2	1985	A29					TMP	12.		
13	2	1985	A30			CHICK	116.	TMP	12.		
13	2	1985	A31			CHICK	116.				
13	2	1985	A32	FD1	58.	CHICK	116.				
13	2	1985	A33	FD1	63.	CHICK	116.	TMP	12.		
13	2	1985	A35	FD1	53.						
13	2	1985	A36	FD1	63.	CHICK	116.	TMP	12.		
13	2	1985	A38					TMP	12.		
13	2	1985	A39			CHICK	116.				
13	2	1985	A40			CHICK	116.	TMP	12.		
13	2	1985	A41	FD1	58.	CHICK	116.				
13	2	1985	A43	FD1	53.						
13	2	1985	A44			CHICK	116.				
13	2	1985	A46					TMP	12.		
13	2	1985	A47			CHICK	116.	TMP	12.		
13	2	1985	A48	FD1	58.	CHICK	116.				
13	2	1985	A49	FD1	63.	CHICK	116.	TMP	12.		
13	2	1985	B01	FD1	7.59						
13	2	1985	B02	FD1	7.59						
13	2	1985	B03	FD1	7.59						
13	2	1985	B04	FD1	7.59						
13	2	1985	B05	FD1	7.59						
13	2	1985	B06	FD1	7.59						
13	2	1985	B07	FD1	14.68						
13	2	1985	B08	FD1	14.68						
13	2	1985	B09	FD1	14.68						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
13	2	1985	B10	FD1	14.68						
13	2	1985	B11	FD1	14.68						
13	2	1985	B13	FD1	14.68						
13	2	1985	B14	FD1	14.45						
13	2	1985	B15	FD1	14.45						
13	2	1985	B16	FD1	14.45						
13	2	1985	B18	FD1	14.45						
13	2	1985	B19	FD1	14.45						
13	2	1985	B20	FD1	14.45						
14	2	1985	B01	FD1	7.59						
14	2	1985	B02	FD1	7.59						
14	2	1985	B03	FD1	7.59						
14	2	1985	B04	FD1	7.59						
14	2	1985	B05	FD1	7.59						
14	2	1985	B06	FD1	7.59						
14	2	1985	B07	FD1	14.68						
14	2	1985	B08	FD1	14.68						
14	2	1985	B09	FD1	14.68						
14	2	1985	B10	FD1	14.68						
14	2	1985	B11	FD1	14.68						
14	2	1985	B13	FD1	14.68						
14	2	1985	B14	FD1	14.45						
14	2	1985	B15	FD1	14.45						
14	2	1985	B16	FD1	14.45						
14	2	1985	B18	FD1	14.45						
14	2	1985	B19	FD1	14.45						
14	2	1985	B20	FD1	14.45						
15	2	1985	A30			CHICK	116.				
15	2	1985	A31			CHICK	116.				
15	2	1985	A32			CHICK	116.				
15	2	1985	A33			CHICK	116.				
15	2	1985	A36			CHICK	116.				
15	2	1985	A39			CHICK	116.				
15	2	1985	A40			CHICK	116.				
15	2	1985	A41			CHICK	116.				
15	2	1985	A44			CHICK	116.				
15	2	1985	A47			CHICK	116.				
15	2	1985	A48			CHICK	116.				
15	2	1985	A49			CHICK	116.				
15	2	1985	B01	FD1	7.59						
15	2	1985	B02	FD1	7.59						
15	2	1985	B03	FD1	7.59						
15	2	1985	B04	FD1	7.59						
15	2	1985	B05	FD1	7.59						
15	2	1985	B06	FD1	7.59						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
15	2	1985	B07	FD1	14.68						
15	2	1985	B08	FD1	14.68						
15	2	1985	B09	FD1	14.68						
15	2	1985	B10	FD1	14.68						
15	2	1985	B11	FD1	14.68						
15	2	1985	B13	FD1	14.68						
15	2	1985	B14	FD1	14.45						
15	2	1985	B15	FD1	14.45						
15	2	1985	B16	FD1	14.45						
15	2	1985	B18	FD1	14.45						
15	2	1985	B19	FD1	14.45						
15	2	1985	B20	FD1	14.45						
16	2	1985	B01	FD1	7.59						
16	2	1985	B02	FD1	7.59						
16	2	1985	B03	FD1	7.59						
16	2	1985	B04	FD1	7.59						
16	2	1985	B05	FD1	7.59						
16	2	1985	B06	FD1	7.59						
16	2	1985	B07	FD1	14.68						
16	2	1985	B08	FD1	14.68						
16	2	1985	B09	FD1	14.68						
16	2	1985	B10	FD1	14.68						
16	2	1985	B11	FD1	14.68						
16	2	1985	B13	FD1	14.68						
16	2	1985	B14	FD1	14.45						
16	2	1985	B15	FD1	14.45						
16	2	1985	B16	FD1	14.45						
16	2	1985	B18	FD1	14.45						
16	2	1985	B19	FD1	14.45						
16	2	1985	B20	FD1	14.45						
18	2	1985	A30			CHICK	116.				
18	2	1985	A31			CHICK	116.				
18	2	1985	A32			CHICK	116.				
18	2	1985	A33			CHICK	116.				
18	2	1985	A36			CHICK	116.				
18	2	1985	A39			CHICK	116.				
18	2	1985	A40			CHICK	116.				
18	2	1985	A41			CHICK	116.				
18	2	1985	A44			CHICK	116.				
18	2	1985	A47			CHICK	116.				
18	2	1985	A48			CHICK	116.				
18	2	1985	A49			CHICK	116.				
18	2	1985	B01	FD1	7.59						
18	2	1985	B02	FD1	7.59						
18	2	1985	B03	FD1	7.59						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
18	2	1985	B04	FD1	7.59						
18	2	1985	B05	FD1	7.59						
18	2	1985	B06	FD1	7.59						
18	2	1985	B07	FD1	14.68						
18	2	1985	B08	FD1	14.68						
18	2	1985	B09	FD1	14.68						
18	2	1985	B10	FD1	14.68						
18	2	1985	B11	FD1	14.68						
18	2	1985	B13	FD1	14.68						
18	2	1985	B14	FD1	14.45						
18	2	1985	B15	FD1	14.45						
18	2	1985	B16	FD1	14.45						
18	2	1985	B18	FD1	14.45						
18	2	1985	B19	FD1	14.45						
18	2	1985	B20	FD1	14.45						
19	2	1985	A32	FD1	58.						
19	2	1985	A33	FD1	63.						
19	2	1985	A35	FD1	53.						
19	2	1985	A36	FD1	63.						
19	2	1985	A37	FD1	53.						
19	2	1985	A41	FD1	58.						
19	2	1985	A43	FD1	53.						
19	2	1985	A48	FD1	58.						
19	2	1985	A49	FD1	63.						
19	2	1985	B01	FD1	7.59						
19	2	1985	B02	FD1	7.59						
19	2	1985	B03	FD1	7.59						
19	2	1985	B04	FD1	7.59						
19	2	1985	B05	FD1	7.59						
19	2	1985	B06	FD1	7.59						
19	2	1985	B07	FD1	14.68						
19	2	1985	B08	FD1	14.68						
19	2	1985	B09	FD1	14.68						
19	2	1985	B10	FD1	14.68						
19	2	1985	B11	FD1	14.68						
19	2	1985	B13	FD1	14.68						
19	2	1985	B14	FD1	14.45						
19	2	1985	B15	FD1	14.45						
19	2	1985	B16	FD1	14.45						
19	2	1985	B18	FD1	14.45						
19	2	1985	B19	FD1	14.45						
19	2	1985	B20	FD1	14.45						
20	2	1985	B01	FD1	7.59						
20	2	1985	B02	FD1	7.59						
20	2	1985	B03	FD1	7.59						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
20	2	1985	B04	FD1	7.59						
20	2	1985	B05	FD1	7.59						
20	2	1985	B06	FD1	7.59						
20	2	1985	B07	FD1	14.68						
20	2	1985	B08	FD1	14.68						
20	2	1985	B09	FD1	14.68						
20	2	1985	B10	FD1	14.68						
20	2	1985	B11	FD1	14.68						
20	2	1985	B13	FD1	14.68						
20	2	1985	B14	FD1	14.45						
20	2	1985	B15	FD1	14.45						
20	2	1985	B16	FD1	14.45						
20	2	1985	B18	FD1	14.45						
20	2	1985	B19	FD1	14.45						
20	2	1985	B20	FD1	14.45						
21	2	1985	A29					TMP		12.	
21	2	1985	A30			CHICK	116.	TMP		12.	
21	2	1985	A31			CHICK	116.				
21	2	1985	A32	FD1	81.	CHICK	116.				
21	2	1985	A33	FD1	88.	CHICK	116.	TMP		12.	
21	2	1985	A35	FD1	80.						
21	2	1985	A36	FD1	88.	CHICK	116.	TMP		12.	
21	2	1985	A37	FD1	80.						
21	2	1985	A38					TMP		12.	
21	2	1985	A39			CHICK	116.				
21	2	1985	A40			CHICK	116.	TMP		12.	
21	2	1985	A41	FD1	81.	CHICK	116.				
21	2	1985	A43	FD1	80.						
21	2	1985	A44			CHICK	116.				
21	2	1985	A46					TMP		12.	
21	2	1985	A47			CHICK	116.	TMP		12.	
21	2	1985	A48	FD1	81.	CHICK	116.				
21	2	1985	A49	FD1	88.	CHICK	116.	TMP		12.	
21	2	1985	B01	FD2	11.1						
21	2	1985	B02	FD2	11.1						
21	2	1985	B03	FD2	11.1						
21	2	1985	B04	FD2	11.1						
21	2	1985	B05	FD2	11.1						
21	2	1985	B06	FD2	11.1						
21	2	1985	B07	FD2	21.46						
21	2	1985	B08	FD2	21.46						
21	2	1985	B09	FD2	21.46						
21	2	1985	B10	FD2	21.46						
21	2	1985	B11	FD2	21.46						
21	2	1985	B13	FD2	21.46						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
21	2	1985	B14	FD2	22.82						
21	2	1985	B15	FD2	22.82						
21	2	1985	B16	FD2	22.82						
21	2	1985	B18	FD2	22.82						
21	2	1985	B19	FD2	22.82						
21	2	1985	B20	FD2	22.82						
22	2	1985	A30			CHICK	116.				
22	2	1985	A31			CHICK	116.				
22	2	1985	A32	FD1	81.	CHICK	116.				
22	2	1985	A33	FD1	88.	CHICK	116.				
22	2	1985	A35	FD1	80.						
22	2	1985	A36	FD1	88.	CHICK	116.				
22	2	1985	A37	FD1	80.						
22	2	1985	A39			CHICK	116.				
22	2	1985	A40			CHICK	116.				
22	2	1985	A41	FD1	81.	CHICK	116.				
22	2	1985	A43	FD1	80.						
22	2	1985	A44			CHICK	116.				
22	2	1985	A47			CHICK	116.				
22	2	1985	A48	FD1	81.	CHICK	116.				
22	2	1985	A49	FD1	88.	CHICK	116.				
22	2	1985	B01	FD2	11.1						
22	2	1985	B02	FD2	11.1						
22	2	1985	B03	FD2	11.1						
22	2	1985	B04	FD2	11.1						
22	2	1985	B05	FD2	11.1						
22	2	1985	B06	FD2	11.1						
22	2	1985	B07	FD2	21.46						
22	2	1985	B08	FD2	21.46						
22	2	1985	B09	FD2	21.46						
22	2	1985	B10	FD2	21.46						
22	2	1985	B11	FD2	21.46						
22	2	1985	B13	FD2	21.46						
22	2	1985	B14	FD2	22.82						
22	2	1985	B15	FD2	22.82						
22	2	1985	B16	FD2	22.82						
22	2	1985	B18	FD2	22.82						
22	2	1985	B19	FD2	22.82						
22	2	1985	B20	FD2	22.82						
23	2	1985	A32	FD1	81.						
23	2	1985	A33	FD1	88.						
23	2	1985	A35	FD1	80.						
23	2	1985	A36	FD1	88.						
23	2	1985	A37	FD1	80.						
23	2	1985	A41	FD1	81.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
23	2	1985	A43	FD1	80.						
23	2	1985	A48	FD1	81.						
23	2	1985	A49	FD1	88.						
23	2	1985	B01	FD2	11.1						
23	2	1985	B02	FD2	11.1						
23	2	1985	B03	FD2	11.1						
23	2	1985	B04	FD2	11.1						
23	2	1985	B05	FD2	11.1						
23	2	1985	B06	FD2	11.1						
23	2	1985	B07	FD2	21.46						
23	2	1985	B08	FD2	21.46						
23	2	1985	B09	FD2	21.46						
23	2	1985	B10	FD2	21.46						
23	2	1985	B11	FD2	21.46						
23	2	1985	B13	FD2	21.46						
23	2	1985	B14	FD2	22.82						
23	2	1985	B15	FD2	22.82						
23	2	1985	B16	FD2	22.82						
23	2	1985	B18	FD2	22.82						
23	2	1985	B19	FD2	22.82						
23	2	1985	B20	FD2	22.82						
25	2	1985	A30			CHICK	116.				
25	2	1985	A31			CHICK	116.				
25	2	1985	A32	FD1	88.	CHICK	116.				
25	2	1985	A33	FD1	88.	CHICK	116.				
25	2	1985	A35	FD1	80.						
25	2	1985	A36	FD1	88.	CHICK	116.				
25	2	1985	A37	FD1	80.						
25	2	1985	A39			CHICK	116.				
25	2	1985	A40			CHICK	116.				
25	2	1985	A41	FD1	81.	CHICK	116.				
25	2	1985	A43	FD1	80.						
25	2	1985	A44			CHICK	116.				
25	2	1985	A47			CHICK	116.				
25	2	1985	A48	FD1	81.	CHICK	116.				
25	2	1985	A49	FD1	88.	CHICK	116.				
25	2	1985	B01	FD2	11.1						
25	2	1985	B02	FD2	11.1						
25	2	1985	B03	FD2	11.1						
25	2	1985	B04	FD2	11.1						
25	2	1985	B05	FD2	11.1						
25	2	1985	B06	FD2	11.1						
25	2	1985	B07	FD2	21.46						
25	2	1985	B08	FD2	21.46						
25	2	1985	B09	FD2	21.46						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
25	2	1985	B10	FD2	21.46						
25	2	1985	B11	FD2	21.46						
25	2	1985	B13	FD2	21.46						
25	2	1985	B14	FD2	22.82						
25	2	1985	B15	FD2	22.82						
25	2	1985	B16	FD2	22.82						
25	2	1985	B18	FD2	22.82						
25	2	1985	B19	FD2	22.82						
25	2	1985	B20	FD2	22.82						
26	2	1985	B01	FD2	11.1						
26	2	1985	B02	FD2	11.1						
26	2	1985	B03	FD2	11.1						
26	2	1985	B04	FD2	11.1						
26	2	1985	B05	FD2	11.1						
26	2	1985	B06	FD2	11.1						
26	2	1985	B07	FD2	21.46						
26	2	1985	B08	FD2	21.46						
26	2	1985	B09	FD2	21.46						
26	2	1985	B10	FD2	21.46						
26	2	1985	B11	FD2	21.46						
26	2	1985	B13	FD2	21.46						
26	2	1985	B14	FD2	22.82						
26	2	1985	B15	FD2	22.82						
26	2	1985	B16	FD2	22.82						
26	2	1985	B18	FD2	22.82						
26	2	1985	B19	FD2	22.82						
26	2	1985	B20	FD2	22.82						
27	2	1985	A29					TMP		12.	
27	2	1985	A30			CHICK	116.	TMP		12.	
27	2	1985	A31			CHICK	116.				
27	2	1985	A32	FD1	81.	CHICK	116.				
27	2	1985	A33	FD1	88.	CHICK	116.	TMP		12.	
27	2	1985	A35	FD1	80.						
27	2	1985	A36	FD1	88.	CHICK	116.	TMP		12.	
27	2	1985	A37	FD1	80.						
27	2	1985	A38					TMP		12.	
27	2	1985	A39			CHICK	116.				
27	2	1985	A40			CHICK	116.	TMP		12.	
27	2	1985	A41	FD1	81.	CHICK	116.				
27	2	1985	A43	FD1	80.						
27	2	1985	A44			CHICK	116.				
27	2	1985	A46					TMP		12.	
27	2	1985	A47			CHICK	116.	TMP		12.	
27	2	1985	A48	FD1	81.	CHICK	116.				
27	2	1985	A49	FD1	88.	CHICK	116.	TMP		12.	

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
27	2	1985	B01	FD2	11.1						
27	2	1985	B02	FD2	11.1						
27	2	1985	B03	FD2	11.1						
27	2	1985	B04	FD2	11.1						
27	2	1985	B05	FD2	11.1						
27	2	1985	B06	FD2	11.1						
27	2	1985	B07	FD2	21.46						
27	2	1985	B08	FD2	21.46						
27	2	1985	B09	FD2	21.46						
27	2	1985	B10	FD2	21.46						
27	2	1985	B11	FD2	21.46						
27	2	1985	B13	FD2	21.46						
27	2	1985	B14	FD2	22.82						
27	2	1985	B15	FD2	22.82						
27	2	1985	B16	FD2	22.82						
27	2	1985	B18	FD2	22.82						
27	2	1985	B19	FD2	22.82						
27	2	1985	B20	FD2	22.82						
28	2	1985	A32	FD1	81.						
28	2	1985	A33	FD1	88.						
28	2	1985	A35	FD1	80.						
28	2	1985	A36	FD1	88.						
28	2	1985	A37	FD1	80.						
28	2	1985	A41	FD1	81.						
28	2	1985	A43	FD1	80.						
28	2	1985	A48	FD1	81.						
28	2	1985	A49	FD1	88.						
28	2	1985	B01	FD2	11.1						
28	2	1985	B02	FD2	11.1						
28	2	1985	B03	FD2	11.1						
28	2	1985	B04	FD2	11.1						
28	2	1985	B05	FD2	11.1						
28	2	1985	B06	FD2	11.1						
28	2	1985	B07	FD2	21.46						
28	2	1985	B08	FD2	21.46						
28	2	1985	B09	FD2	21.46						
28	2	1985	B10	FD2	21.46						
28	2	1985	B11	FD2	21.46						
28	2	1985	B13	FD2	21.46						
28	2	1985	B14	FD2	22.82						
28	2	1985	B15	FD2	22.82						
28	2	1985	B16	FD2	22.82						
28	2	1985	B18	FD2	22.82						
28	2	1985	B19	FD2	22.82						
28	2	1985	B20	FD2	22.82						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
1	3	1985	A30			CHICK	116.				
1	3	1985	A31			CHICK	116.				
1	3	1985	A32	FD1	81.	CHICK	116.				
1	3	1985	A33	FD1	88.	CHICK	116.				
1	3	1985	A35	FD1	80.						
1	3	1985	A36	FD1	88.	CHICK	116.				
1	3	1985	A37	FD1	80.						
1	3	1985	A38			CHICK	116.				
1	3	1985	A40			CHICK	116.				
1	3	1985	A41	FD1	81.	CHICK	116.				
1	3	1985	A43	FD1	80.						
1	3	1985	A44			CHICK	116.				
1	3	1985	A47			CHICK	116.				
1	3	1985	A48	FD1	81.	CHICK	116.				
1	3	1985	A49	FD1	88.	CHICK	116.				
1	3	1985	B01	FD2	11.1						
1	3	1985	B02	FD2	11.1						
1	3	1985	B03	FD2	11.1						
1	3	1985	B04	FD2	11.1						
1	3	1985	B05	FD2	11.1						
1	3	1985	B06	FD2	11.1						
1	3	1985	B07	FD2	21.46						
1	3	1985	B08	FD2	21.46						
1	3	1985	B09	FD2	21.46						
1	3	1985	B10	FD2	21.46						
1	3	1985	B11	FD2	21.46						
1	3	1985	B13	FD2	21.46						
1	3	1985	B14	FD2	22.82						
1	3	1985	B15	FD2	22.82						
1	3	1985	B16	FD2	22.82						
1	3	1985	B18	FD2	22.82						
1	3	1985	B19	FD2	22.82						
1	3	1985	B20	FD2	22.82						
4	3	1985	A30			CHICK	116.				
4	3	1985	A31			CHICK	116.				
4	3	1985	A32	FD1	81.	CHICK	116.				
4	3	1985	A33	FD1	88.	CHICK	116.				
4	3	1985	A35	FD1	80.						
4	3	1985	A36	FD1	88.	CHICK	116.				
4	3	1985	A37	FD1	80.						
4	3	1985	A39			CHICK	116.				
4	3	1985	A40			CHICK	116.				
4	3	1985	A41	FD1	81.	CHICK	116.				
4	3	1985	A43	FD1	80.						
4	3	1985	A44			CHICK	116.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
4	3	1985	A47			CHICK	116.				
4	3	1985	A48	FD1	81.	CHICK	116.				
4	3	1985	A49	FD1	88.	CHICK	116.				
4	3	1985	B01	FD2	9.8						
4	3	1985	B02	FD2	9.8						
4	3	1985	B03	FD2	9.8						
4	3	1985	B04	FD2	9.8						
4	3	1985	B05	FD2	9.8						
4	3	1985	B06	FD2	9.8						
4	3	1985	B07	FD2	13.36						
4	3	1985	B08	FD2	13.36						
4	3	1985	B09	FD2	13.36						
4	3	1985	B10	FD2	13.36						
4	3	1985	B11	FD2	13.36						
4	3	1985	B13	FD2	13.36						
4	3	1985	B14	FD2	16.11						
4	3	1985	B15	FD2	11.16						
4	3	1985	B16	FD2	16.11						
4	3	1985	B18	FD2	16.11						
4	3	1985	B19	FD2	16.11						
4	3	1985	B20	FD2	16.11						
5	3	1985	A32	FD1	81.						
5	3	1985	A33	FD1	88.						
5	3	1985	A35	FD1	80.						
5	3	1985	A36	FD1	88.						
5	3	1985	A37	FD1	80.						
5	3	1985	A41	FD1	81.						
5	3	1985	A43	FD1	80.						
5	3	1985	A48	FD1	81.						
5	3	1985	A49	FD1	88.						
6	3	1985	B01	FD2	9.8						
6	3	1985	B02	FD2	9.8						
6	3	1985	B03	FD2	9.8						
6	3	1985	B04	FD2	9.8						
6	3	1985	B05	FD2	9.8						
6	3	1985	B06	FD2	9.8						
6	3	1985	B07	FD2	13.36						
6	3	1985	B08	FD2	13.36						
6	3	1985	B09	FD2	13.36						
6	3	1985	B10	FD2	13.36						
6	3	1985	B11	FD2	13.36						
6	3	1985	B13	FD2	13.36						
6	3	1985	B14	FD2	16.11						
6	3	1985	B15	FD2	16.11						
6	3	1985	B16	FD2	16.11						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
6	3	1985	B18	FD2	16.11						
6	3	1985	B19	FD2	16.11						
6	3	1985	B20	FD2	16.11						
7	3	1985	A32	FD1	81.						
7	3	1985	A33	FD1	88.						
7	3	1985	A35	FD1	80.						
7	3	1985	A36	FD1	88.						
7	3	1985	A37	FD1	80.						
7	3	1985	A41	FD1	81.						
7	3	1985	A43	FD1	80.						
7	3	1985	A48	FD1	81.						
7	3	1985	A49	FD1	88.						
7	3	1985	B01	FD2	9.8						
7	3	1985	B02	FD2	9.8						
7	3	1985	B03	FD2	9.8						
7	3	1985	B04	FD2	9.8						
7	3	1985	B05	FD2	9.8						
7	3	1985	B06	FD2	9.8						
7	3	1985	B07	FD2	13.36						
7	3	1985	B08	FD2	13.36						
7	3	1985	B09	FD2	13.36						
7	3	1985	B10	FD2	13.36						
7	3	1985	B11	FD2	13.36						
7	3	1985	B13	FD2	13.36						
7	3	1985	B14	FD2	16.11						
7	3	1985	B15	FD2	16.11						
7	3	1985	B16	FD2	16.11						
7	3	1985	B18	FD2	16.11						
7	3	1985	B19	FD2	16.11						
7	3	1985	B20	FD2	16.11						
8	3	1985	A30			CHICK	116.				
8	3	1985	A31			CHICK	116.				
8	3	1985	A32	FD1	81.	CHICK	116.				
8	3	1985	A33	FD1	88.	CHICK	116.				
8	3	1985	A35	FD1	80.						
8	3	1985	A36	FD1	88.	CHICK	116.				
8	3	1985	A37	FD1	80.						
8	3	1985	A39			CHICK	116.				
8	3	1985	A40			CHICK	116.				
8	3	1985	A41	FD1	81.	CHICK	116.				
8	3	1985	A43	FD1	80.						
8	3	1985	A44			CHICK	116.				
8	3	1985	A47			CHICK	116.				
8	3	1985	A48	FD1	81.	CHICK	116.				
8	3	1985	A49	FD1	88.	CHICK	116.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
8	3	1985	B01	FD2	9.8			TMP	50.		
8	3	1985	B02	FD2	9.8			TMP	50.		
8	3	1985	B03	FD2	9.8			TMP	50.		
8	3	1985	B04	FD2	9.8			TMP	50.		
8	3	1985	B05	FD2	9.8			TMP	50.		
8	3	1985	B06	FD2	9.5			TMP	50.		
9	3	1985	B07	FD2	13.36			TMP	50.		
9	3	1985	B08	FD2	13.36			TMP	50.		
9	3	1985	B09	FD2	13.36			TMP	50.		
9	3	1985	B10	FD2	13.36			TMP	50.		
9	3	1985	B11	FD2	13.36			TMP	50.		
9	3	1985	B13	FD2	13.36			TMP	50.		
8	3	1985	B14	FD2	16.11						
8	3	1985	B15	FD2	16.11						
8	3	1985	B16	FD2	16.11						
8	3	1985	B18	FD2	16.11						
8	3	1985	B19	FD2	16.11						
8	3	1985	B20	FD2	16.11						
9	3	1985	A32	FD1	81.						
9	3	1985	A33	FD1	83.						
9	3	1985	A35	FD1	80.						
9	3	1985	A36	FD1	88.						
9	3	1985	A37	FD1	80.						
9	3	1985	A41	FD1	81.						
9	3	1985	A43	FD1	80.						
9	3	1985	A48	FD1	81.						
9	3	1985	A49	FD1	83.						
9	3	1985	B01	FD2	9.8						
9	3	1985	B02	FD2	9.8						
9	3	1985	B03	FD2	9.8						
9	3	1985	B04	FD2	9.8						
9	3	1985	B05	FD2	9.8						
9	3	1985	B06	FD2	9.8						
9	3	1985	B07	FD2	13.36						
9	3	1985	B08	FD2	13.36						
9	3	1985	B09	FD2	13.36						
9	3	1985	B10	FD2	13.36						
9	3	1985	B11	FD2	13.36						
9	3	1985	B13	FD2	13.36						
9	3	1985	B14	FD2	16.11			TMP	50.		
9	3	1985	B15	FD2	16.11			TMP	50.		
9	3	1985	B16	FD2	16.11			TMP	50.		
9	3	1985	B18	FD2	16.11			TMP	50.		
9	3	1985	B19	FD2	16.11			TMP	50.		
9	3	1985	B20	FD2	16.11			TMP	50.		

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
11	3	1985	A30			CHICK	116.				
11	3	1985	A31			CHICK	116.				
11	3	1985	A32	FD1	81.	CHICK	116.				
11	3	1985	A33	FD1	88.	CHICK	116.				
11	3	1985	A35	FD1	80.						
11	3	1985	A36	FD1	88.	CHICK	116.				
11	3	1985	A37	FD1	80.						
11	3	1985	A39			CHICK	116.				
11	3	1985	A40			CHICK	116.				
11	3	1985	A41	FD1	81.	CHICK	116.				
11	3	1985	A43	FD1	80.						
11	3	1985	A44			CHICK	116.				
11	3	1985	A47			CHICK	116.				
11	3	1985	A49	FD1	81.	CHICK	116.				
11	3	1985	A49	FD1	88.	CHICK	116.				
11	3	1985	B01	FD2	9.8						
11	3	1985	B02	FD2	9.8						
11	3	1985	B03	FD2	9.8						
11	3	1985	B04	FD2	9.8						
11	3	1985	B05	FD2	9.8						
11	3	1985	B06	FD2	9.8						
11	3	1985	B07	FD2	13.36						
11	3	1985	B08	FD2	13.36						
11	3	1985	B09	FD2	13.36						
11	3	1985	B10	FD2	13.36						
11	3	1985	B11	FD2	13.36						
11	3	1985	B13	FD2	13.36						
11	3	1985	B14	FD2	16.11						
11	3	1985	B15	FD2	16.11						
11	3	1985	B16	FD2	16.11						
11	3	1985	B18	FD2	16.11						
11	3	1985	B19	FD2	16.11						
11	3	1985	B20	FD2	16.11						
12	3	1985	A32	FD1	81.						
12	3	1985	A33	FD1	88.						
12	3	1985	A35	FD1	80.						
12	3	1985	A36	FD1	88.						
12	3	1985	A37	FD1	80.						
12	3	1985	A41	FD1	81.						
12	3	1985	A43	FD1	80.						
12	3	1985	A48	FD1	81.						
12	3	1985	A49	FD1	88.						
12	3	1985	B01	FD2	9.8						
12	3	1985	B02	FD2	9.8						
12	3	1985	B03	FD2	9.8						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
12	3	1985	B04	FD2	9.8						
12	3	1985	B05	FD2	9.8						
12	3	1985	B06	FD2	9.8						
12	3	1985	B07	FD2	13.36						
12	3	1985	B08	FD2	13.36						
12	3	1985	B09	FD2	13.36						
12	3	1985	B10	FD2	13.36						
12	3	1985	B11	FD2	13.36						
12	3	1985	B13	FD2	13.36						
12	3	1985	B14	FD2	16.11						
12	3	1985	B15	FD2	16.11						
12	3	1985	B16	FD2	16.11						
12	3	1985	B18	FD2	16.11						
12	3	1985	B19	FD2	16.11						
12	3	1985	B20	FD2	16.11						
13	3	1985	A29					TMP	12.		
13	3	1985	A30			CHICK	116.	TMP	12.		
13	3	1985	A31			CHICK	116.				
13	3	1985	A32	FD1	81.	CHICK	116.				
13	3	1985	A33	FD1	88.	CHICK	116.	TMP	12.		
13	3	1985	A35	FD1	90.						
13	3	1985	A36	FD1	88.	CHICK	116.	TMP	12.		
13	3	1985	A37	FD1	80.						
13	3	1985	A38					TMP	12.		
13	3	1985	A39			CHICK	116.				
13	3	1985	A40			CHICK	116.	TMP	12.		
13	3	1985	A41	FD1	81.	CHICK	116.				
13	3	1985	A43	FD1	90.						
13	3	1985	A44			CHICK	116.				
13	3	1985	A46					TMP	12.		
13	3	1985	A47			CHICK	116.	TMP	12.		
13	3	1985	A48	FD1	81.	CHICK	116.				
13	3	1985	A49	FD1	88.	CHICK	116.	TMP	12.		
13	3	1985	B01	FD2	9.8						
13	3	1985	B02	FD2	9.8						
13	3	1985	B03	FD2	9.8						
13	3	1985	B04	FD2	9.8						
13	3	1985	B05	FD2	9.8						
13	3	1985	B06	FD2	9.8						
13	3	1985	B07	FD2	13.36						
13	3	1985	B08	FD2	13.36						
13	3	1985	B09	FD2	13.36						
13	3	1985	B10	FD2	13.36						
13	3	1985	B11	FD2	13.36						
13	3	1985	B13	FD2	13.36						

**Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season**

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
13	3	1985	B14	FD2	16.11						
13	3	1985	B15	FD2	16.11						
13	3	1985	B16	FD2	16.11						
13	3	1985	B18	FD2	16.11						
13	3	1985	B19	FD2	16.11						
13	3	1985	B20	FD2	16.11						
14	3	1985	A32	FD1	81.						
14	3	1985	A33	FD1	88.						
14	3	1985	A35	FD1	80.						
14	3	1985	A36	FD1	88.						
14	3	1985	A37	FD1	80.						
14	3	1985	A41	FD1	81.						
14	3	1985	A43	FD1	80.						
14	3	1985	A48	FD1	81.						
14	3	1985	A49	FD1	88.						
14	3	1985	B01	FD2	9.8						
14	3	1985	B02	FD2	9.8						
14	3	1985	B03	FD2	9.8						
14	3	1985	B04	FD2	9.8						
14	3	1985	B05	FD2	9.8						
14	3	1985	B06	FD2	9.8						
14	3	1985	B07	FD2	13.36						
14	3	1985	B08	FD2	13.36						
14	3	1985	B09	FD2	13.36						
14	3	1985	B10	FD2	13.36						
14	3	1985	B11	FD2	13.36						
14	3	1985	B13	FD2	13.36						
14	3	1985	B14	FD2	16.11						
14	3	1985	B15	FD2	16.11						
14	3	1985	B16	FD2	16.11						
14	3	1985	B18	FD2	16.11						
14	3	1985	B19	FD2	16.11						
14	3	1985	B20	FD2	16.11						
15	3	1985	A30			CHICK	116.				
15	3	1985	A31			CHICK	116.				
15	3	1985	A32	FD1	81.	CHICK	116.				
15	3	1985	A33	FD1	88.	CHICK	116.				
15	3	1985	A35	FD1	80.						
15	3	1985	A36	FD1	88.	CHICK	116.				
15	3	1985	A37	FD1	80.						
15	3	1985	A39			CHICK	116.				
15	3	1985	A40			CHICK	116.				
15	3	1985	A41	FD1	81.	CHICK	116.				
15	3	1985	A43	FD1	80.						
15	3	1985	A44			CHICK	116.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. TYPE	LIME TYPE	LIME QUANTITY
15	3	1985	A47			CHICK	116.				
15	3	1985	A48	FD1		81. CHICK	116.				
15	3	1985	A49	FD1		83. CHICK	116.				
15	3	1985	B01	FD2	9.8						
15	3	1985	B02	FD2	9.8						
15	3	1985	B03	FD2	9.8						
15	3	1985	B04	FD2	9.8						
15	3	1985	B05	FD2	9.8						
15	3	1985	B06	FD2	9.8						
15	3	1985	B07	FD2	13.36						
15	3	1985	B08	FD2	13.36						
15	3	1985	B09	FD2	13.36						
15	3	1985	B10	FD2	13.36						
15	3	1985	B11	FD2	13.36						
15	3	1985	B13	FD2	13.36						
15	3	1985	B14	FD2	16.11						
15	3	1985	B15	FD2	16.11						
15	3	1985	B16	FD2	16.11						
15	3	1985	B18	FD2	16.11						
15	3	1985	B19	FD2	16.11						
15	3	1985	B20	FD2	16.11						
16	3	1985	A32	FD1	81.						
16	3	1985	A33	FD1	88.						
16	3	1985	A35	FD1	80.						
16	3	1985	A36	FD1	88.						
16	3	1985	A37	FD1	90.						
16	3	1985	A41	FD1	81.						
16	3	1985	A43	FD1	80.						
16	3	1985	A48	FD1	81.						
16	3	1985	A49	FD1	88.						
16	3	1985	B01	FD2	9.8						
16	3	1985	B02	FD2	9.8						
16	3	1985	B03	FD2	9.8						
16	3	1985	B04	FD2	9.8						
16	3	1985	B05	FD2	9.8						
16	3	1985	B06	FD2	9.8						
16	3	1985	B07	FD2	13.36						
16	3	1985	B08	FD2	13.36						
16	3	1985	B09	FD2	13.36						
16	3	1985	B10	FD2	13.36						
16	3	1985	B11	FD2	13.36						
16	3	1985	B13	FD2	6.66						
16	3	1985	B14	FD2	9.06						
16	3	1985	B15	FD2	8.06						
16	3	1985	B16	FD2	8.06						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
16	3	1985	B18	FD2	8.06						
16	3	1985	B19	FD2	8.06						
16	3	1985	B20	FD2	8.06						
18	3	1985	A30			CHICK	116.				
18	3	1985	A31			CHICK	116.				
18	3	1985	A32			CHICK	116.				
18	3	1985	A33			CHICK	116.				
18	3	1985	A36			CHICK	116.				
18	3	1985	A39			CHICK	116.				
18	3	1985	A40			CHICK	116.				
18	3	1985	A41			CHICK	116.				
18	3	1985	A44			CHICK	116.				
18	3	1985	A47			CHICK	116.				
18	3	1985	A48			CHICK	116.				
18	3	1985	A49			CHICK	116.				
18	3	1985	B01	FD2	9.8						
18	3	1985	B02	FD2	9.8						
18	3	1985	B03	FD2	9.8						
18	3	1985	B04	FD2	9.8						
18	3	1985	B05	FD2	9.8						
18	3	1985	B06	FD2	9.8						
18	3	1985	B07	FD2	13.36						
18	3	1985	B08	FD2	13.36						
18	3	1985	B09	FD2	13.36						
18	3	1985	B10	FD2	13.36						
18	3	1985	B11	FD2	13.36						
18	3	1985	B13	FD2	6.68						
18	3	1985	B14	FD2	8.06						
18	3	1985	B15	FD2	8.06						
18	3	1985	B16	FD2	8.06						
18	3	1985	B18	FD2	8.06						
18	3	1985	B19	FD2	8.06						
18	3	1985	B20	FD2	8.06						
19	3	1985	A32	FD1	81.						
19	3	1985	A33	FD1	88.						
19	3	1985	A35	FD1	80.						
19	3	1985	A36	FD1	88.						
19	3	1985	A37	FD1	80.						
19	3	1985	A41	FD1	81.						
19	3	1985	A43	FD1	80.						
19	3	1985	A48	FD1	81.						
19	3	1985	A49	FD1	88.						
19	3	1985	B01	FD2	9.8						
19	3	1985	B02	FD2	9.8						
19	3	1985	B03	FD2	9.8						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
19	3	1985	B04	FD2	9.8						
19	3	1985	B05	FD2	9.8						
19	3	1985	B06	FD2	9.8						
19	3	1985	B07	FD2	13.36						
19	3	1985	B08	FD2	13.36						
19	3	1985	B09	FD2	13.36						
19	3	1985	B10	FD2	13.36						
19	3	1985	B11	FD2	13.36						
19	3	1985	B13	FD2	6.68						
19	3	1985	B14	FD2	8.06						
19	3	1985	B15	FD2	8.06						
19	3	1985	B16	FD2	8.06						
19	3	1985	B18	FD2	8.06						
19	3	1985	B19	FD2	8.06						
19	3	1985	B20	FD2	8.06						
20	3	1985	B01	FD2	9.8						
20	3	1985	B02	FD2	9.8						
20	3	1985	B03	FD2	9.8						
20	3	1985	B04	FD2	9.8						
20	3	1985	B05	FD2	9.8						
20	3	1985	B06	FD2	9.8						
20	3	1985	B07	FD2	13.36						
20	3	1985	B03	FD2	13.36						
20	3	1985	B09	FD2	13.36						
20	3	1985	B10	FD2	13.36						
20	3	1985	B11	FD2	13.36						
20	3	1985	B13	FD2	6.68						
20	3	1985	B14	FD2	8.06						
20	3	1985	B15	FD2	8.06						
20	3	1985	B16	FD2	8.06						
20	3	1985	B18	FD2	8.06						
20	3	1985	B19	FD2	8.06						
20	3	1985	B20	FD2	8.06						
21	3	1985	B01	FD2	9.8						
21	3	1985	B02	FD2	9.8						
21	3	1985	B03	FD2	9.8						
21	3	1985	B04	FD2	9.8						
21	3	1985	B05	FD2	9.8						
21	3	1985	B06	FD2	9.8						
21	3	1985	B07	FD2	13.36						
21	3	1985	B08	FD2	13.36						
21	3	1985	B09	FD2	13.36						
21	3	1985	B10	FD2	13.36						
21	3	1985	B11	FD2	13.36						
21	3	1985	B13	FD2	6.68						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
21	3	1985	B14	FD2	8.06						
21	3	1985	B15	FD2	8.06						
21	3	1985	B16	FD2	8.06						
21	3	1985	B18	FD2	8.06						
21	3	1985	B19	FD2	8.06						
21	3	1985	B20	FD2	8.06						
22	3	1985	A29					TMP		12.	
22	3	1985	A30			CHICK	116.	TMP		12.	
22	3	1985	A31			CHICK	116.				
22	3	1985	A32	FD1	69.	CHICK	116.				
22	3	1985	A33	FD1	76.	CHICK	116.	TMP		12.	
22	3	1985	A35	FD1	69.						
22	3	1985	A36	FD1	76.	CHICK	116.	TMP		12.	
22	3	1985	A37	FD1	69.						
22	3	1985	A38					TMP		12.	
22	3	1985	A39			CHICK	116.				
22	3	1985	A40			CHICK	116.	TMP		12.	
22	3	1985	A41	FD1	69.	CHICK	116.				
22	3	1985	A43	FD1	69.						
22	3	1985	A44			CHICK	116.				
22	3	1985	A46					TMP		12.	
22	3	1985	A47			CHICK	116.	TMP		12.	
22	3	1985	A48	FD1	69.	CHICK	116.				
22	3	1985	A49	FD1	76.	CHICK	116.	TMP		12.	
22	3	1985	B01	FD2	9.8						
22	3	1985	B02	FD2	9.8						
22	3	1985	B03	FD2	9.8						
22	3	1985	B04	FD2	9.8						
22	3	1985	B05	FD2	9.8						
22	3	1985	B06	FD2	9.8						
22	3	1985	B07	FD2	13.36						
22	3	1985	B08	FD2	13.36						
22	3	1985	B09	FD2	13.36						
22	3	1985	B10	FD2	13.36						
22	3	1985	B11	FD2	13.36						
22	3	1985	B13	FD2	6.68						
22	3	1985	B14	FD2	8.06						
22	3	1985	B15	FD2	8.06						
22	3	1985	B16	FD2	8.06						
22	3	1985	B18	FD2	8.06						
22	3	1985	B19	FD2	8.06						
22	3	1985	B20	FD2	8.06						
23	3	1985	A32	FD1	69.						
23	3	1985	A33	FD1	76.						
23	3	1985	A35	FD1	69.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
23	3	1985	A36	FD1	76.						
23	3	1985	A37	FD1	69.						
23	3	1985	A41	FD1	69.						
23	3	1985	A43	FD1	69.						
23	3	1985	A48	FD1	69.						
23	3	1985	A49	FD1	76.						
23	3	1985	B01	FD2	9.8						
23	3	1985	B02	FD2	9.8						
23	3	1985	B03	FD2	9.8						
23	3	1985	B04	FD2	9.8						
23	3	1985	B05	FD2	9.8						
23	3	1985	B06	FD2	9.8						
23	3	1985	B07	FD2	13.36						
23	3	1985	B08	FD2	13.36						
23	3	1985	B09	FD2	13.36						
23	3	1985	B10	FD2	13.36						
23	3	1985	B11	FD2	13.36						
23	3	1985	B13	FD2	8.68						
23	3	1985	B14	FD2	8.06						
23	3	1985	B15	FD2	8.06						
23	3	1985	B16	FD2	8.06						
23	3	1985	B18	FD2	8.06						
23	3	1985	B19	FD2	8.06						
23	3	1985	B20	FD2	8.06						
25	3	1985	A30			CHICK	116.				
25	3	1985	A31			CHICK	116.				
25	3	1985	A32			CHICK	116.				
25	3	1985	A33			CHICK	116.				
25	3	1985	A36			CHICK	116.				
25	3	1985	A39			CHICK	116.				
25	3	1985	A40			CHICK	116.				
25	3	1985	A41			CHICK	116.				
25	3	1985	A44			CHICK	116.				
25	3	1985	A47			CHICK	116.				
25	3	1985	A48			CHICK	116.				
25	3	1985	A49			CHICK	116.				
25	3	1985	B01	FD2	9.8						
25	3	1985	B02	FD2	9.8						
25	3	1985	B03	FD2	9.8						
25	3	1985	B04	FD2	9.8						
25	3	1985	B05	FD2	9.8						
25	3	1985	B06	FD2	9.8						
25	3	1985	B07	FD2	13.36						
25	3	1985	B08	FD2	13.36						
25	3	1985	B09	FD2	13.36						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
25	3	1985	B10	FD2	13.36						
25	3	1985	B11	FD2	13.36						
25	3	1985	B13	FD2	6.68						
25	3	1985	B14	FD2	8.06						
25	3	1985	B15	FD2	8.06						
25	3	1985	B16	FD2	8.06						
25	3	1985	B18	FD2	8.06						
25	3	1985	B19	FD2	8.06						
25	3	1985	B20	FD2	8.06						
26	3	1985	B01	FD2	9.8						
26	3	1985	B02	FD2	9.8						
26	3	1985	B03	FD2	9.8						
26	3	1985	B04	FD2	9.8						
26	3	1985	B05	FD2	9.8						
26	3	1985	B06	FD2	9.8						
26	3	1985	B07	FD2	13.36						
26	3	1985	B08	FD2	13.36						
26	3	1985	B09	FD2	13.36						
26	3	1985	B10	FD2	13.36						
26	3	1985	B11	FD2	13.36						
26	3	1985	B13	FD2	6.68						
26	3	1985	B14	FD2	8.06						
26	3	1985	B15	FD2	8.06						
26	3	1985	B16	FD2	8.06						
26	3	1985	B18	FD2	8.06						
26	3	1985	B19	FD2	8.06						
26	3	1985	B20	FD2	8.06						
27	3	1985	A29					TMP	12.		
27	3	1985	A30			CHICK	116.	TMP	12.		
27	3	1985	A31			CHICK	116.				
27	3	1985	A32	FD1	69.	CHICK	116.				
27	3	1985	A33	FD1	76.	CHICK	116.	TMP	12.		
27	3	1985	A35	FD1	69.						
27	3	1985	A36	FD1	76.	CHICK	116.	TMP	12.		
27	3	1985	A37	FD1	69.						
27	3	1985	A38					TMP	12.		
27	3	1985	A39			CHICK	116.				
27	3	1985	A40			CHICK	116.	TMP	12.		
27	3	1985	A41	FD1	69.	CHICK	116.				
27	3	1985	A43	FD1	69.						
27	3	1985	A44			CHICK	116.				
27	3	1985	A46					TMP	12.		
27	3	1985	A47			CHICK	116.	TMP	12.		
27	3	1985	A48	FD1	69.	CHICK	116.				
27	3	1985	A49	FD1	76.	CHICK	116.	TMP	12.		

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
27	3	1985	B01	FD2	9.8						
27	3	1985	B02	FD2	9.8						
27	3	1985	B03	FD2	9.8						
27	3	1985	B04	FD2	9.8						
27	3	1985	B05	FD2	9.8						
27	3	1985	B06	FD2	9.8						
27	3	1985	B07	FD2	13.36						
27	3	1985	B08	FD2	13.36						
27	3	1985	B09	FD2	13.36						
27	3	1985	B10	FD2	13.36						
27	3	1985	B11	FD2	13.36						
27	3	1985	B13	FD2	6.68						
27	3	1985	B14	FD2	8.06						
27	3	1985	B15	FD2	8.06						
27	3	1985	B16	FD2	8.06						
27	3	1985	B18	FD2	8.06						
27	3	1985	B19	FD2	8.06						
27	3	1985	B20	FD2	8.06						
28	3	1985	A32	FD1	69.						
28	3	1985	A33	FD1	76.						
28	3	1985	A35	FD1	69.						
28	3	1985	A36	FD1	76.						
28	3	1985	A37	FD1	69.						
28	3	1985	A41	FD1	69.						
28	3	1985	A43	FD1	69.						
28	3	1985	A48	FD1	69.						
28	3	1985	A49	FD1	76.						
28	3	1985	B01	FD2	9.8						
28	3	1985	B02	FD2	9.8						
28	3	1985	B03	FD2	9.8						
28	3	1985	B04	FD2	9.8						
28	3	1985	B05	FD2	9.8						
28	3	1985	B06	FD2	9.8						
28	3	1985	B07	FD2	13.36						
28	3	1985	B08	FD2	13.36						
28	3	1985	B09	FD2	13.36						
28	3	1985	B10	FD2	13.36						
28	3	1985	B11	FD2	13.36						
28	3	1985	B13	FD2	6.68						
28	3	1985	B14	FD2	8.06						
28	3	1985	B15	FD2	8.06						
28	3	1985	B16	FD2	8.06						
28	3	1985	B18	FD2	8.06						
28	3	1985	B19	FD2	8.06						
28	3	1985	B20	FD2	8.06						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
29	3	1985	A30			CHICK	116.				
29	3	1985	A31			CHICK	116.				
29	3	1985	A32			CHICK	116.				
29	3	1985	A33			CHICK	116.				
29	3	1985	A36			CHICK	116.				
29	3	1985	A39			CHICK	116.				
29	3	1985	A40			CHICK	116.				
29	3	1985	A41			CHICK	116.				
29	3	1985	A44			CHICK	116.				
29	3	1985	A47			CHICK	116.				
29	3	1985	A48			CHICK	116.				
29	3	1985	A49			CHICK	116.				
29	3	1985	B01	FD2	9.8						
29	3	1985	B02	FD2	9.8						
29	3	1985	B03	FD2	9.8						
29	3	1985	B04	FD2	9.8						
29	3	1985	B05	FD2	9.8						
29	3	1985	B06	FD2	9.8						
29	3	1985	B07	FD2	13.36						
29	3	1985	B08	FD2	13.36						
29	3	1985	B09	FD2	13.36						
29	3	1985	B10	FD2	13.36						
29	3	1985	B11	FD2	13.36						
29	3	1985	B13	FD2	6.68						
29	3	1985	B14	FD2	8.06						
29	3	1985	B15	FD2	8.06						
29	3	1985	B16	FD2	8.06						
29	3	1985	B18	FD2	8.06						
29	3	1985	B19	FD2	8.06						
29	3	1985	B20	FD2	8.06						
30	3	1985	B01	FD2	9.8						
30	3	1985	B02	FD2	9.8						
30	3	1985	B03	FD2	9.8						
30	3	1985	B04	FD2	9.8						
30	3	1985	B05	FD2	9.8						
30	3	1985	B06	FD2	9.8						
30	3	1985	B07	FD2	13.36						
30	3	1985	B08	FD2	13.36						
30	3	1985	B09	FD2	13.36						
30	3	1985	B10	FD2	13.36						
30	3	1985	B11	FD2	13.36						
30	3	1985	B13	FD2	6.68						
30	3	1985	B14	FD2	8.06						
30	3	1985	B15	FD2	8.06						
30	3	1985	B16	FD2	8.06						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
30	3	1985	B18	FD2	8.06						
30	3	1985	B19	FD2	8.06						
30	3	1985	B20	FD2	8.06						
1	4	1985	A44			CHICK	116.				
1	4	1985	A47			CHICK	116.				
1	4	1985	A48			CHICK	116.				
1	4	1985	A49			CHICK	116.				
1	4	1985	B01	FD2	9.8						
1	4	1985	B02	FD2	9.8						
1	4	1985	B03	FD2	9.8						
1	4	1985	B04	FD2	9.8						
1	4	1985	B05	FD2	9.8						
1	4	1985	B06	FD2	9.8						
1	4	1985	B07	FD2	13.36						
1	4	1985	B08	FD2	13.36						
1	4	1985	B09	FD2	13.36						
1	4	1985	B10	FD2	13.36						
1	4	1985	B11	FD2	13.36						
1	4	1985	B13	FD2	6.68						
1	4	1985	B14	FD2	3.06						
1	4	1985	B15	FD2	8.06						
1	4	1985	B16	FD2	8.06						
1	4	1985	B18	FD2	8.06						
1	4	1985	B19	FD2	8.06						
1	4	1985	B20	FD2	8.06						
2	4	1985	A32	FD1	69.						
2	4	1985	A33	FD1	76.						
2	4	1985	A35	FD1	69.						
2	4	1985	A36	FD1	76.						
2	4	1985	A37	FD1	69.						
2	4	1985	A41	FD1	69.						
2	4	1985	A43	FD1	69.						
2	4	1985	A48	FD1	69.						
2	4	1985	A49	FD1	76.						
3	4	1985	A29					TMP	12.		
3	4	1985	A30			CHICK	116.	TMP	12.		
3	4	1985	A31			CHICK	116.				
3	4	1985	A32	FD1	69.	CHICK	116.				
3	4	1985	A33	FD1	76.	CHICK	116.	TMP	12.		
3	4	1985	A35	FD1	69.						
3	4	1985	A36	FD1	76.	CHICK	116.	TMP	12.		
3	4	1985	A37	FD1	69.						
3	4	1985	A38					TMP	12.		
3	4	1985	A39			CHICK	116.				
3	4	1985	A40			CHICK	116.	TMP	12.		

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
3	4	1985	A41	FD1	69.	CHICK	116.				
3	4	1985	A43	FD1	69.						
3	4	1985	A44			CHICK	116.				
3	4	1985	A46					TMP	12.		
3	4	1985	A47			CHICK	116.	TMP	12.		
3	4	1985	A48	FD1	69.	CHICK	116.				
3	4	1985	A49	FD1	76.	CHICK	116.	TMP	12.		
3	4	1985	B01	FD3	12.94						
3	4	1985	B02	FD3	12.94						
3	4	1985	B03	FD3	12.94						
3	4	1985	B04	FD3	12.94						
3	4	1985	B05	FD3	12.94						
3	4	1985	B06	FD3	12.94						
3	4	1985	B07	FD3	17.72						
3	4	1985	B08	FD3	17.72						
3	4	1985	B09	FD3	17.72						
3	4	1985	B10	FD3	17.72						
3	4	1985	B11	FD3	17.72						
3	4	1985	B13	FD3	17.72						
3	4	1985	B14	FD3	21.05						
3	4	1985	B15	FD3	21.05						
3	4	1985	B16	FD3	21.05						
3	4	1985	B18	FD3	21.05						
3	4	1985	B19	FD3	21.05						
3	4	1985	B20	FD3	21.05						
4	4	1985	B01	FD3	12.94						
4	4	1985	B02	FD3	12.94						
4	4	1985	B03	FD3	12.94						
4	4	1985	B04	FD3	12.94						
4	4	1985	B05	FD3	12.94						
4	4	1985	B06	FD3	12.94						
4	4	1985	B07	FD3	17.72						
4	4	1985	B08	FD3	17.72						
4	4	1985	B09	FD3	17.72						
4	4	1985	B10	FD3	17.72						
4	4	1985	B11	FD3	17.72						
4	4	1985	B13	FD3	17.72						
4	4	1985	B14	FD3	21.05						
4	4	1985	B15	FD3	21.05						
4	4	1985	B16	FD3	21.05						
4	4	1985	B18	FD3	21.05						
4	4	1985	B19	FD3	21.05						
4	4	1985	B20	FD3	21.05						
5	4	1985	B01	FD3	12.94						
5	4	1985	B02	FD3	12.94						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
5	4	1985	B03	FD3	12.94						
5	4	1985	B04	FD3	12.94						
5	4	1985	B05	FD3	12.94						
5	4	1985	B06	FD3	12.94						
5	4	1985	B07	FD3	17.72						
5	4	1985	B08	FD3	17.72						
5	4	1985	B09	FD3	17.72						
5	4	1985	B10	FD3	17.72						
5	4	1985	B11	FD3	17.72						
5	4	1985	B13	FD3	17.72						
5	4	1985	B14	FD3	21.05						
5	4	1985	B15	FD3	21.05						
5	4	1985	B16	FD3	21.05						
5	4	1985	B18	FD3	21.05						
5	4	1985	B19	FD3	21.05						
5	4	1985	B20	FD3	21.05						
6	4	1985	B01	FD3	12.94						
6	4	1985	B02	FD3	12.94						
6	4	1985	B03	FD3	12.94						
6	4	1985	B04	FD3	12.94						
6	4	1985	B05	FD3	12.94						
6	4	1985	B06	FD3	12.94						
6	4	1985	B07	FD3	17.72						
6	4	1985	B08	FD3	17.72						
6	4	1985	B09	FD3	17.72						
6	4	1985	B10	FD3	17.72						
6	4	1985	B11	FD3	17.72						
6	4	1985	B13	FD3	17.72						
6	4	1985	B14	FD3	21.05						
6	4	1985	B15	FD3	21.05						
6	4	1985	B16	FD3	21.05						
6	4	1985	B18	FD3	21.05						
6	4	1985	B19	FD3	21.05						
6	4	1985	B20	FD3	21.05						
8	4	1985	A30			CHICK	116.				
8	4	1985	A31			CHICK	116.				
8	4	1985	A32	FD1	69.	CHICK	116.				
8	4	1985	A33	FD1	76.	CHICK	116.				
8	4	1985	A35	FD1	69.						
8	4	1985	A36	FD1	76.	CHICK	116.				
8	4	1985	A37	FD1	69.						
8	4	1985	A39			CHICK	116.				
8	4	1985	A40			CHICK	116.				
8	4	1985	A41	FD1	69.	CHICK	116.				
8	4	1985	A43	FD1	69.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II. Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
8	4	1985	A44			CHICK	116.				
8	4	1985	A47			CHICK	116.				
8	4	1985	A48	FD1	69.	CHICK	116.				
8	4	1985	A49	FD1	76.	CHICK	116.				
8	4	1985	B01	FD3	12.94						
8	4	1985	B02	FD3	12.94						
8	4	1985	B03	FD3	12.94						
8	4	1985	B04	FD3	12.94						
8	4	1985	B05	FD3	12.94						
8	4	1985	B06	FD3	12.94						
8	4	1985	B07	FD3	17.72						
8	4	1985	B08	FD3	17.72						
8	4	1985	B09	FD3	17.72						
8	4	1985	B10	FD3	17.72						
8	4	1985	B11	FD3	17.72						
8	4	1985	B13	FD3	17.72						
8	4	1985	B14	FD3	21.05						
8	4	1985	B15	FD3	21.05						
8	4	1985	B16	FD3	21.05						
8	4	1985	B18	FD3	21.05						
8	4	1985	B19	FD3	21.05						
8	4	1985	B20	FD3	21.05						
9	4	1985	A32	FD1	69.						
9	4	1985	A33	FD1	76.						
9	4	1985	A35	FD1	69.						
9	4	1985	A36	FD1	76.						
9	4	1985	A37	FD1	69.						
9	4	1985	A41	FD1	69.						
9	4	1985	A43	FD1	69.						
9	4	1985	A48	FD1	69.						
9	4	1985	A49	FD1	76.						
9	4	1985	B01	FD3	12.94						
9	4	1985	B02	FD3	12.94						
9	4	1985	B03	FD3	12.94						
9	4	1985	B04	FD3	12.94						
9	4	1985	B05	FD3	12.94						
9	4	1985	B06	FD3	12.94						
9	4	1985	B07	FD3	17.72						
9	4	1985	B08	FD3	17.72						
9	4	1985	B09	FD3	17.72						
9	4	1985	B10	FD3	17.72						
9	4	1985	B11	FD3	17.72						
9	4	1985	B13	FD3	17.72						
9	4	1985	B14	FD3	21.05						
9	4	1985	B15	FD3	21.05						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
9	4	1985	B16	FD3	21.05						
9	4	1985	B18	FD3	21.05						
9	4	1985	B19	FD3	21.05						
9	4	1985	B20	FD3	21.05						
10	4	1985	A29					TMP	12.		
10	4	1985	A30			CHICK	116.	TMP	12.		
10	4	1985	A31			CHICK	116.				
10	4	1985	A32	FD1	69.	CHICK	116.				
10	4	1985	A33	FD1	76.	CHICK	116.	TMP	12.		
10	4	1985	A35	FD1	69.						
10	4	1985	A36	FD1	76.	CHICK	116.	TMP	12.		
10	4	1985	A37	FD1	69.						
10	4	1985	A38					TMP	12.		
10	4	1985	A39			CHICK	116.				
10	4	1985	A40			CHICK	116.	TMP	12.		
10	4	1985	A41	FD1	69.	CHICK	116.				
10	4	1985	A43	FD1	69.						
10	4	1985	A44			CHICK	116.				
10	4	1985	A45					TMP	12.		
10	4	1985	A47			CHICK	116.	TMP	12.		
10	4	1985	A48	FD1	69.	CHICK	116.				
10	4	1985	A49	FD1	76.	CHICK	116.	TMP	12.		
10	4	1985	B01	FD3	12.94						
10	4	1985	B02	FD3	12.94						
10	4	1985	B03	FD3	12.94						
10	4	1985	B04	FD3	12.94						
10	4	1985	B05	FD3	12.94						
10	4	1985	B06	FD3	12.94						
10	4	1985	B07	FD3	17.72						
10	4	1985	B08	FD3	17.72						
10	4	1985	B09	FD3	17.72						
10	4	1985	B10	FD3	17.72						
10	4	1985	B11	FD3	17.72						
10	4	1985	B13	FD3	17.72						
10	4	1985	B14	FD3	21.05						
10	4	1985	B15	FD3	21.05						
10	4	1985	B16	FD3	21.05						
10	4	1985	B18	FD3	21.05						
10	4	1985	B19	FD3	21.05						
10	4	1985	B20	FD3	21.05						
11	4	1985	A32	FD1	69.						
11	4	1985	A33	FD1	76.						
11	4	1985	A35	FD1	69.						
11	4	1985	A36	FD1	76.						
11	4	1985	A37	FD1	69.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	FOND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
11	4	1985	A41	FD1	69.						
11	4	1985	A43	FD1	69.						
11	4	1985	A43	FD1	69.						
11	4	1985	A49	FD1	76.						
11	4	1985	B01	FD3	12.94						
11	4	1985	B02	FD3	12.94						
11	4	1985	B03	FD3	12.94						
11	4	1985	B04	FD3	12.94						
11	4	1985	B05	FD3	12.94						
11	4	1985	B06	FD3	12.94						
11	4	1985	B07	FD3	17.72						
11	4	1985	B08	FD3	17.72						
11	4	1985	B09	FD3	17.72						
11	4	1985	B10	FD3	17.72						
11	4	1985	B11	FD3	17.72						
11	4	1985	B13	FD3	17.72						
11	4	1985	B14	FD3	21.05						
11	4	1985	B15	FD3	21.05						
11	4	1985	B16	FD3	21.05						
11	4	1985	B18	FD3	21.05						
11	4	1985	B19	FD3	21.05						
11	4	1985	B20	FD3	21.05						
12	4	1985	B01	FD3	12.94						
12	4	1985	B02	FD3	12.94						
12	4	1985	B03	FD3	12.94						
12	4	1985	B04	FD3	12.94						
12	4	1985	B05	FD3	12.94						
12	4	1985	B06	FD3	12.94						
12	4	1985	B07	FD3	17.72						
12	4	1985	B08	FD3	17.72						
12	4	1985	B09	FD3	17.72						
12	4	1985	B10	FD3	17.72						
12	4	1985	B11	FD3	17.72						
12	4	1985	B13	FD3	17.72						
12	4	1985	B14	FD3	21.05						
12	4	1985	B15	FD3	21.05						
12	4	1985	B16	FD3	21.05						
12	4	1985	B18	FD3	21.05						
12	4	1985	B19	FD3	21.05						
12	4	1985	B20	FD3	21.05						
13	4	1985	A32	FD1	69.						
13	4	1985	A33	FD1	76.						
13	4	1985	A35	FD1	69.						
13	4	1985	A36	FD1	76.						
13	4	1985	A37	FD1	69.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
13	4	1985	A41	FD1	69.						
13	4	1985	A43	FD1	69.						
13	4	1985	A48	FD1	69.						
13	4	1985	A49	FD1	76.						
13	4	1985	B01	FD3	12.94						
13	4	1985	B02	FD3	12.94						
13	4	1985	B03	FD3	12.94						
13	4	1985	B04	FD3	12.94						
13	4	1985	B05	FD3	12.94						
13	4	1985	B06	FD3	12.94						
13	4	1985	B07	FD3	17.72						
13	4	1985	B08	FD3	17.72						
13	4	1985	B09	FD3	17.72						
13	4	1985	B10	FD3	17.72						
13	4	1985	B11	FD3	17.72						
13	4	1985	B13	FD3	17.72						
13	4	1985	B14	FD3	21.05						
13	4	1985	B15	FD3	21.05						
13	4	1985	B16	FD3	21.05						
13	4	1985	B18	FD3	21.05						
13	4	1985	B19	FD3	21.05						
13	4	1985	B20	FD3	21.05						
15	4	1985	A30			CHICK	116.				
15	4	1985	A31			CHICK	116.				
15	4	1985	A32	FD1	69.	CHICK	116.				
15	4	1985	A33	FM1	76.	CHICK	116.				
15	4	1985	A35	FD1	69.						
15	4	1985	A36	FD1	76.	CHICK	116.				
15	4	1985	A37	FD1	69.						
15	4	1985	A39			CHICK	116.				
15	4	1985	A40			CHICK	116.				
15	4	1985	A41	FD1	69.	CHICK	116.				
15	4	1985	A43	FD1	69.						
15	4	1985	A44			CHICK	116.				
15	4	1985	A47	FD1		CHICK	116.				
15	4	1985	A48	FD1	69.	CHICK	116.				
15	4	1985	A49	FD1	76.	CHICK	116.				
15	4	1985	B01	FD3	12.94						
15	4	1985	B02	FD3	12.94						
15	4	1985	B03	FD3	12.94						
15	4	1985	B04	FD3	12.94						
15	4	1985	B05	FD3	12.94						
15	4	1985	B06	FD3	12.94						
15	4	1985	B07	FD3	17.72						
15	4	1985	B08	FD3	17.72						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
15	4	1985	B09	FD3	17.72						
15	4	1985	B10	FD3	17.72						
15	4	1985	B11	FD3	17.72						
15	4	1985	B13	FD3	17.72						
15	4	1985	B14	FD3	21.05						
15	4	1985	B15	FD3	21.05						
15	4	1985	B16	FD3	21.05						
15	4	1985	B18	FD3	21.05						
15	4	1985	B19	FD3	21.05						
15	4	1985	B20	FD3	21.05						
16	4	1985	A32	FD1	69.						
16	4	1985	A33	FD1	76.						
16	4	1985	A35	FD1	69.						
16	4	1985	A36	FD1	76.						
16	4	1985	A37	FD1	69.						
16	4	1985	A41	FD1	69.						
16	4	1985	A43	FD1	69.						
16	4	1985	A48	FD1	69.						
16	4	1985	A49	FD1	76.						
16	4	1985	B01	FD3	12.94						
16	4	1985	B02	FD3	12.94						
16	4	1985	B03	FD3	12.94						
16	4	1985	B04	FD3	12.94						
16	4	1985	B05	FD3	12.94						
16	4	1985	B06	FD3	12.94						
16	4	1985	B07	FD3	17.72						
16	4	1985	B08	FD3	17.72						
16	4	1985	B09	FD3	17.72						
16	4	1985	B10	FD3	17.72						
16	4	1985	B11	FD3	17.72						
16	4	1985	B13	FD3	17.72						
16	4	1985	B14	FD3	21.05						
16	4	1985	B15	FD3	21.05						
16	4	1985	B16	FD3	21.05						
16	4	1985	B18	FD3	21.05						
16	4	1985	B19	FD3	21.05						
16	4	1985	B20	FD3	21.05						
17	4	1985	A29					TMP	12.		
17	4	1985	A30			CHICK	116.	TMP	12.		
17	4	1985	A31			CHICK	116.				
17	4	1985	A32	FD1	69.	CHICK	116.				
17	4	1985	A33	FD1	76.	CHICK	116.	TMP	12.		
17	4	1985	A35	FD1	69.						
17	4	1985	A36	FD1	76.	CHICK	116.	TMP	12.		
17	4	1985	A37	FD1	69.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
17	4	1985	A38					TMP	12.		
17	4	1985	A39			CHICK	116.				
17	4	1985	A40			CHICK	116.	TMP	12.		
17	4	1985	A41	FD1	69.	CHICK	116.				
17	4	1985	A43	FD1	69.						
17	4	1985	A44			CHICK	116.				
17	4	1985	A46	FD1				TMP	12.		
17	4	1985	A47			CHICK	116.	TMP	12.		
17	4	1985	A48	FD1	69.	CHICK	116.				
17	4	1985	A49	FD1	76.	CHICK	116.	TMP	12.		
17	4	1985	B01	FD3	12.94						
17	4	1985	B02	FD3	12.94						
17	4	1985	B03	FD3	12.94						
17	4	1985	B04	FD3	12.94						
17	4	1985	B05	FD3	12.94						
17	4	1985	B06	FD3	12.94						
17	4	1985	B07	FD3	17.72						
17	4	1985	B08	FD3	17.72						
17	4	1985	B09	FD3	17.72						
17	4	1985	B10	FD3	17.72						
17	4	1985	B11	FD3	17.72						
17	4	1985	B13	FD3	17.72						
17	4	1985	B14	FD3	21.05						
17	4	1985	B15	FD3	21.05						
17	4	1985	B16	FD3	21.05						
17	4	1985	B18	FD3	21.05						
17	4	1985	B19	FD3	21.05						
17	4	1985	B20	FD3	21.05						
18	4	1985	A32	FD1	69.						
18	4	1985	A33	FD1	76.						
18	4	1985	A35	FD1	69.						
18	4	1985	A36	FD1	76.						
18	4	1985	A37	FD1	69.						
18	4	1985	A41	FD1	69.						
18	4	1985	A43	FD1	69.						
18	4	1985	A48	FD1	69.						
18	4	1985	A49	FD1	76.						
18	4	1985	P01	FD3	12.94						
18	4	1985	B02	FD3	12.94						
18	4	1985	B03	FD3	12.94						
18	4	1985	B04	FD3	12.94						
18	4	1985	B05	FD3	12.94						
18	4	1985	B06	FD3	12.94						
18	4	1985	B07	FD3	17.72						
18	4	1985	B08	FD3	17.72						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
18	4	1985	B09	FD3	17.72						
18	4	1985	B10	FD3	17.72						
18	4	1985	B11	FD3	17.72						
18	4	1985	B13	FD3	17.72						
18	4	1985	B14	FD3	21.05						
18	4	1985	B15	FD3	21.05						
18	4	1985	B16	FD3	21.05						
18	4	1985	B18	FD3	21.05						
18	4	1985	B19	FD3	21.05						
18	4	1985	B20	FD3	21.05						
19	4	1985	A30			CHICK	116.				
19	4	1985	A31			CHICK	116.				
19	4	1985	A32	FD1	69.	CHICK	116.				
19	4	1985	A33	FD1	76.	CHICK	116.				
19	4	1985	A35	FD1	69.						
19	4	1985	A36	FD1	76.	CHICK	116.				
19	4	1985	A37	FD1	69.						
19	4	1985	A39			CHICK	116.				
19	4	1985	A40			CHICK	116.				
19	4	1985	A41	FD1	69.	CHICK	116.				
19	4	1985	A43	FD1	69.						
19	4	1985	A44			CHICK	116.				
19	4	1985	A47			CHICK	116.				
19	4	1985	A48	FD1	69.	CHICK	116.				
19	4	1985	A49	FD1	76.	CHICK	116.				
19	4	1985	B01	FD3	12.94						
19	4	1985	B02	FD3	12.94						
19	4	1985	B03	FD3	12.94						
19	4	1985	B04	FD3	12.94						
19	4	1985	B05	FD3	12.94						
19	4	1985	B06	FD3	12.94						
19	4	1985	B07	FD3	17.72						
19	4	1985	B08	FD3	17.72						
19	4	1985	B09	FD3	17.72						
19	4	1985	B10	FD3	17.72						
19	4	1985	B11	FD3	17.72						
19	4	1985	B13	FD3	17.72						
19	4	1985	B14	FD3	21.05						
19	4	1985	B15	FD3	21.05						
19	4	1985	B16	FD3	21.05						
19	4	1985	B18	FD3	21.05						
19	4	1985	B19	FD3	21.05						
19	4	1985	B20	FD3	21.05						
20	4	1985	B01	FD3	12.94						
20	4	1985	B02	FD3	12.94						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
20	4	1985	B03	FD3	12.94						
20	4	1985	B04	FD3	12.94						
20	4	1985	B05	FD3	12.94						
20	4	1985	B06	FD3	12.94						
20	4	1985	B07	FD3	17.72						
20	4	1985	B08	FD3	17.72						
20	4	1985	B09	FD3	17.72						
20	4	1985	B10	FD3	17.72						
20	4	1985	B11	FD3	17.72						
20	4	1985	B13	FD3	17.72						
20	4	1985	B14	FD3	21.05						
20	4	1985	B15	FD3	21.05						
20	4	1985	B16	FD3	21.05						
20	4	1985	B18	FD3	21.05						
20	4	1985	B19	FD3	21.05						
20	4	1985	B20	FD3	21.05						
22	4	1985	B01	FD3	12.94						
22	4	1985	B02	FD3	12.94						
22	4	1985	B03	FD3	12.94						
22	4	1985	B04	FD3	12.94						
22	4	1985	B05	FD3	12.94						
22	4	1985	B06	FD3	12.94						
22	4	1985	B07	FD3	17.72						
22	4	1985	B08	FD3	17.72						
22	4	1985	B09	FD3	17.72						
22	4	1985	B10	FD3	17.72						
22	4	1985	B11	FD3	17.72						
22	4	1985	B13	FD3	17.72						
22	4	1985	B14	FD3	21.05						
22	4	1985	B15	FD3	21.05						
22	4	1985	B16	FD3	21.05						
22	4	1985	B18	FD3	21.05						
22	4	1985	B19	FD3	21.05						
22	4	1985	B20	FD3	21.05						
23	4	1985	B01	FD3	12.94						
23	4	1985	B02	FD3	12.94						
23	4	1985	B03	FD3	12.94						
23	4	1985	B04	FD3	12.94						
23	4	1985	B05	FD3	12.94						
23	4	1985	B06	FD3	12.94						
23	4	1985	B07	FD3	17.72						
23	4	1985	B08	FD3	17.72						
23	4	1985	B09	FD3	17.72						
23	4	1985	B10	FD3	17.72						
23	4	1985	B11	FD3	17.72						

**Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season**

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
23	4	1985	B13	FD3	17.72						
23	4	1985	B14	FD3	21.05						
23	4	1985	B15	FD3	21.05						
23	4	1985	B16	FD3	21.05						
23	4	1985	B18	FD3	21.05						
23	4	1985	B19	FD3	21.05						
23	4	1985	B20	FD3	21.05						
24	4	1985	B01	FD3	12.94						
24	4	1985	B02	FD3	12.94						
24	4	1985	B03	FD3	12.94						
24	4	1985	B04	FD3	12.94						
24	4	1985	B05	FD3	12.94						
24	4	1985	B06	FD3	12.94						
24	4	1985	B07	FD3	17.72						
24	4	1985	B08	FD3	17.72						
24	4	1985	B09	FD3	17.72						
24	4	1985	B10	FD3	17.72						
24	4	1985	B11	FD3	17.72						
24	4	1985	B13	FD3	17.72						
24	4	1985	B14	FD3	21.05						
24	4	1985	B15	FD3	21.05						
24	4	1985	B16	FD3	21.05						
24	4	1985	B18	FD3	21.05						
24	4	1985	B19	FD3	21.05						
24	4	1985	B20	FD3	21.05						
25	4	1985	B01	FD3	12.94						
25	4	1985	B02	FD3	12.94						
25	4	1985	B03	FD3	12.94						
25	4	1985	B04	FD3	12.94						
25	4	1985	B05	FD3	12.94						
25	4	1985	B06	FD3	12.94						
25	4	1985	B07	FD3	17.72						
25	4	1985	B08	FD3	17.72						
25	4	1985	B09	FD3	17.72						
25	4	1985	B10	FD3	17.72						
25	4	1985	B11	FD3	17.72						
25	4	1985	B13	FD3	17.72						
25	4	1985	B14	FD3	21.05						
25	4	1985	B15	FD3	21.05						
25	4	1985	B16	FD3	21.05						
25	4	1985	B18	FD3	21.05						
25	4	1985	B19	FD3	21.05						
25	4	1985	B20	FD3	21.05						
26	4	1985	B01	FD3	12.94						
26	4	1985	B02	FD3	12.94						

**Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season**

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. TYPE	LIME QUANTITY	LIME TYPE
26	4	1985	B03	FD3	12.94						
26	4	1985	B04	FD3	12.94						
26	4	1985	B05	FD3	12.94						
26	4	1985	B06	FD3	12.94						
26	4	1985	B07	FD3	17.72						
26	4	1985	B08	FD3	17.72						
26	4	1985	B09	FD3	17.72						
26	4	1985	B10	FD3	17.72						
26	4	1985	B11	FD3	17.72						
26	4	1985	B13	FD3	17.72						
26	4	1985	B14	FD3	21.05						
26	4	1985	B15	FD3	21.05						
26	4	1985	B16	FD3	21.05						
26	4	1985	B18	FD3	21.05						
26	4	1985	B19	FD3	21.05						
26	4	1985	B20	FD3	21.05						
27	4	1985	B01	FD3	12.94						
27	4	1985	B02	FD3	12.94						
27	4	1985	B03	FD3	12.94						
27	4	1985	B04	FD3	12.94						
27	4	1985	B05	FD3	12.94						
27	4	1985	B06	FD3	12.94						
27	4	1985	B07	FD3	17.72						
27	4	1985	B08	FD3	17.72						
27	4	1985	B09	FD3	17.72						
27	4	1985	B10	FD3	17.72						
27	4	1985	B11	FD3	17.72						
27	4	1985	B13	FD3	17.72						
27	4	1985	B14	FD3	21.05						
27	4	1985	B15	FD3	21.05						
27	4	1985	B16	FD3	21.05						
27	4	1985	B18	FD3	21.05						
27	4	1985	B19	FD3	21.05						
27	4	1985	B20	FD3	21.05						
29	4	1985	B01	FD3	12.94						
29	4	1985	B02	FD3	12.94						
29	4	1985	B03	FD3	12.94						
29	4	1985	B04	FD3	12.94						
29	4	1985	B05	FD3	12.94						
29	4	1985	B06	FD3	12.94						
29	4	1985	B07	FD3	17.72						
29	4	1985	B08	FD3	17.72						
29	4	1985	B09	FD3	17.72						
29	4	1985	B10	FD3	17.72						
29	4	1985	B11	FD3	17.72						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED	FEED	MANURE	MANURE	INORGAN.	INORGAN.	LIME	LIME
				TYPE	QUANTITY	TYPE	QUANTITY	TYPE	QUANTITY	TYPE	QUANTITY
29	4	1985	B13	FD3	17.72						
29	4	1985	B14	FD3	21.05						
29	4	1985	B15	FD3	21.05						
29	4	1985	B16	FD3	21.05						
29	4	1985	B18	FD3	21.05						
29	4	1985	B19	FD3	21.05						
29	4	1985	B20	FD3	21.05						
30	4	1985	B01	FD3	12.94						
30	4	1985	B02	FD3	12.94						
30	4	1985	B03	FD3	12.94						
30	4	1985	B04	FD3	12.94						
30	4	1985	B05	FD3	12.94						
30	4	1985	B06	FD3	12.94						
30	4	1985	B07	FD3	17.72						
30	4	1985	B08	FD3	17.72						
30	4	1985	B09	FD3	17.72						
30	4	1985	B10	FD3	17.72						
30	4	1985	B11	FD3	17.72						
30	4	1985	B13	FD3	17.72						
30	4	1985	B14	FD3	21.05						
30	4	1985	B15	FD3	21.05						
30	4	1985	B16	FD3	21.05						
30	4	1985	B18	FD3	21.05						
30	4	1985	B19	FD3	21.05						
30	4	1985	B20	FD3	21.05						
1	5	1985	B01	FD3	12.94						
1	5	1985	B02	FD3	12.94						
1	5	1985	B03	FD3	12.94						
1	5	1985	B04	FD3	12.94						
1	5	1985	B05	FD3	12.94						
1	5	1985	B06	FD3	12.94						
1	5	1985	B07	FD3	17.72						
1	5	1985	B08	FD3	17.72						
1	5	1985	B09	FD3	17.72						
1	5	1985	B10	FD3	17.72						
1	5	1985	B11	FD3	17.72						
1	5	1985	B13	FD3	17.72						
1	5	1985	B14	FD3	21.05						
1	5	1985	B15	FD3	21.05						
1	5	1985	B16	FD3	21.05						
1	5	1985	B18	FD3	21.05						
1	5	1985	B19	FD3	21.05						
1	5	1985	B20	FD3	21.05						
2	5	1985	B01	FD3	12.94						
2	5	1985	B02	FD3	12.94						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
2	5	1985	B03	FD3	12.94						
2	5	1985	B04	FD3	12.94						
2	5	1985	B05	FD3	12.94						
2	5	1985	B06	FD3	12.94						
2	5	1985	B07	FD3	17.72						
2	5	1985	B08	FD3	17.72						
2	5	1985	B09	FD3	17.72						
2	5	1985	B10	FD3	17.72						
2	5	1985	B11	FD3	17.72						
2	5	1985	B13	FD3	17.72						
2	5	1985	B14	FD3	21.05						
2	5	1985	B15	FD3	21.05						
2	5	1985	B16	FD3	21.05						
2	5	1985	B18	FD3	21.05						
2	5	1985	B19	FD3	21.05						
2	5	1985	B20	FD3	21.05						
3	5	1985	B01	FD3	12.94						
3	5	1985	B02	FD3	12.94						
3	5	1985	B03	FD3	12.94						
3	5	1985	B04	FD3	12.94						
3	5	1985	B05	FD3	12.94						
3	5	1985	B06	FD3	12.94						
3	5	1985	B07	FD3	17.72						
3	5	1985	B08	FD3	17.72						
3	5	1985	B09	FD3	17.72						
3	5	1985	B10	FD3	17.72						
3	5	1985	B11	FD3	17.72						
3	5	1985	B13	FD3	17.72						
3	5	1985	B14	FD3	21.05						
3	5	1985	B15	FD3	21.05						
3	5	1985	B16	FD3	21.05						
3	5	1985	B18	FD3	21.05						
3	5	1985	B19	FD3	21.05						
3	5	1985	B20	FD3	21.05						
4	5	1985	B01	FD3	12.94						
4	5	1985	B02	FD3	12.94						
4	5	1985	B03	FD3	12.94						
4	5	1985	B04	FD3	12.94						
4	5	1985	B05	FD3	12.94						
4	5	1985	B06	FD3	12.94						
4	5	1985	B07	FD3	17.72						
4	5	1985	B08	FD3	17.72						
4	5	1985	B09	FD3	17.72						
4	5	1985	B10	FD3	17.72						
4	5	1985	B11	FD3	17.72						

Table 10. Nutrient and Lime inputs. Iloilo, Philippines. Cycle II, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
4	5	1985	B13	FD3	17.72						
4	5	1985	B14	FD3	21.05						
4	5	1985	B15	FD3	21.05						
4	5	1985	B16	FD3	21.05						
4	5	1985	B18	FD3	21.05						
4	5	1985	B19	FD3	21.05						
4	5	1985	B20	FD3	21.05						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
25	6	1985	A29							CaC	2000.
25	6	1985	A31							CaC	2000.
25	6	1985	A32							CaC	2000.
25	6	1985	A33							CaC	2000.
25	6	1985	A34							CaC	2000.
25	6	1985	A35							CaC	2000.
25	6	1985	A36							CaC	2000.
25	6	1985	A37							CaC	2000.
26	6	1985	A30							CaC	2000.
26	6	1985	A38							CaC	2000.
26	6	1985	A39							CaC	2000.
26	6	1985	A40							CaC	2000.
26	6	1985	A41							CaC	2000.
26	6	1985	A42							CaC	2000.
26	6	1985	A43							CaC	2000.
26	6	1985	A44							CaC	2000.
26	6	1985	A47							CaC	2000.
26	6	1985	A48							CaC	2000.
26	6	1985	A49							CaC	2000.
27	6	1985	A29		CHICK		2000.				
27	6	1985	A30		CHICK		2000.				
27	6	1985	A31		CHICK		2000.				
27	6	1985	A32		CHICK		2000.				
27	6	1985	A33		CHICK		2000.				
27	6	1985	A34		CHICK		2000.				
27	6	1985	A35		CHICK		2000.				
28	6	1985	A36		CHICK		2000.				
29	6	1985	A37		CHICK		2000.				
29	6	1985	A38		CHICK		2000.				
29	6	1985	A39		CHICK		2000.				
29	6	1985	A40		CHICK		2000.				
29	6	1985	A41		CHICK		2000.				
29	6	1985	A42		CHICK		2000.				
29	6	1985	A43		CHICK		2000.				
29	6	1985	A44		CHICK		2000.				
29	6	1985	A45		CHICK		2000.		CaC		2000.
29	6	1985	A46		CHICK		2000.		CaC		2000.
29	6	1985	A47		CHICK		2000.				
29	6	1985	A48		CHICK		2000.				
29	6	1985	A49		CHICK		2000.				
3	7	1985	A29					TMP		50.	
3	7	1985	A30					TMP		50.	
3	7	1985	A31					TMP		50.	
3	7	1985	A32					TMP		50.	

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
3	7	1985	A33					TMP	50.		
3	7	1985	A34					TMP	50.		
3	7	1985	A35					TMP	50.		
3	7	1985	A36					TMP	50.		
3	7	1985	A37					TMP	50.		
3	7	1985	A38					TMP	50.		
3	7	1985	A39					TMP	50.		
3	7	1985	A40					TMP	50.		
3	7	1985	A41					TMP	50.		
3	7	1985	A42					TMP	50.		
3	7	1985	A43					TMP	50.		
3	7	1985	A44					TMP	50.		
3	7	1985	A45					TMP	50.		
3	7	1985	A46					TMP	50.		
3	7	1985	A47					TMP	50.		
3	7	1985	A48					TMP	50.		
3	7	1985	A49					TMP	50.		
10	7	1985	B01							CaC	2000.
10	7	1985	B02							CaC	2000.
10	7	1985	B03							CaC	2000.
10	7	1985	B04							CaC	2000.
10	7	1985	B05							CaC	2000.
10	7	1985	B06							CaC	2000.
11	7	1985	B07							CaC	2000.
11	7	1985	B08							CaC	2000.
11	7	1985	B09							CaC	2000.
11	7	1985	B10							CaC	2000.
11	7	1985	B11							CaC	2000.
11	7	1985	B14							CaC	2000.
11	7	1985	B15							CaC	2000.
11	7	1985	B16							CaC	2000.
12	7	1985	B13							CaC	2000.
12	7	1985	B18							CaC	2000.
16	7	1985	B19							CaC	2000.
16	7	1985	B20							CaC	2000.
17	7	1985	B18		CHICK		2000.				
17	7	1985	B19		CHICK		2000.				
17	7	1985	B20		CHICK		2000.				
18	7	1985	B10		CHICK		2000.				
18	7	1985	B11		CHICK		2000.				
18	7	1985	B13		CHICK		2000.				
18	7	1985	B14		CHICK		2000.				
18	7	1985	B15		CHICK		2000.				
18	7	1985	B16		CHICK		2000.				
24	7	1985	B01		CHICK		2000.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
24	7	1985	B02			CHICK	2000.				
24	7	1985	B03			CHICK	2000.				
24	7	1985	B04			CHICK	2000.				
24	7	1985	B05			CHICK	2000.				
24	7	1985	B06			CHICK	2000.				
24	7	1985	B07			CHICK	2000.				
24	7	1985	B08			CHICK	2000.				
24	7	1985	B09			CHICK	2000.				
31	7	1985	B01					TMP	50.		
31	7	1985	B02					TMP	50.		
31	7	1985	B03					TMP	50.		
31	7	1985	B04					TMP	50.		
31	7	1985	B05					TMP	50.		
31	7	1985	B06					TMP	50.		
31	7	1985	B07					TMP	50.		
31	7	1985	B08					TMP	50.		
31	7	1985	B09					TMP	50.		
31	7	1985	B10					TMP	50.		
31	7	1985	B11					TMP	50.		
31	7	1985	B13					TMP	50.		
31	7	1985	B14					TMP	50.		
31	7	1985	B15					TMP	50.		
31	7	1985	B16					TMP	50.		
31	7	1985	B18					TMP	50.		
31	7	1985	B19					TMP	50.		
31	7	1985	B20					TMP	50.		
30	8	1985	B01					TMP	50.		
30	8	1985	B02					TMP	50.		
30	8	1985	B03					TMP	50.		
30	8	1985	B04					TMP	50.		
30	8	1985	B05					TMP	50.		
30	8	1985	B06					TMP	50.		
30	8	1985	B07					TMP	50.		
30	8	1985	B08					TMP	50.		
30	8	1985	B09					TMP	50.		
30	8	1985	B10					TMP	50.		
30	8	1985	B11					TMP	50.		
30	8	1985	B13					TMP	50.		
30	8	1985	B14					TMP	50.		
30	8	1985	B15					TMP	50.		
30	8	1985	B16					TMP	50.		
30	8	1985	B18					TMP	50.		
30	8	1985	B19					TMP	50.		
30	8	1985	B20					TMP	50.		
16	9	1985	B01	FD1	7.2						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
16	9	1985	B02	FD1	7.2						
16	9	1985	B03	FD1	7.2						
16	9	1985	B04	FD1	7.2						
16	9	1985	B05	FD1	7.2						
16	9	1985	B06	FD1	7.2						
16	9	1985	B07	FD1	7.2						
16	9	1985	B08	FD1	7.2						
16	9	1985	B09	FD1	7.2						
16	9	1985	B10	FD1	7.2						
16	9	1985	B11	FD1	7.2						
16	9	1985	B13	FD1	7.2						
16	9	1985	B14	FD1	7.2						
16	9	1985	B15	FD1	7.2						
16	9	1985	B16	FD1	7.2						
16	9	1985	B18	FD1	7.2						
16	9	1985	B19	FD1	7.2						
16	9	1985	B20	FD1	7.2						
17	9	1985	B01	FD1	7.2						
17	9	1985	B02	FD1	7.2						
17	9	1985	B03	FD1	7.2						
17	9	1985	B04	FD1	7.2						
17	9	1985	B05	FD1	7.2						
17	9	1985	B06	FD1	7.2						
17	9	1985	B07	FD1	7.2						
17	9	1985	B08	FD1	7.2						
17	9	1985	B09	FD1	7.2						
17	9	1985	B10	FD1	7.2						
17	9	1985	B11	FD1	7.2						
17	9	1985	B13	FD1	7.2						
17	9	1985	B14	FD1	7.2						
17	9	1985	B15	FD1	7.2						
17	9	1985	B16	FD1	7.2						
17	9	1985	B18	FD1	7.2						
17	9	1985	B19	FD1	7.2						
17	9	1985	B20	FD1	7.2						
18	9	1985	B01	FD1	7.2						
18	9	1985	B02	FD1	7.2						
18	9	1985	B03	FD1	7.2						
18	9	1985	B04	FD1	7.2						
18	9	1985	B05	FD1	7.2						
18	9	1985	B06	FD1	7.2						
18	9	1985	B07	FD1	7.2						
18	9	1985	B08	FD1	7.2						
18	9	1985	B09	FD1	7.2						
18	9	1985	B10	FD1	7.2						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
18	9	1985	B11	FD1	7.2						
18	9	1985	B13	FD1	7.2						
18	9	1985	B14	FD1	7.2						
18	9	1985	B15	FD1	7.2						
18	9	1985	B16	FD1	7.2						
18	9	1985	B18	FD1	7.2						
18	9	1985	B19	FD1	7.2						
18	9	1985	B20	FD1	7.2						
19	9	1985	B01	FD1	7.2			TMP	50.		
19	9	1985	B02	FD1	7.2			TMP	50.		
19	9	1985	B03	FD1	7.2			TMP	50.		
19	9	1985	B04	FD1	7.2			TMP	50.		
19	9	1985	B05	FD1	7.2			TMP	50.		
19	9	1985	B06	FD1	7.2			TMP	50.		
19	9	1985	B07	FD1	7.2			TMP	50.		
19	9	1985	B08	FD1	7.2			TMP	50.		
19	9	1985	B09	FD1	7.2			TMP	50.		
19	9	1985	B10	FD1	7.2			TMP	50.		
19	9	1985	B11	FD1	7.2			TMP	50.		
19	9	1985	B13	FD1	7.2			TMP	50.		
19	9	1985	B14	FD1	7.2			TMP	50.		
19	9	1985	B15	FD1	7.2			TMP	50.		
19	9	1985	B16	FD1	7.2			TMP	50.		
19	9	1985	B18	FD1	7.2			TMP	50.		
19	9	1985	B19	FD1	7.2			TMP	50.		
19	9	1985	B20	FD1	7.2			TMP	50.		
20	9	1985	B01	FD2	7.2						
20	9	1985	B02	FD3	7.2						
20	9	1985	B03	FD3	7.2						
20	9	1985	B04	FD3	7.2						
20	9	1985	B05	FD3	7.2						
20	9	1985	B06	FD3	7.2						
20	9	1985	B17	FD3	7.2						
20	9	1985	B08	FD3	7.2						
20	9	1985	B09	FD3	7.2						
20	9	1985	B10	FD3	7.2						
20	9	1985	B11	FD3	7.2						
20	9	1985	B13	FD3	7.2						
20	9	1985	B14	FD3	7.2						
20	9	1985	B15	FD3	7.2						
20	9	1985	B16	FD3	7.2						
20	9	1985	B18	FD3	7.2						
20	9	1985	B19	FD3	7.2						
20	9	1985	B20	FD3	7.2						
21	9	1985	B01	FD3	7.2						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
21	9	1985	B02	FD3	7.2						
21	9	1985	B03	FD3	7.2						
21	9	1985	B04	FD3	7.2						
21	9	1985	B05	FD3	7.2						
21	9	1985	B06	FD3	7.2						
21	9	1985	B07	FD3	7.2						
21	9	1985	B08	FD3	7.2						
21	9	1985	B09	FD3	7.2						
21	9	1985	B10	FD3	7.2						
21	9	1985	B11	FD3	7.2						
21	9	1985	B13	FD3	7.2						
21	9	1985	B14	FD3	7.2						
21	9	1985	B15	FD3	7.2						
21	9	1985	B16	FD3	7.2						
21	9	1985	B18	FD3	7.2						
21	9	1985	B19	FD3	7.2						
21	9	1985	B20	FD3	7.2						
23	9	1985	B01	FD1	7.2						
23	9	1985	B02	FD1	7.2						
23	9	1985	B03	FD1	7.2						
23	9	1985	B04	FD1	7.2						
23	9	1985	B05	FD1	7.2						
23	9	1985	B06	FD1	7.2						
23	9	1985	B07	FD1	7.2						
23	9	1985	B08	FD1	7.2						
23	9	1985	B09	FD1	7.2						
23	9	1985	B10	FD1	7.2						
23	9	1985	B11	FD1	7.2						
23	9	1985	B13	FD1	7.2						
23	9	1985	B14	FD1	7.2						
23	9	1985	B15	FD1	7.2						
23	9	1985	B16	FD1	7.2						
23	9	1985	B18	FD1	7.2						
23	9	1985	B19	FD1	7.2						
23	9	1985	B20	FD1	7.2						
24	9	1985	B01	FD1	7.2						
24	9	1985	B02	FD1	7.2						
24	9	1985	B03	FD1	7.2						
24	9	1985	B04	FD1	7.2						
24	9	1985	B05	FD1	7.2						
24	9	1985	B06	FD1	7.2						
24	9	1985	B07	FD1	7.2						
24	9	1985	B08	FD1	7.2						
24	9	1985	B09	FD1	7.2						
24	9	1985	B10	FD1	7.2						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
24	9	1985	B11	FD1	7.2						
24	9	1985	B13	FD1	7.2						
24	9	1985	B14	FD1	7.2						
24	9	1985	B15	FD1	7.2						
24	9	1985	B16	FD1	7.2						
24	9	1985	B18	FD1	7.2						
24	9	1985	B19	FD1	7.2						
24	9	1985	B20	FD1	7.2						
25	9	1985	B01	FD1	7.2						
25	9	1985	B02	FD1	7.2						
25	9	1985	B03	FD1	7.2						
25	9	1985	B04	FD1	7.2						
25	9	1985	B05	FD1	7.2						
25	9	1985	B06	FD1	7.2						
25	9	1985	B07	FD1	7.2						
25	9	1985	B08	FD1	7.2						
25	9	1985	B09	FD1	7.2						
25	9	1985	B10	FD1	7.2						
25	9	1985	B11	FD1	7.2						
25	9	1985	B13	FD1	7.2						
25	9	1985	B14	FD1	7.2						
25	9	1985	B15	FD1	7.2						
25	9	1985	B16	FD1	7.2						
25	9	1985	B18	FD1	7.2						
25	9	1985	B19	FD1	7.2						
25	9	1985	B20	FD1	7.2						
26	9	1985	B01	FD1	7.2			TMP	50.		
26	9	1985	B02	FD1	7.2			TMP	50.		
26	9	1985	B03	FD1	7.2			TMP	50.		
26	9	1985	B04	FD1	7.2			TMP	50.		
26	9	1985	B05	FD1	7.2			TMP	50.		
26	9	1985	B06	FD1	7.2			TMP	50.		
26	9	1985	B07	FD1	7.2			TMP	50.		
26	9	1985	B08	FD1	7.2			TMP	50.		
26	9	1985	B09	FD1	7.2			TMP	50.		
26	9	1985	B10	FD1	7.2			TMP	50.		
26	9	1985	B11	FD1	7.2			TMP	50.		
26	9	1985	B13	FD1	7.2			TMP	50.		
26	9	1985	B14	FD1	7.2			TMP	50.		
26	9	1985	B15	FD1	7.2			TMP	50.		
26	9	1985	B16	FD1	7.2			TMP	50.		
26	9	1985	B18	FD1	7.2			TMP	50.		
26	9	1985	B19	FD1	7.2			TMP	50.		
26	9	1985	B20	FD1	7.2			TMP	50.		
27	9	1985	B01	FD1	12.53						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
27	9	1985	B02	FD1	12.53						
27	9	1985	B03	FD1	12.53						
27	9	1985	B04	FD1	12.53						
27	9	1985	B05	FD1	12.53						
27	9	1985	B06	FD1	12.53						
27	9	1985	B07	FD1	12.53						
27	9	1985	B08	FD1	12.53						
27	9	1985	B09	FD1	12.53						
27	9	1985	B10	FD1	12.53						
27	9	1985	B11	FD1	12.53						
27	9	1985	B13	FD1	12.53						
27	9	1985	B14	FD1	12.53						
27	9	1985	B15	FD1	12.53						
27	9	1985	B16	FD1	12.53						
27	9	1985	B18	FD1	12.53						
27	9	1985	B19	FD1	12.53						
27	9	1985	B20	FD1	12.53						
28	9	1985	B01	FD1	12.53						
28	9	1985	B02	FD1	12.53						
28	9	1985	B03	FD1	12.53						
28	9	1985	B04	FD1	12.53						
28	9	1985	B05	FD1	12.53						
28	9	1985	B06	FD1	12.53						
28	9	1985	B07	FD1	12.53						
28	9	1985	B08	FD1	12.53						
28	9	1985	B09	FD1	12.53						
28	9	1985	B10	FD1	12.53						
28	9	1985	B11	FD1	12.53						
28	9	1985	B13	FD1	12.53						
28	9	1985	B14	FD1	12.53						
28	9	1985	B15	FD1	12.53						
28	9	1985	B16	FD1	12.53						
28	9	1985	B18	FD1	12.53						
28	9	1985	B19	FD1	12.53						
28	9	1985	B20	FD1	12.53						
30	9	1985	B01	FD1	12.53						
30	9	1985	B02	FD1	12.53						
30	9	1985	B03	FD1	12.53						
30	9	1985	B04	FD1	12.53						
30	9	1985	B05	FD1	12.53						
30	9	1985	B06	FD1	12.53						
30	9	1985	B07	FD1	12.53						
30	9	1985	B08	FD1	12.53						
30	9	1985	B09	FD1	12.53						
30	9	1985	B10	FD1	12.53						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
30	9	1985	B11	FD1	12.53						
30	9	1985	B13	FD1	12.53						
30	9	1985	B14	FD1	12.53						
30	9	1985	B15	FD1	12.53						
30	9	1985	B16	FD1	12.53						
30	9	1985	B18	FD1	12.53						
30	9	1985	B19	FD1	12.53						
30	9	1985	B20	FD1	12.53						
1	10	1985	B01	FD1	12.53						
1	10	1985	B02	FD1	12.53						
1	10	1985	B03	FD1	12.53						
1	10	1985	B04	FD1	12.53						
1	10	1985	B05	FD1	12.53						
1	10	1985	B06	FD1	12.53						
1	10	1985	B07	FD1	12.53						
1	10	1985	B08	FD1	12.53						
1	10	1985	B09	FD1	12.53						
1	10	1985	B10	FD1	12.53						
1	10	1985	B11	FD1	12.53						
1	10	1985	B13	FD1	12.53						
1	10	1985	B14	FD1	12.53						
1	10	1985	B15	FD1	12.53						
1	10	1985	B16	FD1	12.53						
1	10	1985	B18	FD1	12.53						
1	10	1985	B19	FD1	12.53						
1	10	1985	B20	FD1	12.53						
2	10	1985	B01	FD1	12.53						
2	10	1985	B02	FD1	12.53						
2	10	1985	B03	FD1	12.53						
2	10	1985	B04	FD1	12.53						
2	10	1985	B05	FD1	12.53						
2	10	1985	B06	FD1	12.53						
2	10	1985	B07	FD1	12.53						
2	10	1985	B08	FD1	12.53						
2	10	1985	B09	FD1	12.53						
2	10	1985	B11	FD1	12.53						
2	10	1985	B13	FD1	12.53						
2	10	1985	B14	FD1	12.53						
2	10	1985	B15	FD1	12.53						
2	10	1985	B16	FD1	12.53						
2	10	1985	B18	FD1	12.53						
2	10	1985	B19	FD1	12.53						
2	10	1985	B20	FD1	12.53						
3	10	1985	B01	FD2	12.53						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
3	10	1985	B02	FD2	12.53						
3	10	1985	B03	FD2	12.53						
3	10	1985	B04	FD2	12.53						
3	10	1985	B05	FD2	12.53						
3	10	1985	B06	FD2	12.53						
3	10	1985	B07	FD2	12.53						
3	10	1985	B08	FD2	12.53						
3	10	1985	B09	FD2	12.53						
3	10	1985	B10	FD2	12.53						
3	10	1985	B11	FD2	12.53						
3	10	1985	B13	FD2	12.53						
3	10	1985	B14	FD2	12.53						
3	10	1985	B15	FD2	12.53						
3	10	1985	B16	FD2	12.53						
3	10	1985	B18	FD2	12.53						
3	10	1985	B19	FD2	12.53						
2	10	1985	B20	FD2	12.53						
4	10	1985	B01	FD1	12.53						
4	10	1985	B02	FD1	12.53						
4	10	1985	B03	FD1	12.53						
4	10	1985	B04	FD1	12.53						
4	10	1985	B05	FD1	12.53						
4	10	1985	B06	FD1	12.53						
4	10	1985	B07	FD1	12.53						
4	10	1985	B08	FD1	12.53						
4	10	1985	B09	FD1	12.53						
4	10	1985	B10	FD1	12.53						
4	10	1985	B11	FD1	12.53						
4	10	1985	B13	FD1	12.53						
4	10	1985	B14	FD1	12.53						
4	10	1985	B15	FD1	12.53						
4	10	1985	B16	FD1	12.53						
4	10	1985	B18	FD1	12.53						
4	10	1985	B19	FD1	12.53						
4	10	1985	B20	FD1	12.53						
5	10	1985	B01	FD1	12.53						
5	10	1985	B02	FD1	12.53						
5	10	1985	B03	FD1	12.53						
5	10	1985	B04	FD1	12.53						
5	10	1985	B05	FD1	12.53						
5	10	1985	B06	FD1	12.53						
5	10	1985	B07	FD1	12.53						
5	10	1985	B08	FD1	12.53						
5	10	1985	B09	FD1	12.53						
5	10	1985	B10	FD1	12.53						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
5	10	1985	B11	FDI	12.53						
5	10	1985	B13	FDI	12.53						
5	10	1985	B14	FDI	12.53						
5	10	1985	B15	FDI	12.53						
5	10	1985	B16	FDI	12.53						
5	10	1985	B18	FDI	12.53						
5	10	1985	B19	FDI	12.53						
5	10	1985	B20	FDI	12.53						
7	10	1985	B01	FDI	12.53						
7	10	1985	B02	FDI	12.53						
7	10	1985	B03	FDI	12.53						
7	10	1985	B04	FDI	12.53						
7	10	1985	B05	FDI	12.53						
7	10	1985	B06	FDI	12.53						
7	10	1985	B07	FDI	12.53						
7	10	1985	B08	FDI	12.53						
7	10	1985	B09	FDI	12.53						
7	10	1985	B10	FDI	12.53						
7	10	1985	B11	FDI	12.53						
7	10	1985	B13	FDI	12.53						
7	10	1985	B14	FDI	12.53						
7	10	1985	B15	FDI	12.53						
7	10	1985	B16	FDI	12.53						
7	10	1985	B18	FDI	12.53						
7	10	1985	B19	FDI	12.53						
7	10	1985	B20	FDI	12.53						
8	10	1985	A32	FDI	38.						
8	10	1985	A33	FDI	39.						
8	10	1985	A35	FDI	38.						
8	10	1985	A36	FDI	38.						
8	10	1985	A37	FDI	38.						
8	10	1985	A38	FDI	38.						
8	10	1985	A39	FDI	39.						
8	10	1985	A44	FDI	39.						
8	10	1985	A48	FDI	38.						
8	10	1985	B01	FDI	12.53						
8	10	1985	B02	FDI	12.53						
8	10	1985	B03	FDI	12.53						
8	10	1985	B04	FDI	12.53						
8	10	1985	B05	FDI	12.53						
8	10	1985	B06	FDI	12.53						
8	10	1985	B07	FDI	12.53						
8	10	1985	B08	FDI	12.53						
8	10	1985	B09	FDI	12.53						
8	10	1985	B10	FDI	12.53						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
8	10	1985	B11	FD1	12.53						
8	10	1985	B13	FD1	12.53						
8	10	1985	B14	FD1	12.53						
8	10	1985	B15	FD1	12.53						
8	10	1985	B16	FD1	12.53						
8	10	1985	B18	FD1	12.53						
8	10	1985	B19	FD1	12.53						
8	10	1985	B20	FD1	12.53						
9	10	1985	A29			CHICK	96.				
9	10	1985	A30					TMP	12.		
9	10	1985	A31			CHICK	96.	TMP	12.		
9	10	1985	A32	FD1	38.	CHICK	96.				
9	10	1985	A33	FD1	39.						
9	10	1985	A34					TMP	12.		
9	10	1985	A35	FD1	38.	CHICK	96.				
9	10	1985	A36	FD1	38.	CHICK	96.				
9	10	1985	A37	FD1	38.	CHICK	96.	TMP	12.		
9	10	1985	A38	FD1	38.	CHICK	96.	TMP	12.		
9	10	1985	A39	FD1	40.						
9	10	1985	A40			CHICK	96.				
9	10	1985	A41			CHICK	96.	TMP	12.		
9	10	1985	A42					TMP	12.		
9	10	1985	A44	FD1	39.						
9	10	1985	A46			CHICK	96.	TMP	12.		
9	10	1985	A47			CHICK	96.				
9	10	1985	A48	FD1	38.	CHICK	96.	TMP	12.		
9	10	1985	B01	FD1	12.53						
9	10	1985	B02	FD1	12.53						
9	10	1985	B03	FD1	12.53						
9	10	1985	B04	FD1	12.53						
9	10	1985	B05	FD1	12.53						
9	10	1985	B06	FD1	12.53						
9	10	1985	B07	FD1	12.53						
9	10	1985	B08	FD1	12.53						
9	10	1985	B09	FD1	12.53						
9	10	1985	B10	FD1	12.53						
9	10	1985	B11	FD1	12.53						
9	10	1985	B13	FD1	12.53						
9	10	1985	B14	FD1	12.53						
9	10	1985	B15	FD1	12.53						
9	10	1985	B16	FD1	12.53						
9	10	1985	B18	FD1	12.53						
9	10	1985	B19	FD1	12.53						
9	10	1985	B20	FD1	12.53						
10	10	1985	A32	FD1	38.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	PCND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
10	10	1985	A33	FD1	39.						
10	10	1985	A35	FD1	38.						
10	10	1985	A36	FD1	38.						
10	10	1985	A37	FD1	38.						
10	10	1985	A38	FD1	38.						
10	10	1985	A39	FD1	39.						
10	10	1985	A44	FD1	39.						
10	10	1985	A48	FD1	38.						
10	10	1985	B01	FD1	12.53						
10	10	1985	B02	FD1	12.53						
10	10	1985	B03	FD1	12.53						
10	10	1985	B04	FD1	12.53						
10	10	1985	B05	FD1	12.53						
10	10	1985	B06	FD1	12.53						
10	10	1985	B07	FD1	12.53						
10	10	1985	B08	FD1	12.53						
10	10	1985	B09	FD1	12.53						
10	10	1985	B10	FD1	12.53						
10	10	1985	B11	FD1	12.53						
10	10	1985	B13	FD1	12.53						
10	10	1985	B14	FD1	12.53						
10	10	1985	B15	FD1	12.53						
10	10	1985	B16	FD1	12.53						
10	10	1985	B18	FD1	12.53						
10	10	1985	B19	FD1	12.53						
10	10	1985	B20	FD1	12.53						
11	10	1985	A29			CHICK	96.				
11	10	1985	A31			CHICK	96.				
11	10	1985	A32	FD1	38.	CHICK	96.				
11	10	1985	A33	FD1	39.						
11	10	1985	A35	FD1	38.	CHICK	96.				
11	10	1985	A36	FD1	38.	CHICK	96.				
11	10	1985	A37	FD1	38.	CHICK	96.				
11	10	1985	A38	FD1	38.	CHICK	96.				
11	10	1985	A39	FD1	39.						
11	10	1985	A40			CHICK	96.				
11	10	1985	A41			CHICK	96.				
11	10	1985	A44	FD1	39.						
11	10	1985	A46			CHICK	96.				
11	10	1985	A47			CHICK	96.				
11	10	1985	A48	FD1	38.	CHICK	96.				
11	10	1985	B01	FD1	12.53						
11	10	1985	B02	FD1	12.53						
11	10	1985	B03	FD1	12.53						
11	10	1985	B04	FD1	12.53						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
11	10	1985	B05	FD1	12.53						
11	10	1985	B06	FD1	12.53						
11	10	1985	B07	FD1	12.53						
11	10	1985	B08	FD1	12.53						
11	10	1985	B09	FD1	12.53						
11	10	1985	B10	FD1	12.53						
11	10	1985	B11	FD1	12.53						
11	10	1985	B13	FD1	12.53						
11	10	1985	B14	FD1	12.53						
11	10	1985	B15	FD1	12.53						
11	10	1985	B16	FD1	12.53						
11	10	1985	B18	FD1	12.53						
11	10	1985	B19	FD1	12.53						
11	10	1985	B20	FD1	12.53						
12	10	1985	A29			CHICK	96.				
12	10	1985	A31			CHICK	96.				
12	10	1985	A32	FD1	38.	CHICK	96.				
12	10	1985	A33	FD1	39.						
12	10	1985	A35	FD1	38.	CHICK	96.				
12	10	1985	A36	FD1	38.	CHICK	96.				
12	10	1985	A37	FD1	38.	CHICK	96.				
12	10	1985	A38	FD1	38.	CHICK	96.				
12	10	1985	A39	FD1	39.						
12	10	1985	A40			CHICK	96.				
12	10	1985	A41			CHICK	96.				
12	10	1985	A44	FD1	39.						
12	10	1985	A46			CHICK	96.				
12	10	1985	A47			CHICK	96.				
12	10	1985	A48	FD1	38.	CHICK	96.				
14	10	1985	A29			CHICK	96.				
14	10	1985	A31			CHICK	96.				
14	10	1985	A32	FD1	38.	CHICK	96.				
14	10	1985	A33	FD1	39.						
14	10	1985	A35	FD1	38.	CHICK	96.				
14	10	1985	A36	FD1	38.	CHICK	96.				
14	10	1985	A37	FD1	38.	CHICK	96.				
14	10	1985	A38	FD1	38.	CHICK	96.				
14	10	1985	A39	FD1	39.						
14	10	1985	A40			CHICK	96.				
14	10	1985	A41			CHICK	96.				
14	10	1985	A44	FD1	39.						
14	10	1985	A46			CHICK	96.				
14	10	1985	A47			CHICK	96.				
14	10	1985	A48	FD1	38.	CHICK	96.				
14	10	1985	B01	FD2	48.8						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
14	10	1985	B02	FD2	48.8						
14	10	1985	B03	FD2	48.8						
14	10	1985	B04	FD2	48.8						
14	10	1985	B05	FD2	48.8						
14	10	1985	B06	FD2	48.8						
14	10	1985	B07	FD2	41.4						
14	10	1985	B08	FD2	41.4						
14	10	1985	B09	FD2	41.4						
14	10	1985	B10	FD2	41.1						
14	10	1985	B11	FD2	41.1						
14	10	1985	B13	FD2	41.1						
14	10	1985	B14	FD2	37.5						
14	10	1985	B15	FD2	37.5						
14	10	1985	B16	FD2	37.5						
14	10	1985	B18	FD2	37.5						
14	10	1985	B19	FD2	37.5						
14	10	1985	B20	FD2	37.5						
15	10	1985	A32	FD1	38.						
15	10	1985	A33	FD1	39.						
15	10	1985	A35	FD1	38.						
15	10	1985	A36	FD1	38.						
15	10	1985	A37	FD1	38.						
15	10	1985	A38	FD1	38.						
15	10	1985	A39	FD1	39.						
15	10	1985	A44	FD1	39.						
15	10	1985	A48	FD1	38.						
15	10	1985	B01	FD2	48.8						
15	10	1985	B02	FD2	48.8						
15	10	1985	B03	FD2	48.8						
15	10	1985	B04	FD2	48.8						
15	10	1985	B05	FD2	48.8						
15	10	1985	B06	FD2	48.8						
15	10	1985	B07	FD2	41.4						
15	10	1985	B08	FD2	41.4						
15	10	1985	B09	FD2	41.4						
15	10	1985	B10	FD2	41.4						
15	10	1985	B11	FD2	41.4						
15	10	1985	B13	FD2	41.4						
15	10	1985	B14	FD2	37.5						
15	10	1985	B15	FD2	37.5						
15	10	1985	B16	FD2	37.5						
15	10	1985	B18	FD2	37.5						
15	10	1985	B19	FD2	37.5						
15	10	1985	B20	FD2	37.5						
16	10	1985	A32	FD1	38.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
16	10	1985	A33	FD1	39.						
16	10	1985	A35	FD1	38.						
16	10	1985	A36	FD1	38.						
16	10	1985	A37	FD1	38.						
16	10	1985	A38	FD1	38.						
16	10	1985	A39	FD1	39.						
16	10	1985	A44	FD1	39.						
16	10	1985	A48	FD1	38.						
16	10	1985	B01	FD2	48.8						
16	10	1985	B02	FD2	48.8						
16	10	1985	B03	FD2	48.8						
16	10	1985	B04	FD2	48.8						
16	10	1985	B05	FD2	48.8						
16	10	1985	B06	FD2	48.8						
16	10	1985	B07	FD2	41.4						
16	10	1985	B08	FD2	41.4						
16	10	1985	B09	FD2	41.4						
16	10	1985	B10	FD2	41.4						
16	10	1985	B11	FD2	41.4						
16	10	1985	B13	FD2	41.4						
16	10	1985	B14	FD2	37.5						
16	10	1985	B15	FD2	37.5						
16	10	1985	B16	FD2	37.5						
16	10	1985	B18	FD2	37.5						
16	10	1985	B19	FD2	37.5						
16	10	1985	B20	FD2	37.5						
17	10	1985	A29			CHICK	96.				
17	10	1985	A30					TMP	12.		
17	10	1985	A31			CHICK	96.	TMP	12.		
17	10	1985	A32	FD1	38.	CHICK	96.				
17	10	1985	A33	FD1	39.						
17	10	1985	A34					TMP	12.		
17	10	1985	A35	FD1	38.	CHICK	96.				
17	10	1985	A36	FD1	38.	CHICK	96.				
17	10	1985	A37	FD1	38.	CHICK	96.	TMP	12.		
17	10	1985	A38	FD1	38.	CHICK	96.	TMP	12.		
17	10	1985	A39	FD1	39.						
17	10	1985	A40			CHICK	96.				
17	10	1985	A41			CHICK	96.	TMP	12.		
17	10	1985	A42					TMP	12.		
17	10	1985	A44	FD1	39.						
17	10	1985	A46			CHICK	96.	TMP	12.		
17	10	1985	A47			CHICK	96.				
17	10	1985	A48	FD1	38.	CHICK	96.	TMP	12.		
17	10	1985	B01	FD2	48.8			TMP	50.		

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
17	10	1985	B02	FD2	48.8			TMP	50.		
17	10	1985	B03	FD2	48.8			TMP	50.		
17	10	1985	B04	FD2	48.8			TMP	50.		
17	10	1985	B05	FD2	48.8			TMP	50.		
17	10	1985	B06	FD2	48.8			TMP	50.		
17	10	1985	B07	FD2	41.4			TMP	50.		
17	10	1985	B08	FD2	41.4			TMP	50.		
17	10	1985	B09	FD2	41.4			TMP	50.		
17	10	1985	B10	FD2	41.4			TMP	50.		
17	10	1985	B11	FD2	41.4			TMP	50.		
17	10	1985	B13	FD2	41.4			TMP	50.		
17	10	1985	B14	FD2	37.5			TMP	50.		
17	10	1985	B15	FD2	37.5			TMP	50.		
17	10	1985	B16	FD2	37.5			TMP	50.		
17	10	1985	B18	FD2	37.5			TMP	50.		
17	10	1985	B19	FD2	37.5			TMP	50.		
17	10	1985	B20	FD2	37.5			TMP	50.		
18	10	1985	A29			CHICK	96.				
18	10	1985	A31			CHICK	96.				
18	10	1985	A32	FD1	38.	CHICK	96.				
18	10	1985	A33	FD1	39.						
18	10	1985	A35	FD1	38.	CHICK	96.				
18	10	1985	A36	FD1	38.	CHICK	96.				
18	10	1985	A37	FD1	38.	CHICK	96.				
18	10	1985	A38	FD1	38.	CHICK	96.				
18	10	1985	A39	FD1	39.						
18	10	1985	A40			CHICK	96.				
18	10	1985	A41			CHICK	96.				
18	10	1985	A44	FD1	39.						
18	10	1985	A46			CHICK	96.				
18	10	1985	A47			CHICK	96.				
18	10	1985	A48	FD1	38.	CHICK	96.				
18	10	1985	B01	FD2	48.8						
18	10	1985	B02	FD2	48.8						
18	10	1985	B03	FD2	48.8						
18	10	1985	B04	FD2	48.8						
18	10	1985	B05	FD2	48.8						
18	10	1985	B06	FD2	48.8						
18	10	1985	B07	FD2	41.4						
18	10	1985	B08	FD2	41.4						
18	10	1985	B09	FD2	41.4						
18	10	1985	B10	FD2	41.4						
18	10	1985	B11	FD2	41.4						
18	10	1985	B13	FD2	41.4						
18	10	1985	B14	FD2	37.5						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
18	10	1985	B15	FD2	37.5						
18	10	1985	B16	FD2	37.5						
18	10	1985	B18	FD2	37.5						
18	10	1985	B19	FD2	37.5						
18	10	1985	B20	FD2	37.5						
19	10	1985	B01	FD2	48.8						
19	10	1985	B02	FD2	48.8						
19	10	1985	B03	FD2	48.8						
19	10	1985	B04	FD2	48.8						
19	10	1985	B05	FD2	48.8						
19	10	1985	B06	FD2	48.8						
19	10	1985	B07	FD2	41.4						
19	10	1985	B08	FD2	41.4						
19	10	1985	B09	FD2	41.4						
19	10	1985	B10	FD2	41.4						
19	10	1985	B11	FD2	41.4						
19	10	1985	B13	FD2	41.4						
19	10	1985	B14	FD2	37.5						
19	10	1985	B15	FD2	37.5						
19	10	1985	B16	FD2	37.5						
19	10	1985	B18	FD2	37.5						
19	10	1985	B19	FD2	37.5						
19	10	1985	B20	FD2	37.5						
20	10	1985	A29			CHICK	96.				
20	10	1985	A31			CHICK	96.				
20	10	1985	A32	FD1	38.	CHICK	96.				
20	10	1985	A33	FD1	38.						
20	10	1985	A35	FD1	38.	CHICK	96.				
20	10	1985	A36	FD1	38.	CHICK	96.				
20	10	1985	A37	FD1	38.	CHICK	96.				
20	10	1985	A39	FD1	38.	CHICK	96.				
20	10	1985	A39	FD1	39.						
20	10	1985	A40			CHICK	96.				
20	10	1985	A41			CHICK	96.				
20	10	1985	A44	FD1	39.						
20	10	1985	A46			CHICK	96.				
20	10	1985	A47			CHICK	96.				
20	10	1985	A48	FD1	38.	CHICK	96.				
21	10	1985	A29			CHICK	96.				
21	10	1985	A31			CHICK	96.				
21	10	1985	A32	FD1	38.	CHICK	96.				
21	10	1985	A33	FD1	39.						
21	10	1985	A35	FD1	38.	CHICK	96.				
21	10	1985	A36	FD1	38.	CHICK	96.				
21	10	1985	A37	FD1	38.	CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
21	10	1985	A38	FD1	38.	CHICK	96.				
21	10	1985	A39	FD1	39.						
21	10	1985	A40			CHICK	96.				
21	10	1985	A41			CHICK	96.				
21	10	1985	A44	FD1	39.						
21	10	1985	A46			CHICK	96.				
21	10	1985	A47			CHICK	96.				
21	10	1985	A48	FD1	38.	CHICK	96.				
21	10	1985	B01	FD2	43.8						
21	10	1985	B02	FD2	48.8						
21	10	1985	B03	FD2	48.8						
21	10	1985	B04	FD2	48.8						
21	10	1985	B05	FD2	48.8						
21	10	1985	B06	FD2	48.8						
21	10	1985	B07	FD2	41.4						
21	10	1985	B08	FD2	41.4						
21	10	1985	B09	FD2	41.4						
21	10	1985	B10	FD2	41.4						
21	10	1985	B11	FD2	41.4						
21	10	1985	B13	FD2	41.4						
21	10	1985	B14	FD2	37.5						
21	10	1985	B15	FD2	37.5						
21	10	1985	B16	FD2	37.5						
21	10	1985	B18	FD2	37.5						
21	10	1985	B19	FD2	37.5						
21	10	1985	B20	FD2	37.5						
22	10	1985	A32	FD1	38.						
22	10	1985	A33	FD1	39.						
22	10	1985	A35	FD1	38.						
22	10	1985	A36	FD1	38.						
22	10	1985	A37	FD1	38.						
22	10	1985	A38	FD1	38.						
22	10	1985	A39	FD1	39.						
22	10	1985	A44	FD1	39.						
22	10	1985	A48	FD1	38.						
22	10	1985	B01	FD2	48.8						
22	10	1985	B02	FD2	48.8						
22	10	1985	B03	FD2	48.8						
22	10	1985	B04	FD2	48.8						
22	10	1985	B05	FD2	48.8						
22	10	1985	B06	FD2	48.8						
22	10	1985	B07	FD2	41.4						
22	10	1985	B08	FD2	41.4						
22	10	1985	B09	FD2	41.4						
22	10	1985	B10	FD2	41.4						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
22	10	1985	B11	FD2	41.4						
22	10	1985	B13	FD2	41.4						
22	10	1985	B14	FD2	37.5						
22	10	1985	B15	FD2	37.5						
22	10	1985	B16	FD2	37.5						
22	10	1985	B18	FD2	37.5						
22	10	1985	B19	FD2	37.5						
22	10	1985	B20	FD2	37.5						
23	10	1985	A29			CHICK	96.				
23	10	1985	A30					TMP		12.	
23	10	1985	A31			CHICK	96.	TMP		12.	
23	10	1985	A32	FD1	38.	CHICK	96.				
23	10	1985	A33	FD1	39.						
23	10	1985	A34					TMP		12.	
23	10	1985	A35	FD1	38.	CHICK	96.				
23	10	1985	A36	FD1	38.	CHICK	96.				
23	10	1985	A37	FD1	38.	CHICK	96.	TMP		12.	
23	10	1985	A38	FD1	38.	CHICK	96.	TMP		12.	
23	10	1985	A39	FD1	39.						
23	10	1985	A40			CHICK	96.				
23	10	1985	A41			CHICK	96.	TMP		12.	
23	10	1985	A42					TMP		12.	
23	10	1985	A44	FD1	39.						
23	10	1985	A46			CHICK	96.	TMP		12.	
23	10	1985	A47			CHICK	96.				
23	10	1985	A48	FD1	38.	CHICK	96.	TMP		12.	
23	10	1985	B01	FD2	48.8						
23	10	1985	B02	FD2	48.8						
23	10	1985	B03	FD2	48.8						
23	10	1985	B04	FD2	48.8						
23	10	1985	B05	FD2	48.8						
23	10	1985	B06	FD2	48.8						
23	10	1985	B07	FD2	41.4						
23	10	1985	B08	FD2	41.4						
23	10	1985	B09	FD2	41.4						
23	10	1985	B10	FD2	41.4						
23	10	1985	B11	FD2	41.4						
23	10	1985	B13	FD2	41.4						
23	10	1985	B14	FD2	37.5						
23	10	1985	B15	FD2	37.5						
23	10	1985	B16	FD2	37.5						
23	10	1985	B18	FD2	37.5						
23	10	1985	B19	FD2	37.5						
23	10	1985	B20	FD2	37.5						
24	10	1985	A32	FD1	38.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
24	10	1985	A33	FD1	39.						
24	10	1985	A35	FD1	38.						
24	10	1985	A36	FD1	38.						
24	10	1985	A37	FD1	38.						
24	10	1985	A38	FD1	38.						
24	10	1985	A39	FD1	39.						
24	10	1985	A44	FD1	39.						
24	10	1985	A49	FD1	38.						
24	10	1985	B01	FD2	48.8						
24	10	1985	B02	FD2	48.8						
24	10	1985	B03	FD2	48.8						
24	10	1985	B04	FD2	48.8						
24	10	1985	B05	FD2	48.8						
24	10	1985	B06	FD2	48.8						
24	10	1985	B07	FD2	41.4						
24	10	1985	B08	FD2	41.4						
24	10	1985	B09	FD2	41.4						
24	10	1985	B10	FD2	41.4						
24	10	1985	B11	FD2	41.4						
24	10	1985	B13	FD2	41.4						
24	10	1985	B14	FD2	37.5						
24	10	1985	B15	FD2	37.5						
24	10	1985	B16	FD2	37.5						
24	10	1985	B18	FD2	37.5						
24	10	1985	B19	FD2	37.5						
24	10	1985	B20	FD2	37.5						
25	10	1985	B01	FD2	48.8						
25	10	1985	B02	FD2	48.8						
25	10	1985	B03	FD2	48.8						
25	10	1985	B04	FD2	48.8						
25	10	1985	B05	FD2	48.8						
25	10	1985	B06	FD2	48.8						
25	10	1985	B07	FD2	41.4						
25	10	1985	B08	FD2	41.4						
25	10	1985	B09	FD2	41.4						
25	10	1985	B10	FD2	41.4						
25	10	1985	B11	FD2	41.4						
25	10	1985	B13	FD2	41.4						
25	10	1985	B14	FD2	37.5						
25	10	1985	B15	FD2	37.5						
25	10	1985	B16	FD2	37.5						
25	10	1985	B18	FD2	37.5						
25	10	1985	B19	FD2	37.5						
25	10	1985	B20	FD2	37.5						
26	10	1985	B01	FD3	48.8						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
26	10	1985	B02	FD3	48.8						
26	10	1985	B03	FD3	48.8						
26	10	1985	B04	FD3	48.8						
26	10	1985	B05	FD3	48.8						
26	10	1985	B06	FD3	48.8						
26	10	1985	B07	FD3	41.4						
26	10	1985	B08	FD3	41.4						
26	10	1985	B09	FD3	41.4						
26	10	1985	B10	FD3	41.4						
26	10	1985	B11	FD3	41.4						
26	10	1985	B13	FD3	41.4						
26	10	1985	B14	FD3	37.5						
26	10	1985	B15	FD3	37.5						
26	10	1985	B16	FD3	37.5						
26	10	1985	B18	FD3	37.5						
26	10	1985	B19	FD3	37.5						
26	10	1985	B20	FD3	37.5						
28	10	1985	B01	FD3	48.8						
28	10	1985	B02	FD3	48.8						
28	10	1985	B03	FD3	48.8						
28	10	1985	B04	FD3	48.8						
28	10	1985	B05	FD3	48.8						
28	10	1985	B06	FD3	48.8						
28	10	1985	B07	FD3	41.4						
28	10	1985	B08	FD3	41.4						
28	10	1985	B09	FD3	41.4						
28	10	1985	B10	FD3	41.4						
28	10	1985	B11	FD3	41.4						
28	10	1985	B13	FD3	41.4						
28	10	1985	B14	FD3	37.5						
28	10	1985	B15	FD3	37.5						
28	10	1985	B16	FD3	37.5						
28	10	1985	B18	FD3	37.5						
28	10	1985	B19	FD3	37.5						
28	10	1985	B20	FD3	37.5						
29	10	1985	A32	FD1	38.						
29	10	1985	A33	FD1	39.						
29	10	1985	A35	FD1	38.						
29	10	1985	A36	FD1	38.						
29	10	1985	A37	FD1	38.						
29	10	1985	A38	FD1	38.						
29	10	1985	A39	FD1	39.						
29	10	1985	A44	FD1	39.						
29	10	1985	A48	FD1	38.						
29	10	1985	B01	FD2	64.83						

**Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
29	10	1985	B02	FD2	64.83						
29	10	1985	B03	FD2	64.83						
29	10	1985	B04	FD2	64.83						
29	10	1985	B05	FD2	64.83						
29	10	1985	B06	FD2	64.83						
29	10	1985	B07	FD2	54.93						
29	10	1985	B08	FD2	54.93						
29	10	1985	B09	FD2	54.93						
29	10	1985	B10	FD2	54.93						
29	10	1985	B11	FD2	54.93						
29	10	1985	B13	FD2	54.93						
29	10	1985	B14	FD2	49.77						
29	10	1985	B15	FD2	49.77						
29	10	1985	B16	FD2	49.77						
29	10	1985	B18	FD2	49.77						
29	10	1985	B19	FD2	49.77						
29	10	1985	B20	FD2	49.77						
30	10	1985	B01	FD2	64.83						
30	10	1985	B02	FD2	64.82						
30	10	1985	B03	FD2	64.83						
30	10	1985	B04	FD2	64.83						
30	10	1985	B05	FD2	64.83						
30	10	1985	B06	FD2	64.83						
30	10	1985	B07	FD2	54.93						
30	10	1985	B08	FD2	54.93						
30	10	1985	B09	FD2	54.93						
30	10	1985	B10	FD2	54.93						
30	10	1985	B11	FD2	54.93						
30	10	1985	B13	FD2	54.93						
30	10	1985	B14	FD2	49.77						
30	10	1985	B15	FD2	49.77						
30	10	1985	B16	FD2	49.77						
30	10	1985	B18	FD2	49.77						
30	10	1985	B19	FD2	49.77						
30	10	1985	B20	FD2	49.77						
31	10	1985	B01	FD2	64.83		TMP	50.			
31	10	1985	B02	FD2	64.83		TMP	50.			
31	10	1985	B03	FD2	64.83		TMP	50.			
31	10	1985	B04	FD2	64.83		TMP	50.			
31	10	1985	B05	FD2	64.83		TMP	50.			
31	10	1985	B06	FD2	64.83		TMP	50.			
31	10	1985	B07	FD2	54.93		TMP	50.			
31	10	1985	B08	FD2	54.93		TMP	50.			
31	10	1985	B09	FD2	54.93		TMP	50.			
31	10	1985	B10	FD2	54.93		TMP	50.			

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
31	10	1985	B11	FD2	54.93			TMP	50.		
31	10	1985	B13	FD2	54.93			TMP	50.		
31	10	1985	B14	FD2	49.77			TMP	50.		
31	10	1985	B15	FD2	49.77			TMP	50.		
31	10	1985	B16	FD2	49.77			TMP	50.		
31	10	1985	B18	FD2	49.77			TMP	50.		
31	10	1985	B19	FD2	49.77			TMP	50.		
31	10	1985	B20	FD2	49.77			TMP	50.		
1	11	1985	B01	FD2	64.83						
1	11	1985	B02	FD2	64.83						
1	11	1985	B03	FD2	64.83						
1	11	1985	B04	FD2	64.83						
1	11	1985	B05	FD2	64.83						
1	11	1985	B06	FD2	64.83						
1	11	1985	B07	FD2	54.93						
1	11	1985	B08	FD2	54.93						
1	11	1985	B09	FD2	54.93						
1	11	1985	B10	FD2	54.93						
1	11	1985	B11	FD2	54.93						
1	11	1985	B13	FD2	54.93						
1	11	1985	B14	FD2	49.77						
1	11	1985	B15	FD2	49.77						
1	11	1985	B16	FD2	49.77						
1	11	1985	B18	FD2	49.77						
1	11	1985	B19	FD2	49.77						
1	11	1985	B20	FD2	49.77						
2	11	1985	B01	FD2	64.83						
2	11	1985	B02	FD2	64.83						
2	11	1985	B03	FD2	64.83						
2	11	1985	B04	FD2	64.83						
2	11	1985	B05	FD2	64.83						
2	11	1985	B06	FD2	64.83						
2	11	1985	B07	FD2	54.93						
2	11	1985	B08	FD2	54.93						
2	11	1985	B09	FD2	54.93						
2	11	1985	B10	FD2	54.93						
2	11	1985	B11	FD2	54.93						
2	11	1985	B13	FD2	54.93						
2	11	1985	B14	FD2	49.77						
2	11	1985	B15	FD2	49.77						
2	11	1985	B16	FD2	49.77						
2	11	1985	B18	FD2	49.77						
2	11	1985	B19	FD2	49.77						
2	11	1985	B20	FD2	49.77						
4	11	1985	A29			CHICK			96.		

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
4	11	1985	A31			CHICK	96.				
4	11	1985	A32	FD1	48.	CHICK	96.				
4	11	1985	A33	FD1	48.						
4	11	1985	A35	FD1	51.	CHICK	96.				
4	11	1985	A36	FD1	51.	CHICK	96.				
4	11	1985	A37	FD1	46.	CHICK	96.				
4	11	1985	A38	FD1	46.	CHICK	96.				
4	11	1985	A39	FD1	48.						
4	11	1985	A40			CHICK	96.				
4	11	1985	A41			CHICK	96.				
4	11	1985	A44	FD1	48.						
4	11	1985	A46			CHICK	96.				
4	11	1985	A47			CHICK	96.				
4	11	1985	A48	FD1		46.	CHICK	96.			
4	11	1985	B01	FD2	64.83						
4	11	1985	B02	FD2	64.83						
4	11	1985	B03	FD2	64.83						
4	11	1985	B04	FD2	64.83						
4	11	1985	B05	FD2	64.83						
4	11	1985	B06	FD2	64.83						
4	11	1985	B07	FD2	54.93						
4	11	1985	B08	FD2	54.93						
4	11	1985	B09	FD2	54.93						
4	11	1985	B10	FD2	54.93						
4	11	1985	B11	FD2	54.93						
4	11	1985	B13	FD2	54.93						
4	11	1985	B14	FD2	49.77						
4	11	1985	B15	FD2	49.77						
4	11	1985	B16	FD2	49.77						
4	11	1985	B18	FD2	49.77						
4	11	1985	B19	FD2	49.77						
4	11	1985	B20	FD2	49.77						
5	11	1985	A32	FD1	51.						
5	11	1985	A33	FD1	48.						
5	11	1985	A35	FD1	51.						
5	11	1985	A36	FD1	51.						
5	11	1985	A37	FD1	46.						
5	11	1985	A38	FD1	46.						
5	11	1985	A39	FD1	48.						
5	11	1985	A44	FD1	48.						
5	11	1985	A48	FD1	46.						
5	11	1985	B01	FD2	64.83						
5	11	1985	B02	FD2	64.83						
5	11	1985	B03	FD2	64.83						
5	11	1985	B04	FD2	64.83						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
5	11	1985	B05	FD2	64.83						
5	11	1985	B06	FD2	64.83						
5	11	1985	B07	FD2	54.93						
5	11	1985	B08	FD2	54.93						
5	11	1985	B09	FD2	54.93						
5	11	1985	B10	FD2	54.93						
5	11	1985	B11	FD2	54.93						
5	11	1985	B13	FD2	54.93						
5	11	1985	B14	FD2	49.77						
5	11	1985	B15	FD2	49.77						
5	11	1985	B16	FD2	49.77						
5	11	1985	B18	FD2	49.77						
5	11	1985	B19	FD2	49.77						
5	11	1985	B20	FD2	49.77						
6	11	1985	A29			CHICK	96.				
6	11	1985	A30					TMP		12.	
6	11	1985	A31			CHICK	96.	TMP		12.	
6	11	1985	A32	FD1	51.	CHICK	96.				
6	11	1985	A33	FD1	48.						
6	11	1985	A34					TMP		12.	
6	11	1985	A35	FD1	51.	CHICK	96.				
6	11	1985	A36	FD1	51.	CHICK	96.				
6	11	1985	A37	FD1	46.	CHICK	96.	TMP		12.	
6	11	1985	A38	FD1	46.	CHICK	96.	TMP		12.	
6	11	1985	A39	FD1	48.						
6	11	1985	A40			CHICK	96.				
6	11	1985	A41			CHICK	96.	TMP		12.	
6	11	1985	A42					TMP		12.	
6	11	1985	A44	FD1	48.						
6	11	1985	A46			CHICK	96.	TMP		12.	
6	11	1985	A47			CHICK	96.				
6	11	1985	A48	FD1	46.	CHICK	96.	TMP		12.	
6	11	1985	B01	FD2	64.83						
6	11	1985	B02	FD2	64.83						
6	11	1985	B03	FD2	64.83						
6	11	1985	B04	FD2	64.83						
6	11	1985	B05	FD2	64.83						
6	11	1985	B06	FD2	64.83						
6	11	1985	B07	FD2	54.93						
6	11	1985	B08	FD2	54.93						
6	11	1985	B09	FD2	54.93						
6	11	1985	B10	FD2	54.93						
6	11	1985	B11	FD2	54.93						
6	11	1985	B13	FD2	54.93						
6	11	1985	B14	FD2	49.77						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
6	11	1985	B15	FD2	49.77						
6	11	1985	B16	FD2	49.77						
6	11	1985	B18	FD2	49.77						
6	11	1985	B19	FD2	49.77						
6	11	1985	B20	FD2	49.77						
7	11	1985	A32	FD1	51.						
7	11	1985	A33	FD1	49.						
7	11	1985	A35	FD1	51.						
7	11	1985	A36	FD1	51.						
7	11	1985	A37	FD1	46.						
7	11	1985	A38	FD1	46.						
7	11	1985	A39	FD1	48.						
7	11	1985	A44	FD1	48.						
7	11	1985	A48	FD1	46.						
7	11	1985	B01	FD2	64.83						
7	11	1985	B02	FD2	64.83						
7	11	1985	B03	FD2	64.83						
7	11	1985	B04	FD2	64.83						
7	11	1985	B05	FD2	64.83						
7	11	1985	B06	FD2	64.83						
7	11	1985	B07	FD2	54.93						
7	11	1985	B08	FD2	54.93						
7	11	1985	B09	FD2	54.93						
7	11	1985	B10	FD2	54.93						
7	11	1985	B11	FD2	54.93						
7	11	1985	B13	FD2	54.93						
7	11	1985	B14	FD2	49.77						
7	11	1985	B15	FD2	49.77						
7	11	1985	B16	FD2	49.77						
7	11	1985	B18	FD2	49.77						
7	11	1985	B19	FD2	49.77						
7	11	1985	B20	FD2	49.77						
8	11	1985	A29			CHICK	96.				
8	11	1985	A31			CHICK	96.				
8	11	1985	A32	FD1	51.	CHICK	96.				
8	11	1985	A33	FD1	48.						
8	11	1985	A35	FD1	51.	CHICK	96.				
8	11	1985	A36	FD1	51.	CHICK	96.				
8	11	1985	A37	FD1	46.	CHICK	96.				
8	11	1985	A38	FD1	46.	CHICK	96.				
8	11	1985	A39	FD1	48.						
8	11	1985	A40			CHICK	96.				
8	11	1985	A41			CHICK	96.				
8	11	1985	A44	FD1	48.						
8	11	1985	A46			CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
8	11	1985	A47			CHICK	96.				
9	11	1985	A48	FD1	46.	CHICK	96.				
8	11	1985	B01	FD2	64.83						
8	11	1985	B02	FD2	64.83						
8	11	1985	B03	FD2	64.83						
8	11	1985	B04	FD2	64.83						
8	11	1985	B05	FD2	64.83						
8	11	1985	B06	FD2	64.83						
8	11	1985	B07	FD2	54.93						
8	11	1985	B08	FD2	54.93						
8	11	1985	B09	FD2	54.93						
8	11	1985	B10	FD2	54.93						
8	11	1985	B11	FD2	54.93						
8	11	1985	B13	FD2	54.93						
9	11	1985	B14	FD2	49.77						
9	11	1985	B15	FD2	49.77						
8	11	1985	B16	FD2	49.77						
8	11	1985	B18	FD2	49.77						
8	11	1985	B19	FD2	49.77						
9	11	1985	B20	FD2	49.77						
9	11	1985	A32	FD1	51.						
9	11	1985	A33	FD1	48.						
9	11	1985	A35	FD1	51.						
9	11	1985	A36	FD1	51.						
9	11	1985	A37	FD1	46.						
9	11	1985	A38	FD1	46.						
9	11	1985	A39	FD1	48.						
9	11	1985	A44	FD1	48.						
9	11	1985	A48	FD1	46.						
9	11	1985	B01	FD2	64.83						
9	11	1985	B02	FD2	64.83						
9	11	1985	B03	FD2	64.83						
9	11	1985	B04	FD2	64.83						
9	11	1985	B05	FD2	64.83						
9	11	1985	B06	FD2	64.83						
9	11	1985	B07	FD2	54.93						
9	11	1985	B08	FD2	54.93						
9	11	1985	B09	FD2	54.93						
9	11	1985	B10	FD2	54.93						
9	11	1985	B11	FD2	54.93						
9	11	1985	B13	FD2	54.93						
9	11	1985	B14	FD2	49.77						
9	11	1985	B15	FD2	49.77						
9	11	1985	B16	FD2	49.77						
9	11	1985	B18	FD2	49.77						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
9	11	1985	B19	FD2	49.77						
9	11	1985	B20	FD2	49.77						
11	11	1985	A29			CHICK	96.				
11	11	1985	A31			CHICK	96.				
11	11	1985	A32	FD1	51.	CHICK	96.				
11	11	1985	A33	FD1	48.						
11	11	1985	A35	FD1	51.	CHICK	96.				
11	11	1985	A36	FD1	51.	CHICK	96.				
11	11	1985	A37	FD1	46.	CHICK	96.				
11	11	1985	A38	FD1	46.	CHICK	96.				
11	11	1985	A39	FD1	48.						
11	11	1985	A40			CHICK	96.				
11	11	1985	A41			CHICK	96.				
11	11	1985	A44	FD1	48.						
11	11	1985	A46			CHICK	96.				
11	11	1985	A47			CHICK	96.				
11	11	1985	A48	FD1	46.	CHICK	96.				
11	11	1985	B01	FD2	64.83						
11	11	1985	B02	FD2	64.83						
11	11	1985	B03	FD2	64.83						
11	11	1985	B04	FD2	64.83						
11	11	1985	B05	FD2	64.83						
11	11	1985	B06	FD2	64.83						
11	11	1985	B07	FD2	54.93						
11	11	1985	B08	FD2	54.93						
11	11	1985	B09	FD2	54.93						
11	11	1985	B10	FD2	54.93						
11	11	1985	B11	FD2	54.93						
11	11	1985	B13	FD2	54.93						
11	11	1985	B14	FD2	49.77						
11	11	1985	B15	FD2	49.77						
11	11	1985	B16	FD2	49.77						
11	11	1985	B18	FD2	49.77						
11	11	1985	B19	FD2	49.77						
11	11	1985	B20	FD2	49.77						
14	11	1985	A29			CHICK	96.				
14	11	1985	A31			CHICK	96.				
14	11	1985	A32	FD1	51.	CHICK	96.				
14	11	1985	A33	FD1	48.						
14	11	1985	A35	FD1	51.	CHICK	96.				
14	11	1985	A36	FD1	51.	CHICK	96.				
14	11	1985	A37	FD1	46.	CHICK	96.				
14	11	1985	A38	FD1	46.	CHICK	96.				
14	11	1985	A39	FD1	48.						
14	11	1985	A40			CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
14	11	1985	A41			CHICK	96.				
14	11	1985	A44	FD1	48.						
14	11	1985	A46			CHICK	96.				
14	11	1985	A47			CHICK	96.				
14	11	1985	A48	FD1	46.	CHICK	96.				
14	11	1985	B01	FD2	43.						
14	11	1985	B02	FD2	43.						
14	11	1985	B03	FD2	43.						
14	11	1985	B04	FD2	43.						
14	11	1985	B05	FD2	43.						
14	11	1985	B06	FD2	43.						
14	11	1985	B07	FD2	42.5						
14	11	1985	B08	FD2	42.5						
14	11	1985	B09	FD2	42.5						
14	11	1985	B10	FD2	42.5						
14	11	1985	B11	FD2	42.5						
14	11	1985	B10	FD2	42.5						
14	11	1985	B14	FD2	36.						
14	11	1985	B15	FD2	36.						
14	11	1985	B16	FD2	36.						
14	11	1985	B18	FD2	36.						
14	11	1985	B19	FD2	36.						
14	11	1985	B20	FD2	36.						
15	11	1985	A29			CHICK	96.				
15	11	1985	A30					TMP	12.		
15	11	1985	A31			CHICK	96.	TMP	12.		
15	11	1985	A32	FD1	51.	CHICK	96.				
15	11	1985	A33	FD1	48.						
15	11	1985	A34					TMP	12.		
15	11	1985	A35	FD1	51.	CHICK	96.				
15	11	1985	A36	FD1	51.	CHICK	96.				
15	11	1985	A37	FD1	46.	CHICK	96.	TMP	12.		
15	11	1985	A38	FD1	46.	CHICK	96.	TMP	12.		
15	11	1985	A39	FD1	48.						
15	11	1985	A40			CHICK	96.				
15	11	1985	A41			CHICK	96.	TMP	12.		
15	11	1985	A42					TMP	12.		
15	11	1985	A44	FD1	48.						
15	11	1985	A46			CHICK	96.	TMP	12.		
15	11	1985	A47			CHICK	96.				
15	11	1985	A48	FD1	46.	CHICK	96.	TMP	12.		
15	11	1985	B01	FD2	43.						
15	11	1985	B02	FD2	43.						
15	11	1985	B03	FD2	43.						
15	11	1985	B04	FD2	43.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
15	11	1985	B05	FD2	43.						
15	11	1985	B06	FD2	43.						
15	11	1985	B07	FD2	42.5						
15	11	1985	B08	FD2	42.5						
15	11	1985	B09	FD2	42.5						
15	11	1985	B10	FD2	42.5						
15	11	1985	B11	FD2	42.5						
15	11	1985	B13	FD2	42.5						
15	11	1985	B14	FD2	36.						
15	11	1985	B15	FD2	36.						
15	11	1985	B16	FD2	36.						
15	11	1985	B18	FD2	36.						
15	11	1985	B19	FD2	36.						
15	11	1985	B20	FD2	36.						
16	11	1985	A32	FD1	51.						
16	11	1985	A33	FD1	48.						
16	11	1985	A35	FD1	51.						
16	11	1985	A36	FD1	51.						
16	11	1985	A37	FD1	46.						
16	11	1985	A38	FD1	46.						
16	11	1985	A39	FD1	48.						
16	11	1985	A44	FD1	48.						
16	11	1985	A48	FD1	46.						
16	11	1985	B01	FD2	43.						
16	11	1985	B02	FD2	43.						
16	11	1985	B03	FD2	43.						
16	11	1985	B04	FD2	43.						
16	11	1985	B05	FD2	43.						
16	11	1985	B06	FD2	43.						
16	11	1985	B07	FD2	42.5						
16	11	1985	B08	FD2	42.5						
16	11	1985	B09	FD2	42.5						
16	11	1985	B10	FD2	42.5						
16	11	1985	B11	FD2	42.5						
16	11	1985	B13	FD2	42.5						
16	11	1985	B14	FD2	36.						
16	11	1985	B15	FD2	36.						
16	11	1985	B16	FD2	36.						
16	11	1985	B18	FD2	36.						
16	11	1985	B19	FD2	36.						
16	11	1985	B20	FD2	36.						
18	11	1985	A29			CHICK	96.				
18	11	1985	A31			CHICK	96.				
18	11	1985	A32	FD1	51.	CHICK	96.				
18	11	1985	A33	FD1	48.						

**Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
19	11	1985	A35	FD1	51.	CHICK	95.				
13	11	1985	A36	FD1	51.	CHICK	96.				
18	11	1985	A37	FD1	46.	CHICK	96.				
18	11	1985	A38	FD1	46.	CHICK	96.				
18	11	1985	A39	FD1	48.						
18	11	1985	A40			CHICK	96.				
18	11	1985	A41			CHICK	96.				
18	11	1985	A44	FD1	48.						
18	11	1985	A46			CHICK	96.				
18	11	1985	A47			CHICK	96.				
18	11	1985	A48	FD1	46.	CHICK	96.				
18	11	1985	B01	FD2	21.5						
13	11	1985	B02	FD2	21.5						
13	11	1985	B03	FD2	21.5						
18	11	1985	B04	FD2	21.5						
18	11	1985	B05	FD2	21.5						
18	11	1985	B06	FD2	21.5						
18	11	1985	B07	FD2	21.25						
18	11	1985	B08	FD2	21.25						
13	11	1985	B09	FD2	21.25						
18	11	1985	B10	FD2	21.25						
18	11	1985	B11	FD2	21.25						
18	11	1985	B13	FD2	21.25						
18	11	1985	B14	FD2	18.						
18	11	1985	B15	FD2	18.						
18	11	1985	B16	FD2	18.						
18	11	1985	B18	FD2	18.						
13	11	1985	B19	FD2	18.						
18	11	1985	B20	FD2	18.						
19	11	1985	A32	FD1	51.						
19	11	1985	A33	FD1	48.						
19	11	1985	A35	FD1	51.						
19	11	1985	A36	FD1	51.						
19	11	1985	A37	FD1	46.						
19	11	1985	A38	FD1	46.						
19	11	1985	A39	FD1	48.						
19	11	1985	A44	FD1	48.						
19	11	1985	A48	FD1	46.						
19	11	1985	B01	FD2	21.5						
19	11	1985	B02	FD2	21.5						
19	11	1985	B03	FD2	21.5						
19	11	1985	B04	FD2	21.5						
19	11	1985	B05	FD2	21.5						
19	11	1985	B06	FD2	21.5						
19	11	1985	B07	FD2	21.25						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
19	11	1985	B08	FD2	21.25						
19	11	1985	B09	FD2	21.25						
19	11	1985	B10	FD2	21.25						
19	11	1985	B11	FD2	21.25						
19	11	1985	B13	FD2	21.25						
19	11	1985	B14	FD2	18.						
19	11	1985	B15	FD2	18.						
19	11	1985	B16	FD2	18.						
19	11	1985	B18	FD2	18.						
19	11	1985	B19	FD2	18.						
19	11	1985	B20	FD2	18.						
20	11	1985	A29			CHICK	96.				
20	11	1985	A30					TMP		12.	
20	11	1985	A31			CHICK	96.	TMP		12.	
20	11	1985	A32	FD1	51.	CHICK	96.				
20	11	1985	A33	FD1	48.						
20	11	1985	A34					TMP		12.	
20	11	1985	A35	FD1	51.	CHICK	96.				
20	11	1985	A36	FD1	51.	CHICK	96.				
20	11	1985	A37	FD1	46.	CHICK	96.	TMP		12.	
20	11	1985	A38	FD1	46.	CHICK	96.	TMP		12.	
20	11	1985	A39	FD1	48.						
20	11	1985	A40			CHICK	96.				
20	11	1985	A41			CHICK	96.	TMP		12.	
20	11	1985	A42					TMP		12.	
20	11	1985	A44	FD1	48.						
20	11	1985	A46			CHICK	96.	TMP		12.	
20	11	1985	A47			CHICK	96.				
20	11	1985	A48	FD1	46.	CHICK	96.	TMP		12.	
20	11	1985	B01	FD2	21.5						
20	11	1985	B02	FD2	21.5						
20	11	1985	B03	FD2	21.5						
20	11	1985	B04	FD2	21.5						
20	11	1985	B05	FD2	21.5						
20	11	1985	B06	FD2	21.5						
20	11	1985	B07	FD2	21.25						
20	11	1985	B08	FD2	21.25						
20	11	1985	B09	FD2	21.25						
20	11	1985	B10	FD2	21.25						
20	11	1985	B11	FD2	21.25						
20	11	1985	B13	FD2	21.25						
20	11	1985	B14	FD2	18.						
20	11	1985	B15	FD2	18.						
20	11	1985	B16	FD2	18.						
20	11	1985	B18	FD2	18.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
20	11	1985	B19	FD2	18.						
20	11	1985	B20	FD2	18.						
21	11	1985	A32	FD1	51.						
21	11	1985	A33	FD1	48.						
21	11	1985	A35	FD1	51.						
21	11	1985	A36	FD1	51.						
21	11	1985	A37	FD1	46.						
21	11	1985	A38	FD1	46.						
21	11	1985	A39	FD1	48.						
21	11	1985	A44	FD1	48.						
21	11	1985	A48	FD1	46.						
21	11	1985	B01	FD2	43.						
21	11	1985	B02	FD2	43.						
21	11	1985	B03	FD2	43.						
21	11	1985	B04	FD2	43.						
21	11	1985	B05	FD2	43.						
21	11	1985	B06	FD2	43.						
21	11	1985	B07	FD2	42.5						
21	11	1985	B08	FD2	42.5						
21	11	1985	B09	FD2	2.5						
21	11	1985	B10	FD2	42.5						
21	11	1985	B11	FD2	42.5						
21	11	1985	B13	FD2	42.5						
21	11	1985	B14	FD2	36.						
21	11	1985	B15	FD2	36.						
21	11	1985	B16	FD2	36.						
21	11	1985	B18	FD2	36.						
21	11	1985	B19	FD2	36.						
21	11	1985	B20	FD2	36.						
22	11	1985	A29			CHICK	96.				
22	11	1985	A31			CHICK	96.				
22	11	1985	A32	FD1	51.	CHICK	96.				
22	11	1985	A33	FD1	48.						
22	11	1985	A35	FD1	51.	CHICK	96.				
22	11	1985	A36	FD1	51.	CHICK	96.				
22	11	1985	A37	FD1	46.	CHICK	96.				
22	11	1985	A38	FD1	46.	CHICK	96.				
22	11	1985	A39	FD1	48.						
22	11	1985	A40			CHICK	96.				
22	11	1985	A41			CHICK	96.				
22	11	1985	A44	FD1	48.						
22	11	1985	A46			CHICK	96.				
22	11	1985	A47			CHICK	96.				
22	11	1985	A48	FD1	46.	CHICK	96.				
22	11	1985	B01	FD3	21.5						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
22	11	1985	B02	FD3	21.5						
22	11	1985	B03	FD3	21.5						
22	11	1985	B04	FD3	21.5						
22	11	1985	B05	FD3	21.5						
22	11	1985	B06	FD3	21.5						
22	11	1985	B07	FD3	21.25						
22	11	1985	B08	FD3	21.25						
22	11	1985	B09	FD3	21.25						
22	11	1985	B10	FD3	21.25						
22	11	1985	B11	FD3	21.25						
22	11	1985	B13	FD3	21.25						
22	11	1985	B14	FD2	18.						
22	11	1985	B15	FD2	18.						
22	11	1985	B16	FD3	18.						
22	11	1985	B18	FD3	18.						
22	11	1985	B19	FD3	18.						
22	11	1985	B20	FD3	18.						
23	11	1985	B01	FD3	21.5						
23	11	1985	B02	FD3	21.5						
23	11	1985	B03	FD3	21.5						
23	11	1985	B04	FD3	21.5						
23	11	1985	B05	FD3	21.5						
23	11	1985	B06	FD3	21.5						
23	11	1985	B07	FD3	21.25						
23	11	1985	B08	FD3	21.25						
23	11	1985	B09	FD3	21.25						
23	11	1985	B10	FD3	21.25						
23	11	1985	B11	FD3	21.25						
23	11	1985	B13	FD3	21.25						
23	11	1985	B14	FD3	18.						
23	11	1985	B15	FD3	18.						
23	11	1985	B16	FD3	18.						
23	11	1985	B18	FD3	18.						
23	11	1985	B19	FD3	18.						
23	11	1985	B20	FD3	18.						
24	11	1985	A32	FD1	51.						
24	11	1985	A33	FD1	48.						
24	11	1985	A35	FD1	51.						
24	11	1985	A36	FD1	51.						
24	11	1985	A37	FD1	46.						
24	11	1985	A38	FD1	46.						
24	11	1985	A39	FD1	48.						
24	11	1985	A44	FD1	48.						
24	11	1985	A48	FD1	46.						
25	11	1985	A32	FD1	51.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
25	11	1985	A33	FD1	48.						
25	11	1985	A35	FD1	51.						
25	11	1985	A36	FD1	51.						
25	11	1985	A37	FD1	46.						
25	11	1985	A38	FD1	46.						
25	11	1985	A39	FD1	48.						
25	11	1985	A44	FD1	48.						
25	11	1985	A48	FD1	46.						
25	11	1985	B01	FD3	21.5						
25	11	1985	B02	FD3	21.5						
25	11	1985	B03	FD3	21.5						
25	11	1985	B04	FD3	21.5						
25	11	1985	B05	FD3	21.5						
25	11	1985	B06	FD3	21.5						
25	11	1985	B07	FD3	21.25						
25	11	1985	B08	FD3	21.25						
25	11	1985	B09	FD3	21.25						
25	11	1985	B10	FD3	21.25						
25	11	1985	B11	FD3	21.25						
25	11	1985	B13	FD3	21.25						
25	11	1985	B14	FD3	18.						
25	11	1985	B15	FD3	18.						
25	11	1985	B16	FD3	18.						
25	11	1985	B18	FD3	18.						
25	11	1985	B19	FD3	18.						
25	11	1985	B20	FD3	18.						
26	11	1985	A29			CHICK	96.				
26	11	1985	A31			CHICK	96.				
26	11	1985	A32	FD1	51.	CHICK	96.				
26	11	1985	A33	FD1	48.						
26	11	1985	A35	FD1	51.	CHICK	96.				
26	11	1985	A36	FD1	51.	CHICK	96.				
26	11	1985	A37	FD1	46.	CHICK	96.				
26	11	1985	A38	FD1	46.	CHICK	96.				
26	11	1985	A39	FD1	48.						
26	11	1985	A40			CHICK	96.				
26	11	1985	A41			CHICK	96.				
26	11	1985	A44	FD1	48.						
26	11	1985	A46			CHICK	96.				
26	11	1985	A47			CHICK	96.				
26	11	1985	A48	FD1	46.	CHICK	96.				
26	11	1985	B01	FD3	21.5						
26	11	1985	B02	FD3	21.5						
26	11	1985	B03	FD3	21.5						
26	11	1985	B04	FD3	21.5						

**Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
26	11	1985	B05	FD3	21.5						
26	11	1985	B06	FD3	21.5						
26	11	1985	B07	FD3	21.25						
26	11	1985	B08	FD3	21.25						
26	11	1985	B09	FD3	21.25						
26	11	1985	B10	FD3	21.25						
26	11	1985	B11	FD3	21.25						
26	11	1985	B13	FD3	21.25						
26	11	1985	B14	FD3	18.						
26	11	1985	B15	FD3	18.						
26	11	1985	B16	FD3	18.						
26	11	1985	B18	FD3	18.						
26	11	1985	B19	FD3	18.						
26	11	1985	B20	FD3	18.						
27	11	1985	A32	FD1	51.						
27	11	1985	A33	FD1	48.						
27	11	1985	A35	FD1	51.						
27	11	1985	A36	FD1	51.						
27	11	1985	A37	FD1	46.						
27	11	1985	A38	FD1	46.						
27	11	1985	A39	FD1	48.						
27	11	1985	A44	FD1	48.						
27	11	1985	A48	FD1	46.						
27	11	1985	B01	FD3	21.5						
27	11	1985	B02	FD3	21.5						
27	11	1985	B03	FD3	21.5						
27	11	1985	B04	FD3	21.5						
27	11	1985	B05	FD3	21.5						
27	11	1985	B06	FD3	21.5						
27	11	1985	B07	FD3	21.25						
27	11	1985	B08	FD3	21.25						
27	11	1985	B09	FD3	21.25						
27	11	1985	B10	FD3	21.25						
27	11	1985	B11	FD3	21.25						
27	11	1985	B13	FD3	21.25						
27	11	1985	B14	FD3	18.						
27	11	1985	B15	FD3	18.						
27	11	1985	B16	FD3	18.						
27	11	1985	B18	FD3	18.						
27	11	1985	B19	FD3	18.						
27	11	1985	B20	FD3	18.						
28	11	1985	B01	FD3	40.						
28	11	1985	B02	FD3	40.						
28	11	1985	B03	FD3	40.						
28	11	1985	B04	FD3	40.						

**Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season**

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
28	11	1985	B05	FD3	40.						
28	11	1985	B06	FD3	40.						
28	11	1985	B07	FD3	39.						
28	11	1985	B08	FD3	39.						
28	11	1985	B09	FD3	39.						
28	11	1985	B10	FD3	39.						
28	11	1985	B11	FD3	39.						
28	11	1985	B13	FD3	39.						
28	11	1985	B14	FD3	33.						
28	11	1985	B15	FD3	33.						
28	11	1985	B16	FD3	33.						
28	11	1985	B18	FD3	33.						
28	11	1985	B19	FD3	33.						
28	11	1985	B20	FD3	33.						
29	11	1985	A29			CHICK	96.				
29	11	1985	A31			CHICK	96.				
29	11	1985	A32	FD1	61.	CHICK	96.				
29	11	1985	A33	FD1	63.						
29	11	1985	A35	FD1	61.	CHICK	96.				
29	11	1985	A36	FD1	61.	CHICK	96.				
29	11	1985	A37	FD1	59.	CHICK	96.				
29	11	1985	A39	FD1	59.	CHICK	96.				
29	11	1985	A39	FD1	63.						
29	11	1985	A40			CHICK	96.				
29	11	1985	A41			CHICK	96.				
29	11	1985	A44	FD1	63.						
29	11	1985	A46			CHICK	96.				
29	11	1985	A47			CHICK	96.				
29	11	1985	A48	FD1	59.	CHICK	96.				
29	11	1985	B01	FD3	40.						
29	11	1985	B02	FD3	40.						
29	11	1985	B03	FD3	40.						
29	11	1985	B04	FD3	40.						
29	11	1985	B05	FD3	40.						
29	11	1985	B06	FD3	40.						
29	11	1985	B07	FD3	39.						
29	11	1985	B08	FD3	39.						
29	11	1985	B09	FD3	39.						
29	11	1985	B10	FD3	39.						
29	11	1985	B11	FD3	39.						
29	11	1985	B13	FD3	39.						
29	11	1985	B14	FD3	33.						
29	11	1985	B15	FD3	33.						
29	11	1985	B16	FD3	33.						
29	11	1985	B18	FD3	33.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
29	11	1985	B19	FD3	33.						
29	11	1985	B20	FD3	33.						
30	11	1985	A32	FD1	61.						
30	11	1985	A33	FD1	63.						
30	11	1985	A35	FD1	61.						
30	11	1985	A36	FD1	61.						
30	11	1985	A37	FD1	59.						
30	11	1985	A38	FD1	59.						
30	11	1985	A39	FD1	63.						
30	11	1985	A44	FD1	63.						
30	11	1985	A48	FD1	59.						
30	11	1985	B01	FD3	40.						
30	11	1985	B02	FD3	40.						
30	11	1985	B03	FD3	40.						
30	11	1985	B04	FD3	40.						
30	11	1985	B05	FD3	40.						
30	11	1985	B06	FD3	40.						
30	11	1985	B07	FD3	39.						
30	11	1985	B08	FD3	39.						
30	11	1985	B09	FD3	39.						
30	11	1985	B10	FD3	39.						
30	11	1985	B11	FD3	39.						
30	11	1985	B13	FD3	39.						
30	11	1985	B14	FD3	33.						
30	11	1985	B15	FD3	33.						
30	11	1985	B16	FD3	33.						
30	11	1985	B18	FD3	33.						
30	11	1985	B19	FD3	33.						
30	11	1985	B20	FD3	33.						
2	12	1985	A29			CHICK	96.				
2	12	1985	A31			CHICK	96.				
2	12	1985	A32	FD1	61.	CHICK	96.				
2	12	1985	A33	FD1	63.						
2	12	1985	A35	FD1	61.	CHICK	96.				
2	12	1985	A36	FD1	61.	CHICK	96.				
2	12	1985	A37	FD1	59.	CHICK	96.				
2	12	1985	A38	FD1	59.	CHICK	96.				
2	12	1985	A39	FD1	63.						
2	12	1985	A40			CHICK	96.				
2	12	1985	A41			CHICK	96.				
2	12	1985	A44	FD1	63.						
2	12	1985	A46			CHICK	96.				
2	12	1985	A47			CHICK	96.				
2	12	1985	A48	FD1	59.	CHICK	96.				
2	12	1985	B01	FD3	40.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
2	12	1985	B02	FD3	40.						
2	12	1985	B03	FD3	40.						
2	12	1985	B04	FD3	40.						
2	12	1985	B05	FD3	40.						
2	12	1985	B06	FD3	40.						
2	12	1985	B07	FD3	39.						
2	12	1985	B08	FD3	39.						
2	12	1985	B09	FD3	39.						
2	12	1985	B10	FD3	39.						
2	12	1985	B11	FD3	39.						
2	12	1985	B13	FD3	39.						
2	12	1985	B14	FD3	33.						
2	12	1985	B15	FD3	33.						
2	12	1985	B16	FD3	33.						
2	12	1985	B18	FD3	33.						
2	12	1985	B19	FD3	33.						
2	12	1985	B20	FD3	33.						
3	12	1985	A32	FD1	61.						
3	12	1985	A33	FD1	63.						
3	12	1985	A35	FD1	61.						
3	12	1985	A36	FD1	61.						
3	12	1985	A37	FD1	59.						
3	12	1985	A38	FD1	59.						
3	12	1985	A39	FD1	63.						
3	12	1985	A44	FD1	63.						
3	12	1985	A48	FD1	59.						
3	12	1985	B01	FD3	40.						
3	12	1985	B02	FD3	40.						
3	12	1985	B03	FD3	40.						
3	12	1985	B04	FD3	40.						
3	12	1985	B05	FD3	40.						
3	12	1985	B06	FD3	40.						
3	12	1985	B07	FD3	39.						
3	12	1985	B08	FD3	39.						
3	12	1985	B09	FD3	39.						
3	12	1985	B10	FD3	39.						
3	12	1985	B11	FD3	39.						
3	12	1985	B13	FD3	39.						
3	12	1985	B14	FD3	33.						
3	12	1985	B15	FD3	33.						
3	12	1985	B16	FD3	33.						
3	12	1985	B18	FD3	33.						
3	12	1985	B19	FD3	33.						
3	12	1985	B20	FD3	33.						
4	12	1985	A29			CHICK		96.			

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
4	12	1985	A30					TMP	12.		
4	12	1985	A31			CHICK	96.	TMP	12.		
4	12	1985	A32	FD1	61.	CHICK	96.				
4	12	1985	A33	FD1	63.						
4	12	1985	A34					TMP	12.		
4	12	1985	A35	FD1	61.	CHICK	96.				
4	12	1985	A36	FD1	61.	CHICK	96.				
4	12	1985	A37	FD1	59.	CHICK	96.	TMP	12.		
4	12	1985	A38	FD1	59.	CHICK	96.	TMP	12.		
4	12	1985	A39	FD1	63.						
4	12	1985	A40			CHICK	96.				
4	12	1985	A41			CHICK	96.	TMP	12.		
4	12	1985	A42					TMP	12.		
4	12	1985	A44	FD1	63.						
4	12	1985	A46			CHICK	96.	TMP	12.		
4	12	1985	A47			CHICK	96.				
4	12	1985	A48	FD1	59.	CHICK	96.	TMP	12.		
4	12	1985	B01	FD3	40.			TMP	50.		
4	12	1985	B02	FD3	40.			TMP	50.		
4	12	1985	B03	FD3	40.			TMP	50.		
4	12	1985	B04	FD3	40.			TMP	50.		
4	12	1985	B05	FD3	40.			TMP	50.		
4	12	1985	B06	FD3	40.			TMP	50.		
4	12	1985	B07	FD3	39.			TMP	50.		
4	12	1985	B08	FD3	39.			TMP	50.		
4	12	1985	B09	FD3	39.			TMP	50.		
4	12	1985	B10	FD3	39.			TMP	50.		
4	12	1985	B11	FD3	39.			TMP	50.		
4	12	1985	B13	FD3	39.			TMP	50.		
4	12	1985	B14	FD3	33.			TMP	50.		
4	12	1985	B15	FD3	33.			TMP	50.		
4	12	1985	B16	FD3	33.			TMP	50.		
4	12	1985	B18	FD3	33.			TMP	50.		
4	12	1985	B19	FD3	33.			TMP	50.		
4	12	1985	B20	FD3	33.			TMP	50.		
5	12	1985	A32	FD1	61.						
5	12	1985	A33	FD1	63.						
5	12	1985	A35	FD1	61.						
5	12	1985	A36	FD1	61.						
5	12	1985	A37	FD1	59.						
5	12	1985	A38	FD1	59.						
5	12	1985	A39	FD1	63.						
5	12	1985	A44	FD1	63.						
5	12	1985	A48	FD1	59.						
5	12	1985	B01	FD3	40.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
5	12	1985	B02	FD3	40.						
5	12	1985	B03	FD3	40.						
5	12	1985	B04	FD3	40.						
5	12	1985	B05	FD3	40.						
5	12	1985	B06	FD3	40.						
5	12	1985	B07	FD3	39.						
5	12	1985	B08	FD3	39.						
5	12	1985	B09	FD3	39.						
5	12	1985	B10	FD3	39.						
5	12	1985	B11	FD3	39.						
5	12	1985	B13	FD3	39.						
5	12	1985	B14	FD3	33.						
5	12	1985	B15	FD3	33.						
5	12	1985	B16	FD3	33.						
5	12	1985	B18	FD3	33.						
5	12	1985	B19	FD3	33.						
5	12	1985	B20	FD3	33.						
6	12	1985	A29			CHICK	96.				
6	12	1985	A31			CHICK	96.				
6	12	1985	A32	FD1	61.	CHICK	96.				
6	12	1985	A33	FD1	63.						
6	12	1985	A35	FD1	61.	CHICK	96.				
6	12	1985	A36	FD1	61.	CHICK	96.				
6	12	1985	A37	FD1	59.	CHICK	96.				
6	12	1985	A38	FD1	59.	CHICK	96.				
6	12	1985	A39	FD1	63.						
6	12	1985	A40			CHICK	96.				
6	12	1985	A41			CHICK	96.				
6	12	1985	A44	FD1	63.						
6	12	1985	A46			CHICK	96.				
6	12	1985	A47			CHICK	96.				
6	12	1985	A48	FD1	59.	CHICK	96.				
6	12	1985	B01	FD3	40.						
6	12	1985	B02	FD3	40.						
6	12	1985	B03	FD3	40.						
6	12	1985	B04	FD3	40.						
6	12	1985	B05	FD3	40.						
6	12	1985	B06	FD3	40.						
6	12	1985	B07	FD3	39.						
6	12	1985	B08	FD3	39.						
6	12	1985	B09	FD3	39.						
6	12	1985	B10	FD3	39.						
6	12	1985	B11	FD3	39.						
6	12	1985	B13	FD3	39.						
6	12	1985	B14	FD3	33.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
6	12	1985	B15	FD3	33.						
6	12	1985	B16	FD3	33.						
6	12	1985	B18	FD3	33.						
6	12	1985	B19	FD3	33.						
6	12	1985	B20	FD3	33.						
7	12	1985	A32	FD1	61.						
7	12	1985	A33	FD1	63.						
7	12	1985	A35	FD1	51.						
7	12	1985	A36	FD1	61.						
7	12	1985	A37	FD1	59.						
7	12	1985	A38	FD1	59.						
7	12	1985	A39	FD1	63.						
7	12	1985	A44	FD1	63.						
7	12	1985	A48	FD1	59.						
7	12	1985	B01	FD3	40.						
7	12	1985	B02	FD3	40.						
7	12	1985	B03	FD3	40.						
7	12	1985	B04	FD3	40.						
7	12	1985	B05	FD3	40.						
7	12	1985	B06	FD3	40.						
7	12	1985	B07	FD3	39.						
7	12	1985	B08	FD3	39.						
7	12	1985	B09	FD3	39.						
7	12	1985	B10	FD3	39.						
7	12	1985	B11	FD3	39.						
7	12	1985	B13	FD3	39.						
7	12	1985	B14	FD3	33.						
7	12	1985	B15	FD3	33.						
7	12	1985	B16	FD3	33.						
7	12	1985	B18	FD3	33.						
7	12	1985	B19	FD3	33.						
7	12	1985	B20	FD3	33.						
9	12	1985	A29			CHICK	96.				
9	12	1985	A31			CHICK	96.				
9	12	1985	A32	FD1	61.	CHICK	96.				
9	12	1985	A33	FD1	63.						
9	12	1985	A35	FD1	61.	CHICK	96.				
9	12	1985	A36	FD1	61.	CHICK	96.				
9	12	1985	A37	FD1	59.	CHICK	96.				
9	12	1985	A38	FD1	59.	CHICK	96.				
9	12	1985	A39	FD1	63.						
9	12	1985	A40			CHICK	96.				
9	12	1985	A41			CHICK	96.				
9	12	1985	A44	FD1	63.						
9	12	1985	A46			CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	FOND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
9	12	1985	A47			CHICK	96.				
9	12	1985	A48	FDI	59.	CHICK	96.				
10	12	1985	A32	FDI	61.						
10	12	1985	A33	FDI	63.						
10	12	1985	A35	FDI	61.						
10	12	1985	A36	FDI	61.						
10	12	1985	A37	FDI	59.						
10	12	1985	A38	FDI	59.						
10	12	1985	A39	FDI	63.						
10	12	1985	A44	FDI	63.						
10	12	1985	A48	FDI	59.						
13	12	1985	A29			CHICK	96.				
13	12	1985	A31			CHICK	96.				
13	12	1985	A32	FDI	61.	CHICK	96.				
13	12	1985	A33	FDI	63.						
13	12	1985	A35	FDI	61.	CHICK	96.				
13	12	1985	A36	FDI	61.	CHICK	96.				
13	12	1985	A37	FDI	59.	CHICK	96.				
13	12	1985	A38	FDI	59.	CHICK	96.				
13	12	1985	A39	FDI	63.						
13	12	1985	A40			CHICK	96.				
13	12	1985	A41			CHICK	96.				
13	12	1985	A44	FDI	63.						
13	12	1985	A46			CHICK	96.				
13	12	1985	A47			CHICK	96.				
13	12	1985	A48	FDI	59.	CHICK	96.				
14	12	1985	A32	FDI	61.						
14	12	1985	A33	FDI	63.						
14	12	1985	A35	FDI	61.						
14	12	1985	A36	FDI	61.						
14	12	1985	A37	FDI	59.						
14	12	1985	A38	FDI	59.						
14	12	1985	A39	FDI	63.						
14	12	1985	A44	FDI	63.						
14	12	1985	A48	FDI	59.						
16	12	1985	A29			CHICK	96.				
16	12	1985	A31			CHICK	96.				
16	12	1985	A32	FDI	61.	CHICK	96.				
16	12	1985	A33	FDI	63.						
16	12	1985	A35	FDI	61.	CHICK	96.				
16	12	1985	A36	FDI	61.	CHICK	96.				
16	12	1985	A37	FDI	59.	CHICK	96.				
16	12	1985	A38	FDI	59.	CHICK	96.				
16	12	1985	A39	FDI	63.						
16	12	1985	A40			CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
16	12	1985	A41			CHICK	96.				
16	12	1985	A44	FD1	63.						
16	12	1985	A46			CHICK	96.				
16	12	1985	A47			CHICK	96.				
16	12	1985	A48	FD1	59.	CHICK	96.				
17	12	1985	A32	FD1	61.						
17	12	1985	A33	FD1	63.						
17	12	1985	A35	FD1	61.						
17	12	1985	A36	FD1	61.						
17	12	1985	A37	FD1	59.						
17	12	1985	A38	FD1	59.						
17	12	1985	A39	FD1	63.						
17	12	1985	A44	FD1	63.						
17	12	1985	A43	FD1	59.						
18	12	1985	A29			CHICK	96.				
18	12	1985	A30					TMP	12.		
18	12	1985	A31			CHICK	96.	TMP	12.		
18	12	1985	A32	FD1	61.	CHICK	96.				
18	12	1985	A33	FD1	63.						
18	12	1985	A34					TMP	12.		
18	12	1985	A35	FD1	61.	CHICK	96.				
18	12	1985	A36	FD1	61.	CHICK	96.				
18	12	1985	A37	FD1	59.	CHICK	96.	TMP	12.		
18	12	1985	A38	FD1	59.	CHICK	96.	TMP	12.		
18	12	1985	A39	FD1	63.						
18	12	1985	A40			CHICK	96.				
18	12	1985	A41			CHICK	96.	TMP	12.		
18	12	1985	A42					TMP	12.		
18	12	1985	A44	FD1	63.						
18	12	1985	A46			CHICK	96.	TMP	12.		
18	12	1985	A47			CHICK	96.				
18	12	1985	A48	FD1	59.	CHICK	96.	TMP	12.		
19	12	1985	A32	FD1	61.						
19	12	1985	A33	FD1	63.						
19	12	1985	A35	FD1	61.						
19	12	1985	A36	FD1	61.						
19	12	1985	A37	FD1	59.						
19	12	1985	A38	FD1	59.						
19	12	1985	A39	FD1	63.						
19	12	1985	A44	FD1	63.						
19	12	1985	A43	FD1	59.						
20	12	1985	A29			CHICK	96.				
20	12	1985	A31			CHICK	96.				
20	12	1985	A31	FD1	61.	CHICK	96.				
20	12	1985	A33	FD1	63.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
20	12	1985	A35	FD1	61.	CHICK	96.				
20	12	1985	A36	FD1	61.	CHICK	96.				
20	12	1985	A37	FD1	59.	CHICK	96.				
20	12	1985	A38	FD1	59.	CHICK	96.				
20	12	1985	A39	FD1	63.						
20	12	1985	A40			CHICK	96.				
20	12	1985	A41			CHICK	96.				
20	12	1985	A44	FD1	63.						
20	12	1985	A46			CHICK	96.				
20	12	1985	A47			CHICK	96.				
20	12	1985	A48	FD1	59.	CHICK	96.				
21	12	1985	A32	FD1	61.						
21	12	1985	A33	FD1	63.						
21	12	1985	A35	FD1	61.						
21	12	1985	A36	FD1	61.						
21	12	1985	A37	FD1	59.						
21	12	1985	A38	FD1	59.						
21	12	1985	A39	FD1	63.						
21	12	1985	A44	FD1	63.						
21	12	1985	A48	FD1	59.						
26	12	1985	A32	FD1	61.						
26	12	1985	A33	FD1	63.						
26	12	1985	A35	FD1	61.						
26	12	1985	A36	FD1	61.						
26	12	1985	A37	FD1	59.						
26	12	1985	A38	FD1	59.						
26	12	1985	A39	FD1	63.						
26	12	1985	A44	FD1	63.						
26	12	1985	A48	FD1	59.						
30	12	1985	A32	FD1	61.						
30	12	1985	A33	FD1	63.						
30	12	1985	A35	FD1	61.						
30	12	1985	A36	FD1	61.						
30	12	1985	A37	FD1	59.						
30	12	1985	A38	FD1	59.						
30	12	1985	A39	FD1	63.						
30	12	1985	A44	FD1	63.						
31	12	1985	A32	FD1	61.						
31	12	1985	A33	FD1	63.						
31	12	1985	A35	FD1	61.						
31	12	1985	A36	FD1	61.						
31	12	1985	A37	FD1	59.						
31	12	1985	A38	FD1	59.						
31	12	1985	A39	FD1	63.						

Table 10. Nutrient and Lime Inputs. Illoilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
31	12	1985	A44	FD1	63.						
31	12	1985	A48	FD1	59.						
3	1	1986	A29			CHICK	96.				
3	1	1986	A31			CHICK	96.				
3	1	1986	A32	FD1	31.	CHICK	96.				
3	1	1986	A33	FD1	32.						
3	1	1986	A35	FD1	31.	CHICK	96.				
3	1	1986	A36	FD1	31.	CHICK	96.				
3	1	1986	A37	FD1	30.	CHICK	96.				
3	1	1986	A38	FD1	30.	CHICK	96.				
3	1	1986	A39	FD1	32.						
3	1	1986	A40			CHICK	96.				
3	1	1986	A41			CHICK	96.				
3	1	1986	A44	FD1	32.						
3	1	1986	A46			CHICK	96.				
3	1	1986	A47			CHICK	96.				
3	1	1986	A48	FD1	30.	CHICK	96.				
6	1	1986	A29			CHICK	96.				
6	1	1986	A31			CHICK	96.				
6	1	1986	A32	FD1	78.	CHICK	96.				
6	1	1986	A33	FD1	80.						
6	1	1986	A35	FD1	78.	CHICK	96.				
6	1	1986	A36	FD1	78.	CHICK	96.				
6	1	1986	A37	FD1	75.	CHICK	96.				
6	1	1986	A38	FD1	75.	CHICK	96.				
6	1	1986	A39	FD1	80.						
6	1	1986	A40			CHICK	96.				
6	1	1986	A41			CHICK	96.				
6	1	1986	A44	FD1	30.						
6	1	1986	A46			CHICK	96.				
6	1	1986	A47			CHICK	96.				
6	1	1986	A48	FD1	75.	CHICK	96.				
7	1	1986	A32	FD1	78.						
7	1	1986	A33	FD1	80.						
7	1	1986	A35	FD1	78.						
7	1	1986	A36	FD1	78.						
7	1	1986	A37	FD1	75.						
7	1	1986	A38	FD1	75.						
7	1	1986	A39	FD1	80.						
7	1	1986	A44	FD1	80.						
7	1	1986	A48	FD1	75.						
8	1	1986	A29			CHICK	96.				
8	1	1986	A30					TMP		12.	
8	1	1986	A31			CHICK	96.	TMP		12.	
8	1	1986	A32	FD1	78.	CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
8	1	1986	A33	FD1	80.						
8	1	1986	A34					TMP	12.		
8	1	1986	A35	FD1	78.	CHICK	96.				
8	1	1986	A36	FD1	78.	CHICK	96.				
8	1	1986	A37	FD1	75.	CHICK	96.	TMP	12.		
8	1	1986	A38	FD1	75.	CHICK	96.	TMP	12.		
8	1	1986	A39	FD1	80.						
8	1	1986	A40			CHICK	96.				
8	1	1986	A41			CHICK	96.	TMP	12.		
8	1	1986	A42					TMP	12.		
8	1	1986	A44	FD1	80.						
3	1	1986	A46			CHICK	96.	TMP	12.		
8	1	1986	A47			CHICK	96.				
8	1	1986	A48	FD1	75.	CHICK	96.	TMP	12.		
9	1	1986	A32	FD1	78.						
9	1	1986	A33	FD1	80.						
9	1	1986	A35	FD1	78.						
9	1	1986	A36	FD1	78.						
9	1	1986	A37	FD1	75.						
9	1	1986	A38	FD1	75.						
9	1	1986	A39	FD1	80.						
9	1	1986	A44	FD1	80.						
9	1	1986	A48	FD1	75.						
10	1	1986	A29			CHICK	96.				
10	1	1986	A31			CHICK	96.				
10	1	1986	A32	FD1	78.	CHICK	96.				
10	1	1986	A33	FD1	80.						
10	1	1986	A35	FD1	78.	CHICK	96.				
10	1	1986	A36	FD1	78.	CHICK	96.				
10	1	1986	A37	FD1	75.	CHICK	96.				
10	1	1986	A38	FD1	75.	CHICK	96.				
10	1	1986	A39	FD1	80.						
10	1	1986	A40			CHICK	96.				
10	1	1986	A41			CHICK	96.				
10	1	1986	A44	FD1	80.						
10	1	1986	A46			CHICK	96.				
10	1	1986	A47			CHICK	96.				
10	1	1986	A48	FD1	75.	CHICK	96.				
11	1	1986	A32	FD1	78.						
11	1	1986	A33	FD1	80.						
11	1	1986	A35	FD1	78.						
11	1	1986	A36	FD1	78.						
11	1	1986	A37	FD1	75.						
11	1	1986	A38	FD1	75.						
11	1	1986	A39	FD1	80.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
11	1	1986	A44	FD1	80.						
11	1	1986	A48	FD1	75.						
14	1	1986	A32	FD1	78.						
14	1	1986	A33	FD1	80.						
14	1	1986	A35	FD1	78.						
14	1	1986	A36	FD1	78.						
14	1	1986	A37	FD1	75.						
14	1	1986	A38	FD1	75.						
14	1	1986	A39	FD1	80.						
14	1	1986	A44	FD1	80.						
14	1	1986	A48	FD1	75.						
15	1	1986	A29			CHICK	96.				
15	1	1986	A30					TMP	12.		
15	1	1986	A31			CHICK	96.	TMP	12.		
15	1	1986	A32	FD1	78.	CHICK	96.				
15	1	1986	A33	FD1	80.						
15	1	1986	A34					TMP	12.		
15	1	1986	A35	FD1	78.	CHICK	96.				
15	1	1986	A36	FD1	78.	CHICK	96.				
15	1	1986	A37	FD1	75.	CHICK	96.	TMP	12.		
15	1	1986	A38	FD1	75.	CHICK	96.	TMP	12.		
15	1	1986	A39	FD1	80.						
15	1	1986	A40			CHICK	96.				
15	1	1986	A41			CHICK	96.	TMP	12.		
15	1	1986	A42					TMP	12.		
15	1	1986	A44	FD1	80.						
15	1	1986	A46			CHICK	96.	TMP	12.		
15	1	1986	A47			CHICK	96.				
15	1	1986	A48	FD1	75.	CHICK	96.	TMP	12.		
16	1	1986	A32	FD1	78.						
16	1	1986	A33	FD1	80.						
16	1	1986	A35	FD1	78.						
16	1	1986	A36	FD1	78.						
16	1	1986	A37	FD1	75.						
16	1	1986	A38	FD1	75.						
16	1	1986	A39	FD1	80.						
16	1	1986	A44	FD1	80.						
16	1	1986	A48	FD1	75.						
17	1	1986	A29			CHICK	96.				
17	1	1986	A31			CHICK	96.				
17	1	1986	A32	FD1	78.	CHICK	96.				
17	1	1986	A33	FD1	80.						
17	1	1986	A35	FD1	78.	CHICK	96.				
17	1	1986	A36	FD1	78.	CHICK	96.				
17	1	1986	A37	FD1	75.	CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
17	1	1986	A38	FD1	75.	CHICK	96.				
17	1	1986	A39	FD1	80.						
17	1	1986	A40			CHICK	96.				
17	1	1986	A41			CHICK	96.				
17	1	1986	A44	FD1	80.						
17	1	1986	A46			CHICK	96.				
17	1	1986	A47			CHICK	96.				
17	1	1986	A48	FD1	75.	CHICK	96.				
18	1	1986	A32	FD1	78.						
18	1	1986	A33	FD1	80.						
18	1	1986	A35	FD1	78.						
18	1	1986	A36	FD1	78.						
18	1	1986	A37	FD1	75.						
18	1	1986	A38	FD1	75.						
18	1	1986	A39	FD1	80.						
18	1	1986	A44	FD1	80.						
18	1	1986	A48	FD1	75.						
20	1	1986	A29			CHICK	96.				
20	1	1986	A31			CHICK	96.				
20	1	1986	A32	FD1	78.	CHICK	96.				
20	1	1986	A33	FD1	80.						
20	1	1986	A35	FD1	78.	CHICK	96.				
20	1	1986	A36	FD1	78.	CHICK	96.				
20	1	1986	A37	FD1	75.	CHICK	96.				
20	1	1986	A38	FD1	75.	CHICK	96.				
20	1	1986	A39	FD1	80.						
20	1	1986	A40			CHICK	96.				
20	1	1986	A41			CHICK	96.				
20	1	1986	A44	FD1	80.						
20	1	1986	A46			CHICK	96.				
20	1	1986	A47			CHICK	96.				
20	1	1986	A48	FD1	75.	CHICK	96.				
21	1	1986	A32	FD1	78.						
21	1	1986	A33	FD1	80.						
21	1	1986	A35	FD1	78.						
21	1	1986	A36	FD1	78.						
21	1	1986	A37	FD1	75.						
21	1	1986	A38	FD1	75.						
21	1	1986	A39	FD1	80.						
21	1	1986	A44	FD1	80.						
21	1	1986	A48	FD1	75.						
22	1	1986	A29			CHICK	96.				
22	1	1986	A30					TMP		12.	
22	1	1986	A31			CHICK	96.	TMP		12.	
22	1	1986	A32	FD1	75.	CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
22	1	1986	A33	FD1	80.						
22	1	1986	A34					TMP	12.		
22	1	1986	A35	FD1	78.	CHICK	96.				
22	1	1986	A36	FD1	78.	CHICK	96.				
22	1	1986	A37	FD1	75.	CHICK	96.	TMP	12.		
22	1	1986	A38	FD1	75.	CHICK	96.	TMP	12.		
22	1	1986	A39	FD1	80.						
22	1	1986	A40			CHICK	96.				
22	1	1986	A41			CHICK	96.	TMP	12.		
22	1	1986	A42					TMP	12.		
22	1	1986	A44	FD1	80.						
22	1	1986	A46			CHICK	96.	TMP	12.		
22	1	1986	A47			CHICK	96.				
22	1	1986	A48	FD1	75.	CHICK	96.	TMP	12.		
23	1	1986	A32	FD1	78.						
23	1	1986	A33	FD1	80.						
23	1	1986	A35	FD1	78.						
23	1	1986	A36	FD1	78.						
23	1	1986	A37	FD1	75.						
23	1	1986	A38	FD1	75.						
23	1	1986	A39	FD1	80.						
23	1	1986	A44	FD1	80.						
23	1	1986	A48	FD1	75.						
25	1	1986	A32	FD1	78.						
25	1	1986	A33	FD1	80.						
25	1	1986	A35	FD1	78.						
25	1	1986	A36	FD1	78.						
25	1	1986	A37	FD1	75.						
25	1	1986	A38	FD1	75.						
25	1	1986	A39	FD1	80.						
25	1	1986	A44	FD1	80.						
25	1	1986	A48	FD1	75.						
29	1	1986	A32	FD1	78.						
29	1	1986	A33	FD1	80.						
29	1	1986	A35	FD1	78.						
29	1	1986	A36	FD1	78.						
29	1	1986	A37	FD1	75.						
29	1	1986	A38	FD1	75.						
29	1	1986	A39	FD1	80.						
29	1	1986	A44	FD1	80.						
29	1	1986	A48	FD1	75.						
30	1	1986	A30					TMP	12.		
30	1	1986	A31					TMP	12.		
30	1	1986	A32	FD1	78.						
30	1	1986	A33	FD1	80.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	FOND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
30	1	1986	A34					TMP	12.		
30	1	1986	A35	FD1	78.						
30	1	1986	A36	FD1	78.						
30	1	1986	A37	FD1	75.			TMP	12.		
30	1	1986	A38	FD1	75.			TMP	12.		
30	1	1986	A39	FD1	80.						
30	1	1986	A41					TMP	12.		
30	1	1986	A42					TMP	12.		
30	1	1986	A44	FD1	80.						
30	1	1986	A46					TMP	12.		
30	1	1986	A48	FD1	75.			TMP	12.		
31	1	1986	A29			CHICK	96.				
31	1	1986	A31			CHICK	96.				
31	1	1986	A32	FD1	78.	CHICK	96.				
31	1	1986	A33	FD1	80.						
31	1	1986	A35	FD1	78.	CHICK	96.				
31	1	1986	A36	FD1	78.	CHICK	96.				
31	1	1986	A37	FD1	75.	CHICK	96.				
31	1	1986	A38	FD1	75.	CHICK	96.				
31	1	1986	A39	FD1	80.						
31	1	1986	A40			CHICK	96.				
31	1	1986	A41			CHICK	96.				
31	1	1986	A44	FD1	80.						
31	1	1986	A46			CHICK	96.				
31	1	1986	A47			CHICK	96.				
31	1	1986	A48	FD1	75.	CHICK	96.				
3	2	1986	A32	FD1	78.						
3	2	1986	A33	FD1	80.						
3	2	1986	A35	FD1	78.						
3	2	1986	A36	FD1	78.						
3	2	1986	A37	FD1	75.						
3	2	1986	A38	FD1	75.						
3	2	1986	A39	FD1	80.						
3	2	1986	A44	FD1	80.						
3	2	1986	A48	FD1	75.						
4	2	1986	A32	FD1	54.						
4	2	1986	A33	FD1	47.						
4	2	1986	A35	FD1	54.						
4	2	1986	A36	FD1	54.						
4	2	1986	A37	FD1	48.						
4	2	1986	A38	FD1	48.						
4	2	1986	A39	FD1	47.						
4	2	1986	A44	FD1	47.						
4	2	1986	A48	FD1	48.						
5	2	1986	A29			CHICK	96.				

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
5	2	1986	A30					TMP		12.	
5	2	1986	A31			CHICK	96.	TMP		12.	
5	2	1986	A32	FD1	54.	CHICK	96.				
5	2	1986	A33	FD1	47.						
5	2	1986	A34					TMP		12.	
5	2	1986	A35	FD1	54.	CHICK	96.				
5	2	1986	A36	FD1	54.	CHICK	96.				
5	2	1986	A37	FD1	48.	CHICK	96.				
5	2	1986	A38	FD1	48.	CHICK	96.				
5	2	1986	A39	FD1	47.						
5	2	1986	A40			CHICK	96.				
5	2	1986	A41			CHICK	96.	TMP		12.	
5	2	1986	A42					TMP		12.	
5	2	1986	A44	FD1	47.						
5	2	1986	A46			CHICK	96.	TMP		12.	
5	2	1986	A47			CHICK	96.				
5	2	1986	A48	FD1	48.	CHICK	96.	TMP		12.	
6	2	1986	A32	FD1	54.						
6	2	1986	A33	FD1	47.						
6	2	1986	A35	FD1	54.						
6	2	1986	A36	FD1	54.						
6	2	1986	A37	FD1	48.						
6	2	1986	A38	FD1	48.						
6	2	1986	A39	FD1	47.						
6	2	1986	A44	FD1	47.						
6	2	1986	A48	FD1	48.						
7	2	1986	A32	FD1	54.						
7	2	1986	A33	FD1	47.						
7	2	1986	A35	FD1	54.						
7	2	1986	A36	FD1	54.						
7	2	1986	A37	FD1	48.						
7	2	1986	A38	FD1	48.						
7	2	1986	A39	FD1	47.						
7	2	1986	A44	FD1	47.						
7	2	1986	A48	FD1	48.						
8	2	1986	A32	FD1	54.						
8	2	1986	A33	FD1	47.						
8	2	1986	A35	FD1	54.						
8	2	1986	A36	FD1	54.						
8	2	1986	A37	FD1	48.						
8	2	1986	A38	FD1	48.						
8	2	1986	A39	FD1	47.						
8	2	1986	A44	FD1	47.						
8	2	1986	A48	FD1	48.						
11	2	1986	A32	FD1	54.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
11	2	1986	A33	FD1	47.						
11	2	1986	A35	FD1	54.						
11	2	1986	A36	FD1	54.						
11	2	1986	A37	FD1	48.						
11	2	1986	A38	FD1	48.						
11	2	1986	A39	FD1	47.						
11	2	1986	A44	FD1	47.						
11	2	1986	A48	FD1	48.						
12	2	1986	A32	FD1	54.						
12	2	1986	A33	FD1	47.						
12	2	1986	A35	FD1	54.						
12	2	1986	A36	FD1	54.						
12	2	1986	A37	FD1	48.						
12	2	1986	A38	FD1	48.						
12	2	1986	A39	FD1	47.						
12	2	1986	A44	FD1	47.						
12	2	1986	A48	FD1	48.						
13	2	1986	A32	FD1	54.						
13	2	1986	A33	FD1	47.						
13	2	1986	A35	FD1	54.						
13	2	1986	A36	FD1	54.						
13	2	1986	A37	FD1	48.						
13	2	1986	A38	FD1	48.						
13	2	1986	A39	FD1	47.						
13	2	1986	A44	FD1	47.						
13	2	1986	A48	FD1	48.						
14	2	1986	A29			CHICK	96.				
14	2	1986	A31			CHICK	96.				
14	2	1986	A32	FD1	54.	CHICK	96.				
14	2	1986	A33	FD1	47.						
14	2	1986	A35	FD1	54.	CHICK	96.				
14	2	1986	A36	FD1	54.	CHICK	96.				
14	2	1986	A37	FD1	48.	CHICK	96.				
14	2	1986	A39	FD1	48.	CHICK	96.				
14	2	1986	A39	FD1	47.						
14	2	1986	A40			CHICK	96.				
14	2	1986	A41			CHICK	96.				
14	2	1986	A44	FD1	47.						
14	2	1986	A46			CHICK	96.				
14	2	1986	A47			CHICK	96.				
14	2	1986	A48	FD1	48.	CHICK	96.				
15	2	1986	A32	FD1	54.						
15	2	1986	A33	FD1	47.						
15	2	1986	A35	FD1	54.						
15	2	1986	A36	FD1	54.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
15	2	1986	A37	FD1	48.						
15	2	1986	A38	FD1	48.						
15	2	1986	A39	FD1	47.						
15	2	1986	A44	FD1	47.						
15	2	1986	A48	FD1	48.						
16	2	1986	A29			CHICK	96.				
16	2	1986	A31			CHICK	96.				
16	2	1986	A32	FD1	54.	CHICK	96.				
16	2	1986	A33	FD1	47.						
16	2	1986	A35	FD1	54.	CHICK	96.				
16	2	1986	A36	FD1	54.	CHICK	96.				
16	2	1986	A37	FD1	48.	CHICK	96.				
16	2	1986	A38	FD1	48.	CHICK	96.				
16	2	1986	A39	FD1	47.						
16	2	1986	A40			CHICK	96.				
16	2	1986	A41			CHICK	96.				
16	2	1986	A44	FD1	47.						
16	2	1986	A46			CHICK	96.				
16	2	1986	A47			CHICK	96.				
16	2	1986	A48	FD1	48.	CHICK	96.				
17	2	1986	A32	FD1	54.						
17	2	1986	A33	FD1	47.						
17	2	1986	A35	FD1	54.						
17	2	1986	A36	FD1	54.						
17	2	1986	A37	FD1	48.						
17	2	1986	A38	FD1	48.						
17	2	1986	A39	FD1	47.						
17	2	1986	A44	FD1	47.						
17	2	1986	A48	FD1	48.						
18	2	1986	A32	FD1	27.						
18	2	1986	A33	FD1	24.						
18	2	1986	A35	FD1	27.						
18	2	1986	A36	FD1	27.						
18	2	1986	A37	FD1	24.						
18	2	1986	A38	FD1	24.						
18	2	1986	A39	FD1	24.						
18	2	1986	A44	FD1	24.						
18	2	1986	A48	FD1	24.						
19	2	1986	A32	FD1	27.						
19	2	1986	A33	FD1	24.						
19	2	1986	A35	FD1	27.						
19	2	1986	A36	FD1	27.						
19	2	1986	A37	FD1	24.						
19	2	1986	A38	FD1	24.						
19	2	1986	A39	FD1	24.						

Table 10. Nutrient and Lime Inputs. Iloilo, Philippines. Cycle II, Wet Season

DAY	MONTH	YEAR	POND#	FEED	FEED	MANURE	MANURE	INORGAN.	INORGAN.	LIME	LIME
				TYPE	QUANTITY	TYPE	QUANTITY	TYPE	QUANTITY	TYPE	QUANTITY
19	2	1986	A44	FD1	24.						
19	2	1986	A48	FP1	24.						