

USAID/Ethiopia Indicator Reporting format (To be used by updating throughout the year)

| S# | Name of the indicator (and its disaggregation) by result areas | Targets/plan | | Previous Cumulative performance | FY2012 Performances | | | | | Current Cumulative performance |
|-----|---|---------------------|--------------------|----------------------------------|---------------------|-------------|--|--|--|--------------------------------|
| | | LOP** | FY20 12 | | Q I | Q II | QIII | Q IV | Annual | |
| | MNH and PMTCT services improved | | | | | | | | | |
| | Standard indicators | | | | | | | | | |
| 2.1 | Percent/Number of deliveries with a skilled birth attendant (SBA) In USG-assisted programs | 30% HC 25,000 | 20% HC 8,000 | 13% (phase I) 6.2% (phase II) | 2653 | 5531 | 6,753 HC- 1,917 Hosp- 4,836 | 11,525 HC- 9,040 Hosp- 2,485 | 21,912 HC- 5,027 (Phase 1: 18%, Phase 2: 9.7%) Hosp- 16,885 | |
| 2.2 | Number/Percent of births delivered by caesarean section in USG assisted programs | 9800 | 4700 | 0 | 522 | 857 | 890 | 973 | 3,242 (19.2%) | |
| 2.3 | Percent/Number of postpartum/newborn visits within 3 days of birth in USG-assisted programs | 30% 25,000 | 20% 8,000 | 0 | 1632 | 3005 | 5,048 HC- 2,724 Hosp- 2,110 | 6,151 HC- 2,724 Hosp- | 15,836 HC-5,886 (Phase 1- 16.4% , | |

USAID/Ethiopia Indicator Reporting format (To be used by updating throughout the year)

| S# | Name of the indicator (and its disaggregation) by result areas | Targets/plan | | Previous Cumulative performance | FY2012 Performances | | | | | Current Cumulative performance |
|-----|--|---------------------|--------------------------|---------------------------------|---------------------|------------|--|--|--|--------------------------------|
| | | LOP** | FY20 12 | | Q I | Q II | QIII | Q IV | Annual | |
| | | | | | | | Hosp- 2,938 | 3427 | phase 2- 12.6%) Hosp-9,874 | |
| 2.4 | Percent/Number of first ANC visits by skilled providers from USG assisted facilities | 80% HC 70,000 | 70% HC 27,000 0 | 63% | 2534 | 6154 | 11,381 HC- 9,032 Hos- 2,349 | 11,254 HC- 8,769 Hosp- 2,485 | 30,909 HC- 23,117 (phase 1- 69.6%, Phase 2- 46.7%) Hos-7,792 | |
| 2.5 | Number of health workers trained by cadre on maternal and newborn health services | 2,500 | 1,850 | 382 | 33 | 539 | 1410 | 1,245 ICCM 365 IP-500 others 380 | 3,227 | |
| 2.6 | Number of USG-assisted | 16 | 16 | 0 | 0 | 16 | 16 | 16 | 16 | |

USAID/Ethiopia Indicator Reporting format (To be used by updating throughout the year)

| S# | Name of the indicator (and its disaggregation) by result areas | Targets/plan | | Previous Cumulative performance | FY2012 Performances | | | | | Current Cumulative performance |
|------|--|---------------|---------------|---------------------------------|---------------------|------|------|-------|--------|--|
| | | LOP** | FY20 12 | | Q I | Q II | QIII | Q IV | Annual | |
| | service delivery points providing FP counseling or services (the focus is long acting PFP) | | | | | | | | | |
| 2.7 | Number of people trained In FP/RH With USG Funds | 192 | | 0 | 0 | 47 | 0 | 30 | 77 | |
| 2.8 | # of clients undergoing post-partum insertion of IUCD | 500 | 100 | 0 | 0 | 25 | 96 | 96 | 217 | |
| 2.9 | Percentage of MCHIP supported health facilities demonstrating increased compliance with clinical standards over baseline | 50% 36 | 25% 18 | 0 | | | | | 0 | The facilities have shown improvements but have yet to be assessed by external verifiers for recognition |
| 2.10 | Percent of pregnant women who were tested for HIV and know their results. | 70% 23,000 | 60% 20,100 | 0 | | | 470 | 2,668 | 3,238 | |
| 2.11 | Percentage of HIV positive | 100% | | 0 | | | 0 | 1 | 1 | |

USAID/Ethiopia Indicator Reporting format (To be used by updating throughout the year)

| S# | Name of the indicator (and its disaggregation) by result areas | Targets/plan | | Previous Cumulative performance | FY2012 Performances | | | | | Current Cumulative performance |
|------|--|--------------|-------------|---------------------------------|---------------------|------|------|------|--------|--|
| | | LOP** | FY20 12 | | Q I | Q II | QIII | Q IV | Annual | |
| | pregnant women who received antiretrovirals to reduce the risk of mother-to-child transmission | 186 | 90% 163 | | | | | | | |
| 2.12 | Percentage of newborns born to HIV+ mothers who received ARV prophylaxis | 100% | 100% | 0 | | | 0 | 0 | 0 | |
| 2.13 | Percentage of infants receiving Cotrimoxizole (CTX) prophylaxis | 100% 207 | 100% 181 | 0 | | | 0 | 0 | 0 | |
| 2.14 | Percent of infants born to HIV-positive women who received an HIV test within 12 months of birth | 50% 103 | 50% 90 | 0 | | | 0 | 0 | 0 | |
| 2.15 | Number of host-country institutions with increased management or institutional capacity as a result of USG investments involving higher education institutions (Midwifery Schools) | 11 | 11 | 0 | | | | | 10* | <ul style="list-style-type: none"> Facilities will be transferred to USAID HRH project before |

USAID/Ethiopia Indicator Reporting format (To be used by updating throughout the year)

| S# | Name of the indicator (and its disaggregation) by result areas | Targets/plan | | Previous Cumulative performance | FY2012 Performances | | | | | Current Cumulative performance |
|------|--|--------------|---------|---------------------------------|---------------------|------|------|------|--------|--------------------------------|
| | | LOP** | FY20 12 | | Q I | Q II | QIII | Q IV | Annual | |
| | | | | | | | | | | external assessment |
| | Custom indicators | | | | | | | | | |
| 2.16 | Percent of births with correct use of Partograph to manage delivery in MCHIP supported facilities | 75% | 50% | 0 | | | 42% | | 42% | |
| 2.17 | Percent of obstetric complications with effective referral | 50% | 25% | 0 | | | | | NA | Data not available |
| 2.18 | Number of health centers that practice KMC | 12 | 12 | | 0 | 0 | 15 | | 15 | |
| 2.19 | Number/Percent of pre-term/ low birth weight babies who received KMC at facility level | 90% | 70% | | 0 | 0 | 52 | | 1,107 | |
| 2.20 | # of qualified midwives graduated from MCHIP supported colleges during MCHIP implementation period | 1,000 | 500 | | 0 | 0 | 1024 | 0 | 1024 | |
| 2.21 | Number/Percent of IESO | 100% | 50% | | 0 | 0 | 0 | | 15 | |

USAID/Ethiopia Indicator Reporting format (To be used by updating throughout the year)

| S# | Name of the indicator (and its disaggregation) by result areas | Targets/plan | | Previous Cumulative performance | FY2012 Performances | | | | | Current Cumulative performance |
|---|---|--------------|---|---------------------------------|---------------------|------|------|--|---|--------------------------------|
| | | LOP** | FY20 | | Q I | Q II | QIII | Q IV | Annual | |
| | graduate sites that are standardized to provide emergency surgical services | 37 | 18 | | | | | | | |
| Intermediate Result 3: Care takers' knowledge and behaviours on key MNH/Post-partum FP/PMTCT household and care seeking practices improved | | | | | | | | | | |
| | Custom indicators | | | | | | | | | |
| 3.1 | Number of IEC/BCC materials printed and distributed on newborn care | TBD | NBC: 2,400 Job aids : 1000 Fact s 2000 | 0 | 0 | 0 | 0 | 6,000 job aid for HDA, 300 flip chart for KMC | 17,000 job aid on CKMC for HDA, 325 flip chart on KMC for HEW | |
| 3.2 | # of health posts that practice CKMC | TBD | 102 | 0 | | | | | 82 | |
| 3.3 | Ratio of treated pneumonia cases to expected cases by ICCM condition in a given | 80% | 55% | 27% | | | | | 125* | |

USAID/Ethiopia Indicator Reporting format (To be used by updating throughout the year)

| S# | Name of the indicator (and its disaggregation) by result areas | Targets/plan | | Previous Cumulative performance | FY2012 Performances | | | | | Current Cumulative performance |
|-----|---|--------------|---------|---------------------------------|---------------------|------|------|------|---------|--------------------------------|
| | | LOP** | FY20 12 | | Q I | Q II | QIII | Q IV | Annual | |
| | catchment area | | | | | | | | | |
| 3.4 | Ratio of treated diarrhea cases to expected cases by ICCM condition in a given catchment area | 80% | 55% | 27% | | | | | 145* | |
| 3.5 | Ratio of treated malaria cases to expected cases by ICCM condition in a given catchment area | 90% | 60% | 24% | | | | | 438* | |
| 3.6 | Proportion of HP who received at least one supervisory contact in the last 30 days | 100% | 100% | 100% | | | | | 37 (6%) | |

- Please note that ICCM service data is collected from 26 out of 662 health posts under our intervention and as the HEWs provided the service for less than a year it was difficult to calculate the indicators.