

PD-ABC-585
70846

HEALTHCOM EVALUATION PLAN
CENTRAL JAVA, INDONESIA (1988 - 1989)

July 1988

PREPARED BY

Jeffrey McDowell
Annenberg School of Communications
University of Pennsylvania

FOR

The Academy for Educational Development
1255 23rd Street, N.W.
Washington, D.C. 20037

The evaluation and research group at the Annenberg School of Communications at the University of Pennsylvania has a subcontract to carry out a summative evaluation in up to fifteen HEALTHCOM sites, and to provide assistance in planning research and formative evaluation in a subset of those sites. The evaluation activity in Central Java started in June 1988.



is a program of the
Bureau for Science and Technology, Office of Health and Office of Education
Agency for International Development

through a contract with the
Academy for Educational Development

and subcontracts with the
University of Pennsylvania, Applied Communication Technology, Needham Porter Novelli and PATH

Contract #DPE-1018-C-00-5063-00

TABLE OF CONTENTS

	PAGE
Background and Description of HEALTHCOM Program	1
HEALTHCOM in Central Java, Indonesia	2
Characteristics of Central Java Province	4
Evaluation Design	5
Intervention and Control Areas	8
Appendix I: Draft of Baseline Questionnaire (English Version)	9
Appendix II: Draft of Baseline Questionnaire (Javanese Version)	40

Background and Description of HEALTHCOM Program¹

Health Communication for Child Survival (HEALTHCOM) is a five-year communication program designed to assist developing countries promote the widespread use of effective child survival strategies. HEALTHCOM is sponsored by the Office of Health and the Office of Education within the Bureau for Science and Technology of the U.S. Agency for International Development. The program is administered by the Academy for Educational Development. The Annenberg School of Communications is responsible for evaluating the impact of HEALTHCOM activities under sub-contract to the Academy for Educational Development.

The program will work in up to 17 countries, using a research and development approach to promote changes in behaviors that affect child health. The approach draws from the disciplines of social marketing, communications, behavioral analysis, instructional design, and anthropology, among others. Specific activities focus on immunization, the control of diarrhea, breastfeeding, nutrition, growth monitoring, hygiene, and other behaviors that promote child survival.

The HEALTHCOM approach, while it varies from country to country, combines pre-program and continuing research with a multiple channel communication program to address public health problems on a national level. The approach has three important stages: pre-program planning and development, the instructional interventions, and ongoing monitoring and evaluation. The planning phase gathers information so that each project can be tailored to the specific needs of the target population.

The instructional interventions combine some or all of radio, television, print, and face-to-face communication channels to educate an audience about a specific health theme. Ongoing monitoring and evaluation contribute feedback about the relative success of different aspects of the program, allowing for adjustments during the campaign. The final evaluation serves as an example for subsequent programs using the public health communication approach, in the same country or elsewhere.

¹This evaluation plan reflects the implementation activities planned by HEALTHCOM as of March 1988. Components of the evaluation may change in response to changes in what is actually implemented.

HEALTHCOM in Central Java, Indonesia

In March of 1987, The Ministry of Health, The Department of Health in Central Java Province, Diponegoro University, The University of Indonesia, Hellen Keller International, and The Communication for Child Survival (HEALTHCOM) Project developed a plan for a double intervention of oral rehydration therapy and Vitamin A. The Ministry of Health conducts the program jointly under its Directorate of Nutrition, Directorate of Direct Transmission Diseases, and its Center for Community Health Education (PKM). Technical assistance for the communication component is provided by PKM in collaboration with HEALTHCOM.

HEALTHCOM is active on a national scale in Indonesia, although the major efforts to date have been centered in West Java province. The West Java interventions are designed to promote the use of oral rehydration therapy (ORT) to treat cases of infant and child diarrhea. The double intervention in Central Java Province combines the promotion of oral rehydration therapy with the biannual promotion of megadose Vitamin A capsules for children between the ages of one and five.

Diarrheal diseases are a leading cause of infant mortality throughout Indonesia. Children become debilitated from diarrheal diseases and may die from causes such as dehydration, respiratory infections, and malnutrition. While ORT does not attack the causes of diarrhea, it can prevent and remedy dehydration. Diarrhea may persist, but ORT applied correctly can keep a child alive while the diarrhea runs its course.

The HEALTHCOM program in Central Java targets three populations of primary health care providers: mothers (and other caretakers of children under the age of five), health care workers at regional clinics (puskesmas workers), and local volunteers (kaders). The program teaches each population of health care providers to recognize that diarrhea is serious and can lead to death. Providers are instructed to give extra fluids, breastmilk, and/or nutritious foods to children suffering from diarrhea in order to prevent and treat dehydration.

Vitamin A deficiency is a major public health problem in Indonesia. It is estimated that approximately 50-60,000 pre-school age children suffer blinding corneal lesions from this deficiency each year. The prevalence of milder disease is estimated to be about 10 times higher. Mass megadose Vitamin A capsule programs have been instituted as a preventive measure on a biannual basis.

In Central Java, Vitamin A is distributed free-of-charge to children between the ages of one and five at an integrated health

post (posyandu). Posyandu activities occur on a monthly basis in most communities, with megadose Vitamin A capsules being distributed every February and August. The Vitamin A capsule is squeezed into the mouth of each child (between one and five years of age) who is taken to the posyandu by mothers. Mothers are given Vitamin A capsules to take home to children not brought to the posyandu that day.

The program in Central Java uses formative research in order to shape instructional interventions. The program exposes each group of providers to instructional messages designed to improve knowledge and practices related to case management of diarrhea and prevention of Vitamin A deficiency. Mothers are reached with instructional messages broadcast on the radio and received from face-to-face contact with puskesmas workers and kaders. Puskesmas workers and kaders are exposed to instructional messages at face-to-face training sessions, predominantly.

Characteristics of Central Java Province

According to 1986 statistics, the population of Indonesia is about 170 million people, making it the fifth largest country in the world. The island of Java accounts for less than 7 percent of the land mass of Indonesia but contains about 63 percent of the population. The density of Java is about 700 persons per square kilometer, making it one of the most densely populated areas in the world.

The island of Java is divided into three provinces (i.e., West Java, Central Java, and East Java). The main agricultural activity in Java is wet-rice cultivation. Although much of the island is volcanic, the superior productivity of the land outweighs the risks of living there. The terrain is mountainous, though it does not impede communication and settlement to the same extent as on other islands.

The combined population of the two intervention kabupaten in Central Java (Demak and Jepara) was estimated in the March, 1987 ROVITA implementation plan to be 1,453,896 persons. About 15% of the population is estimated to be children below the age of five. The 446 villages in these two kabupaten are served by only 29 puskesmas (health clinics), although the reach of health services is extended by 1,333 posyandu and 6,621 kaders. The posyandu is organized once per month to weigh babies, provide growth monitoring, and provide counseling and information about treating childhood illnesses.

Evaluation Design

The evaluation design in Central Java has several purposes. The evaluation should establish the degree of success of the program (and which elements are most important for that success) for the GOI, USAID and other donor agencies, and other countries planning similar programs. The evaluation should provide systematic information to guide both mass communication and interpersonal communication components of the Central Java program. Also, the evaluation should provide information to improve planning for expansion into other provinces and into other health areas.

The evaluation of ORT interventions in Central Java will be conducted using representative samples of mothers. Campaign-induced changes will be examined by comparing ORT/Vitamin A knowledge and practices before and after instructional interventions. A private research firm, Survey Research Indonesia (SRI), was contracted by Hellen Keller International to conduct the fieldwork with guidance from the Annenberg School of Communications.

If mothers are sufficiently exposed to well-designed, actionable messages, the HEALTHCOM models predicts that exposure will lead to changes in knowledge about ORT/Vitamin A and the adoption of recommended health practices. The adoption of recommended health practices should lead to improved health outcomes, such as reduced mortality attributable to diarrheal diseases and reduced incidence of Vitamin A deficiency.

EXPOSURE --> KNOWLEDGE --> PRACTICES --> HEALTH
OUTCOMES

In order to evaluate HEALTHCOM interventions, it is necessary to measure exposure to instructional messages, knowledge about ORT/Vitamin A, and the prevalence of recommended practices. Given the extreme difficulty of measuring infant and child morbidity and mortality, health outcomes attributable to the program may be examined separately using alternative methodologies that are not components of this evaluation plan.

The evaluation design under consideration entails interviewing 800 mothers before and after ROVITA interventions. SRI will employ a sampling frame designed to yield a systematic random sample of mothers with children below the age of five. The sampling procedures will be similar to procedures used in West Java to evaluate HEALTHCOM interventions.

The provisional design calls for 5 kecamatans to be selected from each of two kabupatens: one intervention kabupaten (Demak) and an equivalent control kabupaten (Rembang). The kecamatans will be selected with probabilities proportionate to population. Within the selected kecamatans, 25 villages will be selected in Demak and 15 villages will be selected in Rembang. The villages will again be selected with probabilities proportionate to population.

Within each village, a smaller unit will be defined that will serve as a primary sampling unit (PSU). All households in the PSU will be mapped by interviewers and the households with children below the age of five will be marked. A sampling interval will then be defined in order to yield a systematic random sample of 20 households. As summarized below, the design yields a total sample of 800 respondents (500 from the intervention kabupaten and 300 from the control kabupaten):

	DEMAK (intervention)	REMBANG (control)
Kecamatan	5	5
PSUs	25	15
Respondents/PSU	20	20
Total Respondents	500	300

In 1989, PSUs will be drawn from the same villages as in 1988 in order to increase the equivalence of samples over time. The sampling methodology will yield a representative sample of mothers with children below the age of five in both Demak and Rembang.

Although the provisional design will satisfy the minimum requirements for evaluation, to increase the quality of the survey it is recommended the number of kecamatans, PSUs, and/or respondents be increased if budgets permit. Based on experience conducting research in West Java, a best guess is that the provisional design will be able to document improvements in Vitamin A coverage on the order of 8 percent or more. With the provisional design, it will probable not be possible to attribute smaller improvements to ROVITA interventions rather than to chance. Consequently, it is recommended that stronger designs be considered.

Each survey will include a core instrument, measuring background characteristics, mass media exposure, and extended information about knowledge and practices concerning diarrheal diseases and Vitamin A deficiency. Measures of exposure to health services and ROVITA messages will also be included. Copies of the questionnaire to be used are included in Appendix I (English

version) and Appendix II (Javanese version). Although the questionnaire has been pre-tested and revised several times, further revisions are required. The questionnaire will be revised and readied for the fieldwork in September after the ROVITA team, SRI, and ASC have undertaken a thorough review.

Intervention and Control Areas

The equivalence of intervention and control kabupatens will be important since limited Vitamin A interventions will take place one month prior to the baseline survey. In late July, several radio messages will be broadcast, and banners will be distributed to every puskesmas and village head, to announce the free distribution of Vitamin A at the posyandu during the month of August. (Subsequent Vitamin A drops will occur every six months -- February and August).

Since baseline data could not be collected prior to the Vitamin A drop in August, 1988, the control kabupaten will allow a tentative assessment to be made of August activities, provided that higher levels of Vitamin A coverage in Demak (compared with Rembang) can be correlated with exposure to ROVITA messages. Subsequently, the control kabupaten can be used to measure spontaneous improvements in Vitamin A coverage over time that are not attributable to ROVITA interventions.

Approximately 500 mothers will be interviewed in one of two intervention kabupaten, and 300 mothers will be interviewed in the control kabupaten. Demographic characteristics as well as features of the health care systems were examined to locate a control kabupaten (Rembang) that could be compared with the intervention kabupaten (Demak). Evaluation of activities in a second intervention kabupaten, Jepara, will not be necessary given similarities with Demak.

2. Do any of these children have loose stools right now?

- Yes. 1 (go to Q.3)
No. 2 (go to Q.4, if more than 1 child)
(go to Q.5, if only one child)

3. Which child has loose stools now? (IF MORE THAN ONE CHILD MENTIONED, TAKE THE YOUNGEST THEN CONTINUE WITH Q6.)

NAME _____
NUMBER _____ (FROM Q.1)

IF "NO" IN Q.2, & MORE THAN 1 CHILD MENTIONED, ASK:

4. Which one of these children had loose stools most recently?

NAME _____
NUMBER _____ (FROM Q.1)

(IF BALITA NEVER HAD LOOSE STOOLS, GO TO Q.31a)

5. How long ago was it that _____ (NAME) had loose stools?

- | | |
|------------------------------|---|
| Less than 1 week (1-6 days). | 1 |
| 1 week ago (7-13 days). | 2 |
| 2 weeks ago (14-20 days). | 3 |
| 3 weeks ago (21-29 days). | 4 |
| 1 month ago (30-59 days). | 5 |
| 2 months ago (60-89 days). | 6 |
| 3 months ago (90-119 days). | 7 |
| 4 months ago or more (120 +) | 8 |
| Don't know/remember. | 9 |

6. About how many DAYS did the loose stools last?

_____ days.
Don't know/remember. 99

7. Did the child have a fever?

- Yes. 1
No. 2
Don't know/remember. 9

8. Was the child vomiting?

Yes.	1
No.	2
Don't know/remember.	9

9. Did the child have sunken eyes?

Yes.	1
No.	2
Don't know/remember.	9

10. Was the child playing as usual or playing less?

As usual.	1
Less.	2
Don't know/remember.	9

11. Did the child eat as usual or eat less?

As usual.	1
Less.	2
Don't know/remember.	9

12. At most, how many times did _____ (NAME) have loose stools IN ONE DAY?

_____ times a day	
Don't know/remember.	99

13. What do you usually call the kind of loose stools _____ (NAME OF CHILD) had.

Ising-isingen	1	Mulai mencret	9
_____	2	Mencret dan lemas	10
_____	3	Muntaber	11
_____	4	_____	12
_____	5	_____	13
_____	6	_____	14
_____	7	_____	15
_____	8	_____	16
Other (SPECIFY) _____			17
Don't know/remember.			99

14. In your opinion, how was the condition of(NAME OF THE CHILD)? I mean, was the child not sick at all, a little sick, or very sick?

Not sick at all.	1
A little sick.	2
Very sick.	3
Don't know/remember.	9

15. Did the _____(NAME OF LOOSE STOOLS) go away by itself, or did you do something so the child would get better.

Went away by itself.	1 (go to Q20)
Did something.	2
Don't know/remember.	9

16a. When the child had _____(NAME FOR LOOSE STOOLS), did you give something at HOME so the child would get better?

Yes.	1
No.	2 (go to Q.17a)
Don't know/remember.	9 "

16b. What did you give to the child or do for the child at HOME? Please include everything that you gave or did at home. (NOTE ALL ANSWERS GIVEN, DON'T READ OUT.)

Water.	1	
Rice water.	2	
Porridge.	3	
Regular tea.	4	
Strong tea.	5	
Packaged jamu.	6	
Herbal liquids.	7	
Medicinal rub.	8	
LGG.	9	
Oralit.	10	<u>ASK Q.16c</u>
Gave ciba pills.	11	
Gave S.G. pills.	12	
Gave entrostop.	13	
Gave Koniform pills.	14	
Gave stop cret.	15	
Syrup.	16	
Gave other pills (SPECIFY) _____	17	
Don't know/remember.	99	

ASK ONLY IF "ORALIT" MENTIONED ABOVE, Q.16b

16c. During the ENTIRE time _____(NAME OF CHILD) had loose stools, how many packets of Oralit were given to the child?

_____ packets

17a. Did you go somewhere to get help or get treatment for the child?

Yes.	1
No.	2 (go to Q.20)
Don't know/remember.	9 "

17b. Who did you go to first? (NOTE THE FIRST ONE MENTIONED ONLY)

Friend or neighbor.	1
Relative.	2
Traditional healer.	3
Pos Yandu.	4
Nurse/midwife.	5
Puskesmas.	6
Doctor.	7
Kader.	8
Warung/shop.	9
Toko obat/drug store.	10
Apotik/pharmacy.	11
Other (SPECIFY) _____	12
Don't know/remember.	99

17c. What treatments were given to the child? Anything else?
(NOTE ALL ANSWERS GIVEN. DON'T READ OUT.)

Nothing.	1
Sent to Puskesmas.	2
Referred elsewhere.	3
Gave advice.	4
Gave water to drink.	5
Gave rice water.	6
Gave porridge.	7
Regular tea.	8
Strong tea.	9
Packaged jamu.	10
Gave herbal liquids.	11
Medicinal rub.	12
Gave LGG.	13
Gave Oralit to drink.	14
Gave Oralit to take home.	15
Gave ciba pills.	16
Gave S.G. pills.	17
Gave entrostop pills.	18
Gave koniform pills.	19
Gave stop cret.	20
Gave other pills (SPECIFY) _____	21
Gave syrup	22
Other (SPECIFY) _____	23
Don't know/remember.	99

18a. Did you go somewhere else to get help or to get treatment for the child?

Yes.	1
No.	2 (go to Q.20)
Don't know/remember.	9 "

18b. Who did you go to next for treatment or advice?
(NOTE THE FIRST ONE MENTIONED ONLY)

Friend or neighbor.	1
Relative.	2
Traditional healer.	3
Pos Yandu.	4
Nurse/midwife.	5
Puskesmas.	6
Doctor.	7
Kader.	8
Warung/shop.	9
Toko obat/drug store.	10
Apotik/pharmacy.	11
Other (SPECIFY) _____	12
Don't know/remember.	99

18c. What treatments were given to the child? Anything else?
(NOTE ALL ANSWERS GIVEN. DON'T READ OUT.)

Nothing.	1
Sent to Puskesmas.	2
Referred elsewhere.	3
Gave advice.	4
Gave water to drink.	5
Gave rice water.	6
Gave porridge.	7
Regular tea.	8
Strong tea.	9
Packaged jamu.	10
Gave herbal liquids.	11
Medicinal rub.	12
Gave LGG.	13
Gave Oralit to drink.	14
Gave Oralit to take home.	15
Gave ciba pills.	16
Gave S.G. pills.	17
Gave entrostop pills.	18
Gave koniform pills.	19
Gave stop cret.	20
Gave other pills. (SPECIFY) _____	21
Gave syrup	22
Other (SPECIFY) _____	23
Don't know/remember.	99

19a. Did you go somewhere else to get help or to get treatment for the child?

Yes.	1
No.	2 (go to Q.20)
Don't know/remember.	9 "

19b. Who did you go next for treatment or advice?
(NOTE THE FIRST ONE MENTIONED ONLY)

Friend or neighbor.	1
Relative.	2
Traditional healer.	3
Pos Yandu.	4
Nurse/midwife.	5
Puskesmas.	6
Doctor.	7
Kader.	8
Warung/shop.	9
Toko obat/drug store.	10
Apotik/pharmacy.	11
Other (SPECIFY) _____	12
Don't know/remember.	99

19c. What treatments were given to the child? Anything else?
(NOTE ALL ANSWERS GIVEN. DON'T READ OUT.)

Nothing.	1
Sent to Puskesmas.	2
Referred elsewhere.	3
Gave advice.	4
Gave water to drink.	5
Gave rice water.	6
Gave porridge.	7
Regular tea.	8
Strong tea.	9
Packaged jamu.	10
Gave herbal liquids.	11
Medicinal rub.	12
Gave LGG.	13
Gave Oralit to drink.	14
Gave Oralit to take home.	15
Gave ciba pills.	16
Gave S.G. pills.	17
Gave entrostop pills.	18
Gave koniform pills.	19
Gave stop cret.	20
Gave other pills. (SPECIFY) _____	21
Gave syrup	22
Other (SPECIFY) _____	23
Don't know/remember.	99

EATING AND DRINKING HABITS

20. Was _____ (NAME OF CHILD) breastfeeding before he/she had
_____ (NAME OF DIARRHEA MENTIONED).

Yes.	1
No.	2 (go to Q.22)
Don't know/remember.	9 "

21. Did you stop breastfeeding during the time that _____ (NAME)
had loose stools?

Yes.	1
No.	2
Don't know/remember.	9

22. While _____ (NAME) had loose stools, did he/she eat about the
same amount of food, less food, or not at all?

Did not eat at all.	1 (go to Q.23)
Less food.	2 "
Same amount of food.	3 (go to Q.24a)
Don't know/remember.	9 "

23. Was that because you did not want to give the child the same amount
of food, or because the child didn't want to eat?

I did not give as much food.	1
Child did not want to eat.	2
Don't know/remember.	9

24a. When the child had _____ (TERM OF LOOSE STOOLS), did you give
_____ (NAME OF CHILD) any special foods or only the food
he/she was eating every day?

Special food.	1
Every day food to eat.	2 (go to Q.25a)
Don't know/remember.	9 "

IF SPECIAL FOODS ARE MENTIONED, ASK:

24b. What special foods did you give the child? (CHECK ALL MENTIONED)
Anything else?

FOR EACH FOOD MENTIONED, INTERVIEWER SHOULD ASK
"Did the child like to eat that food?" AND CODE
RESPONSE ACCORDINGLY

		Like	Dislike
Rice porridge.	1	1	2
Mashed bananas.	2	1	2
Steamed rice.	3	1	2
Tempe.	4	1	2
Tahu.	5	1	2
Salted eggs.	6	1	2
Soybean sauce.	7	1	2
Other (SPECIFY) _____	8	1	2
Don't know/remember.	9		

25a. When _____ (NAME) was sick, were there any foods that you stopped giving or gave less of?

Yes.	1	
No.	2	(go to Q.26a)
Don't know/remember.	9	"

25b. What were those foods? (CHECK ALL MENTIONED)
Anything else?

Oily foods.	1
Vegetables.	2
Hot spicy foods.	3
Sour tasting foods.	4
Other (SPECIFY) _____	5
Don't know/remember.	9

26a. Were there any foods that you give more of?

Yes.	1	
No.	2	(go to Q.27)
Don't know/remember.	9	"

26b. What were those foods? (CHECK ALL MENTIONED)
Anything else?

FOR EACH FOOD MENTIONED, INTERVIEWER SHOULD ASK
"Did the child like to eat that food?" AND CODE
RESPONSE ACCORDINGLY

		Like	Dislike
Rice porridge.	1	1	2
Mashed bananas.	2	1	2
Steamed rice.	3	1	2
Tempe.	4	1	2
Tahu.	5	1	2
Salted eggs.	6	1	2
Soybean sauce.	7	1	2
Other (SPECIFY) _____	8	1	2
Don't know/remember.	9		

27. While _____ (NAME) had _____ (TERM OF LOOSE STOOLS), was he/she
more thirsty, less thirsty, or about as thirsty as usual?

More thirsty than usual.	1
Less thirsty than usual.	2
As thirsty as usual.	3
Don't know/remember.	9

28a. While the child had loose stools, did you give _____ (NAME)
any special drinks or only the drinks he/she was getting
every day?

Special drink.	1	
Every day drinks.	2	(go to Q.29a)
Don't know/remember.	9	"

28b. What special drink did you give the child? (CHECK ALL MENTIONED)
Anything else?

FOR EACH DRINK MENTIONED, INTERVIEWER SHOULD ASK
"Did the child like that drink?" AND CODE
RESPONSE ACCORDINGLY

		Like	Dislike
Breastmilk.	1	1	2
Regular tea.	2	1	2
Strong tea.	3	1	2
Water.	4	1	2
Rice water.	5	1	2
Herbal liquids.	6	1	2
Oralit.	7	1	2
LGG.	8	1	2
Coconut water.	9	1	2
Fruit juices.	10	1	2
Soda/soft drink, etc.	11	1	2
Iced syrup.	12	1	2
Sweet water.	13	1	2
Other (SPECIFY) _____	14	1	2
Don't know/remember.	99		

29a. Were there things to drink that you stopped giving or
gave less of?

Yes.	1	
No.	2	(go to Q.30a)
Don't know/remember.	9	"

29b. What were these things to drink? (CHECK ALL MENTIONED)
Anything else?

Breastmilk.	1
Regular tea.	2
Strong tea.	3
Water.	4
Rice water.	5
Herbal liquids.	6
Oralit.	7
LGG.	8
Coconut water.	9
Fruit juices.	10
Soda/soft drink, etc.	11
Iced syrup.	12
Sweet water.	13
Other (SPECIFY) _____	14
Don't know/remember.	99

30a. Were there any drinks that you gave more of?

Yes.	1		
No.	2	(go to Q.31a)	
Don't know/remember.	9	"	

30b. What were these things to drink? (CHECK ALL MENTIONED)
Anything else?

FOR EACH DRINK MENTIONED, INTERVIEWER SHOULD ASK
"Did the child like that drink?" AND CODE
RESPONSE ACCORDINGLY

		Like	Dislike
Breastmilk.	1	1	2
Regular tea.	2	1	2
Strong tea.	3	1	2
Water.	4	1	2
Rice water.	5	1	2
Herbal liquids.	6	1	2
Oralit.	7	1	2
LGG.	8	1	2
Coconut water.	9	1	2
Fruit juices.	10	1	2
Soda/soft drink, etc.	11	1	2
Iced syrup.	12	1	2
Sweet water.	13	1	2
Other (SPECIFY) _____	14	1	2
Don't know/remember.	99		

SOURCES OF INFORMATION ABOUT DIARRHEA TREATMENT

31a. Have you ever heard anything through the radio about how to treat loose stools?

Yes.	1
No.	2 (go to Q.32a)
Don't know/remember.	9 "

31b. How long ago was the last time that you heard that information through the radio? (SINGLE RESPONSE)

Less than 1 week (1-6 days).	1
1 week ago (7-13 days).	2
2 weeks ago (14-20 days).	3
3 weeks ago (21-29 days).	4
1 month ago (30-59 days).	5
2 months ago (60-89 days).	6
3 months ago (90-119 days).	7
4 months ago or more (120 +)	8
Don't know/remember.	9

31c. What did the information say? (CHECK ALL MENTIONED)
Anything else?

-Give something to drink/continue giving fluids.	1
-Reduce/stop specific fluids/drinks.	2
-Continue feeding.	3
-Continue breastfeeding.	4
-Give Oralit.	5
-Give LGG.	6
-Give packaged jamu.	7
-Give traditional herbal liquids.	8
-Give ciba pills.	9
-Give S.G. pills.	10
-Give entrostop pills.	11
-Give koniform pills.	12
-Give stop cret.	13
-Give other pills (SPECIFY) _____	14
-Give syrup.	15
-Give injection.	16
-Other (SPECIFY) _____	17
Don't know/remember.	99

32a. Have you ever seen a banner with information about how to treat loose stools?

Yes.	1
No.	2
Don't know/remember.	9

32b. How long ago was the last time that you saw that information on a banner? (SINGLE RESPONSE)

Less than 1 week (1-6 days).	1
1 week ago (7-13 days).	2
2 weeks ago (14-20 days).	3
3 weeks ago (21-29 days).	4
1 month ago (30-59 days).	5
2 months ago (60-89 days).	6
3 months ago (90-119 days).	7
4 months ago or more (120 +)	8
Don't know/remember.	9

32c. What did the information say? (CHECK ALL MENTIONED)
Anything else?

-Give something to drink/continue giving fluids.	1
-Reduce/stop specific fluids/drinks.	2
-Continue feeding.	3
-Continue breastfeeding.	4
-Give Oralit.	5
-Give LGG.	6
-Give packaged jamu.	7
-Give traditional herbal liquids.	8
-Give ciba pills.	9
-Give S.G. pills.	10
-Give entrostop pills.	11
-Give koniform pills.	12
-Give stop cret.	13
-Give other pills (SPECIFY) _____	14
-Give syrup.	15
-Give injection.	16
-Other (SPECIFY) _____	17
Don't know/remember.	99

33a. Have you ever gone to the Puskesmas?

Yes.	1
No.	2 (go to Q.34a)
Don't know.	9 "

IF "YES", ASK:

33b. When was the last time that you went to the Puskesmas.

Less than 1 week (1-6 days).	1
1 week ago (7-13 days).	2
2 weeks ago (14-20 days).	3
3 weeks ago (21-29 days).	4
1 month ago (30-59 days).	5
2 months ago (60-89 days).	6
3 months ago (90-119 days).	7
4 months ago or more (120 +)	8
Don't know/remember.	9

33c. Did you see or hear any information about how to treat loose stools at the Puskesmas?

Yes.	1
No.	2 (go to Q.33e)
Don't know/remember.	9 "

33d. What did the information say? (CHECK ALL MENTIONED)
Anything else?

-Give something to drink/continue giving fluids.	1
-Reduce/stop specific fluids/drinks.	2
-Continue feeding.	3
-Continue breastfeeding.	4
-Give Oralit.	5
-Give LGG.	6
-Give packaged jamu.	7
-Give traditional herbal liquids.	8
-Give ciba pills.	9
-Give S.G. pills.	10
-Give entrostop pills.	11
-Give koniform pills.	12
-Give stop cret.	13
-Give other pills (SPECIFY) _____	14
-Give syrup.	15
-Give injection.	16
-Other (SPECIFY) _____	17
Don't know/remember.	99

33e. Thinking about the last time you went to the puskesmas, about how long did it take you to get there from the time you left your home until the time you arrived?

_____ minutes
Don't know/remember. 99

33f. When you arrived at the puskesmas, were you very tired, a little tired, or not tired at all from the travel?

Very tired.	1
A little tired.	2
Not tired at all.	3
Don't know/remember.	9

34a. Have you ever gone to a shop/drugstore/apotik to buy medicine (obat)?

Yes.	1
No.	2 (go to Q.35a)
Don't know.	9 "

IF "YES", ASK:

34b. When was the last time that you went to the shop/drugstore/apotik?

Less than 1 week (1-6 days).	1
1 week ago (7-13 days).	2
2 weeks ago (14-20 days).	3
3 weeks ago (21-29 days).	4
1 month ago (30-59 days).	5
2 months ago (60-89 days).	6
3 months ago (90-119 days).	7
4 months ago or more (120 +)	8
Don't know/remember.	9

34c. Which type of shop was it?

Small nearby warung/shop.	1
Big nearby warung/shop.	2
Warung/shop in market place.	3
Drugstore/toko obat.	4
Pharmacy/apotik.	5
Other (SPECIFY) _____	6
Don't know/remember.	9

34d. Did you see or hear any information about how to treat loose stools at the _____ (TYPE OF OUTLET IN Q.34c)?

Yes.	1
No.	2 (go to Q.35a)
Don't know/remember.	9 "

34e. What did the information say? (CHECK ALL MENTIONED)
Anything else?

- Give something to drink/continue giving fluids. 1
- Reduce/stop specific fluids/drinks. 2
- Continue feeding. 3
- Continue breastfeeding. 4
- Give Oralit. 5
- Give LGG. 6
- Give packaged jamu. 7
- Give traditional herbal liquids. 8
- Give ciba pills. 9
- Give S.G. pills. 10
- Give entrostop pills. 11
- Give koniform pills. 12
- Give stop cret. 13
- Give other pills (SPECIFY) _____ 14
- Give syrup. 15
- Give injection. 16
- Other (SPECIFY) _____ 17
- Don't know/remember. 99

35a. Have you ever heard the term "Pos Yandu" or "Pos Penimbangan"?

- Yes. 1
- No. 2 (go to Q.36a)
- Don't know/remember. 9 "

35b. Have you ever gone to the Pos Yandu/Pos Penimbangan?

- Yes. 1
- No. 2 (go to Q.36a)
- Don't know/remember. 9 "

35c. How many months ago was the last time that you went to the
Pos Yandu/Pos Penimbangan?

- _____ months
- Don't know/remember. 99

35d. Did you see or hear any information about how to treat
loose stools at the Pos Yandu/Pos Penimbangan?

- Yes. 1
- No. 2 (go to Q.35f)
- Don't know/remember. 9

35e. What did the information say? (CHECK ALL MENTIONED)
Anything else?

- Give something to drink/continue giving fluids. 1
- Reduce/stop specific fluids/drinks. 2
- Continue feeding. 3
- Continue breastfeeding. 4
- Give Oralit. 5
- Give LGG. 6
- Give packaged jamu. 7
- Give traditional herbal liquids. 8
- Give ciba pills. 9
- Give S.G. pills. 10
- Give entrostop pills. 11
- Give koniform pills. 12
- Give stop cret. 13
- Give other pills (SPECIFY) _____ 14
- Give syrup. 15
- Give injection. 16
- Other (SPECIFY) _____ 17
- Don't know/remember. 99

35f. Thinking about the last time you went to the Pos Yandu/Pos Penimbangan, about how long did it take you to get there from the time you left your home until the time you arrived?

_____ minutes
Don't know/remember. 99

35g. When you arrived at the Pos Yandu/Pos Penimbangan, were you very tired, a little tired, or not tired at all from the travel?

- Very tired. 1
- A little tired. 2
- Not tired at all. 3
- Don't know/remember. 9

36a. Have you ever heard the term "Kader"?

- Yes. 1
- No. 2 (go to Q.37)
- Don't know/remember. 9 "

36b. Have you ever met a Kader?

- Yes. 1
- No. 2 (go to Q37)
- Don't know/remember. 9 "

36c. When was the last time that you met a kader?

Less than 1 week (1-6 days).	1
1 week ago (7-13 days).	2
2 weeks ago (14-20 days).	3
3 weeks ago (21-29 days).	4
1 month ago (30-59 days).	5
2 months ago (60-89 days).	6
3 months ago (90-119 days).	7
4 months ago or more (120 +)	8
Don't know/remember.	9

36d. What was the name of the kader?

NAME: _____
Don't know/remember. 99

36e. When you visited/met _____ (NAME OF KADER), did you see or hear anything about how to treat loose stools?

Yes.	1
No.	2 (go to Q.37)
Don't know/remember.	9 "

31f. What did the information say? (CHECK ALL MENTIONED)
Anything else?

-Give something to drink/continue giving fluids.	1
-Reduce/stop specific fluids/drinks.	2
-Continue feeding.	3
-Continue breastfeeding.	4
-Give Oralit.	5
-Give LGG.	6
-Give packaged jamu.	7
-Give traditional herbal liquids.	8
-Give ciba pills.	9
-Give S.G. pills.	10
-Give entrostop pills.	11
-Give koniform pills.	12
-Give stop cret.	13
-Give other pills (SPECIFY) _____	14
-Give syrup.	15
-Give injection.	16
-Other (SPECIFY) _____	17
Don't know/remember.	99

VITAMIN A COVERAGE

INTERVIEWER SHOULD SHOW KAPSUL VITAMIN A. ASK ALL RESPONDENTS.

37. Have you ever seen this?

Yes.	1
No.	2 (go to Q.39)
Don't know/remember.	9 "

38. What is it called?

Kapsul Vitamin A.	1 (go to Q.40)
Fish Oil.	2 "
Other.	3 "
Don't know/remember.	9 "

IF "NO" TO Q.38, ASK:

39. Have you ever heard of Kapsul Vitamin A?

Yes.	1
No.	2 (go to Q50a)
Don't know.	9 "

IF IBU BALITA DOES NOT RECOGNIZE KAPSUL VITAMIN A, INTERVIEWER SHOULD SHOW CAPSULE AND SAY "This is Kapsul Vitamin A".

40. Who is Kapsul Vitamin A for?

Ibu balita.	1
Balita.	2
Other (SPECIFY) _____	3
Don't know/remember.	9

41. Should Kapsul Vitamin A be given to a sick child, a healthy child, or both?

Sick child.	1
Healthy child.	2
Both.	3
Don't know/remember.	9

42. What is the benefit of Kapsul Vitamin A?

- Prevents blindness. 1
- Healthy eyes. 2
- Other (SPECIFY) _____ 3
- Don't know/remember. 9

43. Was this kapsul given to any of your balita last month?

- Yes. 1 (go to Q.44)
- No. 2 (go to Q.45)
- Don't know. 9 (go to Q.46)

44. Which of your balita were given the kapsul last month? Where did each balita get the kapsul?

INTERVIEWER SHOULD WRITE DOWN THE NAMES OF ALL BALITA IN THE SAME SEQUENCE AS IN QUESTION 1. FOR EACH BALITA, INDICATE WHETHER KAPSUL WAS "GIVEN" OR "NOT GIVEN" LAST MONTH.

IF "GIVEN", CODE LOCATION AS FOLLOWS:

- Puskesmas..... 1
- Kader di pos yandu..... 2
- Kader di rumah..... 3
- Private doctor/nurse... 4
- Other..... 5
- Don't know/remember.... 9

	<u>KAPSUL VITAMIN A</u>		<u>WHERE GIVEN</u> (using codes above)
	<u>(NOT GIVEN)</u>	<u>(GIVEN)</u>	
1) _____	1	2	_____
2) _____	1	2	_____
3) _____	1	2	_____
4) _____	1	2	_____
5) _____	1	2	_____

ASK ONLY IF ONE OR MORE BALITA NOT GIVEN KAPSUL LAST MONTH

45. Please tell me all of the reasons why balita WERE NOT given Kapsul Vitamin A last month. (CHECK ALL MENTIONED) Anything else?

Didn't know about kapsul.	1
Didn't know how to get kapsul.	2
Place to get kapsul too far away.	3
Too busy to get kapsul.	4
Didn't go to pos yandu.	5
Child was sick.	6
Child was healthy.	7
Not available at pos yandu.	8
Not available at puskesmas.	9
Not available at other location.	10
No-one came to give the kapsul.	11
Other (SPECIFY): _____	12
Don't know/remember.	99

46. Have you ever been given Kapsul Vitamin A for yourself after the delivery of your baby?

Yes.	1
No.	2 (go to 48a)
Don't know/remember.	9 "

47. Where did you get the kapsul from?

Puskesmas.	1
Kader di pos yandu.	2
Kader di rumah.	3
Private doctor/nurse.	4
Other (specify): _____	5
Don't know/remember.	9

48a. Have you ever heard anything through the radio about Vitamin A?

Yes.	1
No.	2 (go to 49a)
Don't know/remember.	9 "

48b. How long ago was the last time that you heard that information through the radio? (SINGLE RESPONSE)

Less than 1 week (1-6 days).	1
1 week ago (7-13 days).	2
2 weeks ago (14-20 days).	3
3 weeks ago (21-29 days).	4
1 month ago (30-59 days).	5
2 months ago (60-89 days).	6
3 months ago (90-119 days).	7
4 months ago or more (120 +)	8
Don't know/remember.	9

48c. What did the information say? (CHECK ALL MENTIONED)
Anything else?

-Vitamin A is a Kapsul.	1
-Vitamin A is given at the Pos Yandu.	2
-Vitamin A is free.	3
-Vitamin A is for a healthy child.	4
-Vitamin A is for healthy eyes.	5
-Vitamin A is given every February and August.	6
-Other (SPECIFY) _____	7
Don't know/remember.	9

49a. Have you ever seen a banner with information about Vitamin A?

Yes.	1
No.	2 (go to 50a)
Don't know/remember.	9 "

49b. How long ago was the last time that you saw that information on a banner? (SINGLE)

Less than 1 week (1-6 days).	1
1 week ago (7-13 days).	2
2 weeks ago (14-20 days).	3
3 weeks ago (21-29 days).	4
1 month ago (30-59 days).	5
2 months ago (60-89 days).	6
3 months ago (90-119 days).	7
4 months ago or more (120 +)	8
Don't know/remember.	9

49c. What did the information say? (CHECK ALL MENTIONED)
Anything else?

- Vitamin A is a Kapsul. 1
- Vitamin A is given at the Pos Yandu. 2
- Vitamin A is free. 3
- Vitamin A is for a healthy child. 4
- Vitamin A is for healthy eyes. 5
- Vitamin A is given every February and August. 6
- Other (SPECIFY) _____ 7
- Don't know/remember. 9

MEDIA HABITS

50a. Do you ever listen to the radio at home?

50b. Do you ever listen to the radio anywhere else?

	AT HOME	ANYWHERE ELSE
Yes.	1	1
No.	2	2
Don't know.	9	9

IF NOT "YES" AT HOME OR ANYWHERE ELSE. GO TO Q.50e

50c. How many days each week do you usually listen to the radio?

	days.
<u>Don't know/remember.</u>	99

50d. Thinking about yesterday, about how many hours did you listen to the radio?

	hours.
<u>Don't know/remember.</u>	99

50e. Does anyone in this household own a radio or radio/cassette?

Yes.	1
No.	2 (go to Q.51a)
Don't know/remember.	9 "

50f. Is that radio working now?

Yes.	1
No.	2
Don't know/remember.	9

51a. Do you yourself ever watch TV at home?

51b. Do you yourself ever watch TV anywhere else?

	AT HOME	ANYWHERE ELSE
Yes.	1	1
No.	2	2
Don't know.	9	9

SOCIAL, ECONOMIC AND DEMOGRAPHIC CHARACTERISTICS

Now a few questions about you and your family.

55a. What language do you mostly speak here at home with your family?

55b. What other languages, if any can you speak?

	Speak at home.	Other spoken.
Javanese.	1	1
Indonesian.	2	2
Other (SPECIFY) _____	3	3

56. In which grade were you when you stopped going to school?

Grade: _____ SD/SMP/SMA/ACADEMY/UNIVERSITY
Don't know/remember. 99

INTERVIEWER: WRITE IN LEVEL OF SCHOOL COMPLETED IN YEARS.

_____ years.
Don't know/remember. 99

57a. Can you read Latin letters or a newspaper?

Yes.	1	
No.	2	(go to Q.58a)
Don't know.	3	"

IF "YES":

57b. What language can you read? (MULTIPLE RESPONSE)

Javanese.	1	(go to Q.59)
Indonesia.	2	"
Other (SPECIFY) _____	3	"

IF "NO" TO Q.57a, ASK:

58a. Can anyone else in the household read?

Yes.	1
No.	2 (go to Q.59)
Don't know.	9 "

58b. Who is that?

Other female adult.	1
Husband.	2
Other male adult.	3
Children.	4
Don't know.	9

ASK ALL RESPONDENTS:

59. How many people are living in this household?

_____	people.
Don't know.	99

60. How many are females older than 15?

_____	females.
Don't know.	99

61a. Apart from household work, do you do any other work for which you are paid?

Yes.	1
No.	2 (go to Q.62)
Don't know.	9 "

IF "YES":

61b. Is that work that you do here at home, or work that you do outside the home?

At home.	1
Outside the home.	2

SHOW CARD

62. Thinking now about your household, could you tell us approximately how much you spend every month to keep the household going? Which of the groups on this card would your average monthly household expenditure fall into?

Less than Rp 10,000	1
Rp 10,001 to Rp 20,000	2
Rp 20,001 to Rp 30,000	3
Rp 30,001 to Rp 50,000	4
Rp 50,001 to Rp 75,000	5
Rp 75,001 to Rp 100,000	6
Rp 100,001 to Rp 125,000	7
Rp 125,001 to Rp 150,000	8
More than Rp 150,000	9
Don't know.	99

63. Which of the following possessions do you have in this household? (CHECK ALL MENTIONED)

Radio.	1
TV.	2
Sewing machine.	3
Bicycle.	4
Motor cycle.	5
Petromax lamp.	6
Automobile/car.	7

64. What is the occupation of the head of household?

Farmer.	1
Fisherman.	2
Laborer.	3
Skilled worker. (carpenter, etc)	4
Shopkeeper/trader.	5
Government employee, (incl teacher).	6
Business employee.	7
Professional/Manager/owner/	8
Retired.	9
Unemployed.	10
Other (SPECIFY) _____	11
No response.	99

BY OBSERVATION.

Q1. Type of front wall of house:

Brick.	1
Teak Wood.	2
Local Wood.	3
Zinc.	3
Bamboo.	4
Palm.	5
Other (SPECIFY) _____	6

Q2. Household facilities:

Private Electricity.	1
Public Electricity.	2
Piped water.	3
W.C. (in house).	4
Sumur gali/well.	5

Q3. Urban 1 (go to U1)
Rural 2 (go to R1)

RURAL DATA:

R1. Distance to nearest main road (2 lane asphalt)

_____kilometers.

R2. Distance to nearest major town in Kecamatan (over 50,000 people.)

_____kilometers.

R3. Electricity in village.

Village/Local.	1
Government.	2
None.	3

R4. School in village.

SD.	1
SLP.	2
SLA.	3
Academy.	4

R5. Community well.

Yes.	1
No.	2

URBAN DATA:

U1. Electricity.

Local.	1
Government.	2
None.	3

U2. Asphalt road(s) in R.T.	Yes.	1
	No.	2

U3. Telephone in household.	Yes.	1
	No.	2

U4. Telephone in R.T.	Yes.	1
	No.	2

U5. Piped water in R.T.	Yes.	1
	No.	2

U6. Sewers in R.T.	Yes.	1
	No.	2

Presence of other adults during interview?

Yes.	1
No.	2

IF "YES":

Did they contribute to the interview?

Yes.	1
No.	2

Kabupaten: _____

Kecamatan: _____

Desa/village: _____

Dhuku: _____

RT: _____

APPENDIX II.

DRAFT: IBU BALITA QUESTIONNAIRE

PERKENALAN: Sugeng enjang/siang/sonten. Nami kula (.....). Kula pewawancara saking (.....), kantor ingkang ngawontenaken penelitian. Dinten menika kula bade rembagan bab kesehatane balita. Pinten umure bocah ing griya mriki sing paling enom?

KALAU "ADA BALITA" TERUSKAN WAWANCARA,
KALAU "TIDAK ADA BALITA" UCAPKAN TERIMA KASIH DAN PINDAH KE RUMAH BERIKUTNYA.

Kulo mangertosi menawi sedaya tiyang ing griya mriki rak nggih ngopeni kesehatane balita, nanging sinten ingkang paling tanggung jawab dateng kesehatanipun balita? Napa kula saged kepanggih?

LANJUTKAN WAWANCARA DENGAN RESPONDEN TERSEBUT

Wawancara dengan bahasa	Jawa	1
	Indonesia	2
	Lain (sebutkan) _____	3

NAMA RESPONDEN _____
ALAMAT _____

NAMA PEWAWANCARA _____
TANGGAL WAWANCARA _____

1. Cobi njenengan sebutaken, sinten namine lan umur pinten sedaya balita ingkang njenengan openi. (Semua anak yang belum berumur 5 tahun).

PEWAWANCARA MEMBIARKAN IBU MEMBERITAHUKAN NAMA DAN UMUR TIAP-TIAP BALITA, KEMUDIAM MULAI DARI YANG TERMUDA, CATAT NAMA, UMUR DAN JENIS KELAMIN DIBAWAH INI.

SETELAH YANG TERMUDA, CATAT INFORMASI UNTUK BALITA YANG LEBIH TUA, SAMPAI SEMUA BALITA TERDAFTAR.

<u>NAMA</u>	<u>UMUR</u> (<u>BULAN</u>)	<u>JENIS KELAMIN</u>	
		(<u>LAKI</u>)	(<u>PEREMPUAN</u>)
1) _____	_____	1	2
2) _____	_____	1	2
3) _____	_____	1	2
4) _____	_____	1	2
5) _____	_____	1	2

2. Menapa dinten punika putra njenengan wonten ingkang bebucal kerep tur mbanyu?

Enggih 1 (ke Q.3)
Mboten 2 (ke Q.4, jika lebih dari 1 anak)
(ke Q.5, jika hanya 1 anak)

3. Sinten namine sing bebucal kerep tur mbanyu dinten punika? (JIKA LEBIH DARI 1 ANAK, CATAT YANG TERMUDA SAJA LALU TERUSKAN DENGAN Q6)

NAMA _____
NOMOR _____ (DARI Q.1)

4. Lare ingkang pundi sing pungkasan utawi nembe mawon bebucal kerep tur mbanyu?

NAMA _____
NOMOR _____ (DARI.Q1)

(KALAU BALITA TIDAK PERNAH DIARE, LANGSUNG KE Q31a)

5. Pinten dinten kepengker si _____ (NAMA) bebucal kerep tur mbanyu?

Kirang saking 1 minggu (1-6 dinten) 1
1 minggu kepengker (7-13 dinten) 2
2 minggu kepengker (14-20 dinten) 3
3 minggu kepengker (21-29 dinten) 4
1 wulan kepengker (30-59 dinten) 5
2 wulan kepengker (60-89 dinten) 6
3 wulan kepengker (90-119 dinten) 7
4 wulan kepengker utawi langkung 8
Mboten ngertos/mboten kelingan 9

6. Kinten-kinten pinten dinten lamine si _____ (NAMA) bebucal kerep tur mbanyu?

_____ dinten
Mboten ngertos/mboten kelingan 99

7. Sakdangune si _____ (NAMA) bebucal kerep tur mbanyu napa badane benter?

Enggih, 1
Mboten, 2
Mboten ngertos/mboten kelingan 9

8. Sakdangune si _____ (NAMA) bebucal kerep tur mbanyu napa larene mutah?

Enggih,	1
Mboten,	2
Mboten ngertos/mboten kelingan	9

9a. Sakdangune si _____ (NAMA) bebucal kerep tur mbanyu napa larene mripate celong?

Enggih,	1
Mboten,	2
Mboten ngertos/mboten kelingan	9

9b. Sakdangune si _____ (NAMA) bebucal kerep tur mbanyu napa larene kekurangan cairan tubuh?

Enggih,	1
Mboten,	2
Mboten ngertos/mboten kelingan	9

10. Sakdangune si _____ (NAMA) bebucal kerep tur mbanyu napa larene taksih kathah gerake napa radi kirang?

Kados biasane	1
Kirang	2
Mboten ngertos/mboten kelingan	9

11. Sakdangune si _____ (NAMA) bebucal kerep tur mbanyu napa larene taksih purun neda kados biasane napa radi kirang?

Kados biasane	1
Kirang	2
Mboten ngertos/mboten kelingan	9

12. Sakdangune si _____ (NAMA) bebucal kerep tur mbanyu paling kathah kaping pinten sedintene?

Paling kathah kaping _____ sedintene	
Mboten ngertos/mboten kelingan	99

13. Bebucal kerep tur mbanyu ing mriki diwastani punapa?

Ising-isingen	1	Mangsur-mangsur	9
Ngentheng-enthengi	2	Diare	10
Muruh	3	Ganjil sasi	11
Kontab	4	Muntaber	12
Mancur	5	Kolera	13
Nggebros	6	Disentri	14
Mencret	7	_____	15
Murus	8	_____	16
Liyane(sebutkan) _____			17
Mboten ngertos/mboten kelingan			99

14. Miturut ibu, kados pundi kawontenane(NAMA ANAK)? Maksud kula, napa larene mboten sakit babar pisan, radi sakit, utawi sakit sanget?

Mboten sakit babar pisan	1
Radi sakit	2
Sakit sanget	3
Mboten ngertos/mboten kelingan	9

15. Napa si _____ (NAMA) mantun piyambak, utawi njenengan usadani supados larene mantun?

Mantun piyambak	1 (ke Q20)
Diusadani	2
Mboten ngertos/mboten kelingan	9

16a. Rikala si _____ (NAMA) _____ (Istilah No. 13), banjur larene diusadani napa mboten?

Enggih	1
Mboten	2 (ke Q.17a)
Mboten ngertos/kesupen	9 "

16b. Kangge ngusadani si _____ (NAMA) napa sing ditindakake ibu wonten griya? (CATAT SEMUA JAWABAN, JANGAN DIBACAKAN)

Toya pethak	1
Tajin	2
Bubur	3
Teh biasa	4
Teh pait	5
Jamu bungkus	6
Omben-omben godogan	7
Obat gosok	8
LGG.	9
Oralit.	10
Pil:	<u>ASK Q.16c</u>
pil Ciba	11
pil S.G.	12
pil Entrostop	13
pil Koniform	14
Stopcret	15
pil Dumex	16
pil liyane (sebutkan)	17
Nyekoki	18
Sirup.	19
Liyane (sebutkan) _____	20
Mboten ngertos/mboten kelingan	99

TANYAKAN JIKA HANYA "ORALIT" YANG DISEBUTKAN, Q16b

16c. Sakdangune _____ (NAMA ANAK) _____ (Istilah No.13), pinten bungkus Oralit ingkang diparingke putrane saklamine _____ (istilah no.13)?
 _____ bungkus

17a. Napa wonten usaha sanese wau?

Enggih	1
Mboten diusadani	2 (ke Q.20)
Diprisakke	3
Mboten ngertos/mboten kelingan	9 "

17b. Napa usaha sepisanan? (HANYA YANG DISEBUTKAN PERTAMA SAJA)

Rencang utawi tanggi	1
Sederek	2
Dukun	3
Pos Yandu.	4
Perawat/bidan	5
Puskesmas.	6
Dokter	7
Kader.	8
Warung/toko.	9
Toko obat/warung obat	10
Apotik/farmasi	11
Liyane(SEBUTKAN) _____	12
Mboten ngertos/mboten kelingan	99

17c. Napa sing ditindakake?

(CATAT SEMUA JAWABAN YANG DIBERIKAN, JANGAN DIBACAKAN!)

Mboten diparingi napa-napa	1
Disaranke teng Puskesmas	2
Disaranke teng panggenan liyane	3
Toya kangge mimik	4
Tajin	5
Bubur	6
Teh biasa	7
Teh pait	8
Jamu bungkusan	9
Omben-omben godogan	10
Obat gosok	11
Puyer	12
LGG	13
Oralit	14
Oralit dibekto wangsul	15
Pil:	
pil Ciba	16
pil S.G.	17
pil Enterostop	18
pil Koniform	19
Stopcret	20
Pil Dumex	21
pil liyane (Sebutkan)	22
Sirup	23
Saran liyane	24
Liyane (SEBUTKAN) _____	25
Mboten ngertos/mboten kelingan	99

18a. Napa wonten usada sanese malih?

Enggih	1
Mboten	2 (ke Q.20)
Mboten ngertos/mboten kelingan	9

18b. Diusadakke dateng pundi malih?

(CATAT YANG DISEBUTKAN PERTAMA SAJA)

Rencang utawi tanggi	1
Sederek	2
Dukun	3
Pos Yandu.	4
Perawat/bidan	5
Puskesmas.	6
Dokter	7
Kader.	8
Warung/toko.	9
Toko obat/warung obat	10
Apotik/farmasi	11
Liyane (SEBUTKAN) _____	12
Mboten ngertos/mboten kelingan	99

18c. Larene dinapakke wonten mrika?
 (CATAT SEMUA JAWABAN YANG DIBERIKAN, JANGAN DIBACAKAN!)

Mboten diparingi napa-napa	1
Disaranke teng Puskesmas	2
Disaranke teng panggenan liyane	3
Toya kangge mimik	4
Tajin	5
Bubur	6
Teh biasa	7
Teh pait	8
Jamu bungkusan	9
Omben-omben godogan	10
Obat gosok	11
Puyer	12
LGG	13
Oralit	14
Oralit dibekto wangsul	15
Pil:	
pil Ciba	16
pil S.G.	17
pil Enterostop	18
pil Koniform	19
Stopcret	20
Pil Dumex	21
pil liyane (Sebutkan)	22
Sirup	23
Saran liyane	24
Liyane(SEBUTKAN)_____	25
Mboten ngertos/mboten kelingan	99

19a. Napa taksih diusadakke liyane malih?
 Enggih 1
 Mboten 2 (ke Q.20)
 Mboten ngertos/mboten kelingan 9

19b. Lajeng dateng pundi malih?
 (CATAT YANG DISEBUTKAN PERTAMA SAJA)

Rencang utawi tanggi	1
Sederek	2
Dukun	3
Pos Yandu.	4
Perawat/bidan	5
Puskesmas.	6
Dokter	7
Kader.	8
Warung/toko.	9
Toko obat/warung obat	10
Apotik/farmasi	11
Liyane(SEBUTKAN)_____	12
Mboten ngertos/mboten kelingan	99

19c. Larene dinapakke wonten mriko?
(CATAT SEMUA JAWABAN YANG DIBERIKAN, JANGAN DIBACAKAN!)

Mboten diparingi napa-napa	1
Disaranke teng Puskesmas	2
Disaranke teng panggenan liyane	3
Toya kangge mimik	4
Tajin	5
Bubur	6
Teh biasa	7
Teh pait	8
Jamu bungkusan	9
Omben-omben godogan	10
Obat gosok	11
Puyer	12
LGG	13
Oralit	14
Oralit dibekto wangsul	15
Pil:	
pil Ciba	16
pil S.G.	17
pil Enterostop	18
pil Koniform	19
Stopcret	20
Pil Dumex	21
pil liyane (Sebutkan)	22
Sirup	23
Saran liyane	24
Liyane(SEBUTKAN)_____	25
Mboten ngertos/mboten kelingan	99

KEBIASAAN MAKAN DAN MINUM

20/21. Menawi larene taksih nyusu napa nyusune diterasake napa diendeg nalika ____ (istilah No.13)?

Diterasake	1	
Diendegke	2	(ke Q.22)
Sebelum ____ (Istilah No.13) tidak menyusui lagi	3	
Mboten ngertos/mboten kelingan	9	"

22. Rikala ____ (NAMA) ____ (istilah No.13), napa maeme kados biasane, kirang, utawi mboten maem babar pisan?

Mboten maem babar pisan	1	(ke Q.23)
Maeme kirang	2	"
Maeme kados biasane	3	(ke Q.24a)
Mboten ngertos/mboten kelingan	9	"

23. Olehe mboten purun maem napa bocahe pancen mboten purun neda, napa pancen kedah ngirangi neda?

Larene mboten purun maem	1	
Kudu dikurangi	2	
Mboten ngertos/mboten kelingan	9	

24a. Wekdal larene ____ (istilah no.13), napa ibu maringi si ____ (NAMA ANAK) tetedan sing beda karo biasane?

Tetedan beda	1	
Tetedan saben dintene	2	(ke Q.25a)
Mboten ngertos/mboten kelingan	9	"

JIKA MAKANAN KHUSUS DISEBUTKAN, TANYAKAN:

24b. Napa mawon tetedan sing beda wau sing diparingke? (CHECK SEMUA YANG DISEBUTKAN)
Napa malih?

UNTUK SETIAP MAKANAN YANG DISEBUTKAN, PEWAWANCARA HARUS MENANYAKAN "Napa larene seneng maem panganan niku?" LALU JAWABAN DIBERI KODE YANG SESUAI

		Seneng	Mboten
Bubur beras	1	1	2
Pisang penyet	2	1	2
Nasi tim	3	1	2
Tempe.	4	1	2
Tahu.	5	1	2
Endog	6	1	2
Kecap	7	1	2
Buah	8	1	2
Roti	9	1	2
Liyane(SEBUTKAN)_____	10	1	2
Mboten ngertos/mboten eling	99		

25a. Wekdal si ____ (NAMA) sakit _____ (istilah No.13), napa wonten tetedan sing disirik utawi dikirangi?

Enggih	1	
Mboten	2	(ke Q.26a)
Mboten ngertos/mboten kelingan	9	"

25b. Tetedan napa mawon sing disirik? (CHEK SEMUA JAWABAN)
Napa malih?

Tetedan berminyak	1
Sayuran	2
Tetedan pedes	3
Tetedan kecut	4
Tetedan sing terlalu manis	5
Es	6
Liyane(SEBUTKAN)_____	7
Mboten ngertos/mboten kelingan	9

26a. Menapa wonten tetedan sing diparingke paling kerep?

Enggih	1	
Mboten	2	(ke Q.27)
Mboten ngertos/mboten kelingan	9	"

26b. Tetedan napa mawon? (CHEK SEMUA JAWABAN)
Napa malih?

UNTUK SETIAP MAKANAN YANG DISEBUTKAN, PEWAWANCARA HARUS
MENANYAKAN
"Napa larene seneng maem maeman niku?" LALU JAWABAN DIBERI KODE
YANG SESUAI

		Seneng	Mboten
Bubur beras	1	1	2
Pisang penyot	2	1	2
Nasi tim	3	1	2
Tempe.	4	1	2
Tahu.	5	1	2
Endog	6	1	2
Kecap	7	1	2
Buah	8	1	2
Roti	9	1	2
Liyane (SEBUTKAN) _____	10	1	2
Mboten ngertos/mboten eling	99		

27. Wekdal si _____ (NAMA) _____ (ISTILAH No.13), napa larene
ngorong, ngelak, utawi kados biasane?

Ngorong	1
Ngelak	2
Kkados biasane	3
Mboten ngertos/mboten kelingan	9

28a. Wekdal larene _____ (istilah No.13), napa ibu maringi si _____
(NAMA) omben-omben sing beda karo biasane napa omben-omben sing
diombe saben dintene?

Omben-omben beda	1	
Omben-omben saben dintene	2	(ke Q.29a)
Mboten ngertos/mboten kelingan	9	"

28b. Napa mawon omben-omben sing beda wau? (CHEK SEMUA JAWABAN)
Napa wonten liyane?

UNTUK SETIAP MINUMAN YANG DISEBUTKAN, PEWAWANCARA HARUS MENANYAKAN
"Napa larene seneng omben-ombenan niku?" DAN JAWABAN DIBERI
KODE YANG SESUAI

		Seneng	Mboten
ASI/susu ibu	1	1	2
Teh biasa	2	1	2
Teh pait	3	1	2
Toya	4	1	2
Tajin	5	1	2
Jamu godog	6	1	2
Oralit.	7	1	2
LGG.	8	1	2
Toya klapa	9	1	2
Sari buah	10	1	2
Soda, dll	11	1	2
Es sirup	12	1	2
Toya manis	13	1	2
Liyane(SEBUTKAN)_____	14	1	2
Mboten ngertos/mboten eling	99		

29a. Menapa wonten omben-ombenan sing disetop utawi dikurangi?

Enggih	1	
Mboten	2	(ke Q.30a)
Mboten ngertos/mboten kelingan	9	"

29b. Omben-ombenan napa mawon sing disetop utawi dikurangi wau?
(CHEK SEMUA JAWABAN)
Menapa malih?

ASI/susu ibu	1
Teh biasa	2
Teh pait	3
Toya	4
Tajin	5
Jamu godog	6
Oralit.	7
LGG.	8
Toya klapa	9
Sari buah	10
Soda, dll	11
Es sirup	12
Toya manis	13
Es	14
Wedang jae	15
Wedang asem	16
Liyane(SEBUTKAN)_____	17
Mboten ngertos/mboten eling	99

30a. Napa wonten omben-ombenan sing kerep diparingke?

Wonten	1
Mboten	2 (ke Q.31a)
Mboten ngertos/mboten kelingan	9 "

30b. Omben-ombenan napa mawon sing kerep diparingke?
(CHEK SEMUA JAWABAN)
Menapa malih?

UNTUK SETIAP MINUMAN YANG DISEBUTKAN, PEWAWANCARA HARUS MENANYAKAN
"Napa larene seneng omben-ombenan niku?" DAN JAWABAN DIBERI
KODE YANG SESUAI

		Seneng	Mboten
ASI/susu ibu	1	1	2
Teh biasa	2	1	2
Teh pait	3	1	2
Toya	4	1	2
Tajin	5	1	2
Jamu godog	6	1	2
Oralit.	7	1	2
LGG.	8	1	2
Toya klapa	9	1	2
Sari buah	10	1	2
Soda, dll	11	1	2
Es sirup	12	1	2
Toya manis	13	1	2
Liyane(SEBUTKAN)_____	14	1	2
Mboten ngertos/mboten eling	99		

SUMBER INFORMASI TENTANG PERAWATAN DIARE

31a. Menapa ibu sampun nate mireng saking radio bab kados pundi ngusadani bebucal kerep tur mbanyu?

Enggih	1
Mboten	2 (ke Q.32a)
Mboten ngertos/mboten kelingan	9 "

31b. Dek kapan paling pungkasan ibu mireng keterangan bab wau saking radio? (JAWABAN HANYA SATU)

Kirang saking 1 minggu (1-6 dinten)	1
1 minggu kepengker (7-13 dinten)	2
2 minggu kepengker (14-20 dinten)	3
3 minggu kepengker (21-29 dinten)	4
1 wulan kepengker (30-59 dinten)	5
2 wulan kepengker (60-89 dinten)	6
3 wulan kepengker (90-119 dinten)	7
4 wulan kepengker utawi langkung	8
Mboten ngertos/mboten kelingan	9

31c. Keterangane bab napa mawon? (CHEK SEMUA JAWABAN)
Menapa malih?

-Nerasaken maringi omben-omben kados biasane	1
-Maringi omben-omben khusus	2
-Ngirangi utawi nyetop omben-omben	3
-Nerasaken maringi maeman kados biasane	4
-Maringi maeman khusus	5
-Ngirangi utawi nyetop maeman	6
-Nerasaken nyusu ibune (ASI)	7
-Ngirangi utawi nyetop susu ibune (ASI)	8
-Maringi Oralit	9
-Maringi LGG	10
-Maringi jamu bungkusan	11
-Maringi jamu godog	12
-Maringi pil Ciba	13
-Maringi pil S.G.	14
-Maringi pil Enterostop	15
-Maringi pil Koniform	16
-Maringi Stopcret	17
-Maringi pil liyane (SEBUTKAN) _____	18
-Maringi sirup	19
-Maringi suntikan	20
-Ndamel LGG	21
-Maeman sehat	22
-Gizi bayi + ibu hamil	23
-Vitamin	24
-Jamban lan sumur	25
-Liyane (SEBUTKAN) _____	26
Mboten ngertos/mboten kelingan	99

32a. Napa ibu sampun nate pirsa spanduk sing isine keterangan bab kados pundi ngusadani bebucal kerep tur mbanyu?

Enggih	1
Mboten	2
Mboten ngertos	9

32b. Kapan paling pungkasan ibu mirsani spanduk sing isine keterangan wau? (SATU JAWABAN)

Kirang saking 1 minggu (1-6 dinten)	1
1 minggu kepengker (7-13 dinten)	2
2 minggu kepengker (14-20 dinten)	3
3 minggu kepengker (21-29 dinten)	4
1 wulan kepengker (30-59 dinten)	5
2 wulan kepengker (60-89 dinten)	6
3 wulan kepengker (90-119 dinten)	7
4 wulan kepengker utawi langkung	8
Mboten ngertos/mboten kelingan	9

32c. Keteranganane bab napa mawon? (CHEK SEMUA JAWABAN)
Napa malih?

-Nerasaken maringi omben-omben kados biasane	1
-Maringi omben-omben khusus	2
-Ngirangi utawi nyetop omben-omben	3
-Nerasaken maringi maeman kados biasane	4
-Maringi maeman khusus	5
-Ngirangi utawi nyetop maeman	6
-Nerasaken nyusu ibune (ASI)	7
-Ngirangi utawi nyetop susu ibune (ASI)	8
-Maringi Oralit	9
-Maringi LGG	10
-Maringi jamu bungkus	11
-Maringi jamu godog	12
-Maringi pil Ciba	13
-Maringi pil S.G.	14
-Maringi pil Enterostop	15
-Maringi pil Koniform	16
-Maringi Stopcret	17
-Maringi pil liyane (SEBUTKAN) _____	18
-Maringi sirup	19
-Maringi suntikan	20
-Ndamel LGG	21
-Maeman sehat	22
-Gizi bayi + ibu hamil	23
-Vitamin	24
-Jamban lan sumur	25
-Liyane (SEBUTKAN) _____	26
Mboten ngertos/mboten kelingan	99

33a. Napa ibu sampun nate tindak teng Puskesmas?

Enggih	1
Mboten	2 (ke Q.34a)
Mboten ngertos	9 "

KALAU "PERNAH" TANYAKAN:

33b. Kapan paling pungkasan ibu tindak teng Puskesmas.

Kirang saking 1 minggu (1-6 dinten)	1
1 minggu kepengker (7-13 dinten)	2
2 minggu kepengker (14-20 dinten)	3
3 minggu kepengker (21-29 dinten)	4
1 wulan kepengker (30-59 dinten)	5
2 wulan kepengker (60-89 dinten)	6
3 wulan kepengker (90-119 dinten)	7
4 wulan kepengker utawi langkung	8
Mboten ngertos/mboten kelingan	9

33c. Menapa ibu nate mireng utawi pirsa keterangan bab kados pundi ngusadani bebucal kerep tur mbanyu ing Puskesmas?

Enggih	1
Mboten	2 (ke Q.33e)
Mboten ngertos	9 "

33d. Keteranganane bab napa mawon? (CHEK SEMUA JAWABAN)

Napa malih?

-Nerasaken maringi omben-omben kados biasane	1
-Maringi omben-omben khusus	2
-Ngirangi utawi nyetop omben-omben	3
-Nerasaken maringi maeman kados biasane	4
-Maringi maeman khusus	5
-Ngirangi utawi nyetop maeman	6
-Nerasaken nyusu ibune (ASI)	7
-Ngirangi utawi nyetop susu ibune (ASI)	8
-Maringi Oralit	9
-Maringi LGG	10
-Maringi jamu bungkusan	11
-Maringi jamu godog	12
-Maringi pil Ciba	13
-Maringi pil S.G.	14
-Maringi pil Enterostop	15
-Maringi pil Koniform	16
-Maringi Stopcret	17
-Maringi pil liyane (SEBUTKAN) _____	18
-Maringi sirup	19
-Maringi suntikan	20
-Ndamel LGG	21
-Maeman sehat	22
-Gizi bayi + ibu hamil	23
-Vitamin	24
-Jamban lan sumur	25
-Liyane (SEBUTKAN) _____	26
Mboten ngertos/mboten kelingan	99

33e. Cobi ibu eling-eling, paling pungkasan ibu teng puskesmas, pinten suwene tindak saking griya teng puskesmas?

_____ menit
Mboten ngertos/mboten kelingan 99

33f. Wekdal ibu dugi teng puskesmas, menapa ibu sayah sanget, radi sayah, utawi mboten sayah blas?

Sayah sanget	1
Radi sayah	2
Mboten sayah blas	3
Mboten ngertos/mboten kelingan	9

34a. Napa ibu nate teng toko/toko obat/apotik sakperlu tumbas obat?

Enggih	1
Mboten	2 (ke Q.35a)
Mboten ngertos/mboten kelingan	9 "

KALAU "YA" TANYAKAN:

34b. Kapan paling pungkasan ibu tindak teng toko/toko obat/apotik?

Kirang saking 1 minggu (1-6 dinten)	1
1 minggu kepengker (7-13 dinten)	2
2 minggu kepengker (14-20 dinten)	3
3 minggu kepengker (21-29 dinten)	4
1 wulan kepengker (30-59 dinten)	5
2 wulan kepengker (60-89 dinten)	6
3 wulan kepengker (90-119 dinten)	7
4 wulan kepengker utawi langkung	8
Mboten ngertos/mboten kelingan	9

34c. Toko napa niku?

Warung/toko alit	1
Warung/toko ageng	2
Warung/toko teng pasar	3
Toko obat	4
Pharmacy/apotik.	5
Liyane(SEBUTKAN) _____	6
Mboten ngertos/mboten kelingan	9

34d. Menapa ibu pirsu utawi mireng keterangan bab caranipun ngusadani bebucal kerep tur mbanyu teng _____ (PERTANYAAN NO. 34C) niku?

Enggih	1
Mboten	2 (ke Q.35a)
Mboten ngertos/mboten kelingan	9 "

34e. Keteranganane bab napa? (CHEK SEMUA JAWABAN)
Menapa malih?

-Nerasaken maringi omben-omben kados biasane	1
-Maringi omben-omben khusus	2
-Ngirangi utawi nyetop omben-omben	3
-Nerasaken maringi maeman kados biasane	4
-Maringi maeman khusus	5
-Ngirangi utawi nyetop maeman	6
-Nerasaken nyusu ibune (ASI)	7
-Ngirangi utawi nyetop susu ibune (ASI)	8
-Maringi Oralit	9
-Maringi LGG	10
-Maringi jamu bungkusan	11
-Maringi jamu godog	12
-Maringi pil Ciba	13
-Maringi pil S.G.	14
-Maringi pil Enterostop	15
-Maringi pil Koniform	16
-Maringi Stopcret	17
-Maringi pil liyane (SEBUTKAN) _____	18
-Maringi sirup	19
-Maringi suntikan	20
-Ndamel LGG	21
-Maeman sehat	22
-Gizi bayi + ibu hamil	23
-Vitamin	24
-Jamban lan sumur	25
-Liyane (SEBUTKAN) _____	26
Mboten ngertos/mboten kelingan	99

35a. Menapa ibu nate mireng istilah "Posyandu" utawi "Pos Penimbangan Balita/Pokbang"?

Enggih	1
Mboten	2 (ke Q.36a)
Mboten ngertos/mboten kelingan	9 "

35b. Napa ibu nate teng Posyandu/Pos Penimbangan Balita/Pokbang?

Enggih	1
Mboten	2 (ke Q.36a)
Mboten ngertos/mboten kelingan	9 "

35c. Pinten wulan kepengker ibu teng Posyandu/Pos Penimbangan Balita/Pokbang?

	wulan
Mboten ngertos/mboten kelingan	99

35d. Menapa ibu pirsu utawai mireng keterangan bab carane ngusadani bebucal kerep tur mbanyu Posyandu/Pos Penimbangan Balita/Pokbang?

Enggih	1
Mboten	2 (ke Q.36f)
Mboten ngertos/mboten kelingan	9 "

35e. Keteranganane bab napa mawon? (CHEK SEMUA JAWABAN)
Napa malih?

-Nerasaken maringi omben-omben kados biasane	1
-Maringi omben-omben khusus	2
-Ngirangi utawi nyetop omben-omben	3
-Nerasaken maringi maeman kados biasane	4
-Maringi maeman khusus	5
-Ngirangi utawi nyetop maeman	6
-Nerasaken nyusu ibune (ASI)	7
-Ngirangi utawi nyetop susu ibune (ASI)	8
-Maringi Oralit	9
-Maringi LGG	10
-Maringi jamu bungkusan	11
-Maringi jamu godog	12
-Maringi pil Ciba	13
-Maringi pil S.G.	14
-Maringi pil Enterostop	15
-Maringi pil Koniform	16
-Maringi Stopcret	17
-Maringi pil liyane (SEBUTKAN) _____	18
-Maringi sirup	19
-Maringi suntikan	20
-Ndamel LGG	21
-Maeman sehat	22
-Gizi bayi + ibu hamil	23
-Vitamin	24
-Jamban lan sumur	25
-Liyane (SEBUTKAN) _____	26
Mboten ngertos/mboten kelingan	99

35f. Cobi ibu eling-eling, paling pungkasan ibu teng Posyandu/Pos Penimbangan Balita/Pokbang, pinten suwene tindak saking griya teng Posyandu/Pos Penimbangan Balita/Pokbang?

_____ menit
Mboten ngertos/mboten kelingan 99

35g. Wekdal ibu dugi teng Posyandu/Pos Penimbangan, menapa ibu sayah sanget, radi sayah, utawi mboten sayah blas?

Sayah sanget	1
Radi sayah	2
Mboten sayah blas	3
Mboten ngertos/mboten kelingan	9

36a. Ibu nate mireng bab "Kader"?

Enggih	1
Mboten	2 (ke Q.37)
Mboten ngertos/mboten kelingan	9 "

36b. Ibu nate pinanggih kaliyan Kader?

Enggih	1
Mboten	2 (ke Q.37)
Mboten ngertos/mboten kelingan	9 "

36c. Woten pundi ibu pinanggih kaliyan kader?

Griyane piyambak	1
Griyane kader	2
Posyandu	3
Liyane	4
Mboten ngertos/kesupen	9

36d. Kapan paling pungkasan ibu pinanggih kaliyan kader?

Kirang saking 1 minggu (1-6 dinten)	1
1 minggu kepengker (7-13 dinten)	2
2 minggu kepengker (14-20 dinten)	3
3 minggu kepengker (21-29 dinten)	4
1 wulan kepengker (30-59 dinten)	5
2 wulan kepengker (60-89 dinten)	6
3 wulan kepengker (90-119 dinten)	7
4 wulan kepengker utawi langkung	8
Mboten ngertos/mboten kelingan	9

36e. Kadere namine sinten?

NAMA:
Mboten ngertos/mboten kelingan 99

36f. Wekdal ibu pinanggih _____ (NAMA KADER), menapa ibu diparingi keterangan utawi mireng bab carane ngusadani bebucal kerep tur mbanyu?

Enggih	1
Mboten	2 (ke Q.37)
Mboten ngertos/mboten kelingan	9 "

36g. Keterangane bab napa mawon? (CHEK SEMUA JAWABAN)
Napa malih?

-Nerasaken maringi omben-omben kados biasane	1
-Maringi omben-omben khusus	2
-Ngirangi utawi nyetop omben-omben	3
-Nerasaken maringi maeman kados biasane	4
-Maringi maeman khusus	5
-Ngirangi utawi nyetop maeman	6
-Nerasaken nyusu ibune (ASI)	7
-Ngirangi utawi nyetop susu ibune (ASI)	8
-Maringi Oralit	9
-Maringi LGG	10
-Maringi jamu bungkus	11
-Maringi jamu godog	12
-Maringi pil Ciba	13
-Maringi pil S.G.	14
-Maringi pil Enterostop	15
-Maringi pil Koniform	16
-Maringi Stopcret	17
-Maringi pil liyane (SEBUTKAN) _____	18
-Maringi sirup	19
-Maringi suntikan	20
-Ndamel LGG	21
-Maeman sehat	22
-Gizi bayi + ibu hamil	23
-Vitamin	24
-Jamban lan sumur	25
-Liyane(SEBUTKAN) _____	26
Mboten ngertos/mboten kelingan	99

37a. Napa ibu nate mireng oralit?

Enggih	1
Mboten	2 (to Q37c)
Mboten ngertos/mboten kelingan	9

37b. Miturut ibu napa gunane oralit?

Ngganti cairan tubuh	1
Nambani mencret	2
Nambani sakit liyane	3
Liyane	4
Mboten ngertos/mboten kelingan	9

37c. Saking pundi ibu mireng oralit?
Sinten malih?]

Tetanggi	1
Kader	2
Posyandu/Pos Penimbangan Balita/ Pokbang	3
Puskesmas	4
Warung/toko	5
Liyane	6
Mboten ngertos/mboten kelingan	9

37d. Napa ibu nate tumbas oralit?

Enggih	1
Mboten	2
Mboten ngertos/mboten kelingan	9

37e. Kapan paling pungkasan ibu tumbas oralit?

Kirang saking 1 minggu (1-6 dinten)	1
1 minggu kepengker (7-13 dinten)	2
2 minggu kepengker (14-20 dinten)	3
3 minggu kepengker (21-29 dinten)	4
1 wulan kepengker (30-59 dinten)	5
2 wulan kepengker (60-89 dinten)	6
3 wulan kepengker (90-119 dinten)	7
4 wulan kepengker utawi langkung	8
Mboten ngertos/mboten kelingan	9

37f. Kala semanten pinten bungkus oralit tumbasipun?

_____ bungkus	1
Mboten ngertos/mboten kelingan	9

37g. Miturut ibu napa bebucal kerep tur mbanyu punika mbebayani kangge
lare?

Enggih	1
Mboten	2
Mboten ngertos/mboten kelingan	9

CAKUPAN VITAMIN A

PEWAWANCARA MENUNJUKKAN KAPSUL VITAMIN A. TANYA SEMUA RESPONDEN

37. Mengapa ibu nate pirsani niki?

Enggih	1	
Mboten	2	(ke Q.39)
Mboten ngertos/mboten kelingan	9	"

38. Niki namine napa?

Kapsul Vitamin A.	1	(ke Q.40)
Minyak ikan	2	"
Liyane	3	"
Mboten ngertos/mboten kelingan	9	"

JIKA "TIDAK" KE NO.38, TANYAKAN:

39. Napa nate mireng bab Kapsul Vitamin A?

Enggih	1	
Mboten	2	(ke Q.50a)
Mboten ngertos/mboten kelingan	9	"

JIKA IBU BALITA TIDAK TAHU KAPSUL VITAMIN A, INTERVIEWER
MENUNJUKKAN KAPSUL DAN MENGATAKAN: "Ini adalah Kapsul Vitamin A"

40. Kapsul Vitamin A niki kangge sinten?

Ibu balita	1	
Balita.	2	
Liyane (SEBUTKAN) _____	3	
Mboten ngertos/mboten kelingan	9	

41. Napa Kapsul Vitamin A kedah diparingke lare sing sakit, lare
sehat, utawi kalih-kalihipun?

Lare sakit	1	
Lare sehat	2	
Kalih-kalihipun	3	
Mboten ngertos/mboten kelingan	9	

42. Napa gunane Kapsul Vitamin A?

Njagi supados mboten wuta 1
 Nyehataken mripat 2
 Ngobati lara mata 3
 Liyane (SEBUTKAN) 4
 Mboten ngertos/mboten kelingan 9

43. Napa ibu putrane diparingi kapsul niki wulan kepengker?

Enggih 1 (ke Q.44)
 Mboten 2 (ke Q.45)
 Mboten ngertos/mboten kelingan 9 (ke Q.46)

44. Balita sing pundi ibu paringi Kapsul wulan keprungur?
 Balitane angsal kapsul saking pundi?

PEWAWANCARA MENULISKAN NAMA-NAMA SEMUA BALITA DALAM POLA YANG SAMA
 SEPERTI DALAM PERTANYAAN 1. MASING-MASING BALITA MENUNJUKKAN
 APAKAH KAPSUL "DIBERIKAN" ATAU "TIDAK DIBERIKAN" BULAN YANG LALU

JIKA "DIBERIKAN" BERI KODE SBB : Puskesmas..... 1
 Kader di pos yandu..... 2
 Kader di rumah..... 3
 Dokter praktek/perawat. 4
 Lainnya..... 5
 Tidak tahu/tdk ingat... 9

NAMA	KAPSUL VITAMIN A		DIBERIKAN DI MANA (Memakai kode di atas)
	(TIDAK DIBERIKAN)	(DIBERIKAN)	
1) _____	1	2	_____
2) _____	1	2	_____
3) _____	1	2	_____
4) _____	1	2	_____
5) _____	1	2	_____

JIKA ADA BALITA YANG TIDAK DIBERI KAPSUL BULAN YANG LALU

45. Kenging napa balitane mboten diparingi Kapsul Vitamin A wulan kepengkur (CHEK SEMUA JAWABAN)
Napa malih?

Mboten ngertos bab kapsul	1
Mboten ngertos carane entuk kapsul	2
Penggenane tebih sanget	3
Report sanget, mboten saged pados kapsul	4
Mboten teng Posyandu	5
Larene sakit	6
Larene sehat mboten perlu vitamin A	7
Mboten wonten teng Posyandu	8
Mboten wonten teng PUSkesmas	9
Mboten wonten teng panggenan sanes	10
Mboten wonten sing maringi kapsul	11
Liyane (SEBUTKAN) _____	12
Mboten ngertos/mboten kelingan	99

46a. Napa ibu nate mireng saking radio bab Vitamin A?

Enggih	1
Mboten	2 (ke Q.49a)
Mboten ngertos/mboten kelingan	9

46b. Kapan paling pungkasan ibu mireng keterangan menika saking radio (SATU JAWABAN)

Kirang saking 1 minggu (1-6 dinten)	1
1 minggu kepengker (7-13 dinten)	2
2 minggu kepengker (14-20 dinten)	3
3 minggu kepengker (21-29 dinten)	4
1 wulan kepengker (30-59 dinten)	5
2 wulan kepengker (60-89 dinten)	6
3 wulan kepengker (90-119 dinten)	7
4 wulan kepengker utawi langkung	8
Mboten ngertos/mboten kelingan	9

46c. Keterangane bab napa mawon? (CHEK SEMUA JAWABAN)
Napa malih?

-Vitamin A bentuke kapsul	1
-Vitamin A diparingke teng Pos Yandu.	2
-Vitamin A diparingke gratis	3
-Vitamin A kangge lare sing sehat	4
-Vitamin A gunane kangge mripat sehat	5
-Vitamin A diparingke saben Februari & Agustus	6
-Liyane (SEBUTKAN) _____	7
Mboten ngertos/mboten kelingan	9

47a. Napa ibu nate pirsas panduk sing nerangaken bab Vitamin A?

Enggih	1
Mboten	2 (ke Q.48a)
Mboten ngertos/mboten kelingan	9

47b. Kapan paling pungkasan ibu mirsani keterangan wonten panduk (SATU JAWABAN)

Kurang saking 1 minggu (1-6 dinten)	1
1 minggu kepengker (7-13 dinten)	2
2 minggu kepengker (14-20 dinten)	3
3 minggu kepengker (21-29 dinten)	4
1 wulan kepengker (30-59 dinten)	5
2 wulan kepengker (60-89 dinten)	6
3 wulan kepengker (90-119 dinten)	7
4 wulan kepengker utawi langkung	8
Mboten ngertos/mboten kelingan	9

47c. Keterangane bab napa mawon? (CHEK SEMUA JAWABAN)
Napa malih?

-Vitamin A bentuke kapsul	1
-Vitamin A diparingke teng Pos Yandu.	2
-Vitamin A diparingke gratis	3
-Vitamin A kangge lare sing sehat	4
-Vitamin A gunane kangge mripat sehat	5
-Vitamin A diparingke saben Februari & Agustus	6
-Liyane (SEBUTKAN) _____	7
Mboten ngertos/mboten kelingan	9

KEBIASAAN MENDENGARKAN MEDIA

- 48a. Ibu napa nate mirengaken radio teng griya?
48b. Napa ibu nate mirengaken radio teng panggenan sanes?

	TENG GRIYA	PANGGENAN SANES
Enggih	1	1
Mboten	2	2
Mboten ngertos/mboten kelingan	9	9

JIKA TIDAK "ENGGIH" DIRUMAH ATAU DITEMPAT LAIN LANGSUNG KE NO. 49a.

- 48c. Pinten dinten seminggune ibu mirengaken radio?

_____ dinten
Mboten ngertos/mboten kelingan 99

- 48d. Cobi dieling-eling dek wingi, kinten-kinten pinten jam ibu mirengaken radio?

_____ jam
Mboten ngertos/mboten kelingan 99

- 49a. Napa ibu nate mirsani TV teng griya?
49b. Napa ibu nate mirsani TV teng panggenan sanes?

	TENG GRIYA	PANGGENAN SANES
Enggih	1	1
Mboten	2	2
Mboten ngertos/mboten kelingan	9	9

JIKA TIDAK "YA" DIRUMAH ATAU DITEMPAT LAIN LANGSUNG KE NO. 50

- 49c. Pinten dinten seminggune ibu mirsani televisi?

_____ dinten
Mboten ngertos/mboten kelingan 99

- 49d. Cobi dieling-eling dek wingi, kinten-kinten pinten jam ibu mirsani televisi?

_____ jam
Mboten ngertos/mboten kelingan 99

50. Napa ibu wingi maos koran?

Enggih	1
Mboten	2
Mboten ngertos/mboten kelingan	9

51. Napa ibu 2 minggu punika maos majalah?

Enggih	1
Mboten	2
Mboten ngertos/mboten kelingan	9

52. Napa ibu nate mirsani film keliling (layar tancap)?

Enggih	1
Mboten	2
Mboten ngertos/mboten kelingan	9

KARAKTERISTIK SOSIAL, EKONOMI DAN DEMOGRAFI

sakmeniko pitakenan bab ibu piyambak lan keluarga

53a. Teng griya mriki saben dintene ngangge bahasa napa?

53b. Bahasa liyane napa mawon sing ibu ngertos?

	Bahasa dirumah	Bahasa lain
Bahasa Jawa	1	1
Indonesia	2	2
Lain (SEBUTKAN) _____	3	3

54. Ibu sekolah ngantos kelas pinten?

Kelas: _____ SD/SMP/SMA/AKADEMY/UNIVERSITAS
Mboten ngertos/mboten kelingan 99

INTERVIEWER: TULIS TINGKATAN SEKOLAH LENGKAP DENGAN TAHUNNYA

_____ taun
Mboten ngertos/mboten kelingan 99

55a. Napa ibu saged maos teng koran?

Enggih	1
Mboten	2 (ke Q56a)
Mboten ngertos/mboten kelingan	9

KALAU "YA":

55b. Njenengan saged maos korea bahasa napa mawon? (BANYAK JAWABAN)

Jawa	1 (ke Q.57)
Indonesia.	2 "
Lain (SEBUTKAN) _____	3 "

56a. Napa teng griya mriki wonten tiyang sing saged maos?

Enggih	1
Mboten	2 (ke Q57)
Mboten ngertos/mboten kelingan	9

56b. Sinten mawon?

Wanita dewasa lainnya	1
Suami	2
Laki-laki dewasa lain	3
Anak-anak	4
Tidak tahu	9

TANYA SEMUA RESPONDEN:

57. Pinten cacahé tiyang sing manggen teng griya mriki?

	tiyang
Mboten ngertos	99

58. Tiyang estri sing umure langkung saking 15 taun wonten pinten?

	tiyang
Mboten ngertos	99

59a. Sakliyane dados ibu rumah tangga, napa njenengan nyambut damel sanes?

Enggih	1	
Mboten	2	(ke Q.60)
Mboten ngertos	9	"

59b. Pedamelan niku wau digarap teng griya mriki, utawi teng panggenan sanes

Teng griya	1
Panggenan sanes	2

TUNJUKKAN KARTU

60. Sakmenika bab keluarga, pinten kinten-kinten sakwulane blanja kangge sak keluarga? Teng kartu mriki klebet grup sing pundi?

Kirang laking Rp 10,000	1
Rp 10,001 to Rp 20,000	2
Rp 20,001 to Rp 30,000	3
Rp 30,001 to Rp 50,000	4
Rp 50,001 to Rp 75,000	5
Rp 75,001 to Rp 100,000	6
Rp 100,001 to Rp 125,000	7
Rp 125,001 to Rp 150,000	8
Langkung saking Rp 150,000	9
Mboten ngertos	99

61. Keluarga ngriki nggadahi barang napa mawon sing ibu kagungan
(INTERVIEWER MENYEBUTKAN DAN IBU MENYEBUTKAN YA/TIDAK)

Radio.	1
TV.	2
Mesin jahit	3
Sepeda	4
Sepeda motor	5
Petromax	6
Mobil	7

62. Bapake nyambut damel napa?

Tani	1
Nelayan	2
Buruh	3
Pekerja ahli (tukang kayu, dll)	4
Buka warung/pedagang	5
Pegawai pemerintahan (termasuk guru)	6
Pengusaha	7
Swasta/Manajer/pemilik	8
Pensiunan	9
Tidak bekerja	10
Lain (SEBUTKAN) _____	11
Tak ada jawaban	99

DITELITI SENDIRI

Q1. Dinding depan rumah:

Bata	1
Kayu jati	2
Kayu lokal	3
Seng	4
Bambu	5
Palem	6
Lain (SEBUTKAN) _____	7

Q2. Fasilitas rumah tangga:

Listrik sendiri	1
Listrik umum	2
Air ledeng	3
W.C. (didalam rumah)	4
Sumur gali	5

Q3. Luar kota 1 (ke U1)
Pedesaan 2 (ke R1)

DATA PEDESASAN:

R1. Jarak ke jalan besar (aspal 2 jalur roda 4)

_____kilometers.

R2. Jarak ke kota utama terdekat (lebih dari 50,000 orang.)

_____kilometers.

R3. Listrik di desa

Desa/Lokal	1
Pemerintah	2
Tidak ada	3

R4. Sekolah di desa

SD.	1
SLP.	2
SLA.	3
Akademi.	4

R5. Sumur umum

Ya	1
Tidak	2

URBAN DATA:

U1. Listrik	Lokal/setempat	1
	Pemerintah	2
	Tidak ada	3
U2. Jalan aspal di RT	Ya	1
	Tidak	2
U3. Telepon dalam rumah	Ya	1
	Tidak	2
U4. Telepon di RT	Ya	1
	Tidak	2
U5. Pipa ledeng di RT	Ya	1
	Tidak	2
U6. Saluran pembuangan RT	Ya	1
	Tidak	2

Hadirnya orang dewasa lain selama wawancara?

Ya	1
Tidak	2

JIKA "YA"

Apakah mereka ikut berpartisipasi didalam wawancara?

Ya	1
Tidak	2

Kabupaten: _____

Kecamatan: _____

Desa/village: _____

Dukuh: _____

RT: _____