

PD-ABU-261
95179

TITLE XII

COLLABORATIVE RESEARCH SUPPORT PROGRAM TWELFTH ANNUAL ADMINISTRATIVE REPORT



1 SEPTEMBER 1993 TO 31 AUGUST 1994



Title XII

Collaborative Research Support Program

Twelfth Annual Administrative Report

1 September 1993 to 31 August 1994

Printed in April 1995

Disclaimer

The contents of this document do not necessarily represent an official position or policy of the United States Agency for International Development (USAID). Also, the mention of trade names or commercial products in this report does not constitute endorsement or recommendation for use on the part of USAID or the Pond Dynamics/Aquaculture Collaborative Research Support Program.

This report addresses program accomplishments of the Pond Dynamics/Aquaculture Collaborative Research Support Program during the reporting period of 1 September 1993 to 31 August 1994. Program activities are funded in part by the United States Agency for International Development (USAID) under Grant No. DAN-4023-G-00-0031-00. The Egypt Project of the PD/A CRSP is funded by USAID Grant No. 263-0152-G-00-2231-00.

Acknowledgements

The Program Management Office of the Pond Dynamics/Aquaculture CRSP gratefully acknowledges the support provided by the Central Laboratory for Aquaculture Research in Abbassa, the Royal Thai Department of Fisheries, the Department of Renewable Natural Resources in Honduras, the Asian Institute of Technology, the National University of Rwanda, The Freshwater Aquaculture Center at Central Luzon State University in the Philippines, and the contributions of researchers from these institutions and from the U.S. institutions involved in this CRSP.

Edited by Hillary Egna, Marion McNamara, and Naomi Weidner



Pond Dynamics/Aquaculture CRSP Management Office
Office of International Research and Development
Oregon State University
Snell Hall 400
Corvallis, Oregon 97331-1641 USA



Dedication

Since April of 1993, when the downing of President Juvénal Habyarimana's plane fanned the civil unrest in Rwanda into civil war, the PD/A CRSP has been deeply affected by the events taking place in Rwanda. An evacuation of U.S. citizens was effected almost immediately after the violence began. CRSP researchers Jean-Damascene Bucyanayandi, Lieven Verheust, and Anaclét Gatera were en route to Rwanda after the PD/A CRSP Annual Meeting, when their flight was re-routed to Bujumbura, Burundi. Although Research Associate Joyce (J.J) Newman was still in the U.S, her husband, as well as the spouses and families of the other researchers, had remained in Rwanda. Newman and Verheust's spouses were able to escape through Bujumbura, Burundi. Bucyanayandi and Gatera crossed back into Rwanda to find their families. Both men were killed. Bucyanayandi's wife and three children escaped.

Reports issuing from Rwanda since April have been sporadic and sketchy; nevertheless, we have pieced together enough information to know that other CRSP associates, such as Valens Ndoreyaho, and other research station workers met untimely and tragic ends.

We join their families and their country in mourning the loss of these talented individuals, who were promising, individually and collectively, to make great contributions to their communities, their country, and the world of aquaculture. We dedicate this annual report to their memory.



Table of Contents

Dedication	2
I. Introduction	7
Historical Overview	7
New Challenges and Events	8
Continuing Activities	8
II. Summary of Activities and Accomplishments	12
Overseas Research	12
Honduras	12
Rwanda	13
Thailand and the Philippines	13
Egypt	14
Data Analysis and Synthesis	15
Central Data Base	16
III. CRSP Research Program Background	17
The CRSP Research Program	17
CRSP Work Plans	18
IV. Abstracts of Technical Papers	19
A. Global Experiment and Related Investigations	19
Validation of PD/A CRSP Pond Management Strategies	19
Yield Characteristics of Two Species of Tilapia under Two Different Pond Environments	19
Nutrient Input Management by the Computer Program, PONDCLASS, and by Concentration of a Key Nutrient	20
Management of Carbon Dioxide Balance for Stability of Total Alkalinity and Phytoplankton Stocks in Fertilized Fish Ponds	20
B. Global Studies and Activities	21
Minding the Pond: Feeding, Fertilization, and Stocking Practices for Tilapia Production in Rwanda, Thailand, The Philippines and Honduras	21
POND: A Decision Support System for Pond Aquaculture	22

C. Africa	22
Binding Sites for the Masculinizing Steroid Mibolerone in the Gonadal Tissue of Adult Nile Tilapia (<i>Oreochromis niloticus</i>)	22
Effects of Form of Defatted Rice Bran Offered on Nile Tilapia Production in Ponds	23
Effect of 17 α -Methyltestosterone on the Growth of Two Tilapia Species, <i>Oreochromis aureus</i> and <i>Oreochromis mossambicus</i> , in Fresh Water	23
Use of 17 α -Methyltestosterone for Tilapia Sex Reversal	24
Progeny Testing to Identify "YY" Male Tilapia	24
Bioconversion of Gastropods by Black Carp in Egyptian Fish Culture Ponds	24
Bioconversion of Nuisance Aquatic Plants by Grass Carp in Egyptian Fish Culture Ponds	25
Interaction of Grass Carp and Black Carp in Egyptian Fish Culture	25
D. Central America	26
Estuarine Water Quality and Sustainable Shrimp Culture in Honduras	26
Varying the Proportion of <i>Colossoma macropomum</i> and <i>Oreochromis niloticus</i> in Polyculture	26
Inorganic Fertilization and Feed Reduction in Commercial Production of <i>Penaeus vannamei</i> during Wet and Dry Seasons in Honduras	27
E. Southeast Asia	27
Timing of Supplemental Feeding for Tilapia Production	27
Stocking Density and Supplemental Feeding in Tropical Fish Ponds	28
Supplemental Feeding of Tilapia in Fertilized Ponds	28
F. United States	29
Respiration Dynamics in Aquaculture Ponds	29
Stochastic Modeling of Temperature in Stratified Aquaculture Ponds	29
Calculation of pH in Fresh and Sea Water Aquaculture Systems	29
G. Special Topics Research	30
Economic Analysis of Different Tilapia Pond Culture Systems in Egypt	30
Effect of Stocking Rate on Growth and Yield of Nile Tilapia	30
Mass Production of Nile (<i>Oreochromis niloticus</i>) and Blue (<i>O. aureus</i>) Tilapia Fry	31
Growth of Control and Androgen-Treated Nile Tilapia, <i>Oreochromis niloticus</i> (L.), during Treatment, Nursery and Grow-Out Phases in Tropical Fish Ponds	31
Production of <i>Oreochromis niloticus</i> Fry for Hormonal Sex Reversal in Relation to Water Temperature	32
Phosphorus Fertilization Strategy in Fish Pond Based on Sediment Phosphorus Saturation Level	32
Determination of Phosphorus Saturation Level in Relation to Clay Content in Pond Mud	33

V. Public Service and Project Development	34
Institution Building	34
Education and Professional Development	35
Thailand and Philippines	35
Honduras	35
Egypt	36
Linkages	37
Project Development	39
Development of Sustainable Aquaculture Systems	40
Socioeconomic Studies	41
Participation in International Scientific Meetings and Conferences	42
VI. Program Management and Technical Guidance ..	44
Management Entity	45
The Board of Directors	46
Technical Committee	47
Table 1. Membership of Technical Committee	48
Table 2. Institutional Voting Privileges on Technical Committee	50
External Evaluation Panel	51
CRSP Publications	51
Administrative Reports	52
Annual Administrative Report	52
Quarterly Reports	52
Directory	52
Newsletters	53
Technical Reports	53
CRSP Research Reports	53
VII. Financial Summary	57
Table 3. Expenditure of Funds	58
Table 4. Egypt Project Expenditure from 10/1/93 through 8/31/94	59

VIII. Staff Summary 60

IX. CRSP List of Publications 71

- Data Analysis and Synthesis Team 71
- Egypt 72
- Honduras 73
- Indonesia 75
- Panama – Aguadulce 77
- Panama – Gualaca 78
- The Philippines 78
- Rwanda 79
- Thailand 82
- CRSP Research Reports 85

Appendix

A. List of Acronyms and Definitions 89

B. Table of Contents for
Twelfth Annual Technical Report 94

I. Introduction

Historical Overview

The Pond Dynamics/Aquaculture Collaborative Research Support Program (PD/A CRSP) is an international effort to develop aquacultural technology as a means of confronting food security problems in developing countries. The PD/A CRSP is funded by the U.S. Agency for International Development (USAID), under authority of the International Development and Food Assistance Act of 1975 (P.L. 94-161), and by the universities and institutions that participate in the CRSP. Oregon State University (OSU) is the Management Entity (ME) for the CRSP and has technical, administrative, and fiscal responsibility for program performance.

The CRSP is a cohesive program of research carried out in selected developing countries and the United States by teams of U.S. and host country scientists. The resources of U.S. and host country institutions are brought together to improve the efficiency of pond culture systems through sustainable aquaculture. The U.S. institutions participating in the program are Auburn University, the University of California at Davis, the University of Oklahoma, and the Consortium for International Fisheries and Aquaculture Development (CIFAD). CIFAD members include the University of Arkansas at Pine Bluff, the University of Hawaii, the University of Michigan, Michigan State University, and Oregon State University. Host country institutions with formal linkages to the CRSP through Memoranda of Understanding are the National University of Rwanda, Royal Thai Department of Fisheries, Asian Institute of Technology, Department of Renewable Natural Resources, Agricultural Research Center of Egypt, and Central Luzon State University of the Philippines. Numerous linkages are also maintained with other U.S. and host country governmental and non-governmental institutions, and with private companies and farmers.

CRSP activities were formally initiated on 1 September 1982 after several years of planning. From 1982 to 1987, CRSP projects involved the participation of government agencies and educational institutions in six host countries: Honduras, Indonesia, Panama, the Philippines, Rwanda, and Thailand. Funding constraints during 1986 and 1987 forced a reduction in operations. A reorganization plan was submitted in December 1986 to the Joint Committee on Agricultural Research and Development (JCARD) Panel on CRSPs and the AID Agricultural Sector Council Subcommittee. The plan, which went into effect on 1 September 1987, called for maintaining a presence in each of the USAID geographical areas originally selected. Three country sites were chosen: Rwanda, Thailand, and Panama. However, following that decision, political initiatives in Panama in 1987 made it necessary for the CRSP to leave Panama and return to Honduras. Largely through the efforts of Auburn University and through continuing financial commitments of the USAID Mission, the CRSP was welcomed back into Honduras in April 1988 and began experiments with the assistance of the Honduran Department of Renewable Natural Resources (RENARE) in August 1988.





New Challenges and Events

This year's many programmatic and technical accomplishments were overshadowed by the tragic events in Rwanda. Rwanda's civil war shook the world, and with it our CRSP. The tragedy brought about a sudden and devastating change to our program—the end of our Africa project site, and the death of many CRSP researchers and co-workers. The dedications at the beginning of this Annual Report are but a small sign of the sadness felt by each and every person in the CRSP, especially those who worked on the Rwanda project. In the face of adversity, many personal stories unfolded and are now becoming part of the fabric of our program. It is with this depth of experience and emotion that we embark upon a quest for a new African site.

New site selection, although not part of the past year's activities, will become a major undertaking in the year to come. Not only is the CRSP evaluating alternate sites in Africa, but it is looking forward to establishing a new site in South America. The initiation of new sites, however, depends on the funding received under the next five-year grant.

The CRSP has been invited to submit a five-year continuation proposal to USAID. Recent external reviews have rated the program as exceptional and deserving of enhanced funding. New components of the program will target food security, information management, human resources development, and economic growth. The proposal was originally due in August 1994, but changes within USAID and BIFADEC have resulted in major delays. Consequently, the proposal will be a focus of the coming year's work.

Uncertainty within USAID has also been reflected in other ways within the CRSP. The PD/A CRSP received a 10% cut in its 1994-95 budget—less in absolute terms than the other CRSPs, three of which were cut greater than 40%. The CRSP grant, whose expected end date was 31 August 1995, was shortened by 4 months, to 30 April 1995. Funding and time constraints will therefore make the coming year a period of great challenge.

This past year was the "year of evaluations." The beginning of the period was marked by the culmination of the EEP Quinquennial Review (which took over a year to complete), and the undertaking of the USAID Internal Administrative Review. In addition, the Global Bureau commissioned Tropical Research and Development, a consulting firm, to evaluate all of the CRSPs. Their findings shed a positive light on the PD/A CRSP, especially in the areas of program management and overseas impacts. Finally, the Egypt project, a large informal buy-in grant under the CRSP, was evaluated by USAID/Cairo and USDA. The Egypt project received commendations and was recommended for an extension.

Continuing Activities

Global Experiment and Related Activities

With the completion of the first three cycles of standardized global experiments (1982-1987), the CRSP began focusing on the statistical interpretation of data that were collected at the original six project sites. The research program was successfully modified to reflect a reduction in sites without changing the overall emphasis of the CRSP. The global nature of the program therefore remains intact.

Experimental protocol, as described in subsequent work plans, conforms to that of the original three cycles to allow comparison between sites over time. Field experiments blend program-oriented (see Global Experiment and Related Studies) and project-oriented (site-specific) considerations in response to the results of earlier experiments.

After years of discussion, the CRSP is moving ahead with plans to incorporate much of the CRSP global data base into the data base of the International Center for Living Aquatic Resource Management (ICLARM), FISHBASE. This will further ensure safekeeping of important data that have been collected through ten years of CRSP experiments.

The CRSP passed another milestone with the completion of a new version of PONDCLASS, now called POND. POND offers a Microsoft Windows™-based decision support system for aquaculture pond management, with enhanced capacities such as economic forecasting and weather simulations. Prospective users of POND are completing a questionnaire; survey results are expected to be useful for improving the next version of the POND software. POND not only provides new technology for fish culturists but also serves as an excellent teaching tool for simulating pond responses to a variety of inputs. The software manual is now available in French; the Rwanda team translated the manual in a cooperative effort with the Data Analysis and Synthesis Team. A Spanish translation of the manual is in progress.

New Brackish Water Site

The termination of brackish water sites in Panama and the Philippines in 1987 focused the approach of the CRSP toward freshwater research.

Now, the CRSP's new brackish water site in Choluteca, Honduras, which opened last year, provides opportunities for studying environmentally and economically important brackish water systems. In accordance with the goals of the USAID Mission in Honduras, the CRSP is conducting research near the Gulf of Fonseca to evaluate environmental impacts and alternative production strategies associated with shrimp farming in that region. Closer collaboration among the PD/A CRSP and Honduran organizations, other CRSPs, and private aquaculture farms is being facilitated through the CRSP's involvement in this new site. CRSP research at the freshwater station in Comayagua, which continues to operate under host country supervision, now focuses on extending CRSP technologies.

Recent Additions to the CRSP Framework

The initiation of a new site in Egypt in October 1992 offered the CRSP an exciting opportunity to investigate pond management strategies in an arid climate. The Egypt project is now part of the family of PD/A CRSP projects, but is unique in that it is funded under a separate grant from USAID/Cairo and the National Agricultural Research Project of Egypt (USAID Grant No. 263-0152-G-00-2231-00). In addition to the mandatory Global Experiment, which is conducted at all CRSP sites, the Egypt project is credited with adding new research themes to the CRSP: polyculture, bioconversion, and biotechnology. Also, through the Egypt project, the CRSP has added new researchers to its list of cooperators and has expanded its institutional affiliations (new participants include the Central Laboratory of Aquaculture Research, Abbassa, and the University of Oklahoma). Longtime institutional members of the CRSP participating in the Egypt project are Oregon State University, Auburn University, University of Hawaii, University of Michigan, and the Asian Institute of Technology.

The Egypt Project presents one example of the CRSP's active pursuit of new opportunities. Because collaborative projects must benefit both the host countries and U.S., as well as fulfill overall CRSP goals, new opportunities are actually quite rare. Nevertheless, the CRSP has been successful in

attracting new projects in four target areas: socioeconomics research, gender studies, on-farm studies, and outreach. Projects in these focus areas are showing their first results and are successfully adding a broader dimension to the CRSP experience. Natural resources management has always been a cornerstone of the CRSP; therefore, the continued efforts in this area are not new. What is new is the integration of natural resources work with sociocultural and economic dimensions of aquaculture. Many of the technical summaries contained in the Annual Technical Report of this Twelfth Annual Report present practical economic information in addition to the biological analyses that are the mainstay of this CRSP.

A global social sciences project, which began in June 1992, has US CRSP economists, biologists, and sociologists collaborating with researchers from the Philippines, Thailand, and Honduras in an examination of aquaculture technology adoption and diffusion. This project presents one of the CRSP's first attempts to fully fund a social sciences activity that cuts across a number of CRSP sites. However, continued funding constraints – this CRSP is funded on average at 40 percent of the other CRSPs – may again relegate social science research to be funded primarily through extramural support.

When BIEADEC originally designed the CRSPs, the mandate called for greater focus on research than on outreach. The PD/A CRSP, however, sees the partnership of these two types of activities as critical to achieving positive social impacts. Therefore, greater emphasis during the past year has been placed on farmer participatory research, on extending research information to end users, and on adopting a research strategy that is sustainable and appropriate. The CRSP project in Rwanda, for example, regularly assisted the USAID Mission with its natural resources projects and helped transfer CRSP technologies to Rwandan farmers. In Northeast Thailand, the CRSP is cooperating with scientists from other donor agencies in helping farmers help themselves. The direct input that farmers provide to the research process renders the results more relevant and cost-effective.

Leveraged Activities

This Twelfth Annual Report contains some summaries of studies that were only partially funded by the CRSP; CRSP funds were used as seed money to leverage support from other sources. For example, the funds for testing CRSP models on farms in the Philippines were matched by the University of Hawaii and Central Luzon State University. In addition to the many grants and cooperators affiliated with the CRSP project in Rwanda, the European Economic Community contributed funds to improve and expand the pond facilities at Rwasave Fish Culture Station. In previous years, funds allocated to a Women in Development study helped to leverage funds from a number of sources.

Other continuing studies include investigations in tropical pond soils, which have allowed us to facilitate linkages with other soils projects such as the TropSoils CRSP in Honduras; polyculture research using native species; and research on ecologically sound alternatives to therapeutic drugs used in fish culture.

Other "buy-in" activities include expanding traditional pond dynamics work to encompass a broader analysis of the effects of aquaculture on the environment, and a grant from USMD to support a workshop on integrating a social sciences perspective into mainline CRSP research.

Research Support Activities

The CRSP's direct involvement with farmers, educators, and other end users of CRSP technology is one way to actively extend information generated by the program. Other information is extended through the CRSP's numerous publications, which are aimed at both technical and non-technical audiences. The CRSP's recently initiated international effort to write a comprehensive book on the principles of pond dynamics also involves the aquaculture community at-large. This book will be a useful addition to aquaculture researchers' and students' libraries, and an effort is being made to make it

available at an affordable price to people in less economically advanced countries. The book will update and expand on an earlier CRSP book, *Principles and Practices of Pond Aquaculture*, which is in its third printing.

The CRSP has benefited from its involvement in the CRSP Council, a group composed of USAID-funded Collaborative Research Support Programs, although full participation in this group extracts a high cost in terms of time and capital from the smaller CRSPs such as ourselves. Through the Council, the PDA CRSP has participated over the years in presentations to Congress, the World Bank, USDA, USAID, JCARD, and environmental groups. One impact of this effort is increased public awareness of CRSP programs.

Many other technical and programmatic accomplishments are described in detail in this Twelfth Annual Administrative Report, which covers the period from 1 September 1993 to 31 August 1994. This report is divided into two volumes: Program Accomplishments and Technical Reports. Each section has been designed to stand on its own. Program Accomplishments encompasses all administrative, research, and outreach activities during the reporting period and includes sections on program history, personnel, financial status, administrative and management activities, abstracts of all technical experiments conducted during the past year, and non-research activities such as training, publications, and service. Technical Reports focuses on the research accomplishments of the program and contains full technical reports. (See Appendix B for the table of contents of the technical reports volume.)



II. Summary of Activities and Accomplishments

1 SEPTEMBER 1993 TO 31 AUGUST 1994

Major accomplishments during this reporting period include the initiation of Seventh Work Plan studies at all sites. Studies scheduled under the Sixth Work Plan had been concluded in the previous period, except for one experiment, which had been exchanged with a Seventh Work Plan experiment. POND, the new decision-support system which allows facility managers to project economic returns of various management strategies, is now available to interested persons. A number of special Topics Research activities were completed. The CRSP also participated in two different evaluations. Honduras, Thailand, the DAST, and the Management Entity participated in the overall CRSP review. The Egypt project underwent a technical review and was subsequently granted an extension. As always, efforts to disseminate research results continued through a variety of avenues.

Overseas Research *Honduras*

Seventh Work Plan experiments were initiated this year at the brackish water site at Choluteca and at the freshwater site at El Carao. Brackish water research focused on the environmental effects of shrimp farming on estuarine water quality and on the development of culture techniques to reduce environmental impact. Researchers demonstrated that riverine estuaries were associated with higher nutrient loads than gulf embayments. Non-riverine estuaries showed no seasonal variability; however, riverine estuaries showed seasonal variability, and exhibited higher nutrient concentrations in the dry season. A companion study found that shrimp producers could reduce the nutrient input into estuaries during the dry season by a modification in management practices. It was found that use of fertilizer in the dry season did not increase shrimp yield. Other input rates can also be reduced in the dry season because decreasing the feeding rate by up to 50% did not result in significantly reduced shrimp yield.

Global Experiment research was carried out at El Carao with scientists comparing different management regimes. The first treatment followed the fertilization recommendations obtained from the decision-support system PONDCLASS (the precursor to POND), and was compared with a second treatment which used total ammonia concentrations (TAN) as a fertilization guideline. A third treatment compared the effect of increasing the stocking rate from 2 to 3 fish/m². PONDCLASS recommendations led to excessive nitrogen fertilization, because primary productivity was constrained by a carbon limitation. The results for the TAN experiment were inconclusive. Almost identical fish yields were obtained with the two different stocking rates. However, individual fish size was smaller at the higher density which significantly reduces marketability of the tilapia.

A second freshwater study combined various ratios of tilapia and tambaqui in a polyculture experiment. A combination of 75% tilapia and 25% tambaqui was found to give the best results.

The Honduras team also conducted two studies which were not part of the Sixth or Seventh Work Plan. Hormonal sex-reversal is a commonly practiced method to obtain monosex fish populations. Determination of the optimal water temperature regime for mass production of tilapia fry for hormonal sex-reversal was the goal of the first investigation. Using a threshold temperature of 15 C, fry production did not occur below 140 degree-days; the upper boundary was given by 195 degree-days. In a companion study, researchers tried to determine if the administration of 17 α -methyltestosterone improved the growth of treated fry and fingerlings. This side-effect has been reported in the literature for other species; however, after 150 days no significant differences were observed between treated and untreated fry in this experiment.



Rwanda

Rwanda CRSP personnel conducted five workshops in late 1993 and trained 60 extension agents of the National Fish Culture Service. The terrible civil war that has ravaged Rwanda since spring 1994 ended all research and extension activities in Rwanda. When the civil strife erupted, the Rwanda CRSP team was investigating the productivity difference of fed and non-fed ponds at different elevations; the determination of fish production relationships from existing farmer-generated data; and tilapia fry mass-production techniques. These developments necessitated the development of a new work plan for the Rwanda research group. Replacements have been developed for those experiments which were underway in Rwanda at the outbreak of open hostilities. All hope of regaining access to the Rwanda data has been lost. New studies have been initiated to determine

the most effective lime requirement estimators for broadly different soil types; to investigate the effect of pond soil characteristics on phosphorus fixation and availability; to determine the effect of feed consumption, growth, and conversion efficiency of tilapia fry; and to examine the efficacy of sex reversal treatment as a function of water temperature. These studies are still in progress. Results from a study on the use of defatted rice-bran as fish feed show that rice-bran, an agricultural by-product, is a good and economic supplemental food source, especially when pelleted. Pellets are not only easier to handle than loose rice bran, they also reduce the amount of fertilizer applications needed to maintain pond fertility.

Thailand and the Philippines

Determination of optimal phosphorus fertilization rates was the aim of two studies conducted by Thailand and CRSP researchers. The first study investigated the relationship between phosphorous sediment concentrations and phosphorous fertilization rates. It was found that optimum phosphorous fertilization, which does not result in either under- or over-fertilization, can be obtained if the fertilization rate is based on the phosphorous saturation level of the sediment. The second study reported a quick method to estimate phosphorous saturation level in sediment by using sediment clay content as the key variable.

Supplemental feeding is often necessary for growing larger, more valuable tilapia. Several studies investigated aspects of this management technique. Results indicated that early supplemental feeding produced inefficient feed use, while a late starting date (after fish have reached 150 g) extended the growing period considerably. A companion study investigated the relationship between stocking density and carrying capacity under a supplemental feeding regime. Initial results indicated that growth rates were similar among treatments and that carrying capacity had not been reached. A third investigation, comparing the growth rate of tilapia under different input regimes, found that 90.3% of the variance in

growth could be explained by feed and fertilizer input, alkalinity, and total inorganic nitrogen concentration. Combinations of feed and fertilizer were most efficient in growing tilapia to 500 g.

Improved understanding of pond dynamics is key to optimizing production techniques. Carbon has been shown to be a limiting nutrient in previous PIDA CRSP research of tropical fish ponds. The Thailand research group worked on two studies to further investigate carbon dynamics. One study attempted to stabilize total alkalinity by adding carbonate as part of the fertilizer input. During the dry season, total alkalinity was stable in treatment ponds, but declined in control ponds. During the wet season, no treatment effect was observed. A second study, currently underway, will quantify the rates of exchange of carbon dioxide between pond water and the atmosphere and compare these rates with photosynthetic carbon uptake and respiratory release.

Most of the PIDA CRSP's work has been done in shallow ponds (approximately 1 m deep). However, there exists considerable potential for aquaculture in rain-fed irrigation reservoirs. These ponds would likely exhibit different characteristics which would require the development of new management strategies. The initial results of an analysis of the diel temperature and oxygen stratification in deep, rain-fed ponds in Thailand lends credence to this view. While the surface layer (up to 1 m deep) behaves much like a shallow pond, the water below this layer is isolated from the top layer and did not seem to mix during the experimental period.

Research conducted in the Philippines is a sub-project of the Thailand project. Two investigations are currently underway at the Freshwater Aquaculture Center. A comparison of the performance of different tilapia strains will provide the information necessary for development of a breeding program. The CRSP Philippine team is collaborating with ICLARM's "Genetic Improvement of Farmed Tilapia" (GIFT) project and with the research project of "Genetic Manipulations for Improved Tilapia" conducted by the Freshwater Aquaculture Center at Central Luzon State University and the University of Wales Swansea. Fish from both projects will be compared with the Chitralada strain, used in Thailand, and the unmanipulated strain used in the Philippines. The second study tests whether CRSP fertilizer guidelines will be socially acceptable and economically viable under Philippine conditions.

Egypt

The beginning of experiments in Egypt last year was delayed due to inclement weather and a resulting fish kill; therefore, most of the second year experiments (see CRSP Work Plan 7) were still underway by the end of this reporting period. In order to conclude the research, the end date of the Egypt project was extended to December 31, 1994. Summaries of activities conducted from September to December 1994 will be published in the Final Report of the Egypt Project.

Investigations at the Central Laboratory for Aquaculture Research (CLAR) in Abbassa, Egypt, focused on validating CRSP guidelines in an arid climate. Five different pond management strategies were tested and yielded significantly different results. The highest gross yields were obtained from the Fertilization then Feed treatment; the lowest yields were obtained from the Chemical Fertilization treatment. A companion study examined the economic returns obtained from each treatment. The highest net economic returns were obtained from the Fertilization then Feed treatment, while the Chemical Fertilization treatment resulted in the lowest returns. A third study compared the yield characteristics of Nile tilapia to those of blue tilapia. Initial results indicate Nile tilapia performs better in every treatment than blue tilapia. A fourth investigation aims to determine the effect of stocking rate on Nile tilapia growth and yield. Initial results indicate no negative effects of the higher stocking rate on either growth or yield. The Egypt project team also initiated a study of Egyptian pond bottom soils to determine the role of pond soils in pond nutrient dynamics.

The Egypt Project added biotechnology research, a new line of inquiry in the family of CRSP studies. Several of the studies focused on the use of sex hormones, mainly 17 α -methyltestosterone (MT), which is internationally used as a sex-reversing agent in aquaculture. The U.S. Food and Drug Administration (FDA) granted a "compassionate" Investigational New Animal Drug exemption (INAD) to allow research on the efficacy and safety of this drug. A field trial was started in July 1994 at the Central Laboratory for Aquaculture Research (CLAR) at Abbassa, Egypt. This research, conducted in the field at the CLAR, was devoted to both the development of a technology to mass produce tilapia fry for sex-reversal, and examining the effects of MT on treated fry. Initial results indicate both high efficacy and survival rates.

Other MT-related research was conducted at Oregon State University (OSU) and the University of Hawaii (UH). The OSU research team characterized a binding site for sex-reversing hormones in gonadal tissue of adult Nile tilapia and also developed a receptor assay, a fast tool for screening the efficacy of newly developed sex inversion agents. Other research at OSU continues to follow this line of inquiry by studying gonadal development in tilapia. The OSU team is also developing a cryopreservation technique for sperm and determining if an alternative sex-reversal technique (immersion) might be safer than the currently used method (medicated feed).

Researchers at UH conducted a study on the separation of the sex-reversing effects of MT from the growth-promoting effects of this drug on two different species of tilapia. It was found that the growth rate of *Oreochromis aureus* was nearly twice the rate of *O. mossambicus* at each dose level, and in almost all treatments, MT-treated animals grew significantly better.

A totally different approach to the generation of monosex tilapia has been applied by Auburn University researchers, who are working to develop a YY tilapia breeding program to generate monosex tilapia offspring that are not treated with hormones. So far, four possible YY supermales have been identified. However, males which produced more than 95% male progeny in the first mating did not consistently produce such frequencies of male offspring in consequent spawns.

Bioconversion and polyculture research, another focus of the Egypt Project, focuses on building a polyculture system suited to the conditions found in Egypt by utilizing currently unused pond system components such as aquatic weeds or snails as fish food. Initial results from the bioconversion experiments indicated the effectiveness of grass and black carp as control agents; however, considerable contamination of the treatment ponds with common carp and mullet restrict interpretation of these results. Polyculture experiments are still ongoing and no results were available by the end of this period.



Data Analysis and Synthesis

During this period, the OSU DAST team completed work of the decision-support system POND. POND was developed to provide the aquaculture community with a tool for rapidly analyzing warm water aquaculture systems, and to assist in

developing optimal management strategies. POND can be used to set up pond facilities with different configurations and/or management strategies. Facility managers can use POND to project possible future economic return for different management options. Approximately 80 copies of POND Version 2.0 have been distributed to a wide audience including extension agents, educators, producers, and researchers.

The University of California at Davis DAST team concentrated its efforts on further improving existing models of oxygen dynamics and developing new models for stratified ponds. Current understanding of oxygen dynamics is hampered by insufficient information about diel respiration patterns. To collect the missing information, a respirometer has been developed for use in aquaculture ponds. Field tests showed that respiration rates change substantially over diel periods, with the highest rates occurring in late afternoon. Model development for stratified ponds focused on water temperature behavior. A computer model using stochastic inputs of solar radiation, wind direction, and wind speed has been developed. Simulations carried out for Thailand ponds showed that surface temperatures exhibited the largest temperature fluctuations in response to stochastic inputs.

Central Data Base

A Central Data Base continues to be maintained by the CRSP for the storage and retrieval of standardized records from the research sites. At the individual sites, data on physical variables (e.g., solar radiation, temperature, and rainfall) and chemical variables (e.g., water and soil chemical characteristics) are collected concurrently with biological measurements (e.g., primary productivity, fish growth, and fish production). Whereas the resulting sets of data are useful for site-specific studies, the compilation of all the individual data sets into the Central Data Base provides opportunities for many kinds of global analyses. Detailed standardized records such as those found in the CRSP Central Data Base are rare in the aquaculture literature. All data from research activities conducted under the First through Fourth Work Plans are already in the Central Data Base, which has continued to expand through the inclusion of new data generated under the Fifth and Sixth Work Plans.

In response to a decision reached by the Management Entity and Board of Directors, with input from the Technical Committee, Central Data Base functions were transferred from the Program Management Office to the University of Hawaii at Hilo in May, 1993. As the quantity of data generated by CRSP research has increased, so have the storage requirements. Consequently, during this reporting period, the database has been consolidated and storage requirements have been reduced by approximately 50%. In order to increase speed, utility, and user-friendliness of the database, a new program, Foxpro™, has been implemented. An additional advantage of Foxpro™ is its ability to work with different platforms. A menu-driven interface for Macintosh and IBM-type computers is being developed. This allows the distribution of the entire database as a self-contained unit.

This new feature will greatly increase the utility of the Central Data Base to researchers outside those directly involved with the PDA CRSP. The Central Data Base was designed to facilitate communications with other large data bases, such as the Tropsoils CRSP data base and ICLARM's FISHBASE, thereby creating opportunities for collaboration. Efforts continue to integrate the CRSP Central Data Base with ICLARM's FISHBASE. The Central Data Base can also serve as a storage and retrieval center for standardized data from any research site. CRSP scientists as well as scientists in the aquaculture community at large may contribute to and access the data base. Data are available on computer diskettes or in print as *Pond Dynamics/Aquaculture Collaborative Research Data Reports*.

III. CRSP Research Program Background

At its inception, the Pond Dynamics/Aquaculture CRSP had a single, main theme—that of a common set of experiments to be implemented globally, following a standard experimental protocol. The Global Experiment, as it came to be called, was intended to facilitate comparative studies of aquaculture pond dynamics; such studies would help us begin to understand how and why ponds at different geographic locations function differently, and how the management of aquaculture ponds might be fine-tuned or adapted to different sets of environmental conditions to optimize production.

As CRSP research progressed, it became apparent that there were important additional needs to be addressed. To meet these additional needs, research components were added, so that in the past few years the main core of the program has included three components:

- The Global Experiment,
- Special Topics Research in Host Countries, and
- Data Analysis and Synthesis.

This main core of CRSP activities has been augmented by supplemental activities that are associated with the main components and complement them in unique ways. These supplemental activities have included socioeconomic studies, soil-water interactions research, the development of simple new techniques for the evaluation of pond conditions, and studies to develop improved techniques for fish reproduction.

The CRSP Research Program

The long-range goal of the CRSP is to increase the efficiency of pond culture systems. This goal has the benefits not only of increasing the availability of animal protein in less-developed countries, but also of improving the economic efficiency of aquacultural production in any country, including the U.S. A technical plan consistent with this goal was developed under a planning study funded by USAID in 1981. Under this planning study, the literature on state-of-the-art pond culture was reviewed and synthesized, resulting in the publication of the first edition of *Principles and Practices*

of *Pond Aquaculture*, and overseas sites were surveyed to determine research needs and the potential for the establishment of research projects.

The technical work plan that evolved from the planning study involved the establishment of research projects at seven sites in six countries. Two brackish water and five freshwater research projects were begun at sites in Central America (Panama and Honduras), Africa (Rwanda), and Southeast Asia (Thailand, Indonesia, and the Philippines) in 1983. All of the sites were within a zone 15 degrees north or south of the equator and represented the three major tropical regions



where advances in pond aquaculture would be most beneficial and most apt to succeed. Although subsequent changes (primarily in response to funding constraints) in the CRSP program required that research be continued only at the sites in Thailand, Rwanda, and Honduras, those three major regions have continued to be represented. Since 1991 the CRSP program has been expanded by the initiation of a sub-project in the Philippines and the beginning of a completely new project in Egypt. The research conducted in Egypt greatly increased the scope of the program by adding an arid site to the program, which had previously included sites only in relatively humid areas. In 1993, research in brackish water environments was resumed with the addition of a coastal site in Honduras.

CRSP Work Plans

A Technical Committee has had the responsibility for developing technical work plans throughout the CRSPs history. The first three CRSP Work Plans, outlining annual research programs that were almost exclusively global in nature, covered activities from 1 September 1984 through 31 August 1987. The First Work Plan specified a standard procedure for the preparation and stocking of ponds, and the concept of a standard protocol for research at all sites has been maintained throughout the program. These standards have evolved into the CRSP's *Handbook of Analytical Methods*, which was completed and distributed to participants in 1992.

In response to the recommendations of the External Evaluation Panel during the first triennial review, work plans beginning with the Fourth Work Plan have been developed on a biennial basis to allow more time for the completion and evaluation of experiments before planning new ones. This change in the planning procedure is the logical outcome of the need to test hypotheses that develop directly from the results of previous CRSP experiments. Another significant change that began with the Fourth Work Plan is that site-specific studies have also been included. Although the global aspects of CRSP research are maintained by conducting similar experiments (referred to as the Global Experiment) at the various sites and by conducting these experiments in a standardized manner, other experiments are adjusted to more directly address the needs of aquaculture producers in the country or region in which the research is taking place.

The Fourth, Fifth, and Sixth Work Plans covered research conducted in two-year periods from 1987 through 1994. This reporting period constitutes the first year of activities conducted under the Seventh Work Plan, but it also includes some activities conducted under the Sixth Work Plan. During this reporting period, the Continuation Plan for the PDA CRSP was the focus of efforts by the Technical Committee and the Management Office.

IV. Abstracts of Technical Papers

A. Global Experiment and Related Investigations

Validation of PD/A CRSP Pond Management Strategies

Work Plan 7, Egypt Study 1A

Bartholomew W. Green
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Zeinab El Nagdy and Abdel R. El Gamal
Central Laboratory for Aquaculture Research
Agricultural Research Center
Abbassa, Egypt

Abstract

The objectives of this research were to quantify tilapia yields for established Pond Dynamics/Aquaculture Collaborative Research Support Program pond nutrient input strategies under climatic, edaphic, and water quality conditions found in Egypt and to compare these results to those obtained using traditional Egyptian management practices. Five treatments, each replicated four times, were tested in 0.1-ha earthen ponds. Treatments tested were: *Traditional Egyptian*, *Enhanced Egyptian*, *Feed Only*, *Fertilization then Feed*, and *Chemical Fertilization*. Ponds were stocked with 20,000 *Oreochromis niloticus*/ha; mixed-sex fish were stocked in Egyptian treatments and sex-reversed fish in all others. Experiment duration was 145 days.

Nile tilapia gross yield differed significantly among treatments and ranged from 1,278 kg/ha (chemical fertilizer treatment) to 2,877 kg/ha (fertilization then feed treatment). Wild tilapia (*O. aureus*, *S. galilae*, *T. zilli*) invaded all ponds and contributed 81 to 686 kg/ha to total tilapia yield treatment means. Thus, total tilapia yield ranged from 1,407 to 3,537 kg/ha and represented from 78% to 96% of gross fish yield. Gross fish yields ranged from 1,526 to 4,074 kg/ha. Tilapia yields in the *Traditional Egyptian* and *Fertilizer then Feed* treatments was significantly greater than in the *Chemical Fertilizer* treatment. Tilapia are marketed in Egypt by size class as follows: 1st class - 1 to 5 fish/kg; 2nd class - 6 to 12 fish/kg; 3rd class - 13 to 25 fish/kg; and, 4th class - 26 to 40 fish/kg. Farm-gate price varies from LE. 7.85/kg 1st class tilapia to LE 1.75/kg 4th class tilapia. Greater yields of 1st and 2nd class tilapia

were obtained where organic fertilization was used in combination with formulated feeds than where chemical fertilization alone or formulated feed alone were used. Results indicated that ponds stocked with young-of-year monosex tilapia and managed according to the tested systems were feasible in Egypt.

Yield Characteristics of Two Species of Tilapia under Two Different Pond Environments

Work Plan 7, Egypt Study 1B

Bartholomew W. Green
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Zeinab El Nagdy and Abdel R.E. Gamal
Central Laboratory for Aquaculture Research
Agricultural Research Center
Abbassa, Egypt

Abstract

PD/A CRSP research designs have been based on use of Nile tilapia (*Oreochromis niloticus*) as the test species because this species was common to all research sites. In Egypt, Nile and blue (*O. aureus*) tilapia, both good culture species, are endemic. The objective of this experiment was to compare production characteristics and production economics of *O. niloticus* and *O. aureus* reared in ponds managed under two different nutrient input regimes.

Eighteen 0.1-ha ponds at the Central Laboratory for Aquaculture Research, Abbassa, Abou Hammad, Sharkia, Egypt, were used for this study using a completely randomized design in 3 x 2 factorial arrangement, where factors were tilapia species (Nile, blue, or co-stocked) and pond nutrient input regime (chemical fertilization or fertilization then feed). Weekly applications of nitrogen at 25 kg/ha and phosphorus to maintain an N:P ratio of 4:1 were made in the *Chemical Fertilizer* treatment. In the *Fertilizer then Feed* treatment, chicken litter was applied weekly at 1,000 kg dry matter/ha for the first eight weeks followed by feed (25% protein commercial fish feed) only. Ponds were stocked with sex-reversed tilapia fingerlings on 1 July 1994 at a stocking rate of 20,000 fingerlings/ha. Ponds are scheduled to be harvested after completion of 150 days of grow-out.

Based on seine samples and estimated fish biomass, and assuming 20,000 fish/ha, the average mean individual fish weight after 83 days of growth was calculated. The highest estimated biomass and average weight were obtained in the *Fertilizer then Feed* treatment for *O. niloticus* 3,027 kg/ha and 151.4 g/fish, respectively. The co-stocked *Chemical Fertilizer* treatment resulted in the lowest average weight/fish (70.8) and in the lowest estimated biomass (1,415 kg/ha).

Nutrient Input Management by the Computer Program, PONDCLASS, and by Concentration of a Key Nutrient

Work Plan 7, Honduras Study 4A

David R. Teichert-Coddington
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Herbert Ramos
National Fish Culture Research Center
El Carao, Comayagua, Honduras

Abstract

Three simultaneous experiments were carried out to verify the pond management software PONDCLASS, to regulate pond fertilization by total ammonia concentration, and to evaluate the effect of raising the fish stocking rate from 2 to 3/m². The control was equal in all studies; ponds were fertilized weekly with chicken litter at 250 kg dry matter/ha, urea to maintain weekly total nitrogen input at 28 kg/ha, and diammonium phosphate to supply 7 kg/ha total phosphorus input. Mean fish weight and production of the control treatment were 15% and 28% greater, respectively, than PONDCLASS means. Excessive nitrogen fertilization was recommended by PONDCLASS. Fish production was thought to be limited by primary productivity, which in turn was limited by carbon. The effectiveness of fertilizer input regulation by total ammonia was inconclusive because of poor treatment management. Increasing the tilapia stocking rate from 2 to 3/m² had no significant affect on fish production or water quality. The mean average fish weight of the control treatment was 41% greater than the mean average weight of fish from the higher density treatment.

Management of Carbon Dioxide Balance for Stability of Total Alkalinity and Phytoplankton Stocks in Fertilized Fish Ponds

Work Plan 7, Thailand Study 6

James P. Szyper
Hawaii Institute of Marine Biology
University of Hawaii at Manoa
Kaneohe, Hawaii, USA

Kevin D. Hopkins
College of Agriculture
University of Hawaii at Hilo
Hilo, Hawaii, USA

Abstract

Stability of phytoplankton stocks and photosynthetic activity is important to successful pond culture. Large phytoplankton stocks in fertilized ponds can be unstable, and low total alkalinity (TA) can limit photosynthesis in ponds and contribute to instability. It is important to understand management of TA because it can change substantially during growth cycles in ponds, even when soils are conditioned. This experiment documented temporal trends of TA in 15 ponds, and quantified the effect of interim additions of soluble carbonate. For the CRSP Global Experiment, one of the five triplicated treatments consisted of inputs management using the PONDCLASS decision-support system software; another treatment consisted of regular inputs according to the specified control protocol of Work Plan 7.

The results of this experiment are currently undergoing analysis; results discussed here are preliminary. The five treatments produced no significant differences in final mean individual fish weights, survival, or net yields ($P > 0.05$, Single-factor ANOVA). Neither were there significant treatment differences in mean concentrations of chlorophyll *a* or daytime net primary production.

Management according to PONDCLASS produced yields with (numerically) greater efficiency than did treatments involving regular weekly fertilizer inputs in constant amounts, because similar yields were produced with less input. The net yields for all ponds, extrapolated to units of t/ha/y, ranged from 3.3 to 6.5. These are approximately double yields previously obtained at this site in the same season (wet) during earlier experiments, but are

substantially less than yields obtained with these methods at a nearby site.

It is likely that rainfall affected the attempt to examine effects of soluble carbonate inputs. During the first 50 days, when no rain fell, alkalinity tended to decline during sampling intervals in all ponds, although concentrations were effectively stabilized in ponds receiving carbonate additions. After the first 50-day period the wet season began, and alkalinity showed little decline in ponds of any treatment. Daytime net primary production ranged (pond-by-pond) from -0.1 to 19.4 mg O₂ l/d, with a mean of 7.0 for the experiment, equivalent to 2.0 g C/m²/d. Higher values have been observed on this site, particularly during seasons without rain and/or cloud cover.

If completed analyses show that addition of soluble carbonate is effective in stabilizing TA, such inputs can readily be incorporated into the PONDCLASS and POND software systems and into transferred CRSP protocols. This will effectively eliminate the potential for decreasing alkalinity due to photosynthetically-mediated pH dynamics during production cycles in ponds, leading to more stable blooms and production rates, and thus to more reliable fish production protocols.

B. Global Studies and Activities

Minding the Pond: Feeding, Fertilization, and Stocking Practices for Tilapia Production in Rwanda, Thailand, The Philippines and Honduras

Joseph J. Molnar, Terry R. Hanson, and
Leonard L. Lovshin
Alabama Agricultural Experiment Station
International Center for Aquaculture
Auburn University, Alabama, USA

Abstract

This report provides basic descriptive information concerning the way aquaculture is practiced in four CRSP countries. It focuses on four central aspects of tilapia culture: pond management, feeding, fertilization, and stocking practices. Data were collected from tilapia

growers: 121 active Rwanda fish farmers in eight local administrative districts (communes) during the winter and early spring of 1992; 51 active Honduran fish farmers in five of 15 Honduran departments during the fall 1993; 51 active Thai fish farmers in four of 75 Thai provinces during winter 1994; 56 Philippine fish farmers in four of 15 provinces on the main island of Luzon during winter 1994. In each country, the survey instrument was revised and adapted, then translated into the national language. More than 80 percent of the Rwandan farmers had but a single pond. In contrast, more than 70 percent of the Philippine and Honduran farmers had more than one pond. Most Honduran farmers had more than a hectare of ponds. More than half the Thai sample reported problems getting enough water to keep ponds full. A third of the Philippine farmers said so, as did a quarter of the Rwandans. Farmers in the four countries fed their tilapia a variety of different items reflecting differences in the intensity of aquaculture practice in each nation. Commercial feed was not used in Rwanda; two-thirds of the Hondurans did not use commercial feed; and about half the Philippine respondents did not use commercial feed. Thai farmers were most dependent on commercial inputs to raise their tilapia crops. They also used the most diverse variety of feeds, reflecting the high level of availability of different feed types and a greater willingness to use feeds for other animals for the fish as well. Honduran and Rwandan farmers were most likely to report inadequacies in feed availability on their farms. About seven percent of the Rwandan farmers said that they never had enough. Cattle and goats were most often reported in Rwanda, pigs in Honduras, and chickens in the Philippines, and ducks were more frequent on Thai farms. Given the pervasive use of integrated systems in Thailand, ponds are most frequently fertilized by animal manure in that country. Thai farmers also are more likely to apply lime to improve the alkaline balance of the pond and foster primary productivity. Rwandan farmers indicated the most passive approach to fish farming — about half said they visited every day. Philippine farmers spent the most time with their ponds when they visited them; Thai farmers the least. Fingerling availability was a problem for 30 percent of the Philippine respondents, less than 25 percent in Rwanda and Honduras, and a concern for only 4 percent in Thailand. Most farmers are growing but single crop of tilapia each year in Rwanda and Thailand. In Honduras, almost half reported two or more crops, but in the Philippines two-thirds obtained two crops per year. The data emanating from this study present a comparative perspective on tilapia culture in four CRSP countries. The similarities and differences suggest different patterns of technology utilization and need in each setting. The benefits of these understandings should help shape research directions and enhance the development impacts of CRSP technologies.

POND: A Decision Support System for Pond Aquaculture

John P. Bolte, Shree S. Nath, and Doug E. Ernst
Department of Bioresource Engineering
Oregon State University
Corvallis, Oregon, USA

Abstract

Decision support systems are a useful mechanism for synthesizing qualitative and quantitative knowledge into analysis tools that can easily be used by a diverse audience. A user-friendly decision support system (POND) which can be used to guide decision-making processes relevant to pond aquaculture management and planning has been developed. POND uses a combination of expertise, an economics package, and simulation models for analyzing pond aquaculture systems, either at the level of an individual pond or for an overall facility. This functionality is accomplished by the use of an object-oriented paradigm which enables the definition of objects responsible for certain tasks analogous to entities or experts in a real pond aquaculture facility (e.g., a fish culturist) responsible for monitoring fish growth). The economics package can be used to generate enterprise budgets, which account for fixed and variable costs, depreciation, interest, and income items. Users can examine various pond management strategies and generate enterprise budgets to assess the economic viability of such strategies.

POND includes simulation models to describe the dynamics of fish growth, water temperature, carbon, nitrogen and phosphorus, phytoplankton, and zooplankton. These models are organized hierarchically into two levels to provide users with the capability of performing different kinds of analyses based on data availability and output resolution needs. The fish growth model accounts for the effects of fish weight, food availability, photoperiod, temperature, and dissolved oxygen and unionized ammonia concentrations, and has been calibrated for Nile tilapia. This model has been used to simulate PDA CRSP experiments at different sites with favorable results. Simulation models that are used in POND to describe other state variables are briefly discussed.

C. Africa

Binding Sites for the Masculinizing Steroid Mibolerone in the Gonadal Tissue of Adult Nile Tilapia (*Oreochromis niloticus*)

Work Plan 7, Egypt Study 4C1

William L. Gale, Martin S. Fitzpatrick, and
Carl B. Schreck
Oregon Cooperative Fisheries Research Unit
Department of Fisheries and Wildlife
Oregon State University
Corvallis, Oregon, USA

Abstract

A binding site in the gonadal tissue of adult Nile tilapia (*Oreochromis niloticus*) was characterized using the synthetic androgen mibolerone (17-hydroxy-7,17-dimethylestr-4-en-3-one). The binding site demonstrated high affinity ($K_d = 1.05 \pm 0.11$ nM; $n=2$) and low capacity ($B_{max} = 5.65 \pm 0.42$ fmol/mg protein; $n=2$) for mibolerone binding. Furthermore, it was located in gonadal cytosol only. The binding site also demonstrated ligand specificity. Only steroids with sex inverting capabilities displaced tritiated mibolerone binding. The receptor assay developed for tilapia may represent an important tool for the screening of newly developed sex inversion agents.

Effects of Form of Defatted Rice Bran Offered on Nile Tilapia Production in Ponds

Peter W. Perschbacher and Rebecca Lochmann
Department of Agriculture
University of Arkansas
Pine Bluff, Arkansas, USA

Abstract

Mixed-sex Nile tilapia were stocked into each of six 0.04-ha earthen ponds at 2.3 fish/m². Ponds were fertilized as necessary to maintain concentrations of chlorophyll *a* at approximately 100 mg/m³ and fish were fed defatted rice bran at 2% body weight per day, divided into two feedings. In half of the ponds fish were fed defatted rice bran as a loose product and in the remaining ponds fish were fed a pelleted form. Advanced largemouth bass fry were also stocked into all ponds at 0.15 fish/m² to reduce tilapia reproduction. After 169 days ponds were drained and fish harvested. Net yields of stocked tilapia and reproduction were not significantly different between treatments and averaged 6128 kg/ha and 6316 kg/ha on an annual basis in pellet and loose fed treatments, respectively. Stocked fish averaged 100 and 90 g, respectively. Stocked fish yield was 13% higher in pellet-fed ponds. Maximum feeding was 45 kg/ha/d. Bass yield averaged 159 and 136 kg/ha in loose and pellet-fed ponds, respectively, and the average sizes were 236 g and 198 g. Chlorophyll *a* averaged 87.5 and 115 mg/m³ in loose and pellet-fed treatments, respectively. Fertilizer applications required were significantly different and averaged 15.3 and 23.0, respectively. Defatted rice bran appears to be a good and economic supplemental food source. Pellets have advantages over loose form in ease of handling. Pellets also reduced the number of fertilizer applications needed to maintain pond fertility, and it apparently promoted increased yields of large fish.

Effect of 17 α -Methyltestosterone on the Growth of Two Tilapia Species, *Oreochromis aureus* and *Oreochromis mossambicus*, in Fresh Water

Work Plan 7, Egypt Study 4B1

N. Harold Richman III and E. Gordon Grau
Hawaii Institute of Marine Biology
University of Hawaii at Manoa
Kaneohe, Hawaii, USA

Abstract

We examined the effect of 17 α -methyltestosterone (MT) on the growth of two tilapia species, *Oreochromis aureus* and *Oreochromis mossambicus*, reared in fresh water. The growth rate of *O. aureus* was nearly twice that of *O. mossambicus* at each dose level (0, 1, 10, and 25 mg of MT/kg of feed). With the exception of *O. aureus* treated with 1 mg of MT/kg of feed, MT treatment significantly increased ($p < 0.01$) growth in both species over control animals. In *O. mossambicus*, growth performance increased with increased levels of MT. By contrast, the 10 and 25 mg of MT/kg of feed treatments stimulated growth equally in *O. aureus*. The gonadosomatic index (GSI) was not significantly different between treatments within each species. It was, however, significantly lower ($p < 0.0001$) in *O. aureus* than in *O. mossambicus*. Gonadal weights were not significantly different between species which suggests that the smaller GSI in *O. aureus* results, at least in part, from the larger somatic mass of the animals. In both species, the hepatosomatic index (HSI) and absolute liver weight tended to increase with increased levels of MT and were significantly greater ($p < 0.05$; $p < 0.01$) in the 25 mg of MT/kg of feed treatment groups than in controls. The male-to-female sex ratio was not significantly different from 1:1 in any treatment group in either species. Analyses of residual MT levels in the serum and muscle samples are ongoing.

Use of 17 α -Methyltestosterone for Tilapia Sex Reversal

Work Plan 7, Egypt Study 4A2

Bartholomew W. Green
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Esam H. Rizkalla and Abdel R. El Gamal
Central Laboratory for Aquaculture Research
Agricultural Research Center
Abbassa, Egypt

Abstract

The U.S. Food and Drug Administration granted a compassionate Investigational New Animal Drug (INAD) exemption to Auburn University, the American Tilapia Association, and a commercial feed producer to collect data to support a New Animal Drug Application for the use of 17 α -methyltestosterone (MT) for sex reversal of newly-hatched tilapia. Implementation of a clinical field trial at research institutions and commercial tilapia production facilities throughout the United States and overseas was one activity contemplated under this INAD exemption. U.S. and Egyptian researchers involved with the Pond Dynamics/Aquaculture Collaborative Research Support Program participated in the field trial. The first trial was initiated on 10 to 12 July 1994 when Nile (*Oreochromis niloticus*) and blue (*O. aureus*) tilapia fry were stocked into treatment hapas. A second trial was initiated on 18 to 20 September 1994. Fry availability allowed for stocking of two hapas each for control and MT treatment per species. Fish in Trial I completed treatment on 8 to 11 August; sub-samples of control and treated fry were restocked into hapas for nursery growth. Trial II was in progress, with an expected treatment completion date of 16 to 18 October 1994.

Upon completion of the Trial I treatment period, Nile tilapia averaged 0.67 and 0.60 g/fry and 32.0 and 31.3 mm/fry total length for the control and MT treatments, respectively. The mean final individual weight and length for blue tilapia were 0.36 and 0.34 g/fry, and 25.9 and 27.5 mm/fry for the control and MT treatments, respectively. Fry survival for the control and MT treatments averaged 66 and 84%, and 96 and 91% for Nile and blue tilapia, respectively.

Progeny Testing to Identify "YY" Male Tilapia

Ronald P. Phelps
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Abstract

Males from nine populations possibly containing males of a "YY" genotype were mated with normal females. The sex ratios of the offspring of 4 of the 49 matings examined in FY 94 suggest that four YY males were identified. Two males which produced > 95% male progeny in the first mating did not consistently produce high frequencies of males in later spawns. These results suggest that sex inheritance is not strictly a male-determined characteristic and increases the difficulty of breeding a form of *Oreochromis niloticus* that will consistently produce all-male progeny.

Bioconversion of Gastropods by Black Carp in Egyptian Fish Culture Ponds

Work Plan 7, Study 2B

William L. Shelton
Zoology Department
University of Oklahoma
Norman, Oklahoma, USA

Kevin D. Hopkins
College of Agriculture
University of Hawaii at Hilo
Hilo, Hawaii, USA

Ashraf Soliman and Abdel L. El Gamal
Central Laboratory for Aquaculture Research
Agricultural Research Center
Abbassa, Egypt

Abstract

Bioconversion research focuses on the transformation of an underutilized resource into fish flesh, while simultaneously resolving or reducing a management problem. Snails are abundant in Egyptian aquatic systems; several species are also

significantly related to human health problems. An experiment was conducted to evaluate the use of black carp (*Mylopharyngodon piceus*) as a biological control of snails. Ponds were prepared by hand cutting aquatic plants to near the soil surface in March/April. Supply problems delayed stocking which commenced in June. All ponds were contaminated with wild (unstocked) fish which is believed to have influenced the growth rate of black carp. Black carp grew least in ponds that were contaminated by common carp and mullet. Data analysis continues.

Bioconversion of Nuisance Aquatic Plants by Grass Carp in Egyptian Fish Culture Ponds

Work Plan 7, Study 2A

William L. Shelton
Zoology Department
University of Oklahoma
Norman, Oklahoma, USA

Kevin D. Hopkins
College of Agriculture
University of Hawaii at Hilo
Hilo, Hawaii, USA

Abdel R. Mostafa and Abdel L. El Gamal
Central Laboratory for Aquaculture Research
Agricultural Research Center
Abbassa, Egypt

Abstract

Aquatic weeds are a management problem in Egyptian aquaculture. They also represent an underutilized resource. Grass carp, *Ctenopharyngodon idella*, is known to feed on several aquatic plants. An experiment was carried out to determine if grass carp could be used as a biological control of nuisance weeds in Egyptian pond aquaculture. Ponds were prepared in March/April. Macrophytes, primarily Typha and/or Phragmites were hand cut to near the soil surface. Ponds were refilled and the area of plant development was estimated visually by predominant species. Supply problems necessitated a delay of

grass carp stocking, so that some plant regrowth had occurred. Initial data indicate that grass carp were effective in maintaining ponds virtually free of emergent vegetative regrowth. However, because of the delayed stocking grass carp were not able to completely control *Azolla* and *Ceratophyllum*. In several ponds these plants were able to develop and reach greater than 40% coverage.

Interaction of Grass Carp and Black Carp in Egyptian Fish Culture

Work Plan 7, Egypt Study 2C1

William L. Shelton
Zoology Department
University of Oklahoma
Norman, Oklahoma, USA

Kevin D. Hopkins
College of Agriculture
University of Hawaii at Hilo
Hilo, Hawaii, USA

Ashraf Soliman and Abdel R. El Gamal
Central Laboratory for Aquaculture Research
Agricultural Research Center
Abbassa, Egypt

Abstract

Bioconversion of plants by grass carp and of snails by black carp can be considered as separate components in a polyculture system, but they are also interrelated because the plants provide food and cover to snails and thus affect black carp predation. Gastropod production might diminish by virtue of grass carp feeding on plants, but is unclear to what extent the predation of black carp on snails is influenced by grass carp feeding. Abundant vegetation could provide protection for snails, so that their biomass might increase in the presence of black carp rather than being suppressed by predation. A study was conducted to investigate these relationships. Data are being analyzed.

D. Central America

Estuarine Water Quality and Sustainable Shrimp Culture in Honduras

Work Plan 7, Honduras Study 1

David R. Teichert-Coddington
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Abstract

Water quality was monitored weekly for more than a year at 13 sites in six shrimp-producing estuaries of Honduras bordering the Gulf of Fonseca. Water quality differences were noted among estuaries, along longitudinal transects of estuaries, and between rainy and dry seasons of the year. Estuaries influenced by rivers (riverine) were more fertile and had less capacity to assimilate greater waste loads than those not influenced by rivers. The Choluteca River discharged greater quantities of nitrogen and phosphorus to the Gulf than did the 11,000 ha of shrimp ponds currently under cultivation. Eutrophication of riverine estuaries increased with distance from the Gulf because of reduced water exchange with the Gulf. Eutrophication in riverine estuaries was greater during the dry season when freshwater inflow diminished. No seasonal differences were seen for gulf embayments. The shrimp industry could take immediate steps to constrain estuarine pollution and promote management techniques that reduce waste load discharge to estuaries. Inaction will probably result in production losses similar to other shrimp producing areas of the world.

Prepared as an invited paper for Special Session on Shrimp Culture, WAS '95, San Diego, California.

Varying the Proportion of *Colossoma macropomum* and *Oreochromis niloticus* in Polyculture

Work Plan 7, Honduras Study 4B

David R. Teichert-Coddington
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Herbert Ramos and Nelson Claros
National Fish Culture Research Center
El Carao, Comayagua, Honduras

Abstract

Tilapia (*Oreochromis niloticus*) and tambaquí (*Colossoma macropomum*) were co-stocked in tropical earthen ponds at proportions of 0, 25, 75, and 100% of each species. Fish were offered a 28% protein pellet. Total density was 5 fish/m². After 182 d, mean treatment production ranged from 2.78 to 5120 kg/ha. Total production increased and feed efficiency decreased curvilinearly as the percentage of stocked tilapia increased. Feed efficiency ranged from 1.15 to 2.78. Total nitrogen and chlorophyll *a* decreased linearly as percentage of stocked tilapia increased, because of grazing by tilapia on phytoplankton. Mean tilapia and tambaquí weight ranged from 187 to 325 g and from 122 to 270 g, respectively. Tilapia mean weight decreased curvilinearly, and tambaquí mean weight increased linearly as the percentage of stocked tilapia increased. Tambaquí growth was thought to be hindered by relatively cool water temperatures. The best species mixture was 75% tilapia and 25% tambaquí.

Inorganic Fertilization and Feed Reduction in Commercial Production of *Penaeus vannamei* during Wet and Dry Seasons in Honduras

Work Plan 7, Honduras Study 3A

David Teichert-Coddington
Department of Fisheries and Allied Aquacultures,
Auburn University, Alabama, USA

Rigoberto Rodriguez
Granjas Marinas de Sn. Bernardo
Choluteca, Choluteca, Honduras

Abstract

Feed was offered to *Penaeus vannamei* at a standard rate, half the standard rate, half the standard rate in addition to inorganic fertilization, and inorganic fertilization for 8 weeks followed by the standard rate of feed. Shrimp were stocked at 7.5 fish/m² in earthen ponds. The study was repeated during wet and dry seasons. Yield, survival and mean shrimp size were 294%, 36%, and 177% greater during the wet than dry season. Mean wet season yield for the 1/2-ration and fertilizer treatment was significantly greater than the 1/2-ration treatment. Otherwise, there were no significant treatment differences in yield. Feed conversion was significantly lower in the normal-ration treatment than in the other treatments. Fertilization had no effect on shrimp production during the dry season despite increasing primary productivity. The standard feeding rate could be reduced by 50% during the dry season without reducing shrimp yields.

E. Southeast Asia

Timing of Supplemental Feeding for Tilapia Production

Work Plan 6, Thailand Study 7

James S. Diana
School of Natural Resources and Environment
University of Michigan
Ann Arbor, Michigan, USA

C. Kwei Lin and Yang Yi
Agricultural and Food Engineering Program
Asian Institute of Technology
Bangkok, Thailand

Abstract

The effect of timing of feed application on fish growth and yield was evaluated for Nile tilapia. Fish were stocked into 15 ponds on 15 January 1993 at 3 fish m⁻², and the ponds were grouped into 5 treatments. Each treatment differed by the average size that fish achieved before supplemental feeding began, with treatments at 50 g, 100 g, 150 g, 200 g, and 250 g. Fish were fed at satiation rates until they reached 500 g in average weight. All treatments showed a similar growth rate prior to feeding and a similar rate after feeding, regardless of when feeding was initiated. First supplemental feeding varied from 38-234 days after stocking, and harvest occurred after 236-328 total days of culture or 94-198 days of feeding. Yield varied from 10,420 to 28,178 kg ha⁻¹ yr⁻¹. Fish growth (g d⁻¹) was correlated to days of culture, feed input, and chlorophyll *a* content ($R^2 = 0.889$, $p < 0.001$).

Stocking Density and Supplemental Feeding in Tropical Fish Ponds

Work Plan 6, Thailand Study 6

James S. Diana
School of Natural Resources and Environment
University of Michigan
Ann Arbor, Michigan, USA

C. Kwei Lin and Yang Yi
Agricultural and Food Engineering Program
Asian Institute of Technology
Bangkok, Thailand

Abstract

The relationship between density, complete feeding, and carrying capacity was examined for Nile tilapia. Nine ponds were subdivided into three treatments and stocked with fish on 11 November 1993. Treatments included fish stocked at 3, 4.5, or 6 per m². Fish were fed to satiation daily. Water chemistry and other parameters were monitored biweekly. Ponds were harvested on 15 July 1994 (242 days). Unfortunately, some ponds had few fish remaining at harvest, probably as a result of poaching. Growth rates were similar among treatments, and ponds with high biomass had no indication of limited water quality. Ponds also showed no evidence of having reached carrying capacity. Due to poaching problems this experiment will be redone with a higher stocking density.

Supplemental Feeding of Tilapia in Fertilized Ponds

James S. Diana
School of Natural Resources and Environment
University of Michigan
Ann Arbor, Michigan, USA

C. Kwei Lin
Agricultural and Food Engineering Program
Asian Institute of Technology
Bangkok, Thailand

Kitjar Jaiyen
Department of Fisheries
Ministry of Agriculture and Cooperatives
Kasetsart University Campus
Bangken, Bangkok, Thailand

Abstract (Printed as submitted)

The addition of feed to fertilized fish ponds was evaluated by adding feed alone, feed plus fertilizer, or fertilizer alone to nine ponds stocked with Nile tilapia *Oreochromis niloticus*. Two experiments were conducted. The first had 500 fish per 250 m² pond in 3-treatments: ad-libitum feeding; fertilizer only; or fertilizer and ad-libitum feeding. The second experiment had 5 treatments with 750 fish per pond: ad-libitum feed only; fertilizer only; or 0.25, 0.50, and 0.75 satiation ration plus fertilizer. Ponds in Thailand were maintained for 155-162 d, during which chemical and physical properties were monitored. In experiment 1 tilapia growth was highest in feed only ponds, and lowest in fertilizer only ponds. Net yield did not differ significantly among treatments, due to variation in survival. In experiment 2, tilapia growth was lowest in fertilizer only ponds, intermediate in 0.25 ration ponds, and highest in 0.50, 0.75, and ad-libitum ponds. The latter treatments were not significantly different. Multiple regressions for each experiment indicated only 47-87% of the variance in growth was explained by feed and fertilizer input, while 52-89% of the variance in yield was explained by those factors. For both experiments combined, 90.3% of the variance in growth was explained by feed input, fertilizer input, alkalinity, and total inorganic nitrogen concentration. For yield, R^2 was 0.888 and the regression included feed input, pH, and number of low dissolved oxygen events. Experiment 1 appeared to approach carrying capacity near the end, while no reduction in growth occurred in experiment 2 at higher fish density and biomass. Reductions in

growth in experiment 1 were not correlated with declining water quality late in the grow out. Combinations of feed and fertilizer were most efficient in growing tilapia to large size (500 g) compared to complete feeding or fertilizing alone.

Appeared in Journal of the World Aquaculture Society 25(4).

F. United States

Respiration Dynamics in Aquaculture Ponds

Work Plan 7, DAST Study 1

Philip Giovannini and Raul H. Piedrahita
Department of Biological and Agricultural Engineering
University of California, Davis
Davis, California, USA

Abstract

A respirometer has been developed for use in aquaculture ponds. The respirometer is designed to measure oxygen consumption rates in water samples that have been suddenly darkened. Rates of oxygen consumption are measured over 15 minute periods, and the process is repeated at 20 minute intervals, allowing for a 5 minute respirometer flushing and sample pumping period. The respirometer is connected to a data acquisition system and to a computer for automated data collection and analysis. Some results of tests carried out with the respirometer both in the laboratory and in the field are presented. The results show substantial changes in respiration rates over diel periods, with the highest rates occurring in the late afternoon. Rates decline rapidly after sunset and remain at much lower levels than during daylight hours. Limitations of the respirometer design are discussed, especially problems associated with fouling.

Stochastic Modeling of Temperature in Stratified Aquaculture Ponds

Work Plan 7, DAST Study 2

Cristiano dos Santos Neto and Raul H. Piedrahita
Department of Biological and Agricultural Engineering
University of California, Davis
Davis, California, USA

Abstract

A computer model for temperature simulations in stratified aquaculture ponds has been run with stochastic inputs. Stochastic inputs used are solar radiation, wind direction, and wind speed. Values for the stochastic inputs were obtained from synthetically generated series based on historical records obtained from the CRSP data base. The techniques used for obtaining the stochastic input values are described, as are the results of simulations carried out for Thailand ponds. Surface temperatures showed the largest fluctuations as a result of stochastic changes in the input parameters.

Calculation of pH in Fresh and Sea Water Aquaculture Systems

Raul H. Piedrahita
Department of Biological and Agricultural Engineering
University of California, Davis
Davis, California, USA

Aina Seland
SINTEF Norwegian Hydrotechnical Laboratory
Trondheim, Norway

Abstract (Printed as submitted)

A procedure for the calculation of pH in fresh and salt waters has been developed. The method is based on a fourth-order polynomial relationship between hydrogen ion concentration and other (conservative) water quality parameters. The method avoids trial and error estimations and results in a direct calculation procedure that can be implemented in models developed in various modeling environments, such as spreadsheets,

conventional programming languages (BASIC, C, FORTRAN, PASCAL, etc.), or specialized modeling languages (Extend™, Stella™).

The method developed is based on the solution of the full alkalinity-pH equation. Because of the need to simplify the equations to yield explicitly solvable polynomial equations, the accuracy of the solutions depends on the simplification made and varies with water properties. Three simplifications are tested based on a second-, a third-, and a fourth-order polynomial equation for hydrogen ion concentrations. The equations have been tested for salinities ranging from 0 to 35‰ (fresh to sea water), for temperatures ranging from 0 to 35°C, for total carbonate carbon of 0.1 and 5.0 mmol/l, and for total ammonia nitrogen of 0 and 10 mg/l. Approximations are most accurate in waters of high total carbonate carbon and low ammonia concentrations, where the fourth-order approximation yields results that are within 0.05 pH units for the full range of pH values tested (5 to 10).

Accepted for publication by *Aquacultural Engineering*.

G. Special Topics Research

Economic Analysis of Different Tilapia Pond Culture Systems in Egypt

Work Plan 7, Egypt Study 1A

Hussein A. Hebicha and Abdel R. El Gamal
Central Laboratory for Aquaculture Research
Agricultural Research Center
Abbassa, Egypt

Bartholomew W. Green
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Abstract

Five different tilapia pond management strategies were evaluated for economic potential in 0.1-ha earthen ponds at the Central Laboratory for Aquaculture Research, Abbassa, Egypt. Pond management strategies were based on use of chemical fertilizer only, feed only, combination of organic fertilizer and feed, and combination of organic and chemical fertilizers and feed. Ponds were stocked with either mixed-sex or all-male populations of Nile

tilapia. Yield and input data from 145-day pond trials were used to develop full-cost budgets for each management system. Net returns, values for production for major inputs, break-even prices and yields, and average rates of return to capital were estimated for each system based on a 2.1-ha production pond.

Net returns ranged from Egyptian pounds (L.E.) 19,102/2.1 ha for ponds stocked with all-male tilapia and receiving organic fertilizer and feed to L.E. 985/2.1 ha for ponds stocked with all-male tilapia and receiving chemical fertilizer only. The rates of return to capital for these two systems were 29.9% and 2.42%, respectively. Net returns to land and management for management systems that combined fertilization and feeding were, on average, 16.1 times the net returns for the extensive system. Management systems that combined fertilization and feeding also had the highest margins between average prices and break-even prices to cover total costs, which indicated reduced risks to farmers in the event of a decline in market prices. Sensitivity analyses indicated that combined fertilization-feeding systems maintained positive net returns if fish yield decreased by two standard errors and price decreased by 20%.

Effect of Stocking Rate on Growth and Yield of Nile Tilapia

Bartholomew W. Green
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Kevin Hopkins
College of Agriculture
University of Hawaii at Hilo
Hilo, Hawaii, USA

Zeinab El Nagdy and Abdel R. El Gamal
Central Laboratory for Aquaculture Research
Agricultural Research Center
Abbassa, Egypt

Abstract

Nile tilapia are generally stocked at 20,000 fish/ha in semi-intensively managed production ponds. Nutrient inputs into these ponds include fertilizers and supplemental feeds; both natural pond productivity and supplemental feed contribute to fish growth. Often, pond carrying capacity and critical standing crop are not attained during the 5-month grow-out period, which indicates under-utilization of available pond nutrient resources. Knowledge

of pond carrying capacity and density-dependent fish growth for a particular management system provides the ability to manipulate production management to improve efficiency and economic returns. The objective of this experiment was to quantify the growth and yield of Nile tilapia stocked at 30,000 and 40,000 fish/ha in production ponds.

This study was conducted at the Central Laboratory for Aquaculture Research (CLAR), Abbassa, Egypt. Three replications of each treatment (stocking rates of 30,000 or 40,000 Nile tilapia/ha) were randomly assigned to 0.1-ha earthen ponds. Sex reversed Nile (*Oreochromis niloticus*) tilapia fry (mean weight: 0.5 g/fish) were stocked into ponds on 20 and 24 July 1994. Chicken litter was applied weekly at 1,000 kg dry matter/ha for the first eight weeks of the production cycle followed by feed (25% protein commercial fish feed) only. Average mean individual fish weights based on seine samples were 69.9 and 79.4 g/fish for the 30,000 and 40,000 fish/ha stocking rates, respectively. Estimated respective mean fish biomasses, assuming 100% survival at the effective stocking rates, were 2,098 and 3,178 kg/ha. Ponds are scheduled to be harvested after 150 days of grow-out.

Mass Production of Nile (*Oreochromis niloticus*) and Blue (*O. aureus*) Tilapia Fry

Bartholomew W. Green
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Esam H. Rizkalla and Abdel R. El Gamal
Central Laboratory for Aquaculture Research
Agricultural Research Center
Abbassa, Egypt

Abstract

A consistent, reliable supply of fingerlings of the desired species, sex, and size is critical to the success of any aquacultural enterprise. Of the four tilapia species endemic to Egypt, Nile and blue tilapia are considered better species for pond culture than *Sarotherodon galilae* and *Tilapia zilli*. Hormonal sex reversal is the most efficient means of mass production of monosex tilapia fingerlings at present. Newly hatched fry of 9- to 11-mm total length are given an androgen-treated feed during a 28-day period. Fry

for sex reversal can be mass produced in earthen ponds, but water temperature can affect productivity. The objective of this research is to quantify production of Nile and blue tilapia fry in relation to water temperature in Egypt.

A total of 68 reproduction pond harvests have been completed since trials were initiated on 17 April 94. To date, 858,300 fry have been harvested; of these 659,000, or 79%, were suitable for sex reversal. The contributions of Nile and blue tilapia to these totals was approximately equal. The reproductive performance of Nile and blue tilapia appeared similar. Grading fry through a 3.2-mm square plastic mesh consistently yielded fry of uniform size and weight; fry passing the grader were within the size range (9- to 11-mm TL) desired for sex reversal.

Forty-nine sex reversal trials have been completed and 16 were in progress at the time of this report. The mean stocking rate of fry in 2-m² treatment hapas was 4,200 fry/m². Two hundred sixty-nine thousand Nile tilapia fry and 275,600 blue tilapia fry have been stocked into treatment hapas to date. After the 28-day androgen treatment period, fry averaged 23.8 mm total length. Overall mean survival has been 51% to date. Water quality deterioration, primarily due to high concentrations of ammonia caused by high feeding rates, was probably responsible for much of the fry mortality. Tank management was modified and survival improved. However, limited availability of water, because of equipment malfunction, continued to restrict the ability to manage water quality in tanks, even at moderate feed loading rates.

Growth of Control and Androgen-Treated Nile Tilapia, *Oreochromis niloticus* (L.), during Treatment, Nursery and Grow-Out Phases in Tropical Fish Ponds

B.W. Green and D.R. Teichert-Coddington
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Abstract (Printed as submitted)

Masculinization of sexually undifferentiated tilapia fry is achieved by oral administration of the androgen 17- α methyltestosterone (MT). An anabolic response to androgen treatment of tilapia has been reported. Growth of control and MT-treated tilapia was evaluated during consecutive treatment, nursery and grow-out phases under conditions approximating commercial, semi-intensive tilapia farms in Central America. *Oreochromis niloticus*

(L.) fry were fed a 0 or 60 mg/kg MT diet for 28 days. Growth curves for control and MT-treated fish did not have significantly different slopes. Mean harvest fry weights were similar, averaging 0.1 g/fry for both treatments. Fry were subsequently stocked into 0.2-ha nursery ponds for 94 days of growth. Slopes of control and MT-treated fish growth curves were significantly different. Mean final individual weights did not differ significantly between treatments. Control fish did not deviate from the 1:1 male:female ratio, but MT-treated fish were 97% males. Control-male and MT-treated male fingerlings were stocked for grow-out into 0.1-ha organically fertilized earthen ponds. No significant difference in growth was observed between control and MT-treated fish. Mean gross yields after 150 days and mean final individual weights were similar for both treatments.

Published in *Aquaculture and Fisheries Management* 25:613-621.

Production of *Oreochromis niloticus* Fry for Hormonal Sex Reversal in Relation to Water Temperature

B.W. Green and D.R. Teichert-Coddington
Department of Fisheries and Allied Aquacultures
Auburn University, Alabama, USA

Abstract (Printed as submitted)

Recently hatched tilapia 9 to 11 mm total length (TL) are preferred for hormonal sex reversal because they are most likely to be sexually undifferentiated. Thirty-three trials were conducted in Honduras between September 1998 (sic) and March 1990 to quantify the effect of water temperature on *Oreochromis niloticus* fry production in earthen ponds for hormonal sex reversal. Two 0.1-ha ponds were simultaneously stocked with brood fish in each trial; generally, one pond was harvested after 17 days, the other after 20 days (range 16 to 21 days). Fry production was evaluated in relation to degree-days from the threshold temperature of 15°C. Harvests averaged 86,000 fry/0.05 ha. A total of 4,897,000 fry were produced, of which 4,363,000 fry were of appropriate size for hormone treatment. No fry production occurred at less than 140 degree-days; fry production increased significantly with increased degree-days above this level. Above 195 degree-days percent of the population retained by a 3.2-mm vexar-mesh grader (too large for androgen treatment) increased significantly with increased degree-days. Fry retained by the grader averaged 14.2 mm TL, while fry not retained by the grader averaged 9.5 mm TL. No significant linear relationship between

degree-days and number of fry not retained by the grader was observed between 140 and 280 degree-days. However, production appeared to peak at about 210 degree-days.

Published in *Journal of Applied Ichthyology* 9:230-236.

Phosphorus Fertilization Strategy in Fish Pond Based on Sediment Phosphorus Saturation Level

Madhav K. Shrestha and C. Kwei Lin
Agricultural and Food Engineering Program
Asian Institute of Technology
Bangkok, Thailand

Abstract (Printed as submitted)

Two experiments were conducted to determine effective phosphorus (P) fertilization strategy in fish ponds in relation to sediment P saturation level. Experiment 1 was conducted in cement tanks with five levels of P saturated sediments (5%, 24%, 44%, 60% and 79%) and with three P-fertilization rates (0.2, 0.1 and 0.05 g/m²/day, N:P ratio of 2:1, 4:1 and 8:1, respectively). Nile tilapia (*Oreochromis niloticus*) were cultured in those cement tanks for 57 days. Results showed that the mean concentration of soluble reactive phosphorus (SRP) in water column increased with increasing sediment P saturation and P fertilization rate. The maximum net fish yield (NFY), 4.2±0.3 g/m²/day, was obtained at SRP concentration of 0.3 mg/l and higher concentrations did not increase fish yield. This level of SRP and NFY were attainable with P fertilization rate of 0.2, 0.1 and 0.05 g/m²/day and N:P ratio of 2:1, 4:1 and 8:1 in ponds where the level of sediment P saturation was below 10%, above 45% and above 60%, respectively. Experiment 2 was conducted in earthen ponds to test and verify the P fertilization rate based on cement tank experimental results. Three new and three old ponds with 8±1.7% and 88±7.3% sediment P saturated in top 5-cm mud were fertilized at a rate of 0.2 and 0.05 g/m²/day and N:P ratio of 2:1 and 8:1, respectively. Nile tilapia were cultured at 2/m² for 85 days. The mean NFY obtained in new and old ponds were 1.73±0.08 and 2.24±0.32 g/m²/day, respectively, which were not significantly different (P > 0.05). Results conclude that P fertilization rate should be based on P saturation level in mud to overcome the problem of under supply or over supply of P in fish pond.

Accepted for publication by *Aquaculture*.

Determination of Phosphorus Saturation Level in Relation to Clay Content in Pond Mud

Madhav K. Shrestha and C. Kwei Lin
 Agricultural and Food Engineering Program
 Asian Institute of Technology
 Bangkok, Thailand

Abstract (Printed as submitted)

An experiment was conducted to determine the amount of phosphorus (P) needed to saturate simulated fish pond sediments which were made up to contain six levels of clay at 0%, 30%, 41%, 64%, 73% and 81% by weight. A series of cylindrical cement tanks were filled to 20 cm depth with six sediment types and triple superphosphate (TSP) solution was added to reach P saturation in sediment. Results showed that all sediment types reached constant inorganic-P concentration in upper 5-cm after 12 weeks of TSP application, and P adsorption capacity of sediment increased with increasing clay content. Sediment P adsorption was slower and not significant ($P > 0.05$) below the 5-cm depth except that contained 0% clay. Regression analysis showed that rate and adsorption capacity of P in sediment are primarily governed by clay content and its dominant minerals. While organic-P and loosely bound-P are commonly deposited in sediment most inorganic P is absorbed by cations to form cation-P complex. The linear relationship between cation-P saturation level and percent clay in sediment is highly significant ($r^2 = 0.54$, $P < 0.001$) and therefore, the maximum adsorption capacity of cation-P in pond sediment can be calculated by $Y = 0.019 X$ ($Y = 100\%$ saturation level mg-P/g soil; $X = \%$ clay in sediment). In practice the level of P saturation (%) in sediment can be calculated by the initial cation-P and clay content (%) in top 5-cm of pond mud using the equation: P saturation (%) = initial cation-P (mg/g soil) \times 100/P adsorption capacity (mg/g soil).

Accepted for publication by Journal of Aquaculture Engineering.

V. Public Service and Project Development

The Pond Dynamics/Aquaculture CRSP relies on its on-site researchers to recognize opportunities to support local research institutions' training activities, and to find efficient ways to extend CRSP research results to the farmers. CRSP researchers in all countries have capitalized on these opportunities, enabling the CRSP to increase its impact at little or no additional cost. Although ancillary to the Global Experiment and site-specific studies, these activities contribute to institution building and increased food production, thereby furthering the main strategic approach. These activities also help to promote international scientific linkages through the exchange of technical information. As a result, research capabilities have been substantially strengthened in every developing country in which the CRSP has been active. Some of these important contributions are described below.



Institution Building

The research activity of the CRSP has resulted in major improvements to the research infrastructure of collaborating host country institutions, both directly and by helping to attract other funding opportunities. In addition, CRSP scientists serve as advisors in the research programs of students at host-country universities and make contributions to curriculum development.

In Honduras, a CRSP-led, public-private joint venture continues to produce economic benefits while increasing the understanding of the water quality issues associated with the shrimp industry in southern Honduras. The CRSP works with the Ministry of Natural Resources, the National Association of Honduran Aquaculturist (ANDAH), the Panamerican Agriculture School (EAP), and the Federation of Producers and Exporters of Honduras (EPX) to study water quality issues that affect shrimp production and the estuarine environment surrounding the farms. The refurbishment of the laboratory in La Lujosa, near Choluteca, was made possible by the active participation of all the partners in this joint venture. The Ministry of Natural Resources provides the laboratory and office space at La Lujosa. ANDAH provides equipment and supplies for the lab, funded by a self-imposed assessment on shrimp exports. ANDAH members also provide ponds and inputs to conduct CRSP experiments. EPX extensionists assist in collecting data from their members and disseminating research information. Students under the direction of EAP conduct research in shrimp culture and water quality analysis. The laboratory was dedicated in the spring of 1995, and makes important contributions to research issues such as estuarine monitoring, pond fertilization, and shrimp feeding strategies, that will increase farmers' economic efficiency and minimize negative environmental impact.

Right up to the time of the forced evacuation from Rwanda, the laboratory at Rwasave was the premier water quality laboratory in East Africa, despite the on-going climate of civil unrest that seriously damaged national infrastructure and interfered with travel and communications. Prior to the evacuation, the fry

production pond was renovated, including the addition of a catch basin to improve the capacity of the station to generate large numbers of fry for on-farm studies. Bldges were constructed over two sex-reversal ponds to facilitate the use of hapas in the sex-reversal process. The loss of this research facility will be felt not only in Rwanda, but throughout East Central Africa, which relied on the laboratory for water quality and soil sample analysis, and on the expertise of the CRSP researchers for training and advice.

The CRSP continues to be an active partner in the establishment of research ponds at the Chaiyaphum Fisheries Station in northeast Thailand and at Phayao Station in northern Thailand.

In Egypt, the CRSP provided support for an overwintering facility and installed a second recirculating system. Ten round (100 m²) earthen ponds were renovated for tilapia reproduction. The water inlet and outlet structures on experimental ponds were modified to exclude contamination with wild fish. The presence of CRSP researchers in Egypt significantly enlarges the institutional and professional network available to students, and strengthens Egyptian universities through these increased international linkages.

Education and Professional Development

Formal training programs have been infrequently (or rarely) funded by this CRSP; nevertheless, the involvement of students from host countries and the United States constitutes an important part of the CRSP's international outreach. Informal training activities such as short courses and workshops are frequently conducted. Since the beginning of the program, over 400 individuals have benefited from CRSP training activities.

Thailand and Philippines

The CRSP is involved in training as a component of several studies that help extend CRSP research to farm ponds throughout Thailand. The CRSP provides the research component for an adaptive management system. The on-farm studies help speed the extension of research to the farmers, and at the same time, use the farmers' concerns to help create the research agenda. In the Philippines, the regional verification of the CRSP fertilizer guidelines continues at the Freshwater Aquaculture Center at Central Luzon State University (FAC/CLSU).

Honduras

David Teichert-Coddington conducted a short course on water quality as part of a longer course on shrimp diseases organized by the Ministry of Natural Resources. In January, Teichert-Coddington played a key role in organizing a one-day conference on sustainable shrimp farming in Honduras. The conference was designed to educate the farming community on sustainable shrimp culture, and to elicit support for CRSP research relating to estuarine monitoring and water quality. Teichert-Coddington was instrumental in organizing a two-day regional conference, *Sustainable Development of the Gulf of Fonseca and its Watershed*. Three hundred farmers and researchers from Honduras, Nicaragua, and El Salvador attended. CRSP researchers Claude Boyd and C. Kwei Lin were invited speakers, addressing the environmental regulation of coastal aquaculture and environmental impacts of intensive shrimp farming in Thailand, respectively. Teichert-Coddington presented a talk on the relation between estuarine water quality and shrimp farm discharge in southern Honduras. In addition, Teichert-Coddington conducted a workshop on tilapia production techniques to Peace Corps volunteers.



Egypt

Academic advancement is the focus of the CRSP's professional development activities in Egypt. A total of ten students are supported by the Egypt project: six are working on advanced degrees, while four others conduct research at the University of Hawaii, at Auburn University, and at Oregon State University. The focal point of the CRSP's professional development activities in Egypt is the scholarly exchange program. Eleven scientists participated in this program during this reporting period: four at Auburn University, two at the University of Maryland, one at the Northwest Fisheries Science Center in Seattle, one at University of Hawaii, one at University of Oklahoma, and two at Oregon State University.

In addition to the Scholarly Exchange program, the CRSP has sponsored numerous workshops at the CLAR during this reporting period. C. Kwei Lin gave three seminars at CLAR in November 1993 when he visited Egypt to work on polyculture research protocol and on catfish hatchery techniques. Komonporn Tonguthai, Director of the Aquatic Animal Health Research Institute in Bangkok, also presented a seminar about diseases of cultured fish. The CRSP sponsored a field day at the CLAR in December 1993 to highlight project progress and results. In January, Ali Abdelghany and Bartholomew Green organized an in-service training for fifty Government of Egypt aquaculture/fisheries personnel. Shmuel Rothbard from the Gan Shmuel Fish Breeding Center, Israel, and CRSP visiting

scientists Kevin Hopkins and William Shelton also participated in the workshop. Bartholomew Green and Esam Rizkallea conducted a one-day tilapia fingerling production workshop at CLAR, which was attended by fish farmers, extension personnel, university professors, and students. Green and Rizkalla lectured and then demonstrated reproduction pond harvest, broodfish handling, fry collection, handling and transport, and sex reversal treatment. Claude Boyd presented a two-day workshop at the CLAR on water quality management in aquaculture ponds. Martin Fitzpatrick presented seminars on the reproductive physiology of fishes, sex differentiation in tilapia, and induced breeding in fishes. He also conducted workshops on identifying the sex of tilapia fry and physiological sampling techniques.

Enthusiasm generated by such informal training and by exposure to activities at the CRSP research sites has led some students to pursue university degree programs, either at institutions in their own countries or at participating U.S. universities. Students have pursued degrees at seven overseas institutions and at all of the collaborating universities in the U.S. Prior to this reporting period over 111 degrees (B.S., M.S., and Ph.D.) were awarded, and during this period, another five were completed under the direction of CRSP researchers. In addition, over 78 theses have been completed under the direction of CRSP researchers. Theses completed during this period are:

- Alcívar, V.A. 1994. Crecimiento de dos razas de tilapia (*Oreochromis sp.*) alimentadas con tres dietas de diferente nivel proteico. Thesis, Ingeniero Agronomo, Escuela Agrícola Panamericana en El Zamorano, Honduras.
- Havanont, V. 1994. Effect of Controlled Dissolved Oxygen Regimes on Growth of Sea Bass (*Lates calcarifer*). M.S. thesis. Asian Institute of Technology.
- Gonzalez, H.J. 1994. Cultivo de tilapia (*Oreochromis niloticus*), carpa común (*Cyprinus carpio*), y tambaquí (*Colossoma macropomum*) en jaulas. Thesis, Ingeniero Agronomo, Escuela Agrícola Panamericana en El Zamorano, Honduras.
- Keawchum, S. 1994. Impact of substrate and commercial bacteria on the growth performance of shrimp (*Penaeus monodon*) in intensive closed and open culture systems. M.S. thesis. Asian Institute of Technology.
- La-ongual, T. 1994. Development of a Model of Phytoplankton Productivity in Fertile Ponds. M.S. thesis. Asian Institute of Technology.
- Nguyen, M.N. 1994. Current status, constraints, and potential of shrimp seed production in Central Vietnam. M.S. thesis. Asian Institute of Technology.
- Nyirahabimana, P. 1994. Gender Differences and Technology Adoption: The Effect of Household Pressures on the Practice of Fish Farming in Rwanda. M.S. thesis. Auburn University.
- Shrestha, M. 1994. Dynamics and recovery of phosphorus in mud of fertilized fish ponds. Ph.D. thesis. Asian Institute of Technology.
- Wang, C.Y. 1994. Preliminary trials for nursing of Chinese catfish (*Silurus asotus*) in cages in tilapia culture ponds. M.S. thesis. Asian Institute of Technology.
- Yahiya, Y.S. 1994. Eutrophication problem in shrimp (*Penaeus monodon*) ponds and the biological control using Nile tilapia (*Oreochromis niloticus*). M.S. thesis. Asian Institute of Technology.

The number of individuals involved in all forms of training, from non-degree activities through work on advanced degrees, has climbed to well over 400 since the beginning of the program. Most of the trainees have come from PIDA CRSP host countries (Egypt, Honduras, Indonesia, Panama, Philippines, Rwanda, Thailand, and U.S.A.); however, the benefits of CRSP-related training have extended well beyond the borders of the seven collaborating countries, as evidenced by the fact that participants have been drawn from at least 27 countries over the course of the program. Furthermore, the interdisciplinary nature of aquacultural research attracts students from a wide range of academic disciplines. Many participants take positions in schools, banks, agricultural research institutes, national parks services, development projects, and agricultural extension services, where they are able to increase public awareness of aquaculture's importance in food systems.

Linkages

CRSP linkages in Honduras have been strengthened and broadened with the inauguration of the brackish water site in Choluteca. The CRSP was able to add this site largely because of the enthusiastic collaboration of private organizations and government institutions. Among the collaborators are the Ministry of Natural Resources, the National Association of Honduran Aquaculturists, the Panamerican Agriculture School, and the Federation of Producers and Exporters of Honduras, all of whom make substantial contributions to the on-going operation of the project. In addition, CRSP researchers serve as consultants for Peace Corps volunteers, and Peace Corps volunteers have assisted with logistical arrangements for researchers involved with the social sciences project.

The CRSP continues to strengthen its ties with institutions in southeast Asia. In Thailand, CRSP researchers hold long- and short-term faculty appointments at the Asian Institute of Technology (AIT), and teach a variety of courses and seminars. AIT serves as a regional resource for technology development and dissemination in Southeast Asia, so CRSP researchers are able to form linkages with students and faculty from many countries. They also serve as advisors to the Thai government on aquaculture and fisheries related projects.

In the Philippines, CRSP ties with the International Center for Living Aquatic Resources Management (ICLARM) continue to grow. Current work plans call for the use of genetically selected tilapia from an ICLARM-sponsored project for field testing at the FAC/CLSU as part of the regional verification trials being conducted by the CRSP in the Philippines. Another collaborator, the FAC/CLSU-University of Wales Swansea Research Project on Genetic Manipulations for Improved Tilapia (GMT), will provide genetically male tilapia (GMT) produced by breeding "YY supermales" with untreated females to provide all male tilapia for use in one treatment of the CRSP regional verification.

The Research Associate in Rwanda advised the USAID/Kigali Mission and the USAID Natural Resources Management Project on natural resource issues up until the time of evacuation. CRSP researchers also advised the Rwandan Ministry of Agriculture's Aquaculture Strategy Commission in establishing research priorities and in proposing suitable research and extension linkages. The CRSP made major contributions to the Rwasave station in constructing facilities and supporting extension personnel and publications.

Linkages between Egyptian and U.S. institutions were strengthened, and new linkages were developed. The University of Maryland and the Gan Shmuel Fish Breeding Center in Israel collaborated with CRSP research during this period.

Raul Piedrahita, Principal Investigator for the UCD/DAST, traveled to Scotland to participate in a meeting on Aquaculture and Water Resource Management, and in a workshop on the Economics of Waster Water Management in Aquaculture. The workshop was sponsored by the European Inland Fisheries Advisory Commission (EIFAC). In addition to the CRSP's numerous formal connections with host country institutions through Memoranda of Understanding, the CRSP maintains ties with numerous other organizations, including many commercial fish producers in the U.S. and in host countries. A partial list of informal CRSP linkages follows:

- Al Azhar University, Egypt
- American Tilapia Association, United States
- Board for International Food and Agricultural Development and Economic Concerns (BIFADEC), Washington, D.C.
- Boy Scouts, Rwanda
- Cairo University, Egypt
- CARE, Honduras
- Catholic University of Leuven (CUL), Belgium, Rwanda
- Central Luzon State University, Freshwater Aquaculture Center, Philippines
- Consultative Group on International Agricultural Research (CGLAR), Washington, D.C.
- Department of Aquaculture (DINAAC), Panama
- Department of Fisheries, Udorn Thani, Thailand
- Department of Renewable Natural Resources (DIGEPESCA), Honduras
- Eastern Fish Cultural Laboratory, Marion, Alabama
- Escuela Agrícola Panamericana, (EAP) Honduras
- European Economic Community
- European Inland Fisheries Advisory Commission (EIFAC)
- Fish Breeding Centre, Israel

Fish Culture Research Institute, Szarvas, Hungary
 Food and Agriculture Organization of the United Nations (FAO), Rome, Italy
 Freshwater Aquaculture Center (FAC), Philippines
 Gan Shmuel Fish Breeding Center, Israel
 General Authority for Fish Resource Development, Cairo, Egypt
 Gondol Research Station, Ensenada, Mexico
 Honduran Federation of Agricultural and Agroindustrial Producers and Exporters (FPX)
 INTSORMIL CRSP, Honduras
 Institut Pertanian Bogor (IPB), Indonesia
 International Development Research Centre (IDRC) of Canada
 International Rice Research Institute (IRRI), Philippines
 International Center for Aquaculture (ICA), Auburn University, Alabama
 International Center for Living Aquatic Resources Management (ICLARM), Philippines
 J.F.K. Agricultural School, Honduras
 Mariut Fish Farm, Egypt
 Ministry of Agriculture, Agricultural Research Center, Egypt
 National Agricultural Library, Washington, D.C.
 National Agricultural Research Project (NARP), Egypt
 National Association of Honduran Aquaculturists (ANDAH)
 National Inland Fisheries Institute (NIFI), Thailand
 National Marine Fisheries Service (NMFS), La Jolla, California
 National Technical Information Services, (NTIS) Springfield, Virginia
 North Central Regional Aquaculture Center (NCRAC), Michigan
 Northwest Fisheries Sciences Center, Seattle, Washington
 Peace Corps: Honduras, Thailand, Burundi, Rwanda
 Red Cross, Rwanda
 Soil Management CRSP, Honduras
 South East Asian Fisheries Development (SEAFDEC), Philippines
 Sustainable Agriculture and Natural Resources Management (SANREM) CRSP
 Special Program for African Agricultural Research (SPAAR), Washington, D.C.
 The University of the Philippines in the Visayas
 United States Department of Agriculture (USDA)
 United States Fish and Wildlife Service
 University of Arizona, Tucson, Arizona
 University of Washington, Seattle, Washington
 Western Regional Aquaculture Consortium (WRAC), Seattle, Washington
 Zagazig University, Egypt

Project Development

With its extensive international network of researchers, the CRSP is well positioned to identify needed areas of research and opportunities for aquaculture development. Emerging themes in development and in aquaculture are being addressed by the CRSP. With worldwide attention now focused on sustainable development, the CRSP work in natural resource policy development and implementation in Rwanda and Honduras assumes greater importance. The CRSP has taken an active role in encouraging women in aquaculture, reflecting the recognition of women's pivotal role in agricultural production and family nutrition. A workshop at the Annual Meeting focused on integrating a

gender dimension into future aquaculture research and development. The private sector in many countries has been able to capitalize on CRSP research. The models and guidelines developed by CRSP researchers are being used in directing on-farm trials, the "acid-test" of new techniques and technologies. Finally, recognizing that new technology does not operate in a vacuum but is part of a larger socioeconomic system, the CRSP is devoting more resources to integrating the social sciences into the core research. A project inaugurated during this reporting period is investigating the socioeconomic dimensions of aquaculture development in Honduras, Thailand, and the Philippines.

The PDA CRSP is committed to extending aquaculture development to appropriate sites. The ongoing Egypt project gives the program an opportunity to apply the CRSP technologies and methodologies in an arid climate. Investigations have begun to increase the number of CRSP sites to include new agroecological zones. Deputy Director Brigitte Goetze responded to an invitation from the Ministry of Agriculture in Eritrea to visit that country to review its potential as a CRSP site. The CRSP Request for Proposals for the Continuation Plan attracted collaborators with experience and linkages in South American countries, and a new site in Peru is tentatively being planned, contingent on funding. In the next reporting period, Director Hillary Egna and Rwanda Principal Investigator Wayne Seim will undertake a site visit to Kenya to evaluate its appropriateness as the CRSP Africa site.

The planning for the CRSP Continuation Plan beyond 1995 began in August 1993, and continued during this reporting period. The positive reviews of the PDA CRSP by the External Evaluation Panel and by the all-CRSP review conducted by Tropical Research and Development have resulted in an invitation from USAID to submit a Continuation Proposal during the next reporting period. A strategic document is being prepared that includes an ecological perspective on aquaculture development.

Development of Sustainable Aquaculture Systems

Environmental concerns are motivating the creation of more sustainable agricultural systems worldwide, at the same time as aquaculture production is being recognized as vital to the world's food economy. Diminishing stocks of wild fish, coupled with increasing demand for fish worldwide, have driven up the value of aquaculture products, especially fish and shellfish, and aquaculture is projected to continue to fill an important niche as a food source and cash crop in developing countries. Pond production of animals and plants is a key component of integrated agricultural systems in several ways. Aquaculture ponds provide an efficient means of conserving water in areas where water supplies are limited. Further, effluent from ponds can be used for crop irrigation, thus avoiding pollution of natural waterways. Pond mud—often high in organic matter and rich in nutrients—can be partially removed and used as a fertile soil additive for land crops. Aquaculture is easily integrated with other forms of agricultural production, such as chicken-fish and duck-fish operations. Farm by-products such as manures, grasses, inedible plant parts, and composts can be used as nutrient sources in aquaculture ponds. CRSP research at all sites continues to emphasize efficient utilization of these agricultural by-products to enhance production in ponds, and to contribute to sustainability by recycling farm materials.

In Egypt, researchers investigate the possibilities of using biological controls to solve pond management problems. Experiments are conducted to evaluate the ability of grass carp to control nuisance aquatic weeds. Black carp, a voracious snail predator, is being tested for its potential to reduce the snail population—since snails are hosts to the parasite that causes bilharzia, a reduction in the snail population may reduce fish farmers' danger of contracting bilharzia. These studies are designed as building blocks in the development of a polyculture system unique to Egypt. Polyculture studies will be

conducted during the second year of CRSP research in Egypt. In a second line of inquiry, CRSP researchers are comparing different management strategies (e.g. traditional Egyptian aquaculture practices) with CRSP management guidelines in an attempt to determine which strategies might work best under the arid conditions found in Egypt, thus guaranteeing the most efficient use of precious water and nutrients.

Biotechnology opens alternative avenues for the production of monosex tilapia. Research is being conducted in both Egypt and the U.S., focusing on the safe use of steroids with a special emphasis on minimizing impacts on humans, fish, and the environment.

In southern Honduras, CRSP researchers are making progress in developing efficient farming practices for shrimp farmers and in determining the carrying capacity of the Gulf of Fonseca. An understanding of the Gulf's carrying capacity will give development planners information needed to insure the protection the estuarine environment surrounding the gulf. Already, research results have shown farmers that they can reduce the percentage of protein in their shrimp feed without affecting yield, lowering both farmers' feed costs and the nutrient load in the estuary. Further research will continue to integrate environmental issues with production concerns.

Water quality concerns are also on the research agenda in Thailand. Experiments to determine the most efficient level of nutrient input help Thai farmers plan for optimal resource use without polluting ground and surface waters. CRSP researchers at all sites demonstrate a concern for the effects of aquacultural production on the wider environment.

Socioeconomic Studies

The CRSP has long recognized that social and economic factors play an important role in the development and adoption of aquaculture technologies and management strategies. Limited funding for this CRSP has constrained research in these areas, so that only small, site-specific studies could be conducted. Past socioeconomic research was limited to providing answers to specific questions, ranging from economic analyses of feeding strategies in Honduras to analysis of gender variables in Rwanda. However, CRSP researchers recognize the need to provide basic economic information to enable farmers to evaluate research recommendations in the light of financial profitability. On-going efforts are being made to include socioeconomic variables in core research.

- POND, the expert system for pond management developed by the OSU/DAST, now includes economic data. The user-friendly program runs on IBM-compatible personal computers, and supports pond manager decisions regarding variables such as fertilization and stocking strategies.
- In Honduras, brackishwater research has already had an economic impact. Studies showed that no significant difference occurred in shrimp production when a 20% protein feed was substituted for a 40% protein feed. This finding allows farmers to cut their feed costs substantially without affecting production.
- In Rwanda, enterprise budgets for fish production and production of 12 different crops commonly raised on Rwandan farms indicate that fish farming affords the greatest rate of return to both labor and capital. An unexpected result of this study showed that farmers enter aquaculture mainly to generate income, not as was thought, to have fish as an additional food item.
- In Thailand, feeding studies designed to determine the optimal time for initial application of supplemental feed in fertilized ponds help farmers make economically sound decisions regarding supplemental feeding by identifying the critical stages when the natural food supply is inadequate to support optimal fish production.

Socioeconomic studies will soon move from the periphery of the CRSP research agenda. Socioeconomic concerns are identified as one of the core themes in the new Continuation Proposal, and will be firmly integrated into the CRSP research agenda. The global social sciences project, "Socioeconomic Dimensions of Aquaculture Development: A Comparative Assessment of Financial Returns, Adoption Barriers, and Impacts of Tilapia Production Regimes," identifies the level and type of technology available to tilapia farmers in Honduras, Thailand, and the Philippines. The role played by CRSP technology in the evolution of tilapia production practice, and the relationship of these technologies to the larger research and technology development systems is articulated, and the economic context that shapes farmers' decisions concerning technology adoption is profiled. The results of the study will have implications for future research proposals, development policy, and farm-level decision-making about tilapia technology. Field work in Honduras, Thailand, and the Philippines was completed during this reporting period.

USAID sponsored a workshop at the 1994 Annual Meeting on integrating gender dimensions of development into the research agenda. The workshop offered CRSP researchers the opportunity to reframe research proposals to reflect social, economic, and cultural variables, in addition to physical, biological and chemical variables, that affect pond production systems.

Participation in International Scientific Meetings and Conferences

David Teichert-Coddington presented a talk on the "Relation between estuarine water quality and shrimp farm discharge in southern Honduras" at the *Sustainable Development of the Gulf of Fonseca and its Watershed* conference in Honduras. He also was invited to chair a section and present a paper at the regional conference on *Aquaculture Research in Central America* in Costa Rica, and presented a talk on water quality in shrimp ponds at the *Camaron '94* conference in



Mazatlán, Mexico. This conference was organized by Ralston Purina Feed Company for shrimp farmers and business people in Mexico and Central America.

Ali Abdelghany, Abdel R. El Gamal, Bartholomew Green, Hussein El Ghobashy, Fatma Hafez, Inrahim Shaker and Yasir Awad attended the World Aquaculture Society Conference and Expo '94 in New Orleans. Green presented two papers at the Water Quality/Fertilization session: "Water Budgets for Fish Ponds in the Dry Tropics" and "Chemical Budgets for Fish Ponds in the Dry Tropics."

Abdelghany also presented two posters at the Sixth International Symposium on Fish Nutrition and Feeding in Hobart, Tasmania: "Optimum ratio of animal to plant protein in formulated diets for Nile tilapia," and "Optimum protein requirements for Nile tilapia."

Jim Diana attended the annual American Fisheries Society meeting in Halifax, Nova Scotia.

Joseph Molnar presented a paper based on the CRSP survey data to the Annual Meeting of The Rural Sociological Society in Portland, Oregon.

William Shelton attended the Fifth International Symposium on Genetics in Aquaculture in Halifax, Nova Scotia, and presented a paper on "Ploidy Manipulation in Black Carp."

Hillary Egna, Brigitte Goetze, and Martin Fitzpatrick attended the two-day "Drugs in Aquaculture" workshop sponsored by the Food and Drug Administration (FDA) and United States Department of Agriculture (USDA) in Washington, DC.

Marion McNamara attended the Association of Women in Development in Washington, DC. She and Hillary Egna participated in the World Bank's International Centers week.

Raul Piedrahita traveled to Scotland to participate in a meeting on Aquaculture and Water Resource Management. He also participated in a workshop on the Economics of Waste Water Management in Aquaculture, sponsored by the European Inland Fisheries Advisory Commission (EIFAC).

VI. Program Management and Technical Guidance

The CRSP is organized to facilitate collaboration. Believing that mutually beneficial development strategies have the best chance of being sustainable over time, the CRSP's organizational structure facilitates collaboration among research, institutions, and countries. The Management Entity, located at Oregon State University, administers the program. The Management Entity subcontracts with Auburn University, the University of California at Davis, and the Consortium for International Fisheries and Aquaculture Development (CIFAD), a five-member consortium of universities. Members of CIFAD include: Michigan State University, Oregon State University, University of Arkansas at Pine Bluff, University of Hawaii, and The University of Michigan. The University of Oklahoma continued its association with the CRSP as part of the Egypt project. A Memorandum of Understanding (MOU) is executed between the host country institution and the lead university for each project (e.g., an MOU is executed between the Asian Institute of Technology and The University of Michigan). An exception to this is the Egypt project where the Central Laboratory for Aquaculture Research of the Agricultural Research Center at Abbassa holds an MOU directly with the CRSP Management Entity.

This organizational structure gives the CRSP flexibility and the depth of expertise to respond effectively to new opportunities and challenges. CRSP efforts in Honduras have been successful in institutionalizing aquaculture research. Host country researchers at the freshwater site maintain day-to-day station operations. At the brackish water site, private sector collaborators help to fund research activities and take part in experiments. Linkages with these organizations, the result of ten years of research and training in Honduras, are further evidence of the efficacy of the CRSP in attracting local support for program activities. The Honduras project collaborates informally with experts from non-CRSP universities to evaluate water flux and waste assimilative capacity in estuaries.

The CRSP drew on its multi-disciplinary collaborative network to pioneer and refine a global project in socioeconomics. A study entitled "Socioeconomic Dimensions of Aquaculture Development: A Comparative Assessment of Financial Returns, Adoption Barriers, and Impacts of Tilapia Production Regimes," began in June. The study will identify the level and type of technology available to tilapia farmers in Honduras, Thailand, and the Philippines. Furthermore, the study will identify the role that CRSP technology has played in the evolution of tilapia production practices in these countries. The relationship of CRSP technologies to the larger research and technology development systems will be articulated, and the economic context that shapes farmers' decisions concerning technology adoption will be profiled. The implications for research management, development policy, and farm-level decision-making about tilapia technology will be useful for planners, researchers, and farmers. Field work on this project has been completed, and a final report will be forthcoming in the next reporting period.

As a result of exhaustive reviews conducted by the PD/A CRSP External Evaluation Panel and by the consulting firm Tropical Research & Development, the PD/A CRSP has been invited to submit a proposal for continuation of the CRSP from 1995 to 2000. The CRSP has used the strength of its collaborative network to plan for the next five years. The process began at the 1993 Annual Meeting, as areas of interest were identified and an RFP was issued. Proposals from new and continuing institutions were submitted for consideration. At the 1994 Annual Meeting, the process continued, as the Technical Committee identified specific research themes and charged the Technical Committee co-chairs Bryan Duncan and Kevin Hopkins to work with Program Director Hillary Egna to coordinate and write the Continuation Plan.

Management Entity

Oregon State University is the Management Entity (ME) for the Pond Dynamics/Aquaculture CRSP and is the primary grantee of USAID. The Program Management Office (PMO) is the operational component of the ME. The PMO is the link between USAID and the CRSP projects, which are subcontracted to Auburn University, the University of California at Davis, CIFAD, and the University of Oklahoma.

The Management Office is located in the Office of International Research and Development (OIRD) on the main campus of Oregon State University, in Corvallis, Oregon. OIRD provides accounting, purchasing, and travel support. The CRSP reports directly to the Vice Provost for Research and International Programs through the Director of the OIRD. Ties to the Department of Fisheries and Wildlife, and to the Department of Bioresource Engineering, are maintained through faculty appointments, academic interests, and research subcontracts.

During this reporting period, members of the Program Management Office included:

Hillary Egna, Director (1.0 FTE)

Brigitte Goetze, Deputy Director and Egypt Coordinator
(1.0 FTE – not funded on core CRSP funds)

Marion McNamara, Assistant Director (1.0 FTE – partially funded on core CRSP funds)

Naomi Weidner, Secretary (0.75 FTE – partially funded on core CRSP funds)

The Management Entity (ME) is responsible for:

- Receiving funds committed by USAID to the CRSP and assuming accountability for their use;
- Providing funds to the participating institutions, and ensuring compliance with the terms of the grant;
- Providing a focal point for the interaction of the Technical Committee, Board of Directors, External Evaluation Panel, USAID staff, and BIFADEC/JCARD;
- Executing the decisions of the governing and advisory bodies;
- Spearheading program development efforts;
- Facilitating internal and external communications;
- Producing and distributing CRSP publications;
- Implementing the program; and
- Maintaining liaisons with overseas and domestic participants.

Specific accomplishments this year include:

- Preparation of CRSP budgets and subcontract modifications for extending funding and performance periods;
- Coordination of new administrative and contractual details for collaborative research projects in Thailand, the Philippines, Rwanda, Egypt, and Honduras;
- Site visit to Egypt to evaluate project progress and negotiate extension of project;
- Assistance with the Rwanda evacuation and project relocation;
- Coordination of planning and logistics for the review conducted for USAID by Tropical Research & Development, including providing background information and logistical support for travel and responding to the draft copy of their final report;
- Organization of the twelfth annual CRSP meeting in Hilo, Hawaii from 28 to 31 March 1994;
- Participation at Annual Meeting in Board and Technical Committee meetings;
- Development of questionnaires for evaluating the Annual and Technical Committee meetings;
- Assistance in processing travel clearances for all CRSP personnel and approvals for purchases of restricted goods for country projects;

- Coordination of travel schedules for U.S. researchers and Egyptian counterparts;
- Publication of research results in technical report series;
- Preparation, publication, and distribution of detailed quarterly reports summarizing technical and administrative progress;
- Training and supervising a graduate student intern working on an analysis of PDA CRSP formal and informal training;
- Aided with equipment purchases for the CLAR;
- Developed a fact sheet about the Egypt project;
- Maintenance of the CRSP mailing list, which reaches approximately 300 people in 42 countries;
- Maintenance of the CRSP directory, which lists participants' addresses, telephone, fax and email number;
- Coordination of the Egyptian Scholarly Exchange Program, which brings Egyptian collaborators to U.S. aquaculture research institutions and facilities;
- Organization of and participation in Board Meetings and Technical Committee meetings;
- Maintenance of management information systems to track projects;
- Collection of information about technology transfer and economic impact of various CRSP activities;
- Coordination, with Claude Boyd of Auburn University, of the new CRSP book *Dynamics of Pond Aquaculture*.

The PDA CRSP maintains technical linkages with the Tropsoils and the SANREM CRSPs. Maintenance of programmatic linkages with all the CRSPs, increases the visibility of the PDA CRSP and of aquaculture in general. The cost of participation in CRSP Council activities is disproportionately high for the PDA CRSP, which is funded at a much lower level than other CRSPs and which is thus more financially strained by participation. The Management Office participated in the following CRSP Council Conference calls:

- 16 September 1993
- 7 October 1993
- 4 November 1993
- 2 December 1993
- 3 February 1994
- 16 March 1994

Three advisory groups, the Board of Directors (BOD), the Technical Committee (TC), and the External Evaluation Panel (EEP), support the management of the CRSP. These groups work closely with the PMO to guide the CRSP through policy decisions, budget allocations, research strategy, review, and evaluation.

The Board of Directors

As the primary policy-making body for the CRSP, the Board of Directors takes an active role in program guidance. The Board is composed of three members, one of whom is elected chair. Auburn University, the University of California at Davis, and CIFAD are each represented on the Board. In addition, the USAID Program Manager for the CRSP and the CRSP Director serve as ex-officio members. All Board members function in the objective interest of the CRSP regardless of their institutional affiliation. During this reporting period, the Board members were:

- Dr. Robert Fridley, University of California at Davis, Chair;
- Dr. Philip Helfrich, University of Hawaii (CIFAD institution);

- Dr. R. Oneal Smitherman, Auburn University;
- Mr. Harry Rea, NMFS, RSSA to R&D/AGR, ex-officio member;
- Ms. Hillary Egna, Oregon State University, CRSP Director, ex-officio member.

The Board of Directors is responsible for:

- Review of program budgets and allocation of funds to research and Management;
- Recommendations to the Management Entity on budget allocations;
- Evaluation of the administrative and technical accomplishments of overseas research projects and U.S.-based research activities;
- Advice to the Management Entity on policy guidelines; and
- Review of the performance of the Program Director and Management Entity.

The Board of Directors convened once during this reporting period, in an extended meeting during the Annual Meeting (27 and 30 March 1994) in Hilo, Hawaii. Informal discussions are held regularly with the Board and approvals for some decisions are made through correspondence.

Specific accomplishments and recommendations made during this reporting period include:

- Approval of management and research budgets;
- Annual meeting agenda input and approval;
- Input on project monitoring by the Program Director and the BOD;
- Direction to the Technical Committee and PMO in developing the continuation proposal;
- Participation in the Twelfth Annual Program Meeting in March 1994;
- Participation in the review of proposals for the continuation plan.

Technical Committee

Researchers from U.S. universities and host country institutions comprise the Technical Committee, which advises the Management Entity on technical matters. The membership of the Technical Committee is listed in



Table 1 in alphabetic order, with institutional affiliations and subcommittee assignments. Voting privileges are accorded each institutional partner in each project receiving CRSP funds. Institutions holding a vote on the Technical Committee are listed in Table 2 by project. The CRSP Director and the USAID Project Manager serve as ex-officio members, and at-large members are appointed by the Board of Directors. Dr. Ted Batterson continues to serve as the At-large

Table 1. Membership of Technical Committee

Name	Institution	Subcommittees*
Ali Abdelghany (from 8/93)	Central Laboratory for Aquaculture Research	
Seham Ahmed	Central Laboratory for Aquaculture Research	
Valentin Ake	Auburn University	
Bo Alexander	University of Hawaii	
John Bolte	Oregon State University	
Claude Boyd	Auburn University	M
Jean-Damascène Bucyanavandi	National University of Rwanda	W
Steve Culbertson	University of California, Davis	
Jim Diana	University of Michigan	T*, EP
Bryan Duncan, Co-Chair	Auburn University	
Peter Edwards	Asian Institute of Technology	
Abdel El Gamal	Central Laboratory for Aquaculture Research	T
Hussein El Ghobashy	Central Laboratory for Aquaculture Research	
Gamal El Nagar	Central Laboratory for Aquaculture Research	
Fatma El Semak	Central Laboratory for Aquaculture Research	
Mahmoud El Nour	Central Laboratory for Aquaculture Research	
Samir Elbeden	Central Laboratory for Aquaculture Research	
Zenab Nagdy	Central Laboratory for Aquaculture Research	
Wahied Elwan	Central Laboratory for Aquaculture Research	
Carole Engle	University of Arkansas at Pine Bluff	
Doug Ernst	Oregon State University	
Ahmed Fatah	Central Laboratory for Aquaculture Research	
Namat Fatah	Central Laboratory for Aquaculture Research	
Martin Fitzpatrick	Oregon State University	
William Gale	Oregon State University	
Anaclet Gatera	National University of Rwanda	
Satwat Ghany	Central Laboratory for Aquaculture Research	
Phil Giovanni	University of California, Davis	
Brigitte Goetze	Oregon State University, Management Entity	
Gordon Grau	University of Hawaii, Manoa	
Bartholomew Green	Auburn University	M, W*
Laila Hafez	Central Laboratory for Aquaculture Research	
Mona Hamed	Central Laboratory for Aquaculture Research	
Ferry Hanson	Auburn University	W
Hussein Hebicha	Central Laboratory for Aquaculture Research	
Kevin Hopkins, Co Chair	University of Hawaii, Hilo	M
Khalid Hussein	Central Laboratory for Aquaculture Research	
Nabil Ibrahim	Central Laboratory for Aquaculture Research	
Ahmed Khater	Central Laboratory for Aquaculture Research	
Watana Teelapatera	Department of Fisheries, Thailand	
C. Kwei Lin	University of Michigan and AF	

* W=Work Plans, B=Budgets, T=Technical Progress, M=Materials and Methods, EP=Executive Panel

* Subcommittee Chairpersons

° Deceased

Name	Institution	Subcommittees
Eduardo Lopez	Central Luzon State University	
Lucas Lopez	DIGEPESCA	
Mostafa Mohsen	Central Laboratory for Aquaculture Research	W
Joseph Molnar	Auburn University	
Zainab Nagdy	Central Laboratory for Aquaculture Research	
Gamal Nasser	Central Laboratory for Aquaculture Research	
Shree Nath	Oregon State University	W
Joyce Newman	Auburn University	
Raul Piedrahita	University of California, Davis	M, B, EP
Tom Popma, Secretary	Auburn University	B*
Dia Rahum	Central Laboratory for Aquaculture Research	
Hal Richmond	University of Hawaii, Manoa	
Ahmed Saud	Central Laboratory for Aquaculture Research	
Samir Said	Central Laboratory for Aquaculture Research	
Mohamed Salam	Central Laboratory for Aquaculture Research	
Carl Schreck	Oregon State University	
Wayne Seim	Oregon State University	
Ibrahim Shaker	Central Laboratory for Aquaculture Research	
William Shelton	University of Oklahoma	
Naem Shamees	Central Laboratory for Aquaculture Research	
Chaninthorn Sritongsuk	Thailand Dept. of Fisheries	
Ashraf Soliman	Central Laboratory for Aquaculture Research	
Jim Szper	University of Hawaii, Hilo	M, B
David Teichert Coddington	Auburn University	B
Andrea Van Ballenburg	University of Hawaii	
Karen Averica	Auburn University	

At-large Member

Ted Batterson	Michigan State University
---------------	---------------------------

Ex-officio Members

Hillary Egan	Oregon State University, Management Entity
Brigitte Goetze	Oregon State University, Management Entity
Harry Rea	R&D/AGR, USAID
Lamar Frott	R&D/AGR, USAID

• W=Work Plans; B=Budgets; T=Technical Progress; M=Materials and Methods; EP=Executive Panel

* Subcommittee Chairpersons

** Deceased

Table 2. Institutional Voting Privileges on the Technical Committee

Projects	Voting Institutions
DAST	Oregon State University University of California at Davis
Data Base Management	University of Hawaii
Egypt	Central Laboratory for Aquaculture Research Asian Institute of Technology/University of Michigan Auburn University Oregon State University University of Hawaii University of Oklahoma
Honduras	DIGEPESCA Auburn University
Philippines	Central Luzon State University University of Hawaii
Rwanda	National University of Rwanda Auburn University Oregon State University University of Arkansas, Pine Bluff
Thailand	Asian Institute of Technology Royal Thai Department of Fisheries University of Hawaii University of Michigan
Special Projects	
Social Sciences	Auburn University

Technical Committee member. The Technical Committee has four standing subcommittees: Work Plans, Materials and Methods, Budgets, and Technical Progress. Special committees are convened as needed.

External Evaluation Panel

A committee of external aquaculture specialists periodically evaluates the accomplishments of the individual research projects and the overall program to ensure that research projects and the program remain focused, relevant, and cost-effective. The External Evaluation Panel (EEP) is responsible directly to USAID and BIFADEC for the review and evaluation of the technical progress of the CRSP. During this reporting period, Dr. Homer Buck, Illinois Natural History Survey (retired), rotated off the EEP, leaving Richard Neal, National Marine Fisheries Service (NMFS), and Roger Pullin, International Center for Living Aquatic Resources Management (ICLARM). A search is currently underway to find a third panel member.

The EEP evaluated all CRSP sites in 1992-93. During the current reporting period, the final report of the External Evaluation Panel was published.

The final report includes program responses to the findings and recommendations of the External Evaluation Panel.

CRSP Publications

CRSP publications are an important part of the CRSP's technology dissemination. A broad domestic and international audience receives our technical and program reports. Approximately 300 people in 42 countries now receive CRSP publications. Technical reports are issued through two series, *Collaborative Research Data Reports* and *CRSP Research Reports*. The goal of *CRSP Research Reports* is to


publish all research produced by CRSP activities, with the exception of research related directly to the Global Experiment.

Collaborative Research Data Reports contain the results and data from the Global Experiment, along with interpretations of site-specific results. The first volume of *Collaborative Research Data Report* contains a description of sites and experimental protocols for the Global Experiment. Subsequent volumes focus on each research site separately by experimental cycle.

Other reports published by the CRSP Management Office include Annual Administrative Reports, Quarterly Reports, Program Grant Proposals, Work Plans, and CRSP Directories. *A Ten Year Summary of Activities in Honduras* was also published during this reporting period. The *Handbook of Analytical Methods* compiled by the Materials and Methods Committee of the Technical Committee and the *PONDCLASS Users' Guide* have also been published through the Management Office.

Principles and Practices of Pond Aquaculture was one of the founding documents of this CRSP. At the time of its production, this volume was state of the art and filled a neglected niche in the field of aquaculture. Since its publication in 1983, it has been one of the most requested of CRSP publications. But advances in pond aquaculture made by the CRSP and others require that this valuable resource be updated. A new volume that approaches aquaculture production as part of the larger agroecosystem is in progress, *Dynamics of Pond Aquaculture*. The Management Office has contracted with Lewis Publications to publish the book. CRSP researchers are





collaborating in writing the sixteen chapters that make up the book, and that approach aquaculture production as part of the larger agroecosystem.

In addition to PD/A CRSP-produced publications, the Management Office contributes to USAID's program reviews, publications, and presentations. Administrative and technical reports prepared and disseminated during this reporting period are briefly described

below and may be ordered from the Management Office. Technical reports that were not processed by the Management Office are listed in the Appendix.

Administrative Reports

Annual Administrative Report

Egna, H., J. Bowman, B. Goetze, and N. Weidner, eds. 1994. Eleventh Annual Technical Report 1993, Pond Dynamics/Aquaculture Collaborative Research Support Program. Office of International Research and Development, Oregon State University, Corvallis, Oregon. 178 pp.

Egna, H. and M. McNamara. 1994. Eleventh Annual Administrative Report, Pond Dynamics/Aquaculture Collaborative Research Support Program. Office of International Research and Development, Oregon State University, Corvallis, Oregon. 80 pp.

Quarterly Reports

Pond Dynamics/Aquaculture CRSP, Program Management Office. January 1994. Quarterly Report. October-December 1993. Office of International Research and Development, Oregon State University, Corvallis, Oregon. 14 pp.

Pond Dynamics/Aquaculture CRSP, Program Management Office. April 1994. Quarterly Report. January-March 1994. Office of International Research and Development, Oregon State University, Corvallis, Oregon. 15 pp.

Pond Dynamics/Aquaculture CRSP, Program Management Office. July 1994. Quarterly Report. April-June 1994. Office of International Research and Development, Oregon State University, Corvallis, Oregon. 18 pp.

Pond Dynamics/Aquaculture CRSP, Program Management Office. October 1994. Quarterly Report. July-September 1994. Office of International Research and Development, Oregon State University, Corvallis, Oregon. 16 pp.

Directory

The CRSP directory contains an organizational chart and the addresses of current CRSP members from USAID, BIFADEC, USAID Missions, the CRSP Council, the External Evaluation Committee, the Technical Committee, the Management Entity, the Board of Directors, and the Collaborative Research Projects. The chart is updated annually or semi-annually, as needed.

CRSP Directory. October 1993. Pond Dynamics/Aquaculture CRSP, Program Management Office. Office of International Research and Development, Oregon State University, Corvallis, Oregon.

CRSP Directory. May 1994. Pond Dynamics/Aquaculture CRSP, Program Management Office. Office of International Research and Development, Oregon State University, Corvallis, Oregon.

Newsletters

Aquanews, The Newsletter of the Pond Dynamics/Aquaculture Collaborative Research Support Program, is published quarterly. *Aquanews* serves to inform CRSP participants and others of program activities that are not of a technical nature. It contains information on project activities, meetings, travel of CRSP participants, and site visits. The following issues were published during this reporting period:

Aquanews, Winter 1993. Volume 9, Number 1. McNamara, M., ed. ISSN 1062-4996. PD/A CRSP Program Management Office, Office of International Research & Development, Snell Hall 400, Oregon State University, Corvallis, Oregon.

Aquanews, Spring 1994. Volume 9, Number 2. McNamara, M., ed. ISSN 1062-4996. PD/A CRSP Program Management Office, Office of International Research & Development, Snell Hall 400, Oregon State University, Corvallis, Oregon.

Aquanews, Summer 1994. Volume 9, Number 3. McNamara, M., ed. ISSN 1062-4996. PD/A CRSP Program Management Office, Office of International Research & Development, Snell Hall 400, Oregon State University, Corvallis, Oregon.

Aquanews, Fall 1994. Volume 9, Number 4. McNamara, M., ed. ISSN 1062-4996. PD/A CRSP Program Management Office, Office of International Research & Development, Snell Hall 400, Oregon State University, Corvallis, Oregon.

The Data Analysis and Synthesis Team publishes a newsletter with the goal of improving communication between the DAST and the Principal Investigators in the field. During this reporting period, DAST Newsletter Nos. 15 and 16 were produced and distributed.

Technical Reports

CRSP Research Reports

Knud-Hansen, C.E., T.R. Batterson, and C.D. McNabb. 1993. The role of chicken manure in the production of Nile tilapia, *Oreochromis niloticus* (L.). CRSP Research Report 93-56, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquaculture and Fisheries Management* 24:483-493, 1993.]

Boyd, C.E. and D. Teichert-Coddington. 1993. Relationship between wind speed and reaeration in small aquaculture ponds. CRSP Research Report 93-57. Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquacultural Engineering* 11:121-131, 1992.]

Teichert-Coddington, D.R. and B.W. Green. 1993. Influence of daylight and incubation interval on water column respiration in tropical fish ponds. CRSP Research Report 93-58, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Hydrobiologia* 250: 159-165, 1993.]

Knud-Hansen, C.F. and A.K. Pautong. 1993. On the role of urea in pond fertilization. CRSP Research Report 93-59, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquaculture* 11:273-283, 1993.]

Shrestha, M.K. and C.F. Knud-Hansen. 1994. Increasing attached microorganism biomass as a management strategy for Nile tilapia (*Oreochromis niloticus*) production. CRSP Research Report 94-60, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquacultural Engineering* 13:101-108, 1994.]

Springborn, R.R., A.L. Jensen, W.Y.B. Chang and C. Engle. 1994. Optimum harvest time in aquaculture: An application of economic principles to a Nile tilapia, *Oreochromis niloticus* (L.), growth model. CRSP Research Report 94-61, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquaculture and Fisheries Management* 23:639-647, 1992.]

Hopkins, D.D. and D. Pauly. 1994. Instantaneous Mortalities and Multivariate Models: Applications to Tilapia Culture in Saline Water. CRSP Research Report 94-62, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Multivariate methods in aquaculture research: Case studies of tilapias in experimental and commercial systems*. M. Prein, G. Hulata, and D. Pauly (eds.). ICLARM Stud. Rev. 20, 1993.]

Green, B.W. and D.R. Teichert-Coddington. 1994. Production of *Oreochromis niloticus* fry for hormonal sex reversal in relation to water temperature. CRSP Research Report 94-63, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *J. Appl. Ichthyol* 9:230-236, 1993.]

Engle, C.R., M. Brewster, F. Hitayezu. 1994. An economic analysis of fish production in a subsistence agricultural economy: The case of Rwanda. CRSP Research Report 94-64, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *J. Aquat. Trop.* 8:151-165, 1993.]

Knud-Hansen, C.F. and T.R. Batterson. 1994. Effect of fertilization frequency on the production of Nile tilapia (*Oreochromis niloticus*). CRSP Research Report 94-65, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquaculture* 123:271-280, 1994.]

Teichert-Coddington, D.R., R. Rodriguez, and W. Toyofuku. 1994. Cause of cyclic variation in Honduran shrimp production. CRSP Research Report 94-66, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *World Aquaculture* 25(1):57-61, March 1994.]

- Springborn, R.R., A.L. Jensen, and W.Y.B. Chang. 1994. A variable growth rate modification of von Bertalanffy's equation for aquaculture. CRSP Research Report 94-67, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquaculture and Fisheries Management* 25:259-267, 1994.]
- Diana, J.S., D.J. Dettweiler, and C.K. Lu. 1994. Effect of Nile tilapia (*Oreochromis niloticus*) on the ecosystem of aquaculture ponds, and its significance to the trophic cascade hypothesis. CRSP Research Report 94-68, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Canadian Journal of Fisheries and Aquatic Sciences* 48(2):183-190, 1991.]
- Ayub, M., C.E. Boyd, and D. Teichert-Coddington. 1994. Effects of urea application, aeration, and drying on total carbon concentrations in pond bottom soils. CRSP Research Report 94-69, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *The Progressive Fish-Culturist* 55:210-213, 1993.]
- Boyd, C.E. and D. Teichert-Coddington. 1994. Pond bottom soil respiration during fallow and culture periods in heavily-fertilized tropical fish ponds. CRSP Research Report 94-70, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Journal of the World Aquaculture Society* 25(3):210-213, 1994.]
- Hopkins, K.D. 1994. Reporting fish growth: a review of the basics. CRSP Research Report 94-71, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Journal of the World Aquaculture Society* 23(3):173-179, 1992.]
- Hopkins, K.D. and J.D. Bowman. 1994. A research methodology for integrated agriculture-aquaculture farming systems. CRSP Research Report 94-72, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in Jaw-kai Wang, ed. *Techniques for Modern Aquaculture, Proceedings of an Agricultural Engineering Conference, 21-23 June 1993, Spokane, Washington*, 89-98. American Society of Agricultural Engineers, St. Joseph, MO, USA.]
- Diana, J.S., C.K. Lu, and K. Jaiyen. 1994. Supplemental feeding of tilapia in fertilized ponds. CRSP Research Report 94-73, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Journal of the World Aquaculture Society* 25(4), 1994.]
- Knud-Hansen, C.F. 1994. Pond history as a source of error in fish culture experiments: a quantitative assessment using covariate analysis. CRSP Research Report 94-74, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquaculture* 105:21-36, 1992.]

Green, B.W. and D.R. Teichert-Coddington. 1994. Growth of control and androgen-treated Nile tilapia, *Oreochromis niloticus* (L.), during treatment, nursery and grow-out phases in tropical fish ponds. CRSP Research Report 94-75, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquaculture and Fisheries Management* 25:613-621, 1994.]

Teichert-Coddington, D. and B. Green. 1994. Comparison of two techniques for determining community respiration in tropical fish ponds. CRSP Research Report 94-76, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquaculture* 113:41-50, 1993.]

Teichert-Coddington, D. and B. Green. 1994. Tilapia yield improvement through maintenance of minimal oxygen concentrations in experimental grow-out ponds in Honduras. CRSP Research Report 94-77, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquaculture* 118:63-71, 1993.]

Teichert-Coddington, D.R., M. Peralta, and R.P. Phelps. 1994. Seepage reduction in tropical fish ponds using chicken litter. CRSP Research Report 94-78, Pond Dynamics/Aquaculture CRSP, Office of International Research & Development, Oregon State University, Corvallis, Oregon, USA. [Originally published in *Aquacultural Engineering* 8:147-154, 1989.]

VII. Financial Summary

This section summarizes the expenditures of USAID, non-federal, and host country funds for CRSP research activities and program management. This unaudited summary is intended to provide an overview of CRSP program budgets and matching support.

The expenditure of USAID funds by Collaborative Research Projects, Special Topics Research, and Program Management is presented in Table 3 for the period 1 September 1993 through 31 August 1994. This is the fourth year of the third CRSP grant, which provides core funding of \$920,000 per year. The program was originally contracted to end 31 August 1995; a change in USAID's allocation pattern has resulted in changing the end of project date to 10 April 1995.

Program Management Office expenditures include two main categories: Operations and Administration and Communications. This CRSP is unique in including the research-oriented functions of technical communications in the Program Management Office. Until the last reporting period, the Program Management Office was also responsible for Data Base Management; this function was transferred to the University of Hawaii. During this reporting period, expenditures for the Data Base Management were assumed completely by the U.S. Research Component of the budget. The U.S. Research Component also includes expenditures to support the Data Analysis and Synthesis Team's activities at the University of California at Davis and at Oregon State University.

Cost-sharing contributions from the U.S. institutions and contributions from host countries are presented in Table 3. The average percentage of funding borne by U.S. universities is 25%, which fulfills the USAID requirement. Although host country cost-sharing is not required, these contributions reflect a continuing commitment to participation in the CRSP by our collaborators. These data were provided by the Principal Investigators of the projects.

A different format of the financial summary is given for the Egypt project, necessitated by important recent developments. The Egypt project was slated to end by 31 September 1994. An extension was granted, but all research activities were terminated on 31 December 1994. Therefore, this financial summary covers the period from 1 September 1993 through 30 September 1994, the original project end date. Financial information concerning the remaining period will be presented in the final report. Contributions of U.S. institutions, though not required under the terms of this grant, are also included in Table 4.

Table 3. Expenditure of funds

		USAID Funds		U.S. Cost Sharing		Total, all U.S. funds		Host Country Contribution	
		1993-94	Cumulative	1993-943	Cumulative	1993-94	Cumulative	1993-94	Cumulative
Research Program									
Honduras									
	Auburn	\$102,633	\$579,269	\$25,658	\$144,817	\$128,291	\$724,086	\$50,000	\$192,000
Rwanda									
	Auburn	\$66,473	\$344,239	\$16,618	\$86,060	\$83,091	\$430,299	\$12,359	\$99,880
	OSU	\$92,597	\$334,322	\$23,149	\$83,580	\$115,746	\$417,902		
	UAPB	\$5,548	\$11,831	\$1,387	\$5,137	\$6,935	\$16,968		
	OSU/WID	\$0	\$5,942	\$0	\$1,486	\$0	\$7,428		
Thailand									
	MSU	\$26,361	\$278,993	\$6,590	\$69,748	\$32,951	\$348,741	\$26,000	\$138,000
	UH*	\$137,669	\$342,337	\$34,417	\$85,584	\$172,086	\$427,921		
	UM	\$168,443	\$615,741	\$42,111	\$153,936	\$210,554	\$769,677		
Global Social Science Project									
	Auburn	\$36,897	\$40,230	\$9,224	\$10,057	\$46,121	\$50,287		
Subtotal		\$636,621	\$2,552,904	\$159,155	\$640,406	\$795,776	\$3,193,310	\$103,977	\$341,521
U.S. Research Program									
	DAST/UCD	\$45,109	\$195,942	\$11,277	\$48,985	\$56,386	\$244,927		
	DAST/OSU	\$59,612	\$165,246	\$14,903	\$41,312	\$74,515	\$206,558		
	Soils/OSU	\$0	\$16,064	\$0	\$4,016	\$0	\$20,080		
Subtotal		\$104,721	\$377,252	\$26,180	\$94,313	\$130,901	\$471,565		
Management Entity• (includes some research funds)		\$215,166	\$1,115,430			\$215,166	\$1,115,430		
External Evaluation funds		\$1,236	\$96,236			\$1,236	\$96,236		
TOTAL		\$957,744	\$4,141,822	\$185,336	\$734,720	\$1,143,080	\$4,876,542	\$103,977	\$341,521

• Includes funds for Central Data Base Management.

• Includes Technical Publications

Table 4.
Egypt Project expenditure from 10/1/93 through 9/31/94

	USAID Funds		US Contribution		Total	
	93-94	Cumulative	93-94	Cumulative	93-94	Cumulative
Research in Egypt						
Auburn	\$228,737	\$446,989	\$25,559	\$80,122	\$254,296	\$527,111
Univ. of Okla	\$60,407	\$95,940	\$12,000	\$20,883	\$72,407	\$116,823
Subtotal	\$289,144	\$542,929	\$37,559	\$160,244	\$326,703	\$703,173
Research in Thailand						
UM/AIT	\$0	\$15,473	\$0	\$0	\$0	\$15,473
Subtotal	\$0	\$15,473	\$0	\$0	\$0	\$15,473
Research in U.S.						
Univ. of Hawaii	\$55,468	\$56,906	\$13,155	\$13,515	\$68,623	\$70,421
OSU	\$60,026	\$84,002	\$19,503	\$25,497	\$79,529	\$109,499
Subtotal	\$115,494	\$140,908	\$32,658	\$39,012	\$148,152	\$179,920
Egypt. Institution Building	\$112,491	\$122,271	\$9,184	\$12,346	\$121,675	\$134,617
Management Office	\$179,788	\$248,040	\$13,822	\$26,558	\$193,610	\$274,598
TOTAL	\$696,917	\$1,069,621	\$93,223	\$238,160	\$790,140	\$1,307,781

VIII. Staff Summary

The Pond Dynamics/Aquaculture CRSP represents the joint efforts of more than 45 professional and support personnel from U.S. universities. It also represents the collaborative efforts of over 75 scientists, technicians, and graduate students from project sites in five host countries. The expertise of host country and U.S. personnel is broad-based and encompasses the major fields of specialization included in this CRSP: Limnology and Water Quality; Fisheries and Aquaculture; Soil Science; Sociology; Data Management, Analysis, and Modeling; Sociology; Biotechnology; Agricultural Economics; and Research Administration.

The major United States-based research activity, Data Analysis and Synthesis, involves eight researchers from the University of California at Davis and Oregon State University. Scientists from Auburn University, the University of Arkansas at Pine Bluff, Oregon State University, and the University of Hawaii also participate in additional U.S.-based research activities.

The CRSP regularly collaborates with other groups and institutions in the development of host country projects. For example, in northeast Thailand, the CRSP supports the outreach efforts of the Asian Institute of Technology by providing the research component for an adaptive management system. In Egypt, researchers from institutions such as the Institute of National Planning and Al Azhar University are interested in the implications of CRSP research for planning the future direction of Egyptian aquaculture development. In Rwanda, the CRSP researcher regularly met with the Ministry of Agriculture's Aquaculture Strategy Commission to advise on establishing research priorities and in proposing suitable research-extension linkages. Researchers also meet with the USAID/Kigali Mission and personnel from the Natural Resources Management Project to advise on natural resource issues. Numerous private voluntary organizations take advantage of the training offered by the CRSP. Peace Corps volunteers in Rwanda and Honduras consult with CRSP researchers on project design and implementation. Private sector farmers in Honduras take advantage of CRSP expertise through seminars conducted by resident and visiting researchers. While these trainees are not formally part of the CRSP staff, they enhance the outreach ability of the CRSP by transmitting CRSP technologies and information.

FIELD(S) OF SPECIALIZATION

<i>Individual</i>	<i>CRSP Function</i>	<i>Research Administration</i>	<i>Limnology/Water Quality</i>	<i>Fisheries/Aquaculture</i>	<i>Data Management</i>	<i>Social Sciences</i>	<i>Location of Work (1)</i>
MANAGEMENT ENTITY *							
Hillary Egna	Director	X	X	X			Corvallis, Oregon
Marion McNamara	Assistant Director	X					Corvallis, Oregon
Naomi Weidner	Admin. Assistant	X					Corvallis, Oregon
Brigitte Goetze	Deputy Director and Egypt Coordinator	X	X				Corvallis, Oregon

* During this reporting period, CRSP/ SAID Global Bureau funds only paid for 2.0 FTE of management salaries.

ADVISORY PANELS

BOARD OF DIRECTORS

Robert Fridley	Chairman	X	X	X			Davis, California
Philip Helfrich	Member	X		X			Kaneohe, Hawaii
R. Oneal Smitherman	Member	X		X			Auburn, Alabama

EXTERNAL EVALUATION PANEL

Homer Buck	Member	X		X			Salem, Illinois
Richard Neal	Chairman	X		X			La Jolla, California
Roger Pullin	Member	X		X			Manila, Philippines

AT-LARGE TECHNICAL COMMITTEE

Ted Batterson	Member	X	X	X			East Lansing, Michigan
---------------	--------	---	---	---	--	--	------------------------

(1) Denotes primary work location and excludes host country site visits and travel for attending meetings.

(2) Personnel involved in multiple projects.

FIELD(S) OF SPECIALIZATION

Individual	CRSP Function	Research	Administration	Limnology/Water Quality	Fisheries/Aquaculture	Data Management	Social Sciences	Location of Work (1)
------------	---------------	----------	----------------	-------------------------	-----------------------	-----------------	-----------------	----------------------

DATA BASE MANAGEMENT**DATA BASE MANAGEMENT— UNIVERSITY OF HAWAII**

Kevin Hopkins (2)	Manager	X	X	X				Hilo, Hawaii
John Wassell	Assistant Manager				X			Hilo, Hawaii

DATA ANALYSIS AND SYNTHESIS TEAM**DATA ANALYSIS AND SYNTHESIS TEAM – OREGON STATE UNIVERSITY**

James Lannan	Co-Principal Investigator	X	X	X				Newport, Oregon
John Bolte	Co-Principal Investigator	X	X	X	X			Corvallis, Oregon
Shree Nath	Graduate Student		X	X				Corvallis, Oregon
Doug Ernst	Graduate Student		X	X				Corvallis, Oregon

DATA ANALYSIS AND SYNTHESIS TEAM – UNIVERSITY OF CALIFORNIA AT DAVIS

Raul Piedrahita	Principal Investigator	X	X	X				Davis, California
Bill Brinkop	Research Assistant	X		X				Davis, California
Steven Culberson	Research Assistant	X	X	X				Davis, California
Philip Giovannini	Research Assistant	X	X	X				Davis, California
Steve Thomas	Research Assistant	X	X					Davis, California
Cristiano dos Santos Neto	Visiting Scholar	X	X	X				Davis, California
George Max	Fiscal Officer	X						Davis, California

(1) Denotes primary work location and excludes host country site visits and travel for attending meetings.

(2) Personnel involved in multiple projects.

FIELD(S) OF SPECIALIZATION

Individual	CRSP Function	Research	Administration	Limnology/Water Quality	Fisheries/Aquaculture	Data Management	Social Sciences	Location of Work (1)
EGYPT								
EGYPT – AUBURN UNIVERSITY								
Claude Boyd (2)	U.S. Co-Principal Investigator	X						Auburn, Alabama
Bryan Duncan (2)	U.S. Co-Principal Investigator	X						Auburn, Alabama
Bartholomew Green	U.S. Co-Principal Investigator	X	X	X	X			Abbassa, Egypt
P. Parks	Fiscal Officer	X						Auburn, Alabama

EGYPT – CENTRAL LABORATORY FOR AQUACULTURE RESEARCH

Abdel Rahman El Gamal	H.C. Principal Investigator	X	X	X				Abbassa, Egypt
Ali E. Abdelghany	Researcher	X		X				Abbassa, Egypt
Hussein El Ghobashy	Researcher	X		X				Abbassa, Egypt
Gamal El Nagar	Researcher			X				Abbassa, Egypt
Fatma El Nemaky	Researcher				X			Abbassa, Egypt
Abdel Moez Faried	Researcher		X					Abbassa, Egypt
Fatma Hafez	Researcher			X				Abbassa, Egypt
Hussein Hebicha	Researcher				X			Abbassa, Egypt
Esam Hosny Rizkalla	Researcher			X				Abbassa, Egypt
Abdel Rahman Mostafa	Researcher			X				Abbassa, Egypt
Zeinab Attia Nagdy	Researcher		X					Abbassa, Egypt
Ahmed Saud	Researcher			X				Abbassa, Egypt
Ahmed Khater	Research Associate			X				Abbassa, Egypt
Gamal Abdel Nasser	Research Associate			X				Abbassa, Egypt
Ibrahim Shaker	Research Associate		X					Abbassa, Egypt

(1) Denotes primary work location and excludes host country site visits and travel for attending meetings

(2) Personnel involved in multiple projects

FIELD(S) OF SPECIALIZATION

<i>Individual</i>	<i>CRSP Function</i>	<i>Research Administration</i> <i>Limnology/Water Quality</i> <i>Fisheries/Aquaculture</i> <i>Data Management</i> <i>Social Sciences</i>	<i>Location of Work (1)</i>
Ahmed Abdel Fatah	Research Assistant	X	Abbassa, Egypt
Safwat Abdel Ghany	Research Assistant	X	Abbassa, Egypt
Khalid Hussein	Research Assistant	X	Abbassa, Egypt
Nabil Ibrahim	Research Assistant	X	Abbassa, Egypt
Dia Abdel Rahiem	Research Assistant	X	Abbassa, Egypt
Mohamed Abdel Salam	Research Assistant	X	Abbassa, Egypt
Naem Shamees	Research Assistant	X	Abbassa, Egypt
Namat Abdel Fatah	Chemist	X	Abbassa, Egypt
Samir Said	Chemist	X	Abbassa, Egypt
Mona Hamed	Biologist	X	Abbassa, Egypt
Mostafa Abdel Mohsen	Biologist	X	Abbassa, Egypt
Samir Zain Elabeden	Technical Engineer	X	Abbassa, Egypt
Wahied Elwan	Technical Engineer	X	Abbassa, Egypt
Tharwat Ismail	Technical Engineer	X	Abbassa, Egypt
Ahmed Nassralla	Technical Engineer	X	Abbassa, Egypt
Ashraf Soliman	Technical Engineer	X	Abbassa, Egypt
Mohamed Wafik	Technical Engineer	X	Abbassa, Egypt
Seham Ahmed	Laboratory Assistant	X	Abbassa, Egypt
Mahmoud Abou El Nour	Accountant	X	Abbassa, Egypt

(1) Denotes primary work location and excels host country site visits and travel for attending meetings.

(2) Personnel involved in multiple projects.

FIELD(S) OF SPECIALIZATION

<i>Individual</i>	<i>CRSP Function</i>	<i>Research Administration</i>	<i>Limnology/Water Quality</i>	<i>Fisheries/Aquaculture</i>	<i>Data Management</i>	<i>Social Sciences</i>	<i>Location of Work (1)</i>
EGYPT – OREGON STATE UNIVERSITY							
Martin Fitzpatrick	U.S. Co-Principal Investigator	X	X				Corvallis, Oregon
Carl Schreck	U.S. Co-Principal Investigator	X	X				Corvallis, Oregon
William Gale	U.S. Research Assistant			X			Corvallis, Oregon
Robert Halvorsen (2)	Fiscal Officer	X					Corvallis, Oregon
EGYPT – UNIVERSITY OF HAWAII							
Gordon Grau	U.S. Principal Investigator	X	X	X			Kaneohe, Hawaii
Kevin Hopkins (2)	U.S. Principal Investigator	X	X	X			Hilo, Hawaii
Hal Richmond	U.S. Research Assistant		X	X			Kaneohe, Hawaii
Steve Shimoda	U.S. Research Assistant	X	X				Kaneohe, Hawaii
Bo Alexander	U.S. Research Assistant		X				Kaneohe, Hawaii
A. Chang	Fiscal Officer	X					Kaneohe, Hawaii
EGYPT – UNIVERSITY OF MICHIGAN							
James Diana (2)	U.S. Principal Investigator	X	X				Ann Arbor, Michigan
P. Stemple	Fiscal Officer	X					Ann Arbor, Michigan
EGYPT – UNIVERSITY OF MICHIGAN/ASIAN INSTITUTE OF TECHNOLOGY							
C. Kwei Lin (2)	Principal Investigator	X	X				Bangkok, Thailand

(1) Denotes primary work location and excludes host country site visits and travel for attending meetings.

(2) Personnel involved in multiple projects.

FIELD(S) OF SPECIALIZATION

<i>Individual</i>	<i>CRSP Function</i>	<i>Research Administration</i>	<i>Limnology/Water Quality</i>	<i>Fisheries/Aquaculture</i>	<i>Data Management</i>	<i>Social Sciences</i>	<i>Location of Work (1)</i>
EGYPT – UNIVERSITY OF OKLAHOMA							
William Shelton	U.S. Principal Investigator		X				Norman, Oklahoma
Venkatesh Wanningham	Research Assistant		X				Norman, Oklahoma
B. Quinn	Fiscal Officer	X					Norman, Oklahoma

HONDURAS**HONDURAS – AUBURN UNIVERSITY**

Bryan Duncan (2)	U.S. Principal Investigator	X	X				Auburn, Alabama
Claude Boyd (2)	U.S. Researcher	X	X	X			Auburn, Alabama
David Teichert-Coddington	U.S. Research Associate	X	X	X			Comayagua and Choluteca, Honduras
Karen Veverica (2)	U.S. Research Associate		X	X			Auburn, Alabama
Gerald Johnson	V.P. for Research	X					Auburn, Alabama

HONDURAS – HOST COUNTRY PERSONNEL

Ricardo Gomez	H.C. Principal Investigator	X	X				Comayagua, Honduras
Sagrario Calix	Secretary	X					Comayagua, Honduras
Nelson Claros	Chemist		X				Choluteca, Honduras
Jaime Lopez	Lab Technician		X				Choluteca, Honduras
Delia Martinez	Chemist	X	X				Comayagua, Honduras
Encida Ramirez	Asst. Chemist						Choluteca, Honduras
Marco Polo Micheletti							Tegucigalpa, Honduras
Herburt Ramos	Biologist	X	X				Comayagua, Honduras
Miguel Zelaya	Lab Technician			X			Choluteca, Honduras

(1) Denotes primary work location and excludes host country site visits and travel for attending meetings.

(2) Personnel involved in multiple projects.

FIELD(S) OF SPECIALIZATION

<i>Individual</i>	<i>CRSP Function</i>	<i>Research Administration</i>	<i>Limnology/Water Quality</i>	<i>Fisheries/Aquaculture</i>	<i>Data Management</i>	<i>Social Sciences</i>	<i>Location of Work (1)</i>
RWANDA							
RWANDA – OREGON STATE UNIVERSITY							
Wayne Seim	U.S. Co-Principal Investigator	X	X				Corvallis, Oregon
Jim Bowman (from 8/94)	U.S. Research Associate		X				Corvallis, Oregon
Felicien Rwangano	Graduate Student		X				Corvallis, Oregon
Robert Halvorsen (2)	Fiscal Officer	X					Corvallis, Oregon

RWANDA – AUBURN UNIVERSITY

Tom Popma	U.S. Principal Investigator	X	X				Auburn, Alabama
Joyce R. Newman (thru 4/94)	U.S. Research Associate		X				Butare, Rwanda
Karen Aeverica (2)	U.S. Research Associate	X	X				Auburn, Alabama
Bryan Duncan (2)	U.S. Researcher	X					Auburn, Alabama
Donald Large (2)	Fiscal Officer	X					Auburn, Alabama

RWANDA – UNIVERSITY OF ARKANSAS AT PINE BLUFF

Carole Egle	U.S. Principal Investigator	X		X			Pine Bluff, Arkansas
Peter Pershbacher	U.S. Researcher	X	X				Pine Bluff, Arkansas
Harold Phillips	U.S. Research Assistant		X				Pine Bluff, Arkansas

RWANDA – HOST COUNTRY PERSONNEL

J. Bucyanayandi	H.C. Principal Investigator	X	X				Butare, Rwanda
Eugene Rurangwa	Researcher						Butare, Rwanda

(1) Denotes primary work location and excludes host country site visits and travel for attending meetings.

(2) Personnel involved in multiple projects

FIELD(S) OF SPECIALIZATION

<i>Individual</i>	<i>CRSP Function</i>	<i>Research Administration</i>	<i>Limnology/Water Quality</i>	<i>Fisheries/Aquaculture</i>	<i>Data Management</i>	<i>Social Sciences</i>	<i>Location of Work (1)</i>
Anaclet Gatera	Research Assoc. & Asst. Station Mngr	X					Butare, Rwanda
Maurice Ntahobari	Rector of UNR	X					Butare, Rwanda
J. Nshimyumuremyi	Vice Rector	X					Butare, Rwanda
A. Muhawenimana	Dean, Faculty	X					Butare, Rwanda
Venantie Mukasikubwabo	Station Manager	X	X				Butare, Rwanda
Lieven Verheust	UNR Researcher	X	X				Butare, Rwanda
Ngoy Kasongo	Lab Technician	X					Butare, Rwanda
G. Ndahimana	Asst. Lab Technician	X					Butare, Rwanda
L. Umugiraneza	Sec./Computer Operator			X			Butare, Rwanda
E. Sindikubwabo	Lab Assistant	X					Butare, Rwanda
Evariste Ndebazi	Lab Assistant	X					Butare, Rwanda
Immaculee Nyabenda	Station Agronome		X				Butare, Rwanda
J.B. Munyandege	Extension Agen/ Ngoma		X				Ngoma, Rwanda
S. Nyirakamana	Extension Agen/ Shyanda		X				Shyanda, Rwanda
T. Ruhumuliza	Station Foreman		X				Butare, Rwanda
Eugenie Uwizeyimana	Storekeeper/ Cashier	X					Butare, Rwanda
P. Nsabimana	Seine Crew Leader		X				Butare, Rwanda
E. Kajiywami	Hatchery Technician	X					Butare, Rwanda
A. Dushimabateyetsi	Pond Manager		X				Butare, Rwanda
J. Uwumuremyi	Pond Manager		X				Butare, Rwanda
P. Niyibizi	Computer Operator			X			Butare, Rwanda

(1) Denotes primary work location and excludes host country site visits and travel for attending meetings.

(2) Personnel involved in multiple projects

FIELD(S) OF SPECIALIZATION

Individual	CRYP Function	FIELD(S) OF SPECIALIZATION			Location of Work (1)
		Research Administration	Limnology/Water Quality	Fisheries/Aquaculture	

THAILAND**THAILAND – UNIVERSITY OF MICHIGAN**

James Diana (2)	U.S. Co-Principal Investigator	X	X	X	Ann Arbor, Michigan
C. Kwei Lin (2)	U.S. Co-Principal Investigator	X	X	X	Bangkok, Thailand
Barbara Diana	Research Assistant	X		X	Ann Arbor, Michigan
Tracy Willoughby	Fiscal Officer	X			Ann Arbor, Michigan

THAILAND – HOST COUNTRY PERSONNEL

Chaninthorn Sritongsuk	H.C. Co-Principal Investigator	X	X	X	DOF, Thailand
Peter Edwards	H.C. Co-Principal Investigator			X	AIT, Thailand
Watana Leelapatara	Research Associate		X	X	DOF, Thailand
Kiri	Research Associate	X			DOF, Thailand
Chintana Boonthamchinda	Research Admin.	X		X	AIT, Thailand
Sumil Shrestha	Research Assistant			X	AIT, Thailand
Somchai Vaipoka	Research Assistant			X	Ayutthaya, Thailand
Pasu Wiwantrangan	Research Assistant				AIT, Thailand
Manoj Yomjinda	Research Assistant		X		AIT, Thailand

THAILAND/PHILIPPINES – UNIVERSITY OF HAWAII

Kevin Hopkins (2)	U.S. Co-Principal Investigator	X		X	X	Hilo, Hawaii
James Szyper	U.S. Co-Principal Investigator	X	X	X		Kaneohe, Hawaii and AIT, Thailand

(1) Denotes primary work location and excludes host country site visits and travel for attending meetings.

(2) Personnel involved in multiple projects.

FIELD(S) OF SPECIALIZATION

<i>Individual</i>	<i>CRSP Function</i>	<i>Research Administration</i>	<i>Limnology/Water Quality</i>	<i>Fisheries/Aquaculture</i>	<i>Data Management</i>	<i>Social Sciences</i>	<i>Location of Work (1)</i>
PHILIPPINES – HOST COUNTRY PERSONNEL							
Eduardo Lopez	H.C. Principal Investigator	X	X				Munoz, Nueva Ecija, Philippines

SOCIOECONOMIC DIMENSIONS

SOCIOECONOMIC DIMENSIONS – AUBURN UNIVERSITY

Leonard Lovshin	Co-Principal Investigator	X					Auburn, Alabama
Joseph Molnar	Co-Principal Investigator		X				Auburn, Alabama
Terry Hanson	Research Associate		X				Auburn, Alabama
German Cerezo	Graduate Student		X				Honduras
James Hutchins	Graduate Student		X				Auburn, Alabama

IX. CRSP List of Publications

through 31 August 1994

Data Analysis and Synthesis Team

Oregon State University

Publications and Reports

- Lannan, J.E. 1990. Farming and ranching an aquatic system. *Food Reviews International* 6:293-298.
- Lannan, J.E., G.A.E. Gall, J.E. Thorpe, C.E. Nash, and B.A. Ballachey. 1989. Genetic resource management of fish. *Genome* 31:798-804.

University of California, Davis

Theses

- Culberson, S.D. 1993. Simplified model for prediction of temperature and dissolved oxygen in aquaculture ponds using reduced data inputs. M.S. thesis. University of California, Davis.
- Giovannini, P. 1989. Analysis and modeling of dissolved oxygen concentrations and photosynthesis in warm water aquaculture ponds. M.S. thesis. 133 pp.

Publications and Reports

- Culberson, S.D., and R.H. Piedrahita. 1993. Model for predicting dissolved oxygen levels in stratified ponds using reduced data inputs. Pages 543-552 *in* Jaw-kai Wang (editor). *Techniques for Modern Aquaculture. Proceedings of an Aquacultural Engineering Conference* 24-25 June 1993, Spokane, Washington. American Society of Agricultural Engineers.
- Fridley, R.B., R.H. Piedrahita, and T.M. Losordo. 1988. Challenges in aquacultural engineering. *Aquacultural Engineering* 6(9):12-15.
- Giovannini, P., and R.H. Piedrahita. 1991. Modeling photosynthetic production optimization for aquaculture ponds. *Aquacultural Engineering* 13:83-100.
- Giovannini, P., and R.H. Piedrahita. 1992. Modeling diel phytoplankton light sensitivity changes in aquaculture ponds. *In review*.
- Giovannini, P., and R.H. Piedrahita. 1991. Engineering of non-fed pond systems. *Proceedings, WAS/ASAE sessions at World Aquaculture Society meeting, San Juan, Puerto Rico. American Society of Agricultural Engineers, Saint Joseph, Michigan.*
- Giovannini, P., and R.H. Piedrahita. 1990. Measuring primary production efficiency in aquacultural ponds. *American Society of Agricultural Engineers Paper Number 90-7034*.
- Giovannini, P., and R.H. Piedrahita. 1989. Analysis and modeling of diel pond dynamics. *American Society of Agricultural Engineers Paper Number 89-7556*.
- Giovannini, P., and R.H. Piedrahita. 1988. Analysis and modeling of dissolved oxygen in warm water aquaculture ponds. *American Society of Agricultural Engineers Paper Number 88-5004*.
- Grace, G., and R.H. Piedrahita. 1991. Carbon dioxide control. *In* M. Timmons and T.M. Losordo, editors. *Engineering Design and Management of Aquaculture Water Reuse Systems*. Elsevier, Amsterdam. *In press*.

- Grace, G., and R.H. Piedrahita. 1993. Carbon dioxide control with a packed column aerator. Pages 496-505 *in* *Techniques for Modern Aquaculture, Proceedings, American Society of Agricultural Engineers, June 1993*.
- Grace, G., and R.H. Piedrahita. 1992. Carbon dioxide control. *In review*.
- Grace, G., and R.H. Piedrahita. 1989. Carbon dioxide removal in packed column aerators. *American Society of Agricultural Engineers Paper no. 89-7556*.
- Losordo, T.M., and R.H. Piedrahita. 1990. Modeling temperature variation and thermal stratification in shallow aquaculture ponds. *Ecological Modeling* 5:189-226.
- Lu, Z., and R.H. Piedrahita. 1993. Nitrifying characteristics of a high rate packed column. Pages 345-351 *in* *Techniques in Modern Aquaculture, Proceedings, American Society of Agricultural Engineers, June 1993*.
- Piedrahita, R.H. 1991. Modeling water quality in aquaculture ecosystems. Pages 322-362 *in* D.E. Brune and J.R. Tomasso, (editors). *Aquaculture and Water Quality*. World Aquaculture Society, Baton Rouge, Louisiana.
- Piedrahita, R.H. 1991. Simulation of short-term management actions to prevent oxygen depletion in ponds. *Journal of the World Aquaculture Society* 22(3):157-166.
- Piedrahita, R.H. 1991. Engineering aspects of warmwater hatchery design. Pages in 85-100 *in* *Proceedings, WAS/ASAE sessions at World Aquaculture Society meeting, San Juan, Puerto Rico. American Society of Agricultural Engineers, Saint Joseph, Michigan.*
- Piedrahita, R.H. 1990. Aquaculture: Engineering and construction. Pages 117-126 *in* Y.H. Hui, editor. *Wiley Encyclopedia of Food Science and Technology*. Wiley and Sons, New York.
- Piedrahita, R.H. 1990. Detritus based aquaculture systems. *Food Reviews International* 6(3):317-331.
- Piedrahita, R.H. 1990. Calibration and validation of TAP, an aquaculture pond water quality model. *Aquacultural Engineering* 9:75-96.
- Piedrahita, R.H. 1989. Modeling water quality in aquaculture ecosystems. *In* D.E. Brune and J.R. Tomasso, editors. *Aquaculture and Water Quality*. World Aquaculture Society, Baton Rouge, Louisiana. *In press*.
- Piedrahita, R.H. 1989. Simulation of short-term management actions to prevent oxygen depletion in ponds. *American Society of Agricultural Engineers Paper Number 89-7555*.
- Piedrahita, R.H. 1988. Introduction to computer modeling of aquaculture pond ecosystems. *Aquaculture and Fisheries Management* 19:1-12.
- Piedrahita, R.H., and D.E. Brune. 1989. Aquacultural engineering: Aquatic habitat commands innovative thrusts. *Agricultural Engineering* 70(1):30-32.
- Piedrahita, R.H., and J.M. Ebeling. 1993. Automated data acquisition and control in aquaculture ponds. *American Fisheries Society*. *In press*.
- Piedrahita, R.H., and P. Giovannini. 1991. Fertilized non-fed pond systems. Pages 1-14 *in* *Aquaculture Systems Engineering. Proceedings of the World Aquaculture Society of the American Society of Agricultural Engineers (ASE, Publication 02-91): World Aquaculture Society 22nd Annual Meeting, 16-20 June 1991, San Juan Puerto Rico*.
- Piedrahita, R.H., and A. Seland. 1991. Calculation of pH in fresh and sea water aquaculture systems. *Aquacultural Engineering*. *In press*.
- Piedrahita, R.H., and J.K. Wang. 1988. Engineering in aquaculture, an overview. *Proceedings of the Joint U.S. India International Symposium on Aquaculture Research Needs for the Year 2000*. New Delhi, India.
- Szyper, J.P., L.Z. Rosenfeld, R.H. Piedrahita, and P. Giovannini. 1992. Diel cycles of planktonic respiration rates in briefly incubated water samples from a fertile earthen pond. *Limnology and Oceanography* 37(6):1193-1201.

Presentations

- Batterson, T., and R.H. Piedrahita. 1991. Current trends, interests and concerns related to aquacultural wastes and their treatment in the United States. Presented at the EFAC workshop on Economics of Waste Water Management in Aquaculture, and to be included in a report to be published by EIFAC/FAO.

- Brune, D.E., C.M. Drcho, and R.H. Piedrahita. May 1992. Pond oxygen dynamics: design and management strategies. Aquaculture Meeting, Orlando, Florida. Paper No. AQUA-92-101, American Society of Agricultural Engineers.
- Culberson, S.D., and R.H. Piedrahita. 1992. Modification of stratified temperature model to accommodate reduced data inputs: Identifying critical requirements. Aquaculture 92 International Conference, 21-25 May 1992, Orlando, Florida. Paper No. AQUA-92-102.
- Eikebrokk, B., R.H. Piedrahita, and Y. Ugenes. 1991. Rates of fish waste production and effluent discharge from a recirculating system (BIOFISD) under commercial conditions. Presented at the meeting on Aquaculture and Water Resource Management.
- Piedrahita, R.H. November 26-27, 1992. Managing environmental impacts in aquaculture. Presented at United States-Japan Natural Resources (UJRN) Aquaculture Panel, Kyoto.
- Piedrahita, R.H. September 1991. Carbon dioxide removal for intensive aquaculture. Workshop on Recirculating Aquaculture Systems, Baton Rouge, Louisiana.
- Piedrahita, R.H. 1991. Engineering aspects of warmwater hatchery design. Proceedings, WAS/ASAE sessions at the World Aquaculture Society, San Juan, Puerto Rico. American Society of Agricultural Engineers, Saint Joseph, Michigan.
- Piedrahita, R.H. 1989. Engineering aspect. of warmwater hatchery design. Presented at Workshop on Milkfish Fry Production Technology, Bali, Indonesia. Oceanic Institute, Hawaii.
- Piedrahita, R.H., and Grace, G. 1991. Carbon dioxide removal for intensive aquaculture. Paper presented at the Workshop on Recirculating Aquaculture Systems, Baton Rouge, Louisiana, September, 1991.
- Piedrahita, R.H., and G. Grace. June 1990. Removal of carbon dioxide and intensive aquaculture systems. Presented at the Annual Meeting of the World Aquaculture Society, Halifax, Nova Scotia.
- Szyper, J.P., R.H. Piedrahita and P. Giovannini. May 1993. Requirements for maximizing bloom stability and net oxygen production in earthen ponds. Poster paper presented at World Aquaculture Society meeting, Torremolinos, Spain.
- Whitman, M. H., and R. H. Piedrahita. February 1989. Water quality requirements of Pacific oysters (*Crassostrea gigas*) in holding systems. Annual Meeting of the World Aquaculture Society, Los Angeles.

Manuscripts

- Piedrahita, R.H., and Grace, G. 1991. Carbon dioxide removal for intensive aquaculture. Paper presented at the Workshop on Recirculating Aquaculture Systems, Baton Rouge, Louisiana, September, 1991. In review.

University of Hawaii

Publications and Reports

- Szyper, J.P., L.Z. Rosenfeld, R.H. Piedrahita, and P. Giovannini. 1992. Diel cycles of planktonic respiration rates in briefly-incubated water samples from a fertile earthen pond. *Limnology and Oceanography*. In press.

Presentations

- Szyper, J.P., R.H. Piedrahita and P. Giovannini. 1993. Requirements for maximizing bloom stability and net oxygen production in earthen ponds. Poster paper presented at World Aquaculture Society meeting, Torremolinos, Spain, May.

University of Michigan

Publications and Reports

- Chang, William. 1989. Integrated lake farming to manage fish and environment in the large shallow lakes in China. *Aquaculture and Fisheries Management* 20:441-452.
- Chang, William. 1989. Estimates of hypolimnetic oxygen deficits in ponds. *Aquaculture and Fisheries Management* 20:163-172.
- Chang, W., and H. Ouyang. 1988. Dynamics of dissolved oxygen and vertical circulation in fish ponds. *Aquaculture* 74:263-276.
- Springborn, R.R., A.L. Jensen, and W.Y.B. Chang. 1991. A variable growth rate modification of von Bertalanffy's equation for aquaculture. *Aquaculture and Fisheries Management* 25:259-267.
- Springborn, R.R., A.L. Jensen, W.Y.B. Chang, and C. Engle. 1992. Optimum harvest time in aquaculture: An application of economic principles to a Nile tilapia, *Oreochromis niloticus* (L.), growth model. *Aquaculture and Fisheries Management* 23:639-647.

Manuscripts

- Springborn, R. R., A. L. Jensen, and W.Y.B. Chang. Application of the initial value solution of Von Bertalanffy's solution to *tilapia nilotica* growth in aquaculture experiment. *Aquaculture* (submitted).
- Springborn, R. R., A. L. Jensen, and W.Y.B. Chang. A multivariate approach for examining *Tilapia nilotica* growth in aquaculture experiment using Von Bertalanffy's growth solution (submitted).

Egypt

Central Laboratory for Aquaculture Research

Publications and Reports

- Green, B., Z. Elnagdy, H. Hebida, and A.R. El Gamal. 1994. Pond Management Strategies for Production of Nile Tilapia in Egypt. NARP Harvest No. 2.

Presentations

- Abdelghany, A. 1993. Optimum ratio of animal to plant protein in formulated diets for Nile tilapia. Presented to Sixth International Symposium on Fish Nutrition and Feeding, Hobart, Tasmania.
- Abdelghany, A. 1993. Optimum protein requirements for Nile tilapia. Presented to Sixth International Symposium on Fish Nutrition and Feeding, Hobart, Tasmania.

University of Oklahoma

Presentations

Shelton, W. 1993. Ploidy manipulation in black carp. Presented to Fifth International Symposium on Genetics in Aquaculture, Halifax, Nova Scotia.

Auburn University

Presentations

Green, B. and C.E. Boyd. 1994. Water budgets for fish ponds in the dry tropics. Presented to World Aquaculture Society '94 Conference, New Orleans.
Green, B. and C.E. Boyd. 1994. Chemical budgets for fish ponds in the dry tropics. Presented to World Aquaculture Society '94 Conference, New Orleans.

Honduras

Universidad Nacional Autonoma de Honduras

Theses

- Berrios, J. In preparation. Growth and survival of hybrid tilapia (*Tilapia nilotica* x *Tilapia honorum*) fingerlings during the nursery phase. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)
- Carlos Hernandez, W.N. 1992. Respuesta de fitoplancton y zooplancton a fertilizante orgánico y alimento en estanques piscícolas. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)
- Cerna, C. In preparation. Zooplankton dynamics in *Tilapia nilotica* production ponds fertilized with triple superphosphate. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)
- Echeverria, M.A. 1992. Primary production in *Tilapia nilotica* production ponds fertilized with triple superphosphate. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)
- Garces, C. 1986. Quantitative analysis of zooplankton in fish ponds fertilized with triple superphosphate during the rainy season. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)
- Gomez, R. 1988. Effect of fertilizer type on the production of male *Tilapia nilotica*. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)
- Lopez, L. In preparation. Production of *Tilapia nilotica* in ponds fertilized with layer chicken litter. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)
- Mejia, C. In preparation. Rainy season phytoplankton dynamics in ponds stocked with *Tilapia nilotica*. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)
- Paz, S.A. In preparation. The relationship between primary productivity and chlorophyll and their relation to tilapia production. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)
- Sherman, C. 1992. All female culture of *Tilapia nilotica* in ponds fertilized with chicken litter. B.S. thesis, Dept. of Biology, Universidad Nacional Autonoma de Honduras, Tegucigalpa, Honduras. (In Spanish.)

Auburn University

Publications and Reports

- Alvarenga, H.R., and B.W. Green. 1989. Production and economic aspects of tilapia cultivation in ponds fertilized with chicken litter. *Revista Latinoamericana de Acuicultura* 29:6-10. (In Spanish.)
- Alvarenga, H.R., and B.W. Green. 1986. Growth and production of all male *Tilapia nilotica* and all male hybrid tilapia (*Tilapia nilotica* x *Tilapia honorum*) in ponds. *Rev. Latinoamericana de Acuicultura* 29:6-10. (In Spanish.)
- Alvarenga, H.R., and B.W. Green. 1985. Production of hybrid tilapia (*Tilapia nilotica* x *Tilapia honorum*) fingerlings. CRSP Technical Report, unpublished. 12 pp. (In Spanish.)
- Alvarenga, H.R., B.W. Green, and M.I. Rodriguez. 1987. Production of hybrid tilapia (*Tilapia nilotica* x *Tilapia honorum*) in ponds using corn gluten as a supplemental feed. CRSP Technical Report, unpublished. 13 pp. (In Spanish.)
- Alvarenga, H.R., B.W. Green, and M.I. Rodriguez. 1985. Pelleted fish feed vs. corn gluten as feed for tilapia and Chinese carp polyculture in ponds. CRSP Technical Report, unpublished. (In Spanish.)
- Alvarenga, H.R., B.W. Green, and M.I. Rodriguez. 1984. A system for producing hybrid tilapia (*Tilapia nilotica* x *Tilapia honorum*) fingerlings at the El Carao Aquaculture Experiment Station, Comayagua, Honduras. CRSP Technical Report, unpublished. 9 pp. (In Spanish.)
- Ayub, M., C.E. Boyd and D.R. Teichert-Coddington. 1993. Effects of urea application, aeration, and drying on total carbon concentrations in pond bottom soils. *The Progressive Fish-Culturist* 55:210-213.
- Berrios, J.M. 1986. Growth and survival of hybrid tilapia (*Tilapia nilotica* x *Tilapia honorum*) fingerlings during the nursery phase in ponds. CRSP Technical Report, unpublished. 16 pp. (In Spanish.)
- Boyd, C.E., and D. Teichert-Coddington. 1991. Pond bottom soil respiration during fallow and culture periods in heavily fertilized tropical fish ponds. *Journal of the World Aquaculture Society* 25(5):210-213.
- Boyd, C.E., and D.R. Teichert-Coddington. 1992. Relationship between wind speed and re-aeration in small aquaculture ponds. *Aquacultural Engineering* 11:121-131.
- Green, B.W. 1992. Substitution of organic manure for pelleted feed in tilapia production. *Aquaculture* 101:213-222.
- Green, B.W. 1990. Substitution of organic manure for pelleted feed in tilapia production. *Proceedings of FAO/EHAC Symposium on Production Enhancement in Still-Water Pond Culture*, Prague. Research Institute of Fish Culture and Hydrobiology, 389-25 Vodnany, Czechoslovakia.
- Green, B.W. 1985. Report on the induced spawning of the silver and grass carps. CRSP Technical Report, unpublished. 8 pp. (In Spanish.)
- Green, B.W., and H.R. Alvarenga. 1989. The effect of different application rates of chicken litter on tilapia production. *Revista Latinoamericana de Acuicultura*, Lima - Perú, No. 40:31-112-June 1989. (In Spanish.)
- Green, B.W., and H.R. Alvarenga. 1985. Tilapia and carp polyculture in ponds receiving organic fertilization and supplemental feed. CRSP Technical Report, unpublished. 10 pp. (In Spanish.)

- Green, B.W., and L.A. López. 1990. Implementing the large-scale production of young males of *Tilapia nilotica* using hormonal sex inversion in Honduras. *Agronomía Mesoamericana* 1:21-25. (In Spanish.)
- Green, B.W., and D.R. Teichert-Coddington. 1993. Growth of control and androgen-treated Nile tilapia during treatment, nursery and growout phases in tropical fish ponds. *Fisheries and Aquaculture Management*. In press.
- Green, B.W., and D.R. Teichert-Coddington. 1993. Production of *Oreochromis niloticus* fry for hormonal sex reversal in relation to water temperature. *Journal of Applied Ichthyology* 9:230-236.
- Green, B.W., and D.R. Teichert-Coddington. 1991. Comparison of two samplers used with an automated data acquisition system in whole-pond community metabolism studies. *The Progressive Fish-Culturist* 53(4):236-242.
- Green, B.W., and D.R. Teichert-Coddington. 1990. Comparison of two sampler designs for use with automated data acquisition systems in whole-pond community metabolism studies. *Proceedings of FAO-EIFAC Symposium on Production Enhancement in Still-Water Pond Culture*. Prague. Research Institute of Fish Culture and Hydrobiology, 38925 Vodnany, Czechoslovakia.
- Green, B.W., R.P. Phelps, and H.R. Alvarenga. 1989. The effect of manures and chemical fertilizers on the production of *Oreochromis niloticus* in earthen ponds. *Aquaculture* 76:37-42.
- Green, B.W., D.R. Teichert-Coddington, and T.R. Hanson. 1994. Development of semi-intensive aquaculture technologies in Honduras: Summary of freshwater aquacultural research conducted from 1985 to 1992. *Research and Development Series, International Center for Aquaculture and Aquatic Environments*. Auburn University, AL, USA. In press.
- Green, B.W., D.R. Teichert-Coddington, and R.P. Phelps. 1990. Response of tilapia yield and economics to varying rates of organic fertilization and season in two Central American countries. *Aquaculture* 90:279-290. Elsevier Science Publishers B.V., Amsterdam.
- Green, B.W., H.R. Alvarenga, R.P. Phelps, and J. Espinoza. 1988. Technical Report: Honduras Aquaculture CRSP Cycle III Rainy and Dry Season Phases. CRSP Technical Report, unpublished. Auburn University, Alabama.
- Green, B.W., H.R. Alvarenga, R.P. Phelps, and J. Espinoza. 1987. Technical Report: Honduras Aquaculture CRSP Cycle II Rainy Season Phase. CRSP Technical Report, unpublished. Auburn University, Alabama.
- Green, B.W., H.R. Alvarenga, R.P. Phelps, and J. Espinoza. 1986. Technical Report: Honduras Aquaculture CRSP Cycle II Dry Season Phase. CRSP Technical Report, unpublished. Auburn University, Alabama.
- Green, B.W., H.R. Alvarenga, R.P. Phelps, and J. Espinoza. 1986. Technical Report: Honduras Aquaculture CRSP Cycle I Rainy Season Phase. CRSP Technical Report, unpublished. Auburn University, Alabama. 77 pp.
- Green, B.W., H.R. Alvarenga, R.P. Phelps, and J. Espinoza. 1985. Technical Report: Honduras Aquaculture CRSP Cycle I Dry Season Phase. CRSP Technical Report, unpublished. Auburn University, Alabama. 51 pp.
- Meckenstock, D., D.R. Coddington, J.C. Rosas, H. van Es, M.S. Chinnan and M.M. Murillo. 1991. CRSP Council-Honduras concept paper towards a sustainable agriculture in Southern Honduras. *Proceedings of the International Sorghum and Millet CRSP Conference*. Corpus Christi, Texas, USA. INTSORMIL Publication No. 92-1. INTSORMIL Management Entity Office, 54 Nebraska Center, 1 of Nebraska, Lincoln, Nebraska.
- Rodríguez, R., G. Nuñez, and D. Teichert-Coddington. 1993. Evaluación de dos dietas alimenticias con diferente porcentaje de proteína, bajo dos densidades de siembra época de invierno en Granjas Marinas San Bernardo. II Simposio Centralamericano Sobre Cararón Cultivado, Tegucigalpa, Honduras. Federación de Productores y Exportadores (FPA). Apartado Postal 1442, San Pedro Sula, Honduras, 267 pp.
- Sherman, C. 1986. Growth of all-female *Tilapia nilotica* in earthen ponds fertilized with chicken litter. CRSP Technical Report, unpublished. 14 pp. (In Spanish.)
- Teichert-Coddington, D.R. 1993. Development of production technologies for semi-intensive fish farming during the past decade in Central America. Pages 71-88 in *Proceedings of Symposium on Aquacultural Research in Central America*. Heredia, Costa Rica. Programa UNIAW Acacultura, Escuela de Ciencias Biológicas, Apartado 86-3000, Heredia, Costa Rica.
- Teichert-Coddington, D.R., and B.W. Green. 1993. Comparison of two techniques for determining community respiration in tropical fish ponds. *Aquaculture* 114:41-50.
- Teichert-Coddington, D.R., and B.W. Green. Tilapia yield improvement through maintenance of minimal oxygen concentrations in experimental grow-out ponds in Honduras. *Aquaculture*. In press.
- Teichert-Coddington, D.R., and B.W. Green. 1993. Influence of daylight and incubation interval on water column respiration in tropical fish ponds. *Hydrobiologia* 250:159-165.
- Teichert-Coddington, D.R., and B.W. Green. 1993. Usefulness of inorganic nitrogen in organically fertilized tilapia production ponds. *Abstracts of World Aquaculture '93* Torremolinos, Spain, May 26-28, 1993. European Aquaculture Society Special Publication No. 19. Ostende, Belgium.
- Teichert-Coddington, D.R., and B.W. Green. 1990. Influence of primary productivity, season and site on tilapia production in organically fertilized ponds in two Central American countries. *Proceedings of FAO-EIFAC Symposium on Production Enhancement in Still-Water Pond Culture*. Prague. Research Institute of Fish Culture and Hydrobiology, 38925 Vodnany, Czechoslovakia.
- Teichert-Coddington, D.R., and R. Rodríguez. 1991. Relationship of penaeid shrimp yields to diet protein level, stocking density and season: A field test on commercial farms of souther Honduras. *Abstracts of World Aquaculture '91*, New Orleans, Louisiana. World Aquaculture Society, 143 Parker Coliseum, Louisiana State University, Baton Rouge, LA.
- Teichert-Coddington, D.R., B.W. Green, and R.P. Parkman. 1991. Substitution of chicken litter for feed in production of Penaeid shrimp in Honduras. *The Progressive Fish-Culturist* 53(3):150-156.
- Teichert-Coddington D.R., B.W. Green, and R.P. Phelps. 1992. Influence of site and season on water quality and tilapia production in Panama and Honduras. *Aquaculture* 105:297-314.
- Teichert-Coddington, D.R., R. Rodríguez, and W. Toyofuku. 1994. Cause of cyclic variation in Honduran shrimp production. *World Aquaculture* 25(1):57-61.
- Teichert-Coddington, D.R., R. Rodríguez and W. Toyofuku. 1993. Causes of cyclic variation in Honduran shrimp production. *Abstracts of World Aquaculture '93* Torremolinos, Spain, May 26-28, 1993. European Aquaculture Society Special Publication No. 19. Ostende, Belgium.
- Teichert-Coddington, D.R., B.W. Green, N. Matamoros, and R. Rodríguez. 1990. The substitution of chicken litter for feed in the commercial production of penaeid shrimp in Honduras. *Agronomía Mesoamericana* 1:73-78. (In Spanish.)

Presentations

- Alvarenga, H.R., and B.W. Green. 1988. Produccion y aspectos economicos del cultivo de tilapia en estanques fertilizados con gallinaza. (Production and economic aspects of tilapia culture in ponds fertilized with chicken litter.) Presented by H. Alvarenga at the 3rd Annual Meeting of the Programa Colaborativo Centro Americano para el Mejoramiento de Cultivos Alimenticios (PCCMCA), San Jose, Costa Rica.
- Green, B.W. 1990. Substitution of organic manure for pelleted feed in tilapia production. *European Inland Fisheries Advisory Commission's Symposium on production enhancement in still water pond culture*. Prague, Czechoslovakia, May, 1990.
- Green, B., and H. Alvarenga. 1989. Sistemas de produccion de tilapia utilizando fertilizacion organica y alimentacion. Presented at the annual regional meeting of the Programa Cooperativo Centroamericano para el Mejoramiento de Cultivos Alimenticios (PCCMCA), San Pedro Sula, Honduras. Presented by H. Alvarenga.
- Green, B.W., and H.R. Alvarenga. 1987. Efecto de diferentes tasas de aplicacion de gallinaza en la produccion de tilapia. (The effect of different rates of chicken litter application on the production of tilapia.) Presented at the 33rd Annual Meeting of the Programa Colaborativo Centro Americana para el Mejoramiento de Cultivos Alimenticios (PCCMCA), Instituto de Ciencia y Tecnologia Agrícola, Guatemala, 30 March-4 April, 1987. Presented by H. Alvarenga. (In Spanish.)

- Green, B.W., and H.R. Alvarenga. 1987. Intensive fingerling production of hybrid tilapia *Tilapia nilotica* x *Tilapia honorum* in earthen ponds. Presented at the 18th Annual Meeting of the World Aquaculture Society, Guayaquil, Ecuador. Presented by B. Green.
- Green, B., and L. Lopez. 1989. Factibilidad de la producción masiva de alevines machos de *tilapia nilotica* através de la inversión hormonal de sexo en Honduras. Presented at the annual regional meeting of the Programa Cooperativo Centroamericana para el Mejoramiento de Cultivos Alimenticios (PCCMCA), San Pedro Sula, Honduras. Presented by L. Lopez.
- Green, B.W., H.R. Alvarenga, and R.P. Phelps. 1988. The effect of stocking rate on the production of *Tilapia nilotica* in ponds. Presented at the 34th Annual Meeting of the Programa Colaborativo Centro Americano para el Mejoramiento de Cultivos Alimenticios (PCCMCA), San Jose, Costa Rica. (In Spanish.) Presented by B. Green.
- Green, B.W., R.P. Phelps, and H.R. Alvarenga. 1987. The effect of nitrogen and phosphorus sources in fertilizers used for the production of *Tilapia nilotica*. Presented by B. Green at the 18th Annual Meeting of the World Aquaculture Society, Guayaquil, Ecuador.
- Green, B.W., D.R. Teichert-Coddington, and L.A. Lopez. 1992. Production of *Oreochromis niloticus* fry in earthen ponds for hormonal sex inversion. Presented at the 23rd Annual World Aquaculture Conference, May, 1992, Orlando, Florida.
- Rodriguez, R., O.J. O'hara and D.R. Teichert-Coddington. 1991. Efecto de la tasa de fertilización inorgánica y calidad de agua sobre el crecimiento y economía en el cultivo semi-intensivo de camarón *Penaeus* SPP. en Granja Marinas San Bernardo. Simposio Centroamericano Sobre Camarón Cultivado, 4-26 de abril de 1991, Tegucigalpa, Honduras.
- Teichert-Coddington, D.R. 1991. Water quality and its management in shrimp ponds. Camarón '91. Mazatlan, Mexico, February 1991.
- Teichert-Coddington, D.R. 1991. Relacion entre calidad de agua de esteros y descarga de fincas camaroneras en el sur de Honduras. Encuentro Regional Sobre el Desarrollo Sostenido del Golfo de Fonseca y sus Cuencas, 19-20 May 1991, Choluteca, Honduras.
- Teichert-Coddington, D.R. 1991. Problemática detectada en la dinámica del Golfo de Fonseca Hondureño y su repercusión en el cultivo de camarones. Primera Gran Reunion Nacional Camaronera, 9-10 Enero 1991, Choluteca, Honduras.
- Teichert-Coddington, D.R. 1991. Florecimiento de algas en el Rio Choluteca. Foro. La industria de la camaricultura buscando asegurar la viabilidad a largo plazo. 5 Marzo 1991, Choluteca, Honduras.
- Teichert-Coddington, D.R., and B.W. Green. 1993. Usefulness of inorganic nitrogen in organically fertilized tilapia production ponds. Poster paper presented at the World Aquaculture Society annual meeting, Torremolinos, Spain, 26-28 May 1993.
- Teichert-Coddington, D.R., and B.W. Green. 1992. Yield improvement through maintenance of minimal oxygen concentrations in tilapia grow out ponds in Honduras. Presented at the 23rd Annual World Aquaculture Conference, May, 1992, Orlando, Florida.
- Teichert-Coddington, D.R., and B. Green. 1990. Influence of primary productivity, season and site on tilapia production in organically fertilized ponds in two Central American countries. European Inland Fisheries Advisory Commission's Symposium on production enhancement in still water pond culture, Prague, Czechoslovakia, May, 1990.
- Teichert-Coddington, D.R., B. Green, and M.I. Rodriguez. 1989. Efectos de la tasa de alimentación sobre la producción de tilapia en estanques fertilizados con gallinaza. Presented at the annual regional meeting of the Programa Cooperativo Centroamericana para el Mejoramiento de Cultivos Alimenticios (PCCMCA), San Pedro Sula, Honduras. Presented by M.I. Rodriguez.
- Teichert-Coddington, D.R., R. Rodriguez and W. Toyofuku. 1993. Causes of cyclical variation in Honduran shrimp production. Poster paper presented at the World Aquaculture Society annual meeting, Torremolinos, Spain, 26-28 May 1993.
- Teichert-Coddington, D., B. Green, N. Matamoros, and R. Rodriguez. 1989. Substitucion de alimento por gallinaza en la producción comercial de camarones peneidos en Honduras. Presented at the annual regional meeting of the Programa Cooperativo Centroamericana para el Mejoramiento de Cultivos Alimenticios (PCCMCA), San Pedro Sula, Honduras. Presented by D. Teichert-Coddington.

University of Hawaii

Manuscripts

- Hopkins, K., and A. Yakupitiyage. Bias in seine sampling of tilapia. Submitted to Journal of the World Aquaculture Society. In review.
- Szyper, J.P., K. Hopkins, and C.K. Lin. Production of *Oreochromis niloticus* (L.) and ecosystem dynamics in managed ponds of three depths. Submitted to Aquaculture and Fisheries Management. In review.

Indonesia

Agricultural University of Bogor

Theses

- Enawati, N. 1987. The effect of *Oreochromis niloticus* Trewavas production by increasing surface area for attached microorganisms. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 41 pp.
- Gartini, T. 1986. Flow rate dependent changes in turbidity and phosphorus in the water conditioning system at Darmaga. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 66 pp.
- Harahat, I.S. 1987. Changes of nitrogen concentration of the Nile tilapia ponds which were fertilized with chicken manure. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 41 pp.
- Haryani, G.S. 1985. The growth rate, mortality and feeding habits of *Tilapia nilotica* (L.). B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 76 pp.
- Itasari, I. 1985. The composition and abundance of macrobenthos in relation to pond productivity. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 71 pp.
- Radhastuti, I. 1986. The balance of nitrogen from an irrigation canal that flows through a water conditioning system in Darmaga. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 63 pp.
- Subyakti, S. 1985. The relationship between chlorophyll *a* and Secchi disk visibility in tilapia fish ponds at Darmaga, Bogor. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 51 pp.
- Suratman, I.E. 1985. Composition and abundance of zooplankton in *Tilapia nilotica* (L.) fish ponds fertilized with triple superphosphate at Darmaga. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 58 pp.
- Tumbelaka, R. 1986. Primary productivity of aquaculture ponds at Darmaga. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 87 pp.
- Widjaja. 1985. Flushing rate of experimental *Tilapia nilotica* (L.) pond at Darmaga and its relationship to some physical and chemical factors of the ponds. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 64 pp.

- Yulianti, S. 1986. Removal of detergents in irrigation canal water by the water conditioning system at Darmaga, Bogor. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 71 pp.
- Yulisto. 1985. Effect of fish predation on macrobenthos density in aquaculture ponds. B.S. thesis, Faculty of Fisheries, Agricultural University of Bogor, Indonesia. 82 pp.

Michigan State University

Theses

- Abdalla, Abdelmoez A.F. 1989. The effect of ammonia on *Oreochromis niloticus* (Nile tilapia) and its dynamics in fertilized tropical fish ponds. Ph.D. dissertation, Michigan State University, East Lansing, Michigan. 62 pp.
- Yusoff, F. 1987. Fish production, primary productivity and nutrient availability in fertilized fish ponds in Malaysia. Ph.D. dissertation, Michigan State University, Lansing, Michigan. 69 pp.

Publications and Reports

- Batterson, F.R., C.D. McNabb, C.I. Knud Hansen, H.M. Lidman, and K. Sumantadinata. 1988. Effect of chicken manure additions on fish production in ponds in West Java, Indonesia. CRSP Research Report 88 S. 6 pp.
- Guttman, H., and C.I. Knud Hansen. Fish pond management by algal assay. *Journal of the World Aquaculture Society*. Abstract presented at the 23rd Annual Meeting of the World Aquaculture Society Meeting, Orlando, Florida, May 1992. In press.
- Knud Hansen, C.I., F.R. Batterson, and I.S. Harahat. 1988. Nitrate and ammonia depletion in Indonesian aquaculture ponds fertilized with chicken manure. Abstract. *Journal of the World Aquaculture Society* 19: 12A.
- Knud Hansen, C.I., C.D. McNabb, and F.R. Batterson. 1991. Application of limnology for efficient nutrient utilization in tropical pond aquaculture. *Proceedings of the International Association of Theoretical and Applied Limnology* 24: 254-2543.
- Knud Hansen, C.I., C.D. McNabb, and F.R. Batterson. 1989. Application of limnology for efficient nutrient utilization in tropical pond aquaculture. Abstract. XXVth Congress of the International Association of Theoretical and Applied Limnology.
- Knud Hansen, C.I., F.R. Batterson, C.D. McNabb, Y. Hadrosevan, D. Dana, and H.M. Lidman. 1990. Hatchery techniques for egg and fry production of *Clarias batrachus* (Linnaeus). *Aquaculture* 89:9-19.
- Knud Hansen, C.I., F.R. Batterson, C.D. McNabb, I.S. Harahat, K. Sumantadinata, and H.M. Lidman. 1991. Nitrogen input, primary productivity and fish yield in fertilized freshwater ponds in Indonesia. *Aquaculture* 94:49-63.
- McNabb, C.D., F.R. Batterson, H.M. Lidman, and K. Sumantadinata. 1988. Carbon limitation in fertilized fish ponds in Java. Abstract. *Journal of the World Aquaculture Society* 19: 51A.
- McNabb, C.D., C.I. Knud Hansen, F.R. Batterson, and K. Javen. 1991. A systematic approach to maximizing nutrient efficient and growth of Nile tilapia (*Oreochromis niloticus*) under semi-intensive pond culture. *World Aquaculture Society Meeting*, 22nd Annual Meeting, San Juan, Puerto Rico.
- McNabb, C.D., F.R. Batterson, C.K. Im, K. Javen, J.E. Hanson, and R. Chuenpagdee. February 1989. Fish yield with nitrogen supplemented organic fertilizers. *World Aquaculture Society Meeting*, Aquaculture '89, Los Angeles, California.
- McNabb, C.D., F.R. Batterson, B.J. Premo, C.I. Knud Hansen, H.M. Lidman, C.K. Im, K. Javen, J.E. Hanson, and R. Chuenpagdee. April 1989. Managing fertilizers for fish yield in tropical ponds in Asia. *Second Asian Fisheries Forum*, Tokyo, Japan.
- Sumantadinata, K. February 1985. Genetic characteristics of strains of Indonesian carps. *Special Symposium of the Japanese Fisheries Society*, Tokyo, Japan.
- McNabb, C.D., F.R. Batterson, M. Lidman, B.J. Premo, and K. Sumantadinata. 1985. Aquaculture-CRSP Indonesia project report second five month experiment. Michigan State University, East Lansing, Michigan. 71 pp.
- McNabb, C.D., F.R. Batterson, C.K. Im, K. Javen, J.E. Hanson, and R. Chuenpagdee. 1989. Fish yield with nitrogen supplemented organic fertilizers. Abstract. *Journal of the World Aquaculture Society* 20: 56A.
- McNabb, C.D., F.R. Batterson, B.J. Premo, C.I. Knud Hansen, H.M. Lidman, C.K. Im, K. Javen, J.E. Hanson, and R. Chuenpagdee. 1990. Managing fertilizers for fish yield in tropical ponds in Asia. Pages 169-192. *In* R. Hirano and T. Hanu, editors. *Proceedings of The Second Asian Fisheries Forum*. Asian Fisheries Society, Manila, Philippines.
- McNabb, C.D., F.R. Batterson, B.J. Premo, C.I. Knud Hansen, H.M. Lidman, C.K. Im, K. Javen, J.E. Hanson, and R. Chuenpagdee. 1989. Managing fertilizers for fish yield in tropical ponds in Asia. Abstract. *The Second Asian Fisheries Forum*.
- Yusoff, F.M., and C.D. McNabb. 1989. Effects of nutrient availability on primary productivity and fish production in fertilized tropical ponds. *Aquaculture* 78: 303-319.

Presentations

- Batterson, F.R. December 1985. The problems of water quality for Indonesian fisheries. Seminar series of the Bogor Chapter of the Indonesian Fisheries Society, Bogor, Indonesia.
- Guttman, H., and C.I. Knud Hansen. 1992. Fish pond management by algal assay. Abstract presented at the 23rd Annual Meeting of the World Aquaculture Society Meeting, Orlando, Florida, May 1992.
- Knud Hansen, C.I., F.R. Batterson, and I.S. Harahat. January 1988. Nitrate and ammonia depletion in Indonesian aquaculture ponds fertilized with chicken manure. *World Aquaculture Society*, 19th Annual Meeting, Honolulu, Hawaii.
- Knud Hansen, C.I., C.D. McNabb, and F.R. Batterson. August 1989. Application of limnology for efficient nutrient utilization in tropical pond aquaculture. XXVth Congress of the International Association of Theoretical and Applied Limnology.
- McNabb, C.D. March 1986. Carbon limitation in fish culture ponds in Indonesia. Visiting Scientists Seminar Series, Lake Biwa Research Center, Shiga University, Otsu, Japan.
- McNabb, C.D. February 1986. Limnology of fish ponds in Java. Visiting Scientists Seminar Series, College of Fisheries and Marine Science, Agricultural University of Malaysia, Serdang, Malaysia.
- McNabb, C.D. December 1984. Application of limnological technology to fish pond management. National Institute of Biological Science, Bogor, Indonesia.
- McNabb, C.D., F.R. Batterson, H.M. Lidman, and K. Sumantadinata. January 1988. Carbon limitation in fertilized fish ponds in Java. *World Aquaculture Society Meeting*, 19th Annual Meeting, Honolulu, Hawaii.
- McNabb, C.D., F.R. Batterson, B.J. Premo, and F.R. Craig. March 1984. Photosynthetically active radiation in tropical and temperate zone habitats. 88th Annual Meeting of the Michigan Academy of Science, Arts, and Letters, Big Rapids, Michigan.
- McNabb, C.D., C.I. Knud Hansen, F.R. Batterson, and K. Javen. June 1991. A systematic approach to maximizing nutrient efficiency and growth of Nile tilapia (*Oreochromis niloticus*) under semi-intensive pond culture. *World Aquaculture Society Meeting*, 22nd Annual Meeting, San Juan, Puerto Rico.
- McNabb, C.D., F.R. Batterson, C.K. Im, K. Javen, J.E. Hanson, and R. Chuenpagdee. February 1989. Fish yield with nitrogen supplemented organic fertilizers. *World Aquaculture Society Meeting*, Aquaculture '89, Los Angeles, California.
- McNabb, C.D., F.R. Batterson, B.J. Premo, C.I. Knud Hansen, H.M. Lidman, C.K. Im, K. Javen, J.E. Hanson, and R. Chuenpagdee. April 1989. Managing fertilizers for fish yield in tropical ponds in Asia. *Second Asian Fisheries Forum*, Tokyo, Japan.
- Sumantadinata, K. February 1985. Genetic characteristics of strains of Indonesian carps. *Special Symposium of the Japanese Fisheries Society*, Tokyo, Japan.

Other

- Batterson, T.R. 1985-1987. Indonesia PD/ACRSP data diskettes for Cycles I, II, and III using IOHUS 1.2-3.
- Batterson, T.R., and C.D. McNabb. June-August 1986. MSU/CIAD Visiting Scientist Program. Wardana Ismail, Head, Fisheries Research Facilities, Central Research Institute for Fisheries (CRIF), Agency for Agricultural Research and Development (AARD), Department of Agriculture, Republic of Indonesia, Jakarta. Eight week program on water quality techniques, and laboratory equipment and design in support of freshwater aquaculture in Indonesia.
- Kinnunen, R.I., and C.D. McNabb. March 1986. Collaborative aquaculture research. Institute of Pertanian Bogor and Michigan State University. Improvement of pond culture technology and production. Broadcast. National Educational Television, Jakarta, Indonesia. 15 minutes.
- Kinnunen, R.I., and C.D. McNabb. March 1986. Water treatment for small pond fisheries. Broadcast. National News Network, Television of the Republic of Indonesia (TVRI), Jakarta, Indonesia. 5 minutes.
- Knud Hansen, C.F. November 23-29, 1986. Workshop on Water Quality Analyses for Aquaculture Ponds. Invited by Faculty of Fisheries, University of Brajawayat at Malang, East Java, Indonesia.
- McNabb, C.D. March 1986. Fisheries in the tropics. World Food Day National Conference. Michigan State University. Response Panel. East Lansing, Michigan.
- McNabb, C.D., H.M. Edman, P. Suwignjo, D.I. Garling, K. Sumawidjaja, H.C. Lampe, S.M.H. Simandjuntak, R.I. Kinnunen, R.R. Nitibaskara, J. McAlister, T.R. Batterson, and C.F. Knud Hansen. 1986. A research plan for Faculty of Fisheries, Institut Pertanian Bogor, Bogor, Indonesia. Michigan State University, East Lansing, Michigan. 50 pp. (Written in both English and Bahasa Indonesian.)
- National Educational Television and Television of the Republic of Indonesia (TVRI), Jakarta, Indonesia. 1986. Collaborative aquaculture research. Institut Pertanian Bogor and Michigan State University. Improvement of pond culture technology and production. (Videotape, 35 minutes.)
- Premo, B.I., and K. Sumantadinata. 1984. Laboratory manual of water quality techniques. Julia Press, Bogor, Indonesia. 45 pp.

Panama – Aguadulce

University of Panama

Theses

- Abrego, R. 1985. Uso de androgenos en alevines de *Tilapia nilotica* para la produccion de tilapias monosexuales. Licenciatura Thesis in Biology, University of Panama.
- Wila, M. In preparation. El efecto del policultivo del pez *Mugil curema*, a varios densidades de siembra con la produccion de *Penaeus vannamei* y en la calidad de agua en estanques de tierra. Licenciatura Thesis in Biology, Catholic University of Chile, Santiago, Chile.
- Chavez, H. 1984. Estudio trofodinamico de *Penaeus vannamei* cultivado en estanques experimentales de aguas salobres. Licenciatura Thesis in Biology, University of Panama.
- Hernandez de Santamaria, D. 1987. El efecto de dietas experimentales en el crecimiento y sobrevivencia de *Penaeus vannamei* cultivado en estanques. Licenciatura Thesis in Biology, University of Panama.
- Lasso de la Vega, E. 1985. Variacion del zooplancton en estanques de cria de camarones blanco durante la estacion seca. Licenciatura Thesis in Biology, University of Panama.
- Lore, D., H. Timon, and R. Visueta. 1984. Efecto de la aplicacion de abonos organicos, concentrados y pescado fresco (*Dormitator latihonus*) en la produccion de *Penaeus stylirostris* y *Penaeus vannamei*. Licenciatura Thesis in Biology, University of Panama.
- Quesada, I. In preparation. Ocurrencia de organismos bentonicos en estanques no alimentados sembrados con *Penaeus vannamei* durante la estacion seca. Licenciatura Thesis in Biology, University of Panama.
- Quiroz, A. In preparation. Efectos de varios niveles de recambio de agua a la calidad de agua y en la produccion de *Penaeus vannamei* en estanques de tierra. Licenciatura Thesis in Biology, University of Panama.

Auburn University

Publications and Reports

- Teichert-Coddington, D.R., and M. Arnie. 1988. Efectos de dietas de proteinas y densidades de siembra sobre la produccion de *Penaeus vannamei* en estanques de tierra. Rev. Ist. Acuc. 35:29-35.
- Van Wk, P. 1986. The relationship of pump discharge and fuel efficiency to tidal height for a brackishwater aquaculture pumping station. Masters of Aquaculture Special Project, Auburn University, Alabama.

Presentations

- Chavez, H. December 1984. Estudio trofodinamico de *Penaeus vannamei* cultivado en estanques experimentales de aguas salobres. Presented to the First National Scientific Congress, University of Panama, Panama.
- De Leon, A. November 1985. El efecto de aplicar fertilizantes inorganicos en la produccion de *Penaeus vannamei* en estanques. Presented to the Second National Scientific Congress, University of Panama, Panama.
- Hughes, D.G. November 1985. Prediction of pond productivities. A challenge for aquaculture. Presented to the Pontifical Catholic University of Ecuador, Quito, Ecuador.
- Hughes, D.G. November 1984. The marine shrimp culture industry in Panama. Presented to the First Annual Shrimp World Marketing Conference, Acapulco, Mexico.
- Hughes, D.G., and O.M. Garcia. June 1984. La produccion de semilla de *Tilapia nilotica* en hapas: una comparacion de productividades de clima templada con clima tropical. Presented by David Hughes to First National Aquaculture Seminar in University Nacional, Heredia, Costa Rica.
- Hughes, D.G., A. Torres, and R.P. Phelps. January 1985. Production and growth characteristics of *Penaeus stylirostris* and *P. vannamei* in monoculture and polyculture in fed and unfed earthen ponds. Presented by D. Hughes at the Annual Meeting of the World Mariculture Society, Orlando, Florida.
- Hughes, D.G., G. de Gomez, E. Lasso de la Vega, R.P. Phelps, and R. Pretto Malca. January 1987. Rainy and dry season comparisons in *Penaeus vannamei* production ponds in Panama receiving various water exchange rates. Water quality variation. Poster session at World Aquaculture Society Meeting, Guayaquil, Ecuador.
- Kivers, A. December 1984. Comparacion de dos rangos y dietas alimentarias con alevines de *Tilapia nilotica* en piletas de concreto. Presented to the First National Scientific Congress, University of Panama, Panama.
- Kivers, A. December 1984. Comparacion de tres densidades de siembra de alevines de *Tilapia nilotica* en piletas de concreto. Presented to the First National Scientific Congress, University of Panama, Panama.

- Lasso de la Vega, E., and M. Villareal. November 1985. Variación del zoo-plankton en estanques de cría de camarones blanco durante la estación seca. Presented to the Second National Scientific Congress, University Panama, Panama.
- Lore, D., H. Tunon, and R. Visuetti. December 1984. Efecto de la aplicación de abonos orgánicos, concentrados y pescado fresco (*Dormitator latifrons*) en la producción de *Penaeus stylirostris*/*Penaeus vannamei*. Presented by H. Tunon to the First National Scientific Congress, University of Panama, Panama.
- Moreno, J.M. December 1984. Alimentación de la *Tilapia nilotica* en la etapa de alevinaje. Presented to the First National Scientific Congress, University of Panama, Panama.
- Moreno, J.M. December 1984. El uso del androgeno 17-metil-testosterona en alevinaje de *Tilapia nilotica* para la producción de *Tilapia* monosexuales en Panama. Presented to the First National Scientific Congress, University of Panama, Panama.
- Pretto, R., G. Garson, A. Bausta, and M. de Leon. September 1983. Estudio preliminar del policultivo de Peneidos con peces nativos de aguas salobres. Presented by R. Pretto to the Fifth Symposium of Latin American Aquaculture, University Austral de Chile, Valdivia, Chile.
- Torres, A. December 1984. Producción de *Penaeus stylirostris* bajo la influencia del *Penaeus vannamei* en estanques experimentales de agua salobre con y sin alimentación durante la época seca. Presented to the First National Scientific Congress, University of Panama, Panama.

Panama – Gualaca

Auburn University

Theses

- Mencio, A. 1987. Phosphorus saturation of acidic soils in tropical fish culture ponds.
- Barrios, C.M. 1985. Analysis of water quality in new freshwater ponds at the Freshwater Aquaculture Station in Gualaca.
- Eriele, M.E.I. 1985. Stomach analyses of *Microbrachium rosenbergi*, *Tilapia nilotica*, *Colossoma macropomum* and the hybrid *Hypophthalmichthys molitrix* x *C. niloticus* in polyculture at the Gualaca Freshwater Aquaculture Experiment Station, Panama.
- Hughes, David G. 1988. Evaluation of seed production and sex reversal methods for *Tilapia nilotica* and field verification in a tropical hatchery.
- Perez, M.F. 1985. Economic and marketing study of fish and shrimp in polyculture systems in freshwater ponds at Gualaca, Cienfuegos Province.
- Pimentel, C.A.B. 1984. Effect of liming on new water fertilized ponds at the Gualaca Aquaculture Experiment Station.
- Rios, R.A. In preparation. Identification and dynamics of zooplankton found in tropical earthen ponds receiving chicken litter at four rates.
- Rodriguez, Ivonne. 1987. Feeding *Penaeus vannamei* and *Penaeus stylirostris* in nursery ponds. Master's Thesis, Auburn University, Alabama.
- Serrano, A. 1987. Economics of tilapia production in monoculture or in polyculture with prawns, and utilizing manure or a commercial pellet as the nutrient input in Gualaca, Panama.

Publications and Reports

- Green, B.W., D.R. Teichert-Coddington, and R.P. Phelps. 1990. Response of tilapia yield and economics to varying rates of organic fertilization and season in two Central American countries. *Aquaculture* 90:279-290. Elsevier Science Publishers B.V., Amsterdam.
- Peralta, M., and D.R. Teichert-Coddington. 1989. Comparative production of *Colossoma macropomum* and *Tilapia nilotica* in Panama. *Journal of the World Aquaculture Society* 20(4):256-259.
- Teichert-Coddington, D.R., and R.P. Phelps. 1989. Effects of seepage on water quality and productivity of inorganically fertilized tropical ponds. *Journal of Aquaculture in the Tropics* 1:85-92.
- Teichert-Coddington, D.R., B.W. Green, and R.P. Phelps. 1992. Influence of site and season on water quality and tilapia production in Panama and Honduras. *Aquaculture* 105:297-314.
- Teichert-Coddington, D.R., M. Peralta, and R.P. Phelps. 1989. Seepage reduction in tropical fish ponds using chicken litter. *Aquacultural Engineering* 8:147-154.
- Teichert-Coddington, D.R., N. Stone, and R.P. Phelps. 1988. Hydrology of fish culture ponds in Gualaca, Panama. *Aquacultural Engineering* 7:309-320.
- Teichert-Coddington, D.R., M. Peralta, R.P. Phelps, and R. Pretto. 1985. CRSP Technical Report. First cycle, dry season 1985. Freshwater Aquaculture Research Station, Gualaca, Panama.
- Teichert-Coddington, D.R., M. Peralta, R.P. Phelps, and R. Pretto. 1985. CRSP Technical Report. First cycle, wet season 1985. Freshwater Aquaculture Research Station, Gualaca, Panama.

Presentations

- Peralta, M., and D.R. Teichert-Coddington. January, 1988. Comparative production of *Colossoma macropomum* and *Tilapia nilotica* in Panama. Presented at the 20th World Aquaculture Society Meeting in Honolulu, Hawaii.
- Teichert-Coddington, D.R., D.B. Rouse, A. Klute, and R.O. Smitherman. 1987. Effects of two rates of organic fertilization and two levels of alkalinity on prawn production in a prawn tilapia polyculture. Presented at the World Aquaculture Society Meeting, Ecuador.

The Philippines

University of The Philippines in the Visayas

Theses

- Palula, I.G. 1986. Sorbed and soil solution phosphorus in relation to the optimum phosphorus level of lablab in some brackishwater ponds. M.S. thesis, Department of Fisheries, University of the Philippines in the Visayas.

Publications and Reports

- Carpenter, K.E., A.W. East, V.E. Corre, J.W. Woessner, and R.I. Janeiro. 1986. The effects of water depth and circulation on the water quality and production of *Penaeus monodon* in earthen ponds. Pages 21-24 in Proceedings of the First Asian Fisheries Forum, Manila, Philippines.
- Fortes, R.D., V.E. Corre, Jr., and E. Pudadera. 1986. Effects of fertilizers and feeds as nutrient sources on *Oreochromis niloticus* production in Philippine brackishwater ponds. Pages 121-124 in Proceedings of the First Asian Fisheries Forum, Manila, Philippines.
- Munsalan, C.I.O., and Y.N. Chiu. 1986. Effects of teaseed cake on selective elimination of finfish in shrimp ponds. Pages 79-82 in Proceedings of the First Asian Fisheries Forum, Manila, Philippines.
- Sanares, R.C., S.A. Katase, A.W. East, and K.E. Carpenter. 1986. Water quality dynamics in brackishwater shrimp ponds with artificial aeration and circulation. Pages 83-86 in Proceedings of the First Asian Fisheries Forum, Manila, Philippines.
- Ver, L.M.B., and Y.N. Chiu. 1986. The effect of paddlewheel aerators on ammonia and carbon dioxide removal in intensive pond culture. Pages 97-100 in Proceedings of the First Asian Fisheries Forum, Manila, Philippines.

University of Hawaii

Publications and Reports

- Carpenter, K.E., A.W. East, V.E. Corre, J.W. Woessner, and R.I. Janeiro. 1986. The effects of water depth and circulation on the water quality and production of *Penaeus monodon* in earthen ponds. Pages 21-24 in Proceedings of the First Asian Fisheries Forum, Manila, Philippines.
- Corre, V.E., Carpenter, E.J. Pudadera, and R.D. Fortes. 1986. The effects of feeds and fertilizer on the production of *Oreochromis niloticus* in brackishwater ponds. Unpublished paper, University of Hawaii and University of the Philippines in the Visayas.
- East, A.W., K.E. Carpenter, V.E. Corre, and R.I. Janeiro. 1986. The effects of water depth and circulation on the productivity of *Penaeus monodon* and water quality in earthen ponds. Unpublished paper, University of Hawaii and University of the Philippines in the Visayas.
- East, A.W., K.E. Carpenter, V.E. Estilo, and H.J. Gonzales. 1988. Effects of water depth and artificial mixing on dynamics of Philippines brackishwater shrimp ponds. *Aquacultural Engineering* 7: 349-361.
- Hopkins, K.D. 1988. Reporting fishpond yields to farmers. *Aquabyte* 1(2):6.
- Hopkins, K.D., and D. Pauly. 1993. Instantaneous mortalities and multivariate models: Applications to tilapia culture in saline water. In M. Prem, G. Hulata, and D. Pauly (eds.), *Multivariate methods in aquaculture research: Case studies of tilapia in experimental and commercial systems*. Israel Agricultural Research Organization Bundesministerium für Wirtschaftliche Zusammenarbeit International Center for Living Aquatic Resources Management, Manila.
- Olin, P., D. Barclay, and A.W. East. In preparation. Induced spawning and larval rearing of the Chinese catfish *Clarias fuscus* in Hawaii.
- Sanares, R.C., S.A. Katase, A.W. East, and K.E. Carpenter. 1986. Water quality dynamics in brackishwater shrimp ponds with artificial aeration and circulation. Pages 83-86 in Proceedings of the First Asian Fisheries Forum, Manila, Philippines.

Presentations

- Carpenter, K.E., A.W. East, R.D. Fortes, V.E. Corre, Jr., J. Woessner, and R.I. Janeiro. May 1986. The effects of water depth and circulation on the growth of *Penaeus monodon* in semi-intensive culture in earthen ponds. Presented to the Asian Fisheries Forum Meeting, Manila.
- Chiu, Y.N., V.E. Estilo, and K.E. Carpenter. Effects of water exchange rates on nutrient levels and productivity of brackishwater fish ponds.
- Chiu, Y., M.P. Macabing, and M.A. Sastrillo. May 1986. Factors affecting the feeding rhythm of milkfish (*Chanos chanos* Forsskal). Proceedings of the Asian Fisheries Forum Meeting, Manila.
- East, A.W., K.E. Carpenter, E.J. Estilo, and H.J. Gonzales. January 1987. Effects of water depth on dynamics of Philippines brackishwater shrimp ponds. Presented at the World Aquaculture Society Meeting, Ecuador.
- Fortes, R.D., V.E. Corre, and E.J. Pudadera. May 1986. The effects of fertilizers and feeds as nutrient sources in the production of *Oreochromis niloticus* in Philippines brackishwater ponds. Presented to the Asian Fisheries Forum Meeting, Manila.
- Munsalan, C.I., and Y.N. Chiu. May 1986. Studies on the use of teaseed cake for the selective elimination of finfishes in shrimp ponds. Presented to the Asian Fisheries Forum Meeting, Manila.
- Sanares, R.C., S.A. Katase, A.W. East, and K.E. Carpenter. May 1986. Water quality dynamics in brackishwater shrimp ponds with artificial aeration and circulation. Presented to the Asian Fisheries Forum Meeting, Manila.
- Ver, L.M., and Y.N. Chiu. May 1986. The effects of paddlewheel aerators on ammonia and carbon dioxide removal in intensive pond culture. Presented to the Asian Fisheries Forum Meeting, Manila.

Rwanda

National University of Rwanda (UNR)

Theses

- Bizimana, A. 1985. Essais de triage mecanique en vue d'un elevage monosexue des tilapias et controle de la croissance sur *T. macrochir* et *T. rendalli*. (The use of mechanical sorting for the monosex culture of tilapias. Growth trials with *T. macrochir* and *T. rendalli*). Thesis for the degree of Ingenieur Agronome, Universite Nationale du Rwanda, Butare, Rwanda. 111 pp.
- Gatera, A. 1990. Effect of stocking rate and composting regime on production of fish in ponds. Universite Nationale du Rwanda, Butare, Rwanda.
- Habineza, C. 1986. Analyse de l'effet de la fumure organique (Fientes de poules) sur la croissance du *Tilapia nilotica*. (The influence of chicken manure on the growth of *Tilapia nilotica* in Rwandan fish ponds). Thesis for the degree of Ingenieur Agronome, Universite Nationale du Rwanda, Butare, Rwanda.
- Franco, F. 1991. Nile tilapia (*Oreochromis niloticus*) production in tropical microcosms fertilized with rabbit excreta. M.S. thesis, Oregon State University, Corvallis, Oregon. (September 1991). 63 pp.
- Hakuzwamwe, E. 1984. Etude des effets de l'alimentation sur la croissance des tilapias. Essais en bass sur *T. macrochir* et *T. rendalli*. (A study of the effects of feeding on the growth of tilapias. Tank studies with *T. macrochir* and *T. rendalli*). Thesis for the degree of Ingenieur Agronome, Universite Nationale du Rwanda, Butare, Rwanda. 132 pp.
- Harwambaga, C. 1987. A preliminary study of the plankton population in fish ponds at Rwasave (Butare, Rwanda). Thesis for the degree of Licencie en Sciences, Universite Nationale du Rwanda, Butare, Rwanda.

- Hatangimbabazi, J. D. 1989. Description des communautés planctoniques des différents habitats de quelques étangs piscicoles de Rwasave (Butare) (Study of the plankton communities of different habitats in fish ponds) Thesis for the degree of licence en Biologie Animale, Université Nationale du Rwanda, Butare, Rwanda. 93 pp
- Isangu M.M. 1989. L'association porce-poissons en station: étude de rentabilité financière (Integrated pig-fish culture: An economic analysis) Thesis for the degree of Ingénieur Agronome, Université Nationale du Rwanda, Butare, Rwanda. 107 pp
- Kakuzi, A. 1989. Contribution à l'étude du régime alimentaire de *Tilapia nilotica* (L. 1758) des étangs fertilisés de Rwasave (Butare) (A preliminary study of the feeding habits of *Tilapia nilotica* in fertilized ponds at Rwasave (Butare)) Thesis for the degree of licencié en Biologie Animale, Université Nationale du Rwanda, Butare, Rwanda. 93 pp
- Mbarerere, P. 1992. Contribution à l'étude de l'influence de la température et de la durée de traitement sur la production des alevins monosexes du *Oreochromis niloticus*. Mémoire présenté en vue de l'obtention du Diplôme d'Ingénieur Technicien M. Institut Supérieur d'Agriculture et d'Élevage de Busoga, Ruhengeri. 63 pp (The influence of temperature and treatment duration on the production of all male *Oreochromis niloticus* fry)
- Mukakarera, C. 1990. An aquatic biology study of Uwagangira National du Rwanda, Butare, Rwanda. 101 pp
- Munyangu, A. 1990. A study of the lakes in the Bugesera region for the purpose of developing an optimal fishing effort. Université Nationale du Rwanda, Butare, Rwanda. 102 pp
- Murangira, J. 1992. Contribution à l'étude de la productivité de quelques graminées fourragères via a vis trois fréquences de coupe. Rapport de stage. Ecole Agricole et Vétérinaire de Kabutare, Butare, Rwanda. 52 pp (Comparative productivity of eight forage grasses at three cutting frequencies)
- Murwanashyaka, J.N. 1989. Study of the food of *Clarias gariepinus* of Lake Ihema BS thesis, Université Nationale du Rwanda, Butare, Rwanda. 116 pp
- Murwanashyaka, J.N. 1989. Alimentation et parasitisme de *Clarias gariepinus* (Burchell, 1822) au Lac Ihema: impact de sa prédation sur l'évolution du stock en *Haplochromis*. (Feeding habits and parasitism in *Clarias gariepinus*, mus (Burchell, 1822) in Lake Ihema: impact of its predation on *Haplochromis* stocks) Thesis for the degree of Ingénieur Agronome, Université Nationale du Rwanda, Butare, Rwanda. 101 pp
- Ndisebuve, A. 1986. Etude des conditions de reproduction de *Tilapia nilotica* en étangs de pisciculture (A study of conditions affecting the reproduction of *Tilapia nilotica* in Rwandan fish ponds) Thesis for the degree of Ingénieur Agronome, Université Nationale du Rwanda, Butare, Rwanda
- Ngarabhe, O. 1986. Etude de l'influence de la fumure organique (ientes de poules) sur la dynamique des éléments fertilisants de l'eau et du sol de quelques étangs piscicoles de Rwasave (The influence of chicken manure on soil and water fertility in several fish ponds at Rwasave) Thesis for the degree of Ingénieur Agronome, Université Nationale du Rwanda, Butare, Rwanda. 105 pp
- Nyitegeka, D. 1990. Nitrogen budgets in fish ponds enriched with fertilizers of different C:N:P ratios at Rwasave, Butare. Université Nationale du Rwanda, Butare, Rwanda. 117 pp
- Nyengumva, A. 1989. Production des alevins monosexes de *Tilapia nilotica* Linnaeus par la méthode du sex reversal (Production of *Tilapia nilotica* fingerlings by sex reversal methods) Thesis for the degree of Ingénieur Agronome, Université Nationale du Rwanda, Butare, Rwanda. 107 pp
- Rutukanga, P. 1992. Contribution à l'étude des facteurs intervenant dans le taux d'infestation des *Tilapia niloticus* par les Diplostomatidae (maladie des points noirs). Rapport de stage effectué à la SPIR du 15.07.91 au 15.02.92. Ecole Agricole et Vétérinaire de Kabutare, Butare, Rwanda. (Factors affecting the infestation rate of *Oreochromis niloticus* by Diplostomatid cysts (black spot disease)) 48 pp
- Rwalinda, P. 1993. Enrichment of compost with nitrogen and phosphorus and its effects on the production of *Tilapia nilotica*. Université Nationale du Rwanda, Butare, Rwanda. 107 pp
- Rwangano, F. 1990. Interactions of input types and water quality on the production of *Oreochromis niloticus* (L.) in Rwandan ponds. M.S. thesis, Oregon State University, Corvallis. 99 pp
- Uwera, M.J. 1987. Une étude des modalités d'échantillonnage des poissons en étangs piscicoles (A comparative study of methods for sampling fish in ponds) Thesis for the degree of Ingénieur Agronome, Université Nationale du Rwanda, Butare, Rwanda

Publications and Reports

- Hanson, B.J., J.J. Mochl, K.I. Ayerica, F. Rwangano, and M. Van Speybroeck. 1988. Pond culture of tilapia in Rwanda, a high altitude equatorial African country. Pages 553-559 in R.S.A. Pullin, J. Bhukaswan, K. Tongulha and J.L. Maclean, editors. The Second International Symposium on Tilapia in Aquaculture. ICLARM Conference Proceedings 15, 623 pp. Department of Fisheries, Bangkok, Thailand, and International Center for Living Aquatic Resources Management, Manila, Philippines
- Karangwa, E., G.E. Mitchell, Jr., and R.L. Tucker. 1990. High-performance liquid chromatographic determination of 4-methylazole in sheep plasma and in ammoniated tall fescue hay. Journal Chromatogr. 532:105-133
- Karangwa, E., G.E. Mitchell, Jr., and R.L. Tucker. 1990. Pharmacokinetics of 4-methylazole in sheep. Journal of Animal Science 68:3277-3281

Presentations

- Rurangwa, E., and E. Verheust. June 10-12, 1991. *Oreochromis niloticus* culture in Rwanda: Optimal density and feeding ration in earthen ponds. Poster presented at International Aquaculture Conference and Trade Show, Dublin, Ireland
- Rurangwa, E., and E. Verheust. June 10-12, 1991. Comparative growth and mortality of *Oreochromis niloticus* and *Clarias gariepinus* fingerlings in earthen ponds (Rwanda). Poster presented at International Aquaculture Conference and Trade Show, Dublin, Ireland
- Rurangwa, E., and E. Verheust. June 10-12, 1991. Slide presentation. Fish culture in Rwanda: A high altitude developing country in central Africa. International Aquaculture Conference and Trade Show, Dublin, Ireland

Auburn University

Theses

- Hshamunda, Nathanael. 1993. The economic analysis of small-scale fish culture in Rwanda: A comparative study. M.S. Thesis, Auburn University, 210 p

Publications and Reports

- Hanson, B.J., J.J. Mochl, K.I. Ayerica, F. Rwangano, and M. Van Speybroeck. 1988. Pond culture of tilapia in Rwanda, a high altitude equatorial African country. Pages 553-559 in R.S.A. Pullin, J. Bhukaswan, K. Tongulha and J.L. Maclean, editors. The Second International Symposium on Tilapia in Aquaculture. ICLARM Conference Proceedings 15, 623 pp. Department of Fisheries, Bangkok, Thailand, and International Center for Living Aquatic Resources Management, Manila, Philippines

- Hishamunda, N., and J.E. Mochl. 1989. Rwanda National Fish Culture Project. International Center for Aquaculture R and D Series No. 54. Auburn University, Alabama.
- Mochl, J.E. Jr., K.L. Veveřica, B.J. Hanson, and N. Hishamunda. 1987. Development of appropriate pond management techniques for use by Rwandan farmers. *In* RSA Pullin, T. Bhukaswan, K. Tonguthai, and J.L. Maclean (editors). The Second International Symposium on Tilapia in Aquaculture. ICLARM Conference Proceedings 15. Department of Fisheries, Bangkok, Thailand, and ICLARM, Manila, Philippines. 625 p.
- Molnar, J.J., C.I. Cox, P. Nyirahabimana, and A. Rubagumira. 1994. Socioeconomic factors affecting the transfer and sustainability of aquacultural technology in Rwanda. Research and Development Series No. 38. Alabama Agricultural Experiment Station, Auburn University, Alabama.
- Popina, J.J., and B.W. Green. 1990. Sex reversal of tilapia in earthen ponds. Research and Development Series No. 35. Alabama Agricultural Experiment Station, Auburn University, Alabama.
- Verheest, L., K.L. Veveřica, and T. Rurangwa. 1991. Comparative growth and mortality of *Oreochromis niloticus* and *Channa variegatus* fingerlings in earthen ponds (Rwanda). Pages 318-319. *In* N. De Pauw and J. Joyce, editors. IAS Special Publication No. 14 (1991). Aquaculture and the Environment. 332 pp.
- Veveřica, K. 1992. (In Progress). Proceedings. The Third Conference on High Elevation Tilapia Culture. Butare, Rwanda.
- Hanson, B.J., J.E. Mochl, K.L. Veveřica, F. Rwangano, and M. Van Speybroeck. 1988. Pond culture of tilapia in Rwanda, a high altitude equatorial African country. Pages 553-559. *In* RSA Pullin, T. Bhukaswan, K. Tonguthai, and J.L. Maclean, editors. The Second International Symposium on Tilapia in Aquaculture. ICLARM Conference Proceedings 15. 623 pp. Department of Fisheries, Bangkok, Thailand, and International Center for Living Aquatic Resources Management, Manila, Philippines.
- Sikoki, F.D., R.A. Tubb, and I.R. Curtis. 1986. Inhibition of hepatic UDP-glucuronyl transferase (UDP-GU) activity coincident with elevated plasma sex steroid concentrations during gonadal maturation in carp. Pages 553-559. *In* RSA Pullin, T. Bhukaswan, The Toxicologist 6(1). Proceedings of the Colloquium of Rwanda Women in Aquaculture. 1992. English/French version and Kinyarwanda/French version.

Presentations

- Hanson, B., A. Ndayezaho, F. Rwangano, F. Rurangwa, M. Van Speybroeck, R. Tubb, and W. Semu. January 1988. Relationship between water chemistry and the growth of *Tilapia niloticus* in Rwandan (Central Africa) fish ponds fertilized with chicken manure. Paper presented at World Aquaculture Society Meeting, Honolulu, Hawaii.
- Harwambaga, C., F. Rwangano, and B. Hanson. January 1988. A descriptive study of plankton in Rwandan (Central Africa) fish ponds fertilized with chicken manure or triple superphosphate. Paper presented at World Aquaculture Society Meeting, Honolulu, Hawaii.
- Rwangano, F., M. Van Speybroeck, F. Rurangwa, K. Veveřica, and B. Hanson. January 1988. Fingerling production of *Tilapia niloticus* at the Rwasave Fish Culture Station of the National University of Rwanda. Paper presented at World Aquaculture Society Meeting, Honolulu, Hawaii.

Oregon State University

Publications and Reports

- Balakrishnan, R., K. Veveřica, and P. Nyirahabimana. 1993. Rwanda Women in Aquaculture: Context, Contributions and Constraints. Office of Women in Development, Oregon State University, Corvallis, Oregon. 39 pp.
- Balakrishnan, R., K. Veveřica, and P. Nyirahabimana. 1992. Proceedings of the Colloquium on Rwanda Women in Aquaculture. Kigembe Station, Rwanda. WID, Oregon State University, Corvallis, Oregon.
- Balakrishnan, R., K. Veveřica, P. Nyirahabimana, and R. Ramesh. 1992. An Approach to Integrate Gender Variable in Rwanda Pond Dynamics and Aquaculture Collaborative Research Program. WID, Oregon State University, Corvallis, Oregon.
- Curtis, I.R., J.J. Duren, M.D. Hurley, W.K. Semu, and R.A. Tubb. 1991. Disposition and elimination of 17 α -methyltestosterone in Nile tilapia (*Oreochromis niloticus*). *Aquaculture* 99:192-201.

Presentations

- Balakrishnan, R., and P. Nyirahabimana. 1992. Rwanda Women's Role in Integrated Aquaculture Systems for Resource Sustainability. Farming Systems Research and Extension Symposium Working paper series, Michigan State University, East Lansing, Michigan.
- Curtis, I., F. Duren, M. Hurley, and R. Tubb. April 1988. Minimal residue levels after sex reversal of *Tilapia niloticus* by methyltestosterone but persistent alterations in hepatic detoxication systems. Paper presented at Federation of American Societies for Experimental Biology, Las Vegas, Nevada.
- Semu, W. 1993. Using Eco region classification to order pond management strategies. U.S. Forest Service Workshop on Warm Water Fish Management, June 28-30, Bend, Oregon.
- Sikoki, F., I. Curtis, and R. Tubb. 1986. Inhibition of hepatic UDP-glucuronyl transferase (UDP-GU) activity coincident with elevated plasma sex steroid concentrations during gonadal maturation in carp. Paper presented at Society of Toxicologists, Atlanta, Georgia.
- Tubb, R. March 1986. The reduction of estradiol by liver enzymes in carp and rainbow trout. Paper presented at Toxicology Meetings, New Orleans.

University of Arkansas at Pine Bluff

Publications and Reports

- Engle, C., M. Brewster, and F. Hitavezu. 1993. An economic analysis of fish production in a subsistence agricultural economy: The case of Rwanda. *The Journal of Aquaculture in the Tropics* 8:151-165.
- Springborn, R.R., A.L. Jensen, W.Y.B. Chang, and C. Engle. 1992. Optimum harvest time in aquaculture: An application of economic principles to a tilapia growth model. *Aquaculture and Fisheries Management* 23:639-647.

University of Michigan

Publications and Reports

- Springborn, R.R., A.L. Jensen, W.Y.B. Chang, and C. Engle. 1992. Optimum harvest time in aquaculture: An application of economic principles to a tilapia growth model. *Aquaculture and Fisheries Management* 23:639-647.

Thailand

Asian Institute of Technology

Theses

- Boonsong, S. Role of zooplankton in feeding juvenile tilapia (*Oreochromis niloticus*) MS thesis.
- Guttman, H. 1990. Assessment of nutrient limitation in fertilized fish ponds by algal assay. MS thesis. Asian Institute of Technology, Bangkok, Thailand.
- Jiwam, W. 1990. The role of sediments in pond fertility. MS thesis. Asian Institute of Technology, Bangkok, Thailand. 57 pp.
- Muthivan, V. 1991. Nutrient budget and water quality in intensive marine shrimp culture ponds. MS Thesis. Asian Institute of Technology, Bangkok, Thailand.
- Narong, V. Effects of phytoplankton on nursing walking catfish fry in static and flow through water systems.
- Pantong, AK. 1991. Role of urea in fertilizing fish ponds. MS thesis. Asian Institute of Technology, Bangkok, Thailand.
- Qileng, Y. 1991. Nutrient budget and water quality in integrated walking catfish-tilapia culture. MS Thesis. Asian Institute of Technology, Bangkok, Thailand.
- Rao, T.V.G. 1989. Gonadal development in environmentally induced breeding of walking catfish *Clarias batrachus* (Linnaeus). MS thesis. Asian Institute of Technology, Bangkok, Thailand.
- Shrestha, MK. 1989. Impact of attached microorganism biomass on tilapia (*Oreochromis niloticus*) production. MS thesis. Asian Institute of Technology, Bangkok, Thailand.
- Suresh, AV. Influence of stocking density on red tilapia production in a recirculation system.
- Ullah, Md. A. 1989. Nutrient release characteristic of duck manure for Nile tilapia production. MS thesis. Asian Institute of Technology, Bangkok, Thailand.
- Knud-Hansen, C.F., C.D. McNabb, and F.R. Batterson. 1991. Application of limnology for efficient nutrient utilization in tropical pond aquaculture. Proceedings of the International Association of Theoretical and Applied Limnology 24:2541-2543.
- Knud-Hansen, C.F., C.D. McNabb, and F.R. Batterson. 1989. Application of limnology for efficient nutrient utilization in tropical pond aquaculture. Abstract in XXIVth Congress of the International Association of Theoretical and Applied Limnology.
- McNabb, C.D., C.F. Knud-Hansen, F.R. Batterson, and K. Laven. 1991. A systematic approach to maximizing nutrient efficiency and growth of Nile tilapia (*Oreochromis niloticus*) under semi-intensive pond culture. Abstract in Journal of the World Aquaculture Society 22:40A.
- McNabb, C.D., F.R. Batterson, C.K. Lim, K. Laven, J.I. Hanson, and R. Chuenpagdee. 1989. Fish yield with nitrogen supplemented organic fertilizers. Abstract in Journal of the World Aquaculture Society 20:56A.
- McNabb, C.D., F.R. Batterson, B.J. Premo, C.F. Knud-Hansen, H.M. Edman, C.K. Lim, K. Laven, J.I. Hanson, and R. Chuenpagdee. 1990. Managing fertilizers for fish yield in tropical ponds in Asia. Pages 169-172. In R. Hirano and I. Hanui, editors. Proceedings of the Second Asian Fisheries Forum.
- McNabb, C.D., F.R. Batterson, B.J. Premo, C.F. Knud-Hansen, H.M. Edman, C.K. Lim, K. Laven, J.I. Hanson, and R. Chuenpagdee. 1989. Managing fertilizers for fish yield in tropical ponds in Asia. Abstract in The Second Asian Fisheries Forum.
- Shevgoor, T., C.F. Knud-Hansen, and P.I. Edwards. An assessment of the role of buffalo manure as a fish pond input. Part 3. Limiting factors. Aquaculture. In press.
- Shrestha, MK, and C.F. Knud-Hansen. 1991. Increasing attached microorganism biomass as a management strategy for Nile tilapia (*Oreochromis niloticus*) production. Aquacultural Engineering 13:101-108.
- Yusoff, I.M., and C.D. McNabb. 1989. Effects of nutrient availability on primary productivity and fish production in fertilized tropical ponds. Aquaculture 78:303-319.

Presentations

Michigan State University

Publications and Reports

- Guttman, H., and C.F. Knud-Hansen. 1992. Fish pond management by algal assay. Abstract in Journal of the World Aquaculture Society.
- Knud-Hansen, C.F. 1992. Pond biology as a source of error in fish culture experiments: A quantitative assessment using covariance analysis. Aquaculture 105:21-36.
- Knud-Hansen, C.F. 1992. Analyzing standard curves in the chemistry of waters used for aquaculture. Naga, the ICLARM Quarterly (January): 16-19.
- Knud-Hansen, C.F., and F.R. Batterson. 1994. Effect of fertilization frequency on the production of Nile tilapia (*Oreochromis niloticus*). Aquaculture 123:271-280.
- Knud-Hansen, C.F., and C.K. Lim. 1992. Strategies for stocking Nile tilapia (*Oreochromis niloticus*) in fertilized ponds. Proceedings of the Third International Symposium on Tilapia in Aquaculture. In press.
- Knud-Hansen, C.F., and AK. Pantong. 1993. On the role of urea in pond fertilization. Aquaculture 114:273-283.
- Knud-Hansen, C.F., F.R. Batterson, and C.D. McNabb. 1993. The role of chicken manure in the production of Nile tilapia (*Oreochromis niloticus* (L.)). Aquaculture and Fisheries Management 24:483-493.
- Guttman, H., and C.F. Knud-Hansen. May 1992. Fish pond management by algal assay. World Aquaculture Society, 23rd Annual Meeting, Orlando, Florida.
- Knud-Hansen, C.F., and C.K. Lim. 1991. Strategies for stocking Nile tilapia (*Oreochromis niloticus*) in fertilized ponds. The Third International Symposium on Tilapia in Aquaculture. Abidjan, Cote d'Ivoire, Africa, November 1991.
- Knud-Hansen, C.F., and AK. Pantong. May 1992. The role of urea in fishpond fertilization. World Aquaculture Society, 23rd Annual Meeting, Orlando, Florida.
- Knud-Hansen, C.F., C.D. McNabb, and F.R. Batterson. August 1989. Application of limnology for efficient nutrient utilization in tropical pond aquaculture. XXIVth Congress of the International Association of Theoretical and Applied Limnology.
- McNabb, C.D., C.F. Knud-Hansen, F.R. Batterson, and K. Laven. June 1991. A systematic approach to maximizing nutrient efficiency and growth of Nile tilapia (*Oreochromis niloticus*) under semi-intensive pond culture. World Aquaculture Society Meeting, 22nd Annual Meeting, San Juan, Puerto Rico.
- McNabb, C.D., F.R. Batterson, C.K. Lim, K. Laven, J.I. Hanson, and R. Chuenpagdee. February 1989. Fish yield with nitrogen supplemented organic fertilizers. Presented at the World Aquaculture Society Meeting, Aquaculture 1989, Los Angeles, California.
- McNabb, C.D., F.R. Batterson, B.J. Premo, C.F. Knud-Hansen, H.M. Edman, C.K. Lim, K. Laven, J.I. Hanson, and R. Chuenpagdee. April 1989. Managing fertilizers for fish yield in tropical ponds in Asia. Second Asian Fisheries Forum, Tokyo, Japan.

Manuscripts

- Hopkins K., and C.F. Knud-Hansen. Submitted. Comparison of three fertilization strategies: Algal assay, nutrient concentration, and empirically determined constant rate. *Journal of the World Aquaculture Society*.
- Knud-Hansen, C.F., and I.R. Batterson. Submitted. Effect of fertilization frequency on the production of Nile tilapia (*Oreochromis niloticus*). *Aquaculture*.
- Knud-Hansen, C.F., and H. Gutman. Submitted. Algal assay method for pond fertilization. *Journal of the World Aquaculture Society*.

Other

- Knud-Hansen, C.F., and I.R. Batterson. 1987-1992. Thailand PD/A CRSP data diskettes for Work Plans IV, A, and M1 experiments using IOTIS 1-2-3.

University of Hawaii

Publications and Reports

- Diana, J.S., and A. East. 1989. The effects of water exchange rate and density on yield of the walking catfish, *Clarias fuscus*. *Aquaculture* 78:267-276.
- Hopkins, K.D. 1992. Reporting fish growth: A review of the basics. *Journal of World Aquaculture Society* 23(3):173-179.
- Hopkins, K.D. 1988. Reporting fishpond yields to farmers. *Aquabyte* 1(2):6.
- Hopkins, K., and A. Yakupitiyage. 1991. Bias in seine sampling of tilapia. *Journal of the World Aquaculture Society* 22(4):260-262.
- Hopkins, K.D., M.L. Hopkins, and D. Pauly. 1988. A multivariate model of tilapia growth, applied to seawater tilapia culture in Kuwait. Pages 29-39. *in* RSA Pullin, I., Bhukasswan, K., Tonguthai, and H. Maclean, editors. The Second International Symposium on Tilapia in Aquaculture. ICARM Conference Proceedings 15. International Center for Living Aquatic Resources Management, Manila, Philippines.
- Szyper, J.P., and J.M. Hering. 1993. Photosynthesis and community respiration at three depths during a period of stable phytoplankton stock in a eutrophic brackish water culture pond. *Marine Ecology Progress Series* 94:229-238.
- Szyper, J., and K.D. Hopkins. 1993. Effects of pond depth and mechanical mixing on production of *Oreochromis niloticus* in manured earthen ponds. *In* RSA Pullin, I., Lazard, M., Legendre, and J.B. Amon-Kofinis (editors). The Third International Symposium on Tilapia in Aquaculture. ICARM Conference Proceedings 16. International Center for Living Aquatic Resources Management, Manila, Philippines.
- Szyper, J., and C.K. Im. 1990. Techniques for assessment of stratification and effects of mechanical mixing in tropical fish ponds. *Aquacultural Engineering* 9:151-165.
- Szyper, J.P., K. Hopkins, and C.K. Im. 1991. Production of *Oreochromis niloticus* (L.) and ecosystem dynamics in manured ponds of three depths. *Aquaculture and Fisheries Management* 22:385-396.
- Szyper, J.P., J.Z. Rosenfeld, R.H. Piedrahita, and P. Govanum. 1992. Diel cycles of planktonic respiration rates in briefly incubated water samples from a fertile earthen pond. *Limnology and Oceanography* 37:1193-1201.

Presentations

- Im, C.K., and J. Szyper. June 1990. Stratification of temperature and dissolved oxygen in tropical fish ponds. *World Aquaculture* 90: Halilax.

Manuscripts

- Hopkins, K.D. Systemic variation in the growth parameter phi prime. Submitted to *Aquabyte* November, 1992.
- Hopkins K., and C.F. Knud-Hansen. Submitted. Comparison of three fertilization strategies: Algal assay, nutrient concentration, and empirically determined constant rate. *Journal of the World Aquaculture Society*.

University of Michigan

Theses

- Buurma, B.J. 1991. The effects of feeding frequency and handling in culture of the walking catfish, *Clarias fuscus*. M.S. thesis, University of Michigan.

Publications and Reports

- Buurma, B.J., and J.S. Diana. 1993. The effects of feeding frequency and handling on growth and mortality of cultured walking catfish, *Clarias fuscus*. *Journal of the World Aquaculture Society*. In press.
- Diana, J.S. 1993. Conservation and utilization of genetic resources in capture and culture fisheries. Pages 89-104. *in* C.S. Potter, H. Cohen, and D. Janzewski, editors. Perspectives on Biodiversity: Case Studies of Genetic Resource Conservation and Development. American Association for the Advancement of the Sciences, Washington, DC.
- Diana, J.S., and A. East. 1989. The effects of water exchange rate and density on yield of the walking catfish, *Clarias fuscus*. *Aquaculture* 78:267-276.
- Diana, J.S., and D. Ottey. 1986. Biological principles of pond culture. Fish. Pages 39-52. *in* James I. Lunnan, R.O. Sutherman, and George Tchobanoglous, editors. Principles and Practices of Pond Aquaculture: A State of the Art Review. Oregon State University Press, Corvallis. Originally published as internal report in 1985.
- Diana, J.S., D.J. Detweiler, and C.K. Im. 1991. Effect of Nile tilapia (*Oreochromis niloticus*) on the ecosystem of aquaculture ponds, and its significance to the trophic cascade hypothesis. *Canadian Journal of Fisheries and Aquatic Sciences* 48(2):183-190.
- Diana, J.S., S.E. Kohler, and D.R. Ottey. 1988. A yield model for walking catfish production in aquaculture systems. *Aquaculture* 71:23-35.
- Diana, J.S., C.K. Im, and K. Jansen. 1994. Supplemental feeding of tilapia in fertilized ponds. *Journal of the World Aquaculture Society* 25(4). In press.
- Diana, J., C.K. Im, P. Schneeberger. 1990. Relationships among nutrient inputs, nutrient concentrations, primary production, and yield of *Oreochromis niloticus* in ponds. *Aquaculture* 92:323-341.
- Diana, J.S., P.J. Schneeberger, and C.K. Im. 1988. Relationships between primary production and yield of tilapia in ponds. Pages 1-6. *in* RSA Pullin, I., Bhukasswan, K., Tonguthai, and H. Maclean, editors. The Second International Symposium on Tilapia in Aquaculture. ICARM Conference Proceedings 15, 623 p. Manila, Philippines.
- Knud-Hansen, C.F., and C.K. Im. 1992. Strategies for stocking Nile tilapia (*Oreochromis niloticus*) in fertilized ponds. Proceedings of the Third International Symposium on Tilapia in Aquaculture. In press.
- Im, C.K. 1990. Integrated culture of walking catfish and tilapia. Pages 209-212. *in* R. Hirano, and T. Hanjo, editors. Proceedings of the Second Asian Fisheries Forum. Asian Fisheries Society, Manila.
- Im, C.K. 1990. Production and consumption of freshwater prawns (*Macrobrachium rosenbergii*). *Journal of the World Aquaculture Society*. Accepted.
- Im, C.K. 1989. Prawn culture in Taiwan: What went wrong? *World Aquaculture* 20:19-20.

- Lin, C.K. 1989. Occurrence of mass mortality of black tiger prawns in Taiwan. *Thai Fisheries Gazette* 42:209-216.
- Lin, C.K. 1986. Acidification and reclamation of acid sulfate soil fishponds in Thailand. Pages 71-74 *in* J.L. MacLean, J.B. Dizon, and L.V. Hosillos, editors. *The First Asian Fisheries Forum*. Asian Fisheries Society, Manila, Philippines.
- Lin, C.K. 1986. Nutrient dynamics between inorganic and organic fertilization in tilapia culture ponds. *Proceedings of the 21th Kasetsart University Conference on Fisheries* 171-182.
- Lin, C.K. 1986. Biological principles of pond culture: Phytoplankton and macrophytes. Pages 21-26 *in* James E. Lamm, R.O. Smitheman, and George Tchobanoglous, editors. *Principles and Practices of Pond Aquaculture: A State of the Art Review*. Oregon State University Press, Corvallis. (Originally published internally in 1983.)
- Lin, C.K., and M. Boonyaratpalin. 1988. An analysis of biological characteristics of *Macrobrachium rosenbergii* in relation to pond production and marketing in Thailand. *Aquaculture* 71:205-215.
- Lin, C.K., and P. Tavarutmaneeagul. 1986. Acidification and reclamation of acid-sulfate soil fish ponds in Thailand. *First Asian Fisheries Society Forum*, Manila, Philippines. Published in Forum proceedings.
- Lin, C.K., V. Tansakul, and C. Apinapath. 1988. Biological nitrogen fixation as a source of nitrogen input in fishponds. Pages 53-58 *in* R.S.A. Pullin, T. Bhukawan, K. Tonguthai, and J.L. MacLean, editors. *The Second International Symposium on Tilapia in Aquaculture: ICLARM Conference Proceedings* 45, 623 p. Manila, Philippines.
- Lin, C.K., K. Jaiyen, V. Muthuwana. 1990. Integrated culture of intensive and semi-intensive aquaculture: Concept and example. *Thai Fisheries Gazette* 43:425-430.
- McNabb, C.D., T.R. Batterson, B.J. Premo, C.F. Knud-Hansen, H.M. Eidman, C.K. Lin, K. Jaiyen, J.E. Hanson, and R. Chuenpagdee. 1990. Managing fertilizers for fish yield in tropical ponds in Asia. Pages 169-172 *in* R. Hirano and I. Hanay, editors. *Proceedings of The Second Asian Fisheries Forum*. Asian Fisheries Society, Manila, Philippines.
- Muthuwana W., V. Tansakul, and C.K. Lin. 1986. Nutrient dynamics between inorganic and organic fertilized ponds for tilapia culture. *Proceedings of the Kasetsart University Agricultural Conference* (January 1985).
- Muthuwana W., V. Tansakul, and C.K. Lin. 1986. Production and utilization of organic carbon in tilapia culture ponds. *Proceedings of the Kasetsart University Agricultural Conference* (January 1985).
- Nash, G., S. Chinabut, and C. Imsuwan. 1987. Idiopathic muscle necrosis in the freshwater prawn, *Macrobrachium rosenbergii* (de Man), cultured in Thailand. *Journal of Fish Diseases* 10:109-120.
- Springbrun, R.R., A.L. Jensen, W.Y.B. Chang, and C. Engle. 1992. Optimum harvest time in aquaculture: An application of economic principles to a Nile tilapia, *Oreochromis niloticus* (L.), growth model. *Aquaculture and Fisheries Management* 23:639-647.
- Suresh, A.V., and C.K. Lin. 1992. Effect of stocking density on water quality and production of red tilapia in a recirculated water system. *Aquaculture Engineering* 11:1-22.
- Suresh, A.V., and C.K. Lin. 1992. Tilapia culture in saline waters: A review. *Aquaculture* 106:201-226.
- Szyper, J.P., and C.K. Lin. 1990. Techniques for assessment of stratification and effects of mechanical mixing in tropical fish ponds. *Aquaculture Engineering* 9:151-165.
- Szyper, J.P., K. Hopkins, and C.K. Lin. 1991. Production of *Oreochromis niloticus* (L.) and ecosystem dynamics in manured ponds of three depths. *Aquaculture and Fisheries Management* 22:385-396.
- Tansakul, V., T. Sae-Lee, and E. Sae-Loaw. 1987. Acute toxicity and treatment effect of formalin to early larvae prawn, *Macrobrachium rosenbergii* (de Man). *Proceedings of the 25th Kasetsart University Conference on Fisheries*.
- Tavarutmaneeagul, P., and C.K. Lin. 1987. Breeding and rearing of sand goby (*Oxyeleotris rosenbergii*, Blk.) fry. *Aquaculture* 69:299-305.
- ## Presentations
- Diana, J.S., and C.K. Lin. January 1988. Effects of fertilization rate on primary production and yield of tilapia in ponds. *World Aquaculture Society*, Honolulu, Hawaii.
- Diana, J.S., C.K. Lin, and D. Dettweiler. February 1989. Cascading trophic interactions: A test of the hypothesis using tilapia culture data. *World Aquaculture Society*, Los Angeles, California.
- Diana, J.S., P.J. Schneeberger, and C.K. Lin. 1987. Relationships among nutrient input, primary production, and yield of *Tilapia nilotica* in ponds. *Second International Symposium on Tilapia in Aquaculture*, Bangkok, Thailand.
- Knud-Hansen, C.F., and C.K. Lin. 1991. Strategies for stocking Nile tilapia (*Oreochromis niloticus*) in fertilized ponds. *The Third International Symposium on Tilapia in Aquaculture*, Abidjan, Cote d'Ivoire, Africa, November 1991.
- Lin, C.K. April 1990. Integrated culture of walking catfish and tilapia. *Second Asian Fisheries Forum*, Tokyo.
- Lin, C.K., and S. Auworatham. 1987. Effects of inorganic and organic fertilizers on zooplankton production in tilapia ponds. *25th Kasetsart University Conference*, Bangkok, Thailand.
- Lin, C.K., and J.S. Diana. February 1989. Integrated culture of walking catfish and tilapia in earthen ponds. *World Aquaculture Society*, Los Angeles, California.
- Lin, C.K., and J.S. Diana. 1987. Fertilization effects on pond carrying capacity in extensive culture of tilapia (*Oreochromis niloticus*). *Second International Symposium on Tilapia in Aquaculture*, Bangkok.
- Lin, C.K., and J. Szyper. June 1990. Stratification of temperature and dissolved oxygen in tropical fish ponds. *World Aquaculture '90*, Halifax.
- Lin, C.K., V. Apinapat, and V. Tansakul. 1987. Biological nitrogen fixation as a source of nitrogen input in fish ponds. *Second International Symposium on Tilapia in Aquaculture*, Bangkok, Thailand.
- Lin, C.K., S. Auworatham, and V. Tansakul. 1986. Dietary consumption of zooplankton by tilapia in fertilized ponds. *Thai Fisheries Academy Seminar*.
- Lin, C.K., M. Boonyaratpalin, and Y. Musig. 1986. Biological characteristics of *Macrobrachium rosenbergii* (de Man) in relation to pond production and marketing. *First Asian Fisheries Society Forum*, Manila, Philippines.
- Lin, C.K., E. Sae-Loaw, and V. Tansakul. 1987. Rearing post-larvae of *Macrobrachium rosenbergii* at high stocking density in concrete tanks. *25th Kasetsart University Conference*, Bangkok.
- Lin, C.K., V. Tansakul, W. Muthuwana, and S. Auworatham. 1986. Production and utilization of organic carbon in tilapia culture and ponds. *Thai Fisheries Academy Seminar*.
- Lin, C.K., W. Muthuwana, V. Tansakul, S. Auworatham, and C. Apinapat. 1986. Nutrient dynamics between inorganic and organic fertilized ponds for tilapia culture. *Thai Fisheries Academy Seminar*.
- Musig, Y., M. Boonyaratpalin, and C.K. Lin. 1987. Water quality in *Macrobrachium* grow-out ponds. *25th Kasetsart University Conference*, Bangkok.
- Tansakul, V., T. Sae-Lee, and E. Sae-Loaw. 1987. Acute toxicity and treatment effect of formalin on early larval prawns (*Macrobrachium rosenbergii* (de Man)). *25th Kasetsart University Conference*, Bangkok.
- ## Manuscripts
- Lin, C.K., K. Jaiyen, V. Muthuwana. 1990. Integrated culture of intensive and semi-intensive aquaculture: Concept and example. *Thai Fisheries Gazette* (in review).
- Szyper, J.P., and C.K. Lin. 1990. Stratification of temperature and dissolved oxygen in mixed and unmixed ponds. *Journal Aquaculture Engineering*. In press.

Other

- Lin, C.K. 1990. Effects of intensive shrimp culture on coastal environment in upper Gulf of Thailand. Seminar at Royal Thai Government Department of Fisheries and Shrimp Farmers Associations. 15-16 February 1990.
- Lin, C.K. 1990. Current status of freshwater prawn and marine shrimp culture in Thailand. Seminar at Great Lakes Fisheries Research Laboratory, Ann Arbor, Michigan.
- Lin, C.K. 1989. Intensive pond culture of freshwater prawns and marine shrimps in Thailand. Seminar at Auburn University, Auburn, Alabama. 23 May 1989.
- Lin, C.K. 1989. The problems of marine shrimp culture in Taiwan. Seminar at Royal Thai Government Department of Fisheries and Shrimp Farmers Association, Bangkok, Thailand. July 1989.
- Lin, C.K. 1989. Overview of current aquaculture in the Orient and the USA. Seminar at United States Agency for International Development, Bangkok, Thailand. 28 July 1989.
- Lin, C.K. 1989. Aquaculture in Thailand and AT's Program. Seminar at Citizens Ambassadors, Bangkok, Thailand. August 1989.
- 88-12 Fortes, R.D., V.L. Corre, Jr., and E. Pudadera. Effects of fertilizers and feeds as nutrient sources on *Oreochromis niloticus* production in Philippine brackishwater ponds. (12/88)
- 89-13* East, A.W., K.E. Carpenter, V.J. Estilo, and H.J. Gonzales. Effects of water depth and artificial mixing on dynamics of Philippines brackishwater shrimp ponds. (1/89)
- 89-14* Chang, W.Y.B., and H. Ouyang. Dynamics of dissolved oxygen and vertical circulation in fish ponds. (6/89)
- 89-15* Green, B.W., R.P. Phelps, and H.R. Alvarenga. The effect of manures and chemical fertilizers on the production of *Oreochromis niloticus* in earthen ponds. (1/89)
- 89-16* Lin, C.K., and M. Boonyarapalin. An analysis of biological characteristics of *Macrobrachium rosenbergii* (de Man) in relation to pond production and marketing in Thailand. (2/89)
- 89-17* Chang, W.Y.B. Estimates of hypolimnetic oxygen deficits in ponds. (8/89)
- 89-18* Diana, J.S., and A.W. East. The effects of water exchange rate and density on yield of the walking catfish, *Clarias fuscus*. (9/89)
- 89-19* Diana, J.S., P.J. Schneeberger, and C.K. Lin. Relationships between primary production and yield of tilapia in ponds. (9/89)
- 89-20* Lin, C.K., V. Tansakul, and C. Apinipath. Biological nitrogen fixation as a source of nitrogen input in fish ponds. (11/89)
- 89-21* Teichert-Coddington, D.R., and R.P. Phelps. Effects of seepage on water quality and productivity of inorganically fertilized tropical ponds. (12/89)
- 90-22* Chang, W.Y.B. Integrated lake farming for fish and environmental management in large shallow Chinese lakes: A review. (1/90)
- 90-23* Hopkins, K.D., M.L. Hopkins, and D. Pauley. A multivariate model of tilapia growth, applied to seawater tilapia culture in Kuwait. (1/90)
- 90-24* Hopkins, K.D. Reporting fishpond yields to farmers. (1/90)
- 90-25* Peralta, M., and D. Teichert-Coddington. Comparative production of *Colossoma macropomum* and *Tilapia nilotica* in Panama. (1/90)
- 90-26* Teichert-Coddington, D.R., B.W. Green, S. Matamoros, and R. Rodriguez. The substitution of chicken litter for feed in the commercial production of penaeid shrimp in Honduras. (5/90)
- 90-27* Green, B.W., and L.A. Lopez. Implementing the large-scale production of young males of *Tilapia nilotica* using hormonal sex inversion in Honduras. (5/90)

CRSP Research Reports

The following publications have been issued by the Pond Dynamics/Aquaculture Collaborative Research Support Program, Oregon State University, Corvallis, Oregon 97331-1641. Copies may be obtained from the PDA/CRSP office. An asterisk indicates the Research Report contains only the abstract.

- 87-1 Hopkins, K.D., J.E. Lannan, and J.R. Bowman. A data base management system for research in pond dynamics. (10/87)
- 87-2* Nash, G., S. Chinabut, and C. Limsuwan. Idiopathic muscle necrosis in the freshwater prawn, *Macrobrachium rosenbergii* de Man, cultured in Thailand. (11/87)
- 87-3* Tavarutmaneegul, P., and C.K. Lin. Breeding and rearing of sand goby (*Oxyeleotris marmoratus*, Blk.) fry. (11/87)
- 88-4 Lin, C.K. Acidification and reclamation of acid sulfate soil fishponds in Thailand. (1/88)
- 88-5 Ver, L.M.B., and Y.N. Chiu. The effect of paddlewheel aerators on ammonia and carbon dioxide removal in intensive pond culture. (2/88)
- 88-6 Carpenter, K.E., A.W. East, V. L. Corre, J.W. Woessner, and R.L. Janco. The effects of water depth and circulation on the water quality and production of *Penaeus monodon* in earthen ponds. (2/88)
- 88-7 Sanares, R.C., S.A. Tasse, A.W. East, and K.E. Carpenter. Water quality dynamics in brackishwater shrimp ponds with artificial aeration and circulation. (2/88)
- 88-8 Batterson, T.R., C.D. McNabb, C.F. Knud-Hansen, H.M. Eidman, and K. Sumatadinata. Effect of chicken manure additions on fish production in ponds in West Java, Indonesia. (4/88)
- 88-9* Teichert-Coddington, D.R., S. Stone, and R.P. Phelps. Hydrology of fish culture ponds in Gatulaca, Panama. (12/88)
- 88-10* Sikoki, F.D., R.A. Tubb, and L.R. Curtis. Elevation of sex steroids and inhibition of 17 β -glucuronyltransferase are out of phase during gonadal maturation in the common carp. (12/88)
- 88-11 Minsalan, C.L.O., and Y.N. Chiu. Effects of teaseed cake on selective elimination of finfish in shrimp ponds. (12/88)
- 90-28 Hanson, B.J., J.F. Mochl, Jr., K.L. Vererica, E. Rwangano, and M. Van Speybroek. Pond culture of tilapia in Rwanda, a high altitude equatorial African country. (10/90)
- 90-29* Knud-Hansen, C.F., T.R. Batterson, and C.D. McNabb. Hatchery techniques for egg and fry production of *Clarias batrachus* (Linnaeus). (10/90)
- 91-30* Green, B.W., D.R. Teichert-Coddington, and R.P. Phelps. Response of tilapia yield and economics to varying rates of organic fertilization and season in two Central American countries. (1/91)
- 91-31* Syper, J.P., and C.K. Lin. Techniques for assessment of stratification and effects of mechanical mixing in tropical fish ponds. (5/91)
- 91-32* Knud-Hansen, C.F., T.R. Batterson, C.D. McNabb, I.S. Harahat, K. Sumatadinata, and H.M. Eidman. Nitrogen input, primary productivity and fish yield in fertilized freshwater ponds in Indonesia. (7/91)
- 91-33* Piedrahita, R.H. Calibration and validation of tap, an aquaculture pond water quality model. (10/91)
- 91-34* Piedrahita, R.H. Modeling water quality in aquaculture ecosystems. (10/91)
- 91-35* Piedrahita, R.H. Engineering aspects of warmwater hatchery design. (10/91)
- 91-36* Piedrahita, R.H., and P. Giovannini. Fertilized non-led pond systems. (10/91)
- 91-37* McNabb, C.D., T.R. Batterson, B.J. Premo, C.F. Knud-Hansen, H.M. Eidman, C.K. Lin, K. Jaiven, J.E. Hanson, and R. Chuenpagdee. Managing fertilizers for fish yield in tropical ponds in Asia. (12/91)
- 91-38* Green, B.W., and H.R. Alvarenga. The effect of different application rates of chicken litter on tilapia production. (12/91)
- 91-39* Alvarenga, H.R., and B.W. Green. Production and economic aspects of tilapia cultivation in ponds fertilized with chicken litter. (12/91)
- 92-40* Syper, J.P., K.D. Hopkins, and C.K. Lin. Production of *Oreochromis niloticus* (L.) and ecosystem dynamics in manured ponds of three depths. (3/92)

- 92-41* Piedrahita, R.H. Simulation of short-term management actions to prevent oxygen depletion in ponds. (3/92)
- 92-42* Teichert-Coddington, D.R., B.W. Green, and R.W. Parkman. Substitution of chicken litter for feed in production of penaeid shrimp in Honduras. (3/92)
- 92-43* Knud-Hansen, C.E., C.D. McNabb, and T.R. Batterson. Application of limnology for efficient nutrient utilization in tropical pond aquaculture. (4/92)
- 92-44* Hopkins, K., and A. Yakupitiyage. Bias in seine sampling of tilapia. (4/92)
- 92-45* Engle, C.R., and M. Skladany. The economic benefit of chicken manure utilization in fish production in Thailand. (5/92)
- 92-46* Green, B.W. Substitution of organic manure for pelleted feed in tilapia production. (5/92)
- 92-47* Green, B.W., and D.R. Teichert-Coddington. Comparison of two samplers used with an automated data acquisition system in whole-pond, community metabolism studies. (5/92)
- 92-48* Lin, K.M., and W.Y.B. Chang. Bioenergetic modelling of effects of fertilization, stocking density, and spawning on growth of the Nile tilapia, *Oreochromis niloticus* (L.). (9/92)
- 93-49* Teichert-Coddington, D.R., B.W. Green, and R.P. Phelps. Influence of site and season on water quality and tilapia production in Panama and Honduras. (4/93)
- 93-50* Suresh, A.V., and C.K. Lin. Tilapia culture in saline waters: A review. (4/93)
- 93-51* Knud-Hansen, C.E. Analyzing standard curves in the chemistry of waters used for aquaculture. (4/93)
- 93-52* Szper, J.P., J.Z. Rosenfeld, R.H. Piedrahita, and P. Giovannini. Diel cycles of planktonic respiration rates in briefly incubated water samples from a fertile earthen pond. (4/93)
- 93-53 This report is a duplicate of an earlier number.
- 93-54 Lin, C.K., K. Jaiyen, and V. Muthiwan. Integration of intensive and semi-intensive aquaculture: Concept and example. (5/93)
- 93-55* Szper, J.P., and J.M. Ebeling. Photosynthesis and community respiration at three depths during a period of stable phytoplankton stock in a eutrophic brackish water culture pond. (9/93)
- 93-56* Knud-Hansen, C.E., T.R. Batterson, and C.D. McNabb. The role of chicken manure in the production of Nile tilapia, *Oreochromis niloticus* (L.). (10/93)
- 93-57* Boyd, C.E., and D. Teichert-Coddington. Relationship between wind speed and re-aeration in small aquaculture ponds. (10/93)
- 93-58* Teichert-Coddington, D.R., and B.W. Green. Influence of daylight and incubation interval on water column respiration in tropical fish ponds. (10/93)
- 93-59* Knud-Hansen, C.E., and A.K. Pantong. On the role of urea in pond fertilization. (11/93)
- 94-60* Shrestha, M.K., and C.E. Knud-Hansen. Increasing attached microorganism biomass as a management strategy for Nile tilapia (*Oreochromis niloticus*) production. (5/94)
- 94-61* Springborn, R.R., A.L. Jensen, W.Y.B. Chang, and C. Engle. Optimum harvest time in aquaculture: An application of economic principles to a Nile tilapia, *Oreochromis niloticus* (L.), growth model. (2/94)
- 94-62* Hopkins, K.D., and D. Parly. Instantaneous mortalities and multivariate models: Applications to tilapia culture in saline water. (2/94)
- 94-63* Green, B.W., and D.R. Teichert-Coddington. Production of *Oreochromis niloticus* by for hormonal sex reversal in relation to water temperature. (2/94)
- 94-64* Engle, C.R., M. Brewster, and E. Hitayezu. An economic analysis of fish production in a subsistence agricultural economy: The case of Rwanda. (6/94)
- 94-65* Knud-Hansen, C.E., and T.R. Batterson. Effect of fertilization frequency on the production of Nile tilapia (*Oreochromis niloticus*). (9/94)
- 94-66* Teichert-Coddington, D.R., R. Rodriguez, and W. Toyofuku. Cause of cyclic variation in Honduran shrimp production. (11/94)
- 94-67* Springborn, R.R., A.L. Jensen, and W.Y.B. Chang. A variable growth rate modification of von Bertalanffy's equation for aquaculture. (12/94)
- 94-68* Diana, J.S., D.J. Dettweiler, and C.K. Lin. Effect of Nile tilapia (*Oreochromis niloticus*) on the ecosystem of aquaculture ponds, and its significance to the trophic cascade hypothesis. (12/94)
- 94-69* Ayub, M., C.E. Boyd, and D. Teichert-Coddington. Effects of urea application, aeration, and drying on total carbon concentrations in pond bottom soils. (12/94)
- 94-70* Boyd, C.E., and D. Teichert-Coddington. Pond bottom soil respiration during fallow and culture periods in heavily-fertilized tropical fish ponds. (12/94)
- 94-71* Hopkins, K.D. Reporting fish growth: A review of the basics. (12/94)
- 94-72* Hopkins, K.D., and J.D. Bowman. A research methodology for integrated agriculture-aquaculture farming systems. (12/94)
- 94-73* Diana, J.S., and K. Jaiyen. Supplemental feeding of tilapia in fertilized ponds. (12/94)
- 94-74* Knud-Hansen, C.E. Pond history as a source of error in fish culture experiments: A quantitative assessment using covariate analysis. (12/94)

Data Reports by CRSP Researchers

- Batterson, T.R., C.D. McNabb, C.E. Knud-Hansen, H.M. Eidman, and K. Sumantadinata. 1989. Indonesia: Cycle III of The Global Experiment. Collaborative Research Data Reports Volume Three, Number Three. PDA CRSP, Corvallis, Oregon. 135 pp.
- Carpenter, K.E., A.W. East, J. Carreon, and R. Juliano. 1991. Philippines: Cycle III of The Global Experiment. Collaborative Research Data Reports Volume Four, Number Three. PDA CRSP, Corvallis, Oregon. 257 pp.
- Carpenter, K.E., J. Woessner, R.D. Fortes, A. East, and P. Helfrich. 1991. Philippines: Cycle II of The Global Experiment. Collaborative Research Data Reports Volume Four, Number Two. PDA CRSP, Corvallis, Oregon. 501 pp.
- Diana, J.S., C.K. Lin, T. Bhukaswan, and V. Sirsuwanatach. 1987. Thailand: Cycle I of The Global Experiment. Collaborative Research Data Reports, Volume Two, Number One. PDA CRSP, Corvallis, Oregon. 47 pp.
- Diana, J.S., C.K. Lin, T. Bhukaswan, V. Sirsuwanatach, and B.J. Buirma. 1991. Thailand: Cycle III of The Global Experiment. Collaborative Research Data Reports, Volume Two, Number Three. PDA CRSP, Corvallis, Oregon. 86 pp.
- Diana, J.S., C.K. Lin, T. Bhukaswan, V. Sirsuwanatach, and B.J. Buirma. 1990. Thailand: Cycle II of The Global Experiment. Collaborative Research Data Reports, Volume Two, Number Two. PDA CRSP, Corvallis, Oregon. 54 pp.
- Egna, H.S., S. Brown, and M. Leslie (editors). 1989. General Reference: Site Descriptions, Materials and Methods for the Global Experiment. Collaborative Research Data Reports, Volume One. PDA CRSP, Corvallis, Oregon. 84 pp.
- Green, B.W., H.R. Alvarenga, R.P. Phelps, and J. Espinoza. 1990. Honduras: Cycle II of The Global Experiment. Collaborative Research Data Reports, Volume Six, Number Two. PDA CRSP, Corvallis, Oregon. 94 pp.
- Green, B.W., H.R. Alvarenga, R.P. Phelps, and J. Espinoza. 1990. Honduras: Cycle I of The Global Experiment. Collaborative Research Data Reports, Volume Six, Number One. PDA CRSP, Corvallis, Oregon. 94 pp.
- Green, B.W., H.R. Alvarenga, R.P. Phelps, and J. Espinoza. 1989. Honduras: Cycle III of The Global Experiment. Collaborative Research Data Reports, Volume Six, Number Three. PDA CRSP, Corvallis, Oregon. 114 pp.
- Hanson, B., V. Ndoreyaho, F. Rwangano, R. Tubb, and W.K. Seim. 1991. Rwanda: Cycle III of The Global Experiment. Collaborative Research Data Reports Volume Five, Number Two. PDA CRSP, Corvallis, Oregon. 102 pp.
- Hanson, B., V. Ndoreyaho, R. Tubb, F. Rwangano, and W.K. Seim. 1989. Rwanda: Cycle I of The Global Experiment. Collaborative Research Data Reports Volume Five, Number One. PDA CRSP, Corvallis, Oregon. 62 pp.

- Hughes, D., R.P. Phelps, and R.P. Malca. 1991. Aguadulce, Panama: Cycle III of The Global Experiment. Collaborative Research Data Reports Volume Eight, Number Three. PDA CRSP, Corvallis, Oregon. 230 pp.
- Hughes, D., R.P. Phelps, and R.P. Malca. 1991. Aguadulce, Panama: Cycle II of The Global Experiment. Collaborative Research Data Reports Volume Eight, Number Two. PDA CRSP, Corvallis, Oregon. 143 pp.
- Hughes, D., A. T. Diaz, R.P. Phelps, and R.P. Malca. 1991. Aguadulce, Panama: Cycle I of The Global Experiment. Collaborative Research Data Reports Volume Eight, Number One. PDA CRSP, Corvallis, Oregon. 122 pp.
- McNabb, C.D., T.R. Batterson, B.J. Premo, H.M. Eidman, and K. Sumantadinata. 1991. Indonesia: Cycle II of The Global Experiment. Collaborative Research Data Reports Volume Three, Number Two. PDA CRSP, Corvallis, Oregon. 49 pp.
- McNabb, C.D., T.R. Batterson, B.J. Premo, H.M. Eidman, and K. Sumantadinata. 1988. Indonesia: Cycle I of The Global Experiment. Collaborative Research Data Reports, Volume Three, Number One. PDA CRSP, Corvallis, Oregon. 67 pp.
- Teichert-Coddington, D.R., M. Peralta, R.P. Phelps, and R.P. Malca. 1991. Gualaca, Panama: Cycle III of The Global Experiment. Collaborative Research Data Reports Volume Seven, Number Two. PDA CRSP, Corvallis, Oregon. 56 pp.
- Teichert-Coddington, D., M. Peralta, R.P. Phelps, and R.P. Malca. 1991. Gualaca, Panama: Cycle I of The Global Experiment. Collaborative Research Data Reports Volume Seven, Number One. PDA CRSP, Corvallis, Oregon. 97 pp.
- Woessner, J., R.D. Fortes, and V. Corre, Jr. 1991. Philippines: Cycle I of The Global Experiment. Collaborative Research Data Reports Volume Four, Number One. PDA CRSP, Corvallis, Oregon. 141 pp.
- Ebeling, J.M., and R.H. Piedrahita. 1985. Microcomputer-based data acquisition system for aquaculture use. American Society of Agriculture Engineers Paper Number 85-5014. 8 pp.
- Fridley, R.B., R. H. Piedrahita, and T.M. Losordo. 1988. Challenges in aquacultural engineering. *Agricultural Engineering* 69(4):12-15.
- Grace, G., and R.H. Piedrahita. 1989. Carbon dioxide removal in packed column aerators. American Society of Agricultural Engineers Paper Number 89-7011.
- Hopkins, K.D., M.L. Hopkins, and D. Pauley. 1988. A multivariate model of tilapia growth, applied to seawater tilapia culture in Kuwait. Pages 29-39 *in* R.S.V. Pullin, T. Bhukaswan, K. Tonguthai and J.L. Maclean (editors). The Second International Symposium on Tilapia in Aquaculture, ICLARM Conference Proceedings 15, Department of Fisheries, Bangkok, Thailand, and International Center for Living Aquatic Resources Management, Manila, Philippines.
- Hopkins, K.D., J.E. Lannan, and J.R. Bowman. 1988. Managing a data base for pond research data—the CRSP experience. *Aquaculture* 14(1):3-4.
- Liu, K.M., and W.Y.B. Chang. 1992. Bioenergetic modelling of effects of fertilization, stocking density, and spawning on growth of the Nile tilapia, *Oreochromis niloticus* (L.). *Aquaculture and Fisheries Management* 23:291-301.
- Liu, K.M., and W.Y.B. Chang. 1992. Bioenergetic modelling of effects of fertilization, stocking density, and spawning on growth of the Nile tilapia, *Oreochromis niloticus* (L.). *Aquaculture and Fisheries Management* 23:291-301.
- Losordo, T.M., and R.H. Piedrahita. 1988. Simulating aquacultural pond thermal stratification with a spreadsheet model. American Society of Agricultural Engineers Paper Number 88-5003.
- Losordo, T.M., and R.H. Piedrahita. 1988. Modeling vertical water quality profiles in aquaculture ponds, review and evaluation. Pages 313-327 *in* Proceedings of the Conference Aquacultural Engineering: Technologies for the future, Stirling, Scotland. I. Cheme Symposium Series No. 111, ETCE Publications Series No. 66, Rugby, United Kingdom.
- Losordo, T.M., J.M. Ebeling, and R.H. Piedrahita. 1986. Stratification measurement techniques in aquaculture ponds. American Society of Agricultural Engineers Paper Number 86-5017. 14 pp.
- Losordo, T.M., R.H. Piedrahita, and J.M. Ebeling. 1988. An automated water quality acquisition system for use in aquaculture ponds. *Aquacultural Engineering* 7:265-278.
- Piedrahita, R.H. 1988. Introduction to computer modeling of aquaculture pond ecosystems. *Aquaculture and Fisheries Management* 19:1-12.
- Piedrahita, R.H. 1987. Sensitivity analysis for an aquaculture pond model. Pages 119-123 *in* J.G. Balchen, editor. Automation and Data Processing in Aquaculture. Pergamon Press, New York.
- Piedrahita, R.H., and D.E. Brune. 1989. Aquacultural Engineering: Aquatic habitat commands innovative thrusts. *Agricultural Engineering* 70(1):30-32.
- Piedrahita, R.H., and G. Tchobanoglous. 1987. The use of human wastes and sewage in aquaculture. Pages 336-352 *in* D.J.W. Moriarty and R.S.E. Pullin, editors. Detritus and microbial ecology in aquaculture. ICLARM Conference Proceedings 14, International Center for Living Aquatic Resources Management, Manila, Philippines. 120 pp.
- Piedrahita, R.H., J.M. Ebeling, and T.M. Losordo. 1987. Use of data acquisition systems in aquaculture. Pages 259-262 *in* J.G. Balchen, editor. Automation and Data Processing in Aquaculture. Pergamon Press, New York.
- Piedrahita, R.H., G. Tchobanoglous, and B. Moore. 1987. Effect of organic matter addition to fish culture systems. *Transactions of ASAE* 30(1):233-237.
- Piedrahita, R.H., D.E. Brune, G. Tchobanoglous, and G.T. Orlob. 1984. General model of the aquaculture pond ecosystem. *Journal of the World Mariculture Society* 15:355-366.
- Popma, T.J., and B.W. Green. 1990. Aquaculture Production Manual: Sex reversal of tilapia in earthen ponds. Research and Development Series, No. 35. International Center for Aquaculture, Auburn University, Alabama.

Other Publications by CRSP Researchers

Publications

- Brune, D.E., and R.H. Piedrahita. 1982. Operation of a retained biomass nitrification system for treating aquaculture water for reuse. Proceedings of the First International Conference on Fixed-Film Biological Processes, pp. 845-869.
- Chang, W.Y.B. 1989. Integrated lake farming for fish and environmental management in large shallow Chinese lakes: A review. *Aquaculture and Fisheries Management* 20:141-152.
- Chang, W.Y.B. 1989. Estimates of hypolimnetic oxygen deficits in ponds. *Aquaculture and Fisheries Management* 20:167-172.
- Chang, W. 1987. Fish culture in China. *Fisheries* 12(3):11-15.
- Chang, W. 1987. Historical center of fish center in China in Lake Tai/Yangtze River Delta. *Aquaculture Magazine* 13:39-42.
- Chang, W. 1987. Large lakes of China. *J. Great Lakes Res.* 13(3):235-249.
- Chang, W. 1986. Aquaculture research in China. *China Exchange News*, CSCPRC, National Academy of Sciences 11(2):13-16.
- Chang, W. 1986. Practical methods for treating fish during oxygen stress in ponds. *Aquaculture Magazine* 13(1):20-22.
- Chang, W.Y.B., and H. Ouyang. 1988. Dynamics of dissolved oxygen and vertical circulation in fish ponds. *Aquaculture* 71:263-276.
- Chang, W., and R. Rossmann. Changes in the abundance of blue-green algae related to nutrient loadings in the nearshore of Lake Michigan. *Hydrobiologia*, 157:271-278.
- Chang, W., J. Diana, and W. Chapochuk. 1983. Strengthening of Southeast Asian Aquaculture Institutions. Workshop Report to Agency for International Development.

- Sikoki, F.D., R.A. Tubb, and L.R. Curtis. 1989. Elevation of sex steroids and inhibition of UDP-glucuronyl transferase are out of phase during gonadal maturation in the common carp. *Comp. Biochemical Physiol.* 92C:2:267-272.
- Smith, D.W., and R.H. Piedrahita. 1988. The relation between phytoplankton and dissolved oxygen concentration in fish ponds. *Aquaculture* 68:2:19-265.
- Teichert-Coddington, D.R., and R.O. Smitherman. 1988. Lack of response by *Tilapia nilotica* to mass selection for rapid early growth. *Transactions of the American Fisheries Society* 117:297-300.
- Teichert-Coddington, D.R., L.L. Behrends, and R.O. Smitherman. 1990. Effects of manuring regime and stocking rate on primary production and yield of tilapia using liquid swine manure. *Aquaculture* 88:61-68.

Scientific Papers Presented

- Chang, W. 1987. China integrated aquaculture: An efficient ecological system. Abstract, The Limnology & Oceanography 1987 Annual Meeting.
- Chang, W. 1987. The world's highest lake: Tibetan Lakes. Abstract, 30th Great Lakes Res.
- Chang, W. 1986. Large lakes in China. Abstract, 29th Great Lakes Res.
- Chang, W. 1986. Vertical oxygen dynamics of shallow tropical impoundments in the Pearl River Delta, China. *Tran. Amer. Phys. Union* 66(51):13-1.
- Whitman, M.H., and R.H. Piedrahita. 1989. Water quality requirements of Pacific oysters (*Crassostrea gigas*) in holding systems. Presented at the Annual Meeting of the World Aquaculture Society, Los Angeles, February. 12 pp.

Appendix A.

List of Acronyms and Definitions

AID	Agency for International Development
AIT	Asian Institute of Technology, Thailand
ANOVA	Analysis of Variance
AU	Auburn University
B_{\max}	number of binding sites
Baseline Data	that information and data base in some sector or aspect of a developing country which is necessary to measure change in the future
BFAR	Board for Food and Agriculture Research
BIFADEC	Board for International Food and Agricultural Development and Economic Cooperation
Bilateral Programs	assistance programs involving arrangements between a single developing country and a single donor country
Board of Directors (for a CRSP)	an advisory body selected to assist, advise, and make policy recommendations to the ME in the execution of a CRSP; members represent the interests of the CRSP
BW	body weight
CGIAR	Consultative Group on International Agricultural Research
CIFAD	Consortium for International Fisheries and Aquaculture Development
Collaborating Institutions	institutions which form a partnership arrangement with a lead participating U.S. institution to collaborate on a specific research project
CRSP	Collaborative Research Support Program
d	day
DAST	Data Analysis and Synthesis Team
Data Analysis and Synthesis	the process of compiling and analyzing information about pond culture systems from diverse sources into a coherent, usable format that can be applied to the development of predictive models and to the improvement of the efficiency of these systems
DE	digestible energy
dNPP	diel net primary productivity

DO	dissolved oxygen
DOF	Royal Thai Department of Fisheries
DP	digestible protein
dR	daytime respiration
EE	17 α -ethynylestradiol
EEP	External Evaluation Panel - senior scientists not involved in the CRSP and selected externally for their ability to evaluate objectively the scientific progress and relevance of a CRSP program on an ongoing basis
Experimental Protocol	a detailed plan of a field experiment which specifies experimental methods, sampling schedules, data collection, etc.
Experimental Treatment	fish cultural practices (e.g., fertilizer application, supplemental feeding, etc.) which modify the physical, chemical, and biological environment
Expert System	a computerized compilation of knowledge that is used to make "intelligent" decisions about the management or status of a process or system
FAC	Freshwater Aquaculture Center, Central Luzon State University, Philippines
FCR	feed conversion ratio
FDA	U.S. Food and Drug Administration
Field Experiments	controlled fish production experiments in which quantitative responses to different levels of treatments are measured
FTE	Full Time Equivalent
GFY	gross \hat{P} yield
Global Experiment	the overall plan of a CRSP for research on problems and constraints, global in nature, whose results are applicable and transferable regionally and globally (worldwide)
GOR	Government of Rwanda
Grant Agreement	the formal legal document which represents a binding agreement between AID and the ME institution for a CRSP; this is the legal document for the CRSP recognized as such by AID and the recipient institutions
Grant Proposal	the formal document submitted by an ME to AID, proposing a CRSP for receiving a grant outlining the manner of implementation of the program and showing the budgetary requirements
Host Country (HC)	a developing country in which a CRSP has formal activities
i.d.	inner diameter
INAD	Investigational New Animal Drug permit

INRP	International Research Project
Institutional Development	improvement in the capability of institutions in developing countries to conduct development programs for agriculture and other sectors, or for implementing educational/training, research, health, and other public programs. This may include improvements in physical facilities, equipment, furnishings, transportation, organization, but refers primarily to the development and training of a professional cadre.
JCARD	Joint Committee on Agricultural Research and Development (formerly Joint Research Committee), BIEADEC
JRC	Joint Research Council, USAID
LDC	Lesser Developed Countries
Lps	Lempiras, Honduran currency
Matching Requirement document	that sum of resources, financial or in-kind, which participating U.S. institutions must collectively contribute to a CRSP program as defined in the grant (also called "cost sharing")
mb	mibolerone
ME	Management Entity
MINAGRI	Ministere de l'Agriculture, de l'Elevage, et de l'Environnement (Ministry of Agriculture, Livestock and Environment)
Mission	a formally organized USAID unit in a developing country led by a Mission Director or a country representative
MOU	Memorandum of Understanding
MRTC	Mariculture Research and Training Center, University of Hawaii
MSU	Michigan State University
MT	17 α -methyltestosterone
NFY	net fish yield
NGO	Non Government Organization
NIFI	National Inland Fisheries Institute, Thailand
NMFS	National Marine Fisheries Service
NPP	net primary productivity
nR	nighttime respiration
NRP	National Research Project
OIRD	Office of International Research and Development

OSU	Oregon State University
PAR	photosynthetically active radiation
Participating Institutions	those institutions that participate in the CRSP under a formal agreement with the Management Entity which receives the AID grant
PD/A CRSP	Pond Dynamics/Aquaculture Collaborative Research Support Program
PI	Principal Investigators - scientists in charge of the research for a defined segment or a scientific discipline of a CRSP
PMO	Program Management Office
PPC	Program and Policy Coordination
Practices	fish cultural activities related to design, management, and operation of pond culture systems
Predictive Models	mathematical models used to simulate the processes occurring in pond systems; in the context of this CRSP, predictive models are used as analytical and management tools to improve the efficiency of pond systems
Principles	the physical, chemical, and biological processes occurring in pond systems and their interactions
PVC	polyvinyl chloride, common thermoplastic resin
RENARE	Department of Renewable Natural Resources, Honduras. Now known as Dirección General de Pesca y Acuicultura, Honduras
R&D Bureau (R&D/AGR)	(Formerly S&T/AGR Bureau of Science and Technology) central bureau of AID in Washington, charged with administering worldwide technical and research programs for the benefit of USAID-assisted countries
RWF	Rwandan franc
SPN	Service de Pisciculture Nationale (National Fish Culture Service)
SRP	soluble reactive phosphorus
Subgrant Agreement	a document representing a subagreement made between the ME and a participating institution under authority of the grant agreement by the ME and AID
TA	total alkalinity
TAN	total ammonia nitrogen
TC	Technical Committee - a group of scientists participating in the research of the CRSP as PIs, selected to help guide the scientific aspects of the research program of a CRSP
TH	total hardness
THB	Baht, Thai currency

Title XII	the Title XII Amendment to the International Development and Food Assistance Act of 1975 as passed by the United States Congress and subsequently amended
TSS	total suspended solids
TVS	total volatile solids
UAPB	University of Arkansas at Pine Bluff
UCD	University of California at Davis
UH	University of Hawaii
UM	University of Michigan
UNR	Universite Nationale du Rwanda
UO	University of Oklahoma
USAID	United States Agency for International Development
USAID Project Officer	an official AID employee designated to oversee a CRSP on behalf of AID
WID	Women In Development
yr	Year

Appendix B.

Table of Contents for Twelfth Annual Technical Report

I. CRSP Research Program Background	1
II. Research Program Accomplishments	9
Global Experiment and Related Investigations	9
Validation of PD/A CRSP Pond Management Strategies	12
Yield Characteristics of Two Species of Tilapia under Two Different Pond Environments	18
Nutrient Input Management by the Computer Program, PONDCLASS, and by Concentration of a Key Nutrient	20
Management of Carbon Dioxide Balance for Stability of Total Alkalinity and Phytoplankton Stocks in Fertilized Fish Ponds	28
Technical Reports: Global Studies and Activities	33
Minding the Pond: Feeding, Fertilization, and Stocking Practices for Tilapia Production in Rwanda, Thailand, The Philippines and Honduras	34
Data Base Management	46
POND: A Decision Support System for Pond Aquaculture	48
Technical Reports: Africa	68
Binding Sites for the Masculinizing Steroid Mibolerone in the Gonadal Tissue of Adult Nile Tilapia (<i>Oreochromis niloticus</i>)	68
Effects of Form of Defatted Rice Bran Offered on Nile Tilapia Production in Ponds	79
Effect of 17 α -Methyltestosterone on the Growth of Two Tilapia Species, <i>Oreochromis aureus</i> and <i>Oreochromis mossambicus</i> , in Fresh Water	84
Use of 17 α -Methyltestosterone for Tilapia Sex Reversal	91
Progeny Testing to Identify "YY" Male Tilapia	94
Bioconversion of Gastropods by Black Carp in Egyptian Fish Culture Ponds	97
Bioconversion of Nuisance Aquatic Plants by Grass Carp in Egyptian Fish Culture Ponds	100
Interaction of Grass Carp and Black Carp in Egyptian Fish Culture	103
Technical Reports: Central America	105
Estuarine Water Quality and Sustainable Shrimp Culture in Honduras	105
Varying the Proportion of <i>Colossoma macropomum</i> and <i>Oreochromis niloticus</i> in Polyculture	126
Inorganic Fertilization and Feed Reduction in Commercial Production of <i>Penaeus vannamei</i> during Wet and Dry Seasons in Honduras	136

Technical Reports: Southeast Asia	147
Timing of Supplemental Feeding for Tilapia Production	147
Stocking Density and Supplemental Feeding in Tropical Fish Ponds	153
Supplemental Feeding of Tilapia in Fertilized Ponds	156
Technical Reports: United States	157
Data Analysis and Synthesis Team	158
Respiration Dynamics in Aquaculture Ponds	159
Stochastic Modeling of Temperature in Stratified Aquaculture Ponds	170
Calculation of pH in Fresh and Sea Water Aquaculture Systems	179
Special Topics Research	180
Economic Analysis of Different Tilapia Pond Culture Systems in Egypt	181
Effect of Stocking Rate on Growth and Yield of Nile Tilapia	190
Mass Production of Nile (<i>Oreochromis niloticus</i>) and Blue (<i>O. aureus</i>) Tilapia Fry	192
Growth of Control and Androgen-Treated Nile Tilapia, <i>Oreochromis niloticus</i> (L.), during Treatment, Nursery and Grow-Out Phases in Tropical Fish Ponds	196
Production of <i>Oreochromis niloticus</i> Fry for Hormonal Sex Reversal in Relation to Water Temperature	197
Phosphorus Fertilization Strategy in Fish Pond Based on Sediment Phosphorus Saturation Level	198
Determination of Phosphorus Saturation Level in Relation to Clay Content in Pond Mud	199
Appendix	
A. List of Acronyms and Definitions	201
B. Twelfth Annual Administrative Report, Table of Contents	207