

BIBLIOGRAPHIC DATA SHEET

1. CONTROL NUMBER

2. SUBJECT CLASSIFICATION (695)

PN-AAK-600

AF24-0000-G148

3. TITLE AND SUBTITLE (240) Selected bibliography

4. PERSONAL AUTHORS (100)

Fisher, Scott

5. CORPORATE AUTHORS (101)

Earth Satellite Corp.

6. DOCUMENT DATE (110)

7. NUMBER OF PAGES (.20)

8. ARC NUMBER (170)

1976

70p.

9. REFERENCE ORGANIZATION (130)

ESC

10. SUPPLEMENTARY NOTES (500)

11. ABSTRACT (950)

12. DESCRIPTORS (920)

Tanzania
Bibliographies
Resources
Soils
~~Agricultural development~~
Vegetation

land survey
land use
Environmental management

13. PROJECT NUMBER (150)

621009300

14. CONTRACT NO.(140)

AID/afr-C-1119

15. CONTRACT TYPE (140)

16. TYPE OF DOCUMENT (160)

58

ISN = 1854
PN- AAK-600

SELECTED BIBLIOGRAPHY

USAID CONTRACT NUMBER
AID/afr-C-1119

Earth Satellite Corporation
7222 47th Street (Chevy Chase)
Washington, D.C. 20015

INTRODUCTION

The references contained in this bibliography were accumulated from many sources by Mr. Scott Fisher, Senior Soil Scientist and Consultant to Earth Satellite Corporation under Contract AID/afr-C-1119. Reference lists were compiled and used by Mr. Fisher to support his research and investigation of soils and vegetation in the Arusha Region of Tanzania. This consulting work involved the examination of soils and assessment of their general suitability for various purposes, including range and agricultural development. The Senior Soil Scientist's findings are documented in the "Phase Two - Final Report" of the referenced contract. The efforts of Ms. Jo Uncapher, EarthSat Research Assistant, in compiling, editing and preparing this bibliography for publication are gratefully acknowledged.

Although many research efforts have been undertaken in Tanzania, significant effort is required to locate and acquire the reports, maps, and technical papers resulting from this prior research. Many important reference documents are not available in Arusha, and some are not to be found in East Africa. This bibliography is not complete, and it was not possible during the course of Mr. Fisher's work to check every reference. However, the bibliography is intended to provide support for all personnel involved in ecosystem management and resource inventory work, and it will be regarded as the beginning of a continuing effort to identify, acquire, and store informational materials for use in future resource projects.

- Achar, H.P., and Dastane, N.G., 1972, Percolation losses, effective rainfall, and consumptive use of irrigated rice in black soils (vert.) by drum culture technique. *Indian J of Ag.* 1972, 16 (3) 348-350.
- Acland, J.O., 1971, *East African crops*: FAO, Longman, Singapore.
- Adams, J.E., Henderson, R.C., and Smith, R.M., 1959, Interpretation of runoff and erosion from field scale plots on Texas Blackland soil: *Soil Sci.*, v. 87, p. 232-238.
- Adams, M.E., 1967, A study of the ecology of Acacia melifera, A seyal, and Balanites aegyptica in relation to land clearing: *J. Appl. Ecol.*, v. 4, p. 221-237.
- Addiscott, T.M., 1969, Relationships of yields of maize and cotton, and their response to phosphate fert. with soil phosphate potentials in Tanzania: *J Agric. Sci., Camb.* 72, p. 401-403.
- Agarwal, R.R., Mehrota, C.L., and Gupta, R.N., 1956, Genesis and pedo-chemical characteristics of "Karail" black clayey soils in the lower Gangetic basin of Uttar Pradesh: *J. Indian Soc. Soil Sci.*, v. 4, p. 61-71.
- Agarwal, R.R., and Mukherji, P., 1946, Studies on Bundekhand soils of the United Provinces. II. Chemical composition of the clay fraction in relation to the process of soil formation: *Indian J. Agric. Sci.*, v. 16, p. 483-491.
- Agnew, A.D.G., 1968, Observations on the changing vegetation of Tasavo National Park (east): *E. Afr. Wildl. J.*, v. 61, p. 75-80.
- Agnew, A.D.G., and Hedberg, O., 1969, Geocarpy as an adaptation to Afroalpine solifluction soils: *J.E. Afr. Nat. Hist. Soc. and Nat. Museum*, v. 27, p. 215-216.
- Ahmad, N., and Jones, R.L., 1969, Genesis, chemical properties of mineralogy of Carribean grumusols: *Soil Sci.*, v. 107, p. 166-174.
- Aitchison, G.D., 1953a, The mechanics of Gilgai formation: *Aust. Conf. Soil Sci., Adelaide*, v. 2, n. 6.25, p. 1-3.
- _____, 1953b, Soil morphology and foundation engineering: *Proc. 3rd Int. Congr. Soil Mechanics and Foundation Engineering, Switzerland*, p. 3-7.
- Aitchison, G.D., and Holmes, J.W., 1953a, Aspects of swelling in the soil profile: *Aust. J. Appl. Sci.*, v. 4, p. 244-259.
- _____, 1953b, Seasonal changes of soil moisture in a red-brown earth and a black earth in southern Australia: *Aust. J. Appl. Sci.*, v. 4, p. 260-273.
- Akehurst, B.C., and Streedharan, A., 1966, Time of planting. A brief review of experiment work in Tanganyika, 1958-1962: *East Afr. Agric. & For. J.*, v. 31, p. 189-201.

- Albrecht, F.O., 1964, Natural changes in grass zonation in the red locust outbreak centre in the Rukwa Valley, Tanganyika: S. Afr. J. Agric. Sci., v. 71, p. 123-124.
- Alexander, Lyle T., and Cady, John G., 1962, Genesis and hardening of laterite in soils, USDA Tech. Bul. n. 1282.
- Allan, A.Y., 1972, The influence of agronomic factors on maize yields in Western Kenya with special reference to the time of planting: Ph.D. thesis, University of East Africa.
- _____, 1972, Some effects of time of planting on maize in Western Kenya: Ngorongoro, 12th E. Afric. Soil Fertility Conf.
- Ambrose, H.B., 1971, The case for intensified agricultural research in the medium potential areas of Kenya: Mimeo, int. report, Ministry of Agriculture, Kenya.
- Anderson, B., 1957, A survey of soils in the Kongwa and Nachingwea districts of Tanganyika: M.Sc. Thesis, TAC and Reading Univ., Agric. Chem, Dept.
- _____, 1963, Soils of Tanganyika: Bull. n. 16, Min. Agric. Res. Div., Dar es Salaam, Government Printer, 120 p.
- Anderson, G.D., 1963, Some weakly developed soils of the eastern Serengeti Plains, Tanganyika: Afr. Soils, v. 8, p. 339-347.
- _____, 1963, A comparison of red and yellowish-red upper slope soils of the eastern Usambara foothills, Tanganyika: Afric. Soils, v. 8, p. 432-434.
- _____, 1963a, Preliminary report on soils fertility in the Rombo Division of Kilimanjaro: Tengeru Rept. n. 11, November.
- _____, 1963b, Preliminary report on soil fertility investigation in the Vanjo Division of Kilimanjaro: Tengeru Rept. n. 12 October.
- _____, 1964a, Preliminary report on soil fertility investigations in the Hai Division of Kilimanjaro: Tengeru Rept. n. 22, February.
- _____, 1964b, Summary of results from the series of bean fertilizer trails carried out on the southern and eastern slopes of Mt. Kilimanjaro in 1963: Tengeru Rept, n. 30, June.
- _____, 1964c, Differences in response to fertilizers between genetic soil groups on the slopes of Mt. Kilimanjaro, Tanganyika: Proc. 8th Int. Congr. Soil Sci., Comm. 1, Bucharest.
- _____, 1966, Effects of gypsum applications on water infiltration and their relevance to land reclamation on Kalinawe Irrigation Scheme, Tanzania: East Afric. Agric. Journ., v. 31, n. 4, p. 424.
- _____, 1967, Increasing coconut yield and incomes on the sandy soils of the Tanganyika coast: E. Af. Ag. For. J., v. 32, p. 310-314. N. Res. Centre, Tengeru, Tanzania.

- _____, 1969, Responses of maize to application of compound fert. in farmers' fields in ten districts of Tanzania: *E. Af. Ag. For. J.*, v. 34, p. 382-397. Min. Ag. Co-Op, Tengeru, Arusha, Tanzania.
- Anderson, G.D., and Herlocker, D.J., 1973, Soil factors affecting the distribution of the vegetation types and their utilization by wild animals in Ngorongoro Crater, Tanzania: *J. Ecol.*, v. 61, n. 3, p. 627-651. Min. Ag. and Co-Operatives, Tanzania.
- Anderson, G.D., and Naveh, Z., 1968, Promising pasture plants in Northern Tanzania: *East Afric. Agric. For. Journ.*
- Anderson, G.D., and Talbot, L.M., 1965, Soil factors affecting the distribution of the grassland types and their utilization by wild animals of the Serengeti plains, Tanganyika: *J. Ecol.*, v. 53, p. 33-56.
- Anderson, P., 1961, A soils of the main irrigable area. Vol. VII, in *FAO Report on the Rufiji Basin, Part I Text, Part II Maps.* Rome, F.A.O.
- Anonymous, 1923, The soda deposits of Lake Magadi in Kenya: *Bull. Imp. Inst.*, v. 21, p. 432-444.
- Arnon, I., 1972, *Crop production in dry regions:* London, Leonard Hill.
- Ashton, P.S., 1967, Climate versus soils in the classification of south west Asian tropical lowland vegetation: *J. Ecol.*, v. 55, p. 67-68.
- Atlas of Tanzania, 1967, Ministry of Lands, Housing, and Urban Development.
- Aubert, George S., 1948, Note on the vernacular names of the soils of the Sudan and Senegal: *Tech. Comm. n. 46, Proc. First Commonwealth Conference on Tropical and Sub-tropical Soils*, p. 107-108.

- Baarspul, J.A., 1971, The Tana irrigation scheme: Netherlands J. Agric. Sci., v. 19, p. 76.
- Backlund, H.O., 1956, Aspects and succession in some grassland vegetation in the Rukwa valley. A permanent breeding area of the red locust: Oikos, Supple. 2, p. 1-132.
- Baeyens, J., 1949, The bases of classification of tropical soils in relation to their agricultural value: Commonwealth Bur. Soil Tech. Comm. n. 46, p. 99.
- Baird, R.W., and Potts, W.D., 1950, Rates and amounts of runoff for the Blacklands in Texas: Washington, D.C., USDA Tech. Bull. n. 1022.
- Baker, B.H., 1958, Geology of the Magadi Area: Government Printers, Nairobi, Report n. 42, Geological Survey of Kenya.
- _____, 1959, Geology of the Area South of Magadi: Report No. 61 Government of Kenya, Ministry of Commerce and Industry, Geological Survey of Kenya.
- Baker, S.J.K., 1963, The East African environment, in Oliver, R., and Mathew, G. (eds.), History of East Africa, v. 1: Oxford, Clarendon Press.
- Bal, D.V., 1935, Some aspects of the black cotton soils of the Central Provinces: Trans. 3rd Int. Congr. Soil Sci., v. 3, p. 154.
- Balakrishnan, M.R., 1955, A review of the soils studies on the Deccan black soils and the effect of irrigation on them: Madras Agric. J., v. 42, p. 274-283.
- Baldwin, M., Kellogg, C.W., and Thorp. J., 1938, Soil classification, in Soils and Men: Yearbook of Agriculture, USDA.
- Banage, W.B., and Visser, S.W., 1967, Soil moisture and temperature levels and fluctuations in one year in a Uganda soil catena: E. Afr. Agric. For. J., v. 32, p. 450-455.
- Bancroft, H., 1933, On certain fossil plants from East Africa: Ann. Botany, v. 57, p. 915-920.
- Barksdale, J.D., 1951, Cretaceous glassy welded tuffs, Lewis and Clark County, Montana: Amer. Journ. Sci., v. 249, p. 439-443.
- Bartlett, H.H., Fire, primitive agriculture, and grazing in the tropics, in Thomas, W.I. (ed.), Man's role in changing the face of the earth: Chicago University Press.
- Basinski, J.J., 1959, The Russian approach to soil classification and its recent development: J. Soil Sci., v. 10, p. 14-26.
- Basu, J.K., and Sirur, S., 1950, A review of work done on soil classification survey and mapping of black cotton soils in the canal zones of Bombay, Deccan, India: Trans. 4th Int. Congr. Soil Sci., v. 3, p. 156.

- Battiscombe, E., 1926, A descriptive catalogue of some of the common trees and woody plants of Kenya Colony: London, Crown Agents, 142 p.
- _____, 1935, Trees and shrubs of Kenya Colony. A revision and enlargement of Battiscombe, 1926: Nairobi, Government Printer, 201 p.
- Bax, P. Napier, and Sheldrick, D.L.W., 1963, Some preliminary observations on the food of elephants in the Tsavo National Park: E. Afr. Wildl. v. 1, p. 40-53.
- Beadle, N.C.W., 1953, The edaphic factor in plant ecology with a special note on soil phosphates: Ecology, v. 34, p. 426-428.
- _____, 1954, Soil phosphate and the delineation of plant communities in eastern Australia: Ecology, v. 35, p. 370-375.
- _____, 1962, Soil phosphate and the delineation of plant communities in eastern Australia: Ecology, v. 43, p. 281-288.
- _____, 1966, Soil phosphate and its role in moulding segments of the Australian flora and vegetation with special reference to xeromorphy and sclerophylly: Ecology, v. 47, p. 992-1,007.
- Beadle, N.C., and Tchan, Y.T., 1955, Nitrogen economy in semi-arid plant communities: Proc. Linn. Soc. N.S. Wales, v. 80, p. 62-70.
- Beals, E.W., 1969, Vegetational change along altitudinal gradients: New York, Science, v. 165, p. 981-985.
- Beamish, J.E., Cochran, J.H., Hurd, E.A., and St. Arnaud, R.J., 1968, Report of the agricultural feasibility study team on wheat production in Tanzania to CIDA: Ottawa, Gov't of Canada, 129 p.
- Beek, K.J., and Bennema, J., 1972, Land evaluation for agricultural land use planning. An ecological methodology: Wageningen, Landbouw Hogeschool.
- Begon, J.C., 1974, Jamagne, M. (Concepts of pseudogley and pelosol in the soil class. of Fed. German Rep.): Bulletin de l'Assn. Francaise pour l'Etude du Sol, v. 4, p. 223-239, INRA, Paris, France.
- Bell, P.H.V., 1968, The use of the herb layer by grazing ungulates in the Serengeti National Park, Tanzania: Ph.D., Dissertation, Manchester University, 240 p.
- _____, 1972, A grazing ecosystem in the Serengeti: Scientific American, v. 224, n. 1, p. 86-93.
- Bellis, E., 1964, Soil surveys in Kenya: Afric. Soils, v. 9, n. 1, p. 137.
- Bellis, S.E., and Muir, A., 1956, Gilgoin phenomena in tropical black clays of Kenya: J. Soil Sci., v. 7, p. 1-9.

- Bennema, J., 1965, Classification of Brazilian soils: Report n. 2197, Rome, FAO.
- Bennema, J., Beek, K.H., and Camargo, M., 1965, Soil survey interpretation in Brazil. A system of land capability classification for reconnaissance surveys: Report n. 3677, DPFS, Wageningen, FAO/STIBOKA.
- Bentley, J.R., 1963, Bush control in Kenya: Nairobi, USAID.
- Berry, L., 1971, (ed.) Tanzania in maps: University of London Press, Ltd., 172 p.
- Bibliography on Kilimanjaro, 1965; Tanzania Notes and Records, n. 64, March, p. 165.
- Biech, H.F., and Friend, M.T., 1956, The organic matter and nitrogen status of East African soils: J. Soil Sci., v. 7, p. 156.
- Binge, F.W., 1957, Geology of the Kericho Area: Report n. 50 Dec., Colony and Protectorate of Kenya, Ministry of Commerce, Industry, and Communications, Geological Survey of Kenya.
- Birch, H.F., 1949, The estimation of absorbed and acid soluble phosphates in East African soil: Commonwealth Bur. Soils Tech. Comm. n. 46.
- Birch, H.F., and Friend, M.T., 1956b, The organic matter and nitrogen status of East African soils: J. Soil Sci., v. 7, p. 156-167.
- _____, 1965a, Humus decomposition in East African soils: London, Nature, v. 138, p. 500-501.
- Birch, W.R., 1959, High altitude ley agronomy in Kenya. Part 1. Observations on the climate and soil: Ef. Afr. Agric. J., v. 25, p. 35-41.
- Bishop, W.W., 1962, Pleistocene chronology in East Africa: Advanc. Sci., v. 75, p. 491.
- Black, C.A., 1965, Methods of soil analysis: Agronomy n. 9, American Society of Agronomy, Inc.
- Blackie, J.R., 1964, Hydrology and afforestation in the Aberdares: E. Afr. Geogr. Rev., v. 2, p. 17-22.
- Blokhuys, W.A., Ochtman, L.H.S., and Peters, K.H., 1964, Vertisols in the Gezira and Khashm el Girba clay plains, Sudan: Trans 8th Int. Congr. Soil Sci., Bucharest, v. 5, p. 591-601.
- Bock, R.S., 1963, An economic study of coffee-banana farms in the Machame Central Area, Kilimanjaro District, Tanganyika: USAID/Dar es Salaam, March, p. 69.
- Bodlaine, J., 1959, Young chestnut soils and tirs: Bull. Ass. Franc. Etude Soil., v. 2, p. 52-57.

- Bogdan, A.V., 1954, Bush clearing and grazing trail and Kisokon, Kenya: E. Afr. Agric. J., v. 19, p. 253-259.
- _____, 1958, A revised list of Kenya grasses with keys for identification: Nairobi, Government Printer.
- _____, 1958, Some edaphic vegetation types of Kiboko, Kenya: J. Ecol., v. 46, p. 115.
- Bogdan, A.V., and Kidner, E.M., 1967, Grazing natural grassland in western Uganda: E. Afr. Agric. For. J., v. 23, p. 31-34.
- Bogdan, A.V., and Pratt, D.J., 1961, Common Acacia of Kenya: Nairobi, Government Printer.
- _____, 1967, Reseeding denuded postoral land in Kenya: Nairobi, Government Printer.
- Booyer, S., 1971, A study of soil phosp. fert. in tropical Africa and Madagascar. Phosph. Agric. n. 57, 1-9.
- Botha, J.P., 1948, Field management in the Eastern Transvaal: Farm. in South Afr., July.
- Botkin, D.B., and Sobel, M.J., 1974, The complexity of ecosystem stability: Proc. Conf. on Ecosystems, Alta, Utah.
- Boughey, A.S., 1955a, The nomenclature of the vegetation zones on the mountains of tropical Africa: Webbia, v. 11, p. 413-423.
- _____, 1957, The origin of the African flora: London, Oxford University Press, 48 p.
- Bowden, B.N., 1962, An illustrated field key to the commoner Uganda grasses: E. Afr. Agric. For. J., v. 27, p. 230-251.
- Brammer, H., and Endredy, A.S., 1954, The tropical black earths of the Gold Coast and their associated vlei soils: Trans. 5th Int. Congr. Soil Sci., v. 4, p. 70-76.
- Briner, G.P. and Jackson, M.L., 1970, Mineralogical analysis of clays in soil developed from basalts in Australia: Israel J. Chem., v. 8, p. 487-500.
- Braun, H.M.H., 1972, Primary productivity in the Serengeti. Purpose, methods, and some results of research: IBP Regional Meeting on Grassland Research Projects, Ivory Coast, 23 p.
- Bray, J.R., and Curtis, J.T., 1957, An ordination of the Upland forest communities of Wisconsin: Ecol. Monogr., n. 27, p. 325-349.

- Bredon, R.M., and Horrell, C.R., 1962, The chemical composition and nutritive value of some common grasses in Uganda. II. The comparison of chemical composition and nutritive values of grasses throughout the year, with special reference to later stages of growth: Trop. Agric., TNA, n. 7, p. 13.
- Bredon, R.M., and Wilson, J., 1963, The chemical composition and nutritive values of grasses from semi-arid areas of Karamoja as related to ecology and types of soil: E. Afr. Agric. For. J., v. 29, p. 134-142.
- Brenan, J.P.M., 1958, Leguminosae subfamily Mimosoideae, in Flora of east tropical Africa: London, Crown Agents, 173 p.
- _____, 1967, Leguminosae subfamily Caesalpinoideae. In Flora of East Tropical Africa: London, Crown Agents, 230 p.
- Brenan, J.P.M., and Greenway, P.J., 1949, Check lists of the forest trees and shrubs of the British empire. N. 5, Tanganyika territory, Part II: Oxford, Imperial Forestry Institute, 653 p.
- Brink, A.B.A., 1955, The genesis and distribution of expansive soil types in South Africa: Trans. S. Afr. Inst. Civ. Engrs., v. 5, p. 267-272.
- Brinkham, R., and Smyth, A.J., 1972, Land evaluation for rural purposes: Pub. n. 17, Wageningen, The Netherlands, International institute for land reclamation and improvement.
- Bristow, C.M., 1962, A visit to Oldoino Lengai on Sunday, June 26, 1960: Tanganyika Notes, v. 58, p. 119.
- Broadfoot, W.M., and Raney, W.A., 1954, Properties affecting water relations and management of 14 Mississippi soils: Mississippi Agricultural Experiment Station, Bull. n. 521, 18 p.
- Brockington, N.R., 1961, Studies of the growth of a Hyparrhenia dominated grassland in northern Rhodesia: J. Br. Grassld. Soc., v. 616, p. 54-64.
- Brooks, A.C., 1961, A study of the Thomson's gazelle in Tanganyika: Col. Res. Pub. n. 25, London, HMSO.
- Brown, L.H., 1963, Kenya's range resources: The Kenya Farmer, v. 85, p. 1-3 (editorial).
- Brown, L.H., and Cocheme, J., 1969, A study of the agro-climatology of the highlands of Eastern Africa: Rome, FAO/UNESCO/WHO.
- Buechner, H.K., and Dawkins, H.C., 1961, Vegetation changes induced by elephants and fire in Murchison Falls National Park, Uganda: Ecology, v. 42, p. 752-766.

- Bunting, A.H., and Lea, J.D., 1962, The soils and vegetation of the
fung, E. Central Sudan: J. Ecol., v. 50, p. 529-559.
- Buor, S.W., 1965, Present soil forming factors and processes in arid and
semi-arid regions: Soil Sci., 1.
- Burger, W.C., 1967, Families of flowering plants in Ethiopia: Stillwater,
Oklahoma, Oklahoma University Press, 236 p.
- Buringh, P., and Sombrock, W.G., 1971, Ferralitic and plinthic soils.
Syllabus of graduate lectures: Wageningen, The Netherlands,
Internal document, Agricultural University.
- Burtt, B.D., 1942, Burtt Memorial Supplement. Some East African vege-
tation communities: J. Ecol., v. 30, p. 65-156.
- _____, 1953, A field key to the savanna genera and species of
trees, shrubs, and climbing plants of Tanganyika Territory. Part
I. Genera and some species. Part III, the species of the more
important Genera with general index: Glover, P.E., and Jackson,
C.H.N., Dar es Salaam, Government Printer, 128 p.
- Butzer, K.W., 1961, Climatic change in arid regions since the Pliocene,
in Stamp, L.D., History of land use in arid regions: Paris, UNESCO,
p. 31-51.
- _____, 1966, Climatic changes in the arid zone of Africa during
early to mid Holocene times, in World climate from 8000 to 0 B.C.:
London, Royal Meteorological Society.
- Buxton, P.A., 1948, Trypanosomiasis in East Africa: London, HMSO.
- _____, 1955, The natural history of tsetse flies: London, School
of Hygiene, 816 p.

- California Forest and Range Experiment Station, 1955, Field manual, Grassland sampling: Berkeley, Univ. California.
- Calton, W.E., 1954, An experimental soil map of Tanganyika: Trans. 2nd. Int. Conf. Interaf. Soils, v. 1, p. 237-240.
- _____, 1959, Generalizations on some Tanganyika soil data: J. Soil Sci., v. 10, p. 169.
- _____, 1963a, Some data on a Tanganyika catena: E. Afr. Agric. For. J., v. 29, p. 173-177.
- _____, 1963b, Some data on a Tanganyika Catena: E. Af. Agric. For. J., v. 29, p. 173-177.
- Calton, W.E., and Vail, J.W., 1956, Micronutrient problems in Tanganyika: Proc. 6th Int. Congr. Soil Sci.
- Canada Department of Agriculture, 1970, The system of soil classification for Canada: Ottawa, Queens Printer.
- Casebeer, R.L., 1968, Applying wildlife management to pastoral land management: E. Afr. Agric. For. J., Special Issue, p. 33.
- Chenery, E.M., 1952, Soils of central Trinidad: Trinidad, Government Printing Office.
- _____, 1958, A review of the role of minor trace elements in east African agriculture: Rep. Directors Overseas Dept. Agric., Wye College, Paper n. 6.
- _____, 1960, An introduction to the soils of the Uganda protectorate: Kawanda, Uganda Dept. Agric., Res. Mem. Series 1, n. 1, 80 p.
- Christie, A.T., 1829, Sketches of the meteorology, geology, agriculture, botany, and zoology of the southern Mahratta country: Edinburgh philosophical J., v. 6, p. 119-120.
- Churchward, H.M., 1963a, Soils studies at Swan Hill, Victoria, Australia. II. Dune moulding and parna formation: Aust. J. Soil Res., v. 1, p. 103-116.
- _____, 1963b, Soil studies at Swan Hill, Victoria, Australia. III. Some aspects of soil development on aeolian materials: Aust. J. Soil Res., v. 1, 117-118.
- Cleghorn, W.B., McKay A.D., and Cronin, C.H., 1958, Results of preliminary arboricides and herbicide trials on a number of species limiting livestock carrying capacity of veld in southern Rhodesia: Proc. Afric. Weed Control Conf., July.
- Cline, M.G., 1955, Soil Survey of the territory of Hawaii: Washington, D.C., USDA Soil Survey Series, 1939 n. 25, 644 p.

- Coe, M.J., 1967, The ecology of the Alpine zone of Mt. Kenya: The Hague, W. Junk, 136 p.
- Coetzee, J.A., 1964, Evidence for a considerable depression of the vegetation belts during the upper Pleistocene of the East African mountains: *Nature*, v. 204, p. 564-566.
- Coetzee, J.A., and van Zinderen Bakker, E.M., 1970, Paleoecological problems of the quaternary of Africa: *Suid. Afrikaanse Tydskrif vir Wetenskap*.
- Cole, S., 1954, *The prehistory of East Africa*: Penguin Books.
- Commonwealth Bureau Pasture and Field Crops, 1951, Management and conservation of vegetation in Africa: *Bull. n. 41*, 97 p. (seven papers).
- Conyers, D., 1973, Agro-Economic zones of Tanzania: University of Dar es Salaam, Bureau of Resource Assessment and Land Use Planning Research Paper n. 25.
- Conyers, D., Wgumbullu, P.J., and Rajabu, A.R.M.S., 1971, Agro-Economic zones of Dodoma and Singida: University of Dar es Salaam, Bureau of Resource Assessment and Land Use Research Report n. 47.
- Costin, A.B., 1956, Note on Gilgais and frost soils: *J. Soil Sci.*, v. 7, p. 32.
- Cook, Alison, 1974, A photointerpretation study of the soils and land use potential of the lower Rufui basin: University of Dar es Salaam, Bureau of Resource Assessment and Land Use.
- Cooke, H.B.S., 1957, The problem of quaternary glacio-pluvial correlation in East and Southern Africa: *Proc. 3rd Pan-African Congr. Prehistory*, p. 51-55.
- Cottam, G., and Curtis, J.T., 1956, The use of distance measures in photosociological sampling: *Ecol.*, v. 37, p. 141-460.
- Cotton, A.D., 1930, A visit to Kilimanjaro: *Kew Bull.*, p. 97-121.
- Cowan, I.R., 1965, Transport of water in the soil-plant atmosphere system: *J. App. Ecol.*, v. 2, p. 221-239.
- Cox, F.R. Jr., and Hutchinson, T.B. Jr., 1961, Morphological and chemical properties of important depressional soils of lowlands in the western coal fields region, Kentucky: *Proc. Soil Sci. Soc. Amer.*, v. 25, p. 236-239.
- Croze, H., 1974a, The Serengeti elephant problem. I. The bulls: *E. Afr. Wildl. J.*
- _____, 1974b, The Serengeti elephant problem. II. The trees: *E. Afr. Wildl. J.*

- Croizat, L., 1952, Manual of phytogeography: The Hague, W. Junk, 587 p.
- Csakany, I., 1973, A rural development concept for the nomadic pastoral people in Kenya: University of Nairobi, Working paper n. 106, Institute for Development Studies, 19 p.
- Cunningham, R.K., 1963, The effect of clearing a tropical forest soil: J. Soil Sci., v. 14, n. 2, p. 334.

- Dagg, M., 1965, A rational approach to the selection of crops for areas of marginal rainfall in East Africa: *East Afric. Agric. For. J.*, v. 30, p. 296-300.
- _____, 1967, Major problems to be investigated in managing tropical soils: *Tengeru, Proc. Spec. Com. Agric. Mach.*
- Daimond, S., and Kinter, E.B., 1958, Surface areas of clay minerals as derived from measurements of glycerol retention. *5th Nat. Con. Clays and Clay Min.*, 1956, p. 334-347.
- Dale, I.R., 1952, Is East Africa drying up? *E. Afr. Agric. J.*, v. 17, p. 90-103.
- _____, 1954, Forest spread and climatic change in Uganda during the Christian era: *Emp. For. Rev.*, v. 33, p. 23-29.
- Dale, I.R., and Greenway, P.J., 1961, Kenya trees and shrubs: Nairobi, Buchanan's Kenya Estates, Ltd. (in association with Hatchard's, London), 653 p.
- Dames, T.W.G., 1950, Black earths and related soils in Indonesia: Bogor, contribution of the General Agricultural Research Station n. 103, 14 p.
- _____, 1950b, Margalite soils in Indonesia: *Trans 4th Int. Congr. Soil Sci.*, v. 2, p. 180-182.
- Darling, F.F., 1960, An ecological reconnaissance of the Mara Plains in Kenya Colony: *Wildl. Mono. n. 5*, 41 p.
- Darwin, C., 1906, The movements and habits of climbing plants: London, Murray, 208 p.
- Daubenmire, R.F., 1968, Ecology of fire in grasslands, in Crags, J.B. (ed.), *Advances in ecological research.*: London and New York, Academic Press, p. 209-266.
- _____, 1968, Plant communities. A text book of plant synecology: New York, Harper and Rowe, 300 p.
- Davies, G.J., 1960, Pasture and forage legumes for the dry sub-tropics and tropics of Australia: *Proc. 8th Int. Congr. Grassland*, p. 381-385.
- Davies, W., 1961, Temperate and tropical grasslands: Reading, England, *Proc. 8th Int. Congr. Grassland*.
- Davies, W. and Skidmore, C.L., 1966, Tropical pastures: London, Faber and Faber, 215 p.
- Dawkins, H.C., 1954a, Timu and the vanishing forests of northeast Karamoja: *E. Afr. Agric. J.*, v. 19, p. 164-167.

- Dawson, J.B., and Pickering, R., 1964, Monduli, quarter degree sheet n. 54: Tanzania, Min. Resources Div.
- Dawson, R.F., 1953, Movement of small houses erected on an expansive clay soil: Switzerland, J. Proc. 3rd Int. Congr. Soil Mechanics and Foundation Engineering, p. 346-350.
- Derby, Laws W., 1953, Tillage tests on Texas blacklands: Soils Sci., v. 2, p. 131-136.
- Dean, G.J.W., 1967, Grasslands of the Rukwa Valley: J. Appl. Ecol., v. 4, p. 45-57.
- Deb, B.C., 1950, The movement and precipitation of iron oxides in podzol soils: J. Soil Sci., v. 1, p. 112-122.
- Desat, A.D., 1942, The nature and relationships of the black cotton soils and red earths of Hyderabad (Deccan) State: Hyderabad, Department of Agriculture, Bull. n. 10.
- de Vos, A., and Jones, T., 1964, Proceedings of the symposium on wildlife management and land use: Special Issue, E. Afr. Agric. For. J., v. 33, p. 1-297.
- D'Hoore, J.L., 1955, Tropical and subtropical black soils and clays of Africa: African soils, v. 3, p. 5-15.
- _____, 1960, The soil map of Africa south of the Sahara: Dalaba, Proc. 3rd Int. Afric. Soils Conf.
- _____, 1964, Explanatory monograph, soil map of Africa. Lagor, Commission for Technical Cooperation in Africa, Pub. n. 93, Joint Project n. 11, 205 p.
- Dias, J.S., Povoas, J.A.C., and Macedo, J.B., 1959, A note on the origin of the color of tropical black clay soils (Gravinigra): Dalaba, Proc. 3rd Interafr. Soils Conf., v. 1, p. 259-263.
- Diekmahns, E.C., 1957, A boron deficiency in sisal (Agave Sisalana Perrine): E. Afr. Agric. J., v. 22, p. 197-198.
- Dirschl, H.J., 1966, Management and development plan for Ngorongoro: Dar es Salaam, Conservation Min. Agr. Forest and Wildl.
- Dixey, F., 1946a, The relation of the main peneplain of Central Africa to sediments of lower Miocene age: Quart. Journ. Geol. Sci., v. 101 (for 1945), p. 243-253.
- _____, 1946b, Erosion and tectonics in the East African rift system: Quart. Journ. Geol. Soc., v. 102, p. 337-388.
- _____, 1956, The East African rift system: Col. Geol. and Min. Res. Gull. Suppl., n. 1.

- Dobrovolsky, V.V., 1974, (Mineralogo-geochemical provinces of soil-forming rocks in E. Africa): Transactions, 10th International Cong. of Soil Science, v. 7, p. 23-29.
- Dougall, H.W., and Bodgan, A.V., 1958, Browse plants of Kenya with special reference to those occurring in South Baringo: E. Afr. Agric. J., v. 23, p. 236-245.
- Dougall, H.W., Drysdale, V.A., and Glover, P.E., 1964, The chemical composition of Kenya browse and pasture herbage: E. Afr. Wildl. J., v. 2. p. 86.
- Doughty, L.R., 1953, The value of fertilizers in African agriculture. Field experiments in East Africa, 1947-1951: E. Afr. Agric. J., v. 19, p. 30-31.
- Downs, R.G., 1954, Cyclic salt as a dominant factor in the genesis of soils of southeast Australia: Aust. Jour. Agr. Res. v. 5, p. 448.
- Doyle, H.C., 1935, Studies in tropical soils, increase of acidity with depth: J. Agric. Sci. Camb., v. 25, p. 192.
- Du Bois, C.G.B., and Jeffery, P.G., 1955, The composition and origin of the laterites of the Entebbe peninsula: Col. Geol. Min. Resources, v. 5, p. 387.
- Dudal, R., 1963, Dark clay soils of tropical and subtropical regions: Soil Sci., v. 95, n. 4, p. 264-270.
- _____, 1965, Dark clay soils of tropical and sub-tropical regions: Rome, FAO/UN.
- _____, 1966, (ed.) Dark clays of tropical and sub-tropical regions: Rome, FAO Agricultural Development Paper n. 83.
- _____, 1968, Definitions of soil units for the soil map of the world: Rome, FAO, World Soil Resources Reports, n. 33, World soil Resources Office, Land and Water Development Division.
- _____, 1970, Key to soil units for the soil map of the world: Rome, FAO, Soil Resources, Development and Conservation Service, Land and Water Development Division.
- _____, 1974, FAO/UNESCO soil map of the world, 1:5,000,000. Volume I, the Legend: Rome/Paris, FAO/UNESCO.
- Dudal, R., and Moormann, F.R., 1964, Major soils of Southeast Asia, their characteristics, use and agricultural potential: J. Trop. Geogr., v. 18, p. 54-80.
- Dyer, R.A., 1930, The control of mimosa trees and scrub bush: Farming in So. Afr., v. 4.

- Edelman, C.H., and Brinkman, R., 1962, Physiography of gilgai soils: Soil Sci., v. 94, n. 6, p. 366-370.
- Edelman, C.H., and van der Voorde, P.K.J., 1963, Important characteristics of alluvial soils in the tropics: Soil Sci., v. 96, p. 258-263.
- Eden, T., 1924, The edaphic factors accompanying the succession after burning on Harpenden Common: Journ. Ecol., v. 12, n. 2, p. 267-286.
- Edwards, C., and Bogdan, A.B., 1951, Important grassland plants of Kenya: London, Pitman.
- Edwards, D.C., 1940a, Pasture and fodder grasses of Kenya: E. Afr. Agric. J., v. 5, p. 248-254.
- _____, 1940b, A vegetation map of Kenya with special reference to grassland types: J. Ecol., v. 28, p. 377-385.
- _____, 1942, Grass burning: Emp. J. Exp. Agric., v. 10, p. 219-231.
- _____, 1948, Some notes on the food of goats in semi-arid areas: E. Afr. Agric. J., v. 13, p. 221-223.
- _____, 1951, Vegetation in relation to soil and water conservation in East Africa: Comm. Bur. Past. and Ed. Crops Bull., n. 28, 41 p.
- _____, 1956, Ecological regions of Kenya: Emp. Journ. Exp. Agric., v. 24, p. 89.
- Edwards, D.C., and Bogdan, A.V., 1951, Important grassland plants of Kenya: Nairobi, Pitman, 124 p.
- Eggeling, W.J., and Dale, I.R., 1948, A review of some vegetation studies in Uganda: Uganda J., v. 12, p. 39.
- Elder, W.R., 1951, Factors affecting rate of water intake in Texas Blacklands: J. Soil Water Conserv., v. 6, p. 105-111.
- Ellis, B.S., 1952, Genesis of a tropical red soil: J. Soil Sci., v. 3, p. 52-62.
- Ellis, J.H., and Shafer, W., 1928, The nitrogen content of the Red River Valley soils: Sci. Agr., v. 9, n. 4, p. 231-248.
- _____, 1938, The soils of Manitoba: Winnipeg, Soils Dept., Univ. Manitoba, Economic Survey Board, p. 57-62.

- Elmer, J.L., and Gosnell, J.M., 1963, The role of boron and rainfall in the incidence of wattle dieback in East Africa: E. Afr. Agric. For. J., v. 29, p. 31-38.
- Evans, A.C., 1963, Soil fertility studies in Tanganyika. II. Continued application of fertilizer on the red and red-brown loams of the Nachingwea series: E. Afr. Agric. For. J., v. 27, p. 228-230.
- Evans, A.C., and Mitchell, H.W., 1962, Soil fertility studies in Tanganyika. I. Improvement to crop and grass production on a leached sandy soil in Bokoba: E. Afr. Agric. For. J., v. 27, p. 189-196.

- Fairburn, W.A., 1966, Geology of the Fort Hall area (with colored map, scale 1:125,000): Geological Survey of Kenya, Rept. n. 73.
- Fallon, L.E., 1963, Development of the range resources, Republic of Tanganyika: Dar es Salaam, USAID Mission.
- Fane, R., 1957, Fifty-two Kenya trees and how to recognize them: Nairobi, East African Standard, Ltd., 19 p.
- FAO, 1958b, Irrigation problems of the Accra Plains: Rome, FAO/ETAP Report, n. 18, 26 p.
- FAO, 1962, Soil survey and its applications in Indonesia: Rome, FAO/ETAP Report, n. 1509.
- FAO, 1970, Elements of the legend for the soil map of Europe at scale 1:1,000,000: ECA Working Party on Soil Classification and Survey, Soil Resources Service, Land and Water Development Division, Report AGL:SM/70/1, September.
- FAO, 1972, Background document. Expert consultation on land evaluation for rural purposes: Wageningen.
- FAO, 1973, A framework for land evaluation: Draft edition, Rome.
- FAO, 1973, The legend, soil map of the world (abridged for inservice use only): Dudal, R., Soil Resources, Development and Conservation Service, Land and Water Development Division, Rome.
- FAO, 1973, Improving productivity in low rainfall areas: FAO mission report, Mimeo. Internal. rept. to Ministry of Agriculture, Nairobi, Kenya.
- FAO/UNESCO, 1973, Irrigation, drainage, and salinity: An international source book.
- FAO, 1974, Soil survey in irrigation investigations: Soils Bull. Draft, Rome.
- FAO, 1974, Range ecology, livestock production, and wildlife ecology research: Rome, AGP:SF/KEN 11, Tec. Rept. n. 4.
- Ferguson, J.A., 1954, Transformations of clay minerals in black earths and red loams of basaltic origin: Aust. J. Agric. Res., v. 5, n. 1, p. 98-108.
- Field Handbook of the Soil Survey of Great Britain, 1960: London, Ed. E. Crompton.

- Fiennes, T.W., 1940, The ecology of the grasses of Langa, Uganda, East Africa: Entebbe, Government Printer, 22 p.
- Finck, A., 1961, Classification of Gezira clay soil: Soil Sci., v. 92, p. 263-267.
- Finck, A., and Ochman, L.H.J., 1961, Problems of soil evaluation in the Sudan: J. Soil Sci., v. 12, n. 1, p. 87-95.
- Flach, K., 1964, The classification of ash-derived soils in the United States of America: FAO World Soil Resources Report n. 11, p. 111-114.
- Fletcher, J., and Hangartner, R., 1962, Oldoinyo Lengai: Tanganyika Notes, v. 58, p. 116-117.
- Ford, J., 1971, The role of the trypanosomiasis in African ecology. A study of the tsetse fly problem: Oxford, Clarendon Press.
- Ford, J., and Clifford, H.R., 1968, Changes in the distribution of cattle and of bovine trypanosomiasis associated with the spread of tsetse flies (Glossina) in southwest Uganda: J. Appl. Ecol., v. 5, p. 301-337.
- Fosebrooke, H.A., 1968, Elephants in the Serengeti National Park. An early record: E. Afr. Wildl. J., v. 6, p. 150-152.
- Fox, W.E., 1964a, A study of bulk density and water in a swelling soil: Soil Sci., v. 98, p. 307-316.
- _____, 1964b, Cracking characteristics and field capacity in a swelling soil: Soil Sci., v. 98, p. 413.
- Frank, P.J., 1956, A feeding trial with sisal waste: E. Afr. Agric. J., v. 22, p. 165-167.
- Free, G.R., Browning, G.M., and Musgrave, G.W., 1940, Relative infiltration and related physical characteristics of certain soils: Washington, D.C., USDA, Bull. n. 729.
- French, M.H., 1938, The conservation of green fodders for the dry season feeding of stock: E. Afr. Agric. J., v. 4, p. 206-210.
- _____, 1943, The composition and nutritive values of Tanganyika feeding stuffs: E. Afr. Agric. J., v. 8, p. 126-132.
- _____, 1945, Composition and feeding values of green maize, millet, and bullrush millet cut for soiling purposes: E. Afr. Agric. J., v. 11, p. 159-161.
- _____, 1956, The nutritive value of East African hay: Emp. Jour. Expt. Agric., v. 24, p. 53-60.

- Fries, R.E., and Fires, T.C.E., 1948, Phytogeographical researches on Mt. Kenya and Mt. Aberdare, British East Africa: K. Svenska Vetensk-Akad., Handl., 25, p. 5-83.
- Fryer, J.D., Johns, D.L., and Yeo, D., 1957, The effects of a chemical defoliant on an isolated tsetse fly community and its vegetation: Bull. Ento. Res., v. 48, p. 359-373.
- Fuchs, V.E., 1939, The geological history of the Lake Rudolf basin, Kenya Colony: Phil. Trans. Roy. Soc., Series B, v. 229, p. 219-274.
- Furkert, R.J., and Fieldes, M., 1968, Alophane in New Zealand soils: Trans. 9th Int. Congr. Soil Sci., Adelaide, n. 111, p. 133-141.

- Garbert, P.K., 1970, Soil silica and phosphorous response by maize in acid East African soils: *E. Afr. Agric. Journ.*, v. 35, p. 396.
- Gardner, H.M., 1932, Conifers of Kenya: *Roy. Horticultural Soc. Conifer Conf.*, p. 281-284.
- Geological map of Kilimanjoro, 1964, Explanatory notes, covering quarter degree sheets 42, 56, 57: Dar es Salaam, Government Printer.
- Gevein, D.G., 1968, (Soils of northern Mozambique: *Agron. Mocambicana*, v. 2, n. 3, 139-147. *Inst. Invest. Agron. Mocambique, Lourenco Marques*) *Chem. Abstracts*, v. 72.
- Gerasimov, I.P., 1974, (World soil maps and relevant scientific problems of soil science). *Trans. 10th International Cong. of Soil Science*, v. 7, p. 13-19.
- Gerasimov, J.P., 1958, Genetic types of soils on the territory of India: *J. Indian Soc. Soil Sci.*, v. 6, p. 192-213.
- Gerresheim, K., 1971, Landscape classification and the storage of ecological data: University of Dar es Salaam, Second conf., Land Use in Tanzania, Paper n. 19, 10 p.
- _____, 1974, The Serengeti landscape classification: African Wildlife Leadership Foundation, Nairobi, Serengeti Research Institution Publication n. 165, 26 p., map.
- Gibb, Sir Alexander, and Parterns, 1956, Kenya Nile basin water resources survey, 1954-56: Kenya Government.
- Gilbert, V.C., 1970, Plants of Mt. Kilimanjoro: Washington, D.C., U.S. National Park Service, 117 p.
- Gillett, J.B., 1961, The history of the botanical exploration of the area of the flora of tropical East Africa: Lisbon, *Comptes rendues de la IVme reunion de l'ETAT*, p. 205-209.
- Gillett, J.B., and McDonald, P.G., 1970, A numbered check list of trees and shrubs and noteworthy lianes indigenous to Kenya: Nairobi, Government Printer, 67 p.
- Gillman, C., 1927, Southwest Tanganyika territory: *Geogr. J.*, v. 69, p. 97-131.
- _____, 1936, East African vegetation types: *J. Ecol.*, v. 24, p. 502-505.
- _____, 1947, Soil reconnaissance survey through part of Tanganyika: *J. Ecol.*, v. 35, p. 192-265.

- _____, 1949, A vegetation types map of Tanganyika territory: Geogr. Rev., v. 29, p. 7-37.
- _____, A double air-loop over central Ugogo to study soil erosion problems. Nurnberger Wirtschafts - und Sozial-geographische Arbeiten (1968) 8, 297-300, From Geo. Abstracts 73A/0714.
- Glasgow, J.P., 1963, The distribution and abundance of tsetse: Oxford and New York, Permagon Press, 241. p.
- Glinka, K.D., 1927, The great soil groups of the world and their development: Tr. C.F. Marbut, U.S.D.A., p. 146-149.
- Glover, J., 1948, Water demands by maize and sorghum: E. Afr. Agric. J., v. 13, p. 171.
- _____, 1963, The elephant problem in Tsavo: E. Afr. Wildl. J., v. 1, p. 30-39.
- Glover, J., and Swynne, M.D., 1962, Light rainfall and plant survival in East Africa. I. Maize: J. Ecol., v. 50, p. 111-118.
- Glover, P.E., 1939, A preliminary report on the comparative ages of some important East African trees in relation to their habitats: W. Afr. J. Sci., v. 36, p. 316-327.
- _____, 1968, The role of fire and other influences on the savanna habitat with suggestions for further research: E. Afr. Wildl. J., v. 6, p. 131-137.
- Glover, P.E., Glover, J., and Swynne, M.D., 1962, Light rainfall and plant survival in East Africa. II. Dry grassland vegetation: J. Ecol., v. 50, p. 199-206.
- Glover, P.E., Trump, E.C., and Wateridge, L.E.D., 1964, Termitaria and vegetation patterns on the Loita plains of Kenya: J. Ecol., v. 52, p. 367-377.
- Gogan, P.J.P., 1972, Feeding behavior, food preferences, and nutrient utilization by zebra (Equus burchelli Bohmii Matschie) in the Serengeti region, East Africa: Annual Progress Report, Caesar Kleberg Research Program in Wildlife Ecology, Texas A&M University, p. 215-243.
- Good, R., 1953, The geography of the flowering plants, 2nd edition: London, Longman, 452 p.
- Goodlow, S., 1969, Short duration grazing: Journ. Range Mgt., v. 22, n. 6, p. 369-373.
- Gouvêla, D.H.G., 1954, The soils of Zambia: Trans. 45th Int. Congr. Soils Sci., p. 148-423.

- Gouveia, D.H.G., and Azevedo, A.L., 1950, A preliminary soil map of Mozambique: *Trans. 4th Int. Congr. Soil Sci.*, v. 3, p. 141-144.
- _____, 1954, Pedocals of Mozambique: *Trans. 45th Int. Congr. Soil Sci.*, v. 4, p. 424-434.
- Gracie, D.S., 1930, A preliminary survey of some of the soils of Kenya: *Dept. of Agric., Kenya Bull.* n. 1.
- Grantham, D.R., 1954, Plant ecology as an aid to colonial development: *Col. Plant and Animal Products*, v. 4, p. 110-136.
- Greene, H., 1945, Classification and use of tropical soils: *Proc. Soil Sci. Soc. Amer.*, v. 10, p. 392-396.
- Greenland, D.J., Oates, J.M., and Sherwin, T.W., 1968, Electron microscope observations on iron oxides in some red soils: *J. Soil Sci.*, v. 19, p. 123-126.
- Greenway, P.J., 1933, The vegetation of Mwapwa, Tanganyika Territory: *Jour. Ecol.*, v. 21, p. 29-43.
- _____, 1943, Second draft report on vegetation classification for the approval of the vegetation committee: Nairobi, Pasture Research Conference.
- _____, 1955, Ecological observations on an extinct East African volcanic mountain: *Journ. Ecol.*, v. 43, p. 545-563.
- _____, 1962, The vegetation of the Serengeti National Park, Tanganyika: *Seronera*, 25 p.
- _____, 1965, The vegetation and flora of Mt. Kilimanjoro: *Tanganyika Notes and Records*, n. 64, March, p. 97-107.
- _____, 1969, A check list of plants collected in Tsava National Park: *J.E. Afric. Nat. Hist. Soc. N. Museum*, v. 27, p. 169-209.
- Greenway, P.J., and Vesey-Fitzgerald, D.F., 1969, The vegetation of Lake Manyara National Park: *J. Ecol.*, v. 57, p. 127-149.
- Gregory, J.W., 1894, Contributions to the physical geography of British East Africa: *Geogr. Journ.*, v. 4, p. 505-514.
- _____, 1920, The African Rift Valleys: *Geogr. Journ.*, v. 56, p. 13-47, 327-328.
- Greig-Smith, J.P., 1964, *Quantitative plant ecology*, 2nd ed: London, Butterworth, 246 p.
- Griffith, A.L., 1951, East African enumerations. I. The Rondo plateau, south Tanganyika: *Emp. For. Rev.*, v. 30, p. 179-182.

- _____, 1952, East African enumerations. Pterocarpus angolensis in mixed woodland, Tanganyika: Emp. For. Rev. v. 31, p. 146-149.
- Griffith, C., 1949, Provisional account of the soils of Uganda: Commonwealth Bureau of Soil Science, Tech. Communication n. 46, p. 16-21.
- Griffiths, J.F., 1958, Climatic zones of East Africa: E. Afr. Agric. J., v. 23, p. 179-181.
- _____, 1962, The climate of East Africa, in Russell, E.W., ed., The natural resources of East Africa: Nairobi.
- _____, 1968, An initial investigation of the annual rainfall in East Africa: East Afr. Met. Dept. Memoir n. 3, p. 1-12.
- Groome, J.S., 1955, Muninga (Pterocarpus angolensis D.C.) in the western province of Tanganyika. I. Description, distribution, and silvicultural characters. II. Growth and form statistics. III. Yields, yield control, and management: E. Afr. Agric., v. 7, n. 21, p. 130-137.
- Grove, A.T., 1958, The ancient erg of Hausa land and similar formation on the south side of the Sahara: Geogr. J., v. 124, n. 4, p. 528-533.
- Grove, A.T., and Warren, A., 1968, Quaternary landforms and climate on the southside of the Sahara: Geogr. J., v. 134, p. 194-208.
- Grzimek, M., and Grzimek, B., 1960, A study of the game of the Serengeti Plains: Berline, Z Saugetierk, v. 25, p. 1-61.
- Guest, N.J., and Stevens, J.A., 1951, Lake Natron, its springs, rivers, brines, and visible saline reserves: Geol. Surv. Tanganyika, Mineral Resources Pamphlet, n. 58.
- Guilloteau, J., 1958, The problem of bush fires and burns in land development and soil conservation in Africa south of the Sahara: African Soils, v. 4, p. 64-102.
- Gwynne, M.D., and Bell, R.H.V., 1968, Selection of vegetation components by grazing ungulates in the Serengeti National Park: Nature, v. 220, p. 390-393.

- Haarer, A.E., 1951, Grasses and grazing problems of East Africa: Wild Crops, v. 3, p. 8-10.
- Hagenzieker, F., 1963, Contribution to the agropedological knowledge of the tropical black earths of southern Ghana: Neth. J. Agric. Sci., v. 2, n. 1, p. 54-65.
- Hallsworth, E.G., and Robertson, G.K., 1951, The nature of gilgai and melon hole soils: Aust. J. Sci., v. 13, p. 181.
- Hamilton, R., 1954, A note on the black soils of the Gold Coast: Trans. 5th Int. Congr. Soil Sci., v. 4, p. 85-89.
- Hanna, L.W., 1971, Effect of water availability on tea yields in Uganda: J. Appl. Ecol., v. 8, p. 791-813.
- Hanson and Whitman, 1938, Grassland types in Western North Dakota: Ecol. Mono. v. 8, n. 1, January.
- Hardjosesastro, R.R., 1956, Preliminary note on cristobalite in clay fractures of volcanic ashes: J. Soil Sci., v. 7, p. 185-188.
- Hardon, H.J., 1950, The bases in the clay fraction of Indonesian soils: Trans. 4th Intern. Cong. Soil Sci., v. 1, p. 310-312.
- Hardy, F., 1963, Altitudinal zonation in coffee soils in western Latin America: IICA, Turrialba, Costa Rica.
- Harker, K.W., 1957, The economics of weed control on grazing land: E. Afr. Agric. J., v. 23, p. 17.
- _____, 1959, An Acacia weed of Uganda grasslands: Trop. Agric. Trin., v. 36, p. 45-51.
- _____, 1962, Grassland development in the fertile crescent of Uganda: J. Br. Grassld. Soc., v. 17, p. 188-193.
- Harker, K.W., and Napper, D.M., 1960, An illustrated guide to the grasses of Uganda: Entebbe, Government Printer, 63 p., 123 plates.
- Harms, H., 1914, Leguminosae Africanæ VII: Engler's Bot. Jahrb., p. 361-363.
- Harpum, J.R., 1954, Formation of EPIDOTE in Tanganyika: Bull. Geol. Soc. Amer., v. 65, p. 1075-1092.
- Harradine, F., and Jenny, H., 1958, Influence of parent material and climate on texture, nitrogen, and carbon contents of virgin California soils: Soil Sci., v. 85, p. 235.
- Harrington, G.N., and Ross, I.C., 1973, The savanna ecology of Kidepo Valley National Park, Uganda. 1. The effect of burning and browsing on the vegetation: E. Afr. Wildl., v. 7.

- Harris, S.A., 1958, The gilgaied and badstructured soils of central Iraq: J. Soil Sci., v. 9, p. 169-185.
- _____, 1959, The classification of Gilgaied soils. Some evidence from northern Iraq: J. Soil Sci., v. 10, p. 26-33.
- _____, 1963, On the classification of latosols and tropical brown earths in high rainfall areas: Soil Sci., v. 96, p. 210-215.
- Harris, W.V., 1940b, Termites in East Africa. III. Field key and distribution by territories: E. Afr. Agric. J., v. 6, p. 201-205.
- _____, 1948, Insects which alter the landscape: Uganda J., v. 12, p. 57-59.
- _____, 1961, Termites. Their recognition and control: London, Longman, 187 p.
- Harrison, M.N., and Jackson, J.K., 1958, Ecological classification of the vegetation of the Sudan: Sudan Forestry Department, Bull., n. 2, Khartoum.
- Harrop, J.F., 1960, The soils of the Western Province of Uganda: Kampala, Department of Agriculture.
- Hartley, E.W., and Guest, N.J., 1965, Longido. Quarter Degree Sheet n. 41: Tanzania, Min. Resources Div.
- Hathout, S.A., 1972, A new approach to soil mapping in Tanzania: BRALUP Research Paper n. 22.
- _____, 1973, Some notes on mobile soil laboratory and procedure for soil analysis: BRALUP Research Report n. 2/1.
- _____, 1974, Rainfall and soil suitability index for wheat cropping in West Kilimanjaro: BRALUP Research Report n. 8.
- Hathout, S., and Sumra, S., Rainfall and soil suitability index for maize cropping in Handeni District: Univ. Dar es Salaam Research Report No. 12, Bureau of Resource Assessment and Land Use Planning.
- Hawkins, R.H., and Kunze, G.W., 1965, Phosphorus fractions in some Texas grumusols and their relation to soil weathering and available phosphorus: Soil Sci. Soc. Am. Proc., v. 29, p. 650-656.
- Haylett, D.G., 1959, The maintenance of soil productivity: 3rd Int. Afr. Soils Conf., Dalaba.
- Heady, H.F., 1960, Range management in East Africa: Government Printer, Nairobi.
- _____, 1966, Influence of grazing in Themeda grassland: J. Ecol., v. 54, p. 205-272.
- Heath, C.R., 1966, Carbonate nodules formed in soil profiles - the nomenclature problem: Aust. J. Sci., v. 28, p. 395-396.

- Hedberg, O., 1951, Vegetation belts of the East African mountains: Svensk. Bot. Tidsk., v. 45.
- _____, 1955, Altitudinal zonation of the vegetation of the East African mountains: Proc. Linn. Soc. Lond., Sess. n. 165, p. 134-150.
- _____, 1957, Afroalpine vascular plants: Symbolae Botanicae Upsalienses, v. 15, p. 1.
- _____, 1961a. The phytogeographical position of the Afroalpine flora, in Recent Advances in Botany: Toronto, University Press, p. 914-919.
- _____, 1964, Features of afroalpine plant ecology: Uppsala University.
- _____, 1969b, Taxonomic and ecological studies on the Afroalpine flora of Mt. Kenya: Innsbruck, Munchen, Hochgebürgsforschung, I, 173-94.
- Hemming, C.F., and Trapnell, C.G., 1957, A reconnaissance classification on the soils of the South Turkana desert: Journ. Soil Sci., v. 8, p. 167-183.
- Henkel, J.S., 1928, The relation of vegetation to water supply in southern Rhodesia: S. Afr. Journ. Sci., v. 26, p. 38-51.
- Hennings, R.O., 1961, Grazing management in the pastoral areas of Kenya: J. Afr. Admin., v. 13, p. 131-203.
- Henzell, E.F., 1960, The use of nitrogen fertilizer on pastures in the subtropics and tropics, in A review of nitrogen in the tropics with particular reference to pastures symposium: Farnham Royal, England, CAB Bull., 46, p. 161-172.
- Heriz-Smith, S., 1962b, Flowering plants of the Ngong Hills: J.E. Afr. Nat. Hist. Soc., v. 24, p. 26-28.
- Hesse, P.R., 1955, A chemical and physical study of the soils of termite mounds in East Africa: J. Ecol., v. 43, p. 449-461.
- Hester, D.N., 1971, Irrigation of tea in Mu Fundi, Tanzania, in Carr, Susan (ed.), Water and the tea plant, Proc. symp., Tea Research Inst. E. Africa, Kericho, Kenya: Mu Funi, Tea Boards of Kenya and Uganda, Tanzania Tea Authority, 151-157 Brook Bond Liebig Unlimited.
- Hickman, G.M., and Dickins, W.H., 1960, The lands and people of East Africa: London, Longman, 232 p.
- Higgins, G.M., 1968, Soils and related surface phenomena near Bacita: Samaru Research Bull. 88, Zaria, Nigeria; Niger J. Sci., v. 1, p. 205-215.

- Hilgard, E.W., 1892, A report on the relations of soil to climate: USDA Weather Bureau Bull. n. 3, 59 p.
- _____, 1921, Soils: London, The MacMillian Co.
- Hill, I.D., 1966, Soil and land use surveys, No. 19A, Antigua: University of the West Indies, Trinidad, Regional Research Center.
- Hinga, G., 1973, Phos. adsorption capacity in relation to properties of several types of Kenya soil: E. African Ag. and For. J., v. 38, n. 4, p. 400-404.
- Honking, J.S., 1935, A comparative study of the black earths of Australia and the regur of India: Trans. Roy. Soc. S. Aust., v. 59, p. 188-200.
- _____, 1940, The soil clay mineralogy of some Australian soils developed on granitic and basaltic parent material: J. Com. Sci. Industr. Res. Aust., v. 13, p. 206-216.
- Hopkins, B., 1967, A comparison between productivity of forest and savanna in Africa: J. Ecol., v. 55, p. 19-20.
- Hora, F.B., and Greenway, P.J., 1940, Check list of forest trees and shrubs of the British empire. No. 5, Tanganyika Territory. Part I: Oxford, Imp. For. Inst.
- Hornby, H.E., 1949, Animal trypanosomiasis in East Africa: London, Colonial Office.
- Hornby, H.E., and Hornby, R.M., 1943, A contribution to the study of the vegetation of Mpwapwa: Tanganyika Notes and Records, v. 15, p. 25-48.
- Hornby, H.E., and van Rensberg, H.J., 1948, The place of goats in Tanganyika farming systems. 1. In deciduous bushland formation: E. Afr. Agric. J., v. 14, p. 94-98.
- Hosegood, P.H., 1963, The root distribution of Kikuyu grass and wattle trees: E. Afr. Agric. For. J., v. 29, p. 60-61.
- Hubbard, C.F., 1926, East African pasture plants. 1. East African grasses: London, Crown Agents, 55 p.
- Hubble, G.D., and Thompson, C.H., 1957, The characteristics and classifications of the dark clay soils of Queensland: Brisbane, Commonwealth Scientific and Industrial Research Organization, Division of Soils, Plants and Soils Laboratory.
- Huddleston, A., 1948, Brief reconnaissance survey of the Kibigori-Songhor-Muhoroni area: Nairobi, Mines and Geological Dept., File M2172/1.

- Hudsoh, N., 1971, Soil Conservation: London, Batsford.
- Hughs, J.F., 1949, Forests and water supply in East Africa: Emp. For. Rev., v. 28, p. 314-323.
- Hunt, D.M., 1974a, Agricultural innovation in Mbere: University of Nairobi Working paper n. 166, Institute for Development studies.
- _____, 1974b, Resource use in a medium potential area - The Mbere rural economy: University of Nairobi, Working Paper n. 180, Institute of Development Studies.
- Hunting Technical Services, Ltd., 1957, Soil Survey of the Lower flood irrigation project.
- _____, 1964, Geomorphology and soils vegetation and present land use, Kordofan: Athens and London, FAP, Doxiadis Assoc.
- Hurd, L.E., Mellinger, M.V., Wolf, L.L., and McNaughton, S.J., 1971, Stability and diversity at three trophic levels in terrestrial successional ecosystems: Science, 1973, p. 1134-1136.
- Hutchinson, H.G., 1964, Ranching: First FAO African Meeting on Animal Production and Health, Addis Ababa, March.
- Huxley, J., 1960, Conservation of wildlife and natural habitats in central and East Africa: Paris, UNESCO, p. 112.
- _____, 1961, The conservation of wildlife and natural habitats in central and East Africa: Paris, UNESCO.
- Huxley, P.A., 1966, A preliminary study of the effect of differences in local estimate on the early growth of some crop plants in southern regions of Uganda: J. Appl. Ecol., v. 3, p. 251-266.
- Huxley, P.A., and Beadler, M., 1964, A local climatic study in typical dissected topography in the southern region of Uganda: Meteorol. Mag., v. 93, p. 321-333.

- Irvine, L.O.F., 1941, The major veld types of the northern Transvaal and their management: Towoombra Pasture Research Station, Warmbaths, Quinquennial Rept.
- _____, 1943, Bush encroachment in the northern Transvaal: Farm. in So. Afr., v. 18, p. 728-729.
- Ivens, G.W., 1954, Some trails with defoliant and arboricides in East Africa: Proc. Brit. Weed Control Conf., p. 499-508.
- _____, 1958, The effects of arboricides on East African trees and shrubs, I. Acacia species: Trop. Agric., v. 35, p. 257-271.
- _____, 1958, Some trees and shrub control problems in East Africa: Colonial Pesticides Research Unit Mis. Report n. 10, 5 p.
- _____, 1959, The effects of arboricides on East African trees and shrubs. II. Species of the Brachystegia-pseudoberlinia woodland: Trop. Agric., v. 36.
- _____, 1959, The effects of arboricides on East African trees and shrubs, III, Combretum and commifera species: Trop. Agric., v. 36.
- Ivens, G.W., and Cochran, D.G., 1956, Effects of 2, 4, 5-Trichloro-phenoxyacetic acid on evergreen thicket vegetation in Kenya: Trop. Agric., v. 33, p. 136-144.

- Jack, R.W., 1927, Some environmental factors relating to the distribution of Glossina morsitans Westw. in southern Rhodesia: S. Afr. J. Sci., v. 24, p. 457-475.
- Jacks, G.V., 1934, Soil, vegetation, and climate: Commonwealth Bur. Soil Sci. Tech. Comm. n. 29.
- Jacks, G.V., Brind, W.D., and Smith, R., 1955, Mulching: Tech. Comm. n. 49, Commonwealth Bur. Soil Sci.
- Jackson, C., 1964, Grasslands of tropical Africa. Appendix B, 98 III, in McIlroy, R.J. (ed.), An introduction to tropical grassland husbandry: London, Oxford University Press.
- Jackson, M.L., 1958, Soil chemical analysis: Englewood Cliffs, New Jersey, Pergamon Press.
- _____, 1965, Clay transformation in soil genesis during the quaternary: Soil Sci., 99:15-22.
- James, T.C., 1953, An interim report on some recent investigations in northern and central provinces, Tanganyika: Geol. Surv. Tanganyika.
- Jameson, J.D., and Stephens, D., 1970, Agriculture in Uganda: London, Oxford University Press, 432 p.
- Jennings, D.L., 1970, Cassava in Africa: Fld. Crop Abstr. v. 23, p. 271-272 (Dundee, Scott. Hort. Res. Inst.).
- Jenny, H., 1946, Arrangement of soil series and types according to functions of soil forming processes: Soil Sci., v. 61, p. 375-391.
- _____, 1950, Censuses of high nitrogen and organic matter content of certain tropical forest soils: Soil Sci., v. 69, n. 2, p. 63-69.
- Johnson, D.H., and North, H.T., 1960, Forestry research in East Africa, in Bargman, D.T. (ed.), Tropical meteorology in Africa: Nairobi, Manitalp Foundation, p. 56-137.
- Johnson, W.C., 1962, Controlled soil cracking as a possible means of moisture conservation on wheatlands of the southwestern Great Plains: Agron. J., v. 54, p. 323-325.
- Johnson, W.M., Cady, J.C., and James, M.S., 1962, Characteristics of some brown grumusols of Arizona: Proc. Soil Sci. Soc. Amer., v. 26, n. 4, p. 389-393.
- Johnston, J.R., and Hill, H.O., 1944, A study of the shrinking and swelling properties of the Rendzina soils: Proc. Soil Sci. Soc. Amer. v. 9, p. 24-29.

- Jones, G.H.G., 1935, Descriptions of 33 soil series occurring in Kenya: Proc. 2nd Conf. E. Afric. Agric. Chem. p. 58.
- _____, 1949, Colonial soil types. Systematic soil classification and nomenclature (Kenya): Com. Bur. Soil Sci. Tech. Comm., n. 46, p. 85.
- Jongerius, A., 1974, Report on the micromorphology of Kindaruma soil samples: Netherlands Soil Survey Institute Internal report to Kenya Soil Survey.
- Joubert, P., 1957, Geology of the Namanga-Bissel Area: Report No. 39, Geological Survey of Kenya, Nairobi, Government Printers.

- Kabaara, A.M., and Kimcu, B.S., 1973, Grain and mulch production from maize in coffee growing areas of Kenya. Effects of spacing, fert. application and variety: East Af. Ag. and For. J., v. 38, p. 334-342.
- Kahurananga, J., 1972, The distribution of vegetation and large animals in the Simanjiro plains of northern Tanzania: Preliminary report for Ph.D. thesis, University of Nairobi, 32 p.
- Kameswara, Rao, B.V., and Sastry, A.S., 1961, Determination of total soluble salts in the black clayey soils of Andhra Pradesh by conductivity method: Current Science (India) v. 30, p. 108-109.
- Kamete, H., 1963, Assessment of known water sources and suggestions for further development in Masailand: Arusha, Dept. Water Development and Irrigation, Min. of Agric.
- Kanno, I., 1961, Genesis and classification of main genetic soil types in Japan: I. Buil Kyushu Agri. Expt. Sta. VII, p. 1-185.
- Kantor, W., and Schwertmann, U., 1974, Minerology and Genesis of Clays in red black soil toposequences on basic igneous rocks in Kenya: J. Soil Sci., v. 25, n. 1, p. 67.
- Keay, R.W.J., 1959, An outline of Nigerian vegetation: Lagos, Federal Government Printer.
- _____, 1959, Vegetation map of Africa south of the Tropic of Cancer: London, Oxford University Press.
- Keen, B., and Dothie, D.W., 1953, Crop responses to fertilizers and manures in East Africa: E. Afr. Agric. J., v. 19, p. 19-57.
- Kelley, W.P., 1962, Sodium carbonate and adsorbed sodium in semi-arid soils: Soil Sci., v. 94, p. 1-5.
- Kellogg, C.E., 1936, Development and significance of the great soil groups of the United States: USDA Misc. Pub. 229:19 and 35, June.
- _____, 1949, Preliminary suggestions for the classification and nomenclature of the great soil groups in tropical and equatorial regions: Commonwealth Bur. Soil Sci. Tech. Comm. n. 46, p. 76-85.
- Kennan, T.C.D., 1962, Veld management in the semi-intensive, semi-extensive, and extensive farming areas of northern Rhodesia with special reference to research findings: Bulawaye, S. Rhodesia, Proc. First Int. Conf. Pasture Workers, p. 73-91.
- Kennan, T.C.D., Staples, P.R., and West, O., 1955, Veld management in southern Rhodesia: Rhod. Agric. Jour. v. 52, p. 421.
- Kent, P.E., 1941, The recent history and Pleistocene deposits of the plateau north of Lake Eyasi, Tanganyika: Geol. Mag., v. 78, p. 173-184.

- _____, 1944a, The age and tectonic relationships of the East Africa volcanic rocks: *Geol. Mag.*, v. 81, p. 15-27.
- Kenworthy, J.M., and Glover, J., 1958, The reliability of the main rains in Kenya: *E. Afr. Agric. J.*, v. 23, p. 267-271.
- Kerfoot, O., 1964, A first check list of the vascular plants of Mbeya range, south highland region of Tanzania: *Tanganyika Notes and Records*, v. 62, p. 1-17.
- _____, 1965, The vegetation of an experimental catchment in the semi-arid ranchland of Uganda: *E. Afr. Agric. For. J.*, v. 30, p. 227-245.
- Kesseba, A., and Uriyo, A.P., 1971, Response to maize to NPK fertilizer application in the Ngoronogo area: *Proc. 2nd Land Use Conf.*, Tanzania, 92, p.
- Kesseba, A., Pitbaldo, J.R., and Uriyo, A.P., 1972, Trends of soil classification in Tanzania. I. The experimental use of the 7th Approx: *Journal of Soil Science* v. 23, n. 2, p. 245-247.
- King, B.C., 1958, The geomorphology of Africa. II. The geomorphic history of the continent: *Science Progress*, n. 181, p. 97-107.
- Klingel, H., 1969, The social organization and population ecology of the plains zebra: *Zool. Afr.*, v. 4, p. 249-263.
- Klinkenberg, K., and Higgins, G.M., 1968, An outline of Northern Nigeria soils: *Nig. J. Sci.*, v. 2, n. 2, p. 91-115.
- Khanna, S.S., 1969, Clay minerals of regus soils (cotton soils of India - black): *Indian J. Sci., Ind.*, v. 3, p. 171-174. (J.L. Hehru Ag. U., Jabalpur, M.P., India).
- Knibbe, W.G.J., and Thomas, G.W., 1972, Potassium calcium exchange coefficients in clay fractions of some vertisols: *Texas A&M University, SSA Proc.*, v. 36, n. 4, p. 568-572.
- Kotamann, J.G., 1935, Genetic and chemical characteristics of rendzina sods: London, Thomas Murphy and Co. *Trans.*, Third Int. Cong. Soil Sci., v. 1, p. 296-292.
- Kreulen, D., 1975, Wildebeest habitat selection on the Serengeti plains, Tanzania, in relation to calcium and lactation. A preliminary report: *E. Afr. Wildl J.*, v. 13, p. 297-304.
- Krishna, P.G., and Permul, S., 1948, Structure in black cotton soils of the Nizamsagar Project Area: *Hyderabad State, India, Soil Sci.*, v. 66, n. 1, p. 29-38.
- Krishna, P.G., Desai, A.D., and Krishnamurthy, C., 1960, Deep black cotton soils of Raichur: *New Delhi Indian Council of Agriculture Research, Bull.* n. 83.

- Kruuk, H., 1972, Surplus killing by carnivores: J. Zool., London, v. 166, p. 233-244.
- Kubiena, W.L., 1958, The classification of soils: J. Soil Sci., v. 9, p. 9-19.
- Kuchler, A.W., 1967, Vegetation mapping: New York, Ronald Press, 472 p.
- Kunze, G.W., and Templin, E.H., 1956, Houston black clay, the type Grumusol. II. Mineralogical and chemical characterization: Proc. Soil Sci. Soc. Amer., v. 20, p. 91-96.

- Lamerton, J.F., 1962, Manda valleys in Tanganyika: *J. Ecol.*, v. 50, p. 771-773.
- Lamprey, H.F., 1963, A study of ecology of the mammal population of a game reserve in the Acacia Savanna of Tanganyika, with particular reference to animal numbers and biomass: Ph.D. Thesis, University of Oxford.
- Lamprey, H.F., et al., 1974, Interactions between species of Acacia, a seed beetle, and some large herbivores: *E. Afr. Wildl. J.*
- Lang Brown, Jr., and Harrop, J.F., 1962, The ecology and soils of Kibale grasslands, Uganda: *E. Afr. Agric. For. J.*, v. 27, p. 264-272.
- Langdale-Brown, I., 1957, Actual or potential fire climax grassland communities: *Uganda Ecol. Surv. Rept.*, n. 14, 5 p.
- Langdale-Brown, I., Osmaston, H.A., and Wilson, J.G., 1964, The vegetation of Uganda and its bearing on land use: Entebbe, Uganda Government Printer, 159 p.
- Laws, R.M., 1968, Interactions between elephants and hippopotamus and their environments: *J.E. Afr. Agric. For.*
- Lawson, B.W., Jenik, J., and Armstrong-Mensah, K.O., 1968, A study of a vegetation catena in Guinea savanna at Mole game preserve, Ghana: *J. Ecol.*, v. 56, p. 505-522.
- Lawton, R.M., 1963, Paleoecological and ecological studies in the northern province of north Rhodesia: *Kirkia*, v. 3, p. 46-77.
- Lea, A., and Webb, D. Jan V., 1939, Field observations on the red locust at Lake Rukwa in 1936 and 1937: *Pretoria, Dep. Agric. Sci. Bull.*, n. 189.
- Leakey, J.S.B., 1940, The lower limit of the Pleistocene in Africa: *Proc. 18th Int. Geol. Congr.*, 1948, part 9, p. 62-65.
- Leakey, L.S.B., 1965, Olduvai Gorge, 1951-1961, Vol. 1: Cambridge University Press.
- Ledger, H., 1964, The place of wildlife in African agriculture: First FAO Afric. meeting on Animal Production and Health, Addis Ababa, March.
- Lee, K.E., and Wood, T.B., 1971, Termites and soils: London, Academic Press, 252 p.
- Lehrer, P.L., 1966, The effect of parent materials and cultivations on the nutrient levels of Kenya soils: *E. Afr. Agric. J.*, v. 32, n. 1, p. 31.

- Lemare, P.H., 1959, Soil fertility studies in three areas of Tanganyika: *Emp. J. Exp. Agric.*, v. 27, p. 197-222.
- Lemare, P.H., 1972, A long term exp. on soil fertility and cotton yield in Tanzania: *Research Memoirs Cotton Research Corp*, n. 88, 12 p.
- Levzns, M.R., 1924, Some observations on the effects of bush fires on the vegetation of the Cape Peninsula: *So. Afr. Jour. Sci.*, v. 21, p. 346-347.
- _____, 1929, Veld burning experiments at Ida's Valley, Stellenbosch: *Trans. Roy. Soc. So. Afr.*, v. 17, p. 61-91.
- Lewis, E.A., 1953, Land use and tsetse control: *E. Afr. Agric. J.*, v. 18, p. 160-168.
- Lind, E.M., and Morrison, M.E.S., *E. African Vegetation*: London, Longman Publishers.
- Lind, E.M., and Tallantire, A.C., 1962, Some common flowering plants of Uganda: London, Oxford University Press, 257 p.
- Little, E.C.S., 1972, Kenya Bush Control: Nairobi, UNDP/FAO project, Range Management Division. M.O.A.
- Livingstone, D.A., 1967, Postglacial vegetation of the Ruwenzoir mountains in equatorial Africa: *Ecol. Monogr.*, v. 37, p. 25-52.
- Lock, G.W., 1962, Sisal. Twenty-five year sisal research: London, Longman, 355 p.
- Lock, J.M., 1967, Vegetation in relation to grazing and soils in Queen Elizabeth Park, Uganda: Ph.D. Thesis, Cambridge, 254 p.
- _____, 1970, The grasses of the Queen Elizabeth National Park: *Ug. J.*, v. 34, p. 49-63.
- Lopez, M.A.L., and Escolar, R.P., 1969, A mathematical approach to evaluating the influence of various factors on the stability of aggregates in vertisols: *J. Ag. V. P. Rico.*, v. 53, p. 57-60.
- Love, R.M., 1961, The range natural plant communities or modified ecosystems: *J. Brit. Grsl. Soc.*, v. 16, p. 89-99.
- Lozet, J., 1955, Tropical black soils: *Bull. Agric. Congo Belge*, v. 46, p. 251-260.
- Lundgren, B., and Lundgren, L., 1972, Comparison of some soil properties in one forest and two grasslands ecosystems on Mt. Meru, Tanzania, *Geografislen Annaler* v. 54A, n. 3-4, p. 227-240.
- Luning, H.A., 1973, Land utilization types of the medium potential areas of Eastern Province, Kenya: Kenya Soil Survey Project, Nairobi.

- MacArthur, R.H., 1955, Fluctuations of animal populations and a measure of community stability: *Ecology*, 35, p. 533-536.
- MacKenzie, William, 1973, Conflicts and obstacles in livestock development in Tanzania: Econ. Res. Bur. Paper no. 73.1, University of Dar es Salaam.
- Maher, Colin, 1945, The goat, friend or foe: *E. Afr. Agric. J.*, v. 11, p. 115-121.
- Mahler, P.J., 1970 (ed.), Manual of land classification for irrigation Second approximation: Publication n. 205, Soil Institute of Iran.
- _____, 1970 (ed.), Manual of multipurpose land classification: Publication n. 212, Soil Institute of Iran.
- Maignien, R., 1966, Review of research on laterite: Paris, UNESCO, 148 p.
- Makin, J., 1968, The role of soil investigation in agricultural development: *Afr. Soils*, v. 13, p. 121.
- _____, 1969, The use of identification keys in distinguishing individual soil categories: *E. Afr. Agric.*, v. 34, p. 446.
- _____, 1969, A soil catena and associated laterite levels in western Kenya: *E. Afr. Agric.* v. 34, p. 485.
- _____, 1969, Soil formation in the Turkana Desert: *E. Afr. Agric.*, v. 34, p. 493.
- Makin, J., Schilstra, J., and Theisen, A.A., 1969, The nature and genesis of certain aridisols in Kenya: *J. Soil Sci.*, v. 20, p. 111.
- Manil, G., 1959, General considerations on the problem of soil classification: *J. Soil Sci.*, v. 10, p. 1-13.
- Manning, H.L., 1956, The statistical assessment of rainfall probability and its application in Uganda agriculture: *Proc. Roy. Soc. A.*, n. 193, p. 120-145.
- Marbut, C.F., 1935, Soils of the United States: *Atlas American Agric.*, USDA, p. 15-25.
- Marchand, B. de C., 1924a, On some physical properties of Transvaal soils: *J. Agric. Sci.*, v. 14, p. 151-169.
- _____, 1924b, The origin of black turf soils in the Transvaal: *J. Afr. J. Sci.*, v. 21, p. 162-181.

- Margalef, D.R., 1958, Information theory in ecology: *Gen. Systems*, v. 3, p. 36-71.
- _____, 1963, On certain unifying principles in ecology: *Amer. Natur.*, v. 97, p. 357-374.
- _____, 1965, Ecological correlations and the relationship between primary production and community structure, in Goldman, C.R. (ed.), *Primary production in aquatic environments*: Berkeley, Calif., *Mdm. Int. Ital. Idrobiol.*, Supp 18, Univ. Cal. Press, p. 355-364.
- Marshall, B., and Bredon, R.M., 1963, The chemical composition and nutritive value of elephant grass, *Penusetum purpureum*: *Trop. Agric. Trin.*, v. 40, p. 63-66.
- _____, 1967, The nutritive value of *Themeda triandra*: *E. Afr. Agric. For. J.*, v. 22, p. 375-379.
- Martin, E.F., and Babcock, W.J., 1937, Preliminary studies on grasses and grazing made at Ngetta, Northern Province, Uganda: *E. Afr. Agric. J.*, v. 3, p. 186-195.
- Martin, F., San-Jimenez, C., et al., 1974, Humic matter from vertisols. II. Fulvic acids: *Anales de Edafologia y Agrobiologia*, v. 33, n. 5/6, p. 477-482.
- Martin, P.S., 1966, Africa and pleistocene overkill: *Nature*, v. 212, p. 339-342.
- Martin, W.S., 1944, Grass covers in their relation to soil structure: *Emp. J. Exp. Agric.*, v. 12, p. 21-32.
- Martin, W.S., Griffith, C., and Wayland, E.J., 1940, Uganda soils, agriculture in Uganda: London, Oxford University Press, p. 59-73.
- Masefield, G.B., 1948, Grass burning, some Uganda experience: *East Afr. Agric. Journ.*, v. 13, p. 135-138.
- _____, 1955, Pleistocene movements in the Gregory Rift valley: *Geol. Rund.*, v. 43, heft 1, p. 257-263.
- Matheson, F., 1965, Geology of the Kajiado Area: Report n. 70, *Geol. Surv.*, Kenya.
- Matheson, J.K., Bovill, E.M., 1950, East African agriculture: Oxford University Press.
- Mbuvi, J.P., and van de Weg, R.F., 1975, Some preliminary notes on the soils of Katumani, Kampi ya Mawe, Embu, and Murindubo Agricultural Research Stations: Site Evaluation Report n. 25, Kenya Soil Survey.

- McCartney, J.C., 1965, A system of cultivation for areas of low or marginal rainfall: Min. Agric. Thesis, Univ. Belfast.
- McConnell, R.B., 1951, Rift and shield structure in East Africa: Int. Geol. Congr., Report 118th session, Part 14, p. 199-207.
- McCulloch, J.S.G., 1959, Soil temperatures near Nairobi, 1954-55: Quart. J. Roy. Met. Soc., v. 85, p. 51.
- McFarlane, M.J., 1969, Laterization and landscape development in Kyagwe, Uganda: Q. J. Geol. Soc., London, n. 126, p. 509-539.
- McIlroy, R.J., 1964, An introduction to tropical grassland husbandry: London, Oxford University Press, 128 p.
- McKay, A.D., 1969, Range management at EAAFR0: East Afric. Agric. and For. Journ., v. 35, n. 4.
- McLear, B.J., 1971, Land use and ecological problems, in Ominde, S.H. (ed.), Studies in East African Geography and development: London, Heinemann.
- McNaughton, S.J., 1971, Stability and diversity at three trophic levels in terrestrial successional ecosystems: Science, 1973, p. 1134-1136.
- Mehra, O.P., and Jackson, M.L., 1969, Iron oxide removal from soils and clays by a dithionite-citrate system buffered with sodium bicarbonatites: Proc. Natl. Conf. Clays Clay Material, 7th Natl. Acad. Sci. Natl. Res. Council Publ. n. 1958, p. 317-327.
- Meiklejohn, J., 1965, Microbiological studies in large termite mounds. Rhod. Zambia Maloury J. Agric. Res. 3, p. 67-79.
- _____, 1968, Numbers of nitrifying bacteria in some Rhodesian soils under natural grass and improved pastures: J. Appl. Ecol., v. 5, p. 291-300.
- Metson, E.J., 1956, Methods of analysis for soil survey samples: Wellington, New Zealand D.S.I.R., Govt. Printer.
- Michelmore, A.P.G., 1939, Observations on tropical African grasslands: Journ. Ecol., v. 27, p. 282-312.
- Mikenburg, N., Suggett, G.R., and Dewis, J.W., 1968, Soils Annex I. Survey and Plan for Irrigation Development in the Pangani and Wami River Basin: Rome, F.A.O.
- Miller, F.T., and Mihlich, A., 1960, Charge characterization as a criterion for classification of some equatorial soils: Trans. 7th Int. Congr., Soil Sci., v. 4, p. 432.

- _____, 1961, Soil Survey of the East Konyango Area: Kenya, Department of Agric.
- Millot, G., 1970, Geology of clays. Weathering, sedimentology, geochemistry: Berlin, Springer Verlag.
- Milne, G., 1935, Some suggested units of classification and mapping particularly for East African soils: Soil Res., v. 4, p. 183-198.
- _____, 1935, A provisional soil map of East Africa: Trans. 3rd Int. Congr. Soil Sci., v. 1, p. 266.
- _____, 1935, Composite units for the mapping complex soil associations: Trans. 3rd Int. Congr. Soil Sci., v. 1, p. 345.
- _____, 1935, Some suggested units of classification and mapping, particularly for East African soils: Proc. 2nd Conf. E. Afric. Agric. Chem., p. 248.
- _____, 1935, The extent to which volcanic rocks give rise to distinctive soils, examined from East African occurrences: Proc. 2nd Conf. E. Afric. Agric. Chem., p. 49.
- _____, 1936, A provisional soils map of East Africa: Crown Agents for Overseas Government.
- _____, 1937, Note on soil conditions and two East African vegetation types: Jour. Ecol., v. 25, p. 254-258.
- _____, 1936b, Essays in applied pedology. I. Soil type and soil management in relation to plantation agriculture in East Usambara: E. Afr. Agric. J., v. 3, p. 7-20.
- _____, 1938, Essays in applied pedology. II. Some factors in soil mechanics: E. Afr. Agric. J., v. 3, p. 350-361.
- _____, 1938, Essays in applied pedology. III. Burkoba, high and low fertility on a laterized soil: E. Afr. Agric. J., v. 4, p. 13-24.
- _____, 1940a, Soil and vegetation: E. Afr. Agric. For. Journ., Jan.
- _____, 1940b, Some aspects of modern practice in soil survey: E. Afr. Agric. For. Journ., May.
- _____, 1940b, Soil conservation - the research side: E. Afric. Agric. J., v. 6, p. 26-37.
- _____, 1944, Soils in relation to native population in West Usambaras: Geography, v. 29, p. 107-113.
- _____, 1947, A soil reconnaissance journey through part of Tanganyika Territory, December 1935 to February, 1936: J. Ecol., v. 35, p. 193-265.

- Milne, G., and Calton, W.E., 1944, Soil salinity related to the clearing of natural vegetation: *E. Afr. Agric. J.*, v. 10, p. 7-11.
- Mitchell, B.D., Farmer, V.C., and McHardy, W.J., 1964, Amorphous inorganic materials in soils: *Adv. Agronomy*, v. 16, p. 327-383.
- Modha, K.L., 1970, Shallow soils and their vegetation in the region of Nairobi Kenya: *J. E. Afr. Nat. Hist. Soc.*, v. 28, n. 1, p. 1-6.
- Moberg, J.P., 1973, An edaphological and pedological investigation of the soils in West Lake region of Tanzania: Copenhagen, Denmark, Royal Veterinary and Ag. V., 156 p., 61 refs.
- _____, 1972, Some soil fert. problems in the W. Lake Region of Tanzania, including the effects of different forms of cultivation on the fertility of some final soils. *E. African Ag. and Forestry Journal*, v. 38, n. 1, p. 35-46.
- _____, 1974, Formation, mineralogy and fertility of some tropical highland soils: Copenhagen, Denmark, Royal Vet. and Ag. V., 65 p.
- Mohr, E.C.J., and Van Baren, F.A., 1954, Tropical soils, a critical study of soil genesis as related to climate, rock, and vegetation: The Hague, W. Van Hoeve.
- Mohr, E.C.J., Van Baren, F.A., and Van Schuylenborgh, J., 1972, Tropical soils. A comprehensive study of their genesis: The Hague, Paris, Djakarta, Mouton-Ichtiar-Baru-van Hoeve.
- Moomaw, James C., 1960, A study of the plant ecology of the coast region of Kenya: Nairobi, Government Printers.
- Moore, A.W., 1960, The influence of annual burning on a soil in the derived savannah zone of Nigeria: *Trans. 7th Int. Conf. Soil Sci.*, v. 4, p. 257-264.
- Moore, R.M., 1960, The management of native vegetation in arid and semi-arid regions, in *Arid Zone Research*, XV: UNESCO, p. 173-190.
- Moreau, R.E., 1933, Pleistocene climatic changes and the distribution of life in East Africa: *J. Ecol.*, v. 21, p. 415-435.
- _____, 1935a, A synecological study of Usambara, Tanganyika Territory: *J. Ecol.*, v. 21, p. 1-43.
- _____, 1936, A contribution to the ornithology of Mt. Kilimanjaro and Mt. Meru: *Proc. Zool. Soc. London*, Part 4, p. 849-891.
- _____, 1938, Climatic classification from the standpoint of East African biology: *Jour. Ecol.*, v. 26, p. 465-496.

- Morgan, W.T.W., 1959 (ed.), East Africa, its peoples and resources: Nairobi, London, New York, Oxford University Press.
- _____, 1970, East Africa, its people and resources: Oxford University Press, 312 p.
- Morison, C.S.T., Hoyle, A.C., and Hope-Simpson, J.F., 1948, Tropical soil-vegetation catenas and mosaics: Jour. Ecol., v. 36, p. 1-84.
- Morrison, J., 1966, Productivity of grass and grass-legume swards in the Kenya highlands: E. Afr. Agric. For. J., v. 22, p. 25-30.
- Moss, R.P. (ed), 1968, The soil resources of tropical Africa: Cambridge University Press, 226 p.
- Muff, H.B., 1908, Reports relating to the geology of the East Africa Protectorate: Col. Rep. Misc. n. 45 (Cd. 3828).
- Muir, A., Anderson, B., and Stephen, J., 1957, Characteristics of some Tanganyika soils: J. Soil Sci., v. 8, p. 1-17.
- Munsell Color Company, Inc., 1954, Soil color charts: Baltimore, Maryland.

- Nagelschmidt, G., Desai, A.D., and Muir, A., 1940, The minerals in the clay fractions of a black cotton soil and a red earth from Hyderabad, Deccan State, India: *J. Agric. Sci.*, v. 30, p. 639-653.
- Napier-Bax, S., 1936, Some details of the experiments in poisoning savanna and rainforest trees and thickets: *Trans. R. Ent. Soc. Lond.* v. 84, Appendix 8, p. 571-573.
- Napper, D.M., 1965, *Grasses of Tanganyika*: Dar es Salaam, Government Printer.
- National Atlas of Kenya, Third Edition, 1970: Nairobi, Survey of Kenya.
- Naude, C.P., 1956, Eradication of lantana and thorn trees: *Farming in So. Afr.*, v. 31, p. 209-210.
- Naveh, Z., 1964, The need for integrated, long-term, and quantitative research for the management and improvement of East African range lands: *East African Conf. Range, Pasture & Livestock Specialists*, Kitale, June.
- _____, 1966, The determination of range, condition, and trend on East African rangelands: *E. Afr. Agric. Journ.*, v. 32, p. 159.
- _____, 1966, Range research in the dry tropics: *Herbage Abstracts*, v. 36, n. 2.
- Naveh, Z., and Anderson, G.D., 1966, Selection of promising pasture plants for northern Tanzania. II. A comparison of drought-resistant selections of Rhodes grass (*Chloris gayana* Kunth) and Buffel grass (*Cenchrus ciliaris* L.): *E. Afr. Agric. For. J.*, p. 96-102.
- _____, 1967, Promising pasture plants in northern Tanzania: *E. Afr. Agric. For. Journ.*, v. 32, n. 3, p. 282.
- Naveh, Z., and Branagan, D., 1964, A proposal for a combined range, livestock, and wildlife research and development scheme in Tanganyika Masailand: *Dar es Salaam, Min. Agric., For. & Wildl.*
- Ndavula-Senyimba, M.S., 1972, Some aspects of the ecology of *Themeda triandra*: *E. Afr. Ag. and For. J.*, v. 38, n. 1, p. 83-93.
- Nelson, L.A., Kinze, G.W., and Godfrey, C.L., 1960, Chemical and mineralogical properties of San Saba clay, a grumusol: *Soil Sci.*, v. 89, p. 122-131.
- Newbold, Captain, 1838, On the regur or block cotton soils of India: *Proc. Roy. Soc.*, v. 4, p. 53-54.

- Ngorongoro Conservation Authority, 1960, Draft management plan: Dar es Salaam, Min. Agr. For. and Wildl., 78 p.
- Ngundo, B.W., Taylor, D.P., 1973, The burrowing nematode, Radopholus similis from Tanzania and Kenya: E. Af. Ag. and For. J., v. 38, n. 4, p. 405-406.
- Nieuwolt, S., 1973, Rainfall And Evaporation in Tanzania: University of Dar es Salaam, Research Paper No. 24, Bureau of Resource Assessment and Land Planning.
- Nilsson, E., 1932, Quaternary glaciations and pluvial lakes in British East Africa: Ph.D. thesis, Stockholm.
- 9th International Congress of Soil Science, 1968, Vocabulary of Micromorphology.
- Northcote, K.H., 1965, A Factual Key for the Recognition of Australian Soils (Second Edition): Adelaide, Divisional Report 2/65, Commonwealth Scientific and Industrial Research Organization.
- Nye, P.H., 1954, Some soil forming processes in the humid tropics. 1. A field study of a catena in the West African Forest: J. Soil Sci., v. 5, p. 7-21.
- _____, 1954, Some soil forming processes in the humid tropics. 2. The development of the upper slope of the catena: J. Soil Sci., v. 6, p. 51-62.
- _____, 1955, Some soil forming processes in the humid tropics. 3. Laboratory studies on the development of a typical catena over granitic gneiss: J. Soil Sci., v. 6, p. 63-72.
- _____, 1955, Some soil forming processes in the humid tropics. 4. The action of the soil fauna: J. Soil Sci., v. 6, p. 73-83.
- _____, 1960, Organic matter and nutrient cycles under moist tropical forest: Plant & Soil.
- _____, 1963, Soil analysis and the assessment of fertility in tropical soils: J. Sci. For. Agric., v. 14, p. 277-280.
- Nye, P.H., and Betheux, M.H., 1957, The distribution of phosphorus in forest and savanna soils of Ghana and its agricultural significance: J. Agric. Sci., v. 49, p. 141-159.
- Nye, P.H., and Greenland, D.J., 1960, The soil under shifting cultivation: Comm. Bur. Soil Sci. Tech. Comm. n. 51, p. 92.
- _____, 1964, Changes in the soil after clearing tropical forest: Plant & Soil, v. 21, n. 1, p. 101-112.

- Oakes, H., 1954, The soils of Turkey: Ankara, Ministry of Agriculture, Soil Conservation and Farm Irrigation Division, Publication n. 1, 180 p.
- Oakes, H., and Thorp, J., 1951, Dark clay soils of warm regions variously called rendzina, black cotton soils, regur and tirs: Proc. Soil Sci. Soc. Amer., v. 15, p. 347-354.
- OAU/STRC, 1965, Symposium on the maintenance and improvement of soil fertility: Khartoum, pub. n. 98.
- Odmon, O.H., 1930, Volcanic rocks of mount Elgon in British East Africa: Geol. For. Stockholm Forh, v. 52, p. 455-536.
- Ogot, P.O., 1970, Evaluation of phosphorus soil test methods by green house studies and laboratory tests: Ef. Afric. Agric. J., v. 35, p. 336.
- Ollier, C.D., 1959, A two-cycle theory of tropical pedology: J. Soil Sci., v. 10, p. 137.
- Orr, D., and Grantham, D.R., 1931, Some salt lakes of the northern rift zone: Short paper, n. 8, Geol. Surv., Tanganyika.
- Osmaston, H.A., 1951, The termite and its uses for food: Uganda J., v. 15, p. 80-81.
- _____, 1967, Plant fossils in volcanic tuffs near the Ruwenzori: Paleocology of Africa, v. 2, p. 25-26.

- Padole, G.C., and Josh, R.H., 1956-57, Black cotton soils of old Madhya Pradesh: Nagpur Agric. Coll. Magazine, v. 31, n. 1-4, p. 4-10.
- Page1, H., 1972, Distribution of inorganic forms of phosphorus in important soils of the arid and humid tropics: Karl-Marx Univ., Leipzig, Beitr. Trop. Subtrop. Landwitsch., v. 10, p. 53-70.
- Parbery, N.J., 1933, An unusual soil feature - "linear" gilgai: Agric. Gaz. N.S.W., v. 44, p. 281-282.
- _____, 1939, The basaltic and associated soils of the far north coast districts of New South Wales: New South Wales Department of Agriculture, Regional Soil Series, n. 2.
- Parfitt, R.L., 1972, Amorphous material in some Papua New Guinea soils: Soil Sci. Soc. Amer. Proc., v. 36, p. 683-686.
- Parkinson, J., 1914, The East African trough in the neighborhood of the Soda lakes: Geogr. Jour., v. 54, p. 33-49.
- Parry, M.S., 1953, Tree planting in Tanganyika. I. Methods of planting: E. Afr. Agric. J., v. 18, p. 102-115.
- _____, 1954, Tree planting in Tanganyika. II. Species for the highlands: E. Afr. Agric. J., v. 19, p. 89-102.
- _____, 1954, Tree planting in Tanganyika. III. Species for dry areas: E. Afr. Agric. J., v. 19.
- Paton, T.R., 1961, Soil genesis and classification in Central Africa: Soil and Fert., v. 24, p. 249.
- Pearsall, W.H., 1956, Report on an ecological survey of the Serengeti National Park Tanganyika: London, The Fauna Preservation Society, 641 p.
- Pearson, R.W., and Ensinger, L.E., 1948, Types of clay minerals in Alabama soils: Proc. Soil Sci. Soc. Amer., v. 13, p. 153-156.
- Pendleton, R.L., 1947, Soils of India. Four soil surveys in Gwalior State: Soil Sci., v. 63, p. 421-435.
- Pendleton, R.L., and Sharasuvina, 1946, Analysis of some Siamese laterites: Soil Sci., v. 62, p. 423-440.
- Penman, H.L., 1950, The dependence of transpiration on weather and soil conditions: J. Soil Sci., v. 1, p. 74-89.
- _____, 1963, Vegetation and hydrology: Farnham Royal, England, Tec. Comm. n. 53, Commonwealth Bur. Soils, 124 p.

- Pennycuik, L., 1974, Movement of the migratory wildebeest population in the Serengeti Area between 1960 and 1973: *E. Afr. Wildl. J.*
- Pereira, H.C., 1953, The assessment of structure in tropical soils: *J. Agric. Soc. Camb.*, v. 45, p. 401-410.
- _____, 1954, Physical importance of forest cover in the East African highlands: *E. Afr. Agric. Journ.*, v. 19, p. 233.
- _____, 1956, A rainfall test for structure of tropical soils: *J. Soil Sci.*, v. 7, p. 67-74.
- _____, 1957, The seasonal assessment of water needs in the irrigation of coffee: *E. Afr. Agric. J.*, v. 22, p. 188-193.
- _____, 1962, Hydrological effects of changes in land use in some East African catchment areas: *E. Afr. Agric. For. J.*, v. 27, p. 1-129.
- Pereira, H.C., Chenery, E.M., and Mills, W.R., 1954, The transient effects of grasses in the structure of tropical soils: *Emp. J. Ex. Agric.*, v. 22, p. 148-160.
- Pereira, H.C., Dagg, M., and Hosegood, P.H., 1962, Hydrological effects of changes of land use in some East African catchment areas: *E. Afr. Agric. For. J.*, v. 27, p. 1-131.
- Persall, W.H., 1957, Report on an ecological survey of the Serengeti National Park, Tanganyika: London, The Fauna Preservation Society.
- Peterson, D., 1976, An inventory of habitat utilization in areas of Masailand adjacent to Tarangire Park which are of joint importance to cattle and game species: Report to the Tanzanian Government, Background Paper, r. 2, 35 p.
- Pfeiffer, R.K., 1957, The first East African herbicide conference. IV. General aspects of chemical weed control in tropical and subtropical countries: *E. Afr. Agric. J.*, v. 23, p. 25-28.
- Phillips, J., 1931, Ecological investigations in south, central, and east Africa: *J. Ecol.*, v. 19, p. 2.
- _____, 1936, Fire in vegetation. A bad master, a good servant, and a national problem: *Journ. So. Afr. Bot.*
- Phillips, J.F.V., 1929, Some important vegetation communities in the central province of Tanganyika: *S. Afr. J. Sci.*, v. 26, p. 332-372.
- _____, 1930a, Fire, its influence in biotic communities and physical factors in South and East Africa: *S. Afr. J. Sci.*, v. 27, p. 352-367.

- _____, 1930b, Vegetation communities of central province of Tanganyika: *J. Ecol.*, v. 18, p. 193-234.
- _____, 1931, A sketch of the floral regions of Tanganyika territory: *Trans. R. Soc. S. Afr.*, v. 19, p. 363-372.
- _____, 1959, Agriculture and ecology in Africa: London, Faber and Faber, 12 p.
- _____, 1968, The influence of fire in Trans-Saharan Africa: *Acta Phytogeogr. Suec.*, v. 54, p. 13-20.
- PichiSermolli, R.E.G., 1955, Tropical East Africa arid zone research. VI. Plant ecology: UNESCO, p. 302.
- Pickering, R., 1958, The geology of the Oldoinyo Göl: *Rec. Geol. Surv., Tanganyika*, v. 6, p. 35-37.
- _____, 1959, The Serengeti Plain: *Rec. Geol. Surv., Tanganyika*, v. 7, p. 11-13.
- _____, 1960, The Ilonjo Hills: *Rec. Geol. Surv., Tanganyika*, v. 8, p. 6-8.
- _____, 1961, The south western Serengeti Plains: *Rec. Geol. Surv., Tanganyika*, v. 9, p. 8-9.
- _____, 1961, Geological survey of the Ngorongoro crater area: Dar es Salaam, Geol. Surv. Div.
- Pielou, E.C., 1952, Notes on the vegetation of Rukwa rift valley, Tanganyika: *J. Ecol.*, v. 40, p. 383-392.
- _____, 1969, An introduction to mathematical ecology: London, John Wiley and Sons.
- Pinkerton, A., 1967, Copper deficiency of wheat in the Rift valley, Kenya: *J. Soil Sci.*, v. 18, p. 18.
- Pinkerton, J., 1967, Copper deficiency of wheat in the rift valley, Kenya: *J. Soil Sci.*, v. 18, p. 18-26.
- Pinkerton, J., Barrett, M.W., and Guthrie, E.J., 1965, A note on copper deficiency in the Njoro area, Kenya: *E. Afr. Agric. For. J.*, v. 30, p. 257-262.
- Pitt-Schenkel, C.J.W., 1938, Some important communities of warm temperate rain forest at Magambo, West Usambara: *J. Ecol.* v. 26, p. 50-75.
- Plowes, D.C.H., 1955, Veld burning, how, why, and when: *Rhodesia Agric. Journ.*, v. 52, p. 380-384.

- Pole Evans, I.B., 1948, Roadside observations on the vegetation of East and Central Africa: Bot. Surv. Mem., n. 22, p. 305, Pretoria, Department of Agriculture, Government Printer.
- Pons, L.J., and Zonneveld, L.S., 1965, Soil ripening and soil classification. Initial soil formation in alluvial deposits and a classification of the resulting soils: Intern. Inst. for Land Reclamation and Improvement, publ. n. 13.
- Porter, P.W., 1974, Potential photosynthesis and agriculture in Tanzania: University of Dar es Salaam, Research Paper No. 29, Bureau of Resource Assessment and Land Use Planning.
- Poultney, R.G., 1959, Preliminary investigations on the effect of fertilizers applied to natural grassland: E. Afr. Agric. J., v. 25, p. 47-49.
- Poulton, C.E., and Tisdale, E.W., 1961, A quantitative method for the description and classification of range vegetation: J. Range Mgt., v. 14, p. 13-21.
- Pratt, D.J., 1966, Control of Disperma in semi-desert dwarf shrub grassland: J. Appl. Ecol., v. 3, p. 277-291.
- _____, 1964, Bush control studies on the drier areas of Kenya. II. Preliminary work with the Holt machines: Emp. J. Expt. Agric., v. 32, p. 18-24.
- Pratt, D.J., Greenway, P.J., Gwynne, M.D., 1966, A classification of East African rangeland: Journ. Appl. Ecol., v. 3, p. 369-382.
- Preller, J.H., 1950, Pasture and pasture crops: Sci. Bull., n. 280, Union So. Afr., Dept. Agric.
- Prescott, J.A., 1931, The soils of Australia in relation to vegetation and climate: Commonwealth of Australia, Counc. for Scientific and Industrial Research, Bul. n. 52, p. 65.
- _____, 1944, A soil map of Australia: Melbourne, Commonwealth Scientific and Industrial Research Organization, Bull. No. 177, 15 p.
- Prescott, J.A., and Pendleton, R.L., 1952, Laterite and lateritic soils: Farnham Royal, England, Tech. Comm. n. 47, Commonwealth Bureau of Soils, 51 p.
- Pudden, H.H.C., 1957, Exotic forest trees in the Kenya highlands: Nairobi, Government Printer.
- Pulfrey, W., 1960, Shape of the Sub-Miocene Erosion Bevel in Kenya: Bulletin No. 3, Colony and Protectorate of Kenya, Ministry of Commerce and Industry, Geological Survey of Kenya.
- Pullan, R.A., 1970, The soils, soil landscapes, and geomorphological evolution of a meta-sedimentary area in Northern Nigeria: Univ. Liverpool, Dept. Geogr., Res. Paper n. 6.

- Radwanski, S.A., 1960, The soils and land use of Buganda: Kawanda, Kampala, Department of Agriculture, Memoirs of the Research Division, Series 1, n. 4, p. 134.
- Radwanski, S.A., and Ollier, C.D., 1959, A study of an East African catena: J. Soil Sci., v. 10, p. 149.
- Rajan, S.V.G., Murphy, R.S., Kalbande, A.R., Jenugopal, K.R., 1972, Micromorphology and chemistry of carbonate concretions in black clay soils: Indian J. of Ag. Sciences, v. 42, n. 11, p. 1020-1023.
- Ramachandran, V.S., Ahman, F.U., and Jain, L.C., 1959, The dark color of black cotton soils: Proc. Indian Acad. Sci., v. 502, p. 314-322.
- Ramiah, P.V., and Raghavendracher, C., 1936, The origin of black soils in the Madras Presidency: Proc. Soc. Biol. Chemists (India), v. 1, p. 9-10.
- Ratray, J.M., 1961, The grass cover of Africa: Rome, FAO, p. 168.
- Raychaudhuri, S.P., 1941, Studies on the physio-chemical process of associated black and red soils of Nyasaland Protectorate, British Central Africa: Indian J. Agric. Sci., v. 11, p. 100-109.
- _____, 1943, On the nature of tropical black soils: Dacca University, Studies in Science, v. 6, p. 111-117.
- Raychaudhuri, S.P., Sulaiman, and Bhuiyan, A.B., 1943, Physio-chemical and mineralogical studies of black and red soil profiles near Coimbatore: Indian J. Agric. Sci., v. 13, p. 264.
- Raychaudhuri, S.P., et al., 1963, Black soils of India: New Delhi National Institute of Science of India, 47 p.
- Rea, R.J.A., 1935, Forest type vegetation in Tanganyika Territory: Emp. For. J., v. 14, p. 202-208.
- Richard, J.J., 1942, The Oldoniyo Lengai - the 1940-1941 eruption. Volcanological observations in East Africa: J.E. Afric. Uganda Nat. Hist. Soc., v. 16, p. 89-108.
- _____, 1942, Volcanological observations in East Africa. I. Oldoniyo Lengai: Journ. E. Afr. and Uganda Nat. Hist. Soc., v. 16, n. 2 and 3, p. 69-108.
- Richards, L.A., 1954 (ed.) Diagnosis and improvement of saline and alkali soils: USDA Agricultural Handbook, n. 60.
- Rix, C.E., and Hutton, J.T., 1951, Gilgai soils: Aust. J. Sci., v. 14, p. 92-93.
- Robertson, A.B., and Bernacca, J.P., 1957, Game elimination as a tsetse control measure in Uganda: E. Afr. Agric. J., v. 23, p. 254-261.

- Robinson, G.W., 1931, Soils, their origin, constitution, and classification: London, Thomas Murby and Co., p. 266-267.
- Robinson, G.W., 1935, Soils of Great Britain: London, Thomas Murby and Co., Third Int. Cong. Soil Sci., v. 2, p. 19-29.
- Robinson, J.B.C., 1958, Some chemical characteristics of termite soil in Kenya coffee fields: J. Soil Sci., v. 9, p. 58-65.
- _____, 1967, Yield and response to fungicide and fertilizer of peasant grown Arabica coffee on Mt. Kilimanjoro, Tanzania: E. Afr. Agric. For. Journ., v. 32, n. 4, p. 426-444.
- Robinson, J.B.C., Hosegood, P.H., and Dyson, W.G., 1966, Note on a preliminary study of the effects of an East African softwood crop on the physical and chemical condition of a tropical soil: Comm. for Rev., v. 45, n. 4, p. 126.
- Rode, A.A., Yarbilova, Y.A., and Rashevskaya, V.V., 1969, Soils of large depressions: Soviet Soil Sci., p. 799-809.
- Rogers, J.A., and King, J., 1972, The distribution and abundance of grassland species in hill pastures in relation to soil reaction and base status: J. Ecol., v. 60, p. 1-18.
- Roy, B.B., and Barde, N.D., 1962, Some characteristics of the black soils of India: Soil Sci., v. 93, p. 942-947.
- Rozov, N.N., Izanova, E.N., 1966, Soil classification and nomenclature used in Soviet pedology, agriculture, and forestry: Dokuchaev Institute, Moscow.
- Russell, E.W., 1961, Soil conditions and plant growth, 9th edition: London, Longmans.
- _____, 1962, (ed.), Natural Resources of East Africa: Nairobi, East African Literature Bureau.

- Saggerson, E.P., 1959, Geology of the Simba-Kibwezi Area: Report 58, Government of Kenya, Min. of Commerce and Industry, Geological Survey of Kenya.
- _____, 1962, The geology of East Africa, in, Russell, E.M. (ed.), Natural resources of East Africa: Nairobi, Hawkins and E. Africa Literature Bureau, p. 52-56.
- _____, 1966, Geology of the Loita Hills Area: Report No. 71, Ministry of Natural Resources Wildlife and Tourism, Geological Survey of Kenya.
- Salter, P.J., and Williams, J.B., 1965, The influence of texture on the moisture characteristics of soils. I. A critical comparison of techniques for determining the available water capacity and moisture characteristics curve of a soil: J. Soil Sci., v. 16, p. 1-6. II. Available water capacity and moisture release characteristics: p. 310-317.
- Salter, P.J., Berry, G., and Williams, J.B., 1966, The influence of texture on the moisture characteristics of soils: III. Quantitative relationship between particle size, composition, and available water capacity: J. Soil Sci., v. 17, p. 93-98.
- Sansom, H.W., 1954, The climate of East Africa based on Thornthwaite's classification: E. Afr. Meteorol. Dept. Mem., n. 3, p. 1-49.
- Surkar, A.N., Raj, D., 1973, Study of the mineralogical composition of sand fractions from major groups of soils in S. India and W. Bengal: Madras V, India, Madras Ag. J., v. 60, n. 3, p. 158-163.
- Sarma, V.A., Krishna Murt, G.S., 1970, Phumbogummite minerals in Indian soils: Geoderma v. 3, p. 321-327 (New Delhi, Ind. Ag. Res. Inst.)
- Saunders, D.H., 1956, Determination of available phosphate in tropical soils by extraction with sodium hydroxide: Soil Sci., v. 82, p. 457-463.
- Schoenmaekers, J., and Chenery, E.M., 1959, Magnesium deficiency in tea bushes in East Africa: E. Afr. Agric. J., v. 25, p. 25-27.
- Schokalskaya, Z.J., 1944, A new soil map of Africa: Pochvovedenie, v. 9, p. 424-475.
- Schutte, K.H., 1955, A survey of plant minor element deficiencies in Africa: African Soils, v. 3, p. 284-297.
- Schwab, G.O., et al., 1966, Soil and water conservation engineering: New York, John Wiley and Sons, 2nd edition.

- Scientific Council for Africa South of the Sahara, 1965, Specialist meeting on phytogeography, Yangami, 28 July-8 August 1956: CCTA, CSA Publ. n. 22.
- Scott, J.D., 1934, The ecology of certain plant communities of the central province of Tanganyika Territory: *J. Ecol.*, v. 22, p. 177-229.
- _____, 1947, Veld management in South Africa: Dept. Agric., Union So. Afric. Sci. Bul., n. 271.
- _____, 1951, Conservation of vegetation in South Africa: Commonwealth Bureau of Pastures and Field Crops, Bull., n. 41, p. 9-27.
- Scott, R.M., 1962, The natural resources of East Africa, (E.W. Russell, ed): Nairobi, E. Afric. Lit. Bur.
- Scott, R.M., and Webster, R., 1971, A land system atlas of western Kenya: MEXE, Christchurch, England.
- Semb, G., and Robinson, J.B.D., 1969, The natural nitrogen flush in different arable soils and climates in East Africa: *E. Afr. Agric. J.*, v. 34.
- Serengeti Research Institute Annual Report, 1973-4, 1974-5, Director: Dr. T. MCHARD.
- Shackleton, R.M., 1951, A contribution to the geology of the Kavirondo Rive valley: *Quart. Journ. Geol. Soc.*, v. 106, p. 345-392.
- _____, 1955, Pleistocene movements in the Gregory Rift Valley: *Geol. Rundschau*, Bund 43, Heft 1, p. 257-263.
- Shand, S.J., 1936, Rift valley impressions: *Geol. Mag.*, v. 73, p. 307-312.
- _____, 1937, The rocks of the Kedong Scarp, Kenya Rift valley: *Geol. Mag.*, v. LXXIV, pp. 262-271.
- Shantz, H.L., and Marbut, C.F., 1928, The vegetation and soils of Africa: American Geographical Society, Research Service, n. 13, p. 342-343.
- Shantz, H.L., and Turner, B.L., 1958, Photographic documentation of vegetation in Africa over a third of a century: Report n. 169, University of Arizona.
- Shaw, C.F., 1938, Soils of China: Bull. n. 1:38, Nat. Geol. Survey of China.
- Sherman, D., and Swindale, L.D., 1964, Hawaiian soils from volcanic ash: FAO World Soil Resources Report n. 14, p. 36-49.
- Shiva, Rau, H., and Kasinathan, S., 1951, Studies on soil systematics, the black soils of the Madras Deccan: *J. Soil Sci.*, v. 2, p. 61-66.

- Shoji, S., and Masui, J., 1972, Amorphous clay minerals of recent volcanic ash soils. 3. Mineral Comp. of five clay fractions: Journal of the Science of Soil and Manure, Japan, from Soil Science and Plant Nutrition v. 20, p. 103.
- Sigmond, A.A.J., 1936, The principles of soil science: London, Thomas Murby and Co., p. 161-244.
- Simonson, Roy W., 1954a, Morphology and classification of the regur soils of India: J. Soil Sci., v. 5, p. 275-288.
- _____, 1954b, The regur soils of India and their utilization, Proc. Soil Sci., Soc. Amer., v. 18, p. 200-204.
- Sinclair, A.R.E., 1973, Population increases of Buffalo and Wildebeest in the Serengeti: E. Afr. Wildl. J., v. 11, p. 93-107.
- _____, 1974, The natural regulation of buffalo populations in East Africa. I. Introduction and resource requirements: E. Afr. Wildl. J., v. 12, n. 135-154.
- _____, 1974, The natural regulation of buffalo populations in East Africa. II. Reproduction, recruitment, and growth, E. Afr. Wildl. J., v. 12, n. 3.
- _____, 1974, The natural regulation of buffalo populations in East Africa. III. Population trends and mortality: E. Afr. Wildl. J., v. 12, n. 3.
- _____, 1974, The natural regulation of buffalo populations in East Africa. IV. The food supply as a regulating factor and competition: E. Afr. Wildl. J., v. 12, n. 4.
- _____, 1974, Regulation, and population models for a tropical ruminant: E. Afr. Wildl. J., v. 11, p. 307-316.
- _____, 1975, The resource limitation of trophic levels in tropical grassland ecosystems: J. Anim. Ecol.
- Singh, S., 1954, A study of the black cotton soils with special reference to their coloration: J. Soil Sci., v. 5, p. 289-299.
- _____, 1956, The formation of dark-colored, clay organic complexes in black soils: J. Soil Sci., v. 7, p. 43-58.
- Sinha, S.D., 1957, Studies on a black soil from Padegon: J. Indian Soc. Soil Sci., v. 5, n. 2, p. 91-102.
- Slayter, R.O., 1967, Plant water relationships: London and New York, Academic Press.
- Sleeman, J.R., 1963, Cracks, peds, and their surfaces in some soils of the riverine plain: NSW, Aust. J. Soil Res. v. 1, p. 91-102.

- Smet, L.A.H., and Daniels, D., et al, 1972, (The aerial photo as a means of determining moisture classes and water-table classes.): *Booran Spade* n. 18, 139-148.
- Smith, C., 1963, Oversowing pasture legumes into Hyparrhenia grassland in Northern Rhodesia: *Nature*, v. 200, n. 4908, p. 811-812.
- Smith, G.E., 1907, From the Victoria Nyanza to Kilimanjaro: *Geog. Journ.* v. 29, p. 249-272.
- Smith, J., 1949, Distribution of tree species in the Sudan in relation to rainfall and soil texture: Khartoum, Ministry of Agriculture, *Forests Bulletin*, n. 4.
- Smith, R.H., 1959, Some structural relationships of Texas Blackland soils with special attention to shrinkage and swelling: USDA, ARS, 44-28.
- Smith, R.M., Henderson, R.C., and Tippit, O.J., 1953, Summary of soil and water conservation research from the Blackland Experiment Station, Temple, Texas: Washington, D.C., USDA Tech. Bull. n. 78.
- Smith, W. Campbell, 1931, A classification of some rhyolites, trachytes, and phonolites from part of Kenya Colony, with a note on some of the associated basaltic rocks: *Quart. Journ. Geol. Soc.*, v. 87, p. 212-258.
- Smyth, A.J., 1970, The preparation of soil survey reports: *Soils Bull.*, n. 9, Rome, FAO/UN.
- Snowden, J.D., 1953, The grass commodities and mountain vegetation of Uganda: London, Crown Agents, 94 p.
- Sombroek, W.G., 1971, Ancient levels of plinthisation in northwest Nigeria, in Yaalon, D.H. (ed.), *Paleopedology, origin, nature, and dating of paleosols*: Intern. Soc. Soil Sci. and Israel University Press, p. 329-338.
- Sombroek, W.G., and Siderius, W., 1975, Nitosols and their Genesis: Preliminary note to First Annual Meeting of the East African Soil Science Society, Nairobi.
- Somesiri, S., and Huang, P., 1971, The nature of K-feldspars of a chernozemic soil in the Canadian prairies: *Soil Sci. Soc. Am. Proc.*, v. 35, p. 810-815.
- Specialists Meeting, 1949, Report on Discussion on fertilizer experiments in East Africa: *E. Afric. Agric. Journ.*, v. 15, p. 61.
- Spencer, P., 1973, Nomads in alliance. Symbiosis and growth among the Rendille and Samburu of Kenya: London, Oxford University Press, 230 p.

- Staokesm, R.R., 1945, Bush control and deferred grazing is measure to improve pasture: E. Afr. Agric. J., v. 11, p. 43-46.
- Staples, R.R., Hornby, H.E., and Hornby, R.M., 1942, A study of the comparative effects of goats and cattle on a mixed grass-bush pasture: E. Afr. Agric. J., v. 8, p. 62-70.
- Steele, R.C., 1958, Cedar (Juniperus procera) in the crater highlands: Tanganyika Forest Department.
- _____, 1966, A check-list of the trees and shrubs of the South Kilimanjaro forests. II. Local names, botanical names: Tanzania Notes and Records, n. 66.
- Stephens, C.G., 1948, A review of recent work on Australian tropical and subtropical soils: Tech. Comm. n. 4, Proc. First Commonwealth Conf. on tropical and sub-tropical soils, p. 1-8.
- _____, 1949, Comparative morphology and genetic relationships of certain Australian, North American, and European soils: Jour. Soil Sci., v. 1, n. 2, p. 123-149.
- _____, 1950, Comparative morphology and general relationships of certain Australian, North American, and European soils: J. Soil Sci., v. 1, n. 2, p. 123-149.
- _____, 1956, A manual of Australian soils, 2nd Edition: Melbourne Commonwealth Scientific and Industrial Research Organization, 54 p.
- _____, 1961, The soil landscape of Australia: Melbourne Commonwealth Scientific and Industrial Research Organization.
- Stephens, D., 1967, Effects of grass fallow treatments in restoring fertility of Buganda clay loam in South Uganda: J. Agric. Sci., v. 68, p. 391-403.
- Stephens, I., 1953, A petrographic study of a tropical black earth and gray earth from the Gold Coast: J. Soil Sci., v. 4, p. 211-219.
- Stephens, I., Gellis, E., and Muir, A., 1956, Gilgai phenomenon in tropical black clays of Kenya: J. Soil Sci., v. 7, n. 1, p. 1-9.
- Stewart, D.R.M., and Talbot, L.M., 1962, Census of wildlife on the Serengeti, Mara, and Loita Plains: E. Afr. Agric. For. J., v. 28, p. 58-60.
- Stirk, G.B., 1954, Some aspects of soil shrinkage and the effect of cracking upon water entry into the soil: Austr. J. Agric. Res., v. 5, p. 279-290.
- Stockley, G.M., 1943, The pre-Karoo stratigraphy of Tanganyika Territory: Geol. Mag., v. 80, p. 161-170.

- Storie, H.H., and Leach, R., 1933, A sulphur deficiency disease of the tea bush: *Ann Appl. Biol.*, v. 20, p. 23.
- Storie, R. Earl, 1964, Handbook of soil evaluation: Publ. Assoc. Students Store. Univ. California, Berkeley.
- Sweet, C.P., McM., 1964, Aspects of certain volcanic Tanganyika soils: Hon. Thesis, Agric. Chem. (Soil Sci.), Univ. Nottingham, May.
- Swift, A., and Hagem, Kaare, 1955, A review of past fertilizer trails and recommendations for different crops in Kenya: FAO, Rome.
- Swinson, W., 1967, FAO/UNDO survey plan for irrigation development in the Pangani and Wami River basins in Tanzania.
- Swynnerton, C.F.M., 1936, The tsetse flies of East Africa: *Trans. R. Ent. Soc. Lond.*, v. 84, p. 272 and 406-421.
- Sys, C., 1967, The concept of ferrallitic and fersiallitic soils in Central Africa. Their class and correlation with 7th Approx: *Pedologic*, Band 17, p. 284-325.
- _____, 1969, The soils of Cent. Africa in the American class, 7th Approx: *Afr. Soils* 14, 5-44.
- _____, 1971, Principles of land classification in the humid tropics, in Eswaran, H. (ed.), *Selected lectures in soil science*: Ghent, Belgium.
- _____, 1971, Land capability classification in the humid tropics: *Sols Afr.*, v. 13, n. 6, p. 153-200.

- Talbot, L.M., 1956, Report on the Serengeti National Park, Tanganyika: Int. Union for Protection of Nature, Brussels, National Parks Association, Washington, D.C.
- _____, 1961, Preliminary observations on the population dynamics of the wildebeest in North District, Kenya: *E. Afr. Agric. For. J.*, v. 27, p. 108-116.
- Talbot, L.M., and Talbot, M.H., 1963a, The wildebeest in western Masailand, East Africa: *Wildl. Monogr.* n. 12.
- _____, 1963b, The high biomass of wild ungulates in East Africa: *Trans. N. Amer. Wildl. Conf.*, v. 28, p. 465-476.
- Talbot, L.M., Ledger, H.P., and Payne, W.J.A., 1961, The possibility of using wild animal production on East African rangelands, based on a comparison of ecological requirements and efficiency of range utilization by domestic livestock and wild animals: 8th Int. Congr. Anim. Production, Hamburg, p. 205-210.
- Tamhane, R.V., 1950, Regur soils of India: *Trans. 4th Int. Congr. Soil Sci.*, v. 3, p. 131.
- Tamhane, R.V., and Tamboll, P.M., 1955, Effect of tractor ploughing in black soils of Malwa: *J. Indian Soc. Soil Sci.*, v. 3, p. 51-63.
- Tan, K.H., 1966, The andosols in Indonesia: *Soil Sci.*, v. 99, p. 375-378.
- Tan, K.H., Pedcins, H.F., and McCleary, R.A., 19??, Amorphous and cup-talline clays in volcanic soils of Indonesia and Costa Rica. *Soil Sci.*, v. 119, n. 6, 431.
- Teakle, L.J.H., 1952, An interpretation of the occurrences of diverse types of soils on basalt in northern New South Wales and Queensland: *Aust. J. Agric. Res.*, v. 3, p. 391-408.
- Teale, E.O., 1936, Provisional geological map of Tanganyika with explanatory notes: *Geol. Surv. Tanganyika Bull.* n. 6.
- Templin, E.H., and Huckabee, J.W., Jr., 1940, Soil survey of Kaufman County, Texas: *USDA Series* 1936, n. 13, p. 24-25.
- Templin, E.H., et al., 1938, Soil survey of Fannin County: *USDA Series* 1938, n. 10, p. 103-105.
- Templin, E.H., Mowrey, I.C., and Kunze, G.W., 1956, Houston black clay, the type Grumusol: *Proc. Soil Sci. Soc. Amer.*, v. I, p. 89-96.
- Texas Agricultural Experiment Station, 1954, Summary of soil and water conservation research from Blackland Experiment Station: College Station, Texas.

- Theisen, A.A., 1966, The mineralogy of central province soils in relation to parent material: Ph.D. Thesis, Guissen University.
- Theron, J.J., and Van Niekirk, P.R., 1934, The nature and origin of black turf soils: S. Afr. J. Sci., v. 31, p. 220-246.
- Thomas, A.S., 1940, Grasses as indicator plants in Uganda: E. Afr. Agric. J., v. 6, p. 19-22.
- _____, 1941, The vegetation of the Sese Islands, Uganda: An illustration of edaphic factors in tropical ecology: J. Ecol., v. 29, p. 330.
- _____, 1946, The vegetation of some hillsides in Uganda: Illustrations of human influence in tropical ecology: J. Ecol., v. 33, p. 153.
- _____, 1942, Distribution of Chlorophora excelsa in Uganda: Emp. For. Rev., v. 21, p. 42-43.
- Thomas, D.B., 1958, Loodokolani grazing schemes: Kenya Dept. Agric.
- Thomas, D.B., and Pratt, D.J., 1967, Bush control studies in the drier areas of Kenya. IV. Effects of controlled burning on secondary thick in upland Acacia woodland: J. Appl. Eco., v. 4, p. 325-335.
- Thompson, B.W., 1965, The climate of Africa: Nairobi and New York, Oxford University Press.
- Thorntwaite, C.W., 1948, An approach toward a rational classification of climate: Geogr. Rev., v. 38, p. 55-94.
- Thorp, J., 1932, Soil survey (reconnaissance) of St. Croix Island, Virgin Islands: Washington, D.C., USDA Tech. Bull., n. 315.
- _____, 1936, Geography of the soils of China: Nat. Geol. Survey of China, 552 p. (illus.)
- _____, 1957, Report on a field study of soils of Australia: Earlham College, Science Division, Science Bul. n. 1, 169 p.
- Thorp, J., and Bellis, E., 1960, Soils of the Kenya highlands in relation to landforms: Trans. 7th Int. Congr. Soil Sci., v. 4, p. 329.
- Thorp, J., and Smith, G.D., 1949, Higher categories of soil classification. Order and suborder and great soil groups: Soil Sci., v. 67, p. 117-127.
- Thorp, James, and Tschau, T.Y., 1936, Notes on Shantung soils: Nat. Geol. Survey of China, Soil Bul. n. 1413 (illus.).
- Thorp, J., Bellis, E., Woodruff, G.A., Miller, F.T., and Collier, F., 1961, Soil Survey of the east Kanyango area: USDA.

- Thorp, J., et al., 1969, Soil survey of the Songhor area: Nairobi, Government Printer.
- Tiharukondi, E.R., Oben, F.J., Musangi, K.S., 1973, Application of nitrogen and irrigation to pasture to enhance cattle production during the dry season in Uganda: E. Af. Ag. and For. J., v. 38, n. 4, p. 383-393.
- Tolhurst, J.A.H., and Green, M.J., 1973, Fert. for E. Africa tea: Pamphlet, Tea Research Inst. of E. Af. #22/73, p. 42.
- Tothill, J.D., 1946, The origin of the Sudan Geziraxel clay plain: Sudan Notes, v. 27, p. 153-171.
- Tracey, J.G., 1969, Edaphic differentiation of some forest types in eastern Australia. I. Soil physical factors: J. Ecol. v. 57, p. 805-806.
- Trapnell, J.G., et al., 1966, Vegetation maps of Kenya at 1:250,000 scale, sheet I, II, III, and IV: Directorate Overseas Surveys (LR 3006) and Survey of Kenya.
- Trapnell, J.G., Brunt, M.A., and Birch, W.R., 1970, Map of vegetation land use survey of southwest Kenya: Sheets 1, 3, Survey of Kenya, Nairobi.
- Trendall, A.F., 1959, The topography under the northern part of the Kadam volcanics and its bearing on the correlation of the peneplains of southeast Uganda on the adjacent part of Kenya: Records, Geol. Surv. Uganda, p. 1-8.
- Tucker, C.J., Miller, L.D., and Pearson, R.L., 1974, Measurement of the combined effect of green biomass, chlorophyll, and leaf water in canopy spectro reflectance of the short grass praries: Proc. 2nd Ann. Remote Sensing of Earth Res. Conf.
- Twyford, I.T., and Coulter, J.K., 1962, Soil capability assessment in the west Indies: Int. Soil Conf., N.Z., Comm. 4 and 5.

- Uehara, G., and Sherman, G.D., 1956, The nature and properties of the soils of the red and black complex of the Hawaiian Islands: Hawaii Agricultural Experiment Station, Technical Bulletin n. 32.
- UNDP/FAO, 1969, Vegetation land use survey of Lamu District for range management project: Nairobi.
- USDA, 1938, Soils and men, yearbook of agriculture, 1938: Washington, D.C., 1232 p.
- _____, 1951, Soil survey manual: Handbook n. 18, Washington, D.C., 503 p.
- _____, 1957, Soil yearbook of agriculture: Washington, D.C., 784 p.
- _____, 1960, Soil classification, a comprehensive system: Seventh approximation, Washington, D.C., 265 p.
- _____, 1954, A manual on conservation of soil and water: Indian edition.
- _____, 1964, 1967, Supplements to 7th Approximation: USDA Soil Conservation Service.
- _____, 1976, Soil taxonomy: USDA Agric. Handbook n. 436, in press.

- Vagelar, W.E., 1933, An introduction to tropical soils: London, MacMillan, p. 240.
- Vail, J.W., and Calton, W.E., 1957, Die back of cattle - a boron deficiency: E. Afr. Agric. J., v. 23, p. 100-103.
- Van de Weg, R.F., and Mbuvi, J.P., 1975, (eds.), Soils of the Kindaruma Area: Reconnaissance Soil Survey n. R1, Kenya Soil Survey.
- Van der Merwe, C.R., 1935, Morphology of the South African black clays: Trans. 3rd Int. Congr. Soil Sci., v. 1, p. 301-303.
- _____, 1940, Soil groups and sub-groups of South Africa: Pretoria Department of Agriculture and Forestry, Bull. n. 231.
- _____, 1948, South African soil types: Harpenden, England, Proc. First Commonwealth Conf. on Tropical and Sub-tropical Soils Tech. Comm., n. 46, p. 8-15. Commonwealth Bureau of Soil Sci.
- _____, 1948, The sub-tropical black clays soils: Harpenden, England, Proc. First Commonwealth Conf. on Tropical and Sub-tropical Soils, Tech. Comm. n. 46, p. 43-45, Commonwealth Bulletin of Soil Science.
- _____, 1948, Maintenance of the fertility of laterites, lateritic, red, and lateritic yellow earths: Comm. Bur. Soil Sci. Tech. Comm. n. 46, p. 155.
- _____, 1950a, Sub-tropical black clays: Trans. 4th Int. Congr. Soil Sci., v. 2, p. 191-193.
- _____, 1950b, Vlei soils: Trans. 4th Int. Congr. Soil Sci., v. 2, p. 178-180.
- Van der Merwe, C.R., and Heystek, H., 1955, Clay minerals of South African soil groups. II. Sub-tropical black clays and related soils: Soil Sci., v. 79, p. 147-158.
- Van Rensburg, H.J., 1947, The role of pasture development in soil conservation in Tanganyika Territory: E. Afr. Agric. J., v. 13.
- _____, 1952, Grass burning experiments on the Msime River stock farm, Southern Highlands, Tanganyika: East Afr. Agric. Journ., v. 17, p. 119-129.
- _____, 1954, Runoff and soils erosion tests, Mpwapwa, Central Tanganyika: E. Afr. Agric. J., v. 20, p. 228-231.
- _____, 1956, Comparative values of fodder plants in Tanganyika: E. Afr. Agric. J., v. 22, p. 14-19.
- _____, 1958, Grassland trials at Tarine, Lake Province, Tanganyika: East Afr. Agric. Journ., v. 24, p. 64-66.

- _____, 1963, Management and utilization of pastures: Rome, FAO.
- Van Wambeke, A., 1962, Criteria for classifying tropical soils by age: J. Soil Sci., v. 13, n. 1, p. 124-132.
- _____, 1967, Recent development in the classification of the soils of the tropics: Soil Sci., v. 104, p. 309.
- Van Wyk, P., and Fizrall, N., 1969, The influence of the African elephant on the vegetation of the Kruger National Park with special reference to the tree and shrub state: Koedoe, v. 12, p. 57-89.
- Van Zinderen Bakker, E.M., 1967, Upper Pleistocene stratigraphy and ecology on the basis of vegetation changes in sub-Saharan Africa, in Bishop, W.W., and Clark, D. (eds.), Background to evolution in Africa: The University of Chicago Press, p. 125-147.
- Veasey-Fitzgerald, D.F., 1960, Grazing succession among East African Game Animals: J. Mammal., v. 41, p. 161-172.
- _____, 1965, The utilization of natural pastures by wild animals in the Brukwa Valley, Tanganyika: E. Afr. Wildl. J., v. 3, p. 38-48.
- _____, 1973, Animal impact on vegetation and plant succession in Lake Manyara National Park, Tanzania: Oikos, v. 24, p. 314-325.
- Villar, E.H., 1944, The tirs of Morocco: Soil Sci., v. 57, p. 313-339.
- Vink, A.P.A., 1967, Physiographic systems in soil surveys: Anal. Edafol. Agrobiol. (Madrid), v. 26, p. 159-160.
- Van Voorthuizan, E.G., 1971, An ecological survey of Masailand Tanzania: Task order #9 Contract # AID/AFR-193, May.
- _____, Grazing Systems for Masailand: Mimeo copy, Livestock Dev. Project, Masai.

- Wada, K., Aomine, S., 1973, Soil development in volcanic materials during the Quaternary: *Soil Science*, v. 116, n. 3, p. 170-177, Kynsha V., Japan.
- Walker, B., 1969, Effects of nitrogen fert. on natural pastures of W. Tanzania: *Expl. Agric.*, v. 5, p. 215-220, Wikes. Cent. Ukiriguro, Mwanza, Tanzania.
- Walker, B., and Scott, G.D., 1968, Grazing experiment at Ukiriguru: *E. Afric. Agric. and For. Journ.*, v. 32, n. 2.
- Walker, E.E., 1903, Report on the geology of the East African protectorate: *Africa*, n. 11 (Co. 1769).
- Walker, H., 1971, Ecology of tropical and sub-tropical vegetation: Edinburgh, Oliver and Boyd.
- Waring, S.A., Fox, W.E., and Teakle, L.J.H., 1958a, Fertility investigations on the black earth wheatlands of the Darling Downs, Queensland: *Aust. J. Agric. Res.*, v. 9, p. 205.
- _____, 1958b, Fertility investigations on the black earth wheatlands of the Darling Downs, Queensland: *Aust. J. Agric. Res.*, v. 11, p. 27.
- Warming, E., 1969, The ecology of plants: Oxford.
- Watson, J.P., 1962, Leached pallid soils of the African plateau: *Soil and Fert.*, v. 25, p. 1.
- _____, 1962, The soil below a termite mound: *J. Soil Sci.*, v. 13, p. 46.
- Watson, R.M., 1959, Reproduction of wildebeest in the Serengeti and its significance to conservation: *J. Repro. Fert.*, Suppl. 6, p. 287-310.
- _____, 1965, Population ecology in the Serengeti: *CIBA Journal*, v. 36, p. 46-51.
- Watson, R.M., and Bell, R.H., 1969, The distribution, abundance, and status of elephant in the Serengeti region of Northern Tanzania: *J. Appl. Ecol.*, v. 6, p. 115-132.
- Watson, R.H., and Turner, M.I.M., 1965, A count of the large mammals of Lake Manyara National Park. Results and discussion: *E. Afr. Wildl. J.*, v. 3, p. 95-103.
- Wayland, E.J., 1934, Rifts, rains, and early man in Uganda: *J. Roy. Anthropol. Inst.*, v. 54, p. 333-352.
- _____, 1952, The study of past climates in tropical Africa, in Leaky, L.S.B. (ed.), *Proc. Pan Afric. Congr. Pre-history, 1947*: Oxford, Blackwell.

- Wayland, E.J., and Brasnett, N.V., 1938, Soil erosion and water supplies in Uganda: Geol. Sur. Uganda, Mem. n. 4, Entebbe, Government Printer, 89 p.
- Webb, R.A., 1954, Investigations of mineral deficiencies of some African soils: Leopoldville, Trans. 5th Int. Congr. Soil Sci., v. 3, p. 214-217.
- Wells, N., 1974, The role of porosity in soil development from volcanic ash and loess: New Zealand, Soil Bureau, DSIR, Trans., 10th International Congress of Soil Science, v. I, p. 294-300.
- West, O., 1947, Thorn bush encroachment in relation to the management of veld grazing: Rhod. Agric. J., v. 44, p. 488-497.
- _____, 1954, Improvements in the technique and design of veld management experiments: So. Afr. Journ. Sci., v. 50, p. 222-227.
- _____, 1954, Plant succession and veld burning considered particularly in relation to the management of bushveld grazing, in Veld Gold: Johannesburg, National Veld Trust.
- _____, 1955, Veld management in the dry, summer-rainfall bushveld: Grasses and Pastures of South Africa, Johannesburg, CNA.
- _____, 1958, Bush encroachment, veld burning, and grazing management: Rhodesia Agric. Journ., v. 55, p. 407-425.
- _____, 1962, Factors affecting the carrying capacity of veld grazing: Proc. 1st Interdept. Conf. Pasture Workers, Bulawayo, S. Rhodesia, p. 6-22.
- Whyte, R.O., 1962, The myth of tropical grassland: Trop. Agric. v. 39, p. 1-11.
- Wild, H., 1952, The vegetation of the southern Rhodesian termitaria: The Rhodesian Agric. Journ., v. 49, p. 280-292.
- Wilhm, J.L., 1968, The use of biomass units in Shannon's formula: Ecology, v. 49, p. 153-156.
- Wilkinson, W., 1940, Termites in East Africa. Biology and control: E. Afr. Agric. J., v. 6, p. 67-72.
- Williams, L.A.J., 1964, Geology of the Mara River - Sianna Area: Ministry of Natural Resources, Geological Survey of Kenya, Report n. 66.
- Willis, Bailey, 1933, The peneplains of East Africa: Geogr. Journ., v. 82, p. 383-384.
- _____, 1936, East African plateaus and rift valleys: Studies in comparative seismology, Carnegie Inst., Washington.

- Willoughby, John C., 1889, East Africa and its big game: London, Longmans, Green and Co.
- Wilson, J.S., 1955, Land use zones of Karamoja District, Uganda and ecological survey report of Matheniko, Pian and Bokora counties: Uganda Dept. Agric., mimeo.
- Wood, P.J., 1965, The forest glades of West Kilimanjaro, Tanganyika: Notes and Records, n. 64, March, p. 108-114.
- Woodburn, R., 1944, Aggregation studies of Houston Clay in Mississippi: Proc. Soil Sci. Soc. Amer., v. 9, p. 30-36.
- Woodhead, i., 1968, Studies of potential evaporation in Kenya: Nairobi, Ministry of Natural Resources, Water Development Department.
- _____, 1970, A classification of East African rangeland. II. The water balance as a guide to site potential: Journal Appl. Ecol., v. 7, n. 3, p. 647-652.
- Woodhead, T., and Wameru, E.S., 1970, Variability of potential evaporation in East Africa: Exptal. Agric., v. 6, p. 51.
- Worrall, G.A., 1957, Features of some semi-arid soils in the district of Khartoum, Sudan: J. Soil Sci., v. 8, p. 193-202.
- Wright, J.B., 1967, Geology of the Narok Area, Republic of Kenya: Ministry of Natural Resources Geological Survey of Kenya Report n. 80, April.

-Z-

Zeuner, F.E., 1949, Frost soils on Mt. Kenya and the relation of frost soils to aeolian deposits: J. Soil Sci., n. 1, p. 20.

Zonneveld, I.S., de Leeuw, P.N., and Sombroek, W.G., 1971, An ecological interpretation of aerial photographs in a savanna region in northern Nigeria: ITC Publ. B 63, Er.schede, Holland.