


# Pond Dynamics/Aquaculture Collaborative Research Data Reports

Volume Seven, Number One  
Gualaca, Panama Project

Cycle I of the  
CRSP Global Experiment



Pond Dynamics/Aquaculture CRSP  
Program Management Office  
Office of International Research and  
Development  
Oregon State University  
Snell Hall 400  
Corvallis, OR 97331-1641




PN-ABK-183  
ISN 75129

**POND DYNAMICS/AQUACULTURE  
COLLABORATIVE RESEARCH  
DATA REPORTS**

**Volume Seven, Number One.  
Gualaca, Panama: Cycle I of The Global Experiment**

April 15, 1991

David R. Teichert-Coddington, Medardo Peralta,  
Ronald P. Phelps, and Richard Pretto Malca



Edited by Hillary S. Eгна  
and  
Jim Bowman

Pond Dynamics/Aquaculture  
Collaborative Research Support Program  
Office of International Research and Development  
Snell Hall 400  
Oregon State University  
Corvallis, Oregon 97331-1641

In collaboration with Auburn University and the  
Dirección Nacional de Acuicultura

#### **DISCLAIMER**

*The contents of this document do not necessarily represent an official position or policy of the U.S. Agency for International Development. Also, the mention of trade names or commercial products in this report does not constitute an endorsement or recommendation for use on the part of the U.S. Agency for International Development or the Pond Dynamics/Aquaculture Collaborative Research Support Program.*

#### **ACKNOWLEDGEMENT**

*Primary funding for the activities of the Pond Dynamics/Aquaculture Collaborative Research Support Program has been provided by the United States Agency for International Development under grant numbers DAN-4023-G-SS-2074-00, DAN-4023-G-SS-7066-00, and DAN-4023-G-00-0031-00.*

## TABLE OF CONTENTS

	<u>page</u>
FOREWORD.....	v
INTRODUCTION.....	1
MATERIALS AND METHODS.....	1
RESULTS AND DISCUSSION.....	2
SUMMARY.....	3
ACKNOWLEDGEMENTS.....	3
LITERATURE CITED.....	4
TABLES.....	5
FIGURES.....	14
APPENDIX Complete set of data from Cycle I of the Pond Dynamics/Aquaculture CRSP in Gualaca, Panama.....	21

## LIST OF TABLES

	<u>page</u>
Table 1. Mean weekly maximum and minimum water temperatures during the wet season of Cycle I at Gualaca, Panama .....	5
Table 2. Water budget for the Gualaca Freshwater Aquaculture Research Station during 1985 .....	6
Table 3. Analysis of pond soil samples collected before the dry season experiment of Cycle I at Gualaca, Panama.....	7
Table 4. Analysis of pond soil samples collected after the dry season experiment of Cycle I at Gualaca, Panama.....	8
Table 5. Analysis of pond soil samples collected after the wet season experiment of Cycle I at Gualaca, Panama.....	9
Table 6. Means, by pond, for variables measured during dry and wet season experiments of Cycle I at Gualaca, Panama.....	10
Table 7. Seasonal means ( $\pm$ SE) for variables measured during the dry and wet season experiments of Cycle I at Gualaca, Panama.....	11
Table 8. Major and minor elements found in ponds at the beginning and end of the wet season experiment of Cycle I at Gualaca, Panama.....	12
Table 9. Yields of <i>Oreochromis niloticus</i> stocked at 1 fish/m <sup>2</sup> during the dry and wet season experiments of Cycle I at Gualaca, Panama.....	13

## LIST OF FIGURES

	<u>page</u>
Figure 1. Mean weekly rainfall during Cycle I at Gualaca, Panama.....	14
Figure 2. Mean weekly pond evaporation during Cycle I experiments at Gualaca, Panama .....	14
Figure 3. Mean weekly solar radiation during Cycle I at Gualaca, Panama .....	15
Figure 4. Mean filterable orthophosphate concentrations during the wet season experiment of Cycle I at Gualaca, Panama.....	15
Figure 5. Mean Secchi disk visibility and chlorophyll <i>a</i> concentrations during the dry season of Cycle I at Gualaca, Panama.....	16
Figure 6. Mean Secchi disk visibility and chlorophyll <i>a</i> concentrations during the wet season of Cycle I at Gualaca, Panama.....	16
Figure 7. Mean net primary productivity and gross primary productivity during the dry season of Cycle I at Gualaca, Panama.....	17
Figure 8. Mean net primary productivity and gross primary productivity during the wet season of Cycle I at Gualaca, Panama.....	17
Figure 9. Mean weight of adult <i>Oreochromis niloticus</i> during the dry season experiment of Cycle I at Gualaca, Panama.....	18
Figure 10. Mean weight of adult <i>Oreochromis niloticus</i> during the wet season experiment of Cycle I at Gualaca, Panama.....	18
Figure 11. Correlation of mean chlorophyll <i>a</i> and mean gross fish yield for wet and dry seasons of Cycle I at Gualaca, Panama.....	19
Figure 12. Regression of gross fish yield on gross primary productivity for wet and dry seasons of Cycle I at Gualaca, Panama.....	19

## **FOREWORD**

The Pond Dynamics/Aquaculture Collaborative Research Support Program (PD/A CRSP) represents an international community of researchers and institutions dedicated to strengthening health and nutrition in developing countries by improving the efficiency of pond aquaculture systems. It is one of several agricultural CRSPs supported by the U.S. Agency for International Development under the authority of Title XII of the International Development and Food Assistance Act of 1975.

The "Global Experiment" in Pond Dynamics/Aquaculture is the major CRSP research activity, covering the period from 1982 to 1987. The Global Experiment was designed to quantitatively describe the physical, chemical and biological principles of pond culture systems. The information gained from the Global Experiment will be used to improve production technologies and develop quantitative production functions to facilitate rigorous economic analyses of aquaculture systems.

Standardization is a key element of the Global Experiment. Standardization permits the comparison of data from diverse geographic locations. The experimental design involves monitoring specified environmental and fish production variables in accordance with standardized work plans in twelve or more ponds at each of seven geographical locations. The variables observed, frequency of observation, and materials and methods are uniform for all locations. The field data are filed in a centralized data base, called the CRSP Central Data Base. Statistical methods will be used to test hypotheses about correlations between variables and to evaluate the sources of variance within ponds, between ponds within locations, and between locations.

The CRSP Central Data Base will be used to develop predictive models of the processes occurring in pond culture systems. The models will be used to provide guidance for ongoing and future research, to predict the performance of existing and proposed pond systems subject to specific inputs and constraints, and to improve the operation and efficiency of pond culture systems.

The Global Experiment includes three cycles of experiments. Each cycle consists of two series of observations, one during the dry season and one during the wet season. The objective of the first cycle is to create a detailed baseline of chemical, physical, and biological data on all ponds treated with a standard level of inorganic fertilizer. In the second experimental cycle, ponds treated with inorganic fertilizer are compared to ponds treated with organic fertilizer. In the third cycle, the responses of ponds to different levels of organic fertilizer are compared.

The goal of the Pond Dynamics/Aquaculture Collaborative Research Data Reports (referred to as Data Reports) is to record the CRSP Central Data Base and to present interpretations of site specific results. The Pond Dynamics/Aquaculture CRSP has conducted the Global Experiment at seven project sites in six developing countries: Thailand, Indonesia, the Philippines, Panama, Honduras, and Rwanda. The first volume of these reports provides descriptive information for each CRSP site. It presents the physical characteristics of each site, including a geographical sketch, climatology, and water and soil analyses. Experimental cycles are described in CRSP Work Plans One to Three, which are summarized in the first volume.

Volume One will serve as the reference volume for the entire report series. Subsequent volumes will focus on each site separately. Each Data Report will include one cycle (wet and dry seasons) of the Pond Dynamics/Aquaculture CRSP Global Experiment. Therefore, with few exceptions, each project site will have three Data Reports devoted to it, representing the results of the three cycles of the Global Experiment. In addition to the hard copy of experimental data published as a part of each Data Report, data are also available from the PD/A CRSP in electronic form (on diskette) for computer analysis. Cycle I of the Global Experiment in Gualaca, Panama is presented in this volume.



## INTRODUCTION

The Gualaca Freshwater Aquaculture Research Station was built in 1984 in Chiriqui Province, western Panama, to supply fingerlings of tilapia, carps, and other fish to producers in the area, and to conduct research in aquaculture. A description of the site and station facilities is given by Egna et al. (1987).

This report covers the dry and wet season studies of Cycle I of the CRSP Global Experiment, which were conducted during 1985 in Gualaca. The purpose of the studies was to establish a baseline of physical, chemical, biological, and hydrological characteristics for a set of ponds being fertilized solely with inorganic phosphorus. The climate at Gualaca is seasonal, with one rainy and one dry season each year. The Cycle I experiment was therefore conducted once each season to determine if there were differences related to season.

## MATERIALS AND METHODS

The experimental design and data collection were the same for each season, except for differences which are discussed below. Twelve earthen ponds (868 m<sup>2</sup>) were stocked with male *Oreochromis niloticus* (Nile tilapia) fingerlings at a rate of 1 fish/m<sup>2</sup>. Males were manually separated from a mixed-sex population prior to the experiment. Fish mortalities observed during the week after stocking were replaced with fish of similar size. The water in all ponds was maintained at a depth of approximately 90 cm. Water was added only when necessary to replace evaporation and seepage.

Phosphorus fertilizer in the form of triple superphosphate (42% P<sub>2</sub>O<sub>5</sub>) was added every two weeks at a rate of 4 kg P<sub>2</sub>O<sub>5</sub>/ha. The fertilizer was mixed with water and dispersed over the pond surface as a liquid. Fertilizer that remained undissolved was placed on a platform in the pond.

Water samples for chemical analysis were taken between 0730 and 0930 hours with a 90-cm column sampler. Each water sample was a composite of at least five subsamples from different locations in the pond. Chemical analyses were carried out according to procedures described in *Standard Methods* (APHA et al. 1975). Early morning dissolved oxygen and pH were measured weekly; filterable orthophosphate was measured every two weeks; and total phosphorus, nitrate nitrogen, total ammonia nitrogen, total alkalinity, and total hardness were measured once a month. The fate of phosphate fertilizer was monitored by measuring filterable orthophosphate 1, 2, 3, 6, and 13 days after each monthly application of fertilizer.

Secchi disk visibility was measured weekly, and chlorophyll *a* and primary productivity were measured every two weeks. During the dry season, primary productivity was measured in light-dark bottles placed 35 cm below the pond surface. During the wet season, primary productivity was determined from changes in diel oxygen concentrations according to the method of Hall and Moll (1975).

Maximum and minimum water temperatures 25 cm below the surface and 25 cm above the bottom were recorded twice a week in two ponds during the wet season. Maximum and minimum water temperatures were not taken during the dry season, because of a lack of equipment. Evaporation, rainfall, and seepage were measured five days a week.

Photosynthetically active radiation was measured daily by photometry. Fish growth was monitored by sampling fish in each pond on a monthly basis. The dry season study began on 15 February 1985 and ended on 21 May 1985. The wet season study began on 8 July 1985 and ended on 2 December 1985.

Data were tabulated as means for each pond during each season. Unpaired t-tests were used to determine differences between seasons, using computer software by Feldman et al. (1988). Relationships among variables were examined by regression analyses. Differences were considered significant at an alpha level of 0.05.

## **RESULTS AND DISCUSSION**

### *Hydrology and soils*

The mean water temperatures for the dry and wet seasons were 25.8 and 28.3°C, respectively. Mean minimum and maximum water temperatures for the wet season are summarized in Table 1. Mean weekly rainfall ranged from 0 mm/d (January to March) to 40 mm/d (September) (Figure 1).

Mean weekly pond evaporation ranged from 1.2 mm/d during the rainy season to 10.6 mm/d during the dry season, with an annual mean of 4.0 mm/d (Figure 2). Solar radiation was lower during the wet season (Figure 3). Mean solar radiation for dry and wet season was 40.7 and 31.9 E/m<sup>2</sup>/d, respectively. Mean pond seepage ranged from 19 to 58 mm/d. A water budget for the station is presented in Table 2.

Means for pond soil variables, measured before and after the dry season and after the wet season study, are summarized in Tables 3, 4, and 5. The most notable changes in soil constituents—increases in Ca and pH and a decrease in Al—resulted from heavy liming of ponds.

### *Water quality*

Results of water quality analyses are summarized by pond in Table 6 and by season in Table 7. Data from pond #10 (wet season) were excluded from the analyses because of accidental drainage.

Concentrations of phosphorus peaked and then decreased rapidly following the application of triple superphosphate (Figure 4). The disappearance of phosphorus in the water column is attributed to adsorption by soils. Filterable orthophosphate was significantly lower in the wet season than in the dry season, but total phosphorus was significantly higher in the wet season.

Only traces of nitrate nitrogen were found during the wet or the dry season. Determinations of total ammonia nitrogen during the dry season were not considered reliable, so comparison between seasons was inappropriate.

Total alkalinity and total hardness tended to increase during the beginning of each season, as limestone dissolved, and decrease during the remainder of the season. Decreases in alkalinity and hardness levels were attributed to relatively high pond seepage. Total alkalinity and hardness levels were significantly lower in the wet than in the dry season.

Minor elements measured in the water column at the beginning and end of the wet season are summarized in Table 8.

### *Biological variables*

Secchi disk visibilities sometimes exceeded pond depths, which averaged 100 and 105 cm during dry and wet seasons, respectively. In these cases, a visibility of 105 and 110 was arbitrarily assigned to ponds during dry and wet seasons, respectively. Secchi disk visibilities showed no trends during the dry season (Figure 5), but decreased to consistently lower levels during the second half of the wet season (Figure 6). There was no difference in secchi disk visibility between seasons.

Mean chlorophyll *a* values were low during both seasons, and showed no apparent trends during either season (Figures 5 and 6). There was no significant difference between seasons for chlorophyll *a* values.

Primary productivity was low during both seasons. Except for net primary productivity, which increased with time in the dry season (Figure 7), no temporal trends in primary productivity were observed (Figure 8). Differences between seasons could not be statistically tested, because different methods were used each season to determine primary productivity.

Gross fish yields during the dry (380 kg/ha) and wet (356 kg/ha) seasons were not significantly different (Table 9). Reproduction occurred during both seasons because of human error during fish sexing. Stocked fish ceased growing after two months in both seasons (Figures 9 and 10), partly because of competition from reproduction. Ponds yielding greater weights of stocked fish also had greater reproduction ( $P < 0.05$ ;  $r = 0.60$ ). Because the carrying capacity of ponds was apparently reached during each season (Figures 9 and 10), a good estimate of maximum fish biomass in ponds that receive inorganic phosphorus as the sole nutrient input has been demonstrated for Gualaca.

There were no simple correlations between chlorophyll *a*, secchi disk visibility, and gross primary productivity (GPP), or between chlorophyll *a* or GPP and water quality variables. The lack of correlation may have resulted from low variability among pond means for most variables. Gross fish yield was not significantly correlated with net primary productivity (NPP), GPP, or chlorophyll *a* (Figure 11) for combined data, but there was a significant relationship between gross fish yield and NPP ( $r = 0.81$ ) and GPP ( $r = 0.69$ ) during the dry season (Figure 12).

## **SUMMARY**

Applications of limestone to pond bottoms during Cycle I increased soil pH and Ca, and decreased Al. The carrying capacity of ponds that had been limed to total alkalinity of 20 mg CaCO<sub>3</sub>/L or higher, and that had received triple superphosphate as the sole nutrient input, was under 400 kg/ha. Mean gross primary productivity was less than 3 mg O<sub>2</sub>/L/d, and mean filterable orthophosphate, total phosphorus, total ammonia nitrogen, and nitrate nitrogen were usually less than 0.05 mg/L, 0.11 mg/L, 0.3 mg/L and 0.00 mg/L, respectively. Differences between dry and wet seasons were reflected primarily in the climatological variables. Precipitation was greater during the wet season, while evaporation and solar radiation were less. Concentrations of chemical constituents in the pond water were usually lower during the wet season because of dilution by rainfall. However, chlorophyll *a* and gross fish yield were not different between seasons.

## **ACKNOWLEDGEMENTS**

We thank Nelly Serrano and Ricardo Rios for assistance in the laboratory, and Victor Jimenez and other staff of the Instituto de Investigación Agropecuario (IDIAP) laboratory in Gualaca for their support of the CRSP project.

## **LITERATURE CITED**

- APHA (American Public Health Association), American Water Works Association, and Water Pollution Control Federation. 1975. Standard methods for the examination of water and wastewater, 14th edition. APHA, Washington, D.C.
- Egna, H.S., N. Brown, and M. Leslie. 1987. Pond Dynamics/Aquaculture Collaborative Research Data Reports, vol. 1: General reference: site descriptions, materials and methods for the global experiment. Pond Dynamics/Aquaculture Collaborative Research Support Program, Office of International Research and Development, Oregon State University, Corvallis, Oregon.
- Feldman, D.S., J. Gagnon, R. Hoffman, and J. Simpson. 1988. Statview SE+Graphics. Abacus Concepts, Inc. Berkeley, California.
- Hall, C.A.S., and R. Moll. 1975. Methods of assessing aquatic primary productivity. Pages 19-53 *in* H. Lieth and R.H. Whittaker, editors. Primary productivity of the biosphere. Springer-Verlag, New York.

Table 1. Mean weekly maximum and minimum water temperatures\* (°C) taken at depths of 25 cm from the surface (S) and 25 cm from the pond bottom (B) during the wet season of Cycle I at Gualaca, Panama.

			Week of each month				X**	SD	N
			1	2	3	4			
July	Max	(S)	---	33.5	32.8	32.2	32.6	0.86	6
	Min	(S)	---	28.0	29.0	28.5	28.6	0.38	6
	Max	(B)	---	30.0	30.0	30.3	30.2	0.98	6
	Min	(B)	---	28.0	28.0	29.0	28.4	0.80	6
Aug	Max	(S)	30.0	31.5	31.5	33.2	32.6	0.81	8
	Min	(S)	28.5	27.5	29.5	28.0	28.3	0.83	8
	Max	(B)	29.5	28.8	30.0	30.5	29.8	1.03	8
	Min	(B)	29.5	28.0	29.0	28.3	28.6	0.74	8
Sept	Max	(S)	33.0	31.3	31.5	32.0	31.9	1.05	8
	Min	(S)	27.8	28.0	28.0	29.3	28.3	0.76	8
	Max	(B)	31.5	30.0	30.0	30.0	30.4	0.92	8
	Min	(B)	28.5	28.8	28.5	29.8	28.9	0.69	8
Oct	Max	(S)	31.3	32.0	31.6	31.9	31.7	0.53	8
	Min	(S)	28.0	27.0	26.3	28.2	27.5	1.68	8
	Max	(B)	28.8	29.0	30.8	30.3	29.7	1.43	8
	Min	(B)	25.3	28.0	25.6	28.3	26.8	3.20	8
Nov	Max	(S)	30.0	30.4	31.5	31.4	30.8	0.74	8
	Min	(S)	26.5	27.6	28.6	28.6	27.8	0.92	8
	Max	(B)	28.9	29.5	29.9	29.5	29.4	0.65	8
	Min	(B)	26.9	28.0	28.8	28.3	28.0	0.75	8

\* Water temperatures were recorded in one pond twice a week until the third week of October; thereafter they were recorded in two ponds twice a week.

\*\* The means and standard deviations were calculated from the original data rather than from the weekly means.

Table 2. Water budget for the Gualaca Freshwater Aquaculture Research Station during 1985.

Month	Rainfall	Water gain (mm/d)		Seepage	Water loss (mm/d)		Water balance (mm/d)	Station Replacement water** (L <sup>3</sup> /d)	Potential water balance*** (mm/d)
		Runoff	Total		Evap	Total			
January	0	0	0	31	6.2	37	-37	1180	-16
February	0	0	0	31	7.8	39	-39	1250	-18
March	0	0	0	31	8.4	39	-39	1250	-18
April	4	8	12	31	5.6	37	-25	800	-4
May	13	20	33	31	3.1	34	-1	30	20
June*	11	18	29	31	2.3	33	-4	130	17
July	9	16	25	31	1.4	32	-7	220	14
August	12	19	31	31	1.6	33	-2	60	19
September	27	20	47	31	1.8	33	14	0	35
October	13	20	33	31	2.4	33	0	0	21
November	14	21	35	31	2.6	34	1	0	22
December	7	13	20	31	4.4	35	-15	480	6
Mean	9	13	22	31	4.0	35	-13	450	8

\*Values estimated by interpolation because measurements were unavailable.

\*\*Based on a total water surface area of 3.2 ha.

\*\*\*Hypothetical water balance if seepage rates were reduced from 31 to 10 mm/d.

Table 3. Analysis of pond soil samples collected before the dry season experiment of Cycle I at Gualaca, Panama.

Pond #	SO <sub>4</sub> <sup>2-</sup> (ppm)	pH	Na	Ca (meq/100 ml)	Mg	Al	% Organic matter	Cl <sup>-</sup> (meq/100 ml)	CO <sub>3</sub>	% Composition		
										Sand	Silt	Clay
1	20.2	5.1	0.297	4.46	0.83	2.8	2.6	0.030	tr.	42	24	34
2	14.9	5.1	0.237	3.77	0.86	4.5	2.7	0.020	tr.	48	24	28
3	13.7	4.9	0.275	1.93	0.89	7.4	2.3	0.089	tr.	44	26	30
4	14.2	4.7	0.249	1.39	0.58	7.8	3.1	0.020	tr.	44	26	30
5	11.9	4.9	0.264	1.72	0.49	7.8	2.1	tr.	tr.	42	26	32
6	20.7	5.0	0.926	2.56	0.64	4.5	3.9	tr.	tr.	54	22	24
7	15.2	4.9	0.271	2.02	0.57	4.98	2.3	0.020	tr.	40	24	36
8	12.5	5.0	0.554	2.56	0.70	6.88	2.0	tr.	tr.	52	22	26
9	19.5	5.0	0.409	2.03	0.52	6.17	3.0	0.015	tr.	50	24	26
10	19.5	5.2	0.582	2.16	0.49	3.56	3.2	0.020	tr.	46	24	30
$\bar{X}$	16.2	5.0	0.406	2.40	0.66	5.64	2.7	0.031	--	46	24	30
SD	3.4	0.1	0.222	0.95	0.16	1.82	0.6	0.026	--	5	2	4

Table 4. Analysis of pond soil samples collected after the dry season experiment of Cycle I at Gualaca, Panama.

Pond #	pH	P ( $\mu\text{g/ml}$ )	K ( $\mu\text{g/ml}$ )	Ca (meq/100 ml)	Mg (meq/100 ml)	Al	O.M. (%)	Mn	Fe ( $\mu\text{g/ml}$ )	Zn ( $\mu\text{g/ml}$ )	Co	% Composition		
												Sand	Silt	Clay
1	5.0	8.9	207.2	2.9	0.4	1.4	2.41	101.5	48.2	4.5	2.8	22	28	50
2	4.9	1.7	149.6	3.3	0.5	1.3	2.68	145.7	67.8	4.2	3.4	36	26	38
3	5.0	5.3	231.7	5.6	0.5	0.2	2.55	56.2	42.8	3.6	2.0	30	28	42
4	6.3	5.3	151.3	9.6	0.3	tr.	3.48	48.1	32.8	4.0	2.6	24	32	44
5	7.2	9.7	198.1	14.9	0.2	tr.	3.62	47.2	11.2	2.5	0.8	26	30	44
6	6.2	1.1	208.2	8.6	0.5	tr.	3.89	39.0	39.6	1.5	3.0	24	30	46
7	6.1	1.1	290.6	7.8	0.4	tr.	1.88	49.3	36.7	0.7	2.0	20	30	50
8	6.5	1.1	232.4	8.3	0.5	tr.	2.81	46.2	48.2	0.7	3.1	22	26	52
9	7.4	1.1	267.7	12.3	0.1	tr.	2.14	15.8	15.8	0.8	2.2	20	32	48
10	6.0	1.1	214.8	7.2	0.4	tr.	2.48	41.7	41.7	1.1	2.7	30	28	42
$\bar{X}$	6.1	3.6	225.2	8.1	0.4	---	2.89	65.2	38.4	2.4	2.5	25	29	46
SD	0.88	3.43	53.13	3.71	0.14	---	0.684	33.29	16.24	16.24	0.75	5.2	2.2	4.4



Table 5. Analysis of pond soil samples collected after the wet season experiment of Cycle I at Gualaca, Panama.

Pond #	Sand	Silt (%)	Clay	pH	P (µg/ml)	K (µg/ml)	Ca (meq/100ml)	Mg	Al	OM (%)	Mn	Fe	Zn (µg/ml)	Cu	Color
1	28	28	44	5.8	1.7	33.3	11.9	0.9	tr.	2.85	155.4	90.0	tr.	6.2	Strong brown
2	36	28	36	5.6	4.1	40.2	13.2	1.1	tr.	2.14	162.0	78.2	tr.	5.6	" "
3	40	26	34	5.1	1.7	37.9	9.4	0.9	0.6	2.95	117.6	83.3	tr.	5.0	" "
4	46	26	28	5.9	2.9	37.0	12.3	0.7	tr.	3.22	106.6	63.3	tr.	4.7	" "
5	46	26	28	5.5	2.3	30.0	10.5	0.7	tr.	2.95	109.9	64.8	tr.	6.1	" "
6	44	26	30	5.9	1.1	33.8	10.6	0.7	tr.	4.02	101.6	70.8	tr.	5.2	Yellowish brn
7	52	22	26	6.0	2.9	32.7	9.4	0.7	tr.	2.68	109.9	74.6	tr.	5.1	Strong brown
8	38	22	40	6.1	1.7	35.8	11.4	0.9	tr.	2.01	100.0	69.6	22.7	5.7	" "
9	38	26	36	5.3	1.7	33.3	8.3	0.7	0.3	3.08	116.9	74.6	tr.	5.1	" "
10	36	24	40	5.5	1.7	36.4	10.9	0.7	tr.	3.48	131.5	68.0	4.1	5.8	" "
17	36	20	44	6.1	1.7	39.8	12.6	0.9	tr.	2.14	153.3	79.1	1.3	7.2	" "
18	34	20	46	6.5	1.7	38.3	13.7	1.2	tr.	1.88	88.8	45.0	0.8	6.1	" "
$\bar{X}$	40	25	36	5.6	2.1	35.7	11.2	0.8	0.1	2.79	121.1	71.8	2.4	5.7	
SD	6.5	2.8	6.9	---	0.82	3.1	1.6	0.17	0.19	0.65	24.0	11.4	6.5	0.69	

Table 6. Means, by pond, for variables measured during dry and wet seasons of Cycle 1, 1985, Gualaca, Panama.

Dry Season

Pond	Total phosphorus (mg/l PO <sub>4</sub> -P)	Filterable phosphate (mg/l PO <sub>4</sub> -P)	Total ammonia (mg/l NH <sub>3</sub> -N)	Nitrate nitrogen (mg/l NO <sub>3</sub> -N)	Total alkalinity (mg/l CaCO <sub>3</sub> )	Total hardness (mg/l CaCO <sub>3</sub> )	pH	Dissolved oxygen (mg/l)	Chlorophyll <u>a</u> (µg/l)	Secchi disk (cm)
1	0.074	0.041	-	0.003	52	41	6.61	7	3.6	65
2	0.099	0.042	-	0.003	44	36	6.71	6.8	4.7	61
3	0.078	0.053	-	0.003	60	47	6.8	6.9	3.8	74
4	0.049	0.035	-	0.002	54	44	6.79	6.9	3.9	84
5	0.121	0.045	-	0.003	51	43	6.81	6.9	6	69
6	0.058	0.028	-	0.002	60	49	6.85	6.9	5.9	85
7	0.055	0.034	-	0.001	57	43	6.86	6.9	4.3	86
8	0.114	0.045	-	0.001	44	35	6.76	7.1	1.1	90
9	0.081	0.058	-	0	54	40	6.86	7.1	2.7	91
10	0.068	0.07	-	0	38	33	6.86	7.2	6.6	92
17	0.121	0.034	-	0.001	44	35	6.87	6.9	4.4	80
18	0.053	0.068	-	0.001	37	28	6.69	7	4.8	84

Wet Season

1	0.106	0.023	0.33	0	28.2	34.9	6.9	6.69	3.9	87
2	0.105	0.019	0.32	0	28.5	33.3	6.97	6.5	3.6	94
3	0.106	0.029	0.3	0	25.1	34.9	6.97	6.6	4.2	93
4	0.117	0.032	0.4	0	18.4	22	6.75	6.69	6.7	84
5	0.104	0.029	0.27	0	23.6	29	6.92	6.66	5.2	102
6	0.09	0.028	0.23	0	27.9	33.8	7.11	6.71	5	101
7	0.089	0.036	0.23	0	26.3	31.1	7.06	6.78	4.2	101
8	0.095	0.032	0.24	0.011	17.7	23.4	6.91	6.93	9.4	86
9	0.086	0.033	0.25	0.011	21.7	26.4	6.9	6.98	4	82
17	0.108	0.035	0.25	0.011	21.9	28	7.11	6.75	7.4	77
18	0.135	0.04	0.31	0	12	16	6.68	6.74	5	67

Table 7. Seasonal means ( $\pm$ SE) for variables measured during dry and wet seasons of Cycle 1, 1985, Gualaca, Panama. N = 12 and 11 for dry and wet seasons, respectively.

Variable	Season	
	Wet	Dry
Gross fish yield (kg/ha)	356 $\pm$ 26.9 a	380 $\pm$ 15.3 a
Total alkalinity (mg/L CaCO <sub>3</sub> )	24 $\pm$ 1.2 a	50 $\pm$ 2.3 b
Total hardness (mg/L CaCO <sub>3</sub> )	30 $\pm$ 1.5 a	40 $\pm$ 1.8 b
Total ammonia (mg/L NH <sub>3</sub> -N)	0.28 $\pm$ 0.055	- na
Nitrate (mg/L NO <sub>3</sub> -N)	0.003 $\pm$ 0.005 a	0.002 $\pm$ 0.0003 a
Total phosphorus (mg/L PO <sub>4</sub> -P)	0.10 $\pm$ 0.003 a	0.08 $\pm$ 0.008 b
Filt. orthophosphate (mg/L PO <sub>4</sub> -P)	0.03 $\pm$ 0.002 a	0.05 $\pm$ 0.004 b
Early morning pH	6.9 $\pm$ 8.03 b	6.8 $\pm$ 8.01 a
Secchi disk visibility (cm)	91 $\pm$ 2.8 b	80 $\pm$ 3.0 a
Gross prim. prod. (mg O <sub>2</sub> /L/d)	2.3 $\pm$ 0.09	1.5 $\pm$ 0.15 na
Net prim. prod. (mg O <sub>2</sub> /L/d)	1.3 $\pm$ 0.04	0.3 $\pm$ 0.07 na

a,b: Seasonal means followed by the same letter are not different ( $P > 0.05$ ).  
na: Statistical testing non-applicable or inappropriate.

Table 8. Major and minor elements found in ponds at the beginning (Initial) and end (Final) of the wet season of Cycle 1, 1985, Gualaca, Panama.

Initial									
Pond	ppm								
	Na	K	Ca	Mg	B	Cu	Zn	Mn	Fe
1	0.90	0.17	3.58	0.38	Below detectable limits				0.52
2	0.97	0.18	3.40	0.46					0.58
3	0.90	0.17	3.66	0.42					0.74
4	0.74	0.13	3.66	0.30					1.78
5	1.04	0.14	3.26	0.46					0.74
6	0.96	0.14	3.38	0.42					0.63
7	0.92	0.14	3.40	0.40					0.50
8	0.87	0.13	3.46	0.19					0.41
9	0.90	0.14	3.18	0.42					0.83
17	0.93	0.16	3.48	0.46					0.75
18	0.90	0.16	2.92	0.46					0.65
Mean	0.91	0.15	3.40	0.40					0.74
SD	0.074	0.018	0.218	0.084					0.367

Final									
Pond	ppm								
	Na	K	Ca	Mg	B	Cu	Zn	Mn	Fe
2	0.31	0.12	3.96	0.26	Below detectable limits				0.29
3	0.32	0.13	3.74	0.26					0.26
4	0.39	0.10	3.76	0.16					0.21
5	0.38	0.10	3.90	0.22					0.19
6	0.37	0.14	4.20	0.24					0.23
7	0.36	0.11	4.16	0.22					0.22
8	0.32	0.10	4.04	0.20					0.21
9	0.32	0.11	3.54	0.18					0.29
10	0.40	0.13	3.82	0.22					0.22
17	0.40	0.20	4.54	0.56					0.24
18	0.36	0.11	3.26	0.22					0.24
Mean	0.36	0.12	3.90	0.25					0.24
SD	0.034	0.029	0.344	0.107					0.032

Table 9. Yields of *Oreochromis niloticus* stocked at 1/m<sup>2</sup> during dry and wet seasons of Cycle 1, 1985, Gualaca, Panama.

Dry Season

Pond	Area (m <sup>2</sup> )	Initial mean wt. (g)	Final mean wt. (g)	Survival (%)	Final wt. of adult fish (kg/ha)	Fingerling production (kg/ha)	Gross yield (kg/ha)	Net yield (kg/ha)
1	832	28	43	86	371	62	433	153
2	818	30	45	88	396	98	494	196
3	815	31	37	91	339	42	381	73
4	885	29	38	84	340	56	397	109
5	928	29	38	81	306	34	340	50
6	859	28	41	88	359	65	423	143
7	826	29	37	89	328	65	392	104
8	826	31	37	81	298	33	331	17
9	890	29	34	81	274	35	308	22
10	839	28	33	81	281	70	351	71
17	1037	26	30	96	286	92	378	117
18	865	27	32	88	284	41	326	58

Wet Season

1	832	17	30	85	258	171	429	263
2	818	17	25	93	232	88	320	155
3	815	16	26	88	226	50	277	113
4	885	17	25	91	230	76	306	138
5	928	15	28	89	245	223	468	310
6	859	17	30	91	270	171	441	275
7	826	16	25	98	244	116	361	197
8	826	17	23	118	275	125	401	235
9	890	16	27	97	262	158	419	257
17	1037	18	24	89	231	108	339	159
18	865	16	20	64	129	32	161	0




Figure 1. Mean weekly rainfall during Cycle I at Gualaca, Panama.




Figure 2. Mean weekly pond evaporation during Cycle I experiments at Gualaca, Panama.




Figure 3. Mean weekly solar radiation during Cycle I at Gualaca, Panama.




Figure 4. Mean filterable orthophosphate concentrations during the wet season experiment of Cycle I at Gualaca, Panama (n = 11). Arrows indicate applications of triple superphosphate.




Figure 5. Mean Secchi disk visibility and chlorophyll *a* concentrations during the dry season of Cycle I at Gualaca, Panama.




Figure 6. Mean Secchi disk visibility and chlorophyll *a* concentrations during the wet season of Cycle I at Gualaca, Panama.






Figure 7. Mean net primary productivity (mg O<sub>2</sub>/L/d) and gross primary productivity (mg O<sub>2</sub>/L/d) during the dry season of Cycle I at Gualaca, Panama.




Figure 8. Mean net primary productivity (mg O<sub>2</sub>/L/d) and gross primary productivity (mg O<sub>2</sub>/L/d) during the wet season of Cycle I at Gualaca, Panama.




Figure 9. Mean weight of adult *Oreochromis niloticus* during the dry season experiment of Cycle I at Gualaca, Panama.




Figure 10. Mean weight of adult *Oreochromis niloticus* during the wet season experiment of Cycle I at Gualaca, Panama.




Figure 11. Correlation of mean chlorophyll *a* and mean gross fish yield for wet and dry seasons of Cycle I at Gualaca, Panama.




Figure 12. Regression of gross fish yield on gross primary productivity (mg O<sub>2</sub>/L/d) for wet and dry seasons of Cycle I at Gualaca, Panama.

## APPENDIX

### Complete Set of Data from Cycle I of the Pond Dynamics/ Aquaculture CRSP in Gualaca, Panama

Table 1.	Daily Weather Measurements. Gualaca, Panama, Cycle I, Dry Season.....	1
	Daily Weather Measurements. Gualaca, Panama, Cycle I, Wet Season.....	3
Table 2.	Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season.....	6
	Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season.....	27
Table 3.	Weekly and Twice-Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season.....	48
	Weekly and Twice-Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season.....	59
Table 4.	Diurnal Measurements. Gualaca, Panama, Cycle I, Wet Season.....	77
Table 5.	Fish/Shrimp Stocking, Sampling, and Harvesting. Gualaca, Panama, Cycle I, Dry Season.....	85
	Fish/Shrimp Stocking, Sampling, and Harvesting. Gualaca, Panama, Cycle I, Wet Season.....	86
Table 6.	Plankton and Benthos. Gualaca, Panama, Cycle I, Dry Season.....	88
Table 7.	Water Quality Characteristics. Gualaca, Panama, Cycle I, Dry Season.....	89
	Water Quality Characteristics. Gualaca, Panama, Cycle I, Wet Season.....	89
Table 8.	Pond Soil Characteristics. Gualaca, Panama, Cycle I, Dry Season.....	90
	Pond Soil Characteristics. Gualaca, Panama, Cycle I, Wet Season.....	90
Table 9.	Analysis of Nutrients and Lime. Gualaca, Panama, Cycle I, Dry Season.....	91
Table 10.	Nutrient and Lime Inputs. Gualaca, Panama, Cycle I, Dry Season.....	92
	Nutrient and Lime Inputs. Gualaca, Panama, Cycle I, Wet Season.....	94

## Units of Measurement and Abbreviations Used in the Appendix Tables

### Daily Weather Measurements:

SOLAR1 (solar radiation).....	E/m <sup>2</sup> /d
SOLAR2 (solar radiation).....	cal/cm <sup>2</sup> /d
RAIN (rainfall).....	cm/d
WIND (wind speed).....	km/hr
ATEMPMAX (max air temperature).....	°C
ATEMPMIN (min air temperature).....	°C
EVAP (evaporation).....	mm/d

### Daily Pond Measurements:

DEPTH.....	m
INFLOW.....	m <sup>3</sup> /hr
OVERFLOW.....	Y/N
"nil".....	<i>Oreochromis niloticus</i>

### Weekly and Twice-Weekly Measurements:

All DO (dissolved oxygen).....	mg/L
All TEMP (temperature).....	°C
ALKA (alkalinity).....	mg/L (as CaCO <sub>3</sub> )
HARD (total hardness).....	mg/L (as CaCO <sub>3</sub> )
All N (Kjeldahl, NO <sub>2</sub> , NO <sub>3</sub> , Total).....	mg/L
All P (Total, Ortho-PO <sub>4</sub> ).....	mg/L
SECCII DISK.....	cm
CHLOROPHYLL a, b, or c.....	mg/m <sup>3</sup>

### Diurnal Measurements:

All DO (dissolved oxygen).....	mg/L
All TEMP (temperature).....	°C

### Fish/Shrimp Stocking, Sampling, and Harvesting:

"STK".....	stocking
"SAM".....	sampling
"HAR".....	harvesting
"nil".....	<i>Oreochromis niloticus</i>
POP. WEIGHT.....	kg
SAMPLE LENGTH.....	cm
REPROD. WEIGHT.....	kg

### Plankton and Benthos:

NET (PRIMARY) PRODUCTION.....	mg C/m <sup>3</sup> /d
GROSS (PRIMARY) PRODUCTION.....	mg C/m <sup>3</sup> /d

Water Quality Characteristics:

ALKALIN (alkalinity).....	mg/L (as CaCO <sub>3</sub> )
HARDNESS .....	mg/L (as CaCO <sub>3</sub> )
All N (NH <sub>3</sub> , NO <sub>2</sub> , NO <sub>3</sub> , NO <sub>2</sub> +NO <sub>3</sub> ).....	mg/L
All P (Total, Ortho-P) .....	mg/L
Cl.....	mg/L
SALT.....	ppt
SO <sub>4</sub> .....	mg/L
BORON .....	mg/L
CALCIUM.....	mg/L
COPPER.....	mg/L
IRON.....	mg/L
MAGNESIUM .....	mg/L
POTASSIUM.....	mg/L
SODIUM.....	mg/L
ZINC.....	mg/L

Pond Soil Characteristics:

CLAY .....	%
SILT .....	%
SAND .....	%
ORGANIC MATTER .....	%
SOIL-P.....	ppm
SOIL Ca .....	meq/100g
SOIL Mg.....	meq/100g
SOIL K .....	ppm
SOIL Na.....	meq/100g
SOIL N .....	%
SOIL NH <sub>4</sub> .....	ppm
SOIL NO <sub>3</sub> .....	ppm
SOIL CEC.....	meq/100g
SOIL SALT .....	mmhos/cm
SOIL Al.....	ppm
SOIL Fe.....	ppm
SOIL Zn.....	ppm
SOIL Mn.....	ppm
SOIL Cu .....	ppm
SOIL SO <sub>4</sub> .....	ppm

Analysis of Nutrients and Lime:

All NUTRIENTS .....	% (dry matter basis)
---------------------	----------------------

Nutrient and Lime Inputs:

All QUANTITIES.....	kg/ha
TSP .....	"triple superphosphate"
"cac".....	CaCO <sub>3</sub>

Table 1. Daily Weather Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
15	2	1985	52.62						12.55
16	2	1985	53.11						
17	2	1985	52.35						13.02
18	2	1985	51.3						9.89
19	2	1985	51.3						11.04
20	2	1985	51.4						
21	2	1985	51.32						
22	2	1985	52.35						11.03
23	2	1985	52.14						8.85
24	2	1985	53.48						9.06
25	2	1985	53.89						10.38
26	2	1985	52.36						12.66
27	2	1985	54.02						
28	2	1985	53.81						11.62
1	3	1985	53.75						11.27
2	3	1985	53.65						
3	3	1985	52.14						12.08
4	3	1985	52.85						11.96
5	3	1985	53.67						12.05
6	3	1985	54.08						14.53
7	3	1985	54.41						14.99
8	3	1985	54.01						15.5
9	3	1985	53.39						12.16
10	3	1985	53.16						13.5
11	3	1985	47.19						12.34
12	3	1985	54.44						12.13
13	3	1985	46.25						7.37
14	3	1985	52.23						7.82
15	3	1985	47.63						7.55
16	3	1985	50.38						
17	3	1985							7.25
18	3	1985	46.3						7.94
19	3	1985	41.91		0.2				6.16
20	3	1985	36.42		0.4				5.65
21	3	1985	39.56						4.89
22	3	1985	39.54						5.57
23	3	1985	45.26						
24	3	1985	52.36						7.47
25	3	1985	53.18						8.34
26	3	1985	52.98						11.05
27	3	1985	53.2						13.92
28	3	1985	54.54						13.08
29	3	1985	52.6						12.84
30	3	1985	45.79						9.43
31	3	1985							7.53
1	4	1985	29.63		36.				

24

Table 1. Daily Weather Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
2	4	1985	39.1		3.6				4.44
3	4	1985	43.35		15.5				2.74
4	4	1985	55.13		14.				5.24
5	4	1985	55.12						6.31
6	4	1985	54.27						7.32
7	4	1985	56.12						
8	4	1985	55.63						9.39
9	4	1985							9.61
10	4	1985	55.66						11.07
11	4	1985	51.83						10.49
12	4	1985	49.73						7.12
13	4	1985							7.14
14	4	1985	51.17						8.24
15	4	1985	48.91						7.99
16	4	1985	48.54						6.84
17	4	1985	53.41						7.18
18	4	1985	48.42						9.89
19	4	1985	42.34						8.44
20	4	1985	40.13						6.13
21	4	1985	37.98						5.66
22	4	1985	41.23		0.1				5.78
23	4	1985	30.42		0.3				5.13
24	4	1985	31.45		0.7				3.24
25	4	1985	29.53		7.6				3.52
26	4	1985	33.29		6.8				
27	4	1985	31.55		23.				3.09
28	4	1985	33.39		7.4				4.58
29	4	1985	27.06		17.				4.76
30	4	1985	29.65		1.6				2.74
1	5	1985	39.16		24.				5.54
2	5	1985	42.76		2.5				2.94
3	5	1985	47.05						
4	5	1985	49.68						
5	5	1985	45.42					24.5	
6	5	1985	40.79						5.52
7	5	1985	25.54		0.45				4.04
8	5	1985	27.63		48.				2.76
9	5	1985	27.81		77.				
10	5	1985	26.7		0.15				3.14
11	5	1985	31.43						
12	5	1985	21.77						
13	5	1985	29.97		86.		34.5		1.54
14	5	1985	42.07		1.5				4.62
15	5	1985	37.13						
16	5	1985	17.2						2.15
17	5	1985	28.97						
18	5	1985	42.29						
19	5	1985	41.53						
20	5	1985	43.25		17.				2.25



Table 1. Daily Weather Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
12	7	1985	38.62		15.5		28.5	21.5	
13	7	1985	26.61						
14	7	1985	31.92						
15	7	1985	28.25		4.6				2.4
16	7	1985	38.58		1.2		30.5	22.5	1.7
17	7	1985	33.42		18.5				2.1
18	7	1985	36.34		4.6				1.9
19	7	1985	19.8		1.2				2.9
20	7	1985	29.15						
21	7	1985	43.85						
22	7	1985	26.92						
23	7	1985	24.1		20.				1.6
24	7	1985	22.96		2.2				1.2
25	7	1985	31.84		13.				0.3
26	7	1985	38.41		3.5			22.5	1.9
27	7	1985	28.38						
28	7	1985	40.5						
29	7	1985	21.51						2.4
30	7	1985	37.88						
31	7	1985	39.98						
1	8	1985	27.34		0.1				
2	8	1985	31.27		23.				2.1
3	8	1985	41.48						
4	8	1985	34.78						
5	8	1985	34.7		14.5				1.9
6	8	1985	19.92		0.7			31.5	2.5
8	8	1985	30.27		0.9				1.3
9	8	1985	13.4		61.				0.4
10	8	1985	31.29						
11	8	1985	34.59						
12	8	1985	42.76		13.				1.1
13	8	1985	25.85						4.
14	8	1985	24.48		3.8				0.8
15	8	1985	30.12		4.4				2.2
16	8	1985	28.14		12.5				1.8
17	8	1985	22.41						
18	8	1985	20.32						
19	8	1985	29.77		67.				0.6
20	8	1985	38.56		43.				1.9
21	8	1985	30.47				30.5		3.1
22	8	1985	37.66		22.				2.8
23	8	1985	25.01						2.9
24	8	1985	31.52						
25	8	1985	30.11						
26	8	1985	23.83		69.5				2.2
27	8	1985	35.75		5.65		31.5		1.

Table 1. Daily Weather Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
28	8	1985	29.35		21.5				2.
29	8	1985	16.9						3.4
30	8	1985	33.35		8.8			21.5	0.3
31	8	1985	46.33						
1	9	1985	36.42						
2	9	1985	29.18		13.5				5.5
3	9	1985	21.62		22.		32.5		1.5
4	9	1985	30.52		24.				1.3
5	9	1985	33.83		22.				3.5
6	9	1985	21.43		6.25		31.5		2.1
7	9	1985	17.51						
8	9	1985	28.37						
9	9	1985	26.45		32.				1.
10	9	1985	24.06		106.				
11	9	1985	34.77		28.				
12	9	1985	30.69		61.				2.8
13	9	1985	34.32		7.2		31.1	21.1	1.6
14	9	1985	30.09						
15	9	1985	17.23						
16	9	1985	28.97		111.				
17	9	1985	34.4		14.				1.1
18	9	1985	26.94		20.5				2.8
19	9	1985	23.26		1.6				2.2
20	9	1985	28.32		105.				
21	9	1985	25.65						
22	9	1985	22.71						
23	9	1985	38.82		66.				1.
24	9	1985	38.07				32.2	21.1	4.4
25	9	1985	48.97		23.5				3.8
26	9	1985	29.37		7.5				
27	9	1985	26.5		13.5				
28	9	1985	19.57						
29	9	1985	27.61						
30	9	1985	33.33		45.				1.
1	10	1985			0.8				3.3
2	10	1985	23.7		44.				6.2
3	10	1985	10.28		25.5				0.5
4	10	1985	20.63		31.		31.5	21.5	0.
5	10	1985	13.46						
6	10	1985	30.61						
7	10	1985	35.41		28.5				
8	10	1985	27.73						3.8
9	10	1985	32.3		13.5				2.4
10	10	1985	25.64		2.4				2.7
11	10	1985	34.99						
12	10	1985	25.08						
13	10	1985	27.03						

Table 1. Daily Weather Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	SOLAR1	SOLAR2	RAIN	WIND	ATEMPMAX	ATEMPMIN	EVAP
14	10	1985	19.85		73.5				1.5
15	10	1985	32.38		2.5		31.5	22.5	3.1
16	10	1985	31.92						2.9
17	10	1985	40.68		13.				2.9
18	10	1985	25.76		8.3		31.5		3.1
19	10	1985	31.9						
20	10	1985	32.22						
21	10	1985	28.64		41.5				3.2
22	10	1985	34.1						2.4
23	10	1985	27.47		29.8				2.5
24	10	1985	33.38						2.1
25	10	1985	44.92						3.2
26	10	1985	35.19						
27	10	1985	24.14						
28	10	1985	32.38		31.				2.9
29	10	1985	20.84		5.5		31.5		1.9
30	10	1985	11.9		17.5				0.2
31	10	1985	22.32		30.6				0.
1	11	1985	28.47		32.2				5.3
2	11	1985	24.9						
3	11	1985	17.12						
4	11	1985	36.98						
5	11	1985	27.75		108.5		29.5		23.9
6	11	1985	31.95		0.01				2.5
7	11	1985	27.67		29.4				2.9
8	11	1985	35.71		59.7			22.5	
9	11	1985	26.19						
10	11	1985	41.69						
11	11	1985	34.12						
12	11	1985	38.16						0.8
13	11	1985	32.66						0.
14	11	1985	34.45		15.2				2.8
15	11	1985	29.54		24.6			21.5	3.7
16	11	1985	25.67						
17	11	1985	42.58						
21	11	1985	37.19						2.1
22	11	1985	33.06				31.5		3.6
23	11	1985	34.96						
24	11	1985	38.03						
25	11	1985	37.8		49.7				7.1
26	11	1985	45.12				31.5	21.5	3.8
27	11	1985	37.82						5.3
29	11	1985	35.96		8.1				3.1

- 28

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
19	2	1985	1	0.918	N	N	0	nil
19	2	1985	2	0.966	N	N	0	nil
19	2	1985	3	0.899	N	N	0	nil
19	2	1985	4	0.89	N	N	0	nil
19	2	1985	5	0.84	N	N	0	nil
19	2	1985	6	0.982	N	N	0	nil
19	2	1985	7	0.886	N	N	0	nil
19	2	1985	8	0.894	N	N	0	nil
19	2	1985	9	0.937	N	N	0	nil
19	2	1985	10	0.928	N	N	0	nil
19	2	1985	17	0.955	N	N	0	nil
19	2	1985	18	0.835	N	N	0	nil
20	2	1985	1	0.895	N	N	0	nil
20	2	1985	2	0.92	N	N	0	nil
20	2	1985	3	0.875	N	N	0	nil
20	2	1985	4	0.872	N	N	0	nil
20	2	1985	5	0.821	N	N	0	nil
20	2	1985	6	0.965	N	N	0	nil
20	2	1985	7	0.868	N	N	0	nil
20	2	1985	8	0.861	N	N	0	nil
20	2	1985	9	0.918	N	N	0	nil
20	2	1985	10	0.903	N	N	0	nil
20	2	1985	17	0.888	N	N	0	nil
20	2	1985	18	0.765	N	N	0	nil
21	2	1985	1	0.873	N	N	0	nil
21	2	1985	2	0.876	N	N	0	nil
21	2	1985	3	0.85	N	N	0	nil
21	2	1985	4	0.855	N	N	0	nil
21	2	1985	5	0.803	N	N	0	nil
21	2	1985	6	0.947	N	N	0	nil
21	2	1985	7	0.85	N	N	0	nil
21	2	1985	8	0.827	N	N	0	nil
21	2	1985	9	0.898	N	N	0	nil
21	2	1985	10	0.877	N	N	0	nil
21	2	1985	17	0.839	N	N	0	nil
21	2	1985	18	0.912	Y	N	0	nil
22	2	1985	1	0.846	N	N	0	nil
22	2	1985	2	0.83	N	N	0	nil
22	2	1985	3	0.819	N	N	0	nil
22	2	1985	4	0.833	N	N	0	nil
22	2	1985	5	0.78	N	N	0	nil
22	2	1985	6	0.924	N	N	0	nil
22	2	1985	7	0.827	N	N	0	nil
22	2	1985	8	0.789	N	N	0	nil
22	2	1985	9	0.873	N	N	0	nil
22	2	1985	10	0.845	N	N	0	nil

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
22	2	1985	17	0.795	N	N	0	nil
22	2	1985	18	0.835	N	N	0	nil
23	2	1985	1	0.822	N	N	0	nil
23	2	1985	2	0.984	Y	N	0	nil
23	2	1985	3	0.793	N	N	0	nil
23	2	1985	4	0.815	N	N	0	nil
23	2	1985	5	1.002	Y	N	0	nil
23	2	1985	6	0.907	N	N	0	nil
23	2	1985	7	0.81	N	N	0	nil
23	2	1985	8	0.961	Y	N	0	nil
23	2	1985	9	0.854	N	N	0	nil
23	2	1985	10	0.819	N	N	0	nil
23	2	1985	17	1.012	Y	N	0	nil
23	2	1985	18	0.776	N	N	0	nil
24	2	1985	1		N	N	0	nil
24	2	1985	2	0.931	N	N	0	nil
24	2	1985	3	0.807	Y	N	0	nil
24	2	1985	4	0.797	N	N	0	nil
24	2	1985	5	0.971	N	N	0	nil
24	2	1985	6	0.889	N	N	0	nil
24	2	1985	7	0.791	N	N	0	nil
24	2	1985	8	0.923	N	N	0	nil
24	2	1985	9	0.833	N	N	0	nil
24	2	1985	10	0.79	N	N	0	nil
24	2	1985	17	0.953	N	N	0	nil
24	2	1985	18	0.774	Y	N	0	nil
25	2	1985	1	0.775	N	N	0	nil
25	2	1985	2	0.88	N	N	0	nil
25	2	1985	3	0.779	N	N	0	nil
25	2	1985	4	0.778	N	N	0	nil
25	2	1985	5	0.945	N	N	0	nil
25	2	1985	6	0.87	N	N	0	nil
25	2	1985	7	0.772	N	N	0	nil
25	2	1985	9	0.884	N	N	0	nil
25	2	1985	9	0.813	N	N	0	nil
25	2	1985	10	0.763	N	N	0	nil
25	2	1985	17	0.899	N	N	0	nil
25	2	1985	18	0.72	N	N	0	nil
26	2	1985	1	0.938	Y	N	0	nil
26	2	1985	2	0.828	N	N	0	nil
26	2	1985	3	0.83	Y	N	0	nil
26	2	1985	4	0.942	Y	N	0	nil
26	2	1985	5	0.915	N	N	0	nil
26	2	1985	6	0.846	N	N	0	nil
26	2	1985	7	0.936	Y	N	0	nil
26	2	1985	8	0.842	N	N	0	nil
26	2	1985	9	0.787	N	N	0	nil

20

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
26	2	1985	10	0.985	Y	N	0	nil
26	2	1985	17	0.845	N	N	0	nil
26	2	1985	18	0.851	Y	N	0	nil
27	2	1985	1	0.908	N	N	0	nil
27	2	1985	2	0.78	N	N	0	nil
27	2	1985	3		N	N	0	nil
27	2	1985	4	0.918	N	N	0	nil
27	2	1985	5	0.888	N	N	0	nil
27	2	1985	6	0.824	N	N	0	nil
27	2	1985	7	0.912	N	N	0	nil
27	2	1985	8	0.804	N	N	0	nil
27	2	1985	9	0.903	Y	N	0	nil
27	2	1985	10	0.951	N	N	0	nil
27	2	1985	17	0.802	N	N	0	nil
27	2	1985	18	0.791	N	N	0	nil
28	2	1985	1	0.883	N	N	0	nil
28	2	1985	2		Y	N	0	nil
28	2	1985	3	0.817	Y	N	0	nil
28	2	1985	4	0.898	N	N	0	nil
28	2	1985	5	0.864	N	N	0	nil
28	2	1985	6	0.809	N	N	0	nil
28	2	1985	7	0.893	N	N	0	nil
28	2	1985	8	0.77	N	N	0	nil
28	2	1985	9	0.882	N	N	0	nil
28	2	1985	10	0.921	N	N	0	nil
28	2	1985	17	0.989	Y	N	0	nil
28	2	1985	18	0.934	Y	N	0	nil
1	3	1985	1	0.854	N	N	0	nil
1	3	1985	2	0.831	N	N	0	nil
1	3	1985	3	0.788	N	N	0	nil
1	3	1985	4	0.876	N	N	0	nil
1	3	1985	5	0.84	N	N	0	nil
1	3	1985	6	0.79	N	N	0	nil
1	3	1985	7	0.872	N	N	0	nil
1	3	1985	8	0.75	N	N	0	nil
1	3	1985	9	1.049	Y	N	0	nil
1	3	1985	10	0.889	N	N	0	nil
1	3	1985	17	0.931	N	N	0	nil
1	3	1985	18	0.863	N	N	0	nil
2	3	1985	1	0.83	N	N	0	nil
2	3	1985	2	0.81	N	N	0	nil
2	3	1985	3	0.833	Y	N	0	nil
2	3	1985	4	0.858	N	N	0	nil
2	3	1985	5	0.818	N	N	0	nil
2	3	1985	6	0.871	Y	N	0	nil
2	3	1985	7	0.854	N	N	0	nil
2	3	1985	8	0.867	Y	N	0	nil

31

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
2	3	1985	9	1.028	N	N	0	nil
2	3	1985	10	0.86	N	N	0	nil
2	3	1985	17	0.883	N	N	0	nil
2	3	1985	18	0.807	N	N	0	nil
3	3	1985	1	0.804	N	N	0	nil
3	3	1985	2	0.763	N	N	0	nil
3	3	1985	3	0.802	N	N	0	nil
3	3	1985	4	0.834	N	N	0	nil
3	3	1985	5	0.79	N	N	0	nil
3	3	1985	6	0.85	N	N	0	nil
3	3	1985	7	0.833	N	N	0	nil
3	3	1985	8	0.833	N	N	0	nil
3	3	1985	9	1.002	N	N	0	nil
3	3	1985	10	0.825	N	N	0	nil
3	3	1985	17	0.834	N	N	0	nil
3	3	1985	18	0.758	N	N	0	nil
4	3	1985	1	0.777	N	N	0	nil
4	3	1985	2	0.723	N	N	0	nil
4	3	1985	3	0.775	N	N	0	nil
4	3	1985	4	0.813	N	N	0	nil
4	3	1985	5	0.767	N	N	0	nil
4	3	1985	6	0.832	N	N	0	nil
4	3	1985	7	0.812	N	N	0	nil
4	3	1985	8	0.796	N	N	0	nil
4	3	1985	9	0.986	N	N	0	nil
4	3	1985	10	0.798	N	N	0	nil
4	3	1985	17	0.792	N	N	0	nil
4	3	1985	18	0.706	N	N	0	nil
5	3	1985	1	0.751	N	N	0	nil
5	3	1985	2	0.679	N	N	0	nil
5	3	1985	3	0.746	N	N	0	nil
5	3	1985	4	0.792	N	N	0	nil
5	3	1985	5	0.743	N	N	0	nil
5	3	1985	6	0.813	N	N	0	nil
5	3	1985	7	0.794	N	N	0	nil
5	3	1985	8	0.762	N	N	0	nil
5	3	1985	9	0.961	N	N	0	nil
5	3	1985	10	0.769	N	N	0	nil
5	3	1985	17	0.751	N	N	0	nil
5	3	1985	18	0.66	N	N	0	nil
6	3	1985	1		Y	N	0	nil
6	3	1985	2		Y	N	0	nil
6	3	1985	3		Y	N	0	nil
6	3	1985	4	0.872	Y	N	0	nil
6	3	1985	5		Y	N	0	nil
6	3	1985	6	0.791	N	N	0	nil
6	3	1985	7	0.936	Y	N	0	nil

132

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
6	3	1985	8	0.867	Y	N	0	nil
6	3	1985	9	0.932	N	N	0	nil
6	3	1985	10	0.985	Y	N	0	nil
6	3	1985	17		Y	N	0	nil
6	3	1985	18		Y	N	0	nil
7	3	1985	1	0.897	Y	N	0	nil
7	3	1985	2	0.95	Y	N	0	nil
7	3	1985	3	0.85	Y	N	0	nil
7	3	1985	4	0.822	N	N	0	nil
7	3	1985	5	0.998	Y	N	0	nil
7	3	1985	6	0.998	Y	N	0	nil
7	3	1985	7	0.975	Y	N	0	nil
7	3	1985	8	0.969	Y	N	0	nil
7	3	1985	9	0.907	N	N	0	nil
7	3	1985	10	1.032	Y	N	0	nil
7	3	1985	17	0.952	Y	N	0	nil
7	3	1985	18	0.876	Y	N	0	nil
8	3	1985	1	0.867	N	N	0	nil
8	3	1985	2	0.899	N	N	0	nil
8	3	1985	3	0.816	N	N	0	nil
8	3	1985	4	0.797	N	N	0	nil
8	3	1985	5	0.967	N	N	0	nil
8	3	1985	6	0.95	N	N	0	nil
8	3	1985	7	0.943	N	N	0	nil
8	3	1985	8	0.958	N	N	0	nil
8	3	1985	9	0.88	N	N	0	nil
8	3	1985	10	0.998	N	N	0	nil
8	3	1985	17	0.897	N	N	0	nil
8	3	1985	18	0.816	N	N	0	nil
9	3	1985	1	0.841	N	N	0	nil
9	3	1985	2	0.857	N	N	0	nil
9	3	1985	3	0.789	N	N	0	nil
9	3	1985	4	0.777	N	N	0	nil
9	3	1985	5	0.943	N	N	0	nil
9	3	1985	6	0.932	N	N	0	nil
9	3	1985	7	0.924	N	N	0	nil
9	3	1985	8	0.924	N	N	0	nil
9	3	1985	9	0.86	N	N	0	nil
9	3	1985	10	0.965	N	N	0	nil
9	3	1985	17	0.854	N	N	0	nil
9	3	1985	18	0.767	N	N	0	nil
10	3	1985	1	0.811	N	N	0	nil
10	3	1985	2	0.814	N	N	0	nil
10	3	1985	3	0.802	Y	N	0	nil
10	3	1985	4	0.753	N	N	0	nil
10	3	1985	5	0.912	N	N	0	nil
10	3	1985	6	0.909	N	N	0	nil

233



Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
10	3	1985	7	0.902	N	N	0	nil
10	3	1985	8	0.888	N	N	0	nil
10	3	1985	9	0.836	N	N	0	nil
10	3	1985	10	0.934	N	N	0	nil
10	3	1985	17	0.811	N	N	0	nil
10	3	1985	18	0.875	Y	N	0	nil
11	3	1985	1	0.785	N	N	0	nil
11	3	1985	2	0.775	N	N	0	nil
11	3	1985	3	0.925	Y	N	0	nil
11	3	1985	4	0.949	Y	N	0	nil
11	3	1985	5	0.888	N	N	0	nil
11	3	1985	6	0.889	N	N	0	nil
11	3	1985	7	0.882	N	N	0	nil
11	3	1985	8	0.853	N	N	0	nil
11	3	1985	9	0.818	N	N	0	nil
11	3	1985	10	0.902	N	N	0	nil
11	3	1985	17	0.771	N	N	0	nil
11	3	1985	18	0.822	N	N	0	nil
12	3	1985	1	0.911	Y	N	0	nil
12	3	1985	2	0.907	Y	N	0	nil
12	3	1985	3	0.892	N	N	0	nil
12	3	1985	4	0.925	N	N	0	nil
12	3	1985	5	0.861	N	N	0	nil
12	3	1985	6	0.87	N	N	0	nil
12	3	1985	7	0.861	N	N	0	nil
12	3	1985	8	0.824	N	N	0	nil
12	3	1985	9	0.797	N	N	0	nil
12	3	1985	10	0.872	N	N	0	nil
12	3	1985	17	0.881	Y	N	0	nil
12	3	1985	18	0.775	N	N	0	nil
13	3	1985	1	0.887	N	N	0	nil
13	3	1985	2	0.87	N	N	0	nil
13	3	1985	3	0.867	N	N	0	nil
13	3	1985	4	0.908	N	N	0	nil
13	3	1985	5	0.84	N	N	0	nil
13	3	1985	6	0.857	N	N	0	nil
13	3	1985	7	0.847	N	N	0	nil
13	3	1985	8		N	N	0	nil
13	3	1985	9	0.959	Y	N	0	nil
13	3	1985	10	0.849	N	N	0	nil
13	3	1985	17	0.842	N	N	0	nil
13	3	1985	18	0.949	Y	N	0	nil
14	3	1985	1	0.863	N	N	0	nil
14	3	1985	2	0.836	N	N	0	nil
14	3	1985	3	0.842	N	N	0	nil
14	3	1985	4	0.887	N	N	0	nil
14	3	1985	5	0.819	N	N	0	nil

- 24

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
14	3	1985	6	0.842	N	N	0	nil
14	3	1985	7	0.83	N	N	0	nil
14	3	1985	8	0.774	N	N	0	nil
14	3	1985	9	0.942	N	N	0	nil
14	3	1985	10	0.824	N	N	0	nil
14	3	1985	17	0.803	N	N	0	nil
14	3	1985	18	0.889	N	N	0	nil
15	3	1985	1	0.838	N	N	0	nil
15	3	1985	2	0.801	N	N	0	nil
15	3	1985	3	0.816	N	N	0	nil
15	3	1985	4	0.868	N	N	0	nil
15	3	1985	5	0.797	N	N	0	nil
15	3	1985	6	0.827	N	N	0	nil
15	3	1985	7	0.814	N	N	0	nil
15	3	1985	8	0.766	Y	N	0	nil
15	3	1985	9	0.924	N	N	0	nil
15	3	1985	10		N	N	0	nil
15	3	1985	17	0.766	N	N	0	nil
15	3	1985	18	0.84	N	N	0	nil
16	3	1985	1	0.814	N	N	0	nil
16	3	1985	2	1.119	Y	N	0	nil
16	3	1985	3	0.791	N	N	0	nil
16	3	1985	4	0.846	N	N	0	nil
16	3	1985	5	1.049	Y	N	0	nil
16	3	1985	6	0.811	N	N	0	nil
16	3	1985	7	0.797	N	N	0	nil
16	3	1985	8	1.115	Y	N	0	nil
16	3	1985	9	0.904	N	N	0	nil
16	3	1985	10	1.218	Y	N	0	nil
16	3	1985	17	0.936	Y	N	0	nil
16	3	1985	18	0.795	N	N	0	nil
17	3	1985	1	0.791	N	N	0	nil
17	3	1985	2	1.056	N	N	0	nil
17	3	1985	3	0.822	Y	N	0	nil
17	3	1985	4	0.827	N	N	0	nil
17	3	1985	5	1.023	N	N	0	nil
17	3	1985	6	0.796	N	N	0	nil
17	3	1985	7	0.868	Y	N	0	nil
17	3	1985	8	1.078	N	N	0	nil
17	3	1985	9	0.884	N	N	0	nil
17	3	1985	10	1.175	N	N	0	nil
17	3	1985	17	0.888	N	N	0	nil
17	3	1985	18	0.802	Y	N	0	nil
18	3	1985	1	0.768	N	N	0	nil
18	3	1985	2	0.998	N	N	0	nil
18	3	1985	3	0.796	N	N	0	nil
18	3	1985	4	0.806	N	N	0	nil

275

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	PONDS	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
18	3	1985	5	0.996	N	N	0	nil
18	3	1985	6	0.779	N	N	0	nil
18	3	1985	7	0.849	N	N	0	nil
18	3	1985	8	1.038	N	N	0	nil
18	3	1985	9	0.863	N	N	0	nil
18	3	1985	10	1.126	N	N	0	nil
18	3	1985	17	0.843	N	N	0	nil
18	3	1985	18	0.761	N	N	0	nil
19	3	1985	1	0.746	N	N	0	nil
19	3	1985	2	0.949	N	N	0	nil
19	3	1985	3	0.772	N	N	0	nil
19	3	1985	4	0.791	N	N	0	nil
19	3	1985	5	0.97	N	N	0	nil
19	3	1985	6	0.764	N	N	0	nil
19	3	1985	7	0.832	N	N	0	nil
19	3	1985	8		N	N	0	nil
19	3	1985	9	0.844	N	N	0	nil
19	3	1985	10	1.076	N	N	0	nil
19	3	1985	17	0.803	N	N	0	nil
19	3	1985	18	0.721	N	N	0	nil
20	3	1985	1	1.081	Y	N	0	nil
20	3	1985	2	0.907	N	N	0	nil
20	3	1985	3	1.039	Y	N	0	nil
20	3	1985	4	1.09	Y	N	0	nil
20	3	1985	5	0.945	N	N	0	nil
20	3	1985	6	1.085	Y	N	0	nil
20	3	1985	7	0.816	N	N	0	nil
20	3	1985	8	0.963	N	N	0	nil
20	3	1985	9	0.825	N	N	0	nil
20	3	1985	10	1.037	N	N	0	nil
20	3	1985	17	0.768	N	N	0	nil
20	3	1985	18	1.008	Y	N	0	nil
21	3	1985	1	1.046	N	N	0	nil
21	3	1985	2	0.866	N	N	0	nil
21	3	1985	3	1.007	N	N	0	nil
21	3	1985	4	1.068	N	N	0	nil
21	3	1985	5	0.922	N	N	0	nil
21	3	1985	6	1.062	N	N	0	nil
21	3	1985	7		N	N	0	nil
21	3	1985	8	0.93	N	N	0	nil
21	3	1985	9	0.808	N	N	0	nil
21	3	1985	10	1.005	N	N	0	nil
21	3	1985	17	0.845	Y	N	0	nil
21	3	1985	18	0.934	N	N	0	nil
22	3	1985	1	1.012	N	N	0	nil
22	3	1985	2	0.83	N	N	0	nil
22	3	1985	3	0.975	N	N	0	nil

- 26

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
22	3	1985	4	1.042	N	N	0	nil
22	3	1985	5	0.897	N	N	0	nil
22	3	1985	6	1.041	N	N	0	nil
22	3	1985	7	0.94	Y	N	0	nil
22	3	1985	8	0.897	N	N	0	nil
22	3	1985	9	0.79	N	N	0	nil
22	3	1985	10	0.974	N	N	0	nil
22	3	1985	17	0.806	N	N	0	nil
22	3	1985	18	0.871	N	N	0	nil
23	3	1985	1	0.983	N	N	0	nil
23	3	1985	2	0.794	N	N	0	nil
23	3	1985	3	0.943	N	N	0	nil
23	3	1985	4	1.017	N	N	0	nil
23	3	1985	5	0.872	N	N	0	nil
23	3	1985	6	1.026	N	N	0	nil
23	3	1985	7	0.922	N	N	0	nil
23	3	1985	8	0.867	N	N	0	nil
23	3	1985	9	1.355	Y	Y	0	nil
23	3	1985	10	0.943	N	N	0	nil
23	3	1985	17	0.768	N	N	0	nil
23	3	1985	18	0.818	N	N	0	nil
24	3	1985	1	0.953	N	N	0	nil
24	3	1985	2	0.76	N	N	0	nil
24	3	1985	3	0.914	N	N	0	nil
24	3	1985	4	0.993	N	N	0	nil
24	3	1985	5	0.848	N	N	0	nil
24	3	1985	6	1.004	N	N	0	nil
24	3	1985	7	0.903	N	N	0	nil
24	3	1985	8	0.837	N	N	0	nil
24	3	1985	9	1.324	N	N	0	nil
24	3	1985	10	0.913	N	N	0	nil
24	3	1985	17	0.73	N	N	0	nil
24	3	1985	18	0.772	N	N	0	nil
25	3	1985	1	0.925	N	N	0	nil
25	3	1985	2	0.725	N	N	0	nil
25	3	1985	3	0.883	N	N	0	nil
25	3	1985	4	0.966	N	N	0	nil
25	3	1985	5	0.823	N	N	0	nil
25	3	1985	6	0.983	N	N	0	nil
25	3	1985	7	0.882	N	N	0	nil
25	3	1985	8	0.803	N	N	0	nil
25	3	1985	9	1.271	N	N	0	nil
25	3	1985	10	0.881	N	N	0	nil
25	3	1985	17	0.694	N	N	0	nil
25	3	1985	18	0.725	N	N	0	nil
26	3	1985	1	0.893	N	N	0	nil
26	3	1985	2	0.691	N	N	0	nil

37

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
26	3	1985	3	0.851	N	N	0	nil
26	3	1985	4	0.937	N	N	0	nil
26	3	1985	5	0.795	N	N	0	nil
26	3	1985	6	0.959	N	N	0	nil
26	3	1985	7	0.858	N	N	0	nil
26	3	1985	8	0.768	N	N	0	nil
26	3	1985	9	1.231	N	N	0	nil
26	3	1985	10	0.844	N	N	0	nil
26	3	1985	17	0.66	N	N	0	nil
26	3	1985	18	0.679	N	N	0	nil
27	3	1985	1	0.863	N	N	0	nil
27	3	1985	2	0.813	Y	N	0	nil
27	3	1985	3	0.817	N	N	0	nil
27	3	1985	4	0.906	N	N	0	nil
27	3	1985	5	0.892	Y	N	0	nil
27	3	1985	6	0.933	N	N	0	nil
27	3	1985	7	0.834	N	N	0	nil
27	3	1985	8	0.822	Y	N	0	nil
27	3	1985	9	1.192	N	N	0	nil
27	3	1985	10	0.805	N	N	0	nil
27	3	1985	17	0.772	Y	N	0	nil
27	3	1985	18	0.7654	Y	N	0	nil
28	3	1985	1	0.837	N	N	0	nil
28	3	1985	2	0.782	N	N	0	nil
28	3	1985	3	0.792	N	N	0	nil
28	3	1985	4	0.88	N	N	0	nil
28	3	1985	5	0.867	N	N	0	nil
28	3	1985	6	0.911	N	N	0	nil
28	3	1985	7	0.81	N	N	0	nil
28	3	1985	8	0.787	N	N	0	nil
28	3	1985	9	1.159	N	N	0	nil
28	3	1985	10	0.772	N	N	0	nil
28	3	1985	17	0.737	N	N	0	nil
28	3	1985	18	0.7134	N	N	0	nil
29	3	1985	1	0.811	N	N	0	nil
29	3	1985	2	0.881	Y	N	0	nil
29	3	1985	3	0.883	Y	N	0	nil
29	3	1985	4	0.853	N	N	0	nil
29	3	1985	5	0.84	N	N	0	nil
29	3	1985	6	0.888	N	N	0	nil
29	3	1985	7	0.787	N	N	0	nil
29	3	1985	8	0.856	Y	N	0	nil
29	3	1985	9	1.134	N	N	0	nil
29	3	1985	10		Y	N	0	nil
29	3	1985	17		Y	N	0	nil
29	3	1985	18		Y	N	0	nil
30	3	1985	1	0.789	N	N	0	nil

- 17p

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
30	3	1985	2	0.851	N	N	0	nil
30	3	1985	3	0.858	N	N	0	nil
30	3	1985	4	0.832	N	N	0	nil
30	3	1985	5	0.817	N	N	0	nil
30	3	1985	6	0.871	N	N	0	nil
30	3	1985	7	0.831	Y	N	0	nil
30	3	1985	8	0.824	N	N	0	nil
30	3	1985	9	1.103	N	N	0	nil
30	3	1985	10	0.813	Y	N	0	nil
30	3	1985	17	0.771	Y	N	0	nil
30	3	1985	18	0.69	Y	N	0	nil
31	3	1985	1	0.77	N	N	0	nil
31	3	1985	2	0.825	N	N	0	nil
31	3	1985	3	0.837	N	N	0	nil
31	3	1985	4	0.812	N	N	0	nil
31	3	1985	5	0.797	N	N	0	nil
31	3	1985	6	0.856	N	N	0	nil
31	3	1985	7	0.815	N	N	0	nil
31	3	1985	8	0.796	N	N	0	nil
31	3	1985	9	1.081	N	N	0	nil
31	3	1985	10	0.788	N	N	0	nil
31	3	1985	17	0.741	N	N	0	nil
31	3	1985	18	0.654	N	N	0	nil
1	4	1985	1	0.798	N	N	0	nil
1	4	1985	2	0.842	N	N	0	nil
1	4	1985	3	0.86	N	N	0	nil
1	4	1985	4	0.836	N	N	0	nil
1	4	1985	5	0.822	N	N	0	nil
1	4	1985	6	0.886	N	N	0	nil
1	4	1985	7	0.862	N	N	0	nil
1	4	1985	8	0.811	N	N	0	nil
1	4	1985	9	1.102	N	N	0	nil
1	4	1985	10	0.809	N	N	0	nil
1	4	1985	17	0.755	N	N	0	nil
1	4	1985	18	0.662	N	N	0	nil
2	4	1985	1	0.784	N	N	0	nil
2	4	1985	2	0.823	N	N	0	nil
2	4	1985	3	0.842	N	N	0	nil
2	4	1985	4	0.822	N	N	0	nil
2	4	1985	5	0.808	N	N	0	nil
2	4	1985	6	0.876	N	N	0	nil
2	4	1985	7	0.851	N	N	0	nil
2	4	1985	8	0.788	N	N	0	nil
2	4	1985	9	1.082	N	N	0	nil
2	4	1985	10	0.794	N	N	0	nil
2	4	1985	17	0.731	N	N	0	nil
2	4	1985	18	0.632	N	N	0	nil

79

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
3	4	1985	1		Y	N	0	nil
3	4	1985	2	0.816	N	N	0	nil
3	4	1985	3	0.84	N	N	0	nil
3	4	1985	4	0.823	N	N	0	nil
3	4	1985	5		Y	N	0	nil
3	4	1985	6	0.881	N	N	0	nil
3	4	1985	7	0.854	N	N	0	nil
3	4	1985	8		Y	N	0	nil
3	4	1985	9	1.078	N	N	0	nil
3	4	1985	10		Y	N	0	nil
3	4	1985	17		Y	N	0	nil
3	4	1985	18		Y	N	0	nil
4	4	1985	1		N	N	0	nil
4	4	1985	2	0.812	N	N	0	nil
4	4	1985	3	0.835	N	N	0	nil
4	4	1985	4	0.823	N	N	0	nil
4	4	1985	5		N	N	0	nil
4	4	1985	6	0.885	N	N	0	nil
4	4	1985	7	0.857	N	N	0	nil
4	4	1985	8		N	N	0	nil
4	4	1985	9	1.073	N	N	0	nil
4	4	1985	10		N	N	0	nil
4	4	1985	17		N	N	0	nil
4	4	1985	18		Y	N	0	nil
5	4	1985	1		N	N	0	nil
5	4	1985	2	0.785	N	N	0	nil
5	4	1985	3	0.808	N	N	0	nil
5	4	1985	4	0.798	N	N	0	nil
5	4	1985	5		N	N	0	nil
5	4	1985	6	0.864	N	N	0	nil
5	4	1985	7	0.828	N	N	0	nil
5	4	1985	8		N	N	0	nil
5	4	1985	9	1.041	N	N	0	nil
5	4	1985	10		N	N	0	nil
5	4	1985	17		N	N	0	nil
5	4	1985	18		N	N	0	nil
6	4	1985	1		N	N	0	nil
6	4	1985	2		Y	N	0	nil
6	4	1985	3	0.786	N	N	0	nil
6	4	1985	4		Y	N	0	nil
6	4	1985	5		N	N	0	nil
6	4	1985	6	0.848	N	N	0	nil
6	4	1985	7	0.818	N	N	0	nil
6	4	1985	8		N	N	0	nil
6	4	1985	9	1.017	N	N	0	nil
6	4	1985	10		N	N	0	nil
6	4	1985	17		Y	N	0	nil

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
6	4	1985	18		N	N	0	nil
7	4	1985	1		N	N	0	nil
7	4	1985	2		N	N	0	nil
7	4	1985	3	0.764	N	N	0	nil
7	4	1985	4		N	N	0	nil
7	4	1985	5		N	N	0	nil
7	4	1985	6	0.83	N	N	0	nil
7	4	1985	7	0.799	N	N	0	nil
7	4	1985	8		N	N	0	nil
7	4	1985	9	0.989	N	N	0	nil
7	4	1985	10		N	N	0	nil
7	4	1985	17		N	N	0	nil
7	4	1985	18		N	N	0	nil
8	4	1985	1		N	N	0	nil
8	4	1985	2		N	N	0	nil
8	4	1985	3	0.738	N	N	0	nil
8	4	1985	4		N	N	0	nil
8	4	1985	5		N	N	0	nil
8	4	1985	6	0.809	N	N	0	nil
8	4	1985	7	0.778	N	N	0	nil
8	4	1985	8		N	N	0	nil
8	4	1985	9	0.963	N	N	0	nil
8	4	1985	10		N	N	0	nil
8	4	1985	17		N	N	0	nil
8	4	1985	18		N	N	0	nil
9	4	1985	1		N	N	0	nil
9	4	1985	2		N	N	0	nil
9	4	1985	3	0.714	N	N	0	nil
9	4	1985	4		N	N	0	nil
9	4	1985	5		N	N	0	nil
9	4	1985	6	0.79	N	N	0	nil
9	4	1985	7	0.756	N	N	0	nil
9	4	1985	8		N	N	0	nil
9	4	1985	9	0.933	N	N	0	nil
9	4	1985	10		N	N	0	nil
9	4	1985	17		N	N	0	nil
9	4	1985	18		N	N	0	nil
10	4	1985	1		N	N	0	nil
10	4	1985	2		N	N	0	nil
10	4	1985	3	0.688	N	N	0	nil
10	4	1985	4		Y	N	0	nil
10	4	1985	5		N	N	0	nil
10	4	1985	6	0.769	N	N	0	nil
10	4	1985	7	0.735	N	N	0	nil
10	4	1985	8		N	N	0	nil
10	4	1985	9	0.903	N	N	0	nil
10	4	1985	10		N	N	0	nil

41



Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
10	4	1985	17		Y	N	0	nil
10	4	1985	18		Y	N	0	nil
11	4	1985	1		Y	N	0	nil
11	4	1985	2		Y	N	0	nil
11	4	1985	3		Y	N	0	nil
11	4	1985	4		Y	N	0	nil
11	4	1985	5		N	N	0	nil
11	4	1985	6		Y	N	0	nil
11	4	1985	7		Y	N	0	nil
11	4	1985	8		Y	N	0	nil
11	4	1985	9	0.875	N	N	0	nil
11	4	1985	10		Y	N	0	nil
11	4	1985	17		Y	N	0	nil
11	4	1985	18		Y	N	0	nil
12	4	1985	1		Y	N	0	nil
12	4	1985	2		Y	N	0	nil
12	4	1985	3		Y	N	0	nil
12	4	1985	4		N	N	0	nil
12	4	1985	5		N	N	0	nil
12	4	1985	6		N	N	0	nil
12	4	1985	7		Y	N	0	nil
12	4	1985	8		Y	N	0	nil
12	4	1985	9	0.854	N	N	0	nil
12	4	1985	10		Y	N	0	nil
12	4	1985	17		Y	N	0	nil
12	4	1985	18		Y	N	0	nil
13	4	1985	1		Y	N	0	nil
13	4	1985	2		N	N	0	nil
13	4	1985	3		Y	N	0	nil
13	4	1985	4		Y	N	0	nil
13	4	1985	5		N	N	0	nil
13	4	1985	6		Y	N	0	nil
13	4	1985	7		N	N	0	nil
13	4	1985	8		N	N	0	nil
13	4	1985	9	0.831	N	N	0	nil
13	4	1985	10		N	N	0	nil
13	4	1985	17		N	N	0	nil
13	4	1985	18		N	N	0	nil
14	4	1985	1		N	N	0	nil
14	4	1985	2		N	N	0	nil
14	4	1985	3		N	N	0	nil
14	4	1985	4		N	N	0	nil
14	4	1985	5		N	N	0	nil
14	4	1985	6		N	N	0	nil
14	4	1985	7		N	N	0	nil
14	4	1985	8		N	N	0	nil
14	4	1985	9	0.806	N	N	0	nil

42

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
14	4	1985	10		N	N	0	nil
14	4	1985	17		N	N	0	nil
14	4	1985	18		N	N	0	nil
15	4	1985	1		N	N	0	nil
15	4	1985	2		N	N	0	nil
15	4	1985	3		N	N	0	nil
15	4	1985	4		N	N	0	nil
15	4	1985	5		N	N	0	nil
15	4	1985	6		N	N	0	nil
15	4	1985	7		N	N	0	nil
15	4	1985	8		N	N	0	nil
15	4	1985	9	0.783	N	N	0	nil
15	4	1985	10		N	N	0	nil
15	4	1985	17		N	N	0	nil
15	4	1985	18		N	N	0	nil
16	4	1985	1		N	N	0	nil
16	4	1985	2		N	N	0	nil
16	4	1985	3		N	N	0	nil
16	4	1985	4		N	N	0	nil
16	4	1985	5		N	N	0	nil
16	4	1985	6		N	N	0	nil
16	4	1985	7		N	N	0	nil
16	4	1985	8		N	N	0	nil
16	4	1985	9	0.76	N	N	0	nil
16	4	1985	10		N	N	0	nil
16	4	1985	17		N	N	0	nil
16	4	1985	18		N	N	0	nil
17	4	1985	1		N	N	0	nil
17	4	1985	2		N	N	0	nil
17	4	1985	3		N	N	0	nil
17	4	1985	4		N	N	0	nil
17	4	1985	5		Y	N	0	nil
17	4	1985	6		N	N	0	nil
17	4	1985	7		N	N	0	nil
17	4	1985	8		Y	N	0	nil
17	4	1985	9		Y	N	0	nil
17	4	1985	10		Y	N	0	nil
17	4	1985	17		N	N	0	nil
17	4	1985	18		Y	N	0	nil
18	4	1985	1		N	N	0	nil
18	4	1985	2		N	N	0	nil
18	4	1985	3		N	N	0	nil
18	4	1985	4		N	N	0	nil
18	4	1985	5		Y	N	0	nil
18	4	1985	6		N	N	0	nil
18	4	1985	7		N	N	0	nil
18	4	1985	8		Y	N	0	nil

43

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
18	4	1985	9		Y	N	0	nil
18	4	1985	10		Y	N	0	nil
18	4	1985	17		N	N	0	nil
18	4	1985	18		Y	N	0	nil
19	4	1985	1		Y	N	0	nil
19	4	1985	2		Y	N	0	nil
19	4	1985	3		Y	N	0	nil
19	4	1985	4		Y	N	0	nil
19	4	1985	5		N	N	0	nil
19	4	1985	6		Y	N	0	nil
19	4	1985	7		N	N	0	nil
19	4	1985	8		N	N	0	nil
19	4	1985	9		Y	N	0	nil
19	4	1985	10		N	N	0	nil
19	4	1985	17		Y	N	0	nil
19	4	1985	18		N	N	0	nil
20	4	1985	1		N	N	0	nil
20	4	1985	2		N	N	0	nil
20	4	1985	3		N	N	0	nil
20	4	1985	4		N	N	0	nil
20	4	1985	5		N	N	0	nil
20	4	1985	6		N	N	0	nil
20	4	1985	7		Y	N	0	nil
20	4	1985	8		N	N	0	nil
20	4	1985	9		N	N	0	nil
20	4	1985	10		N	N	0	nil
20	4	1985	17		N	N	0	nil
20	4	1985	18		N	N	0	nil
21	4	1985	1		N	N	0	nil
21	4	1985	2		N	N	0	nil
21	4	1985	3		N	N	0	nil
21	4	1985	4		N	N	0	nil
21	4	1985	5		N	N	0	nil
21	4	1985	6		N	N	0	nil
21	4	1985	7		N	N	0	nil
21	4	1985	8		N	N	0	nil
21	4	1985	9		N	N	0	nil
21	4	1985	10		N	N	0	nil
21	4	1985	17		N	N	0	nil
21	4	1985	18		N	N	0	nil
22	4	1985	1		N	N	0	nil
22	4	1985	2		N	N	0	nil
22	4	1985	3		N	N	0	nil
22	4	1985	4		N	N	0	nil
22	4	1985	5		N	N	0	nil
22	4	1985	6		N	N	0	nil
22	4	1985	7		N	N	0	nil

44

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
22	4	1985	8		N	N	0	nil
22	4	1985	9		N	N	0	nil
22	4	1985	10		N	N	0	nil
22	4	1985	17		N	N	0	nil
22	4	1985	18		N	N	0	nil
23	4	1985	1		N	N	0	nil
23	4	1985	2		N	N	0	nil
23	4	1985	3		N	N	0	nil
23	4	1985	4		N	N	0	nil
23	4	1985	5		N	N	0	nil
23	4	1985	6		N	N	0	nil
23	4	1985	7		N	N	0	nil
23	4	1985	8		N	N	0	nil
23	4	1985	9		N	N	0	nil
23	4	1985	10		N	N	0	nil
23	4	1985	17		N	N	0	nil
23	4	1985	18		N	N	0	nil
24	4	1985	1		N	N	0	nil
24	4	1985	2		N	N	0	nil
24	4	1985	3		N	N	0	nil
24	4	1985	4		N	N	0	nil
24	4	1985	5		N	N	0	nil
24	4	1985	6		N	N	0	nil
24	4	1985	7		Y	N	0	nil
24	4	1985	8		N	N	0	nil
24	4	1985	9		N	N	0	nil
24	4	1985	10		Y	N	0	nil
24	4	1985	17		Y	N	0	nil
24	4	1985	18		Y	N	0	nil
25	4	1985	1		N	N	0	nil
25	4	1985	2		N	N	0	nil
25	4	1985	3		N	N	0	nil
25	4	1985	4		N	N	0	nil
25	4	1985	5		N	N	0	nil
25	4	1985	6		N	N	0	nil
25	4	1985	7		N	N	0	nil
25	4	1985	8		N	N	0	nil
25	4	1985	9		Y	N	0	nil
25	4	1985	10		N	N	0	nil
25	4	1985	17		N	N	0	nil
25	4	1985	18		N	N	0	nil
26	4	1985	1		N	N	0	nil
26	4	1985	2		N	N	0	nil
26	4	1985	3		N	N	0	nil
26	4	1985	4		N	N	0	nil
26	4	1985	5		N	N	0	nil
26	4	1985	6		N	N	0	nil

45

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
26	4	1985	7		N	N	0	nil
26	4	1985	8		N	N	0	nil
26	4	1985	9		N	N	0	nil
26	4	1985	10		N	N	0	nil
26	4	1985	17		N	N	0	nil
26	4	1985	18		N	N	0	nil
27	4	1985	1		N	N	0	nil
27	4	1985	2		N	N	0	nil
27	4	1985	3		N	N	0	nil
27	4	1985	4		N	N	0	nil
27	4	1985	5		N	N	0	nil
27	4	1985	6		N	N	0	nil
27	4	1985	7		N	N	0	nil
27	4	1985	8		N	N	0	nil
27	4	1985	9		N	N	0	nil
27	4	1985	10		N	N	0	nil
27	4	1985	17		N	N	0	nil
27	4	1985	18		N	N	0	nil
28	4	1985	1		N	N	0	nil
28	4	1985	2		N	N	0	nil
28	4	1985	3		N	N	0	nil
28	4	1985	4		N	N	0	nil
28	4	1985	5		N	N	0	nil
28	4	1985	6		N	N	0	nil
28	4	1985	7		N	N	0	nil?
28	4	1985	8		N	N	0	nil
28	4	1985	9		N	N	0	nil
28	4	1985	10		N	N	0	nil
28	4	1985	17		N	N	0	nil
28	4	1985	18		N	N	0	nil
29	4	1985	1		N	N	0	nil
29	4	1985	2		N	N	0	nil
29	4	1985	3		N	N	0	nil
29	4	1985	4		N	N	0	nil
29	4	1985	5		N	N	0	nil
29	4	1985	6		N	N	0	nil
29	4	1985	7		N	N	0	nil
29	4	1985	8		N	N	0	nil
29	4	1985	9		N	N	0	nil
29	4	1985	10		N	N	0	nil
29	4	1985	17		N	N	0	nil
29	4	1985	18		N	N	0	nil
30	4	1985	1		N	N	0	nil
30	4	1985	2		N	N	0	nil
30	4	1985	3		N	N	0	nil
30	4	1985	4		N	N	0	nil
30	4	1985	5		N	N	0	nil

-46

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
30	4	1985	6		N	N	0	nil
30	4	1985	7		N	N	0	nil
30	4	1985	8		N	N	0	nil
30	4	1985	9		N	N	0	nil
30	4	1985	10		N	N	0	nil
30	4	1985	17		Y	N	0	nil
30	4	1985	18		Y	N	0	nil
1	5	1985	1	0.769	N	N	0	nil
1	5	1985	2	0.86	N	N	0	nil
1	5	1985	3	0.916	N	N	0	nil
1	5	1985	4	0.911	N	N	0	nil
1	5	1985	5	0.934	N	N	0	nil
1	5	1985	6	0.78	N	N	0	nil
1	5	1985	7	0.887	N	N	0	nil
1	5	1985	8	0.961	N	N	0	nil
1	5	1985	9	0.958	N	N	0	nil
1	5	1985	10	1.003	N	N	0	nil
1	5	1985	17	0.872	Y	N	0	nil
1	5	1985	18	0.839	Y	N	0	nil
2	5	1985	1	0.784	N	N	0	nil
2	5	1985	2	0.875	N	N	0	nil
2	5	1985	3	0.933	N	N	0	nil
2	5	1985	4	0.926	N	N	0	nil
2	5	1985	5	0.95	N	N	0	nil
2	5	1985	6	0.793	N	N	0	nil
2	5	1985	7	0.905	N	N	0	nil
2	5	1985	8	0.982	N	N	0	nil
2	5	1985	9	0.974	N	N	0	nil
2	5	1985	10	1.023	N	N	0	nil
2	5	1985	17	0.903	N	N	0	nil
2	5	1985	18	0.883	N	N	0	nil
7	5	1985	1	0.849	Y	N	0	nil
7	5	1985	2	0.978	N	N	0	nil
7	5	1985	3	0.97	Y	N	0	nil
7	5	1985	4	0.961	Y	N	0	nil
7	5	1985	5	0.857	Y	N	0	nil
7	5	1985	6	0.84	Y	N	0	nil
7	5	1985	7	0.833	Y	N	0	nil
7	5	1985	8	0.915	Y	N	0	nil
7	5	1985	9	0.958	Y	N	0	nil
7	5	1985	10	1.038	Y	N	0	nil
7	5	1985	17	0.96	Y	N	0	nil
7	5	1985	18	0.845	Y	N	0	nil
8	5	1985	1	0.814	N	N	0	nil
8	5	1985	2	0.942	N	N	0	nil
8	5	1985	3	0.937	N	N	0	nil
8	5	1985	4	0.925	N	N	0	nil

47

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
8	5	1985	5	0.824	N	N	0	nil
8	5	1985	6	0.801	N	N	0	nil
8	5	1985	7	0.855	N	N	0	nil
8	5	1985	8	0.884	N	N	0	nil
8	5	1985	9	0.906	N	N	0	nil
8	5	1985	10	0.995	N	N	0	nil
8	5	1985	17	0.932	N	N	0	nil
8	5	1985	18	0.844	N	N	0	nil
9	5	1985	1	0.729	N	N	0	nil
9	5	1985	2	0.85	N	N	0	nil
9	5	1985	3	0.844	N	N	0	nil
9	5	1985	4	0.828	N	N	0	nil
9	5	1985	5	0.735	N	N	0	nil
9	5	1985	6	0.718	N	N	0	nil
9	5	1985	7	0.759	N	N	0	nil
9	5	1985	8	0.787	N	N	0	nil
9	5	1985	9	0.786	Y	N	0	nil
9	5	1985	10	0.877	N	N	0	nil
9	5	1985	17	0.838	N	N	0	nil
9	5	1985	18	0.789	N	N	0	nil
10	5	1985	1	0.741	N	N	0	nil
10	5	1985	2	0.869	N	N	0	nil
10	5	1985	3	0.865	N	N	0	nil
10	5	1985	4	0.844	N	N	0	nil
10	5	1985	5	0.751	N	N	0	nil
10	5	1985	6	0.725	N	N	0	nil
10	5	1985	7	0.776	N	N	0	nil
10	5	1985	8	0.811	N	N	0	nil
10	5	1985	9		N	N	0	nil
10	5	1985	10	0.896	N	N	0	nil
10	5	1985	17	0.873	N	N	0	nil
10	5	1985	18	0.842	N	N	0	nil
13	5	1985	1	0.69	N	N	0	nil
13	5	1985	2	0.814	N	N	0	nil
13	5	1985	3	0.82	N	N	0	nil
13	5	1985	4	0.79	N	N	0	nil
13	5	1985	5	0.71	N	N	0	nil
13	5	1985	6	0.675	N	N	0	nil
13	5	1985	7	0.727	N	N	0	nil
13	5	1985	8	0.772	N	N	0	nil
13	5	1985	9	0.73	N	N	0	nil
13	5	1985	10	0.835	N	N	0	nil
13	5	1985	17	0.848	N	N	0	nil
13	5	1985	18	0.86	N	N	0	nil
14	5	1985	1	0.708	N	N	0	nil
14	5	1985	2	0.832	N	N	0	nil
14	5	1985	3	0.842	N	N	0	nil

48

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
14	5	1985	4	0.808	N	N	0	nil
14	5	1985	5	0.73	N	N	0	nil
14	5	1985	6	0.692	N	N	0	nil
14	5	1985	7	0.741	N	N	0	nil
14	5	1985	8	0.794	N	N	0	nil
14	5	1985	9	0.746	N	N	0	nil
14	5	1985	10	0.849	N	N	0	nil
14	5	1985	17	0.878	N	N	0	nil
14	5	1985	18		N	N	0	nil
16	5	1985	1	0.744	N	N	0	nil
16	5	1985	2	0.87	N	N	0	nil
16	5	1985	3	0.885	N	N	0	nil
16	5	1985	4	0.844	N	N	0	nil
16	5	1985	5	0.769	N	N	0	nil
16	5	1985	6	0.726	N	N	0	nil
16	5	1985	7	0.782	N	N	0	nil
16	5	1985	8	0.845	N	N	0	nil
16	5	1985	9	0.779	N	N	0	nil
16	5	1985	10	0.894	N	N	0	nil
16	5	1985	17	0.939	N	N	0	nil
16	5	1985	18	0.982	N	N	0	nil
20	5	1985	1	0.789	N	N	0	nil
20	5	1985	2	0.917	N	N	0	nil
20	5	1985	3	0.945	N	N	0	nil
20	5	1985	4	0.896	N	N	0	nil
20	5	1985	5	0.828	N	N	0	nil
20	5	1985	6	0.774	N	N	0	nil
20	5	1985	7	0.839	N	N	0	nil
20	5	1985	8	0.925	N	N	0	nil
20	5	1985	9	0.836	N	N	0	nil
20	5	1985	10	0.966	N	N	0	nil
20	5	1985	17	1.028	N	N	0	nil
20	5	1985	18	1.102	N	N	0	nil



Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
15	7	1985	1	0.823	N	N		nil
15	7	1985	2	0.851	N	N		nil
15	7	1985	3	0.799	N	N		nil
15	7	1985	4	0.919	N	N		nil
15	7	1985	5	0.962	N	N		nil
15	7	1985	6	0.913	N	N		nil
15	7	1985	7	0.958	N	N		nil
15	7	1985	8	0.98	N	N		nil
15	7	1985	9	1.099	N	N		nil
15	7	1985	10	0.976	N	N		nil
15	7	1985	17	0.73	N	N		nil
15	7	1985	18	0.81	N	N		nil
16	7	1985	1	0.809	N	N		nil
16	7	1985	2	0.838	N	N		nil
16	7	1985	3	0.785	N	N		nil
16	7	1985	4	0.909	N	N		nil
16	7	1985	5	0.948	N	N		nil
16	7	1985	6	0.904	N	N		nil
16	7	1985	7	0.946	N	N		nil
16	7	1985	8	0.956	N	N		nil
16	7	1985	9	1.084	N	N		nil
16	7	1985	10	0.961	N	N		nil
16	7	1985	17	0.705	N	N		nil
16	7	1985	18	0.778	N	N		nil
17	7	1985	1	0.818	N	N		nil
17	7	1985	2	0.846	N	N		nil
17	7	1985	3	0.791	N	N		nil
17	7	1985	4	0.918	N	N		nil
17	7	1985	5	0.955	N	N		nil
17	7	1985	6	0.914	N	N		nil
17	7	1985	7	0.959	N	N		nil
17	7	1985	8	0.959	N	N		nil
17	7	1985	9	0.65	N	N		nil
17	7	1985	10	0.974	N	N		nil
17	7	1985	17	0.702	N	N		nil
17	7	1985	18	0.773	N	N		nil
18	7	1985	1	0.949	Y	N		nil
18	7	1985	2	1.09	Y	N		nil
18	7	1985	3	1.01	Y	N		nil
18	7	1985	4	0.91	N	N		nil
18	7	1985	5	0.944	N	N		nil
18	7	1985	6	0.908	N	N		nil
18	7	1985	7	0.951	N	N		nil
18	7	1985	8	0.938	N	N		nil
18	7	1985	9	1.089	N	N		nil
18	7	1985	10	0.961	N	N		nil

50

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
18	7	1985	17	0.95	Y	N		nil
18	7	1985	18	0.896	Y	N		nil
19	7	1985	1	0.933	N	N		nil
19	7	1985	2	1.069	N	N		nil
19	7	1985	3	0.991	N	N		nil
19	7	1985	4	0.898	N	N		nil
19	7	1985	5	0.928	N	N		nil
19	7	1985	6	0.895	N	N		nil
19	7	1985	7	0.94	N	N		nil
19	7	1985	8	0.914	N	N		nil
19	7	1985	9	1.073	N	N		nil
19	7	1985	10	0.944	N	N		nil
19	7	1985	17	0.864	N	N		nil
19	7	1985	18	0.912	N	N		nil
23	7	1985	1	0.886	N	N		nil
23	7	1985	2	1.006	N	N		nil
23	7	1985	3	0.933	N	N		nil
23	7	1985	4	0.868	N	N		nil
23	7	1985	5	0.885	N	N		nil
23	7	1985	6	0.867	N	N		nil
23	7	1985	7	0.912	N	N		nil
23	7	1985	8	0.84	N	N		nil
23	7	1985	9	1.037	N	N		nil
23	7	1985	10	0.895	N	N		nil
23	7	1985	17	0.769	N	N		nil
23	7	1985	18	0.82	N	N		nil
24	7	1985	1	0.872	N	N		nil
24	7	1985	2	0.988	N	N		nil
24	7	1985	3	0.915	N	N		nil
24	7	1985	4	0.858	N	N		nil
24	7	1985	5	0.871	N	N		nil
24	7	1985	6	0.857	N	N		nil
24	7	1985	7	0.903	N	N		nil
24	7	1985	8	0.819	N	N		nil
24	7	1985	9	1.024	N	N		nil
24	7	1985	10	0.879	N	N		nil
24	7	1985	17	0.743	N	N		nil
24	7	1985	18	0.776	N	N		nil
25	7	1985	1	0.908	Y	N		nil
25	7	1985	2	0.984	N	N		nil
25	7	1985	3	0.91	N	N		nil
25	7	1985	4	0.971	Y	N		nil
25	7	1985	5	0.879	Y	N		nil
25	7	1985	6	0.959	Y	N		nil
25	7	1985	7	0.939	Y	N		nil
25	7	1985	8	0.925	Y	N		nil
25	7	1985	9	1.029	N	N		nil

51

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
25	7	1985	10	0.927	Y	N		nil
25	7	1985	17	0.851	Y	N		nil
25	7	1985	18	0.988	Y	N		nil
26	7	1985	1	0.895	N	N		nil
26	7	1985	2	0.969	N	N		nil
26	7	1985	3	0.897	N	N		nil
26	7	1985	4	0.961	N	N		nil
26	7	1985	5	0.916	N	N		nil
26	7	1985	6	0.951	N	N		nil
26	7	1985	7	0.933	N	N		nil
26	7	1985	8	0.907	N	N		nil
26	7	1985	9	1.019	N	N		nil
26	7	1985	10	0.915	N	N		nil
26	7	1985	17	1.057	Y	N		nil
26	7	1985	18	0.952	N	N		nil
29	7	1985	1	0.851	N	N		nil
29	7	1985	2	0.923	N	N		nil
29	7	1985	3	0.848	N	N		nil
29	7	1985	4	0.924	N	N		nil
29	7	1985	5	0.871	N	N		nil
29	7	1985	6	0.919	N	N		nil
29	7	1985	7	0.904	N	N		nil
29	7	1985	8	0.843	N	N		nil
29	7	1985	9	0.979	N	N		nil
29	7	1985	10	0.867	N	N		nil
29	7	1985	17	0.949	N	N		nil
29	7	1985	18	0.856	N	N		nil
1	8	1985	1	0.861	N	N		nil
1	8	1985	2	0.928	N	N		nil
1	8	1985	3	0.853	N	N		nil
1	8	1985	4	0.94	N	N		nil
1	8	1985	5	0.882	N	N		nil
1	8	1985	6	0.943	N	N		nil
1	8	1985	7	0.932	N	N		nil
1	8	1985	8	0.838	N	N		nil
1	8	1985	9	1.006	N	N		nil
1	8	1985	10	0.891	N	N		nil
1	8	1985	17	0.918	N	N		nil
1	8	1985	18	0.827	N	N		nil
2	8	1985	1	0.872	N	N		nil
2	8	1985	2	0.941	N	N		nil
2	8	1985	3	0.865	N	N		nil
2	8	1985	4	0.955	N	N		nil
2	8	1985	5	0.891	N	N		nil
2	8	1985	6	0.961	N	N		nil
2	8	1985	7	0.953	N	N		nil
2	8	1985	8	0.848	N	N		nil

52

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
2	8	1985	9	1.029	N	N		nil
2	8	1985	10	0.913	N	N		nil
2	8	1985	17	0.922	N	N		nil
2	8	1985	18	0.828	N	N		nil
5	8	1985	1	0.842	N	N		nil
5	8	1985	2	0.906	N	N		nil
5	8	1985	3	0.828	N	N		nil
5	8	1985	4	0.925	N	N		nil
5	8	1985	5	0.86	N	N		nil
5	8	1985	6	0.938	N	N		nil
5	8	1985	7	0.931	N	N		nil
5	8	1985	8	0.793	N	N		nil
5	8	1985	9	0.996	N	N		nil
5	8	1985	10	0.877	N	N		nil
5	8	1985	17	0.854	N	N		nil
5	8	1985	18	0.758	N	N		nil
6	8	1985	1	0.828	N	N		nil
6	8	1985	2	0.89	N	N		nil
6	8	1985	3	0.812	N	N		nil
6	8	1985	4	0.912	N	N		nil
6	8	1985	5	0.843	N	N		nil
6	8	1985	6	0.925	N	N		nil
6	8	1985	7	0.918	N	N		nil
6	8	1985	8	0.77	N	N		nil
6	8	1985	9	0.98	N	N		nil
6	8	1985	10	0.861	N	N		nil
6	8	1985	17	0.828	N	N		nil
6	8	1985	18	0.733	N	N		nil
8	8	1985	1	0.948	Y	N		nil
8	8	1985	2	0.861	N	N		nil
8	8	1985	3	0.86	Y	N		nil
8	8	1985	4	0.885	N	N		nil
8	8	1985	5	0.901	Y	N		nil
8	8	1985	6	0.902	N	N		nil
8	8	1985	7	0.894	N	N		nil
8	8	1985	8	1.057	Y	N		nil
8	8	1985	9	0.942	N	N		nil
8	8	1985	10	0.985	Y	N		nil
8	8	1985	17	0.986	Y	N		nil
8	8	1985	18	0.992	Y	N		nil
9	8	1985	1	1.007	N	N		nil
9	8	1985	2	0.92	N	N		nil
9	8	1985	3	0.916	N	N		nil
9	8	1985	4	0.944	N	N		nil
9	8	1985	5	0.958	N	N		nil
9	8	1985	6	0.966	N	N		nil
9	8	1985	7	0.958	N	N		nil

63

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
9	8	1985	8	1.05	N	Y		nil
9	8	1985	9	1.02	N	N		nil
9	8	1985	10	1.049	N	N		nil
9	8	1985	17	1.041	N	N		nil
9	8	1985	18	1.017	N	N		nil
12	8	1985	1	0.977	N	N		nil
12	8	1985	2	0.893	N	N		nil
12	8	1985	3	0.883	N	N		nil
12	8	1985	4	0.919	N	N		nil
12	8	1985	5	0.928	N	N		nil
12	8	1985	6	0.948	N	N		nil
12	8	1985	7	0.94	N	N		nil
12	8	1985	8	1.05	N	Y		nil
12	8	1985	9	0.995	N	N		nil
12	8	1985	10	1.02	N	N		nil
12	8	1985	17	0.969	N	N		nil
12	8	1985	18	0.926	N	N		nil
14	8	1985	1	0.949	N	N		nil
14	8	1985	2	0.864	N	N		nil
14	8	1985	3	0.85	N	N		nil
14	8	1985	4	0.892	N	N		nil
14	8	1985	5	0.894	N	N		nil
14	8	1985	6	0.925	N	N		nil
14	8	1985	7	0.917	N	N		nil
14	8	1985	8	1.028	N	N		nil
14	8	1985	9	0.966	N	N		nil
14	8	1985	10	0.987	N	N		nil
14	8	1985	17	0.916	N	N		nil
14	8	1985	18	0.87	N	N		nil
15	8	1985	1	0.938	N	N		nil
15	8	1985	2	0.854	N	N		nil
15	8	1985	3	0.839	N	N		nil
15	8	1985	4	0.883	N	N		nil
15	8	1985	5	0.881	N	N		nil
15	8	1985	6	0.917	N	N		nil
15	8	1985	7	0.909	N	N		nil
15	8	1985	8	1.011	N	N		nil
15	8	1985	9	0.955	N	N		nil
15	8	1985	10	0.973	N	N		nil
15	8	1985	17	0.896	N	N		nil
15	8	1985	18	0.847	N	N		nil
16	8	1985	1	0.937	N	N		nil
16	8	1985	2	0.854	N	N		nil
16	8	1985	3	0.836	N	N		nil
16	8	1985	4	0.883	N	N		nil
16	8	1985	5	0.878	N	N		nil
16	8	1985	6	0.919	N	N		nil

- 54

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
16	8	1985	7	0.91	N	N		nil
16	8	1985	8	1.006	N	N		nil
16	8	1985	9	0.955	N	N		nil
16	8	1985	10	0.97	N	N		nil
16	8	1985	17	0.89	N	N		nil
16	8	1985	18	0.836	N	N		nil
19	8	1985	1	0.975	N	N		nil
19	8	1985	2	0.894	N	N		nil
19	8	1985	3	0.873	N	N		nil
19	8	1985	4	0.929	N	N		nil
19	8	1985	5	0.918	N	N		nil
19	8	1985	6	0.976	N	N		nil
19	8	1985	7	0.968	N	N		nil
19	8	1985	8	1.035	N	N		nil
19	8	1985	9	1.02	N	N		nil
19	8	1985	10	1.031	N	N		nil
19	8	1985	17	0.919	N	N		nil
19	8	1985	18	0.862	N	N		nil
20	8	1985	1	1.018	N	N		nil
20	8	1985	2	0.936	N	N		nil
20	8	1985	3	0.915	N	N		nil
20	8	1985	4	0.97	N	N		nil
20	8	1985	5	0.951	N	N		nil
20	8	1985	6	1.02	N	N		nil
20	8	1985	7	1.015	N	N		nil
20	8	1985	8	1.069	N	N		nil
20	8	1985	9	1.078	N	N		nil
20	8	1985	10	1.079	N	N		nil
20	8	1985	17	0.97	N	N		nil
20	8	1985	18		N	N		nil
22	8	1985	1	0.994	N	N		nil
22	8	1985	2	0.916	N	N		nil
22	8	1985	3	0.891	N	N		nil
22	8	1985	4	0.952	N	N		nil
22	8	1985	5	0.936	N	N		nil
22	8	1985	6	1.006	N	N		nil
22	8	1985	7	0.998	N	N		nil
22	8	1985	8	1.034	N	N		nil
22	8	1985	9	1.057	N	N		nil
22	8	1985	10	1.057	N	N		nil
22	8	1985	17	0.928	N	N		nil
22	8	1985	18	0.862	N	N		nil
23	8	1985	1	0.977	N	N		nil
23	8	1985	2		N	N		nil
23	8	1985	3	0.873	N	N		nil
23	8	1985	4	0.935	N	N		nil
23	8	1985	5	0.918	N	N		nil

59

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
23	8	1985	6	0.993	N	N		nil
23	8	1985	7	0.984	N	N		nil
23	8	1985	8	1.009	N	N		nil
23	8	1985	9	1.042	N	N		nil
23	8	1985	10	1.042	N	N		nil
23	8	1985	17	0.901	N	N		nil
23	8	1985	18	0.839	N	N		nil
26	8	1985	1	1.019	N	N		nil
26	8	1985	2	0.946	N	N		nil
26	8	1985	3	0.909	N	N		nil
26	8	1985	4	0.977	N	N		nil
26	8	1985	5	0.954	N	N		nil
26	8	1985	6	1.042	N	N		nil
26	8	1985	7	1.032	N	N		nil
26	8	1985	8	1.029	N	N		nil
26	8	1985	9	1.098	N	N		nil
26	8	1985	10	1.085	N	N		nil
26	8	1985	17	0.943	N	N		nil
26	8	1985	18	0.868	N	N		nil
27	8	1985	1	1.009	N	N		nil
27	8	1985	2	0.931	N	N		nil
27	8	1985	3	0.898	N	N		nil
27	8	1985	4	0.968	N	N		nil
27	8	1985	5	0.944	N	N		nil
27	8	1985	6	1.035	N	N		nil
27	8	1985	7	1.024	N	N		nil
27	8	1985	8	1.013	N	N		nil
27	8	1985	9	1.09	N	N		nil
27	8	1985	10	1.063	N	N		nil
27	8	1985	17	0.924	N	N		nil
27	8	1985	18	0.853	N	N		nil
28	8	1985	1	1.019	N	N		nil
28	8	1985	2	0.942	N	N		nil
28	8	1985	3	0.906	N	N		nil
28	8	1985	4	0.98	N	N		nil
28	8	1985	5	0.953	N	N		nil
28	8	1985	6	1.048	N	N		nil
28	8	1985	7	1.037	N	N		nil
28	8	1985	8	1.018	N	N		nil
28	8	1985	9	1.105	N	N		nil
28	8	1985	10	1.086	N	N		nil
28	8	1985	17	0.932	N	N		nil
28	8	1985	18	0.86	N	N		nil
29	8	1985	1	1.008	N	N		nil
29	8	1985	2	0.932	N	N		nil
29	8	1985	3	0.894	N	N		nil
29	8	1985	4	0.97	N	N		nil

52

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
29	8	1985	5	0.941	N	N		nil
29	8	1985	6	1.04	N	N		nil
29	8	1985	7	1.03	N	N		nil
29	8	1985	8	1.002	N	N		nil
29	8	1985	9	1.096	N	N		nil
29	8	1985	10	1.073	N	N		nil
29	8	1985	17	0.914	N	N		nil
29	8	1985	18	0.846	N	N		nil
30	8	1985	1	1.003	N	N		nil
30	8	1985	2	0.926	N	N		nil
30	8	1985	3	0.888	N	N		nil
30	8	1985	4	0.967	N	N		nil
30	8	1985	5	0.934	N	N		nil
30	8	1985	6	1.039	N	N		nil
30	8	1985	7	1.026	N	N		nil
30	8	1985	8	0.992	N	N		nil
30	8	1985	9	1.094	N	N		nil
30	8	1985	10	1.072	N	N		nil
30	8	1985	17	0.901	N	N		nil
30	8	1985	18	1.035	Y	N		nil
3	9	1985	1	0.977	N	N		nil
3	9	1985	2		N	N		nil
3	9	1985	3	0.852	N	N		nil
3	9	1985	4	0.944	N	N		nil
3	9	1985	5	0.902	N	N		nil
3	9	1985	6	1.019	N	N		nil
3	9	1985	7	1.002	N	N		nil
3	9	1985	8	0.938	N	N		nil
3	9	1985	9	1.068	N	N		nil
3	9	1985	10	1.042	N	N		nil
3	9	1985	17	0.853	N	N		nil
3	9	1985	18	0.959	N	N		nil
4	9	1985	1	0.995	N	N		nil
4	9	1985	2	0.917	N	N		nil
4	9	1985	3	0.868	N	N		nil
4	9	1985	4	0.96	N	N		nil
4	9	1985	5	0.918	N	N		nil
4	9	1985	6	1.039	N	N		nil
4	9	1985	7	1.021	N	N		nil
4	9	1985	8	0.951	N	N		nil
4	9	1985	9	1.091	N	N		nil
4	9	1985	10	1.057	N	N		nil
4	9	1985	17	0.871	N	N		nil
4	9	1985	18	0.967	N	N		nil
5	9	1985	1	1.006	N	N		nil
5	9	1985	2	0.928	N	N		nil
5	9	1985	3	0.878	N	N		nil

517



Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
5	9	1985	4	0.974	N	N		nil
5	9	1985	5	0.929	N	N		nil
5	9	1985	6	1.053	N	N		nil
5	9	1985	7	1.036	N	N		nil
5	9	1985	8	0.959	N	N		nil
5	9	1985	9	1.11	N	N		nil
5	9	1985	10	1.078	N	N		nil
5	9	1985	17	0.886	N	N		nil
5	9	1985	18	0.969	N	N		nil
6	9	1985	1	0.997	N	N		nil
6	9	1985	2	0.919	N	N		nil
6	9	1985	3	0.869	N	N		nil
6	9	1985	4	0.967	N	N		nil
6	9	1985	5	0.92	N	N		nil
6	9	1985	6	1.045	N	N		nil
6	9	1985	7	1.03	N	N		nil
6	9	1985	8	0.947	N	N		nil
6	9	1985	9	1.1	N	N		nil
6	9	1985	10	1.065	N	N		nil
6	9	1985	17	0.871	N	N		nil
6	9	1985	18	0.953	N	N		nil
9	9	1985	1	0.994	N	N		nil
9	9	1985	2	0.914	N	N		nil
9	9	1985	3	0.859	N	N		nil
9	9	1985	4	0.968	N	N		nil
9	9	1985	5	0.914	N	N		nil
9	9	1985	6	1.051	N	N		nil
9	9	1985	7	1.031	N	N		nil
9	9	1985	8	0.933	N	N		nil
9	9	1985	9	1.108	N	N		nil
9	9	1985	10	1.074	N	N		nil
9	9	1985	17	0.852	N	N		nil
9	9	1985	18	0.927	N	N		nil
10	9	1985	1	1.118	N	N		nil
10	9	1985	2	1.039	N	N		nil
10	9	1985	3	0.964	N	N		nil
10	9	1985	4	1.09	N	N		nil
10	9	1985	5	1.046	N	N		nil
10	9	1985	6	1.535	N	N		nil
10	9	1985	7	1.157	N	N		nil
10	9	1985	8	1.06	N	N		nil
10	9	1985	9	1.256	N	N		nil
10	9	1985	10	1.22	N	N		nil
10	9	1985	17	1.03	N	N		nil
10	9	1985	18	1.053	N	N		nil
11	9	1985	1	1.135	N	N		nil
11	9	1985	2	1.053	N	N		nil

58

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
11	9	1985	3	1.006	N	N		nil
11	9	1985	4	1.117	N	N		nil
11	9	1985	5	1.058	N	N		nil
11	9	1985	6	1.202	N	N		nil
11	9	1985	7	1.186	N	N		nil
11	9	1985	8	1.083	N	N		nil
11	9	1985	9	1.291	N	N		nil
11	9	1985	10	1.244	N	N		nil
11	9	1985	17	1.045	N	N		nil
11	9	1985	18	1.06	N	N		nil
12	9	1985	1	1.19	N	N		nil
12	9	1985	2	1.111	N	N		nil
12	9	1985	3	1.065	N	N		nil
12	9	1985	4	1.165	N	Y		nil
12	9	1985	5	1.131	N	N		nil
12	9	1985	6	1.269	N	N		nil
12	9	1985	7	1.258	N	N		nil
12	9	1985	8	1.155	N	Y		nil
12	9	1985	9	1.337	N	Y		nil
12	9	1985	10	1.324	N	N		nil
12	9	1985	17	1.115	N	N		nil
12	9	1985	18	1.109	N	N		nil
13	9	1985	1	1.169	N	N		nil
13	9	1985	2	1.088	N	N		nil
13	9	1985	3	1.052	N	N		nil
13	9	1985	4	1.153	N	N		nil
13	9	1985	5	1.116	N	N		nil
13	9	1985	6	1.253	N	N		nil
13	9	1985	7	1.242	N	N		nil
13	9	1985	8	1.136	N	N		nil
13	9	1985	9	1.32	N	N		nil
13	9	1985	10	1.301	N	N		nil
13	9	1985	17	1.085	N	N		nil
13	9	1985	18	1.078	N	N		nil
16	9	1985	1	1.245	N	N		nil
16	9	1985	2	1.164	N	N		nil
16	9	1985	3	1.128	N	N		nil
16	9	1985	4	1.167	N	Y		nil
16	9	1985	5	1.216	N	N		nil
16	9	1985	6	1.334	N	Y		nil
16	9	1985	7	1.306	N	Y		nil
16	9	1985	8	1.155	N	Y		nil
16	9	1985	9	1.337	N	Y		nil
16	9	1985	10	1.391	N	N		nil
16	9	1985	17	1.195	N	N		nil
16	9	1985	18	1.138	N	N		nil
17	9	1985	1	1.234	N	N		nil

59

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
17	9	1985	2	1.155	N	N		nil
17	9	1985	3	1.122	N	N		nil
17	9	1985	4	1.165	N	Y		nil
17	9	1985	5	1.22	N	N		nil
17	9	1985	6	1.332	N	N		nil
17	9	1985	7	1.306	N	Y		nil
17	9	1985	8	1.155	N	Y		nil
17	9	1985	9	1.337	N	Y		nil
17	9	1985	10	1.389	N	N		nil
17	9	1985	17	1.176	N	N		nil
17	9	1985	18	1.118	N	N		nil
19	9	1985	1	1.106	N	N		nil
19	9	1985	2	1.131	N	N		nil
19	9	1985	3	1.104	N	N		nil
19	9	1985	4	1.155	N	N		nil
19	9	1985	5	1.211	N	N		nil
19	9	1985	6	1.314	N	N		nil
19	9	1985	7	1.293	N	N		nil
19	9	1985	8	1.151	N	N		nil
19	9	1985	9	1.33	N	N		nil
19	9	1985	10	1.366	N	N		nil
19	9	1985	17	1.135	N	N		nil
19	9	1985	18	1.082	N	N		nil
20	9	1985	1	1.315	N	N		nil
20	9	1985	2	1.241	N	N		nil
20	9	1985	3	1.201	N	Y		nil
20	9	1985	4	1.052	Y	N		nil
20	9	1985	5	1.049	Y	N		nil
20	9	1985	6	1.334	N	Y		nil
20	9	1985	7	1.306	N	Y		nil
20	9	1985	8	1.155	N	Y		nil
20	9	1985	9	1.337	N	Y		nil
20	9	1985	10	1.391	N	Y		nil
20	9	1985	17	1.271	N	N		nil
20	9	1985	18	1.18	N	N		nil
23	9	1985	1	1.266	N	N		nil
23	9	1985	2	1.19	N	N		nil
23	9	1985	3	1.143	N	N		nil
23	9	1985	4	1.037	N	N		nil
23	9	1985	5	1.024	N	N		nil
23	9	1985	6	1.165	N	N		nil
23	9	1985	7	1.14	N	N		nil
23	9	1985	8	0.97	N	N		nil
23	9	1985	9	1.2	N	N		nil
23	9	1985	10	0.65	N	N		nil
23	9	1985	17	1.195	N	N		nil
23	9	1985	18	1.122	N	N		nil

60

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
24	9	1985	1	1.243	N	N		nil
24	9	1985	2	1.165	N	N		nil
24	9	1985	3	1.122	N	N		nil
24	9	1985	4	1.024	N	N		nil
24	9	1985	5	1.01	N	N		nil
24	9	1985	6	0.69	N	N		nil
24	9	1985	7	1.127	N	N		nil
24	9	1985	8	0.952	N	N		nil
24	9	1985	9	1.19	N	N		nil
24	9	1985	10	0.65	N	N		nil
24	9	1985	17	1.15	N	N		nil
24	9	1985	18	1.098	N	N		nil
25	9	1985	1	1.245	N	N		nil
25	9	1985	2	1.17	N	N		nil
25	9	1985	3	1.12	N	N		nil
25	9	1985	4	1.042	N	N		nil
25	9	1985	5	1.023	N	N		nil
25	9	1985	6	0.93	N	N		nil
25	9	1985	7	1.14	N	N		nil
25	9	1985	8	0.966	N	N		nil
25	9	1985	9	1.206	N	N		nil
25	9	1985	10	0.65	N	N		nil
25	9	1985	17	1.153	N	N		nil
25	9	1985	18	1.094	N	N		nil
27	9	1985	1	1.221	N	N		nil
27	9	1985	2	1.141	N	N		nil
27	9	1985	3	1.203	N	N		nil
27	9	1985	4	1.031	N	N		nil
27	9	1985	5	1.009	N	N		nil
27	9	1985	6	1.075	Y	N		nil
27	9	1985	7	1.128	N	N		nil
27	9	1985	8	0.951	N	N		nil
27	9	1985	9	1.199	N	N		nil
27	9	1985	10	0.65	Y	N		nil
27	9	1985	17	1.121	N	N		nil
27	9	1985	18	1.057	N	N		nil
30	9	1985	1	1.215	N	N		nil
30	9	1985	2	1.126	N	N		nil
30	9	1985	3	1.081	N	N		nil
30	9	1985	4	1.05	N	N		nil
30	9	1985	5	1.024	N	N		nil
30	9	1985	6	1.096	N	N		nil
30	9	1985	7	1.144	N	N		nil
30	9	1985	8	0.965	N	N		nil
30	9	1985	9	1.227	N	N		nil
30	9	1985	10	1.331	N	N		nil
30	9	1985	17	1.123	N	N		nil

61

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
30	9	1985	18	1.042	N	N		nil
1	10	1985	1	1.102	N	N		nil
1	10	1985	2	1.1	N	N		nil
1	10	1985	3	1.056	N	N		nil
1	10	1985	4	1.037	N	N		nil
1	10	1985	5	1.009	N	N		nil
1	10	1985	6	1.085	N	N		nil
1	10	1985	7	1.125	N	N		nil
1	10	1985	8	0.95	N	N		nil
1	10	1985	9	1.21	N	N		nil
1	10	1985	10	0.946	N	N		nil
1	10	1985	17	1.094	N	N		nil
1	10	1985	18	1.016	N	N		nil
3	10	1985	1	1.245	N	N		nil
3	10	1985	2	1.148	N	N		nil
3	10	1985	3	1.1	N	N		nil
3	10	1985	4	1.092	N	N		nil
3	10	1985	5	1.059	N	N		nil
3	10	1985	6	1.141	N	N		nil
3	10	1985	7	1.171	N	N		nil
3	10	1985	8		N	N		nil
3	10	1985	9	1.265	N	N		nil
3	10	1985	10	1.056	N	N		nil
3	10	1985	17	1.155	N	N		nil
3	10	1985	18	1.07	N	N		nil
4	10	1985	1	1.261	N	N		nil
4	10	1985	2	1.164	N	N		nil
4	10	1985	3	1.086	N	N		nil
4	10	1985	4	1.116	N	N		nil
4	10	1985	5	1.085	N	N		nil
4	10	1985	6	1.167	N	N		nil
4	10	1985	7	1.206	N	N		nil
4	10	1985	8	1.027	N	N		nil
4	10	1985	9	1.296	N	N		nil
4	10	1985	10	1.096	N	N		nil
4	10	1985	17	1.281	N	N		nil
4	10	1985	18	1.064	N	N		nil
7	10	1985	1	1.24	N	N		nil
7	10	1985	2	1.134	N	N		nil
7	10	1985	3	1.085	N	N		nil
7	10	1985	4	1.11	N	N		nil
7	10	1985	5	1.077	N	N		nil
7	10	1985	6	1.16	N	N		nil
7	10	1985	7	1.195	N	N		nil
7	10	1985	8	1.017	N	N		nil
7	10	1985	9	1.295	N	N		nil
7	10	1985	10	1.099	N	N		nil

62

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
7	10	1985	17	1.156	N	N		nil
7	10	1985	18	1.037	N	N		nil
8	10	1985	1	1.227	N	N		nil
8	10	1985	2	1.119	N	N		nil
8	10	1985	3	1.07	N	N		nil
8	10	1985	4	1.1	N	N		nil
8	10	1985	5	1.068	N	N		nil
8	10	1985	6	1.153	N	N		nil
8	10	1985	7	1.184	N	N		nil
8	10	1985	8	1.004	N	N		nil
8	10	1985	9	1.287	N	N		nil
8	10	1985	10	1.088	N	N		nil
8	10	1985	17	1.14	N	N		nil
8	10	1985	18	1.02	N	N		nil
9	10	1985	1	1.225	N	N		nil
9	10	1985	2	1.111	N	N		nil
9	10	1985	3	1.061	N	N		nil
9	10	1985	4	1.102	N	N		nil
9	10	1985	5	1.064	N	N		nil
9	10	1985	6	1.152	N	N		nil
9	10	1985	7	1.081	N	N		nil
9	10	1985	8	1.001	N	N		nil
9	10	1985	9	1.286	N	N		nil
9	10	1985	10	1.09	N	N		nil
9	10	1985	17	1.137	N	N		nil
9	10	1985	18	1.01	N	N		nil
10	10	1985	1	1.209	N	N		nil
10	10	1985	2	1.095	N	N		nil
10	10	1985	3	1.045	N	N		nil
10	10	1985	4	1.089	N	N		nil
10	10	1985	5	1.052	N	N		nil
10	10	1985	6	1.138	N	N		nil
10	10	1985	7	1.165	N	N		nil
10	10	1985	8	0.985	N	N		nil
10	10	1985	9	1.269	N	N		nil
10	10	1985	10	1.075	N	N		nil
10	10	1985	17	1.116	N	N		nil
10	10	1985	18	0.991	N	N		nil
14	10	1985	1	1.198	N	N		nil
14	10	1985	2	1.11	N	N		nil
14	10	1985	3	1.058	N	N		nil
14	10	1985	4	1.12	N	N		nil
14	10	1985	5	1.081	N	N		nil
14	10	1985	6	1.172	N	N		nil
14	10	1985	7	1.192	N	N		nil
14	10	1985	8	1.014	N	N		nil
14	10	1985	9	1.308	N	N		nil

63

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
14	10	1985	10	1.116	N	N		nil
14	10	1985	17	1.155	N	N		nil
14	10	1985	18	1.007	N	N		nil
15	10	1985	1	1.223	N	N		nil
15	10	1985	2	1.097	N	N		nil
15	10	1985	3	1.047	N	N		nil
15	10	1985	4	1.113	N	N		nil
15	10	1985	5	1.071	N	N		nil
15	10	1985	6	1.166	N	N		nil
15	10	1985	7	1.18	N	N		nil
15	10	1985	8	0.996	N	N		nil
15	10	1985	9	1.296	N	N		nil
15	10	1985	10	1.108	N	N		nil
15	10	1985	17	1.14	N	N		nil
15	10	1985	18	0.985	N	N		nil
16	10	1985	1	1.207	N	N		nil
16	10	1985	2	1.08	N	N		nil
16	10	1985	3	1.029	N	N		nil
16	10	1985	4	1.098	N	N		nil
16	10	1985	5	1.055	N	N		nil
16	10	1985	6	1.153	N	N		nil
16	10	1985	7	1.163	N	N		nil
16	10	1985	8	0.977	N	N		nil
16	10	1985	9	1.281	N	N		nil
16	10	1985	10	1.091	N	N		nil
16	10	1985	17	1.116	N	N		nil
16	10	1985	18	0.962	N	N		nil
18	10	1985	1	1.196	N	N		nil
18	10	1985	2	1.067	N	N		nil
18	10	1985	3	1.014	N	N		nil
18	10	1985	4	1.09	N	N		nil
18	10	1985	5	1.047	N	N		nil
18	10	1985	6	1.143	N	N		nil
18	10	1985	7	1.151	N	N		nil
18	10	1985	8	0.96	N	N		nil
18	10	1985	9	1.268	N	N		nil
18	10	1985	10	1.084	N	N		nil
18	10	1985	17	1.096	N	N		nil
18	10	1985	18	0.936	N	N		nil
21	10	1985	1	1.207	N	N		nil
21	10	1985	2	1.07	N	N		nil
21	10	1985	3	1.019	N	N		nil
21	10	1985	4	1.097	N	N		nil
21	10	1985	5	1.055	N	N		nil
21	10	1985	6	1.156	N	N		nil
21	10	1985	7	1.158	N	N		nil
21	10	1985	8	0.961	N	N		nil

64

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
21	10	1985	9	1.28	N	N		nil
21	10	1985	10	1.1	N	N		nil
21	10	1985	17	1.11	N	N		nil
21	10	1985	18	0.925	N	N		nil
23	10	1985	1	1.22	N	N		nil
23	10	1985	2	1.08	N	N		nil
23	10	1985	3	1.028	N	N		nil
23	10	1985	4	1.108	N	N		nil
23	10	1985	5	1.059	N	N		nil
23	10	1985	6	1.169	N	N		nil
23	10	1985	7	1.164	N	N		nil
23	10	1985	8	0.962	N	N		nil
23	10	1985	9	1.289	N	N		nil
23	10	1985	10	1.103	N	N		nil
23	10	1985	17	1.121	N	N		nil
23	10	1985	18	0.924	N	N		nil
24	10	1985	1	1.157	N	N		nil
24	10	1985	2	1.057	N	N		nil
24	10	1985	3	1.013	N	N		nil
24	10	1985	4	1.087	N	N		nil
24	10	1985	5	1.05	N	N		nil
24	10	1985	6	1.155	N	N		nil
24	10	1985	7	1.14	N	N		nil
24	10	1985	8	0.943	N	N		nil
24	10	1985	9	1.304	N	N		nil
24	10	1985	10	1.09	N	N		nil
24	10	1985	17	1.097	N	N		nil
24	10	1985	18	0.902	N	N		nil
25	10	1985	1	1.186	N	N		nil
25	10	1985	2	1.05	N	N		nil
25	10	1985	3		N	N		nil
25	10	1985	4	1.073	N	N		nil
25	10	1985	5	1.034	N	N		nil
25	10	1985	6	1.135	N	N		nil
25	10	1985	7	1.128	N	N		nil
25	10	1985	8	0.924	N	N		nil
25	10	1985	9	1.248	N	N		nil
25	10	1985	10	1.075	N	N		nil
25	10	1985	17	1.125	N	N		nil
25	10	1985	18	0.88	N	N		nil
28	10	1985	1	1.18	N	N		nil
28	10	1985	2	1.038	N	N		nil
28	10	1985	3	0.962	N	N		nil
28	10	1985	4	1.069	N	N		nil
28	10	1985	5	1.022	N	N		nil
28	10	1985	6	1.135	N	N		nil
28	10	1985	7	1.116	N	N		nil

105



Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
28	10	1985	8		N	N		nil
28	10	1985	9	1.239	N	N		nil
28	10	1985	10	1.072	N	N		nil
28	10	1985	17	1.065	N	N		nil
28	10	1985	18	0.84	N	N		nil
29	10	1985	1	1.17	N	N		nil
29	10	1985	2	1.03	N	N		nil
29	10	1985	3	0.973	N	N		nil
29	10	1985	4	1.055	N	N		nil
29	10	1985	5	1.013	N	N		nil
29	10	1985	6	1.126	N	N		nil
29	10	1985	7	1.107	N	N		nil
29	10	1985	8	0.889	N	N		nil
29	10	1985	9	1.229	N	N		nil
29	10	1985	10	1.065	N	N		nil
29	10	1985	17	1.055	N	N		nil
29	10	1985	18	0.835	N	N		nil
30	10	1985	1	1.179	N	N		nil
30	10	1985	2	1.036	N	N		nil
30	10	1985	3	0.979	N	N		nil
30	10	1985	4	1.068	N	N		nil
30	10	1985	5	1.018	N	N		nil
30	10	1985	6	1.134	N	N		nil
30	10	1985	7	1.113	N	N		nil
30	10	1985	8	0.892	N	N		nil
30	10	1985	9	1.235	N	N		nil
30	10	1985	10	1.072	N	N		nil
30	10	1985	17	1.058	N	N		nil
30	10	1985	18	0.835	N	N		nil
31	10	1985	1	1.199	N	N		nil
31	10	1985	2	1.053	N	N		nil
31	10	1985	3	0.998	N	N		nil
31	10	1985	4	1.086	N	N		nil
31	10	1985	5	1.04	N	N		nil
31	10	1985	6	1.155	N	N		nil
31	10	1985	7	1.134	N	N		nil
31	10	1985	8	0.916	N	N		nil
31	10	1985	9	1.26	N	N		nil
31	10	1985	10	1.105	N	N		nil
31	10	1985	17	1.078	N	N		nil
31	10	1985	18	0.849	N	N		nil
1	11	1985	1	1.232	N	N		nil
1	11	1985	2	1.086	N	N		nil
1	11	1985	3	1.029	N	N		nil
1	11	1985	4	1.119	N	N		nil
1	11	1985	5	1.07	N	N		nil
1	11	1985	6	1.169	N	N		nil

66

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
1	11	1985	7	1.165	N	N		nil
1	11	1985	8	0.944	N	N		nil
1	11	1985	9	1.295	N	N		nil
1	11	1985	10	1.142	N	N		nil
1	11	1985	17	1.121	N	N		nil
1	11	1985	18	0.875	N	N		nil
5	11	1985	1	1.2	N	N		nil
5	11	1985	2	1.156	N	N		nil
5	11	1985	3	1.096	N	N		nil
5	11	1985	4	1.16	N	N		nil
5	11	1985	5	1.147	N	N		nil
5	11	1985	6	1.268	N	N		nil
5	11	1985	7	1.245	N	N		nil
5	11	1985	8	1.033	N	N		nil
5	11	1985	9	1.335	N	N		nil
5	11	1985	10	1.248	N	N		nil
5	11	1985	17	1.208	N	N		nil
5	11	1985	18	0.934	N	N		nil
6	11	1985	1	1.288	N	N		nil
6	11	1985	2	1.147	N	N		nil
6	11	1985	3	1.087	N	N		nil
6	11	1985	4	1.152	N	N		nil
6	11	1985	5	1.138	N	N		nil
6	11	1985	6	1.258	N	N		nil
6	11	1985	7	1.23	N	N		nil
6	11	1985	8	1.014	N	N		nil
6	11	1985	9	1.32	N	N		nil
6	11	1985	10	1.213	N	N		nil
6	11	1985	17	1.188	N	N		nil
6	11	1985	18	0.913	N	N		nil
7	11	1985	1	1.311	N	N		nil
7	11	1985	2	1.17	N	N		nil
7	11	1985	3	1.111	N	N		nil
7	11	1985	4	1.175	N	Y		nil
7	11	1985	5	1.164	N	N		nil
7	11	1985	6	1.284	N	N		nil
7	11	1985	7	1.253	N	N		nil
7	11	1985	8	1.039	N	N		nil
7	11	1985	9	1.34	N	Y		nil
7	11	1985	10	1.26	N	N		nil
7	11	1985	17	1.219	N	N		nil
7	11	1985	18	0.938	N	N		nil
8	11	1985	1	1.377	N	N		nil
8	11	1985	2	1.235	N	N		nil
8	11	1985	3	1.185	N	N		nil
8	11	1985	4	1.168	N	Y		nil
8	11	1985	5	1.233	N	Y		nil

67

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
8	11	1985	6	1.34	N	Y		nil
8	11	1985	7	1.312	N	Y		nil
8	11	1985	8	1.11	N	N		nil
8	11	1985	9	1.34	N	Y		nil
8	11	1985	10	1.339	N	N		nil
8	11	1985	17	1.304	N	N		nil
8	11	1985	18	1.007	N	N		nil
12	11	1985	1	1.291	N	N		nil
12	11	1985	2	1.159	N	N		nil
12	11	1985	3	1.11	N	N		nil
12	11	1985	4	1.109	N	N		nil
12	11	1985	5	1.163	N	N		nil
12	11	1985	6	1.269	N	N		nil
12	11	1985	7	1.24	N	N		nil
12	11	1985	8	1.04	N	N		nil
12	11	1985	9	1.255	N	N		nil
12	11	1985	10	1.215	N	N		nil
12	11	1985	17	1.188	N	N		nil
12	11	1985	18	0.885	N	N		nil
13	11	1985	1	1.283	N	N		nil
13	11	1985	2	1.15	N	N		nil
13	11	1985	3	1.1	N	N		nil
13	11	1985	4	1.099	N	N		nil
13	11	1985	5	1.15	N	N		nil
13	11	1985	6	1.258	N	N		nil
13	11	1985	7	1.219	N	N		nil
13	11	1985	8	1.02	N	N		nil
13	11	1985	9	1.256	N	N		nil
13	11	1985	10	1.241	N	N		nil
13	11	1985	17	1.171	N	N		nil
13	11	1985	18	0.891	N	N		nil
14	11	1985	1	1.28	N	N		nil
14	11	1985	2	1.152	N	N		nil
14	11	1985	3	1.1	N	N		nil
14	11	1985	4	1.103	N	N		nil
14	11	1985	5	1.152	N	N		nil
14	11	1985	6	1.26	N	N		nil
14	11	1985	7	1.221	N	N		nil
14	11	1985	8	1.021	N	N		nil
14	11	1985	9	1.26	N	N		nil
14	11	1985	10	1.241	N	N		nil
14	11	1985	17	1.168	N	N		nil
14	11	1985	18	0.885	N	N		nil
15	11	1985	1	1.29	N	N		nil
15	11	1985	2	1.16	N	N		nil
15	11	1985	3	1.108	N	N		nil
15	11	1985	4	1.113	N	N		nil

168

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
15	11	1985	5	1.164	N	N		nil
15	11	1985	6	1.272	N	N		nil
15	11	1985	7	1.233	N	N		nil
15	11	1985	8	1.036	N	N		nil
15	11	1985	9	1.28	N	N		nil
15	11	1985	10	1.256	N	N		nil
15	11	1985	17	1.175	N	N		nil
15	11	1985	18	0.891	N	N		nil
18	11	1985	1	1.259	N	N		nil
18	11	1985	2	1.126	N	N		nil
18	11	1985	3	1.073	N	N		nil
18	11	1985	4	1.083	N	N		nil
18	11	1985	5	1.129	N	N		nil
18	11	1985	6	1.239	N	N		nil
18	11	1985	7	1.189	N	N		nil
18	11	1985	8	0.982	N	N		nil
18	11	1985	9	1.235	N	N		nil
18	11	1985	10	1.21	N	N		nil
18	11	1985	17	1.127	N	N		nil
18	11	1985	18	0.833	N	N		nil
20	11	1985	1	1.236	N	N		nil
20	11	1985	2	1.1	N	N		nil
20	11	1985	3	1.05	N	N		nil
20	11	1985	4	1.055	N	N		nil
20	11	1985	5	1.098	N	N		nil
20	11	1985	6	1.21	N	N		nil
20	11	1985	7	1.18	N	N		nil
20	11	1985	8	0.95	N	N		nil
20	11	1985	9	1.2	N	N		nil
20	11	1985	10	1.172	N	N		nil
20	11	1985	17	1.094	N	N		nil
20	11	1985	18	0.805	N	N		nil
22	11	1985	1	1.223	N	N		nil
22	11	1985	2	1.074	N	N		nil
22	11	1985	3	1.028	N	N		nil
22	11	1985	4	1.01	N	N		nil
22	11	1985	5	1.074	N	N		nil
22	11	1985	6	1.181	N	N		nil
22	11	1985	7	1.117	N	N		ni?
22	11	1985	8	0.91	N	N		nil
22	11	1985	9	1.165	N	N		nil
22	11	1985	10	1.134	N	N		nil
22	11	1985	17	1.062	N	N		nil
22	11	1985	18	0.762	N	N		nil
25	11	1985	1	1.248	N	N		nil
25	11	1985	2	1.104	N	N		nil
25	11	1985	3	1.046	N	N		nil

69

Table 2. Daily Pond Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	DEPTH	INFLOW	OVERFLOW	DEAD#	SPECIES
25	11	1985	4	1.062	N	N		nil
25	11	1985	5	1.094	N	N		nil
25	11	1985	6	1.216	N	N		nil
25	11	1985	7	1.143	N	N		nil
25	11	1985	8	0.917	N	N		nil
25	11	1985	9	1.197	N	N		nil
25	11	1985	10	1.161	N	N		nil
25	11	1985	17	1.1	N	N		nil
25	11	1985	18	0.778	N	N		nil
29	11	1985	1	1.16	N	N		nil
29	11	1985	2	1.055	N	N		nil
29	11	1985	3	0.994	N	N		nil
29	11	1985	4	1.016	N	N		nil
29	11	1985	5	1.046	N	N		nil
29	11	1985	6	1.164	N	N		nil
29	11	1985	7	1.078	N	N		nil
29	11	1985	8	0.842	N	N		nil
29	11	1985	9	1.125	N	N		nil
29	11	1985	10	1.087	N	N		nil
29	11	1985	17	1.04	N	N		nil
29	11	1985	18		N	N		nil

10

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @							ALKA.	HARD.	PH	KJELDAHL				TOTAL		ORTHO PO4-P				
								TOP	MID	BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN				N	NO3-N	NO2-N	NO3-N	NO2 & P	TOTAL					
26	2	1985	1					23.3							37.6													
26	2	1985	2					22.6							28.2													
26	2	1985	3					23.5							41.4													
26	2	1985	4					23.5							34.8													
26	2	1985	5					23.5							33.9													
26	2	1985	6					23.5							38.6													
26	2	1985	7					23.5							34.8													
26	2	1985	8					23.5							33.9													
26	2	1985	9					23.5							29.2													
26	2	1985	10					23.5							28.2													
26	2	1985	17					23.5							25.4													
26	2	1985	18					23.5							22.6													
27	2	1985	1																							0.229		
27	2	1985	2																							0.204		
27	2	1985	3																							0.365		
27	2	1985	4																							0.156		
27	2	1985	5																							0.256		
27	2	1985	6																							0.134		
27	2	1985	7																							0.196		
27	2	1985	8																							0.229		
27	2	1985	9																							0.293		
27	2	1985	10																							0.574		
27	2	1985	17																							0.149		
27	2	1985	18																							0.514		
28	2	1985	1																							0.052		
28	2	1985	2																							0.045		
28	2	1985	3																							0.052		
28	2	1985	4																							0.045		
28	2	1985	5																							0.033		
28	2	1985	6																							0.039		
28	2	1985	7																							0.045		
28	2	1985	8																							0.052		
28	2	1985	9																							0.045		
28	2	1985	10																							0.052		
28	2	1985	17																							0.045		
28	2	1985	18																							0.039		
1	3	1985	1																								0.065	
1	3	1985	2																								0.021	
1	3	1985	3																								0.027	
1	3	1985	4																								0.033	
1	3	1985	5																								0.027	
1	3	1985	6																								0.021	
1	3	1985	7																								0.021	
1	3	1985	8																								0.027	

11

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	ALKA.	HARD.	pH	KJELDAHL N	N13-N	NO2-N	NO3-N	TOTAL		ORTHODISK P04-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A	
																						NO2 & NO3-N	TOTAL P					
1	3	1985	9																									
1	3	1985	10																									0.021
1	3	1985	17																									0.039
1	3	1985	18																									0.033
7	3	1985	1																									0.058
7	3	1985	2																									
7	3	1985	3																									
7	3	1985	4																									
7	3	1985	5																									
7	3	1985	6																									
7	3	1985	7																									
7	3	1985	8																									
7	3	1985	9																									
7	3	1985	10																									
7	3	1985	17																									
7	3	1985	18																									
8	3	1985	1	630		7.9				21.																		
8	3	1985	2	630		7.35				21.																		
8	3	1985	3	630		7.5				21.																		
8	3	1985	4	630						21.																		
8	3	1985	5	630						21.																		
8	3	1985	6	630		7.9				21.																		
8	3	1985	7	630						21.																		
8	3	1985	8	630		8.05				21.																		
8	3	1985	9	630						21.																		
8	3	1985	10	630		8.05				21.																		
8	3	1985	17	630		7.75				21.5																		
8	3	1985	18	630		7.8				21.																		
11	3	1985	1																									
11	3	1985	2																									0.009
11	3	1985	3																									0.015
11	3	1985	4																									0.009
11	3	1985	5																									0.015
11	3	1985	6																									0.015
11	3	1985	7																									0.015
11	3	1985	8																									0.015
11	3	1985	9																									0.015
11	3	1985	10																									0.015
11	3	1985	17																									0.015
11	3	1985	18																									0.015
14	3	1985	1	630		6.85				27.5																		0.015
14	3	1985	2	630		6.7				27.																		
14	3	1985	3	630						27.5																		2.5
14	3	1985	4	630		6.9				27.																		3.5
14	3	1985	5	630						27.5																		5.8
14	3	1985								27.5																		3.6

49

72

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKA.	HARD.	pH	KJELDAHL				TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A	
																			N	NH3-N	NO2-N	NO3-N							
14	3	1985	6	630		7.2			27.5									7.5											
14	3	1985	7	630		7.15			27.5									7.45										6.7	
14	3	1985	8	630		7.4			27.5									7.25										3.7	
14	3	1985	9	630		7.5			27.5									7.4										2.8	
14	3	1985	10	630		7.3			27.									7.5										0.5	
14	3	1985	17	630		6.75			27.5									7.5										4.1	
14	3	1985	18	630		6.6			27.									7.1										0.4	
18	3	1985	1																							56.5			2.6
18	3	1985	2																										
18	3	1985	3																										
18	3	1985	4																										
18	3	1985	5																										
18	3	1985	6																										
18	3	1985	7																										
18	3	1985	8																										
18	3	1985	9																										
18	3	1985	10																										
18	3	1985	17																										
18	3	1985	18																										
19	3	1985	1																										
19	3	1985	2																										
19	3	1985	3																										
19	3	1985	4																										
19	3	1985	5																										
19	3	1985	6																										
19	3	1985	7																										
19	3	1985	8																										
19	3	1985	9																										
19	3	1985	10																										
19	3	1985	17																										
19	3	1985	18																										
22	3	1985	1															28.23											
22	3	1985	2																										
22	3	1985	3																										
22	3	1985	4															38.58											
22	3	1985	5															33.87											
22	3	1985	6															30.11											
22	3	1985	7															36.7											
22	3	1985	8															34.81											
22	3	1985	9															26.35											
22	3	1985	10															28.23											
22	3	1985	17															26.35											
22	3	1985	18															31.05											
27	3	1985	1	630		7.5			24.									6.7											
27	3	1985	2	630		7.5			23.5									6.85											



Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

1	NO.	YEAR	EXTRA DATA? PL. NO.	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKAL.	HARD.	pH	KJELDAHL				TOTAL	TOTAL	ORTHO	SECHII DISK	SECHII DISK	CHLOROPHYLL
																		N	NH3-N	NO2-N	NO3-N	NO2 & NO3-N	P	P04-P	A	B	A
1	3	1985	3	630		7.5		24.5									6.8										
1	3	1985	4	630		7.4		24.5									6.85							92.5			
1	3	1985	5	630		7.6		24.									6.85										
1	3	1985	6	630		7.5		24.5									6.9										
1	3	1985	7	630		7.5		24.									6.85							93.5			
1	3	1985	8	630		7.5		24.									6.9							84.5			
1	3	1985	9	630		7.5		24.5									6.85							87.5			
27	3	1985	10	630		7.8		24.									6.85							100.			
27	3	1985	17	630		7.4		23.5									6.85							100.			
27	3	1985	18	630		7.6		23.5									6.85										
28	3	1985	1																								
28	3	1985	2																								2.2
28	3	1985	3																								4.3
28	3	1985	4																								2.3
28	3	1985	5																								2.2
28	3	1985	6																								2.2
28	3	1985	7																								2.1
28	3	1985	8																								2.2
28	3	1985	9																								4.4
28	3	1985	10																								1.3
28	3	1985	17																								
28	3	1985	18																								4.6
2	4	1985	1	630		6.6		27.																			1.8
2	4	1985	2	630		6.8		27.5									6.85										
2	4	1985	3	630		6.9		27.5									6.95										
2	4	1985	4	630				27.8									7.05										
2	4	1985	5	630		7.1		27.5									7.25										
2	4	1985	6	630		6.6		27.5									7.15										
2	4	1985	7	630		6.7		27.5									7.2										
2	4	1985	8	630		6.8		27.5									7.5										
2	4	1985	9	630				27.5									7.15										
2	4	1985	10	630		7.4		27.5									7.1										
2	4	1985	17	630		6.8		27.5									7.15										
2	4	1985	18	630		6.9		27.5									7.25										
3	4	1985	1					27.5									7.05										
3	4	1985	2																								0.0925
3	4	1985	3																								0.0415
3	4	1985	4																								0.092
3	4	1985	5																								0.092
3	4	1985	6																								0.218
3	4	1985	7																								0.075
3	4	1985	8																								0.482
3	4	1985	9																								0.335
3	4	1985	10																								0.315
3	4	1985	17																								0.417
																											0.572

70

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY	MO.	YEAR	EXTRA DATA?	PONDS	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKA.	HARD.	pH	KJELDAHL				TOTAL NO2 & TOTAL P		ORTHO PD4-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A		
3	4	1985		18																										
4	4	1985		1																0.315										
4	4	1985		2																										
4	4	1985		3																										
4	4	1985		4																						51.5				
4	4	1985		5																										
4	4	1985		6																										
4	4	1985		7																						80.5				
4	4	1985		8																							55.5			
4	4	1985		9																										
4	4	1985		10																							100.			
4	4	1985		17																							68.5			
4	4	1985		18																							100.			
10	4	1985		1																										
10	4	1985		2														7.25												3.9
10	4	1985		3														7.15												3.1
10	4	1985		4														7.2												2.4
10	4	1985		5														7.2												5.5
10	4	1985		6														7.15												1.4
10	4	1985		7														7.2												
10	4	1985		8														7.3												10.2
10	4	1985		9														7.1												2.7
10	4	1985		10														7.25												5.4
10	4	1985		17														7.1												13.8
10	4	1985		18														7.1												8.5
11	4	1985		1	630		8.4				23.5							6.9											18.6	
11	4	1985		2	630		6.7				24.																			
11	4	1985		3	630		6.3				25.																			
11	4	1985		4	630		6.8				25.																			
11	4	1985		5	630		6.9				25.5																			
11	4	1985		6	630		6.7				25.																			
11	4	1985		7	630		6.5				25.																			
11	4	1985		8	630		7.05				25.																			
11	4	1985		9	630						25.5																			
11	4	1985		10	630		7.2				25.																			
11	4	1985		17	630		7.5				24.5																			
11	4	1985		18	630		8.1				23.3																			
12	4	1985		1																										
12	4	1985		2																										
12	4	1985		3																										
12	4	1985		4																										
12	4	1985		5																										
12	4	1985		6																										
12	4	1985		7																										
12	4	1985		8																										

52

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @				ALKAL.	HARD.	PH	KJELDAHL N			TOTAL N			TOTAL P	ORTHOD P04-P	SECHII DISK A
								TOP	MID	MAX	MIN				TOP	MID	MAX	MIN	NH3-N	NO2-N			
12	4	1985		9																			
12	4	1985		10																			
12	4	1985		17																			
12	4	1985		18																			
16	4	1985		1																			
16	4	1985		2																			0.001
16	4	1985		3																			0.004
16	4	1985		4																			0.001
16	4	1985		5																			0.001
16	4	1985		6																			0.001
16	4	1985		7																			0.001
16	4	1985		8																			
16	4	1985		9																			0.004
16	4	1985		10																			0.004
16	4	1985		17																			0.001
16	4	1985		18																			
17	4	1985		1																			
17	4	1985		2																			54.57
17	4	1985		3																			51.75
17	4	1985		4																			60.22
17	4	1985		5																			59.28
17	4	1985		6																			61.16
17	4	1985		7																			66.81
17	4	1985		8																			57.4
17	4	1985		9																			43.28
17	4	1985		10																			59.28
17	4	1985		17																			43.28
17	4	1985		18																			46.11
19	4	1985		1	630	6.65			26.5														35.75
19	4	1985		2	630	6.75			26.5														6.55
19	4	1985		3	630	6.85			26.5														6.6
19	4	1985		4	630	6.6			26.5														6.75
19	4	1985		5	630	6.55			27.														6.6
19	4	1985		6	630	6.55			26.5														6.6
19	4	1985		7	630	6.5			27.5														6.65
19	4	1985		8	630	6.85			27.5														6.75
19	4	1985		9	630	6.9			26.5														6.5
19	4	1985		10	630	6.75			27.5														6.7
19	4	1985		17	630	6.55			27.														6.6
19	4	1985		18	630	6.4			27.														6.55
23	4	1985		1																			6.45
23	4	1985		2																			
23	4	1985		3																			0.157 0.032
23	4	1985		4																			0.305 0.036
23	4	1985		5																			0.257 0.029
																							0.141 0.059
																							0.454 0.051

53

1/6

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKA.	HARD.	PH	KJELDAHL				TOTAL		ORTHODISK P04-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A
																		N	NO3-N	NO2-N	NO3-N	NO2-N	NO3-N				
23	4	1985	6																			0.236					
23	4	1985	7																			0.209					
23	4	1985	8																			0.4285					
23	4	1985	9																			0.272	0.107				
23	4	1985	10																			0.162					
23	4	1985	17																			0.4285					
23	4	1985	18																			0.131					
24	4	1985	1														6.25							0.084			
24	4	1985	2														6.25							0.097			
24	4	1985	3														6.45							0.089			
24	4	1985	4														6.5							0.093			
24	4	1985	5														6.65							0.097			
24	4	1985	6														6.45							0.072			
24	4	1985	7														6.45							0.089			
24	4	1985	8														6.3							0.111			
24	4	1985	9														6.4							0.126			
24	4	1985	10														6.5							0.121			
24	4	1985	17														6.55							0.111			
24	4	1985	18														6.35							0.102			
25	4	1985	1	630		6.35											28.5							0.055			
25	4	1985	2	630		6.35											28.5							0.055			
25	4	1985	3	630		6.45											28.							0.059			
25	4	1985	4	630		6.35											28.							0.047			
25	4	1985	5	630		6.25											28.							0.063			
25	4	1985	6	630		6.2											28.							0.057			
25	4	1985	7	630		6.4											29.							0.051			
25	4	1985	8	630		6.7											28.							0.067			
25	4	1985	9	630		6.4											28.							0.055			
25	4	1985	10	630		6.85											27.5							0.055			
25	4	1985	17	630		6.35											28.							0.029			
25	4	1985	18	630		6.45											27.5							0.067			
26	4	1985	1																					0.036			
26	4	1985	2																					0.955	4.7		
26	4	1985	3																					0.044			
26	4	1985	4																					0.008	1.5		
26	4	1985	5																					0.044	1.5		
26	4	1985	6																					0.004	15.7		
26	4	1985	7																					0.014			
26	4	1985	8																					0.047	3.4		
26	4	1985	9																					0.047			
26	4	1985	10																					0.032			
26	4	1985	17																					0.032			
26	4	1985	18																					0.032	100.		
26	4	1985	18																					0.036	100.		
29	4	1985	1																					0.036	1.5		
29	4	1985	2																					0.036	1.5		
																								0.036			
																								0.055	0.008		

54

77

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY NO.	YEAR	EXTRA DATA?	PONDS	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP		WATER TEMP @ MID		WATER TEMP @ BOTTOM		ALKAL.	HARD.	PH	KJELDHAL N					TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHII DISK A		
								TEMP	TEMP	TEMP	TEMP	TEMP	TEMP				NH3-N	NO2-N	NO3-N	NO3-N							
29	4	1985	3																					0.044	0.008		
29	4	1985	4																					0.008	0.004		
29	4	1985	5																					0.044	0.0085		
29	4	1985	6																					0.004	0.004		
29	4	1985	7																					0.014	0.0045		
29	4	1985	8																					0.047	0.011		
29	4	1985	9																					0.047	0.011		
29	4	1985	10																					0.032	0.0085		
29	4	1985	17																					0.032	0.004		
29	4	1985	18																					0.036	0.008		
30	4	1985	1	630		6.7		28.																			
30	4	1985	2	630				28.																			
30	4	1985	3	630		6.9		28.																			
30	4	1985	4	630		6.55		28.																			
30	4	1985	5	630		6.6		28.																			
30	4	1985	6	630		6.7		27.5																			
30	4	1985	7	630		6.9		27.5																			
30	4	1985	8	630		6.9		28.																			
30	4	1985	9	630		6.7		27.5																			
30	4	1985	10	630		6.9		27.5																			
30	4	1985	17	630		6.55		27.5																			
30	4	1985	18	630		6.4		27.																			
2	5	1985	1												6.15		1.567										
2	5	1985	2												6.35		1.61										
2	5	1985	3												6.4		1.8475										
2	5	1985	4												6.35		2.123										
2	5	1985	5												6.4		1.796										
2	5	1985	6												6.45		2.2485										
2	5	1985	7												6.45		1.796										
2	5	1985	8												6.55		1.443										
2	5	1985	9												6.6		2.315										
2	5	1985	10												6.65		1.701										
2	5	1985	17												6.65		1.796										
2	5	1985	18												6.55		1.4835										
3	5	1985	1																								
3	5	1985	2																								
3	5	1985	3																								
3	5	1985	4																								
3	5	1985	5																								
3	5	1985	6																								
3	5	1985	7																								100.
3	5	1985	8																								100.
3	5	1985	9																								
3	5	1985	10																								100.
3	5	1985	17																								100.

55

AP

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKA.	HARD.	pH	KJELDAHL N	NH3-N	NO2-N	NO3-N	TOTAL	TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A
																						NO2 & NO3-N					
3	5		18																								
6	5		1																				0.006				
6	5		2																			0.006					
6	5		3																			0.0055					
6	5		4																			0.006					
6	5		5																			0.006					
6	5		6																			0.006					
6	5		7																			0.003					
6	5		8																			0.002					
6	5		9																			0.002					
6	5		10																								
6	5		17																								
6	5		18																								
7	5		1																								
7	5		2																								
7	5		3																				0.029				
7	5		4																				0.011				
7	5		5																				0.018	0.001			
7	5		6																				0.025				
7	5		7																				0.011	0.008			
7	5		8																				0.011	0.008			
7	5		9																				0.04	0.011			
7	5		10																				0.008	0.011			
7	5		17																				0.6325	0.011			
7	5		18																				0.072	0.011			
9	5		1	630	6.35			27.5									7.25						0.059	0.011			
9	5		2	630	6.35			27.5									7.75										
9	5		3	630	6.55			27.5									7.15										
9	5		4	630	6.3			27.5									7.1										
9	5		5	630	6.4			27.5									7.05										
9	5		6	630	6.35			27.5									7.3										
9	5		7	630	6.45			27.5									7.3										
9	5		8	630	6.5			27.5																			
9	5		9	630	6.45			27.5																			
9	5		10	630	6.45			27.5									7.15										
9	5		17	630	6.25			27.5																			
9	5		18	630	6.45			27.5									7.1										
10	5		1														6.85										
10	5		2																								4.8
10	5		3																								18.8
10	5		4																								7.1
10	5		5																								6.6
10	5		6																								6.8
10	5		7																								11.4
10	5		8																								

bx

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTON	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTON	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKA.	HARD.	PH	KJELDAHL					TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOR-OPHYLL A
																		N	NH3-N	NO2-N	NO3-N	NO3-N						
10	5	1985	9																								6.4	
10	5	1985	10																								11.9	
10	5	1985	17																								6.8	
10	5	1985	18																								7.6	
14	5	1985	1												34.34	42.81	6.95					0.1025						
14	5	1985	2												29.8	33.4	8.3					0.107						
14	5	1985	3												40.91	49.4	7.25					0.08						
14	5	1985	4												46.46	47.52	6.95					0.08						
14	5	1985	5												39.39	46.1	7.1					0.084						
14	5	1985	6												48.48	53.16	7.25					0.0365	0.004					
14	5	1985	7												45.96	46.58	7.25					0.0405	0.004					
14	5	1985	8												31.31	35.29	7.1					0.055	0.014					
14	5	1985	9												39.9	43.28	7.45					0.076	0.011					
14	5	1985	10												31.31	33.87	7.95					0.111	0.0045					
14	5	1985	17												3.84	37.64	7.05					0.072	0.0115					
14	5	1985	18												21.21	27.76	6.55					0.0405	0.011					
15	5	1985	1																									
15	5	1985	2																									
15	5	1985	3																									
15	5	1985	4																									
15	5	1985	5																						100.			
15	5	1985	6																							100.		
15	5	1985	7																							100.		
15	5	1985	8																							100.		
15	5	1985	9																							100.		
15	5	1985	10																									
15	5	1985	17																								100.	
15	5	1985	18																									
16	5	1985	1																									
16	5	1985	2																								0.438	
16	5	1985	3																								0.668	
16	5	1985	4																								0.718	
16	5	1985	5																								0.526	
16	5	1985	6																								0.335	
16	5	1985	7																								0.644	
16	5	1985	8																									
16	5	1985	9																								0.619	
16	5	1985	10																									
16	5	1985	17																								0.438	
16	5	1985	18																								0.744	
17	5	1985	1																								0.396	
17	5	1985	2																								0.002	
17	5	1985	3																								0.002	
17	5	1985	4																								0.002	
17	5	1985	5																								0.001	
17	5	1985																									0.002	

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Dry Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP				WATER TEMP				ALKA.	HARD.	pH	KJELDAHL N			TOTAL NO2 & NO3-N	
								@ TOP	@ MID	BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	NH3-N				NO2-N	NO3-N			
17	5	1985		6																			
17	5	1985		7																			0.001
17	5	1985		8																			
17	5	1985		9																			0.001
17	5	1985		10																			
17	5	1985		17																			
17	5	1985		18																			0.002
																							0.002

10



Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKA.	HARD.	pH	KJELDAHL				TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A
								TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN				N	NH3-N	NO2-N	NO3-N	NO2-N	P	P	A	B	A
9	7	1985	1																								
9	7	1985	2																								
9	7	1985	3																								
9	7	1985	4																								
9	7	1985	5																								
9	7	1985	6																								
9	7	1985	7																								
9	7	1985	8																								
9	7	1985	9																								
9	7	1985	10																								
9	7	1985	17																								
9	7	1985	18																								
11	7	1985	1													17.17	23.92	6.8									
11	7	1985	2													19.69	22.88	7.15									
11	7	1985	3													21.71	35.26	6.65									
11	7	1985	4													15.65	19.24	6.65									
11	7	1985	5													16.66	21.32	6.75									
11	7	1985	6													18.19	22.8	6.85									
11	7	1985	7													20.3	23.4	6.85									
11	7	1985	8							33.5	36.	28.	28.			18.18	22.88	7.1									
11	7	1985	9													15.15	19.76	7.05									
11	7	1985	10													12.62	20.2										
11	7	1985	17													23.23	24.76	7.05									
11	7	1985	18													16.16	17.16	6.9									
15	7	1985	1																		0.222				8.33		
15	7	1985	2																	0.216				7.9			
15	7	1985	3																	0.185				2.49			
15	7	1985	4																	0.216				5.95			
15	7	1985	5																	0.191				7.73			
15	7	1985	6																	0.151				5.89			
15	7	1985	7																	0.179				2.97			
15	7	1985	8																	0.203				5.89			
15	7	1985	9																	0.191				7.49			
15	7	1985	10																	6.8				5.3			
15	7	1985	17																	7.45				8.74			
15	7	1985	18																	6.65				5.08			
16	7	1985	1	630		6.8																					
16	7	1985	2	630		6.9																					
16	7	1985	3	630		6.85																					
16	7	1985	4	630		6.55																					
16	7	1985	5	630		6.85																					
16	7	1985	6	630		6.85																					
16	7	1985	7	630		6.8																					
16	7	1985	8	630		7.05																					
										32.	29.	29.	29.														

59

257

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKA.	HARD.	pH	KJELDAHL					TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHIT DISK A		
																		N	NO3-N	NO2-N	NO3-N	NO3-N						
16	7	1985	9	630		7.3																						
16	7	1985	10	630		6.9																						
16	7	1985	17	630																								
16	7	1985	18	630		6.85																						
18	7	1985	1																							110.		
18	7	1985	2																		0.25					110.		
18	7	1985	3																		0.051					93.		
18	7	1985	4																		0.106					73.		
18	7	1985	5																		0.243					110.		
18	7	1985	6																		0.069					110.		
18	7	1985	7																		0.125					110.		
18	7	1985	8																		0.144					110.		
18	7	1985	9																		0.438					88.		
18	7	1985	10																		0.015					110.		
18	7	1985	17																		0.607					82.		
18	7	1985	18																		0.713					101.		
19	7	1985	1																									
19	7	1985	2																									
19	7	1985	3																									
19	7	1985	4																									
19	7	1985	5																									
19	7	1985	6																									
19	7	1985	7																									
19	7	1985	8								33.5	31.	29.	27.														
19	7	1985	9																									
19	7	1985	10																									
19	7	1985	17																									
19	7	1985	18																									
23	7	1985	1																									
23	7	1985	2																							0.008		
23	7	1985	3																									
23	7	1985	4																									
23	7	1985	5																									
23	7	1985	6																							0.018		
23	7	1985	7																							0.018		
23	7	1985	8																							0.001		
23	7	1985	9								32.	31.	28.5	29.												0.001		
23	7	1985	10																									
23	7	1985	17																									
23	7	1985	18																									
24	7	1985	1																							0.001		
24	7	1985	2																		6.55					0.111	0.048	92.
24	7	1985	3																		6.55					0.107	0.057	105.
24	7	1985	4																		6.95					0.121	0.054	97.
24	7	1985	5																		6.8					0.121	0.064	90.
24	7	1985	5																		6.95					0.097	0.054	110.

09

25

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA? POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKA.	HARD.	pH	KJELDAHL					TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A
																	N	N-O-N	NO2-N	NO3-N	NO3-N						
24	7	1985	6													7.3						0.111	0.051	110.			
24	7	1985	7													7.3						0.173	0.071	94.			
24	7	1985	8													7.25						0.191	0.074	105.			
24	7	1985	9													7.105						0.203	0.071	95.			
24	7	1985	10													6.6						0.222	0.067	110.			
24	7	1985	17													7.25						0.173	0.061	84.			
24	7	1985	18													6.85						0.209	0.078	85.			
25	7	1985	1																			0.157					
25	7	1985	2																			0.172	0.016				
25	7	1985	3																			0.173	0.013				
25	7	1985	4																			0.179	0.005				
25	7	1985	5																			0.157					
25	7	1985	6																			0.136					
25	7	1985	7																			0.093	0.085				
25	7	1985	8																			0.08	0.051				
25	7	1985	9																			0.093	0.054				
25	7	1985	10																			0.08	0.042				
25	7	1985	17																			0.111	0.067				
25	7	1985	18																			0.102	0.048				
26	7	1985	1	630		6.5																0.047					
26	7	1985	2	630		6.35																0.055	0.016				
26	7	1985	3	630		6.85																0.072	0.007				
26	7	1985	4	630		7.2																0.063	0.007				
26	7	1985	5	630		7.05																0.051					
26	7	1985	6	630		6.85																0.04					
26	7	1985	7	630		7.05																0.059					
26	7	1985	8	630		7.25																0.047					
26	7	1985	9	630		7.15				31.5	29.	28.5	8.5									0.044	0.01				
26	7	1985	10	630		6.95																0.04					
26	7	1985	17	630																		0.04					
26	7	1985	18	630		7.15																0.067	0.005				
29	7	1985	1																			0.067	0.007				
29	7	1985	2													6.6						0.116	0.042			11.3	
29	7	1985	3													6.6						0.116	0.061			11.3	
29	7	1985	4													6.85						0.146	0.054			14.3	
29	7	1985	5													6.7						0.121	0.054			12.19	
29	7	1985	6													7.05						0.126	0.051			11.3	
29	7	1985	7													7.2						0.107	0.033			15.6	
29	7	1985	8													7.3						0.116	0.054			14.87	
29	7	1985	9													7.05						0.121	0.051			14.87	
29	7	1985	10													6.75						0.107	0.064			14.69	
29	7	1985	17																			0.107	0.039			18.65	
29	7	1985	18													7.1						0.136	0.048			15.61	
1	8	1985	1													6.85						0.121	0.048			14.13	
1	8	1985	2																								
																						0.042					
																						0.247					

61

60  
61

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP				WATER TEMP @ BOT-MIN	WATER TEMP @ BOT-MAX	WATER ALKAL.	HARD.	PH	KJELDAHL N				TOTAL NO2 & N		TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A							
								@ TOP	@ MID	@ BOTTOM	TOP-MAX						NO2-N	NO3-N	NO3-N	%33-N														
1	8	1985	3														0.195																	
1	8	1985	4														0.144																	
1	8	1985	5														0.195																	
1	8	1985	6														0.042																	
1	8	1985	7														0.144																	
1	8	1985	8														0.144																	
1	8	1985	9														0.093																	
1	8	1985	10														0.093																	
1	8	1985	17														0.247																	
1	8	1985	18														0.247																	
5	8	1985	1																															
5	8	1985	2																					0.011										
5	8	1985	3																					0.014										
5	8	1985	4																					0.018										
5	8	1985	5																					0.018										
5	8	1985	6																					0.014										
5	8	1985	7																					0.021										
5	8	1985	8																					0.025										
5	8	1985	9																					0.032										
5	8	1985	10																					0.014										
5	8	1985	17																					0.021										
5	8	1985	18																					0.025										
5	8	1985	18																					0.021										
6	8	1985	1	630		6.5																												
6	8	1985	2	630		6.55																												78.
6	8	1985	3	630		6.65																												81.
6	8	1985	4	630		6.65																												83.
6	8	1985	5	630		6.85																												101.
6	8	1985	6	630		6.85																												110.
6	8	1985	7	630		6.65																												98.
6	8	1985	8	630		7.1					33.	9.5	29.	9.5																			110.	
6	8	1985	9	630		6.9																												98.
6	8	1985	10	630		6.6																												110.
6	8	1985	17	630		6.7																												90.
6	8	1985	18	630		6.7																												68.
8	8	1985	1																															71.
8	8	1985	2								33.33	40.56																						8.12
8	8	1985	3								33.33	40.04																						4.81
8	8	1985	4								33.33	40.04																						4.52
8	8	1985	5								21.21	24.96																						2.26
8	8	1985	6								27.27	32.24																						4.28
8	8	1985	7								33.33	37.44																						2.49
8	8	1985	8								28.28	33.28																						5.62
8	8	1985	9								21.21																							2.85
8	8	1985	10								25.25	31.2																						4.28
8	8	1985	17								21.21	28.08																						4.99
8	8	1985	17								27.27	31.2																						4.99

62

4



Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP				ALKA.	HARD.	PH	KJELDAHL				TOTAL NO3-N	TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOR-OPHYLL A		
								@ TOP	@ MID	@ BOTTOM	TOP-MAX				BOT-MAX	TOP-MIN	BOT-MIN	N								NO3-N	NO2-N
15	8	1985	9																								
15	8	1985	10																						104.		
15	8	1985	17																					92.			
15	8	1985	18																					74.			
20	8	1985	1																					91.			
20	8	1985	2																		0.011	0.83					
20	8	1985	3																		0.014	0.042					
20	8	1985	4																		0.008	0.027					
20	8	1985	5																		0.004	0.027					
20	8	1985	6																		0.014	0.03					
20	8	1985	7																		0.008	0.002					
20	8	1985	8																		0.011	0.048					
20	8	1985	9																		0.014	0.039					
20	8	1985	10																		0.011	0.013					
20	8	1985	17																		0.025	0.021					
20	8	1985	18																		0.021	0.01					
21	8	1985	1	630		6.35								6.65							0.029	0.018					
21	8	1985	2	630		6.55								6.75							0.121	0.027		90.			
21	8	1985	3	630		6.55								6.75							0.051	0.027		96.			
21	8	1985	4	630		6.55								6.5							0.089	0.018		90.			
21	8	1985	5	630		6.6								6.75							0.067	0.024		105.			
21	8	1985	6	630		6.45								6.8							0.076	0.027		110.			
21	8	1985	7	630		6.6								6.8							0.08	0.018		97.			
21	8	1985	8	630										6.8							0.063	0.018		90.			
21	8	1985	9	630		6.95								6.65							0.059	0.005		86.			
21	8	1985	10	630		6.65								6.75							0.076	0.024		90.			
21	8	1985	17	630		6.65								6.7							0.063	0.016		78.			
21	8	1985	18	630		7.15								6.75							0.084	0.048		75.			
22	8	1985	1											6.75							0.126	0.03		56.			
22	8	1985	2																		0.089	0.018					
22	8	1985	3																		0.093	0.016					
22	8	1985	4																		0.089	0.013					
22	8	1985	5																		0.084	0.024					
22	8	1985	6																		0.107	0.021					
22	8	1985	7																		0.08	0.013					
22	8	1985	8																		0.057	0.01					
22	8	1985	9																		0.067	0.01					
22	8	1985	10																		0.03	0.018					
22	8	1985	17																		0.072	0.013					
22	8	1985	18																		0.093	0.039					
26	8	1985	1																		0.126	0.048					
26	8	1985	2																		0.025						
26	8	1985	3											6.85							0.04						
26	8	1985	4											6.7							0.032				1.2		
26	8	1985	5											6.6							0.044						
														6.65							0.063					2.4	

64

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA? POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKAL.	HARD.	PH	KJELDAHL					TOTAL		ORTHOD P04-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A			
																	N	NH3-N	NO2-N	NO3-N	NO3-N	NO2 & NO3-N	TOTAL P							
26	8	1985	6																			0.032								8.12
26	8	1985	7													6.95						0.029								2.3
26	8	1985	8													6.65						0.011								3.7
26	8	1985	9													6.65						0.025								2.4
26	8	1985	10													6.55						0.014								1.24
26	8	1985	17													6.95						0.04								
26	8	1985	18													7.25						0.067								
28	8	1985	1																											110.
28	8	1985	2																											110.
28	8	1985	3																											110.
28	8	1985	4																											110.
28	8	1985	5																											110.
28	8	1985	6																											110.
28	8	1985	7																											110.
28	8	1985	8																											104.
28	8	1985	9																											110.
28	8	1985	10																											92.
28	8	1985	17																											83.
28	8	1985	18																											86.
28	8	1985	18																											55.
29	8	1985	1																			0.701								
29	8	1985	2																			0.485								
29	8	1985	3																			0.678								
29	8	1985	4																			0.567								
29	8	1985	5																			0.632								
29	8	1985	6																			0.371								
29	8	1985	7																			0.465								
29	8	1985	8																			0.465								
29	8	1985	9																			0.284								
29	8	1985	10																			0.318								
29	8	1985	17																			0.353								
29	8	1985	18																			0.25								
30	8	1985	1	630		6.4																								
30	8	1985	2	630		6.5																								
30	8	1985	3	630		6.35																								
30	8	1985	4	630		6.95																								
30	8	1985	5	630		6.95																								
30	8	1985	6	630		6.55																								
30	8	1985	7	630		6.75																								
30	8	1985	8	630		6.95																								
30	8	1985	9	630		7.1				33.	31.	27.	28.																	
30	8	1985	10	630		6.95																								
30	8	1985	17	630		6.7																								
30	8	1985	18	630		7.35																								
2	9	1985	1																											0.032
2	9	1985	2																											0.029

65

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP				ALKAL.	HARD.	PH	KJELDAHL				TOTAL N02 & P		ORTH0 P04-P	SECHII DISK A	SECHII DISK B	CHLOR-OPHYLL A
								TEMP @ TOP	TEMP @ MID	TEMP @ BOT-0M	TEMP @ TOP-MAX				TEMP @ BOT-MAX	TEMP @ TOP-MIN	TEMP @ BOT-MIN	N	NH3-N	N02-N				
2	9	1985	3																	0.032	0.002			
2	9	1985	4																	0.036	0.005			
2	9	1985	5																	0.044	0.092			
2	9	1985	6																	0.016				
2	9	1985	7																	0.029	0.005			
2	9	1985	8						34.	2.5	27.	28.								0.018	0.007			
2	9	1985	9																	0.021	0.002			
2	9	1985	10																	0.036	0.005			
2	9	1985	17																	0.032				
2	9	1985	18																	0.063				
5	9	1985	1	630		6.15					37.87	38.48	7.25											
5	9	1985	2	630		6.3					37.87	42.12	7.3											
5	9	1985	3	630		6.45					30.3	41.08	7.2											
5	9	1985	4	630							30.8	28.08	7.1											
5	9	1985	5	630		6.5					28.28	35.36	7.15											
5	9	1985	6	630		6.3					32.32	41.6	7.05											
5	9	1985	7	630		6.35					31.31	36.4	7.05											
5	9	1985	8	630		6.6					17.67	23.92	6.75											
5	9	1985	9	630		6.7					24.74	29.64	6.95											
5	9	1985	10	630		6.55							6.7											
5	9	1985	17	630		6.65					25.75	32.76												
5	9	1985	18	630		6.45					12.12	14.56	6.35											
9	9	1985	1										7.25											
9	9	1985	2										7.25											
9	9	1985	3										7.2											
9	9	1985	4										7.85											
9	9	1985	5										7.65											
9	9	1985	6										7.4											
9	9	1985	7										7.45											
9	9	1985	8										7.25											
9	9	1985	9										7.4											
9	9	1985	10																					
9	9	1985	17										7.65											
9	9	1985	18																					
10	9	1985	1	630		6.5																		
10	9	1985	2	630		6.4																		8.12
10	9	1985	3	630		6.5																		8.33
10	9	1985	4	630		6.95																		8.25
10	9	1985	5	630		6.6																		4.9
10	9	1985	6	630		6.55																		6.41
10	9	1985	7	630		6.7																		5.78
10	9	1985	8	630		6.9					31.5	0.5	28.	8.5										5.62
10	9	1985	9	630																				8.19
10	9	1985	10	630		6.55																		5.46
10	9	1985	17	630		6.8																		8.04

99



Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTON	DO @	WATER				WATER	WATER	WATER	WATER	WATER	WATER	TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOR- OPHYLL A
										TEMP @ TOP	TEMP @ MID	TEMP @ BOTTON	TEMP @												
10	9	1985		18	630		6.8																		
12	9	1985		1																				8.12	
12	9	1985		2															1.499						
12	9	1985		3															1.117						
12	9	1985		4															1.117						
12	9	1985		5															1.92						
12	9	1985		6															0.878						
12	9	1985		7															0.825						
12	9	1985		8															0.749						
12	9	1985		9															0.655						
12	9	1985		10															0.655						
12	9	1985		17																					
12	9	1985		18															0.465						
13	9	1985		1															0.546						
13	9	1985		2																			104.		
13	9	1985		3																			110.		
13	9	1985		4																			110.		
13	9	1985		5																			75.		
13	9	1985		6																			110.		
13	9	1985		7																			110.		
13	9	1985		8																			110.		
13	9	1985		9																			103.		
13	9	1985		10																			82.		
13	9	1985		17																			75.		
13	9	1985		18																			110.		
17	9	1985		1																			70.		
17	9	1985		2																			0.018		
17	9	1985		3																			0.014		
17	9	1985		4																			0.02		
17	9	1985		5																			0.02		
17	9	1985		6																			0.		
17	9	1985		7																			0.		
17	9	1985		8																			0.		
17	9	1985		9																			0.01		
17	9	1985		10																			0.01		
17	9	1985		17																			0.02		
17	9	1985		18																			0.01		
18	9	1985		1																			0.04		
18	9	1985		2																			0.048		
18	9	1985		3																			0.2	0.061	
18	9	1985		4																			0.15	0.057	
18	9	1985		5																			0.16	0.074	
18	9	1985		6																			0.11	0.051	
18	9	1985		7																			0.11	0.051	
18	9	1985		8																			0.12	0.051	
																							0.14	0.051	

67

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER	WATER	WATER	WATER	WATER	WATER	ALKA.	HARD.	PH	KJELDAHL				TOTAL			TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A
									TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN				TEMP @ BOT-MIN	N	NO3-N	NO2-N	NO3-N	NO2 & NO3-N						
18	9	1985		9																									
18	9	1985		10													7.6						0.12	0.057					
18	9	1985		17																		0.14	0.024						
18	9	1985		18													7.6					0.16	0.078						
19	9	1985		1	630		6.55										7.2					0.2	0.081						
19	9	1985		2	630		6.45															0.14	0.064	105.					
19	9	1985		3	630		6.65															0.16	0.078	110.					
19	9	1985		4	630		6.3															0.16	0.078	110.					
19	9	1985		5	630		7.05															0.2	0.078	110.					
19	9	1985		6	630		6.45															0.15	0.064	110.					
19	9	1985		7	630		6.65															0.14	0.067	110.					
19	9	1985		8	630		7.35															0.13	0.033	110.					
19	9	1985		9	630		7.4															0.11	0.039	84.					
19	9	1985		10	630		7.2															0.11	0.042	71.					
19	9	1985		17	630		7.25															0.11	0.01	88.					
19	9	1985		18	630		6.95															0.14	0.054	88.					
20	9	1985		1																		0.16	0.071	66.					
20	9	1985		2																		0.07	0.005						
20	9	1985		3																		0.05	0.016						
20	9	1985		4																		0.11	0.036						
20	9	1985		5																		0.14	0.016						
20	9	1985		6																		0.03	0.002						
20	9	1985		7																		0.08	0.01						
20	9	1985		8																		0.05	0.002						
20	9	1985		9																		0.04	0.002						
20	9	1985		10																									
20	9	1985		17																		0.04	0.002						
26	9	1985		18																		0.05	0.021						
23	9	1985		1																		0.13							
23	9	1985		2																		0.02							
23	9	1985		3																		0.03							
23	9	1985		4																		0.03	0.005						
23	9	1985		5																		0.05							
23	9	1985		6																		0.02							
23	9	1985		7																		1.01							
23	9	1985		8																		1.01							2.
23	9	1985		9																		0.04							
23	9	1985		10																		0.04							
23	9	1985		17																		0.05							
23	9	1985		18																		0.05							
24	9	1985		1																		0.07	0.005						
24	9	1985		2																									110.
24	9	1985		3																									110.
24	9	1985		4																									110.
24	9	1985		5																									102.
																													110.

68

31.

2.

91

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA?	PONDS	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKAL.	HARD.	KJFL DAHL pH	N	NH3-N	NO2-N	NO3-N	TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A	
24	9	1985	6																									
24	9	1985	7																									
24	9	1985	8										29.5	29.5												110.		
24	9	1985	9																									79.
24	9	1985	10																									75.
24	9	1985	17																									
24	9	1985	18																									85.
26	9	1985	1																									30.
26	9	1985	2																									
26	9	1985	3																									
26	9	1985	4																									
26	9	1985	5																									
26	9	1985	6																									
26	9	1985	7																									
26	9	1985	8																									
26	9	1985	9																									
26	9	1985	10																									
26	9	1985	17																									
26	9	1985	18																									
30	9	1985	1																									
30	9	1985	2																									0.67
30	9	1985	3																									0.04
30	9	1985	4																									3.11
30	9	1985	5																									0.05
30	9	1985	6																									0.13
30	9	1985	7																									
30	9	1985	8																									0.06
30	9	1985	9																									0.09
30	9	1985	10																									0.09
30	9	1985	17																									0.08
30	9	1985	18																									0.06
3	10	1985	1	630		6.55									22.22		6.8											
3	10	1985	2	630		6.35									25.25		6.8											97.
3	10	1985	3	630		6.5									20.2													110.
3	10	1985	4	630		7.05									11.11		6.4											110.
3	10	1985	5	630		6.85									20.2		6.7											90.
3	10	1985	6	630		6.95									25.25													112.
3	10	1985	7	630		6.85									23.23		6.7											110.
3	10	1985	8	630		7.15									13.13													110.
3	10	1985	9	630		7.3									20.2													65.
3	10	1985	10	630		7.05																						74.
3	10	1985	17	630		6.4									14.14		6.6											
3	10	1985	18	630		6.85									6.06		6.1											81.
8	10	1985	1														7.7											62.
8	10	1985	2														7.9											5.
																												5.7

69

92

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	NO.	YEAR	EXTRA DATA?	PONDS	DO	DO	DO	DO	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	ALKA.	HARD.	pH	KJELDAHL	N	NH3-N	NO2-N	NO3-N	NO3-N	TOTAL	TOTAL	ORTH	DISK	DISK	CHLOR-					
					TIME	@ TOP	@ MID	BOTTOM	@ TOP	@ MID	BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN											NO2 & NO3-N	P	PO4-P	A	B	A					
8	10	1985		3															7.7																	
8	10	1985		4															8.4																	
8	10	1985		5															8.3																	
8	10	1985		6															7.9															3.7		
8	10	1985		7															8.8															5.7		
8	10	1985		8															8.1																	
8	10	1985		9															8.																	
8	10	1985		10															7.5																	
8	10	1985		17																																
8	10	1985		18																																
9	10	1985		1	630		6.5																											83.		
9	10	1985		2	630		6.4																											100.		
9	10	1985		3	630		6.5																												110.	
9	10	1985		4	630		6.95																												88.	
9	10	1985		5	630		6.6																												88.	
9	10	1985		6	630		6.55																												96.	
9	10	1985		7	630		6.7																												78.	
9	10	1985		8	630		6.9																												78.	
9	10	1985		9	630																														59.	
9	10	1985		10	630		6.55																													
9	10	1985		17	630		6.8																												70.	
9	10	1985		18	630		6.8																												65.	
15	10	1985		1																																
15	10	1985		2																																0.07
15	10	1985		3																															0.07	
15	10	1985		4																															0.06	
15	10	1985		5																															0.1	
15	10	1985		6																																
15	10	1985		7																															0.05	
15	10	1985		8																															0.06	
15	10	1985		9																																
15	10	1985		10																															0.05	
15	10	1985		17																																
15	10	1985		18																																23.5
16	10	1985		1																															0.09	
16	10	1985		2																															0.22 0.105	
16	10	1985		3																															0.2	
16	10	1985		4																															0.2 0.065	
16	10	1985		5																															0.22 0.076	
16	10	1985		6																															0.23 0.076	
16	10	1985		7																															0.18 0.093	
16	10	1985		8																															0.18 0.117	
16	10	1985		9																															0.22 0.117	
16	10	1985		10																															0.17 0.111	
16	10	1985		17																															8.	
																																				2. 0.111

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP				WATER TEMP @ MID				ALIA.	HARD.	PH	KJELDAHL				TOTAL		SECHII DISK		CHLOROPHYLL A
									TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP	TEMP				N	NO3-N	NO2-N	NO3-N	NO2-N	NO3-N	NO3-N	P	
16	10	1985		18																			0.25	0.088				
17	10	1985		1	630		6.05																0.18	0.111				
17	10	1985		2	630		6.35																0.2					
17	10	1985		3	630		6.5																0.19	0.105				
17	10	1985		4	630		6.5																0.23	0.076				
17	10	1985		5	630		6.55																0.23	0.093				
17	10	1985		6	630		6.45																0.19	0.065				
17	10	1985		7	630		6.6																0.2	0.093				
17	10	1985		8	630		6.35																0.21	0.093				
17	10	1985		9	630		6.9																0.14	0.088				
17	10	1985		10	630		6.85																0.15	0.082				
17	10	1985		17	630		6.4																	0.099				
17	10	1985		18	630		6.35																0.19	0.009				
18	10	1985		1																			0.18					
18	10	1985		2						31.					28.5								0.18	9.055				
18	10	1985		3																			0.2	0.065				
18	10	1985		4																			0.19	0.049				
18	10	1985		5																			0.11	0.093				
18	10	1985		6																			0.13	0.099				
18	10	1985		7																			0.14	0.082				
18	10	1985		8																			0.1	0.099				
18	10	1985		9																								
18	10	1985		10																								
18	10	1985		17							30.				28.5													
18	10	1985		18																			0.17	0.082				
21	10	1985		1																			0.25	0.076				
21	10	1985		2																			0.1	0.005			21.	
21	10	1985		3																			0.15				9.2	
21	10	1985		4																			0.13	0.019			2.	
21	10	1985		5																			0.14	0.039				
21	10	1985		6																			0.12	0.029				
21	10	1985		7																				0.019				
21	10	1985		8																			0.1	0.039				
21	10	1985		9																			0.11	0.019				
21	10	1985		10																			0.04					
21	10	1985		17																								
21	10	1985																					0.14	0.009				
23	10	1985		1	630		6.85																0.16	0.024				
23	10	1985		2	630		7.15																				51.	
23	10	1985		3	630						30.																60.	
23	10	1985		4	630		6.75																				70.	
23	10	1985		5	630		6.6																				58.	
23	10	1985		6	630		6.75																				80.	
23	10	1985		7	630		6.75																				95.	
23	10	1985		8	630		6.75																				92.	
23	10	1985																									74.	

71

74.

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA?	PG.#	DO				WATER TEMP								KJELDAHL				TOTAL		SECHII	
				TIME	@ TOP	@ MID	BOTTOM	@ TOP	@ MID	BOTTOM	TOP-MAX	BOT-MAX	TOP-MIN	BOT-MIN	ALKA.	HARD.	PH	N	NO3-N	NO2-N	NO3-N	TOTAL	ORTHOP
23	10	1985	9	630		7.4																	
23	10	1985	10	630		7.75																73.	
23	10	1985	17	630		7.05					31.											55.	
23	10	1985	18	630		6.8																63.	
24	10	1985	1																				
24	10	1985	2																				
24	10	1985	3																				
24	10	15.5	4																				
24	10	1985	5																				
24	10	1985	6																				
24	10	1985	7																				
24	10	1985	8																				
24	10	1985	9																				
24	10	1985	10																				
24	10	1985	17																				
24	10	1985	18																				
28	10	1985	1																				
28	10	1985	2																	0.08			
28	10	1985	3																	0.13			
28	10	1985	4																				
28	10	1985	5																	0.11	0.009		
28	10	1985	6																	0.05	0.024		
28	10	1985	7																	0.16	0.019		
28	10	1985	8																	0.07	0.034		
28	10	1985	9																	0.1			
28	10	1985	10																				
28	10	1985	17																				
28	10	1985	18																	0.14			
30	10	1985	1	630		6.45														0.11	0.005		
30	10	1985	2	630		6.8																	
30	10	1985	3	630		6.95																	
30	10	1985	4	630		6.85																	
30	10	1985	5	630		6.85																	
30	10	1985	6	630		6.9																	
30	10	1985	7	630																			
30	10	1985	8	630		6.9																	
30	10	1985	9	630		6.8																	
30	10	1985	10	630		6.35																	
30	10	1985	17	630		6.55																	
30	10	1985	18	630		6.5																	
31	10	1985	1											30.3	36.							62.	
31	10	1985	2											26.26	28.							83.	
31	10	1985	3											20.2	22.8							70.	
31	10	1985	4											13.13	15.							53.	
31	10	1985	5											25.25	27.							91.	

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	NO.	YEAR	EXTRA DATA?	POND#	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP								ALKAL.	HARD.	KJELDAHL N					TOTAL NO2 & NO3-N	TOTAL P	ORTHO PO4-P	SECHII DISK A				
									TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP TOP-MAX	TEMP BOT-MAX	TEMP TOP-MIN	TEMP BOT-MIN	N			NH3-N	NO2-N	NO3-N										
31	10	1985		6											30.3	33.2															
31	10	1985		7											28.28	31.														97.	
31	10	1985		8											18.18	20.														95.	
31	10	1985		9											23.23	24.9														73.	
31	10	1985		10																										79.	
31	10	1985		17																											
31	10	1985		18											19.19	22.8														72.	
7	11	1985		1											9.09	11.4														65.	
7	11	1985		2																										65.	
7	11	1985		3																										68.	
7	11	1985		4																										66.	
7	11	1985		5																										54.	
7	11	1985		6																										88.	
7	11	1985		7																										85.	
7	11	1985		8																										98.	
7	11	1985		9																										78.	
7	11	1985		10																										78.	
7	11	1985		17																											
7	11	1985		18																										60.	
8	11	1985		1	530		6.4																							64.	
9	11	1985		2	630		6.35							27.5																	
8	11	1985		3	630		7.05																								
8	11	1985		4	630		7.1																								
8	11	1985		5	630		6.75																								
8	11	1985		6	630		6.5																								
8	11	1985		7	630		6.6																								
8	11	1985		8	630		6.65																								
8	11	1985		9	630		6.35																								
8	11	1985		10	630		6.1																								
8	11	1985		17	630		6.75																								
8	11	1985		18	630		6.45							30.		27.5															
12	11	1985		1																											
12	11	1985		2																							0.11	0.005			
12	11	1985		3																							0.08				
12	11	1985		4																							0.08	0.06			
12	11	1985		5																							0.09	0.044			
12	11	1985		6																							0.09	0.055			
12	11	1985		7																							0.05	0.039			
12	11	1985		8																							0.03	0.039			
12	11	1985		9																							0.04	0.055			
12	11	1985		10																							0.03	0.071			
12	11	1985		17																											
12	11	1985		18																											0.076
13	11	1985		1																							0.1	0.076			
13	11	1985		2										29.																	61.
																															82.

73

Table 3. Weekly and Twice Weekly Measurements. Guaiaca, Panama, Cycle I, Wet Season

DAY NO.	YEAR	EXTRA DATA?	PONDS	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP @ TOP	WATER TEMP @ MID	WATER TEMP @ BOTTOM	WATER TEMP @ TOP-MAX	WATER TEMP @ BOT-MAX	WATER TEMP @ TOP-MIN	WATER TEMP @ BOT-MIN	ALKAL.	HARD.	PH	KJELDAHL N	NH3-N	NO2-N	NO3-N	TOTAL NO2 & P		ORTHG PO4-P	SECHII DISK A	SECHII DISK B	CHLOROPHYLL A			
																						NO2-N	TOTAL P							
13	11	1985	3																											
13	11	1985	4																								68.			
13	11	1985	5																								62.			
13	11	1985	6																								94.			
13	11	1985	7																								87.			
13	11	1985	8																								110.			
13	11	1985	9																								75.			
13	11	1985	10																								74.			
13	11	1985	17								31.			27.5																
13	11	1985	18																								76.			
14	11	1985	1	630																				0.23	0.055					
14	11	1985	2	630		6.1																	0.21	0.071						
14	11	1985	3	630		6.7																	0.18	0.123						
14	11	1985	4	630		6.05																	0.2	0.123						
14	11	1985	5	630		6.35																	0.17	0.093						
14	11	1985	6	630		6.95																	0.2	0.111						
14	11	1985	7	630		6.8																	0.106	0.105						
14	11	1985	8	630		6.3																	0.2	0.088						
14	11	1985	9	630		6.6																	0.15	0.082						
14	11	1985	10	630		6.2																								
14	11	1985	17	630		6.55																								
14	11	1985	18	630		6.32																	0.2	0.088						
15	11	1985	1																				0.23	0.168						
15	11	1985	2								30.	29.	28.5										0.22	0.034						
15	11	1985	3																				0.17	0.049						
15	11	1985	4																				0.23	0.071						
15	11	1985	5																				0.23	0.071						
15	11	1985	6																				0.16	0.36						
15	11	1985	7																				0.19	0.049						
15	11	1985	8																				0.15	0.049						
15	11	1985	9																				0.15	0.049						
15	11	1985	10																				0.15	0.076						
15	11	1985	17																											
15	11	1985	18																				0.18	0.049						
19	11	1985	1	630		9.45																	0.25	0.088						
19	11	1985	2	630		6.3					31.		28.5	28.5									0.14	0.039					20.	
19	11	1985	3	630		5.8																	0.1	0.029						
19	11	1985	4	630		6.6																	0.1	0.055						
19	11	1985	5	630		5.85																	0.09	0.039					12.9	
19	11	1985	6	630		7.55																	0.1	0.039					15.4	
19	11	1985	7	630		7.3																	0.07	0.049					3.2	
19	11	1985	8	630		7.25																	0.1	0.071						
19	11	1985	9	630		7.2																	0.08	0.044					15.7	
19	11	1985	10	630		6.45																								
19	11	1985	17	630		7.2								28.5																
																							0.13	0.044						

74

97



Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	NO.	YEAR	EXTRA DATA?	DO POMM	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER	WATER	WATER	WATER	WATER	WATER	ALKAL.	HARD.	PH	KJELDAHL	NH <sub>3</sub> -N	NO <sub>2</sub> -N	NO <sub>3</sub> -N	TOTAL	TOTAL	ORTHO	SECHII	SECHII	CHLOR-
									TEMP @ TOP	TEMP @ MID	TEMP @ BOTTOM	TEMP @ TOP-MAX	TEMP @ BOT-MAX	TEMP @ TOP-MIN								TEMP @ BOT-MIN	NO <sub>2</sub> & NO <sub>3</sub> -N	P	PO <sub>4</sub> -P	A	B
19	11	1985	18		630		6.7																				
21	11	1985	1																				0.14	0.071			15.8
21	11	1985	2																								
21	11	1985	3																								
21	11	1985	4																								
21	11	1985	5																								
21	11	1985	6																								
21	11	1985	7																								
21	11	1985	8																								
21	11	1985	9																								
21	11	1985	10																								
21	11	1985	17																								
21	11	1985	18																								
22	11	1985	1																								
22	11	1985	2						30.	28.			27.5														
22	11	1985	3																								
22	11	1985	4																								
22	11	1985	5																								
22	11	1985	6																								
22	11	1985	7																								
22	11	1985	8																								
22	11	1985	9																								
22	11	1985	10																								
22	11	1985	17						31.	28.5			28.5														
22	11	1985	18																								
23	11	1985	1																								
23	11	1985	2																						57.		
23	11	1985	3																						88.		
23	11	1985	4																						79.		
23	11	1985	5																						68.		
23	11	1985	6																						89.		
23	11	1985	7																						80.		
23	11	1985	8																						93.		
23	11	1985	9																						68.		
23	11	1985	10																						74.		
23	11	1985	17																								
23	11	1985	18																								
25	11	1985	1																							58.	
25	11	1985	2																						59.		
25	11	1985	3																			0.09	0.019				
25	11	1985	4																			0.09	0.024				
25	11	1985	5																			0.04	0.024				
25	11	1985	6																			0.11	0.024				
25	11	1985	7																			0.09	0.029				
25	11	1985	8																			0.08	0.029				
25	11	1985	9																						0.049		
25	11	1985	10																			0.11	0.049				

75

Table 3. Weekly and Twice Weekly Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MO.	YEAR	EXTRA DATA?	PONDS	DO TIME	DO @ TOP	DO @ MID	DO @ BOTTOM	WATER TEMP				WATER POT-MIN	WATER ALKA.	WATER HARD.	KJELDAHL				TOTAL NO2 & NO3-N	TOTAL P	ORTHO-P04-P		
									@ TOP	@ MID	@ BOTTOM	TOP-MAX				BOT-MAX	TOP-MIN	N	NH3-N				NO2-N	NO3-N
25	11	1985		9																		0.11	0.049	
25	11	1985		10																				
25	11	1985		17																				
25	11	1985		18																			0.1	0.044
27	11	1985		1	630		6.55															0.09	0.044	
27	11	1985		2	630		6.15																	
27	11	1985		3	630		5.8																	
27	11	1985		4	630		5.65																	
27	11	1985		5	630		6.2																	
27	11	1985		6	630		6.55																	
27	11	1985		7	630		6.95																	
27	11	1985		8	630		6.95																	
27	11	1985		9	630		6.8																	
27	11	1985		10	630		6.6																	
27	11	1985		17	630		6.5																	
27	11	1985		18	630		6.3																	

Table 4. Diurnal Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	D.O.			WATER TEMP			PH
			TIME	POND#	DO-TOP	DO-MID	DO-BOT	TOP	
16	7	1985	600	1		6.8		28.5	7.
16	7	1985	600	2		6.9		28.5	6.9
16	7	1985	600	3		6.8		27.5	6.8
16	7	1985	600	4		6.5		27.5	6.2
16	7	1985	600	5		6.8		28.	6.5
16	7	1985	600	6		6.8		28.	6.8
16	7	1985	600	7		6.8		28.	6.6
16	7	1985	600	8		7.		28.5	6.6
16	7	1985	600	9		7.3		28.	6.7
16	7	1985	600	10		6.9		28.5	6.3
16	7	1985	600	17		7.		28.5	7.3
16	7	1985	600	18		6.8		28.	6.4
16	7	1985	1000	1	7.4	7.2	7.4	29.5	
16	7	1985	1000	2	7.2	7.2	7.2	29.	
16	7	1985	1000	3	7.2	7.1	7.3	28.5	
16	7	1985	1000	4	6.9	6.8	6.8	28.5	
16	7	1985	1000	5	7.2	7.	7.2	29.	
16	7	1985	1000	6	7.4	7.4	7.3	29.	
16	7	1985	1000	7	7.3	7.2	7.3	29.	
16	7	1985	1000	8	7.5	7.3	7.3	29.	
16	7	1985	1000	9	7.7	7.5	7.5	28.	
16	7	1985	1000	10	7.4	7.3	7.3	29.	
16	7	1985	1000	17	7.7	7.6	7.8	29.5	
16	7	1985	1000	18	7.2	7.2	7.2	29.	
16	7	1985	1400	1	7.6	8.	7.9	32.	7.7
16	7	1985	1400	2	7.5	7.8	7.7	31.5	7.5
16	7	1985	1400	3	7.	7.2	7.8	31.	7.4
16	7	1985	1400	4	6.8	6.8	7.7	30.5	7.2
16	7	1985	1400	5	7.	7.2	7.2	31.5	7.3
16	7	1985	1400	6	7.3	7.5	7.8	32.	7.5
16	7	1985	1400	7	7.3	7.4	7.5	31.5	7.5
16	7	1985	1400	8	7.5	7.5	7.5	31.5	7.5
16	7	1985	1400	9	7.4	7.7	7.7	31.5	7.3
16	7	1985	1400	10	7.5	7.5	7.7	31.5	7.2
16	7	1985	1400	17	7.7	7.7	8.4	32.5	7.8
16	7	1985	1400	18	7.	7.	7.3	32.5	7.
16	7	1985	1800	1	7.7	7.6	7.6	31.	7.5
16	7	1985	1800	2	7.7	7.7	7.7	30.5	7.5
16	7	1985	1800	3	7.4	7.4	7.5	30.5	7.2
16	7	1985	1800	4	7.1	7.2	7.	30.5	6.8
16	7	1985	1800	5	7.	7.3	7.3	30.5	7.
16	7	1985	1800	6	7.6	7.6	7.6	31.	7.2
16	7	1985	1800	7	7.7	7.7	7.7	30.5	7.2
16	7	1985	1800	8	7.8	7.8	7.7	31.	7.2

100

Table 4. Diurnal Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	D.O. TIME	PCND#	DO-TOP	DO-MID	DO-BOT	WATER	WATER	WATER	PH	
								TEMP	TEMP	TEMP		
								TOP	MID	BOT		
16	7	1985	1800	9	7.7	7.7	7.7		30.5		7.	
16	7	1985	1800	10	7.7	7.7	7.7		31.		6.7	
16	7	1985	1800	17	7.8	7.8	7.8		31.5		7.8	
16	7	1985	1800	18	7.4	7.3	7.3		30.5		7.	
17	7	1985	600	1		6.2			28.5		7.	
17	7	1985	600	2		6.5			28.5		7.1	
17	7	1985	600	3		6.5			28.5		7.	
17	7	1985	600	4		6.5			28.5		6.7	
17	7	1985	600	5		6.5			29.		6.8	
17	7	1985	600	6		6.5			29.		6.9	
17	7	1985	600	7		6.5			29.		6.8	
17	7	1985	600	8		6.7			29.		6.8	
17	7	1985	600	9		6.9			28.5		6.6	
17	7	1985	600	16		6.4			29.		6.2	
17	7	1985	600	17		6.5			28.5		7.5	
17	7	1985	600	18		6.4			28.5		6.7	
20	8	1985	630	1	6.	5.8	5.2		27.			
20	8	1985	630	2	5.8	5.5	5.3		27.			
20	8	1985	630	3	6.2	6.2	6.		27.			
20	8	1985	630	4	6.	6.	5.8		27.			
20	8	1985	630	5	6.3	6.	6.		27.			
20	8	1985	630	6	6.2	6.	5.8		27.			
20	8	1985	630	7	6.2	6.	6.		27.			
20	8	1985	630	8	6.	5.9	5.8		27.			
20	8	1985	630	9	5.9	6.	6.		27.			
20	8	1985	630	10	6.2	6.	5.9		27.			
20	8	1985	630	17	6.8	6.5	6.		27.			
20	8	1985	630	18	7.	6.5	5.2		27.			
20	8	1985	1000	1	7.	6.9	7.		28.			
20	8	1985	1000	2	7.2	7.2	7.1		28.			
20	8	1985	1000	3	7.1	7.	7.		28.			
20	8	1985	1000	4	6.9	7.	7.		28.			
20	8	1985	1000	5	7.3	7.2	7.2		28.			
20	8	1985	1000	6	7.	7.	7.		28.			
20	8	1985	1000	7	7.3	7.2	7.2		28.5			
20	8	1985	1000	8	7.4	7.4	7.4		28.			
20	8	1985	1000	9	7.4	7.3	7.3		28.			
20	8	1985	1000	10	7.2	7.2	7.2		28.			
20	8	1985	1000	17	7.2	7.2	7.2		28.5			
20	8	1985	1000	18	7.7	7.7	7.8		28.5			
20	8	1985	1400	1	7.6	7.7	8.		30.5			
20	8	1985	1400	2	7.8	8.2	8.2		30.5			
20	8	1985	1400	3	7.8	8.3	8.6		30.5			
20	8	1985	1400	4	7.6	7.7	7.8		30.5			
20	8	1985	1400	5	8.2	6.2	8.2		30.5			

191

Table 4. Diurnal Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	D.O. TIME	POND#	DO-TOP	DO-MID	DO-BOT	WATER	WATER	WATER	PH	
								TEMP	TEMP	TEMP		
								TOP	MID	BOT		
20	8	1985	1400	6	7.8	7.8	8.1		30.5			
20	8	1985	1400	7	8.	8.3	8.4		30.5			
20	8	1985	1400	8	8.	8.2	8.7		30.5			
20	8	1985	1400	9	8.2	8.2	8.8		30.5			
20	8	1985	1400	10	7.9	8.3	8.5		30.5			
20	8	1985	1400	17	7.6	8.	8.7		30.5			
20	8	1985	1400	18	7.7	8.4	8.6		31.			
20	8	1985	1800	1	6.5	7.	6.5		28.5			
20	8	1985	1800	2	7.2	6.8	6.6		28.			
20	8	1985	1800	3	6.9	6.5	6.5		28.			
20	8	1985	1800	4	6.8	6.6	6.5		28.			
20	8	1985	1800	5	7.2	7.	7.		28.5			
20	8	1985	1800	6	6.8	6.8	6.6		28.			
20	8	1985	1800	7	7.	7.	6.8		28.			
20	8	1985	1800	8	7.5	7.	7.		28.			
20	8	1985	1800	9	6.9	6.6	6.6		28.			
20	8	1985	1800	10	6.8	6.5	6.3		28.			
20	8	1985	1800	17	6.5	6.2	6.2		28.			
20	8	1985	1800	18	7.	6.8	6.5		28.5			
21	8	1985	630	1		6.3			29.		6.7	
21	8	1985	630	2		6.5			29.		6.8	
21	8	1985	630	3		6.5			28.5		6.8	
21	8	1985	630	4		6.5			29.		6.5	
21	8	1985	630	5		6.6			29.		6.8	
21	8	1985	630	6		6.5			29.		6.8	
21	8	1985	630	7		6.6			28.5		6.8	
21	8	1985	630	8		7.			28.5		6.7	
21	8	1985	630	9		7.			28.5		6.8	
21	8	1985	630	10		6.7			28.5		6.7	
21	8	1985	630	17		6.7			28.5		6.8	
21	8	1985	630	18		7.2			28.5		6.8	
9	9	1985	600	1		6.2			29.5		7.	
9	9	1985	600	2		6.2			28.5		7.1	
9	9	1985	600	3		6.3			28.5		7.	
9	9	1985	600	4		7.3			28.5		7.5	
9	9	1985	600	5		6.5			28.5		7.4	
9	9	1985	600	6		6.5			28.5		7.	
9	9	1985	600	7		6.8			28.5		7.	
9	9	1985	600	8		7.			28.5		6.8	
9	9	1985	600	9		7.			28.5		7.	
9	9	1985	600	10		7.2			28.5		6.5	
9	9	1985	600	17		6.8			28.5		6.6	
9	9	1985	600	18		6.7			28.5		6.7	
9	9	1985	1000	1	7.	7.	7.		29.3		7.2	
9	9	1985	1000	2	7.	6.8	6.8		29.3		7.2	

102.

Table 4. Diurnal Measurements. Gualaca, Panama, Cycle I, Wet Season

D.O.				WATER			PH			
DAY	MONTH	YEAR	TIME	DO-TOP	DO-MID	DO-BOT		TEMP TOP	TEMP MID	TEMP BOT
9	9	1985	1000	3	7.	6.8	6.8		29.3	7.2
9	9	1985	1000	4	7.8	8.1	8.2		29.	7.8
9	9	1985	1000	5	7.7	7.5	7.6		29.2	7.7
9	9	1985	1000	6	6.8	6.8	6.9		29.2	7.4
9	9	1985	1000	7	7.2	7.2	7.2		29.2	7.5
9	9	1985	1000	8	7.3	7.3	7.9		29.	7.2
9	9	1985	1000	9	7.5	7.6	7.5		29.	7.4
9	9	1985	1000	10	7.8	7.7	7.8		29.	6.9
9	9	1985	1000	17	7.5	7.5	7.5		29.3	7.7
9	9	1985	1000	18	7.5	7.5	7.5		29.3	7.
9	9	1985	1400	1	7.7	7.5	7.5		30.5	7.3
9	9	1985	1400	2	7.8	7.7	7.6		30.5	7.3
9	9	1985	1400	3	7.7	7.7	7.7		30.5	7.3
9	9	1985	1400	4	3.2	8.2	8.3		31.	7.8
9	9	1985	1400	5	9.1	8.7	8.7		30.5	7.8
9	9	1985	1400	6	7.7	7.8	7.8		30.5	7.2
9	9	1985	1400	7	8.2	8.1	8.1		30.5	7.3
9	9	1985	1400	8	8.3	8.3	8.1		30.5	7.2
9	9	1985	1400	9	8.2	8.2	8.6		30.5	7.3
9	9	1985	1400	10	8.2	9.	9.2		30.5	7.2
9	9	1985	1400	17	8.7	8.6	8.8		30.5	7.8
9	9	1985	1400	18	8.8	8.8	8.8		29.5	7.5
9	9	1985	1715	1	7.6	7.5	7.5		29.	7.2
9	9	1985	1715	2	7.5	7.5	7.3		29.	7.2
9	9	1985	1715	3	7.6	7.5	7.5		29.	7.
9	9	1985	1715	4	8.1	8.	7.9		29.	7.3
9	9	1985	1715	5	7.8	7.8	7.8		29.	7.4
9	9	1985	1715	6	7.5	7.6	7.4		29.	7.
9	9	1985	1715	7	7.7	7.6	7.5		28.9	7.
9	9	1985	1715	8	7.7	7.7	7.7		29.	6.8
9	9	1985	1715	9	7.8	7.7	7.7		28.9	6.8
9	9	1985	1715	10	8.1	7.9	7.9		28.9	6.7
9	9	1985	1715	17	7.9	7.8	7.7		29.	7.3
9	9	1985	1715	18	7.9	7.8	7.8		29.	6.7
10	9	1985	645	1		6.5			27.	6.7
10	9	1985	645	2		6.4			27.	6.7
10	9	1985	645	3		6.5			27.5	6.5
10	9	1985	645	4		7.			27.	6.3
10	9	1985	645	5		6.6			27.	6.7
10	9	1985	645	6		6.5			27.	6.5
10	9	1985	645	7		6.7			27.5	6.5
10	9	1985	645	8		6.9			27.5	6.3
10	9	1985	645	9		7.			27.	6.3
10	9	1985	645	10		6.5			27.	5.8
10	9	1985	645	17		6.8			26.5	6.8

2

Table 4. Diurnal Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	D.O.			WATER TEMP			PH
			TIME	POND#	DO-TOP	DO-MID	DO-BOT	TOP	
10	9	1985	645	18		6.8		27.	6.
8	10	1985	630	1		6.7		29.2	6.8
8	10	1985	630	2		6.7		29.2	6.7
8	10	1985	630	3		6.6		29.2	6.5
8	10	1985	630	4		7.3		29.	6.8
8	10	1985	630	5		7.		29.2	7.2
8	10	1985	630	6		7.2		29.	7.
8	10	1985	630	7		7.		29.	6.7
8	10	1985	630	8		7.8		29.	7.2
8	10	1985	630	9		7.7		29.	6.5
8	10	1985	630	10		7.6		28.5	6.4
8	10	1985	630	17		6.5		28.8	6.8
8	10	1985	630	18		6.8		28.5	6.2
8	10	1985	1000	1	6.8	6.7	6.7	29.5	7.8
8	10	1985	1000	2	6.8	6.7	6.5	29.8	7.9
8	10	1985	1000	3	6.5	6.4	6.3	29.8	7.8
8	10	1985	1000	4	7.3	7.3	7.4	29.8	8.4
8	10	1985	1000	5	7.3	7.3	7.3	29.8	8.5
8	10	1985	1000	6	7.4	7.3	7.3	29.5	8.4
8	10	1985	1000	7	7.2	7.	7.1	29.5	8.
8	10	1985	1000	8	8.1	8.2	8.1	29.5	8.9
8	10	1985	1000	9	7.7	7.6	7.6	29.5	8.2
8	10	1985	1000	10	8.	8.	7.8	29.5	8.1
8	10	1985	1000	17	7.	7.	6.9	29.5	8.1
8	10	1985	1000	18	7.2	7.4	7.3	29.5	7.6
8	10	1985	1400	1	7.2	7.4	7.3	31.	7.8
8	10	1985	1400	2	7.5	7.7	7.5	31.	7.7
8	10	1985	1400	3	7.	6.8	6.8	31.2	7.5
8	10	1985	1400	4	7.8	7.5	7.4	31.2	7.8
8	10	1985	1400	5	7.8	7.5	7.2	31.5	8.
8	10	1985	1400	6	7.8	7.8	7.5	31.5	8.
8	10	1985	1400	7	7.3	7.3	7.3	31.2	7.5
8	10	1985	1400	8	8.4	8.7	8.8	31.2	8.1
8	10	1985	1400	9	7.8	8.	8.	31.2	7.5
8	10	1985	1400	10	7.9	8.2	8.5	31.2	7.5
8	10	1985	1400	17	6.7	6.3	6.4	32.	8.2
8	10	1985	1400	18	6.8	6.5	6.8	31.2	8.1
8	10	1985	1715	1	6.4	6.3	6.3	31.	7.5
8	10	1985	1715	2	6.6	6.5	6.5	31.	7.7
8	10	1985	1715	3	6.5	6.3	6.2	31.	7.2
8	10	1985	1715	4	7.	6.8	6.7	30.5	7.7
8	10	1985	1715	5	7.2	7.1	7.	30.5	8.1
8	10	1985	1715	6	7.5	7.3	7.2	30.5	8.
8	10	1985	1715	7	6.8	6.8	6.8	30.5	7.5
8	10	1985	1715	8	7.3	7.3	7.2	32.	8.1

104

Table 4. Diurnal Measurements. Gualaca, Panama, Cycle I, Wet Season

D.O.				WATER			WATER			WATER		
				TEMP			TEMP			TEMP		
DAY	MONTH	YEAR	TIME	POND#	DO-TOP	DO-MID	DO-BOT	TOP	MID	BOT	PH	
8	10	1985	1715	9	7.	7.	6.9		30.5		7.3	
8	10	1985	1715	10	8.3	8.2	8.2		30.5		7.8	
8	10	1985	1715	17	6.5	6.5	6.5		31.		7.7	
8	10	1985	1715	18	6.6	6.6	6.5		30.		7.5	
29	10	1985	630	1		6.8			28.5			
29	10	1985	630	2		7.			28.5			
29	10	1985	630	3		7.			28.5			
29	10	1985	630	4		6.8			28.2			
29	10	1985	630	5		6.6			28.5			
29	10	1985	630	6		6.7			28.5			
29	10	1985	630	7		6.8			28.5			
29	10	1985	630	8		6.9			28.5			
29	10	1985	630	9		6.8			28.5			
29	10	1985	630	10		6.9			28.			
29	10	1985	630	17		6.8			28.5			
29	10	1985	630	18		6.8			28.2			
29	10	1985	1000	1	7.	7.2	7.1		29.		7.2	
29	10	1985	1000	2	7.3	7.3	7.3		29.		7.3	
29	10	1985	1000	3	7.5	7.5	7.5		29.		7.2	
29	10	1985	1000	4	7.4	7.5	7.5		29.		7.3	
29	10	1985	1000	5	7.	7.	7.		29.		7.4	
29	10	1985	1000	6	7.	7.	7.		29.		7.5	
29	10	1985	1000	7	7.	7.	7.1		29.		7.2	
29	10	1985	1000	8	7.2	7.2	7.2		28.8		7.1	
29	10	1985	1000	9	7.2	7.3	7.2		29.		7.5	
29	10	1985	1000	10	7.4	7.5	7.2		28.8		7.5	
29	10	1985	1000	17	7.	7.	7.1		29.2		6.9	
29	10	1985	1000	18	7.	6.9	3.9		29.		6.3	
29	10	1985	1400	1	8.1	8.5	8.6		29.8		7.6	
29	10	1985	1400	2	8.2	8.3	8.3		29.8		7.7	
29	10	1985	1400	3	8.3	8.4	8.4		29.8		7.5	
29	10	1985	1400	4	8.	8.1	8.1		29.8		7.5	
29	10	1985	1400	5	8.5	8.5	8.7		29.8		7.8	
29	10	1985	1400	6	8.2	8.2	8.7		29.8		7.8	
29	10	1985	1400	7	8.	8.1	8.2		29.8		7.3	
29	10	1985	1400	8	7.9	8.2	8.5		29.5		7.3	
29	10	1985	1400	9	8.	8.3	8.1		29.5		7.7	
29	10	1985	1400	10	8.3	8.2	7.9		29.5		7.8	
29	10	1985	1400	17	7.7	7.6	7.8		30.		7.3	
29	10	1985	1400	18	7.5	7.5	7.5		30.		6.6	
29	10	1985	1800	1	7.7	7.7	7.6		29.5		7.8	
29	10	1985	1800	2	7.7	7.6	7.6		29.		7.9	
29	10	1985	1800	3	7.9	7.8	7.8		29.		7.8	
29	10	1985	1800	4	7.8	7.7	7.6		29.		7.5	
29	10	1985	1800	5	8.2	8.1	8.		29.		8.	

105



Table 4. Diurnal Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	D.O. TIME	POND#	DO-TOP	DO-MID	DO-BOT	WATER	WATER	WATER	PH	
								TEMP	TEMP	TEMP		
								TOP	MID	BOT		
29	10	1985	1800	6	7.9	7.9	7.8		29.		8.	
29	10	1985	1800	7	7.7	7.7	7.5		29.		7.5	
29	10	1985	1800	8	7.7	7.7	7.7		29.		7.3	
29	10	1985	1800	9	7.9	7.8	7.8		29.		7.5	
29	10	1985	1800	10	8.	7.8	7.8		29.		7.6	
29	10	1985	1800	17	7.8	7.7	7.7		29.		7.5	
29	10	1985	1800	18	7.3	7.5	7.5		29.		6.9	
30	10	1985	630	1		6.5			28.2		6.8	
30	10	1985	630	2		6.8			28.		7.	
30	10	1985	630	3		7.			28.		6.8	
30	10	1985	630	4		6.8			27.8		6.5	
30	10	1985	630	5		6.8			27.8		7.	
30	10	1985	630	6		6.9			27.8		7.2	
30	10	1985	630	7		7.			28.		7.	
30	10	1985	630	8		6.9			27.8		6.8	
30	10	1985	630	9		6.8			27.8		6.8	
30	10	1985	630	10		6.3			27.8		6.6	
30	10	1985	630	17		6.5			27.8		6.7	
30	10	1985	630	18		6.5			27.8		6.2	
26	11	1985	630	1		7.1			28.5		7.5	
26	11	1985	630	2		6.2			28.8		6.5	
26	11	1985	630	3		5.7			28.5		6.5	
26	11	1985	630	4		5.6			28.5		6.7	
26	11	1985	630	5		6.2			28.5		6.9	
26	11	1985	630	6		7.			28.5		7.5	
26	11	1985	630	7		7.7			28.8		7.5	
26	11	1985	630	8		7.4			28.5		6.8	
26	11	1985	630	9		7.			28.5		6.8	
26	11	1985	630	10		7.1			28.5		6.7	
26	11	1985	630	17		7.			28.2		7.1	
26	11	1985	630	18		6.7			28.5		6.7	
26	11	1985	1000	1	8.6	8.6	8.7		29.		8.3	
26	11	1985	1000	2	7.2	7.2	7.2		29.		7.4	
26	11	1985	1000	3	6.5	6.5	6.5		29.		7.2	
26	11	1985	1000	4	6.6	6.5	6.5		29.		7.2	
26	11	1985	1000	5	7.7	7.7	7.7		29.		7.7	
26	11	1985	1000	6	8.2	8.2	8.2		29.		8.3	
26	11	1985	1000	7	8.8	8.6	8.8		29.		8.3	
26	11	1985	1000	8	8.5	8.4	8.4		28.8		8.	
26	11	1985	1000	9	7.8	7.8	7.7		29.		7.3	
26	11	1985	1000	10	8.1	8.1	8.		29.		6.8	
26	11	1985	1000	17	8.2	8.2	8.2		29.2		7.8	
26	11	1985	1000	18	7.8	7.8	7.7		29.		7.2	
26	11	1985	1400	1	9.	9.	9.		30.		8.4	
26	11	1985	1400	2	7.6	7.5	7.5		30.		7.2	

104

Table 4. Diurnal Measurements. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	D.O. TIME	POND#	D.O.			WATER TEMP			PH
					DO-TOP	DO-MID	DO-BOT	TOP	MID	BOT	
26	11	1985	1400	3	7.2	7.2	7.1		30.5		7.2
26	11	1985	1400	4	7.2	7.2	7.1		30.5		7.3
26	11	1985	1400	5	8.3	8.2	8.3		30.5		7.9
26	11	1985	1400	6	8.4	8.3	8.3		31.		8.4
26	11	1985	1400	7	8.5	8.4	8.4		30.5		8.2
26	11	1985	1400	8	8.5	8.4	8.4		31.		8.
26	11	1985	1400	9	7.9	7.8	7.8		31.		7.7
26	11	1985	1400	10	8.1	8.1	8.1		31.		6.5
26	11	1985	1400	17	9.1	9.	9.		30.5		8.2
26	11	1985	1400	18	8.1	8.	8.		31.		7.4
26	11	1985	1730	1	9.4	9.3	9.3		30.5		8.2
26	11	1985	1730	2	7.8	7.8	7.7		30.5		7.2
26	11	1985	1730	3	7.4	7.3	7.2		30.5		7.
26	11	1985	1730	4	7.3	7.2	7.2		30.		7.2
26	11	1985	1730	5	7.6	7.5	8.4		30.5		7.9
26	11	1985	1730	6	8.8	8.8	8.8		30.		8.1
26	11	1985	1730	7	9.	8.9	8.9		30.5		8.1
26	11	1985	1730	8	8.9	8.9	8.8		30.		8.
26	11	1985	1730	9	8.3	8.2	8.2		30.		7.2
26	11	1985	1730	10	8.6	8.5	8.4		30.5		5.6
26	11	1985	1730	17	8.8	8.8	8.7		30.		8.1
26	11	1985	1730	18	8.	7.9	7.7		30.5		7.8
27	11	1985	630	1		6.5			28.5		7.5
27	11	1985	630	2		6.2			28.8		6.4
27	11	1985	630	3		5.8			28.5		6.3
27	11	1985	630	4		5.7			28.5		6.4
27	11	1985	630	5		6.2			28.5		6.8
27	11	1985	630	6		6.5			28.5		7.5
27	11	1985	630	7		7.			28.5		7.5
27	11	1985	630	8		7.			28.5		7.
27	11	1985	630	9		6.8			28.5		6.5
27	11	1985	630	10		6.6			28.5		6.
27	11	1985	630	17		6.5			28.5		6.8
27	11	1985	630	18		6.3			28.		6.5

157

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT
15	2	1985	1	STK	nil	23.27	832							
15	2	1985	2	STK	nil	24.39	818							
15	2	1985	3	STK	nil	25.15	815							
15	2	1985	4	STK	nil	25.43	885							
15	2	1985	5	STK	nil	26.93	928							
15	2	1985	6	STK	nil	24.1	859							
15	2	1985	7	STK	nil	23.82	826							
15	2	1985	8	STK	nil	25.93	826							
15	2	1985	9	STK	nil	25.48	890							
15	2	1985	10	STK	nil	23.5	839							
15	2	1985	17	STK	nil	27.12	1037							
15	2	1985	18	STK	nil	23.12	865							
25	3	1985	1	SAM	nil	7.2	200							
25	3	1985	2	SAM	nil	7.54	200							
25	3	1985	3	SAM	nil	9.28	236							
25	3	1985	4	SAM	nil	10.35	293							
25	3	1985	5	SAM	nil	6.4	175							
25	3	1985	6	SAM	nil	7.9	205							
25	3	1985	7	SAM	nil	7.4	200							
25	3	1985	8	SAM	nil	8.65	233							
25	3	1985	9	SAM	nil	7.65	234							
25	3	1985	10	SAM	nil	7.1	212							
25	3	1985	17	SAM	nil	9.05	236							
25	3	1985	18	SAM	nil	9.15	289							
18	4	1985	1	SAM	nil	9.	203							
18	4	1985	2	SAM	nil	8.95	223							
18	4	1985	3	SAM	nil	13.03	334							
18	4	1985	4	SAM	nil	15.2	394							
18	4	1985	5	SAM	nil	10.33	259							
18	4	1985	6	SAM	nil	17.82	429							
18	4	1985	7	SAM	nil	14.08	360							
18	4	1985	8	SAM	nil	11.43	307							
18	4	1985	9	SAM	nil	8.5	245							
18	4	1985	10	SAM	nil	3.18	98							
18	4	1985	17	SAM	nil	11.3	301							
18	4	1985	18	SAM	nil	8.72	251							
21	5	1985	1	HAR	nil	30.88	718							5.1
21	5	1985	2	HAR	nil	32.4	718							8.
21	5	1985	3	HAR	nil	27.46	741							3.4
21	5	1985	4	HAR	nil	30.13	742							5.
21	5	1985	5	HAR	nil	28.37	751							3.1
21	5	1985	6	HAR	nil	30.81	752							5.5
21	5	1985	7	HAR	nil	27.06	733							5.3
21	5	1985	8	HAR	nil	24.6	666							2.8
21	5	1985	9	HAR	nil	24.35	718							3.1
21	5	1985	10	HAR	nil	23.6	682							5.8
21	5	1985	17	HAR	nil	29.67	993							9.6
21	5	1985	18	HAR	nil	24.58	761							3.6

100

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	FOND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER
8	7	1985	1	STK	nil	13.8	832
8	7	1985	2	STK	nil	13.5	818
8	7	1985	3	STK	nil	13.3	815
8	7	1985	4	STK	nil	14.825	885
8	7	1985	5	STK	nil	14.7	928
8	7	1985	6	STK	nil	14.3	859
8	7	1985	7	STK	nil	13.5	826
8	7	1985	8	STK	nil	13.65	826
8	7	1985	9	STK	nil	14.45	890
8	7	1985	10	STK	nil	14.175	839
8	7	1985	17	STK	nil	18.75	1037
8	7	1985	18	STK	nil	13.9	865
7	8	1985	1	SAM	nil	7.375	305
7	8	1985	2	SAM	nil	8.35	363
7	8	1985	3	SAM	nil	5.45	241
7	8	1985	4	SAM	nil		345
7	8	1985	5	SAM	nil	7.65	327
7	8	1985	6	SAM	nil	3.125	126
7	8	1985	7	SAM	nil	7.025	258
7	8	1985	8	SAM	nil		358
7	8	1985	9	SAM	nil	2.56	100
7	8	1985	10	SAM	nil	9.975	369
7	8	1985	17	SAM	nil	12.7	492
7	8	1985	18	SAM	nil		357
4	9	1985	1	SAM	nil	5.475	210
4	9	1985	2	SAM	nil	6.22	178
4	9	1985	3	SAM	nil	6.65	258
4	9	1985	4	SAM	nil		262
4	9	1985	5	SAM	nil	4.425	198
4	9	1985	6	SAM	nil		360
4	9	1985	7	SAM	nil	4.325	157
4	9	1985	8	SAM	nil	2.65	145
4	9	1985	9	SAM	nil		121
4	9	1985	10	SAM	nil		
4	9	1985	17	SAM	nil	4.935	196
4	9	1985	18	SAM	nil	2.375	148
2	10	1985	1	SAM	nil	6.125	210
2	10	1985	2	SAM	nil	0.275	74
2	10	1985	3	SAM	nil	4.075	196
2	10	1985	4	SAM	nil	5.025	270
2	10	1985	5	SAM	nil	2.975	134
2	10	1985	6	SAM	nil	2.425	89
2	10	1985	7	SAM	nil	5.925	218
2	10	1985	8	SAM	nil	4.35	178
2	10	1985	9	SAM	nil		85

1985

Table 5. Fish/Shrimp Stocking, Sampling, and Harvesting. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND	ACTIVITY	SPECIES	POP. WEIGHT	POP. NUMBER	SAMPLE WEIGHT	SAMPLE WT.-#	SAMPLE WT.-SD	SAMPLE LENGTH	SAMPLE LT.-#	SAMPLE LT.-SD	REPROD. WEIGHT	REPROD. NUMBER
2	10	1985	10	SAM	nil										
2	10	1985	17	SAM	nil		142								
2	10	1985	18	SAM	nil	3.675	218								
2	12	1985	1	HAR	nil	21.589	704	37.28	50	7.667	12.7	50	0.686	14.225	4063.
2	12	1985	2	HAR	nil	18.95	758	27.34	50	8.12	11.54	50	1.092	7.23	5902.
2	12	1985	3	HAR	nil	18.449	714	28.66	50	6.883	11.88	50	1.081	4.095	3149.
2	12	1985	4	HAR	nil	20.326	808	32.34	50	7.945	12.24	50	1.061	6.71	2684.
2	12	1985	5	HAR	nil	22.76	825	30.34	100	6.438	11.85	50	1.067	20.675	4865.
2	12	1985	6	HAR	nil	23.175	778	27.02	100	8.774	11.6	50	1.45	14.66	3118.
2	12	1985	7	HAR	nil	20.185	809	30.7	50	7.265	11.98	50	1.186	9.6	2162.
2	12	1985	8	HAR	nil	22.736	976	27.74	50	7.892	11.62	50	1.21	10.35	7527.
2	12	1985	9	HAR	nil	23.275	959		50	9.413	12.46	50	1.182	14.045	7748.
2	12	1985	10	HAR	nil										
2	12	1985	17	HAR	nil	24.131	923							11.2	6399.
2	12	1985	18	HAR	nil	11.15	550							2.745	2111.

Table 6. Plankton and Benthos. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	NET PRODUCTN	GROSS PRODUCTN	DAY	MONTH	YEAR	POND#	NET PRODUCTN	GROSS PRODUCTN
8	3	1985	1			11	4	1985	10		
8	3	1985	2		4.3	11	4	1985	17		1.5
8	3	1985	3		0.8	11	4	1985	18		1.1
8	3	1985	4		1.4	26	4	1985	1	-0.5	0.1
8	3	1985	5		1.2	26	4	1985	2		1.4
8	3	1985	6		0.5	26	4	1985	3		1.2
8	3	1985	7		0.6	26	4	1985	4		1.1
8	3	1985	8		0.6	26	4	1985	5		
8	3	1985	9		1.2	26	4	1985	6		
8	3	1985	10			26	4	1985	7		1.2
8	3	1985	17		3.7	26	4	1985	8		1.9
8	3	1985	18		0.4	26	4	1985	9		0.9
18	3	1985	1		1.4	26	4	1985	10		
18	3	1985	2	-0.5		26	4	1985	17		
18	3	1985	3	-0.5	1.1	26	4	1985	18		0.3
18	3	1985	4	-0.3	1.5	10	5	1985	1		2.5
18	3	1985	5	-0.8	1.3	10	5	1985	2	1.8	2.6
18	3	1985	6		1.8	10	5	1985	3		1.2
18	3	1985	7		1.5	10	5	1985	4		1.1
18	3	1985	8	-0.6	1.5	10	5	1985	5		1.2
18	3	1985	9	-1.2	1.7	10	5	1985	6		1.2
18	3	1985	10	-1.6	0.9	10	5	1985	7		1.1
18	3	1985	17	-0.7	3.9	10	5	1985	8		
18	3	1985	18		2.5	10	5	1985	9		1.3
27	3	1985	1		0.9	10	5	1985	10	1.2	1.5
27	3	1985	2		0.9	10	5	1985	17		0.9
27	5	1985	3		1.2	10	5	1985	18		
27	3	1985	4	-1.1	0.9	20	5	1985	1	1.1	2.1
27	3	1985	5	-1.4	0.6	20	5	1985	2	3.6	5.8
27	3	1985	6	-0.3	0.7	20	5	1985	3		2.2
27	3	1985	7	-0.3	1.2	20	5	1985	4		1.6
27	3	1985	8		1.2	20	5	1985	5		1.4
27	3	1985	9	-0.5	0.8	20	5	1985	6		1.5
27	3	1985	10	-0.5	0.6	20	5	1985	7		1.5
27	3	1985	17	-0.6	1.1	20	5	1985	8		1.5
27	3	1985	18	-0.3	1.1	20	5	1985	9		1.4
11	4	1985	1	-0.9	1.8	20	5	1985	10	1.3	2.2
11	4	1985	2	-0.1	1.6	20	5	1985	17	1.1	2.2
11	4	1985	3		1.5	20	5	1985	18		1.8
11	4	1985	4		1.5						
11	4	1985	5								
11	4	1985	6		2.2						
11	4	1985	7	1.3	1.6						
11	4	1985	8		1.2						
11	4	1985	9		1.1						

Table 7. Water Quality Characteristics. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	PCSD#	ALKALIN	HARDNESS	PH	NH3-N	NO2-N	NO3-N	NO2&3-N	TOTAL-P	ORTHO-P	CL-	SALT	SO4	BORON	CALCIUM	COPPER	IRON	MAGNESIU	POTASSIU	SODIUM	ZINC
20	5	1985	1																				
20	5	1985	2										10.		18.				0.06	1.1	0.6	2.3	0.017
20	5	1985	3										8.		12.				0.11	0.8	0.5	2.1	0.02
20	5	1985	4										6.		12.				0.11	1.4	0.6	2.4	0.012
20	5	1985	5										8.		9.				0.11	1.	0.5	2.2	0.011
20	5	1985	6										10.		6.				0.11	1.	0.5	2.3	0.01
20	5	1985	7										10.		8.				0.13	1.1	0.5	2.2	0.013
20	5	1985	8										12.		10.				0.13	1.	0.5	2.3	0.015
20	5	1985	9										10.		10.				0.15	0.8	0.4	2.1	0.012
20	5	1985	10										10.		3.				0.17	0.9	0.6	2.1	0.016
20	5	1985	17										14.		4.				0.22	0.8	0.8	2.5	0.024
20	5	1985	18										12.		2.				0.21	0.9	0.5	1.9	0.014
													10.		4.				0.39	0.9	0.5	2.1	0.016

Table 7. Water Quality Characteristics. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	ALKALIN	HARDNESS	PH	NH3-N	NO2-N	NO3-N	NO2&3-N	TOTAL-P	ORTHO-P	CL-	SALT	SO4	BORON	CALCIUM	COPPER	IRON	MAGNESIU	POTASSIU	SODIUM	ZINC	
9	7	1985	1																					
9	7	1985	2														0.	3.58	0.	0.52	0.38	0.17	0.9	0.
9	7	1985	3														0.	3.4	0.	0.58	0.46	0.18	0.97	0.
9	7	1985	4														0.	3.66	0.	0.74	0.42	0.17	0.9	0.
9	7	1985	5														0.	3.66	0.	1.78	0.3	0.13	0.74	0.
9	7	1985	6														0.	3.26	0.	0.74	0.46	0.14	1.04	0.
9	7	1985	7														0.	3.38	0.	0.63	0.42	0.14	0.96	0.
9	7	1985	8														0.	3.4	0.		0.4	0.14	0.92	0.
9	7	1985	9														0.	3.46	0.	0.41	0.19	0.13	0.87	0.
9	7	1985	10														0.	3.18	0.	0.83	0.42	0.14	0.9	0.
9	7	1985	17														0.	3.24	0.	0.33	0.3	0.13	0.74	0.
9	7	1985	18														0.	3.49	0.	0.75	0.46	0.16	0.93	0.
25	11	1985	1														0.	2.92	0.	0.65	0.46	0.16	0.9	0.
25	11	1985	2																					
25	11	1985	3														0.	3.96	0.	0.29	0.26	0.12	0.31	0.
25	11	1985	4														0.	3.74	0.	0.26	0.26	0.13	0.32	0.
25	11	1985	5														0.	3.76	0.	0.21	0.16	0.1	0.39	0.
25	11	1985	6														0.	3.9	0.	0.19	0.22	0.1	0.38	0.
25	11	1985	7														0.	4.2	0.	0.23	0.24	0.14	0.37	0.
25	11	1985	8														0.	4.16	0.	0.22	0.22	0.11	0.36	0.
25	11	1985	9														0.	4.04	0.	0.21	0.2	0.1	0.32	0.
25	11	1985	10														0.	3.54	0.	0.29	0.18	0.11	0.32	0.
25	11	1985	17														0.	3.82	0.	0.22	0.22	0.13	0.4	0.
25	11	1985	18														0.	4.54	0.	0.24	0.56	0.2	1.4	0.
																	0.	3.26	0.	0.24	0.22	0.11	0.36	0.

68

Table 8. Pond Soil Characteristics. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	CLAY	SILT	SAND	ORGAN. MATTER	NET-PH	SOIL-P	SOIL CA	SOIL MG	SOIL K	SOIL NA	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL MN	SOIL CU	SOIL SO4
15	12	1984	1	34.	24.	42.	2.6	5.1		4.5	0.8		0.3						2.8					20.2
15	12	1984	2	28.	24.	48.	2.7	5.1		3.8	0.9		0.2						4.5					14.9
15	12	1984	3	30.	26.	44.	2.3	4.9		1.9	0.9		0.3						7.4					13.7
15	12	1984	4	30.	26.	44.	3.1	4.7		1.4	0.6		0.2						7.8					14.2
15	12	1984	5	32.	26.	42.	2.1	4.9		1.7	0.5		0.3						7.8					11.9
15	12	1984	6	24.	22.	54.	3.9			2.6	0.6		0.9						4.5					20.7
15	12	1984	7	36.	24.	40.	2.3	4.9		2.	0.6		0.3						4.98					15.2
15	12	1984	8	26.	22.	52.				2.6	0.7		0.6						6.88					12.5
15	12	1984	9	26.	24.	50.				2.	0.5		0.4						6.17					19.5
15	12	1984	10	30.	24.	46.	3.2	5.2		2.2	0.5		0.6						3.56					19.5
4	6	1985	1	50.	28.	22.	2.41		8.9	2.9	0.4	207.2							1.4	48.2	4.5	101.5	2.8	
4	6	1985	2	38.	26.	36.	2.68	4.9	1.7	3.3	0.5	149.6							1.3	67.8	4.2	145.7	3.4	
4	6	1985	3	42.	28.	30.	2.55		5.3	5.6	0.5	231.7								42.8	3.6	56.2	2.	
4	6	1985	4	44.	32.	24.	3.48	6.3	5.3	9.6	0.3	151.3							0.	32.8		48.1	2.6	
4	6	1985	5	44.	30.	26.	3.62	7.2	9.7	14.9	0.2	198.1							0.	11.2	2.5	47.2	0.8	
4	6	1985	6	46.	30.	24.	3.89	6.2	1.1	8.6	0.5	308.2							0.	39.6	1.5		3.	
4	6	1985	7	50.	30.	20.	1.88	6.1	1.1	7.8	0.4	290.6							0.	36.7	0.7	49.3	2.	
4	6	1985	8	52.	26.	22.	2.81	6.5	1.1	8.3	0.5	232.4							0.	48.2	0.7	46.2	3.1	
4	6	1985	9	48.	32.	20.	2.14	7.4	1.1	12.3	0.1	267.7							0.	15.8	0.8	51.9	2.2	
4	6	1985	10	42.	28.	30.	3.48		1.1	7.2	0.4	214.8							0.	41.7	1.1	66.5	2.7	
4	6	1985	17				2.01	5.3	0.6	4.5	0.5	159.2								48.2	6.8	99.2	2.3	
4	6	1985	18	50.	22.	28.	2.01	5.8	0.6	6.6	0.6	197.4								35.6	3.6	53.9	2.6	

06

Table 8. Pond Soil Characteristics. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	CLAY	SILT	SAND	ORGAN. MATTER	NET-PH	SOIL-P	SOIL CA	SOIL MG	SOIL K	SOIL NA	SOIL N	SOIL NH4	SOIL NO3	SOIL CEC	SOIL SALT	SOIL AL	SOIL FE	SOIL ZN	SOIL MN	SOIL CU	
3	12	1985	1	44.	28.	28.	2.95	5.8	1.7	11.9	0.9	33.3							0.	90.	0.	155.4	6.2	
3	12	1985	2	36.	28.	36.	2.14	5.6	4.1	13.2	1.1	40.2							0.	78.2	0.	162.	5.6	
3	12	1985	3	34.	26.	40.	2.95	5.1	1.7	9.4	0.9	37.9							0.6	83.3	0.	117.6	5.	
3	12	1985	4	28.	26.	46.	3.22	5.9	2.9	12.3	0.7	37.							0.	63.6	0.	106.6	4.7	
3	12	1985	5	28.	26.	46.	2.95	5.5	2.3	10.5	0.7	30.							0.	64.8	0.	109.9	6.1	
3	12	1985	6	30.	26.	44.	4.02	5.9	1.1	10.6	0.7	33.8							0.	70.8	0.	101.6	5.2	
3	12	1985	7	26.	22.	52.	2.68	6.	2.9	9.4	0.7	32.7							0.	74.6	0.	109.9	5.1	
3	12	1985	8	40.	22.	38.	2.01	6.1	1.7	11.4	0.9	35.8							0.	69.6	22.7	100.	5.7	
3	12	1985	9	36.	26.	38.	3.08	5.3	1.7	8.3	0.7	33.3							0.3	74.6	0.	116.9	5.1	
3	12	1985	10	40.	24.	36.	3.48	5.5	1.7	10.9	0.7	36.4							0.	68.	4.1	131.5	5.8	
3	12	1985	17	44.	20.	36.	2.14	6.1	1.7	12.6	0.9	39.8							0.	79.1	1.3	153.3	7.2	
3	12	1985	18	46.	20.	34.	1.88	6.5	1.7	13.7	1.2	38.3							0.	45.	0.8	88.8	6.1	

113



Table 9. Analysis of Nutrients and Lime. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	NUTRIENT TYPE	DRY MATTER %	NUTRIENT N	NUTRIENT P	NUTRIENT K	NUTRIENT ORG-C	NUTRIENT S	LIME NEUT %
4	6	1985				41.8				

Table 10. Nutrient and Lime Inputs. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE
1	2	1985	1							
1	2	1985	2							CAC
1	2	1985	3							CAC
1	2	1985	4							CAC
1	2	1985	5							CAC
1	2	1985	6							CAC
1	2	1985	7							CAC
1	2	1985	8							CAC
1	2	1985	9							CAC
1	2	1985	10							CAC
1	2	1985	17							CAC
1	2	1985	18							CAC
16	2	1985	1					TSP	4.	
16	2	1985	2					TSP	4.	
16	2	1985	3					TSP	4.	
16	2	1985	4					TSP	4.	
16	2	1985	5					TSP	4.	
16	2	1985	6					TSP	4.	
16	2	1985	7					TSP	4.	
16	2	1985	8					TSP	4.	
16	2	1985	9					TSP	4.	
16	2	1985	10					TSP	4.	
16	2	1985	17					TSP	4.	
16	2	1985	18					TSP	4.	
1	3	1985	1					TSP	4.	
1	3	1985	2					TSP	4.	
1	3	1985	3					TSP	4.	
1	3	1985	4					TSP	4.	
1	3	1985	5					TSP	4.	
1	3	1985	6					TSP	4.	
1	3	1985	7					TSP	4.	
1	3	1985	8					TSP	4.	
1	3	1985	9					TSP	4.	
1	3	1985	10					TSP	4.	
1	3	1985	17					TSP	4.	
1	3	1985	18					TSP	4.	
15	3	1985	1					TSP	4.	
15	3	1985	2					TSP	4.	
15	3	1985	3					TSP	4.	
15	3	1985	4					TSP	4.	
15	3	1985	5					TSP	4.	
15	3	1985	6					TSP	4.	
15	3	1985	7					TSP	4.	
15	3	1985	8					TSP	4.	
15	3	1985	9					TSP	4.	

115

Table 10. Nutrient and Lime Inputs. Gualaca, Panama, Cycle I, Dry Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY
15	3	1985	10					TSP	4.
15	3	1985	17					TSP	4.
15	3	1985	18					TSP	4.
29	3	1985	1					TSP	4.
29	3	1985	2					TSP	4.
29	3	1985	3					TSP	4.
29	3	1985	4					TSP	4.
29	3	1985	5					TSP	4.
29	3	1985	6					TSP	4.
29	3	1985	7					TSP	4.
29	3	1985	8					TSP	4.
29	3	1985	9					TSP	4.
29	3	1985	10					TSP	4.
29	3	1985	17					TSP	4.
29	3	1985	18					TSP	4.
12	4	1985	1					TSP	4.
12	4	1985	2					TSP	4.
12	4	1985	3					TSP	4.
12	4	1985	4					TSP	4.
12	4	1985	5					TSP	4.
12	4	1985	6					TSP	4.
12	4	1985	7					TSP	4.
12	4	1985	8					TSP	4.
12	4	1985	9					TSP	4.
12	4	1985	10					TSP	4.
12	4	1985	17					TSP	4.
12	4	1985	18					TSP	4.
26	4	1985	1					TSP	4.
26	4	1985	2					TSP	4.
26	4	1985	3					TSP	4.
26	4	1985	4					TSP	4.
26	4	1985	5					TSP	4.
26	4	1985	6					TSP	4.
26	4	1985	7					TSP	4.
26	4	1985	8					TSP	4.
26	4	1985	9					TSP	4.
26	4	1985	10					TSP	4.
26	4	1985	17					TSP	4.
26	4	1985	18					TSP	4.
10	5	1985	1					TSP	4.
10	5	1985	2					TSP	4.
10	5	1985	3					TSP	4.
10	5	1985	4					TSP	4.
10	5	1985	5					TSP	4.
10	5	1985	6					TSP	4.
10	5	1985	7					TSP	4.
10	5	1985	8					TSP	4.
10	5	1985	9					TSP	4.
10	5	1985	10					TSP	4.
10	5	1985	17					TSP	4.
10	5	1985	18					TSP	4.

Table 10. Nutrient and Lime Inputs. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY	LIME TYPE	LIME QUANTITY
23	6	1985	1								
23	6	1985	2							cac	1639.
23	6	1985	3							cac	1667.
23	6	1985	4							cac	1673.
23	6	1985	5							cac	
23	6	1985	6							cac	
23	6	1985	7							cac	
23	6	1985	8							cac	
23	6	1985	9							cac	
23	6	1985	10							cac	542.
23	6	1985	17							cac	2709.
23	6	1985	18							cac	
9	7	1985	1					TSP	4.		
9	7	1985	2					TSP	4.		
9	7	1985	3					TSP	4.		
9	7	1985	4					TSP	4.		
9	7	1985	5					TSP	4.		
9	7	1985	6					TSP	4.		
9	7	1985	7					TSP	4.		
9	7	1985	8					TSP	4.		
9	7	1985	9					TSP	4.		
9	7	1985	10					TSP	4.		
9	7	1985	17					TSP	4.		
9	7	1985	18					TSP	4.		
23	7	1985	1					TSP	4.		
23	7	1985	2					TSP	4.		
23	7	1985	3					TSP	4.		
23	7	1985	4					TSP	4.		
23	7	1985	5					TSP	4.		
23	7	1985	6					TSP	4.		
23	7	1985	7					TSP	4.		
23	7	1985	8					TSP	4.		
23	7	1985	9					TSP	4.		
23	7	1985	10					TSP	4.		
23	7	1985	17					TSP	4.		
23	7	1985	18					TSP	4.		
6	8	1985	1					TSP	4.		
6	8	1985	2					TSP	4.		
6	8	1985	3					TSP	4.		
6	8	1985	4					TSP	4.		
6	8	1985	5					TSP	4.		
6	8	1985	6					TSP	4.		
6	8	1985	7					TSP	4.		
6	8	1985	8					TSP	4.		
6	8	1985	9					TSP	4.		

Table 10. Nutrient and Lime Inputs. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY
6	8	1985	10					TSP	4.
6	8	1985	17					TSP	4.
6	8	1985	18					TSP	4.
20	8	1985	1					TSP	4.
20	8	1985	2					TSP	4.
20	8	1985	3					TSP	4.
20	8	1985	4					TSP	4.
20	8	1985	5					TSP	4.
20	8	1985	6					TSP	4.
20	8	1985	7					TSP	4.
20	8	1985	8					TSP	4.
20	8	1985	9					TSP	4.
20	8	1985	10					TSP	4.
20	8	1985	17					TSP	4.
20	8	1985	18					TSP	4.
3	9	1985	1					TSP	4.
3	9	1985	2					TSP	4.
3	9	1985	3					TSP	4.
3	9	1985	4					TSP	4.
3	9	1985	5					TSP	4.
3	9	1985	6					TSP	4.
3	9	1985	7					TSP	4.
3	9	1985	8					TSP	4.
3	9	1985	9					TSP	4.
3	9	1985	10					TSP	4.
3	9	1985	17					TSP	4.
3	9	1985	18					TSP	4.
17	9	1985	1					TSP	4.
17	9	1985	2					TSP	4.
17	9	1985	3					TSP	4.
17	9	1985	4					TSP	4.
17	9	1985	5					TSP	4.
17	9	1985	6					TSP	4.
17	9	1985	7					TSP	4.
17	9	1985	8					TSP	4.
17	9	1985	9					TSP	4.
17	9	1985	10					TSP	4.
17	9	1985	17					TSP	4.
17	9	1985	18					TSP	4.
1	10	1985	1					TSP	4.
1	10	1985	2					TSP	4.
1	10	1985	3					TSP	4.
1	10	1985	4					TSP	4.
1	10	1985	5					TSP	4.
1	10	1985	6					TSP	4.
1	10	1985	7					TSP	4.

113-

Table 10. Nutrient and Lime Inputs. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY
1	10	1985	8					TSP	4.
1	10	1985	9					TSP	4.
1	10	1985	10					TSP	4.
1	10	1985	17					TSP	4.
1	10	1985	18					TSP	4.
15	10	1985	1					TSP	4.
15	10	1985	2					TSP	4.
15	10	1985	3					TSP	4.
15	10	1985	4					TSP	4.
15	10	1985	5					TSP	4.
15	10	1985	6					TSP	4.
15	10	1985	7					TSP	4.
15	10	1985	8					TSP	4.
15	10	1985	9					TSP	4.
15	10	1985	10					TSP	4.
15	10	1985	17					TSP	4.
15	10	1985	18					TSP	4.
29	10	1985	1					TSP	4.
29	10	1985	2					TSP	4.
29	10	1985	3					TSP	4.
29	10	1985	4					TSP	4.
29	10	1985	5					TSP	4.
29	10	1985	6					TSP	4.
29	10	1985	7					TSP	4.
29	10	1985	8					TSP	4.
29	10	1985	9					TSP	4.
29	10	1985	10					TSP	4.
29	10	1985	17					TSP	4.
29	10	1985	18					TSP	4.
12	11	1985	1					TSP	4.
12	11	1985	2					TSP	4.
12	11	1985	3					TSP	4.
12	11	1985	4					TSP	4.
12	11	1985	5					TSP	4.
12	11	1985	6					TSP	4.
12	11	1985	7					TSP	4.
12	11	1985	8					TSP	4.
12	11	1985	9					TSP	4.
12	11	1985	10					TSP	4.
12	11	1985	17					TSP	4.
12	11	1985	18					TSP	4.
26	11	1985	1					TSP	4.
26	11	1985	2					TSP	4.
26	11	1985	3					TSP	4.
26	11	1985	4					TSP	4.
26	11	1985	5					TSP	4.

119

Table 10. Nutrient and Lime Inputs. Gualaca, Panama, Cycle I, Wet Season

DAY	MONTH	YEAR	POND#	FEED TYPE	FEED QUANTITY	MANURE TYPE	MANURE QUANTITY	INORGAN. TYPE	INORGAN. QUANTITY
26	11	1985	6					TSP	4.
26	11	1985	7					TSP	4.
26	11	1985	8					TSP	4.
26	11	1985	9					TSP	4.
26	11	1985	10					TSP	4.
26	11	1985	17					TSP	4.
26	11	1985	18					TSP	4.

120