

Country Health Profile

HONDURAS

Health Situation & Statistics Report 1994



Center for International Health Information
1601 N. Kent Street, Suite 1014
Arlington, VA 22209

The Center for International Health Information (CIHI), a project managed by Information Management Consultants, Inc. (IMC), prepared this document under the Data for Decision Making Project, #936-5991.05 (CIHI-II), contract number HRN-5991-C-00-3041-00, with the Office of Health and Nutrition, Center for Population, Health and Nutrition, Bureau for Global Programs, Field Support and Research, U.S. Agency for International Development (USAID).

**The Center for International Health Information
1601 N. Kent Street, Suite 1014
Arlington, VA 22209
(703) 524 - 5225
FAX (703) 243 - 4669
E-Mail address: cihi@gaia.info.usaid.gov**

HONDURAS

Country Health Profile

This is one of a series of Country Health Profiles produced by the Center for International Health Information (CIHI). Each profile contains descriptive information and tables on the country's health and demographic characteristics, health indicators and trends, and when available, the health care system. Profile information is compiled from CIHI's databases and reference library, as well as through research and analysis of other data sources and reports.

The profiles are intended to provide current and trend data in a concise format for policy and decision-making, planning and evaluation, and monitoring of health status for use by individuals and organizations. Contact CIHI at the address on the preceding page for information on the availability of other health profiles and standard reports.

This profile contains national level health and demographic statistics available in CIHI's databases as of the date noted in each section. In order to enable CIHI to report the most current health and demographic statistics, please provide any more recent or more accurate data by contacting the center at the address on the previous page or through USAID, Office of Health and Nutrition, Center for Population, Health and Nutrition, Bureau for Global Programs, Field Support and Research.

TABLE OF CONTENTS

JULY 1994

I: Health & Demographic Overview	1
Current Demographic and Health Indicators	1
Trends in Selected Demographic and Health Indicators	2
Population Estimates/Pyramid	3
Trends in Selected Health and Child Survival Indicators	4
Vaccination Coverage Rates	4
ORS Access, ORS and/or RHF Use Rates	6
Contraceptive Prevalence Rate	6
Access to Potable Water	7
Access to Adequate Sanitation	7
Comparative Indicators	8
Comparative IMR Rates	8
Comparative Vaccination Coverage Rates	9
Comparative ORS Access, ORS and/or RHF Use Rates	9
II: Data Notes	10
III: Sources *	13

** Sources in this profile are referred to by a seven-digit code. Generally, the first three letters refer to an organization, agency, etc., and the first two numbers indicate the year of the publication or other source document. A complete list of sources appears at the end of the profile.*

I: HEALTH & DEMOGRAPHIC OVERVIEW

Current Demographic and Health Indicators

JULY 1994

Demographic Indicators			
INDICATOR	VALUE	YEAR	SOURCE
Total Population	3,180,775	1993	CALXX02
Urban Population	2,604,000	1993	UNP9200
Women Ages 15-49	1,304,200	1993	UNP9200
Infant Mortality	50	1989	MRF9203
Under 5 Mortality	65	1989	MRF9203
Maternal Mortality	221	1990	MRF9208
Life Expectancy At Birth	66	1991	MRF9202
Number of Births	190,311	1993	CALXX02
Annual Infant Deaths	9,516	1993	CALXX01
Total Fertility Rate	5.1	1991	MRF9203

Child Survival Indicators			
INDICATOR	PERCENT	YEAR	SOURCE
Vaccination Coverage			
BCG	92	1993	PAH9401
DPT 3	94	1993	PAH9401
Measles	94	1993	PAH9401
Polio 3	95	1993	PAH9401
Tetanus 2	48	1992	WHE9301
DPT Drop Out	9	1990	PAH9100
Oral Rehydration Therapy			
ORS Access Rate	65	1991	WHD9201
ORS and/or RHF Use	30	1991	MRF9203
Contraceptive Prevalence			
Modern Methods (15-49)	35	1991	MRF9203
All Methods (15-49)	47	1991	MRF9203
Nutrition			
Adequate Nutritional Status	77	1987	CAB8701
Appropriate Infant Feeding	NA		
A) Exclusive Breastfeeding	13	1991	MRF9207
B) Complementary Feeding	83	1991	MRF9207
Continued Breastfeeding	68	1987	AID8902

Other Health Indicators			
INDICATOR	PERCENT	YEAR	SOURCE
HIV-1 Seroprevalence			
Urban	0	1992	BUC9200
Rural	NA		
Access to Improved Water			
Urban	88	1992	AID9320
Rural	47	1992	AID9320
Access to Sanitation			
Urban	88	1992	AID9320
Rural	43	1992	AID9320
Deliveries/Trained Attendants	88	1991	MRF9203



NA = Not available



Trends in Selected Demographic and Health Indicators


JULY 1994

INDICATOR	1950	1955	1960	1965	1970	1975	1980	1985	1990	1995	2000	SOURCE
Infant Mortality	157	147	138	129	120	91	75	57	49	42	36	WBK9302
Under Five Mortality	235	219	205	191	175	129	104	76	63	53	44	WBK9302
Crude Birth Rate	51	51	51	51	49	46	43	41	38	35	32	UNP9200
Crude Death Rate	23	21	19	17	15	12	10	9	8	7	6	UNP9200
Avg. Annual Growth Rate	3	3	3	3	3	3	4	3	3	3	3	UNP9200
Total Fertility Rate	7.0	7.1	7.3	7.4	7.4	7.0	6.4	5.9	5.2	4.6	4.1	UNP9200



IMR and TFR


The relationship between IMR and TFR is currently a subject under review by the scientific community. While there is not conclusive evidence that the IMR and TFR are causally linked and necessarily decline together, there is empirical evidence for suspecting that such a reinforcing relationship exists as the pattern is observable in most countries.



Population Estimates/Pyramid

JULY 1994


POPULATION ESTIMATES (000s)		
YEAR	VALUE	SOURCE
1950	1,401	UNP9200
1955	1,640	UN 9200
1960	1,935	UNP9200
1965	2,293	UNP9200
1970	2,627	UNP9200
1975	3,081	UNP9200
1980	3,662	UNP9200
1985	4,383	U,JP9200
1990	5,138	UNP9200
1995	5,968	UNP9200
2000	6,846	UNP9200



CURRENT & PROJECTED POPULATION

By Age & Gender: 1990 - 2020

Total Population 1990: 4,741,475 Total Population 2020: 9,042,135







Trends in Selected Health and Child Survival Indicators

Vaccination Coverage Rates


JULY 1994



BCG COVERAGE		
YEAR	PERCENT	SOURCE
1980	28	V. IE8700
1981	46	WHE8700
1982	57	WHE8700
1983	55	WHE8900
1984	37	WHE8700
1985	65	WHE8700
1986	72	WHE8801
1987	90	CAB8X00
1988	85	WHE8900
1989	75	WHE9001
1990	71	WHE9100
1991	99	WHE9200
1992	91	WHE9301
1993	92	PAH9401




DPT3 COVERAGE		
YEAR	PERCENT	SOURCE
1980	31	WHE8700
1981	38	WHE8700
1982	53	WHE8700
1983	52	WHE8900
1984	41	WHE8700
1985	59	WHE8700
1986	63	WHE8800
1987	86	CAB8X00
1988	74	WHE8900
1989	78	WHE9001
1990	84	WHE9100
1991	94	WHE9200
1992	93	WHE9301
1993	94	PAH9401




MEASLES COVERAGE		
YEAR	PERCENT	SOURCE
1980	35	WHE8700
1981	38	WHE8700
1982	55	WHE8700
1983	49	WHE8900
1984	44	WHE8700
1985	53	WHE8700
1986	60	WHE8800
1987	89	CAB8X00
1988	76	WHE8900
1989	86	WHE9001
1990	90	WHE9100
1991	86	WHE9200
1992	89	WHE9301
1993	94	PAH9401

Vaccination Coverage Rates, continued



POLIO3 COVERAGE		
YEAR	PERCENT	SOURCE
1980	31	WHE8801
1981	37	WHE8700
1982	53	WHE8700
1983	51	WHE8900
1984	84	WHE8700
1985	58	WHE8700
1986	63	WHE8800
1987	85	CAB8X00
1988	70	WHE8900
1989	83	WHE9001
1990	87	WHE9100
1991	93	WHE9200
1992	95	WHE9301
1993	95	PAH9401





TT2+ COVERAGE		
YEAR	PERCENT	SOURCE
1980	8	WHE8700
1981	11	WHE8700
1982	14	WHE8700
1983	14	WHE8700
1984	10	WHE8700
1985	NA	
1986	NA	
1987	46	WHE8900
1988	NA	
1989	16	WHE9001
1990	NA	
1991	72	WHE9202
1992	48	WHE9301
1993	NA	



ORS Access, ORS and/or RHF Use Rates


JULY 1994



INDICATOR	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
ORS Access	60	30	60	60	55	60	NA	NA	65	NA	NA
Source	WHD8500	WHD8601	WHD8700	WHD8800	WHD8900	WHD9000			WHD9201		
ORS/RHF Use	NA	25	10	40	56	66	NA	NA	30	NA	NA
Source		WHD8601	WHD8700	WHD8800	WHD8900	WHD9000			MRF9203		

Contraceptive Prevalence Rate


JULY 1994



YEAR	MODERN METHODS	SOURCE	ALL METHODS	SOURCE
1981	24	BUC9401	27	BUC9401
1982	NA		NA	
1983	NA		NA	
1984	30	BUC9401	35	BUC9401
1985	NA		NA	
1986	NA		NA	
1987	33	AID8901	41	AID8901
1988	NA		NA	
1989	NA		NA	
1990	NA		NA	
1991	35	MRF9203	47	MRF9203
1992	NA		NA	
1993	NA		NA	

Access to Potable Water


JULY 1994



YEAR	RURAL SOURCE	URBAN SOURCE
1980	AID9011	AID9011
1981	NA	NA
1982	NA	NA
1983	WHO9101	WHO9101
1984	AID9011	AID9011
1985	WHO9101	WHO9101
1986	NA	NA
1987	NA	NA
1988	NA	NA
1989	NA	NA
1990	WHO9200	WHO9200
1991	MRF9203	MRF9203
1992	AID9320	AID9320
1993	NA	NA

Access to Adequate Sanitation

JULY 1994




YEAR	RURAL SOURCE	URBAN SOURCE
1980	AID9011	AID9011
1981	NA	NA
1982	NA	NA
1983	WHO9101	WHO9101
1984	AID9011	AID9011
1985	WHO9101	WHO9101
1986	NA	NA
1987	NA	NA
1988	NA	NA
1989	NA	NA
1990	WHO9200	WHO9200
1991	MRF9203	MRF9203
1992	AID9320	AID9320
1993	NA	NA

COMPARATIVE INDICATORS

Comparative IMR Rates


JULY 1994



COUNTRY	1950	SOURCE	1993	SOURCE
HONDURAS	157	WBK9302	44	WBK9302
EL SALVADOR	150	WBK9302	35	WBK9302
GUATEMALA	169	WBK9302	56	WBK9302
NICARAGUA	146	WBK9302	73	WBK9302

Comparative Vaccination Coverage Rates


JULY 1994



COUNTRY	INDICATOR	YEAR	VALUE	SOURCE
HONDURAS	BCG	1993	92	PAH9401
	DPT 3	1993	94	PAH9401
	Measles	1993	94	PAH9401
	Polio 3	1993	95	PAH9401
	Tetanus 2	1992	48	WHE9301
EL SALVADOR	BCG	1993	79	PAH9401
	DPT 3	1993	79	PAH9401
	Measles	1993	87	PAH9401
	Polio 3	1993	79	PAH9401
	Tetanus 2	1989	19	WHE9001
GUATEMALA	BCG	1993	69	PAH9401
	DPT 3	1993	76	PAH9401
	Measles	1993	63	PAH9401
	Polio 3	1993	77	PAH9401
	Tetanus 2	1992	33	WHE9301
NICARAGUA	BCG	1993	94	PAH9401
	DPT 3	1993	78	PAH9401
	Measles	1993	84	PAH9401
	Polio 3	1993	94	PAH9401
	Tetanus 2	1992	39	WHE9301

Comparative ORS Access, ORS and/or RHF Use Rates

JULY 1994



COUNTRY	INDICATOR	YEAR	VALUE	SOURCE
HONDURAS	ORS Access Rate	1991	65	WHD9201
	ORT Use Rate	1991	30	MRF9203
EL SALVADOR	ORS Access Rate	1989	84	WHD9100
	ORT Use Rate	1988	13	HHS8801
GUATEMALA	ORS Access Rate	1991	40	WHD9201
	ORT Use Rate	1991	19	QUE9101
NICARAGUA	ORS Access Rate	1991	75	WHD9201
	ORT Use Rate	1991	40	WHD9201



II: DATA NOTES

JULY 1994

Notes On Mortality Estimation

Throughout this profile, references are made to infant and under 5 mortality rates for individual countries or groups of countries. In past years, the primary source of data on infant mortality was the World Population Prospects, a set of estimates updated every two years by the Estimates and Projections Section of the Population Division of the Department of International Economic and Social Affairs, United Nations. The primary source of data on under 5 mortality was a special report published in 1988 by the same group. Where another source, such as a recent Demographic and Health Survey or a national census, was available for a given country, the reported values from that source were cited in place of the United Nations estimates if the technical staff of USAID in the Country Mission and/or the appropriate regional bureaus confirmed the validity of the alternative source.

Known as indirect estimates, those of the United Nations are generated from accepted demographic models which combine the results of all available surveys and censuses in a given country to produce a single time series of estimates and projections. When new empirical data becomes available for a given country, the entire time series of estimates and projections is updated. Thus, using conventional demographic approaches, a survey done in 1990 may generate a new estimate of a mortality rate for 1970 or 1980.

During 1993, a new set of estimates for mortality was generated for 82 countries for publication in the World

Development Report 1993 and a forthcoming UNICEF publication entitled The Progress of Nations. Based on a curve-fitting model, the methodology applied to generate these new estimates purports to depict more accurately the trend derived from all available data sources for a country. Like the estimates generated using conventional demographic models, the entire time series might change upon the addition of a new empirical source. These estimates were made available to USAID through the courtesy of the World Development Report of the World Bank and UNICEF.

The selection of the mortality rates was done through a consultative process involving representatives of the Office of Health in USAID's Research and Development Bureau, USAID's Regional Bureaus and, in many cases, the USAID Country Missions. The source determined to best reflect the reality in a country for the current values of infant and under 5 mortality was identified and one of a number of a computation procedures, depending on the source selected for the current value, was applied to estimate the longitudinal rates. The consideration of the additional source of data developed for the World Development Report and UNICEF during the consultative process has prompted some changes in the reporting of mortality rates from those reported in recent years.

Definitions

Demographic Indicators

Total Population: The mid-year estimate of the total number of individuals in a country.

Average Annual Rate of Growth: An estimate of the rate at which a population is increasing (or decreasing) in a given year.

Infant Mortality Rate: The estimated number of deaths in infants (children under age one) in a given year per 1,000 live births in that same year. This rate may be calculated by direct methods (counting births and deaths) or by indirect methods (applying well-established demographic models).

Under 5 Mortality Rate: The estimated number of children born in a given year who will die before reaching age five per thousand live births in that same year. This rate may also be calculated by direct or indirect methods.

Maternal Mortality Ratio: The estimated number of maternal deaths per 100,000 live births where a maternal death is one which occurs when a woman is pregnant or within 42 days of termination of pregnancy from any cause related to or aggravated by the pregnancy or its management. Although sometimes referred to as a rate, this measure is actually a ratio because the unit of measurement of the numerator (maternal deaths) is different than that of the denominator (live births). The measure would be a rate if the units were the same. Extremely difficult to measure, maternal mortality can be derived from vital registration systems (usually underestimated), community studies and surveys (requires very large sample sizes) or hospital registration (usually overestimated).

Crude Birth Rate: An estimate of the number of live births per 1,000 population in a given year.

Crude Death Rate: An estimate of the number of deaths per 1,000 population in a given year.

II: Data Notes

Life Expectancy At Birth: An estimate of the average number of years a newborn can expect to live. Life expectancy is computed from age-specific death rates for a given year. It should be noted that low life expectancies in developing countries are, in large part, due to high infant mortality.

Number of Births: An estimate of the number of births occurring in a given year.

Annual Infant Deaths: An estimate of the number of deaths occurring to children under age one in a given year.

Total Fertility Rate: An estimate of the average number of children a woman would bear during her lifetime given current age-specific fertility rates.

Child Survival Indicators

Vaccination Coverage In Children: An estimate of the proportion of living children between the ages of 12 and 23 months who have been vaccinated before their first birthday--three times in the cases of polio and DPT and once for both measles and BCG. Vaccination coverage rates are calculated in two ways. Administrative estimates are based on reports of the number of inoculations of an antigen given during a year to children who have not yet reached their first birthday divided by an estimate of the pool of children under one year of age eligible for vaccination. Survey estimates are based on samples of children between the ages of 12 and 23 months.

Vaccination Coverage In Mothers: An estimate of the proportion of women in a given time period who have received two doses of tetanus toxoid during their pregnancies. This indicator is being changed in many countries to account for the cumulative effect of tetanus toxoid boosters. A woman and her baby are protected against tetanus when a mother has

had only one or, perhaps, no boosters during a given pregnancy so long as the woman had received the appropriate number of boosters in the years preceding the pregnancy in question. (The appropriate number of boosters required during any given pregnancy varies with number received previously and the time elapsed.) The revised indicator is referred to as TT2+. Rates are computed using administrative methods or surveys.

DPT Drop-out Rate: An estimate of the proportion of living children between the ages of 12 and 23 months who received at least one DPT vaccination but who did not receive the entire series of three vaccinations before their first birthdays.

Oral Rehydration Salts (ORS) Access Rate: An estimate of the proportion of the population under age five with reasonable access to a trained provider of oral rehydration salts who receives adequate supplies. This is a particularly difficult indicator to measure and, therefore, it may fluctuate dramatically from year to year as improved methods of estimation are devised.

ORS and/or Recommended Home Fluid (RHF) Use Rate: An estimate of the proportion of all cases of diarrhea in children under age five treated with ORS and/or a recommended home fluid. ORT use may be determined using administrative means or surveys. In general, administrative estimates are based on estimates of the number of episodes of diarrhea in the target population for a given year and the quantity of ORS available. Thus, changes in the estimates of the frequency of diarrhea episodes can alter the ORT use rate as well as "real" changes in the pattern of use. Surveys are more precise in that they focus on the actual behavior of mothers in treating diarrhea in the two-week period prior to the survey.

Contraceptive Prevalence Rate: An estimate of the proportion of women, aged 15 through 44 (or, in some countries, 15 through 49), in union or married, currently using a modern method of contraception. Where sources fail to distinguish modern and traditional methods, the combined rate is shown.

Adequate Nutritional Status: An individual child of a certain age is said to be adequately nourished if his/her weight is greater than the weight corresponding to "two Z-scores" (two standard deviations) below the median weight achieved by children of that age. The median weight and the distribution of weights around that median in a healthy population are taken from a standard established by the National Center for Health Statistics, endorsed by the World Health Organization (WHO). The indicator for the population as a whole is the proportion of children 12 through 23 months of age who are adequately nourished.

Appropriate Infant Feeding: A composite estimate of the proportion of infants (children under age one) being breastfed and receiving other foods at an appropriate age according to the following criteria: breastfed through infancy with no bottle-feeding, exclusively breastfed through four months (120 days) of age, and receiving other foods if over six months of age (181 days). Water is not acceptable in the first four months (120 days). ORS is considered acceptable at any age. Surveys are the only source of data to form this indicator. Surveys yield an estimate of how many infants are being fed correctly at the moment of the survey. They do not give an indication of the proportion of individual children fed appropriately throughout their first year of life. A number of sub-indicators may be calculated from the data used to form the composite, of which two are presented in this report.



Exclusive Breastfeeding: An estimate of the proportion of infants less than four months (120 days) of age who receive no foods or liquids other than breast milk.

Complementary Feeding: An estimate of the proportion of infants six to nine months of age (181 days to 299 days) still breastfeeding but also receiving complementary weaning foods.

Continued Breastfeeding: An estimate of the proportion of children breastfed for at least one year. In this report, all values presented for this indicator are the proportion of children 12 to 15 months of age at the time of the survey still receiving breast milk.

Other Health Indicators

HIV-1 Seroprevalence, Urban: An estimate of the proportion of all persons (pregnant women, blood donors, and other persons with no known risk factors) living in urban areas infected with HIV-1, the most virulent and globally prevalent strain of the human immunodeficiency virus.

HIV-1 Seroprevalence, Rural: An estimate of the proportion of all persons living in rural areas infected with HIV-1.

Access to Improved Water, Urban: An estimate of the proportion of all persons living in urban areas (defined roughly as population centers of 2,000 or more persons) who live within 200 meters of a stand pipe or fountain source of water.

Access to Improved Water, Rural: An estimate of the proportion of all persons not living in urban areas with a source of water close enough to home that family members do not spend a disproportionate amount of time fetching water.

Access to Sanitation, Urban: An estimate of the proportion of all persons living in urban areas with

sanitation service provided through sewer systems or individual in-house or in-compound excreta disposal facilities (latrines).

Access to Sanitation, Rural: An estimate of the proportion of all persons not living in urban areas with sanitation coverage provided through individual in-house or in-compound excreta disposal facilities (latrines).

Deliveries By Trained Attendants: An estimate of the proportion of deliveries attended by at least one physician, nurse, midwife, or trained traditional birth attendant.

III: SOURCES

JULY 1994

- AID8901 Honduran Ministry of Public Health, Association for Family Planning in Honduras (ASHONPLAFA), Management Sciences for Health, Family Health International. Epidemiology and Family Health Survey Honduras, 1987 Final Report. May 1989.
- AID8902 Honduran Ministry of Public Health, Association for Family Planning in Honduras (ASHONPLAFA), Management Sciences for Health, Family Health International. Epidemiology and Family Health Survey Honduras, 1987 Data as cited in Family Health International Facsimile dated April 1, 1992.
- AID9011 Water and Sanitation for Health Project, U.S. Agency for International Development. WASH Field Report No. 334: Planning For Water and Sanitation Programs in Central America, August 1991.
- AID9320 Water and Sanitation for Health Project. U.S. Agency for International Development. 1993 Update: Planning for Water and Sanitation Programs In Central America. WASH Field Report No. 404. September, 1993.
- BUC9200 Health Studies Branch. Center for International Research. U.S. Bureau of the Census. HIV Seroprevalence Levels, November 1992.
- BUC9401 U.S. Bureau of the Census (BUCEN). International Data Base. Version dated March, 1994.
- BUC9401 U.S. Bureau of the Census (BUCEN). International Data Base. Version dated March, 1994.
- CAB8701 National Nutrition Survey, 1987 as cited in USAID cable #00525.
- CAB8X00 USAID mission cable #00525.
- CALXX01 Calculated from the values for total population, crude birth rate and infant mortality from designated sources for those variables.
- CALXX02 Total Population as reported by USAID in a Mission Response Form or other communication updated for the current year by applying the World Population Prospects growth rate to the estimate reported earlier.
- HHS8801 U.S. Department of Health and Human Services, Centers for Disease Control (CDC) and Asociacion Demografia Salvadorena. El Salvador 1988 Family Health Survey Final English Language Report. Atlanta, GA: CDC.
- MRF9202 SECPLAN - Secretaria de Planificacion, Coordinacion y Presupuesto. Gobierno de Honduras. (as cited in MRF-FY92).
- MRF9203 Epidemiology and Family Health Survey, 1991. (as cited in MRF-FY92).
- MRF9207 National Survey (ENESF), 1991 as cited on the FY 92 Mission Response Form.



III: Sources

- MRF9208 La Universidad Nacional Autonoma de Honduras (UNAH), Ministerio de Salud Publica (MSP) and Organizacion Paramericana de la Salud (OPS), "Mortalidad de Mujeres en edad Reproductiva, 1990 as cited on the FY 92 Mission Response Form.
- PAH9100 Sistema de Informacion del P.A.I. data, December 19, 1991 as cited in facsimile, December 12, 1991.
- PAH9401 Facsimile received from PAHO containing provisional vaccination coverage rates for the Region of the Americas for 1993, March 29, 1994.
- QUE9101 Guatemala National Health Information System as cited in FY 1991 Health and Child Survival Questionnaire (Project no.520-0288).
- UNP9200 Department of International Economic and Social Affairs, United Nations. World Population Prospects 1992. (ST/ESA/SER.A/120) New York: UN, 1992.
- WBK9302 Mortality rate time series generated from Ken Hill equations provided in a personal communication, March, 1993. The equations were developed for the World Development Report, 1993 and a UNICEF publication, The Progress of Nations.
- WHD8500 World Health Organization. Programme for Control of Diarrhoeal Diseases: Fourth Programme Report 1983-1984. (WHO/CDD/85.13) Geneva: WHO, 1985.
- WHD8601 World Health Organization. Programme for Control of Diarrhoeal Diseases. Management Information System Report, March, 1986. Geneva: WHO.
- WHD8700 World Health Organization. Programme for Control of Diarrhoeal Diseases: Interim Programme Report 1986. (WHO/CDD/87.26) Geneva: WHO, 1987.
- WHD8800 World Health Organization. Programme for Control of Diarrhoeal Diseases: Sixth Programme Report 1986-1987. (WHO/CDD/88.28) Geneva: WHO, 1988.
- WHD8900 World Health Organization. Programme for Control of Diarrhoeal Diseases: Programme Report (WHO/CDD/89.31) Geneva: WHO, 1989.
- WHD9000 World Health Organization, Programme for Control of Diarrhoeal Diseases facsimile, February 14, 1990.
- WHD9100 World Health Organization. Programme for Control of Diarrhoeal Diseases: Interim Programme Report 1990. (WHO/CDD/91.36) Geneva: WHO, 1991.
- WHD9201 Programme For Control Of Diarrhoeal Diseases. Eighth Programme Report 1990-1991. WHO/CDD/92.38. Geneva: World Health Organization, 1992.
- WHE8700 World Health Organization. Expanded Programme on Immunization Information System Report, January 1987. Geneva: WHO, 1987.
- WHE8800 World Health Organization. Expanded Programme on Immunization Information System Report, January 1988. Geneva: WHO, 1988.
- WHE8801 World Health Organization. Expanded Programme on Immunization Information System Report, July 1988. Geneva: WHO, 1988.

III: Sources

- WHE8900 World Health Organization. Expanded Programme on Immunization Information System Report, July 1989. (WHO/EPI/GEN/89.2) Geneva: WHO, 1989.
- WHE9001 World Health Organization. Expanded Programme on Immunization Information System Report, July 1990. (WHO/EPI/CEIS/90.2) Geneva: WHO, 1990.
- WHE9100 World Health Organization. Expanded Programme on Immunization Information System Report, April 1991. (WHO/EPI/CEIS/91.1) Geneva: WHO, 1991.
- WHE9200 World Health Organization. Expanded Programme on Immunization Information System Report, April 1992. (WHO/EPI/CEIS/92.1) Geneva: WHO, 1992.
- WHE9202 World Health Organization. Expanded Programme on Immunization Information System Report, October 1992. (WHO/EPI/CEIS/92.2) Geneva: WHO, 1992.
- WHE9301 Facsimile from WHO/EPI of the pages in the 9/93 report of the WHO EPI Information System containing the most current vaccination coverage rates. September 24, 1993.
- WHO9101 World Health Organization. World Health Organization Disk: Water Supply and Sanitation Service Coverage. Geneva: WHO, October 29, 1991.
- WHO9200 The International Drinking Water and Sanitation Decade, 1981-90: End of decade review, (as of December 1990), August 1992. CWS Unit, Division of Environmental Health, World Health Organization, 1211 Geneva 27, Switzerland

