

Country Health Profile

MEXICO

Health Situation & Statistics Report 1994



Center for International Health Information
1601 N. Kent Street, Suite 1001
Arlington, VA 22209

The Center for International Health Information (CIHI), a project managed by Information Management Consultants, Inc. (IMC), prepared this document under the Data for Decision Making Project, #936-5991.05 (CIHI-II), contract number HRN-5991-C-00-3041-00, with the Office of Health and Nutrition, Center for Population, Health and Nutrition, Bureau for Global Programs, Field Support and Research, U.S. Agency for International Development (USAID).

**The Center for International Health Information
1601 N. Kent Street, Suite 1001
Arlington, VA 22209
(703) 524 - 5225
FAX (703) 243 - 4669
E-Mail address: cihi@gaia.info.usaid.gov**

MEXICO

Country Health Profile

This is one of a series of Country Health Profiles produced by the Center for International Health Information (CIHI). Each profile contains descriptive information and tables on the country's health and demographic characteristics, health indicators and trends, and when available, the health care system. Profile information is compiled from CIHI's databases and reference library, as well as through research and analysis of other data sources and reports.

The profiles are intended to provide current and trend data in a concise format for policy and decision-making, planning and evaluation, and monitoring of health status for use by individuals and organizations. Contact CIHI at the address on the preceding page for information on the availability of other health profiles and standard reports.

This profile contains national level health and demographic statistics available in CIHI's databases as of the date noted in each section. In order to enable CIHI to report the most current health and demographic statistics, please provide any more recent or more accurate data by contacting the center at the address on the previous page or through USAID, Office of Health and Nutrition, Center for Population, Health and Nutrition, Bureau for Global Programs, Field Support and Research.

TABLE OF CONTENTS

JULY 1994

I: Health & Demographic Overview	1
Current Demographic and Health Indicators	1
Trends in Selected Demographic and Health Indicators	2
Population Estimates/Pyramid	3
Trends in Selected Health and Child Survival Indicators	4
Vaccination Coverage Rates	4
ORS Access, ORS and/or RHF Use Rates	6
Contraceptive Prevalence Rate	6
Access to Potable Water	7
Access to Adequate Sanitation	7
Comparative Indicators	8
Comparative IMR Rates	8
Comparative Vaccination Coverage Rates	9
Comparative ORS Access, ORS and/or RHF Use Rates	9
II: Data Notes	10
III: Sources *	13

** Sources in this profile are referred to by a seven-digit code. Generally, the first three letters refer to an organization, agency, etc., and the first two numbers indicate the year of the publication or other source document. A complete list of sources appears at the end of the profile.*

I: HEALTH & DEMOGRAPHIC OVERVIEW

Current Demographic and Health Indicators

JULY 1994

Demographic Indicators			
INDICATOR	VALUE	YEAR	SOURCE
Total Population	89,996,400	1993	UNP9200
Urban Population	66,846,000	1993	UNP9200
Women Ages 15-49	23,350,800	1993	UNP9200
Infant Mortality	27	1993	WBK9302
Under 5 Mortality	32	1993	WBK9302
Maternal Mortality	NA		
Life Expectancy At Birth	70	1993	UNP9200
Number of Births	2,489,300	1993	UNP9200
Annual Infant Deaths	66,713	1993	CALXX01
Total Fertility Rate	3.1	1993	UNP9200

Child Survival Indicators			
INDICATOR	PERCENT	YEAR	SOURCE
Vaccination Coverage			
BCG	95	1993	PAH9401
DPT 3	91	1993	PAH9401
Measles	91	1993	PAH9401
Polio ?	92	1993	PAH9401
Tetanus 2	42	1987	WHE8900
DPT Drop Out	NA		
Oral Rehydration Therapy			
ORS Access Rate	90	1993	WHD9401
ORS and/or RHF Use	87	1993	WHD9401
Contraceptive Prevalence			
Modern Methods (15-49)	45	1987	BUC9401
All Methods (15-49)	53	1987	BUC9401
Nutrition			
Adequate Nutritional Status	NA		
Appropriate Infant Feeding	NA		
A) Exclusive Breastfeeding	38	1987	DHS8908
B) Complementary Feeding	36	1987	DHS8908
Continued Breastfeeding	32	1987	DHS8908

Other Health Indicators			
INDICATOR	PERCENT	YEAR	SOURCE
HIV-1 Seroprevalence			
Urban	0	1991	BUC9103
Rural	NA		
Access to Improved Water			
Urban	81	1991	JMP9301
Rural	68	1991	JMP9301
Access to Sanitation			
Urban	70	1991	JMP9301
Rural	17	1991	JMP9301
Deliveries/Trained Attendants	NA		



NA = Not available



Trends in Selected Demographic and Health Indicators


JULY 1994

INDICATOR	1950	1955	1960	1965	1970	1975	1980	1985	1990	1995	2000	SOURCE
Infant Mortality	156	127	105	87	82	69	66	46	33	24	18	WBK9302
Under Five Mortality	234	188	152	123	115	95	91	59	40	28	21	WBK9302
Crude Birth Rate	46	45	45	45	44	39	34	31	29	27	24	UNP9200
Crude Death Rate	18	15	13	11	10	8	7	6	6	5	5	UNP9200
Avg. Annual Growth Rate	3	3	3	3	3	3	3	2	2	2	2	UNP9200
Total Fertility Rate	6.8	6.8	6.8	6.7	6.5	5.7	4.7	3.9	3.4	3.0	2.7	UNP9200



IMR and TFR


The relationship between IMR and TFR is currently a subject under review by the scientific community. While there is not conclusive evidence that the IMR and TFR are causally linked and necessarily decline together, there is empirical evidence for suspecting that such a reinforcing relationship exists as the pattern is observable in most countries.



Population Estimates/Pyramid

JULY 1994


POPULATION ESTIMATES (000s)		
YEAR	VALUE	SOURCE
1950	27,297	UNP9200
1955	31,330	UNP9200
1960	36,530	UNP9200
1965	42,864	UNP9200
1970	50,328	UNP9200
1975	58,876	UNP9200
1980	67,046	UNP9200
1985	75,594	UNP9200
1990	84,486	UNP9200
1995	93,670	UNP9200
2000	102,555	UNP9200



CURRENT & PROJECTED POPULATION

By Age & Gender: 1990 - 2020

Total Population 1990: 85,120,765 Total Population 2020: 136,096,133







Trends in Selected Health and Child Survival Indicators

Vaccination Coverage Rates


JULY 1994



BCG COVERAGE		
YEAR	PERCENT	SOURCE
1980	48	WHE8801
1981	41	WHE8801
1982	50	WHE8801
1983	52	WHE8801
1984	47	WHE8801
1985	16	WHE8801
1986	54	WHE8801
1987	73	DHS8908
1988	72	WHE9000
1989	80	WHE9001
1990	70	WHE9100
1991	87	WHE9200
1992	85	WHE9301
1993	95	PAH9401




DPT3 COVERAGE		
YEAR	PERCENT	SOURCE
1980	41	WHE8801
1981	41	WHE8801
1982	38	WHE8801
1983	41	WHE8900
1984	52	WHE8801
1985	40	WHE8801
1986	34	WHE8801
1987	34	DHS8908
1988	60	WHE9000
1989	65	WHE9001
1990	66	WHE9100
1991	64	WHE9200
1992	91	WHE9301
1993	91	PAH9401




MEASLES COVERAGE		
YEAR	PERCENT	SOURCE
1980	35	WHE8801
1981	33	WHE8801
1982	37	WHE8801
1983	23	WHE8801
1984	21	WHE8801
1985	64	WHE8801
1986	60	WHE8801
1987	59	DHS8908
1988	70	WHE9000
1989	85	WHE9001
1990	78	WHE9100
1991	78	WHE9200
1992	92	WHE9301
1993	91	PAH9401

Vaccination Coverage Rates, continued



YEAR	PERCENT	SOURCE
1980	91	WHE8801
1981	85	WHE8801
1982	85	WHE8801
1983	88	WHE8900
1984	91	WHE8801
1985	67	WHE8801
1986	96	WHE8801
1987	57	DHS8908
1988	95	WHE9000
1989	96	WHE9001
1990	96	WHE9100
1991	95	WHE9200
1992	92	WHE9301
1993	92	PAH9401





YEAR	PERCENT	SOURCE
1980	NA	
1981	NA	
1982	NA	
1983	NA	
1984	NA	
1985	NA	
1986	NA	
1987	42	WHE8900
1988	NA	
1989	NA	
1990	NA	
1991	NA	
1992	NA	
1993	NA	



ORS Access, ORS and/or RHF Use Rates


JULY 1994



INDICATOR	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
ORS Access	50	60	82	82	86	88	NA	90	NA	90
Source	WHD8601	WHD8700	WHD8800	WHD8900	WHD9000	WHD9100		WHD9201		WHD9401
ORS/RHF Use	10	13	75	72	NA	72	NA	66	63	87
Source	WHD8601	WHD8700	WHD8800	WHD8900		WHD9100		WHD9201	WHD9300	WHD9401

Contraceptive Prevalence Rate


JULY 1994



YEAR	MODERN METHODS	SOURCE	ALL METHODS	SOURCE
1981	NA		NA	
1982	43	BUC9401	50	BUC9401
1983	NA		NA	
1984	NA		NA	
1985	NA		NA	
1986	NA		NA	
1987	45	BUC9401	53	BUC9401
1988	NA		NA	
1989	NA		NA	
1990	NA		NA	
1991	NA		NA	

Access to Potable Water


JULY 1994



YEAR	RURAL	SOURCE	URBAN	SOURCE
1980	40	WHO9101	90	WHO9101
1981	NA		NA	
1982	NA		NA	
1983	40	WHO9101	91	WHO9101
1984	NA		NA	
1985	47	WHO9101	99	WHO9101
1986	NA		NA	
1987	NA		NA	
1988	49	WHO9101	79	WHO9101
1989	NA		NA	
1990	51	WHO9101	94	WHO9200
1991	68	JMP9301	81	JMP9301
1992	NA		NA	
1993	NA		NA	

Access to Adequate Sanitation

JULY 1994




YEAR	RURAL	SOURCE	URBAN	SOURCE
1980	12	WHO9101	77	WHO9101
1981	NA		NA	
1982	NA		NA	
1983	12	WHO9101	78	WHO9101
1984	NA		NA	
1985	13	WHO9101	77	WHO9101
1986	NA		NA	
1987	NA		NA	
1988	12	WHO9101	100	WHO9101
1989	NA		NA	
1990	26	WHO9101	85	WHO9200
1991	17	JMP9301	70	JMP9301
1992	NA		NA	
1993	NA		NA	

COMPARATIVE INDICATORS

Comparative IMR Rates


JULY 1994



COUNTRY	1950	SOURCE	1993	SOURCE
MEXICO	156	WBK9302	27	WBK9302
ARGENTINA	80	WBK9302	22	WBK9302
BRAZIL	142	WBK9302	53	WBK9302
COLUMBIA	94	WBK9302	11	WBK9302

Comparative Vaccination Coverage Rates


JULY 1994



COUNTRY	INDICATOR	YEAR	VALUE	SOURCE
MEXICO	BCG	1993	95	PAH9401
	DPT 3	1993	91	PAH9401
	Measles	1993	91	PAH9401
	Polio 3	1993	92	PAH9401
	Tetanus 2	1987	42	WHE8900
ARGENTINA	BCG	1993	99	PAH9401
	DPT 3	1993	79	PAH9401
	Measles	1993	95	PAH9401
	Polio 3	1993	80	PAH9401
	Tetanus 2	NA	NA	
BRAZIL	BCG	1993	90	PAH9401
	DPT 3	1993	69	PAH9401
	Measles	1993	78	PAH9401
	Polio 3	1993	92	PAH9401
	Tetanus 2	1987	62	WHE8900
COLOMBIA	BCG	1993	90	PAH9401
	DPT 3	1993	82	PAH9401
	Measles	1993	72	PAH9401
	Polio 3	1993	84	PAH9401
	Tetanus 2	1990	34	DHS9108

Comparative ORS Access, ORS and/or RHF Use Rates

JULY 1994



COUNTRY	INDICATOR	YEAR	VALUE	SOURCE
MEXICO	ORS Access Rate	1993	90	WHD9401
	ORT Use Rate	1993	87	WHD9401
ARGENTINA	ORS Access Rate	1993	80	WHD9401
	ORT Use Rate	1993	80	WHD9401
BRAZIL	ORS Access Rate	1991	68	WHD9201
	ORT Use Rate	1991	62	WHD9201
COLOMBIA	ORS Access Rate	1988	62	WHD9000
	ORT Use Rate	1991	40	WHD9201



II: DATA NOTES

JULY 1994

Notes On Mortality Estimation

Throughout this profile, references are made to infant and under 5 mortality rates for individual countries or groups of countries. In past years, the primary source of data on infant mortality was the World Population Prospects, a set of estimates updated every two years by the Estimates and Projections Section of the Population Division of the Department of International Economic and Social Affairs, United Nations. The primary source of data on under 5 mortality was a special report published in 1988 by the same group. Where another source, such as a recent Demographic and Health Survey or a national census, was available for a given country, the reported values from that source were cited in place of the United Nations estimates if the technical staff of USAID in the Country Mission and/or the appropriate regional bureaus confirmed the validity of the alternative source.

Known as indirect estimates, those of the United Nations are generated from accepted demographic models which combine the results of all available surveys and censuses in a given country to produce a single time series of estimates and projections. When new empirical data becomes available for a given country, the entire time series of estimates and projections is updated. Thus, using conventional demographic approaches, a survey done in 1990 may generate a new estimate of a mortality rate for 1970 or 1980.

During 1993, a new set of estimates for mortality was generated for 82 countries for publication in the World

Development Report 1993 and a forthcoming UNICEF publication entitled The Progress of Nations. Based on a curve-fitting model, the methodology applied to generate these new estimates purports to depict more accurately the trend derived from all available data sources for a country. Like the estimates generated using conventional demographic models, the entire time series might change upon the addition of a new empirical source. These estimates were made available to USAID through the courtesy of the World Development Report of the World Bank and UNICEF.

The selection of the mortality rates was done through a consultative process involving representatives of the Office of Health in USAID's Research and Development Bureau, USAID's Regional Bureaus and, in many cases, the USAID Country Missions. The source determined to best reflect the reality in a country for the current values of infant and under 5 mortality was identified and one of a number of a computation procedures, depending on the source selected for the current value, was applied to estimate the longitudinal rates. The consideration of the additional source of data developed for the World Development Report and UNICEF during the consultative process has prompted some changes in the reporting of mortality rates from those reported in recent years.

Definitions

Demographic Indicators

Total Population: The mid-year estimate of the total number of individuals in a country.

Average Annual Rate of Growth: An estimate of the rate at which a population is increasing (or decreasing) in a given year.

Infant Mortality Rate: The estimated number of deaths in infants (children under age one) in a given year per 1,000 live births in that same year. This rate may be calculated by direct methods (counting births and deaths) or by indirect methods (applying well-established demographic models).

Under 5 Mortality Rate: The estimated number of children born in a given year who will die before reaching age five per thousand live births in that same year. This rate may also be calculated by direct or indirect methods.

Maternal Mortality Ratio: The estimated number of maternal deaths per 100,000 live births where a maternal death is one which occurs when a woman is pregnant or within 42 days of termination of pregnancy from any cause related to or aggravated by the pregnancy or its management. Although sometimes referred to as a rate, this measure is actually a ratio because the unit of measurement of the numerator (maternal deaths) is different than that of the denominator (live births). The measure would be a rate if the units were the same. Extremely difficult to measure, maternal mortality can be derived from vital registration systems (usually underestimated), community studies and surveys (requires very large sample sizes) or hospital registration (usually overestimated).

Crude Birth Rate: An estimate of the number of live births per 1,000 population in a given year.

Crude Death Rate: An estimate of the number of deaths per 1,000 population in a given year.

II: Data Notes

Life Expectancy At Birth: An estimate of the average number of years a newborn can expect to live. Life expectancy is computed from age-specific death rates for a given year. It should be noted that low life expectancies in developing countries are, in large part, due to high infant mortality.

Number of Births: An estimate of the number of births occurring in a given year.

Annual Infant Deaths: An estimate of the number of deaths occurring to children under age one in a given year.

Total Fertility Rate: An estimate of the average number of children a woman would bear during her lifetime given current age-specific fertility rates.

Child Survival Indicators

Vaccination Coverage In Children: An estimate of the proportion of living children between the ages of 12 and 23 months who have been vaccinated before their first birthday -- three times in the cases of polio and DPT and once for both measles and BCG. Vaccination coverage rates are calculated in two ways. Administrative estimates are based on reports of the number of inoculations of an antigen given during a year to children who have not yet reached their first birthday divided by an estimate of the pool of children under one year of age eligible for vaccination. Survey estimates are based on samples of children between the ages of 12 and 23 months.

Vaccination Coverage In Mothers: An estimate of the proportion of women in a given time period who have received two doses of tetanus toxoid during their pregnancies. This indicator is being changed in many countries to account for the cumulative effect of tetanus toxoid boosters. A woman and her baby are protected against tetanus when a mother has

had only one or, perhaps, no boosters during a given pregnancy so long as the woman had received the appropriate number of boosters in the years preceding the pregnancy in question. (The appropriate number of boosters required during any given pregnancy varies with number received previously and the time elapsed.) The revised indicator is referred to as TT2+. Rates are computed using administrative methods or surveys.

DPT Drop-out Rate: An estimate of the proportion of living children between the ages of 12 and 23 months who received at least one DPT vaccination but who did not receive the entire series of three vaccinations before their first birthdays.

Oral Rehydration Salts (ORS) Access Rate: An estimate of the proportion of the population under age five with reasonable access to a trained provider of oral rehydration salts who receives adequate supplies. This is a particularly difficult indicator to measure and, therefore, it may fluctuate dramatically from year to year as improved methods of estimation are devised.

ORS and/or Recommended Home Fluid (RHF) Use Rate: An estimate of the proportion of all cases of diarrhea in children under age five treated with ORS and/or a recommended home fluid. ORT use may be determined using administrative means or surveys. In general, administrative estimates are based on estimates of the number of episodes of diarrhea in the target population for a given year and the quantity of ORS available. Thus, changes in the estimates of the frequency of diarrhea episodes can alter the ORT use rate as well as "real" changes in the pattern of use. Surveys are more precise in that they focus on the actual behavior of mothers in treating diarrhea in the two-week period prior to the survey.

Contraceptive Prevalence Rate: An estimate of the proportion of women, aged 15 through 44 (or, in some countries, 15 through 49), in union or married, currently using a modern method of contraception. Where sources fail to distinguish modern and traditional methods, the combined rate is shown.

Adequate Nutritional Status: An individual child of a certain age is said to be adequately nourished if his/her weight is greater than the weight corresponding to "two Z-scores" (two standard deviations) below the median weight achieved by children of that age. The median weight and the distribution of weights around that median in a healthy population are taken from a standard established by the National Center for Health Statistics, endorsed by the World Health Organization (WHO). The indicator for the population as a whole is the proportion of children 12 through 23 months of age who are adequately nourished.

Appropriate Infant Feeding: A composite estimate of the proportion of infants (children under age one) being breastfed and receiving other foods at an appropriate age according to the following criteria: breastfed through infancy with no bottle-feeding, exclusively breastfed through four months (120 days) of age, and receiving other foods if over six months of age (181 days). Water is not acceptable in the first four months (120 days). ORS is considered acceptable at any age. Surveys are the only source of data to form this indicator. Surveys yield an estimate of how many infants are being fed correctly at the moment of the survey. They do not give an indication of the proportion of individual children fed appropriately throughout their first year of life. A number of sub-indicators may be calculated from the data used to form the composite, of which two are presented in this report.



Exclusive Breastfeeding: An estimate of the proportion of infants less than four months (120 days) of age who receive no foods or liquids other than breast milk.

Complementary Feeding: An estimate of the proportion of infants six to nine months of age (181 days to 299 days) still breastfeeding but also receiving complementary weaning foods.

Continued Breastfeeding: An estimate of the proportion of children breastfed for at least one year. In this report, all values presented for this indicator are the proportion of children 12 to 15 months of age at the time of the survey still receiving breast milk.

sanitation service provided through sewer systems or individual in-house or in-compound excreta disposal facilities (latrines).

Access to Sanitation, Rural: An estimate of the proportion of all persons not living in urban areas with sanitation coverage provided through individual in-house or in-compound excreta disposal facilities (latrines).

Deliveries By Trained Attendants: An estimate of the proportion of deliveries attended by at least one physician, nurse, midwife, or trained traditional birth attendant.

Other Health Indicators

HIV-1 Seroprevalence, Urban: An estimate of the proportion of all persons (pregnant women, blood donors, and other persons with no known risk factors) living in urban areas infected with HIV-1, the most virulent and globally prevalent strain of the human immunodeficiency virus.

HIV-1 Seroprevalence, Rural: An estimate of the proportion of all persons living in rural areas infected with HIV-1.

Access to Improved Water, Urban: An estimate of the proportion of all persons living in urban areas (defined roughly as population centers of 2,000 or more persons) who live within 200 meters of a stand pipe or fountain source of water.

Access to Improved Water, Rural: An estimate of the proportion of all persons not living in urban areas with a source of water close enough to home that family members do not spend a disproportionate amount of time fetching water.

Access to Sanitation, Urban: An estimate of the proportion of all persons living in urban areas with

III: SOURCES


JULY 1994

- BUC9103 Bureau of Census, Center for International Research, Recent HIV Seroprevalence Levels By Country, April, 1992
- BUC9401 U.S. Bureau of the Census (BUCEN). International Data Base. Version dated March, 1994.
- BUC9401 U.S. Bureau of the Census (BUCEN). International Data Base. Version dated March, 1994.
- CALXX01 Calculated from the values for total population, crude birth rate and infant mortality from designated sources for those variables.
- DHS8908 Direccion General de Planificacion Familiar, and Institute for Resource Development/Macro Systems, Inc. Encuesta Nacional sobre Fecundidad y Salud 1987. Columbia, MD: IRD, 1989.
- JMP9301 WHO/UNICEF Joint Monitoring Programme. Water Supply and Sanitation Sector Monitoring Report 1993. Sector Status as of December 1991. WHO and UNICEF. August, 1993.
- PAH9401 Facsimile received from PAHO containing provisional vaccination coverage rates for the Region of the Americas for 1993, March 29, 1994.
- UNP9200 Department of International Economic and Social Affairs, United Nations. World Population Prospects 1992. (ST/ESA/SER.A/120) New York: UN, 1992.
- WBK9302 Mortality rate time series generated from Ken Hill equations provided in a personal communication, March, 1993. The equations were developed for the World Development Report, 1993 and a UNICEF publication, The Progress of Nations.
- WHD8601 World Health Organization. Programme for Control of Diarrhoeal Diseases. Management Information System Report, March, 1986. Geneva: WHO.
- WHD8700 World Health Organization. Programme for Control of Diarrhoeal Diseases: Interim Programme Report 1986. (WHO/CDD/87.26) Geneva: WHO, 1987.
- WHD8800 World Health Organization. Programme for Control of Diarrhoeal Diseases: Sixth Programme Report 1986-1987. (WHO/CDD/88.28) Geneva: WHO, 1988.
- WHD8900 World Health Organization. Programme for Control of Diarrhoeal Diseases: Programme Report (WHO/CDD/89.31) Geneva: WHO, 1989.
- WHD9000 World Health Organization, Programme for Control of Diarrhoeal Diseases facsimile, February 14, 1990.
- WHD9100 World Health Organization. Programme for Control of Diarrhoeal Diseases: Interim Programme Report 1990. (WHO/CDD/91.36) Geneva: WHO, 1991.



III: Sources

- WHD9201 Programme For Control Of Diarrhoeal Diseases. Eighth Programme Report 1990-1991. WHO/CDD/92.38. Geneva: World Health Organization, 1992.
- WHD9300 World Health Organization, Programme for Control of Diarrhoeal Diseases; provisional data for Annex 1 of the Ninth Programme Report. Received by personal communication, February 16, 1993.
- WHD9401 Advanced Copy of Annex 1 of the WHO/CDR Annual Report, Received by facsimile, March 29, 1994.
- WHE8801 World Health Organization. Expanded Programme on Immunization Information System Report, July 1988. Geneva: WHO, 1988.
- WHE8900 World Health Organization. Expanded Programme on Immunization Information System Report, July 1989. (WHO/EPI/GEN/89.2) Geneva: WHO, 1989.
- WHE9000 World Health Organization. Expanded Programme on Immunization Information System Report, January 1990. (WHO/EPI/CEIS/90.1) Geneva: WHO, 1990.
- WHE9001 World Health Organization. Expanded Programme on Immunization Information System Report, July 1990. (WHO/EPI/CEIS/90.2) Geneva: WHO, 1990.
- WHE9100 World Health Organization. Expanded Programme on Immunization Information System Report, April 1991. (WHO/EPI/CEIS/91.1) Geneva: WHO, 1991.
- WHE9200 World Health Organization. Expanded Programme on Immunization Information System Report, April 1992. (WHO/EPI/CEIS/92.1) Geneva: WHO, 1992.
- WHE9301 Facsimile from WHO/EPI of the pages in the 9/93 report of the WHO EPI Information System containing the most current vaccination coverage rates. September 24, 1993.
- WHO9101 World Health Organization. World Health Organization Disk: Water Supply and Sanitation Service Coverage. Geneva: WHO, October 29, 1991.
- WHO9200 The International Drinking Water and Sanitation Decade, 1981-90: End of decade review, (as of December 1990), August 1992. CWS Unit, Division of Environmental Health, World Health Organization, 1211 Geneva 27, Switzerland



Mexico

- International boundary
- State (estado) boundary
- National capital
- State (estado) capital
- Railroad
- Road

0 100 200 300 Kilometers

0 100 200 300 Miles

- Key to states (estados) in central Mexico*
- | | |
|------------------|--------------------|
| 1 AGUASCALIENTES | 5 MEXICO |
| 2 GUANAJUATO | 6 DISTRITO FEDERAL |
| 3 QUERÉTARO | 7 MORELOS |
| 4 HIDALGO | 8 TLAXCALA |

Boundary representation is not necessarily authoritative

16