

PN ABX-960  
98313

USAID Lagos  
Department of State  
Washington, D.C. 20521-8300

ACQUISITIONS  
Document Acquisitions  
PPC/CDIE/DI  
Room 303, SA-10  
U.S. Agency for International Development  
Washington, D.C. 20521-1803

---

Author: MUFTAU FALADE,  
MANAGEMENT SCIENCES FOR HEALTH

Descriptive Title: FAMILY HEALTH SERVICES STATE PROFILES 1990-91

Project Number: 620-0001

Sponsoring AID Office: USAID Nigeria

Contract Number: CO-620-0001-C-00-8008

Contractor: African-American Institute

Date of Publication/Issue: APRIL 1992



FEDERAL MINISTRY OF HEALTH  
AND HUMAN SERVICES

PRIMARY HEALTH CARE MONITORING AND EVALUATION

FAMILY HEALTH SERVICES

State Profiles

1990 - 1991

PREPARED BY:

MANAGEMENT SCIENCES FOR HEALTH, BOSTON, MASSACHUSETTS  
PATHFINDER INTERNATIONAL, LAGOS, NIGERIA



SUPPORTED BY USAID/FHS



Stella Eziashi

# **Family Health Services (FHS), Nigeria**

**State Profiles  
1990 - 1991**

Prepared by:

Muftau Falade, M.B.A.  
Management Sciences for Health (MSH), Boston

With Contributions from:

Dr. Robert Timmons, Ph.D.  
Thomas Graziano  
Management Sciences for Health (MSH), Boston

Stella Eziashi  
Pathfinder International, Lagos, Nigeria

MIS Technical Assistance Group (TAG)  
Public Sector FHS

April 1992

# **BACKGROUND**

## **Introduction**

The following States Profiles were prepared using the family planning database in NiCare, the Nigeria Primary Health Care Monitoring and Evaluation system, and the latest Nigeria census figures. The MIS Technical Assistance Group (TAG) of the Public-Sector FHS provided assistance in ensuring the accuracy and precision of data entry in the family planning database.

The family planning database in NiCare contains monthly summaries for each state on number of clinics providing services, number of clinics reporting, new acceptors and revisits by family planning method, beginning balance, amount received and quantity dispensed by family planning method, and sources of referral for new acceptors. Monthly summaries are completed by State Family Planning Coordinating Units.

## **Objectives of the State Profiles**

The State Profiles provide decision makers with concise service delivery reports that can be used to supervise staff, manage programs and direct resources. They analyze not only family planning activities but also reveal shortcomings in monitoring them. In 1992 and beyond, the TAG must vigorously assist states and LGAs to improve the accuracy and precision of their data and expand reporting to all clinics providing family planning services.

# TABLES, CHARTS AND GRAPHS IN THE PROFILES

Each profile has the following:

NiCare Executive Summary:

This chart provides an annual summary of relevant data which were obtained from NiCare. Information on the two full years (1990 and 1991) of reporting contained in NiCare has been provided for comparisons.

Contraceptive Method Mix:

The Contraceptive Method Mix pie charts were generated by dividing commodities dispensed by method, by the total commodities dispensed in a year.

New Acceptors and Revisits:

Monthly new acceptors and revisits were plotted in a line graph to show the trend from 1990 to 1991.

Referral Sources for

New Acceptors:

The referral codes used in this chart are:

- CP = Clinic/Program Personnel
- OP = Program Outreach Personnel
- RD = Radio
- TV = Television
- PM = Print Media
- FR = Friend, Relative
- NH = Non Health Worker
- CT = CBD/TBA/VHW
- OT = Other
- NR = No Response

In addition to the charts listed above, the zonal profiles include charts comparing state monthly new acceptors and revisits and tables providing a "snap shot" of state data. The national profile has the same charts and tables for the four zones in the country. The national profile also includes a chart on Couple Years of Protection (CYP) comparing the zones and the military for 1990 and 1991.

# NATIONAL PROFILE

## A ZONE

Akwa Ibom State  
Anambra State  
Benue State  
Cross River State  
Imo State  
Rivers State

## B ZONE

Bendel State  
Kwara State  
Lagos State  
Ogun State  
Ondo State  
Oyo State

## C ZONE

Abuja, FCT  
Kaduna State  
Katsina State  
Niger State  
Sokoto State

## D ZONE

Bauchi State  
Borno State  
Gongola State  
Kano State  
Plateau State

## ARMED FORCES

Air Force  
Navy

Army  
Police

## 1990 SUMMARY OF FAMILY PLANNING DATA FOR NIGERIA

1990	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
<b>STATES</b>								
AKWA IBOM	5,407	17,706	95	67%	519,142	15,485	2.98%	12
ANAMBRA	5,526	20,321	38	86%	608,939	15,409	2.53%	12
BAUCHI	12,618	24,199	46	58%	944,771	19,273	2.04%	12
BENDEL	9,633	38,712	127	48%	522,303	18,973	3.63%	12
BENUE	6,469	29,672	52	94%	611,688	9,931	1.62%	12
BORNO	6,812	23,480	42	65%	571,250	7,124	1.25%	12
CROSS RIVER	5,014	11,801	36	68%	410,433	9,223	2.25%	12
ABUJA, FCT.	3,787	7,875	**	*	83,308	5,632	6.76%	10
GONGOLA	7,964	25,149	22	81%	388,313	15,324	3.95%	12
IMO	8,602	17,721	70	45%	575,308	15,967	2.78%	12
KADUNA	14,010	31,713	**	*	873,235	32,027	3.67%	12
KANO	10,222	28,245	48	41%	1,239,049	53,928	4.35%	12
KATSINA	2,330	4,470	18	75%	853,236	1,946	0.23%	12
KWARA	13,202	33,176	**	*	344,623	20,483	5.94%	12
LAGOS	22,574	79,144	74	93%	1,250,872	54,848	4.38%	12
NIGER	2,321	10,441	61	32%	546,121	5,936	1.09%	8
ONDO	4,651	17,007	145	45%	854,587	7,748	0.91%	12
OGUN	19,563	43,540	114	86%	514,485	25,295	4.92%	12
OYO	30,306	57,271	87	69%	767,534	39,817	5.19%	12
PLATEAU	10,367	57,367	125	86%	722,415	20,394	2.82%	12
RIVERS	7,882	26,666	104	42%	878,649	10,991	1.25%	12
SOKOTO	10,743	33,371	63	83%	966,326	11,297	1.17%	12
<b>MILITARY</b>								
AIR FORCE	1,090	3,659	85	*	**	843	*	1
ARMY	17,554	30,467	88	70%	**	13,873	*	12
NAVY	1,715	3,823	**	*	**	1,810	*	10
POLICE	38	63	**	*	**	133	*	8
<b>TOTAL</b>	<b>240,400</b>	<b>677,059</b>	<b>1,415</b>	<b>65%</b>	<b>15,046,587</b>	<b>433,710</b>	<b>2.88%</b>	

\* Complete data necessary for this calculation was not available.

\*\* Data Not Reported.

## 1991 SUMMARY OF FAMILY PLANNING DATA FOR NIGERIA

1991	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
<b>STATES</b>								
AKWA IBOM	6,655	23,345	101	68%	519,142	18,720	3.61%	12
ANAMBRA	5,047	20,727	55	62%	608,939	13,893	2.28%	12
BAUCHI	8,855	19,810	46	56%	944,771	12,769	1.35%	12
BENDEL	8,034	32,298	98	74%	522,303	12,388	2.37%	11
BENUE	5,840	25,894	67	47%	611,688	9,666	1.58%	12
BORNO	9,003	29,089	41	74%	571,250	8,622	1.51%	12
CROSS RIVER	7,713	17,301	64	69%	410,433	10,312	2.51%	12
ABUJA, FCT.	13,085	16,948	23	70%	83,308	10,026	12.03%	12
GONGOLA	7,351	23,103	23	69%	388,313	8,319	2.14%	11
IMO	8,116	22,732	70	44%	575,308	13,717	2.38%	12
KADUNA	8,727	17,269	64	31%	873,235	48,878	5.60%	12
KANO	9,814	23,692	56	38%	1,239,049	13,732	1.11%	12
KATSINA	1,163	3,387	21	50%	853,236	2,206	0.26%	12
KWARA	14,016	38,791	103	82%	344,623	21,115	6.13%	12
LAGOS	22,665	85,116	82	91%	1,250,872	48,368	3.87%	12
NIGER	2,040	9,121	61	25%	546,121	2,743	0.50%	10
ONDO	3,913	19,291	138	55%	854,587	10,985	1.29%	12
OGUN	7,636	20,401	118	78%	514,485	15,152	2.94%	9
OYO	27,018	47,674	89	71%	767,534	42,975	5.60%	12
PLATEAU	8,112	48,042	128	69%	722,415	18,033	2.50%	12
RIVERS	6,157	26,398	87	55%	878,649	6,188	0.70%	12
SOKOTO	7,015	21,956	49	53%	966,326	6,233	0.65%	12
<b>MILITARY</b>								
AIR FORCE	776	2,746	12	75%	**	1,011	*	6
ARMY	5,624	28,572	88	59%	**	8,613	*	10
NAVY	2,099	2,713	22	23%	**	10,966	*	12
POLICE	560	1,778	16	55%	**	2,218	*	10
<b>TOTAL</b>	<b>207,034</b>	<b>628,194</b>	<b>1,642</b>	<b>60%</b>	<b>15,046,587</b>	<b>377,848</b>	<b>2.51%</b>	


\* Complete data necessary for this calculation was not available.

\*\* Data Not Reported.

**NiCare Executive Summary  
NATIONAL PROFILE  
1990**

Average Number of Clinics Providing	1415
Average Percentage Reporting	65%
New Acceptors	240,400
Revisits	677,059
Women of Reproductive Age (WRA)	15,046,587
Couple Years of Protection (CYP)	433,710
CYP Prevalence	2.88%


**1990 CONTRACEPTIVE METHOD MIX  
NATIONAL**




**NiCare Executive Summary  
NATIONAL PROFILE  
1991**

Average Number of Clinics Providing	1642
Average Percentage Reporting	60%
New Acceptors	207,034
Revisits	628,194
Women of Reproductive Age (WRA)	15,046,587
Couple Years of Protection (CYP)	377,848
CYP Prevalence	2.51%


**1991 CONTRACEPTIVE METHOD MIX  
NATIONAL**




### 1990-1991 NEW ACCEPTORS AND REVISITS NATIONAL PROFILE




### Referral Sources for New Acceptors 1990 Compared With 1991 National




**COMPARISON OF NEW ACCEPTORS  
AMONG THE ZONES AND THE MILITARY**



**COMPARISON OF REVISITS AMONG  
THE ZONES AND THE MILITARY**



**COMPARISON OF COUPLE YEARS OF  
PROTECTION (CYP) - NATIONAL**



# A ZONE

Akwa Ibom State  
Anambra State  
Benue State  
Cross River State  
Imo State  
Rivers State

## 1990 SUMMARY OF FAMILY PLANNING DATA FOR ZONE A

1990	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
STATES								
AKWA IBOM	5,407	17,706	95	67%	519,142	15,485	2.98%	12
ANAMBRA	5,526	20,321	38	86%	608,939	15,409	2.53%	12
BENUE	6,469	29,672	52	94%	611,688	9,931	1.62%	12
CROSS RIVER	5,014	11,801	36	68%	410,433	9,223	2.25%	12
IMO	8,602	17,721	70	45%	575,308	15,967	2.78%	12
RIVERS	7,882	26,666	104	42%	878,649	10,991	1.25%	12
TOTAL	38,900	123,887	395	61%	3,604,159	77,006	2.14%	


## 1991 SUMMARY OF FAMILY PLANNING DATA FOR ZONE A

1991	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
STATES								
AKWA IBOM	6,655	23,345	101	68%	519,142	18,720	3.61%	12
ANAMBRA	5,047	20,727	55	62%	608,939	13,893	2.28%	12
BENUE	5,840	25,894	67	47%	611,688	9,666	1.58%	12
CROSS RIVER	7,713	17,301	64	69%	410,433	10,312	2.51%	12
IMO	8,116	22,732	70	44%	575,308	13,717	2.38%	12
RIVERS	6,157	26,398	87	55%	878,649	6,188	0.70%	12
TOTAL	39,528	136,397	444	58%	3,604,159	72,496	2.01%	

**NiCare Executive Summary  
A Zone Profile  
1990**

Average Number of Clinics Providing	393
Average Percentage Reporting	61%
New Acceptors	38,900
Revisits	123,887
Women of Reproductive Age (WRA)	3,604,159
Couple Years of Protection (CYP)	77,006
CYP Prevalence	2.14%


**1990 CONTRACEPTIVE METHOD MIX  
A ZONE**




**NiCare Executive Summary  
A Zone Profile  
1991**

Average Number of Clinics Providing	444
Average Percentage Reporting	58%
New Acceptors	39,528
Revisits	136,397
Women of Reproductive Age (WRA)	3,604,159
Couple Years of Protection (CYP)	72,496
CYP Prevalence	2.01%


**1991 CONTRACEPTIVE METHOD MIX  
A ZONE**




**1990-1991 NEW ACCEPTORS AND REVISITS  
A ZONE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
A Zone**



**COMPARISON OF NEW ACCEPTORS  
AMONG THE STATES IN ZONE A**




**COMPARISON OF REVISITS  
AMONG THE STATES IN ZONE A**



**NiCare Executive Summary  
Akwa Ibom State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	95
Average Percentage Reporting	67%
New Acceptors	5,407
Revisits	17,706
Women of Reproductive Age (WRA)	519,142
Couple Years of Protection (CYP)	15,485
CYP Prevalence	2.99%


**1990 CONTRACEPTIVE METHOD MIX  
AKWA IBOM STATE**




**NiCare Executive Summary  
Akwa Ibom State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	101
Average Percentage Reporting	68%
New Acceptors	6,655
Revisits	23,345
Women of Reproductive Age (WRA)	519,142
Couple Years of Protection (CYP)	18,720
CYP Prevalence	3.61%


**1991 CONTRACEPTIVE METHOD MIX  
AKWA IBOM STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
AKWA IBOM STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Akwa Ibom**



**NiCare Executive Summary  
Anambra State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	38
Average Percentage Reporting	86%
New Acceptors	5,526
Revisits	20,321
Women of Reproductive Age (WRA)	608,939
Couple Years of Protection (CYP)	15,409
CYP Prevalence	2.53%


**1990 CONTRACEPTIVE METHOD MIX  
ANAMBRA STATE**





**NiCare Executive Summary  
Anambra State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	55
Average Percentage Reporting	62%
New Acceptors	5,047
Revisits	20,727
Women of Reproductive Age (WRA)	608,939
Couple Years of Protection (CYP)	13,893
CYP Prevalence	2.28%

**1991 CONTRACEPTIVE METHOD MIX  
ANAMBRA STATE**






**NiCare Executive Summary  
Benue State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	52
Average Percentage Reporting	94%
New Acceptors	6,469
Revisits	29,672
Women of Reproductive Age (WRA)	611,688
Couple Years of Protection (CYP)	9,931
CYP Prevalence	1.62%


**1990 CONTRACEPTIVE METHOD MIX  
BENUE STATE**




**NiCare Executive Summary  
Benue State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	67
Average Percentage Reporting	47%
New Acceptors	5,840
Revisits	25,894
Women of Reproductive Age (WRA)	611,688
Couple Years of Protection (CYP)	9,666
CYP Prevalence	1.58%


**1991 CONTRACEPTIVE METHOD MIX  
BENUE STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
BENUE STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Benue**



**NiCare Executive Summary  
Cross River State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	36
Average Percentage Reporting	68%
New Acceptors	5,014
Revisits	11,801
Women of Reproductive Age (WRA)	410,433
Couple Years of Protection (CYP)	9,223
CYP Prevalence	2.25%


**1990 CONTRACEPTIVE METHOD MIX  
CROSS RIVER STATE**




**NiCare Executive Summary  
Cross River State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	64
Average Percentage Reporting	69%
New Acceptors	7,713
Revisits	17,301
Women of Reproductive Age (WRA)	410,433
Couple Years of Protection (CYP)	10,312
CYP Prevalence	2.51%


**1991 CONTRACEPTIVE METHOD MIX  
CROSS RIVER STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
CROSS RIVER STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Cross River**



**NiCare Executive Summary  
Imo State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	70
Average Percentage Reporting	45%
New Acceptors	8,602
Revisits	17,721
Women of Reproductive Age (WRA)	575,308
Couple Years of Protection (CYP)	15,967
CYP Prevalence	2.78%


**1990 CONTRACEPTIVE METHOD MIX  
IMO STATE**




**NiCare Executive Summary  
Imo State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	70
Average Percentage Reporting	44%
New Acceptors	8,116
Revisits	22,732
Women of Reproductive Age (WRA)	575,308
Couple Years of Protection (CYP)	13,717
CYP Prevalence	2.38%


**1991 CONTRACEPTIVE METHOD MIX  
IMO STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
IMO STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Imo**



**NiCare Executive Summary  
Rivers State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	104
Average Percentage Reporting	42%
New Acceptors	7,882
Revisits	26,666
Women of Reproductive Age (WRA)	878,649
Couple Years of Protection (CYP)	10,991
CYP Prevalence	1.25%


**1990 CONTRACEPTIVE METHOD MIX  
RIVERS STATE**





**NiCare Executive Summary  
Rivers State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	87
Average Percentage Reporting	59%
New Acceptors	6,157
Revisits	26,398
Women of Reproductive Age (WRA)	878,649
Couple Years of Protection (CYP)	6,188
CYP Prevalence	0.70%

**1991 CONTRACEPTIVE METHOD MIX  
RIVERS STATE**





## **B ZONE**

**Bendel State  
Kwara State  
Lagos State  
Ogun State  
Ondo State  
Oyo State**

## 1990 SUMMARY OF FAMILY PLANNING DATA FOR ZONE B

1990	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
<b>STATES</b>								
BENDEL	9,633	38,712	127	48%	522,303	18,973	3.63%	12
KWARA	13,202	33,176	**	*	344,623	20,483	5.94%	12
LAGOS	22,574	79,144	74	93%	1,250,872	54,848	4.38%	12
ONDO	4,651	17,007	145	45%	854,587	7,748	0.91%	12
OGUN	19,563	43,540	114	86%	514,485	25,295	4.92%	12
OYO	30,306	57,271	87	69%	767,534	39,817	5.19%	12
<b>TOTAL</b>	<b>99,929</b>	<b>268,850</b>	<b>547</b>	<b>65%</b>	<b>4,254,404</b>	<b>167,164</b>	<b>3.93%</b>	

## 1991 SUMMARY OF FAMILY PLANNING DATA FOR ZONE B

1991	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
<b>STATES</b>								
BENDEL	8,034	32,298	98	74%	522,303	12,388	2.37%	11
KWARA	14,016	38,791	103	82%	344,623	21,115	6.13%	12
LAGOS	22,665	85,116	82	91%	1,250,872	48,368	3.87%	12
ONDO	3,913	19,291	138	55%	854,587	10,985	1.29%	12
OGUN	7,636	20,401	118	78%	514,485	15,152	2.94%	9
OYO	27,018	47,674	89	71%	767,534	42,975	5.60%	12
<b>TOTAL</b>	<b>83,282</b>	<b>243,571</b>	<b>584</b>	<b>73%</b>	<b>4,254,404</b>	<b>150,983</b>	<b>3.55%</b>	

\* Complete data necessary for this calculation was not available.


\*\* Data Not Reported.

24

**NiCare Executive Summary  
B Zone Profile  
1990**

Average Number of Clinics Providing	547
Average Percentage Reporting	65%
New Acceptors	99,929
Revisits	268,850
Women of Reproductive Age (WRA)	4,254,404
Couple Years of Protection (CYP)	167,164
CYP Prevalence	3.93%


**1990 CONTRACEPTIVE METHOD MIX  
B ZONE**




**NiCare Executive Summary  
B Zone Profile  
1991**

Average Number of Clinics Providing	584
Average Percentage Reporting	73%
New Acceptors	83,282
Revisits	243,571
Women of Reproductive Age (WRA)	4,254,404
Couple Years of Protection (CYP)	150,983
CYP Prevalence	3.55%


**1991 CONTRACEPTIVE METHOD MIX  
B ZONE**




**1990-1991 NEW ACCEPTORS AND REVISITS  
B ZONE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
B Zone**



**COMPARISON OF NEW ACCEPTORS  
AMONG THE STATES IN ZONE B**




**COMPARISON OF REVISITS  
AMONG THE STATES IN ZONE B**



**NiCare Executive Summary  
Bendel State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	127
Average Percentage Reporting	48%
New Acceptors	9,633
Revisits	38,712
Women of Reproductive Age (WRA)	522,303
Couple Years of Protection (CYP)	18,973
CYP Prevalence	3.63%


**1990 CONTRACEPTIVE METHOD MIX  
BENDEL STATE**




**NiCare Executive Summary  
Bendel State Profile  
1991**

Number of Months Reported	11
Average Number of Clinics Providing	98
Average Percentage Reporting	74%
New Acceptors	8,034
Revisits	32,298
Women of Reproductive Age (WRA)	522,303
Couple Years of Protection (CYP)	12,388
CYP Prevalence	2.37%


**1991 CONTRACEPTIVE METHOD MIX  
BENDEL STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
BENDEL STATE**



**Referral Sources for New Acceptors  
1990 Compared With 1991  
Bendel**




**NiCare Executive Summary  
Kwara State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	**
Average Percentage Reporting	**
New Acceptors	13,202
Revisits	33,176
Women of Reproductive Age (WRA)	344,623
Couple Years of Protection (CYP)	20,483
CYP Prevalence	5.94%

\*\* Data Not Reported


**1990 CONTRACEPTIVE METHOD MIX  
KWARA STATE**




**NiCare Executive Summary  
Kwara State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	103
Average Percentage Reporting	82%
New Acceptors	14,016
Revisits	38,791
Women of Reproductive Age (WRA)	344,623
Couple Years of Protection (CYP)	21,115
CYP Prevalence	6.13%


**1991 CONTRACEPTIVE METHOD MIX  
KWARA STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
KWARA STATE**



**Referral Sources for New Acceptors  
1990 Compared With 1991  
Kwara**




27

**NiCare Executive Summary  
Lagos State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	74
Average Percentage Reporting	95%
New Acceptors	22,574
Revisits	79,144
Women of Reproductive Age (WRA)	1,250,872
Couple Years of Protection (CYP)	54,848
CYP Prevalence	4.38%


**1990 CONTRACEPTIVE METHOD MIX  
LAGOS STATE**




**NiCare Executive Summary  
Lagos State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	82
Average Percentage Reporting	91%
New Acceptors	22,665
Revisits	85,116
Women of Reproductive Age (WRA)	1,250,872
Couple Years of Protection (CYP)	48,368
CYP Prevalence	3.87%


**1991 CONTRACEPTIVE METHOD MIX  
LAGOS STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
LAGOS STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Lagos**



**NiCare Executive Summary  
Ogun State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	114
Average Percentage Reporting	86%
New Acceptors	19,563
Revisits	43,540
Women of Reproductive Age (WRA)	514,485
Couple Years of Protection (CYP)	25,295
CYP Prevalence	4.92%


**1990 CONTRACEPTIVE METHOD MIX  
OGUN STATE**




**NiCare Executive Summary  
Ogun State Profile  
1991**

Number of Months Reported	9
Average Number of Clinics Providing	118
Average Percentage Reporting	78%
New Acceptors	7,636
Revisits	20,401
Women of Reproductive Age (WRA)	514,485
Couple Years of Protection (CYP)	15,152
CYP Prevalence	2.94%


**1991 CONTRACEPTIVE METHOD MIX  
OGUN STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
OGUN STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Ogun**



**NiCare Executive Summary  
Ondo State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	145
Average Percentage Reporting	45%
New Acceptors	4,651
Revisits	17,007
Women of Reproductive Age (WRA)	854,587
Couple Years of Protection (CYP)	7,748
CYP Prevalence	0.91%


**1990 CONTRACEPTIVE METHOD MIX  
ONDO STATE**




**NiCare Executive Summary  
Ondo State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	138
Average Percentage Reporting	55%
New Acceptors	3,913
Revisits	19,291
Women of Reproductive Age (WRA)	854,587
Couple Years of Protection (CYP)	10,985
CYP Prevalence	1.29%


**1991 CONTRACEPTIVE METHOD MIX  
ONDO STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
ONDO STATE**



**Referral Sources for New Acceptors  
1990 Compared With 1991  
Ondo**




Data Not Reported for 1990

**NiCare Executive Summary  
Oyo State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	87
Average Percentage Reporting	69%
New Acceptors	30,306
Revisits	57,271
Women of Reproductive Age (WRA)	767,534
Couple Years of Protection (CYP)	39,817
CYP Prevalence	5.19%


**1990 CONTRACEPTIVE METHOD MIX  
OYO STATE**




**NiCare Executive Summary  
Oyo State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	89
Average Percentage Reporting	71%
New Acceptors	27,018
Revisits	47,674
Women of Reproductive Age (WRA)	767,534
Couple Years of Protection (CYP)	42,975
CYP Prevalence	5.60%


**1991 CONTRACEPTIVE METHOD MIX  
OYO STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
OYO STATE**



**Referral Sources for New Acceptors  
1990 Compared With 1991  
Oyo**



## C ZONE

Abuja, FCT  
Kaduna State  
Katsina State  
Niger State  
Sokoto State

## 1990 SUMMARY OF FAMILY PLANNING DATA FOR ZONE C

1990	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
<b>STATES</b>								
ABUJA, FCT.	3,787	7,875	**	*	83,308	5,632	6.76%	10
KADUNA	14,010	31,713	**	*	873,235	32,027	3.67%	12
KATSINA	2,330	4,470	18	75%	853,236	1,946	0.23%	12
NIGER	2,321	10,441	61	32%	546,121	5,936	1.09%	8
SOKOTO	10,743	33,371	63	83%	966,326	11,297	1.17%	12
<b>TOTAL</b>	<b>33,191</b>	<b>87,870</b>	<b>95</b>	<b>76%</b>	<b>3,322,226</b>	<b>56,838</b>	<b>1.71%</b>	

## 1991 SUMMARY OF FAMILY PLANNING DATA FOR ZONE C

1991	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
<b>STATES</b>								
ABUJA, FCT.	13,085	16,948	23	70%	83,308	10,026	12.03%	12
KADUNA	8,727	17,269	64	31%	873,235	48,878	5.60%	12
KATSINA	1,163	3,387	21	50%	853,236	2,206	0.26%	12
NIGER	2,040	9,121	61	25%	546,121	2,743	0.50%	10
SOKOTO	7,915	21,956	49	53%	966,326	6,233	0.65%	12
<b>TOTAL</b>	<b>32,030</b>	<b>68,681</b>	<b>207</b>	<b>41%</b>	<b>3,322,226</b>	<b>70,086</b>	<b>2.11%</b>	


\* Complete data necessary for this calculation was not available.

\*\* Data Not Reported.

**NiCare Executive Summary  
C Zone Profile  
1990**

Average Number of Clinics Providing	95
Average Percentage Reporting	76%
New Acceptors	33,191
Revisits	87,870
Women of Reproductive Age (WRA)	3,322,226
Couple Years of Protection (CYP)	56,838
CYP Prevalence	1.71%


**1990 CONTRACEPTIVE METHOD MIX  
C ZONE**




**NiCare Executive Summary  
C Zone Profile  
1991**

Average Number of Clinics Providing	207
Average Percentage Reporting	41%
New Acceptors	32,030
Revisits	68,681
Women of Reproductive Age (WRA)	3,322,226
Couple Years of Protection (CYP)	70,086
CYP Prevalence	2.11%


**1991 CONTRACEPTIVE METHOD MIX  
C ZONE**




**1990-1991 NEW ACCEPTORS AND REVISITS  
C ZONE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
C Zone**



**COMPARISON OF NEW ACCEPTORS  
AMONG THE STATES IN ZONE C**



**COMPARISON OF REVISITS  
AMONG THE STATES IN ZONE C**




**NiCare Executive Summary  
Abuja, FCT. Profile  
1990**

Number of Months Reported	10
Average Number of Clinics Providing	**
Average Percentage Reporting	**
New Acceptors	3,787
Revisits	7,875
Women of Reproductive Age (WRA)	83,308
Couple Years of Protection (CYP)	
CYP Prevalence	6.76%

\*\* Data Not Reported


**1990 CONTRACEPTIVE METHOD MIX  
ABUJA, FCT.**




**NiCare Executive Summary  
Abuja, FCT. Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	23
Average Percentage Reporting	70%
New Acceptors	13,085
Revisits	16,948
Women of Reproductive Age (WRA)	83,308
Couple Years of Protection (CYP)	10,026
CYP Prevalence	12.03%


**1991 CONTRACEPTIVE METHOD MIX  
ABUJA, FCT.**



**1990-1991 NEW ACCEPTORS AND REVISITS  
ABUJA, FCT**



**Referral Sources for New Acceptors  
1990 Compared With 1991  
Abuja, FCT.**




**NiCare Executive Summary  
Kaduna State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	**
Average Percentage Reporting	**
New Acceptors	14,010
Revisits	31,713
Women of Reproductive Age (WRA)	873,235
Couple Years of Protection (CYP)	32,027
CYP Prevalence	3.67%

\*\* Data Not Reported


**1990 CONTRACEPTIVE METHOD MIX  
KADUNA STATE**




**NiCare Executive Summary  
Kaduna State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	64
Average Percentage Reporting	31%
New Acceptors	8,727
Revisits	17,269
Women of Reproductive Age (WRA)	873,235
Couple Years of Protection (CYP)	48,878
CYP Prevalence	5.60%


**1991 CONTRACEPTIVE METHOD MIX  
KADUNA STATE**



**1990-91 NEW ACCEPTORS AND REVISITS  
KADUNA STATE**



**Referral Sources for New Acceptors  
1990 Compared With 1991  
Kaduna**




Data Not Reported for 1991

**NiCare Executive Summary  
Katsina State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	18
Average Percentage Reporting	75%
New Acceptors	2,330
Revisits	4,470
Women of Reproductive Age (WRA)	853,236
Couple Years of Protection (CYP)	1,946
CYP Prevalence	0.23%


**1990 CONTRACEPTIVE METHOD MIX  
KATSINA STATE**



**NiCare Executive Summary  
Katsina State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	21
Average Percentage Reporting	50%
New Acceptors	1,163
Revisits	3,387
Women of Reproductive Age (WRA)	853,236
Couple Years of Protection (CYP)	2,206
CYP Prevalence	0.26%


**1991 CONTRACEPTIVE METHOD MIX  
KATSINA STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
KATSINA STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Katsina**



**NiCare Executive Summary  
Niger State Profile  
1990**

Number of Months Reported	8
Average Number of Clinics Providing	61
Average Percentage Reporting	32%
New Acceptors	2,321
Revisits	10,441
Women of Reproductive Age (WRA)	546,121
Couple Years of Protection (CYP)	5,936
CYP Prevalence	1.09%


**1990 CONTRACEPTIVE METHOD MIX  
NIGER STATE**




**NiCare Executive Summary  
Niger State Profile  
1991**

Number of Months Reported	10
Average Number of Clinics Providing	61
Average Percentage Reporting	25%
New Acceptors	2,040
Revisits	9,121
Women of Reproductive Age (WRA)	546,121
Couple Years of Protection (CYP)	2,743
CYP Prevalence	0.50%


**CONTRACEPTIVE METHOD MIX  
NIGER STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
NIGER STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Niger**



**NiCare Executive Summary  
Sokoto State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	63
Average Percentage Reporting	83%
New Acceptors	10,743
Revisits	33,371
Women of Reproductive Age (WRA)	966,326
Couple Years of Protection (CYP)	11,297
CYP Prevalence	1.17%


**1990 CONTRACEPTIVE METHOD MIX  
SOKOTO STATE**




**NiCare Executive Summary  
Sokoto State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	49
Average Percentage Reporting	53%
New Acceptors	7,015
Revisits	21,956
Women of Reproductive Age (WRA)	966,326
Couple Years of Protection (CYP)	6,233
CYP Prevalence	0.65%


**CONTRACEPTIVE METHOD MIX  
SOKOTO STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
SOKOTO STATE**



**Referral Sources for New Acceptors  
1990 Compared With 1991  
Sokoto**



# D ZONE

Bauchi State  
Borno State  
Gongola State  
Kano State  
Plateau State

## 1990 SUMMARY OF FAMILY PLANNING DATA FOR ZONE D

1990	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
STATES								
BAUCHI	12,618	24,199	46	58%	944,771	19,273	2.04%	12
BORNO	6,812	23,480	42	65%	571,250	7,124	1.25%	12
GONGOLA	7,964	25,149	22	81%	388,313	15,324	3.95%	12
KANO	10,222	28,245	48	41%	1,239,049	53,928	4.35%	12
PLATEAU	10,367	57,367	125	86%	722,415	20,394	2.82%	12
TOTAL	47,983	158,440	283	70%	3,865,798	116,043	3.00%	


## 1991 SUMMARY OF FAMILY PLANNING DATA FOR ZONE D

1991	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
STATES								
BAUCHI	8,855	19,810	46	56%	944,771	12,769	1.35%	12
BORNO	9,003	29,089	41	74%	571,250	8,622	1.51%	12
GONGOLA	7,351	23,103	23	69%	388,313	8,319	2.14%	11
KANO	9,814	23,692	56	38%	1,239,049	13,732	1.11%	12
PLATEAU	8,112	48,042	128	69%	722,415	18,033	2.50%	12
TOTAL	43,135	143,736	292	62%	3,865,798	61,475	1.59%	

**NiCare Executive Summary  
D Zone Profile  
1990**

Average Number of Clinics Providing	283
Average Percentage Reporting	70%
New Acceptors	47,983
Revisits	158,440
Women of Reproductive Age (WRA)	3,865,798
Couple Years of Protection (CYP)	116,043
CYP Prevalence	3.00%


**1990 CONTRACEPTIVE METHOD MIX  
D ZONE**




**NiCare Executive Summary  
D Zone Profile  
1991**

Average Number of Clinics Providing	292
Average Percentage Reporting	62%
New Acceptors	43,135
Revisits	143,736
Women of Reproductive Age (WRA)	3,865,798
Couple Years of Protection (CYP)	61,475
CYP Prevalence	1.59%


**1991 CONTRACEPTIVE METHOD MIX  
D ZONE**




**1990-1991 NEW ACCEPTORS AND REVISITS  
D ZONE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
D Zone**



**COMPARISON OF NEW ACCEPTORS  
AMONG THE STATES IN ZONE D**




**COMPARISON OF REVISITS  
AMONG THE STATES IN ZONE D**



**NiCare Executive Summary  
Bauchi State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	46
Average Percentage Reporting	58%
New Acceptors	12,618
Revisits	24,199
Women of Reproductive Age (WRA)	944,771
Couple Years of Protection (CYP)	19,273
CYP Prevalence	2.04%


**1990 CONTRACEPTIVE METHOD MIX  
BAUCHI STATE**




**NiCare Executive Summary  
Bauchi State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	46
Average Percentage Reporting	56%
New Acceptors	8,855
Revisits	19,810
Women of Reproductive Age (WRA)	944,771
Couple Years of Protection (CYP)	12,769
CYP Prevalence	1.35%


**1991 CONTRACEPTIVE METHOD MIX  
BAUCHI STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
BAUCHI STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Bauchi**



**NiCare Executive Summary  
Borno State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	42
Average Percentage Reporting	65%
New Acceptors	6,812
Revisits	23,480
Women of Reproductive Age (WRA)	571,250
Couple Years of Protection (CYP)	7,124
CYP Prevalence	1.25%


**1990 CONTRACEPTIVE METHOD MIX  
BORNO STATE**




**NiCare Executive Summary  
Borno State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	41
Average Percentage Reporting	74%
New Acceptors	9,003
Revisits	29,089
Women of Reproductive Age (WRA)	571,250
Couple Years of Protection (CYP)	8,622
CYP Prevalence	1.51%


**1991 CONTRACEPTIVE METHOD MIX  
BORNO STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
BORNO STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Borno**



**NiCare Executive Summary  
Gongola State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	22
Average Percentage Reporting	81%
New Acceptors	7,964
Revisits	25,149
Women of Reproductive Age (WRA)	388,313
Couple Years of Protection (CYP)	15,324
CYP Prevalence	3.95%


**1990 CONTRACEPTIVE METHOD MIX  
GONGOLA STATE**





**NiCare Executive Summary  
Gongola State Profile  
1991**

Number of Months Reported	11
Average Number of Clinics Providing	23
Average Percentage Reporting	69%
New Acceptors	7,351
Revisits	23,103
Women of Reproductive Age (WRA)	388,313
Couple Years of Protection (CYP)	8,319
CYP Prevalence	2.14%

**1991 CONTRACEPTIVE METHOD MIX  
GONGOLA STATE**






**NiCare Executive Summary  
Kano State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	48
Average Percentage Reporting	41%
New Acceptors	10,222
Revisits	28,245
Women of Reproductive Age (WRA)	1,239,049
Couple Years of Protection (CYP)	53,928
CYP Prevalence	4.35%


**1990 CONTRACEPTIVE METHOD MIX  
KANO STATE**




**NiCare Executive Summary  
Kano State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	56
Average Percentage Reporting	38%
New Acceptors	9,814
Revisits	23,692
Women of Reproductive Age (WRA)	1,239,049
Couple Years of Protection (CYP)	13,732
CYP Prevalence	1.11%


**1991 CONTRACEPTIVE METHOD MIX  
KANO STATE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
KANO STATE**




**Referral Sources for New Acceptors  
1990 Compared With 1991  
Kano**



**NiCare Executive Summary  
Plateau State Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	125
Average Percentage Reporting	86%
New Acceptors	10,367
Revisits	57,367
Women of Reproductive Age (WRA)	722,415
Couple Years of Protection (CYP)	20,394
CYP Prevalence	2.82%


**1990 CONTRACEPTIVE METHOD MIX  
PLATEAU STATE**




**NiCare Executive Summary  
Plateau State Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	128
Average Percentage Reporting	69%
New Acceptors	8,112
Revisits	48,042
Women of Reproductive Age (WRA)	722,415
Couple Years of Protection (CYP)	18,033
CYP Prevalence	2.50%


**1991 CONTRACEPTIVE METHOD MIX  
PLATEAU STATE**



### 1990-1991 NEW ACCEPTORS AND REVISITS PLATEAU STATE



### Referral Sources for New Acceptors 1990 Compared With 1991 Plateau



65

# ARMED FORCES

Air Force  
Army  
Navy  
Police

## 1990 SUMMARY OF FAMILY PLANNING DATA FOR THE ARMED FORCES

1990	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
<b>MILITARY</b>								
AIR FORCE	1,090	3,659	85	*	**	843	*	1
ARMY	17,554	30,467	88	70%	**	13,873	*	12
NAVY	1,715	3,823	**	*	**	1,810	*	10
POLICE	38	63	**	*	**	133	*	8
<b>TOTAL</b>	<b>20,397</b>	<b>38,012</b>	<b>95</b>	<b>68%</b>		<b>16,659</b>		

## 1991 SUMMARY OF FAMILY PLANNING DATA FOR THE ARMED FORCES

1991	NEW ACCEPTORS	REVISITS	AVERAGE # OF CLINICS PROVIDING	AVERAGE PERCENTAGE REPORTING	WOMEN OF REPRODUCTIVE AGE (WRA)	CYP	CYP PREVALENCE	NUMBER OF MONTHS REPORTED
<b>MILITARY</b>								
AIR FORCE	776	2,746	12	75%	**	1,011	*	6
ARMY	5,624	28,572	88	59%	**	8,613	*	10
NAVY	2,099	2,713	22	23%	**	10,966	*	12
POLICE	560	1,778	16	55%	**	2,218	*	10
<b>TOTAL</b>	<b>9,059</b>	<b>35,809</b>	<b>114</b>	<b>38%</b>		<b>22,808</b>		


\* Complete data necessary for this calculation was not available.

\*\* Data Not Reported.

**NiCare Executive Summary  
Armed Forces Profile  
1990**

Average Number of Clinics Providing	95
Average Percentage Reporting	68%
New Acceptors	20,397
Revisits	38,012
Couple Years of Protection (CYP)	16,659


**CONTRACEPTIVE METHOD MIX  
ARMED FORCES**




**NiCare Executive Summary  
Armed Forces Profile  
1991**

Average Number of Clinics Providing	114
Average Percentage Reporting	38%
New Acceptors	9,059
Revisits	35,809
Couple Years of Protection (CYP)	22,808


**CONTRACEPTIVE METHOD MIX  
ARMED FORCES**




**1990-1991 NEW ACCEPTORS AND REVISITS ARMED FORCES**




**Referral Sources for New Acceptors 1990 Compared With 1991 Armed Forces**



**COMPARISON OF NEW ACCEPTORS AMONG THE ARMED FORCES**



**COMPARISON OF REVISITS AMONG THE ARMED FORCES**




**NiCare Executive Summary  
Air Force Profile  
1990**

Number of Months Reported	1
Average Number of Clinics Providing	**
Average Percentage Reporting	**
New Acceptors	1,090
Revisits	3,659
Couple Years of Protection (CYP)	811

\*\* Data Not Reported


**1990 CONTRACEPTIVE METHOD MIX  
AIR FORCE**




**NiCare Executive Summary  
Air Force Profile  
1991**

Number of Months Reported	6
Average Number of Clinics Providing	12
Average Percentage Reporting	75%
New Acceptors	776
Revisits	2,746
Couple Years of Protection (CYP)	1,011


**1991 CONTRACEPTIVE METHOD MIX  
AIR FORCE**



### 1990-1991 NEW ACCEPTORS AND REVISITS AIR FORCE




### Referral Sources for New Acceptors 1990 Compared With 1991 Air Force



**NiCare Executive Summary  
Army Profile  
1990**

Number of Months Reported	12
Average Number of Clinics Providing	88
Average Percentage Reporting	70%
New Acceptors	17,554
Revisits	30,467
Couple Years of Protection (CYP)	13,873


**1990 CONTRACEPTIVE METHOD MIX  
ARMY**




**NiCare Executive Summary  
Army Profile  
1991**

Number of Months Reported	10
Average Number of Clinics Providing	88
Average Percentage Reporting	59%
New Acceptors	5,624
Revisits	28,572
Couple Years of Protection (CYP)	8,613


**1991 CONTRACEPTIVE METHOD MIX  
ARMY**



**1990-1991 NEW ACCEPTORS AND REVISITS  
ARMY**



**Referral Sources for New Acceptors  
1990 Compared With 1991  
Army**




**NiCare Executive Summary  
Navy Profile  
1990**

Number of Months Reported	10
Average Number of Clinics Providing	**
Average Percentage Reporting	**
New Acceptors	1,715
Revisits	3,823
Couple Years of Protection (CYP)	1,810

\*\* Data Not Reported


**1990 CONTRACEPTIVE METHOD MIX  
NAVY**





**NiCare Executive Summary  
Navy Profile  
1991**

Number of Months Reported	12
Average Number of Clinics Providing	22
Average Percentage Reporting	23%
New Acceptors	2,099
Revisits	2,713
Couple Years of Protection (CYP)	10,966

**1991 CONTRACEPTIVE METHOD MIX  
NAVY**






**NiCare Executive Summary  
Police Profile  
1990**

Number of Months Reported	8
Average Number of Clinics Providing	**
Average Percentage Reporting	**
New Acceptors	38
Revisits	63
Couple Years of Protection (CYP)	133


**1990 CONTRACEPTIVE METHOD MIX  
POLICE**




**NiCare Executive Summary  
Police Profile  
1991**

Number of Months Reported	10
Average Number of Clinics Providing	16
Average Percentage Reporting	55%
New Acceptors	560
Revisits	1,778
Couple Years of Protection (CYP)	2,218

**1991 CONTRACEPTIVE METHOD MIX  
POLICE**



**1990-1991 NEW ACCEPTORS AND REVISITS  
POLICE**



**Referral Sources for New Acceptors  
1990 Compared With 1991  
Police**

