



## USAID KNOWLEDGE SERVICES CENTER (KSC)

### Malaria in Kenya

May 6, 2008

# Malaria in Kenya:

Sandra Kong, MPH

KSC Research Series

**ABSTRACT:** This bibliography contains abstracts of journal articles covering a wide range of topics on malaria in Kenya. Specific areas related to malaria in Kenya include epidemiology, diagnosis, treatment, insecticide-treated bed nets, and malaria in pregnancy. Links to PDF documents are noted where available.

The USAID Knowledge Services Center is operated by Bridgeborn, Inc. and Library Associates, and funded by M/CIO/KM and M/HR/TE under contract RAN-M-00-07-00003-00. The contents of this document are the sole responsibility of the Knowledge Services Center and do not necessarily reflect the views of USAID or the United States Government.

PN-ADM-024

## Table of Contents

<b>I. Overview of Malaria in Kenya .....</b>	<b>2</b>
<b>II. Reviews and Meta-analyses.....</b>	<b>2</b>
<b>III. Malaria Epidemiology and Surveillance.....</b>	<b>5</b>
<b>IV. Knowledge, Attitudes, and Practice (KAP).....</b>	<b>6</b>
<b>V. Malaria Diagnosis .....</b>	<b>7</b>
<b>VI. Malaria Treatment.....</b>	<b>7</b>
<b>VII. Malaria in Pregnancy.....</b>	<b>8</b>
<b>VIII. Malaria in Children .....</b>	<b>10</b>
<b>IX. Insecticide-treated Bed Nets .....</b>	<b>11</b>
<b>X. Malaria and Nutrition.....</b>	<b>13</b>
<b>XI. Malaria and HIV/AIDS .....</b>	<b>13</b>
<b>XII. Community-based Interventions .....</b>	<b>14</b>
<b>XIII. Private Sector .....</b>	<b>14</b>

## **I. Overview of Malaria in Kenya**

One of the major public health issues in Kenya is malaria, with high transmission rates in certain regions of the country. In 2002, a national malaria-control strategy was initiated, which followed a four-pronged approach: 1) prompt and effective treatment, 2) prevention and management of malaria in pregnancy, 3) use of insecticide-treated bed nets (ITNs), and 4) epidemic preparedness and response. Interventions to address malaria are being implemented in 16 districts. These four interventions are integrated management of childhood illness (IMCI), intermittent preventive treatment (IPT) for pregnant women, targeted ITNs, and indoor residual spraying (IRS) for vector control.

This bibliography contains selected citations for journal articles covering a wide range of topics on malaria in Kenya. Specific topic areas related to malaria in Kenya include epidemiology, diagnosis, treatment, insecticide-treated bed nets, and malaria in pregnancy. Links to PDF documents are noted where available.

The following resources provide information on malaria from Kenya's Ministry of Health:

Malaria control, by region: Kenya country profile. *World Malaria Report – 2005*. (2005). Retrieved from the Roll Back Malaria Partnership Web site:  
<http://rbm.who.int/wmr2005/profiles/kenya.pdf>

Ministry of Health, Division of Malaria Control. (2001). *Republic of Kenya, Ministry of Health: National malaria strategy 2001–2010*. Retrieved from the Kenya Malaria Information Service Web site:  
<http://www.kmis.org/Publications/National%20Malaria%20Strategy/Long%20version.pdf>

Republic of Kenya, Ministry of Health, Division of Malaria Control. (2001). *Insecticide Treated Nets Strategy 2001–2006*. Retrieved from the Kenya Malaria Information Service Web site:  
<http://www.kmis.org/ITNStrategy.htm>

## **II. Reviews and Meta-analyses**

Note: *Citations and abstracts available from PubMed can be located on its Web site ([www.ncbi.nlm.nih.gov/pubmed](http://www.ncbi.nlm.nih.gov/pubmed)) by using the corresponding PMID number.*

Lewison, G., & Srivastava, D. (2008). Malaria research, 1980–2004, and the burden of disease. *Acta Tropica*, 106(2), 96–103.  
PMID: 18395177 [PubMed – indexed for MEDLINE]

Greenwood, B., Fidock, D., Kyle, D., Kappe, S., Alonso, P., Collins, F., et al. (2008). Malaria: progress, perils, and prospects for eradication. *Journal of Clinical Investigation*, 118(4), 1266–1276.  
PMID: 18382739 [PubMed – indexed for MEDLINE]

Anderson, T. (2008). Model for malaria. *Nursing Standard*, 22(24), 20–22.  
PMID: 18318314 [PubMed – indexed for MEDLINE]

Hopkins, H., Talisuna, A., Whitty, C., & Staedke, S. (2007). Impact of home-based management of malaria on health outcomes in Africa: a systematic review of the evidence. *Malaria Journal* 2007, 6,134. Retrieved from <http://www.malariajournal.com/content/pdf/1475-2875-6-134.pdf>  
PMID: 17922916 [PubMed – indexed for MEDLINE]

Gamble, C., Ekwaru, P., Garner, P., & ter Kuile, F. (2007). Insecticide-treated nets for the prevention of malaria in pregnancy: a systematic review of randomised controlled trials. *PLoS Medicine*, 4(3), e107. Retrieved from [http://medicine.plosjournals.org/archive/1549-1676/4/3/pdf/10.1371\\_journal.pmed.0040107-S.pdf](http://medicine.plosjournals.org/archive/1549-1676/4/3/pdf/10.1371_journal.pmed.0040107-S.pdf)  
PMID: 17388668 [PubMed – indexed for MEDLINE]

(2007). Special issue on malaria. *The Lancet Infectious Diseases*, 7(2).

This volume is a special issue dedicated to malaria.

Checchi, F., Cox, J., Balkan, S., Tamrat, A., Priotto, G., Alberti, K., et al. (2006). Malaria epidemics and interventions, Kenya, Burundi, Southern Sudan, and Ethiopia, 1999–2004. *Emerging Infectious Diseases*, 12(10), 1477–1485.  
PMID: 17176560 [PubMed – indexed for MEDLINE]

Hwang, J., Bitarakwate, E., Pai, M., Reingold, A., Rosenthal, P., & Dorsey, G. (2006). Chloroquine or amodiaquine combined with sulfadoxine – pyrimethamine for uncomplicated malaria: a systematic review. *Tropical Medicine & International Health*, 11(6), 789–799.  
PMID: 16771999 [PubMed – indexed for MEDLINE]

Kalanda, G., Hill, J., Verhoeff, F., & Brabin, B. (2006). Comparative efficacy of chloroquine and sulphadoxine – pyrimethamine in pregnant women and children: a meta-analysis. *Tropical Medicine & International Health*, 11(5), 569–577.  
PMID: 16640608 [PubMed – indexed for MEDLINE]

Hill, J., & Kazembe, P. (2006). Reaching the Abuja target for intermittent preventive treatment of malaria in pregnancy in African women: a review

of progress and operational challenges. *Tropical Medicine & International Health*, 11(4), 409–418.  
PMID: 16553924 [PubMed – indexed for MEDLINE]

Binka, F., & Akweongo, P. (2006). Prevention of malaria using ITNs: potential for achieving the Millennium Development Goals. *Current Molecular Medicine*, 6(2), 261–267.  
PMID: 16515516 [PubMed – indexed for MEDLINE]

Worrall, E., Basu, S., & Hanson, K. (2005). Is malaria a disease of poverty? A review of the literature. *Tropical Medicine & International Health*, 10(10), 1047–1059.  
PMID: 16185240 [PubMed – indexed for MEDLINE]

Shanks, G., Hay, S., Omumbo, J., & Snow, R. (2005). Malaria in Kenya's western highlands. *Emerging Infectious Diseases*, 11(9), 1425–1432.  
PMID: 16229773 [PubMed – indexed for MEDLINE]

Greenwood, B., Bojang, K., Whitty, C., & Targett, G. (2005). Malaria. *Lancet*, 365(9469), 148–198.  
PMID: 15850634 [PubMed – indexed for MEDLINE]

Shunmay, Y., & White, N. (2005). How do patients use antimalarial drugs? A review of the evidence. *Tropical Medicine & International Health*, 10(2), 121–138.  
PMID: 15679555 [PubMed – indexed for MEDLINE]

Omumbo, J., & Snow, R. (2004). *Plasmodium falciparum* parasite prevalence in East Africa: a review. *East African Medical Journal*, 81(12), 64–56.  
PMID: 15868982 [PubMed – indexed for MEDLINE]

Korenromp, E., Armstrong-Schellenberg, J., Williams, B., Nahlen, B., & Snow, R. (2004). Impact of malaria control on childhood anaemia in Africa—a quantitative review. *Tropical Medicine & International Health*, 9(10), 1050–1065.  
PMID: 15482397 [PubMed – indexed for MEDLINE]

Amin, A., Hughes, D., Marsh, V., Abuya, T., Kokwaro, G., Winstanley, P., et al. (2004). The difference between effectiveness and efficacy of antimalarial drugs in Kenya. *Tropical Medicine & International Health*, 9(9), 96–74.  
PMID: 15361109 [PubMed – indexed for MEDLINE]

Kremsner, P., & Krishna, S. (2004). Antimalarial combinations. *Lancet*, 364(9430), 285–294.  
PMID: 15262108 [PubMed – indexed for MEDLINE]

- Omari, A., Gamble, C., & Garner, P. (2004). Artemether-lumefantrine for uncomplicated malaria: a systematic review. *Tropical Medicine & International Health*, 9(2), 192–199.  
PMID: 15040555 [PubMed – indexed for MEDLINE]
- Attaran, A., Barnes, K., Curtis, C., d'Alessandro, U., Fanello, C., Galinski, M., et al. (2004). WHO, the Global Fund, and medical malpractice in malaria treatment. *Lancet*, 363(9404), 237–240.
- Adjuik, M., Babiker, A., Garner, P., Olliaro, P., Taylor, W., & White, N. (2004). Artesunate combinations for treatment of malaria: meta-analysis. *Lancet*, 363(9402), 9–17.  
PMID: 14723987 [PubMed – indexed for MEDLINE]
- Amin, A., Marsh, V., Noor, A., Ochola, S., & Snow, R. (2003). The use of formal and informal curative services in the management of paediatric fevers in four districts in Kenya. *Tropical Medicine & International Health*, 8(12), 1143–1152.  
PMID: 14641851 [PubMed – indexed for MEDLINE]

### III. Malaria Epidemiology and Surveillance

- Siri, J., Lindblade, K., Rosen, D., Onyango, B., Vulule, J., Slutsker, L., et al. (2008). Quantitative urban classification for malaria epidemiology in sub-Saharan Africa. *Malaria Journal*, 7, 34. Retrieved from <http://www.malariajournal.com/content/pdf/1475-2875-7-34.pdf>  
PMID: 18298857 [PubMed – indexed for MEDLINE]
- Pascual, M., Cazelles, B., Bouma, M., Chaves, L., & Koelle, K. (2008). Shifting patterns: malaria dynamics and rainfall variability in an African highland. *Proceedings of the Royal Society, Biological Sciences*, 275(1631), 123–132.  
PMID: 17999952 [PubMed – indexed for MEDLINE]
- Tatem, A., Noor, A., von Hagen, C., Di Gregorio, A., & Hay, S. (2007). High resolution population maps for low income nations: combining land cover and census in East Africa. *PLoS ONE*, 2(12), e1298. Retrieved from <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0001298>  
PMID: 18074022 [PubMed – in process]

- Yé, Y., Kimani-Murage, E., Kebaso, J., & Mugisha, F. (2007). Assessing the risk of self-diagnosed malaria in urban informal settlements of Nairobi using self-reported morbidity survey. *Malaria Journal*, 6, 71. Retrieved from <http://www.malariajournal.com/content/pdf/1475-2875-6-71.pdf>

PMID: 17531102 [PubMed – indexed for MEDLINE]

Ndenga, B., Githeko, A., Omukunda, E., Munyekenyere, G., Atieli, H., Wamai, P., et al. (2006). Population dynamics of malaria vectors in western Kenya highlands. *Journal of Medical Entomology*, 43(2), 200–206. Retrieved from PMID: 16619599 [PubMed – indexed for MEDLINE]

Keating, J., Macintyre, K., Mbogo, C., Githure, J., & Beier, J. (2005). Self-reported malaria and mosquito avoidance in relation to household risk factors in a Kenyan coastal city. *Journal of Biosocial Science*, 37(6), 761–771.

PMID: 16221324 [PubMed – indexed for MEDLINE]

Shanks, G., Hay, S., Omumbo, J., & Snow, R. Malaria in Kenya's western highlands. (2005). *Emerging Infectious Diseases*, 11(9), 1425–1432. Retrieved from

<http://www.cdc.gov/ncidod/EID/vol11no09/pdfs/04-1131.pdf>

PMID: 16229773 [PubMed – indexed for MEDLINE]

Brooker, S., et al. (2004). Spatial clustering of malaria and associated risk factors during an epidemic in a highland area of western Kenya. *Tropical Medicine & International Health*, 9(7), 757–766.

PMID: 15228485 [PubMed – indexed for MEDLINE]

Noor, M., Zurovac, D., Hay, S., Ochola, S., & Snow, R. (2003). Defining equity in physical access to clinical services using geographical information systems as part of malaria planning and monitoring in Kenya. *Tropical Medicine & International Health*, 8(10), 917–926.

PMID: 14516303 [PubMed – indexed for MEDLINE]

#### **IV. Knowledge, Attitudes, and Practice (KAP)**

Osero, J., Otieno, M., & Orago, A. (2006). Mothers' knowledge on malaria and vector management strategies in Nyamira District, Kenya. *East African Medical Journal*, 83(9), 507–514.

PMID: 17447353 [PubMed – indexed for MEDLINE]

Alaii, J., et al. (2003). Perceptions of bed nets and malaria prevention before and after a randomized controlled trial of permethrin-treated bed nets in western Kenya. *American Journal of Tropical Medicine & Hygiene*, 68(4 Suppl), 142–148.

PMID: 12749498 [PubMed – indexed for MEDLINE]

## V. Malaria Diagnosis

Ohrt, C., et al. (2007). Establishing a malaria diagnostics centre of excellence in Kisumu, Kenya. *Malaria Journal*, 6, 79. Retrieved from <http://www.malariajournal.com/content/pdf/1475-2875-6-79.pdf> PMID: 17565676 [PubMed – indexed for MEDLINE]

Mwangi, T., Ross, A., Snow, R., & Marsh, K. (2005). Case definitions of clinical malaria under different transmission conditions in Kilifi District, Kenya. *Journal of Infectious Diseases*, 191(11), 1932–1939. PMID: 15871128 [PubMed – indexed for MEDLINE]

## VI. Malaria Treatment

Polhemus, M., Remich, S., Ongut, B., Waitumbi, J., Lievens, M., Ballou, W., et al. (2008). Malaria treatment with atovaquone-proguanil in malaria-immune adults: implications for malaria intervention trials and for pre-exposure prophylaxis of malaria. *Antimicrobial Agents and Chemotherapy*, 52(4), 1493-1495.

PMID: 18268090 [PubMed – indexed for MEDLINE]

Wasunna, B., Zurovac, D., Goodman, C., & Snow, R. (2008). Why don't health workers prescribe ACT? A qualitative study of factors affecting the prescription of artemether-lumefantrine. *Malaria Journal*, 7, 29. Retrieved from <http://www.malariajournal.com/content/pdf/1475-2875-7-29.pdf>

PMID: 18252000 [PubMed – indexed for MEDLINE]

Amin, A., Zurovac, D., Kangwana, B., Greenfield, J., Otieno, D., Akhwale, W., et al. (2007). The challenges of changing national malaria drug policy to artemisinin-based combinations in Kenya. *Malaria Journal*, 6, 72. Retrieved from <http://www.malariajournal.com/content/pdf/1475-2875-6-72.pdf>

PMID: 17535417 [PubMed – indexed for MEDLINE]

Zurovac, D., Larson, B., Akhwale, W., & Snow, R. (2006). The financial and clinical implications of adult malaria diagnosis using microscopy in Kenya. *Tropical Medicine & International Health*, 11(8), 1185–1194.

PMID: 16903882 [PubMed – indexed for MEDLINE]

Larson, B., Amin, A., Noor, A., Zurovac, D., & Snow, R. (2006). The cost of uncomplicated childhood fevers to Kenyan households: implications for reaching international access targets. *BMC Public Health*, 6, 314. Retrieved from <http://www.biomedcentral.com/content/pdf/1471-2458-6-314.pdf>

PMID: 17196105 [PubMed – indexed for MEDLINE]

Bhatt, KM, Samia, BM, Bhatt, SM, & Wasunna, KM (2006). Efficacy and safety of an artesunate/mefloquine combination, (artequin) in the treatment of uncomplicated *P. falciparum* malaria in Kenya. *East African Medical Journal*, 83(5), 236–242.

PMID: 16866217 [PubMed – indexed for MEDLINE]

Koech, D. (2006). Accessibility and affordability of malaria intervention, treatment and prevention in Africa. *African Journal of Health Sciences*, 13(1–2), i.

PMID: 17348736 [PubMed – in process]

Carter, J., Loolpapit, M., Lema, O., Tome,J., Nagelkerke, N., & Watkins, W. (2005). Reduction of the efficacy of antifolate antimalarial therapy by folic acid supplementation. *American Journal of Tropical Medicine and Hygiene*, 73(1), 166–170.

PMID: 16014852 [PubMed – indexed for MEDLINE]

Williams, H., Durrheim, D., & Shretta, R. (2004). The process of changing national malaria treatment policy: lessons from country-level studies. *Health Policy and Planning*, 19(6), 356-370.

PMID: 15459161 [PubMed – indexed for MEDLINE]

Zurovac, D., Rowe, A., Ochola, S., Noor, A., Midia, B., English, M., et al. (2004). Predictors of the quality of health worker treatment practices for uncomplicated malaria at government health facilities in Kenya. *International Journal of Epidemiology*, 33(5), 1080–1091.

PMID: 15256523 [PubMed – indexed for MEDLINE]

Zucker, J., Ruebush, T., Obonyo, C., Otieno, J., & Campbell, C. (2003). The mortality consequences of the continued use of chloroquine in Africa: experience in Siaya, western Kenya. *American Journal of Tropical Medicine and Hygiene*, 68(4), 386–390.

PMID: 12879851 [PubMed – indexed for MEDLINE]

## VII. Malaria in Pregnancy

Gikandi, P., Noor, A., Gitonga, C., Ajanga, A., & Snow, R. (2008). Access and barriers to measures targeted to prevent malaria in pregnancy in rural Kenya. *Tropical Medicine and International Health*, 13(2), 208–217.

PMID: 18304267 [PubMed – indexed for MEDLINE]

Ouma, P., van Eijk, A., Hamel, M., Parise, M., Ayisi, J., Otieno, K., et al. (2007). Malaria and anaemia among pregnant women at first antenatal clinic visit in Kisumu, western Kenya. *Tropical Medicine & International Health*,

12(12), 1515–1523.  
PMID: 18076560 [PubMed – indexed for MEDLINE]

Ouma, P., van Eijk, A., Hamel, M., Sikuku, E., Odhiambo, F., Munguti, K., et al. 2007. The effect of health care worker training on the use of intermittent preventive treatment for malaria in pregnancy in rural western Kenya. *Tropical Medicine & International Health*, 12(8), 953–961.

PMID: 17697090 [PubMed – indexed for MEDLINE]

Ouma, P., et al. (2006). A randomized controlled trial of folate supplementation when treating malaria in pregnancy with sulfadoxine-pyrimethamine. *Public Library of Science Clinical Trials*, 1(6), e28.

PMID: 17053829

van Eijk, A., et al. (2005). Use of intermittent preventive treatment for malaria in pregnancy in a rural area of western Kenya with high coverage of insecticide-treated bed nets. *Tropical Medicine & International Health*, 10(11), 1134–1140.

PMID: 16262738 [PubMed – indexed for MEDLINE]

van Eijk, A., et al. (2004). Implementation of intermittent preventive treatment with sulphadoxine –pyrimethamine for control of malaria in pregnancy in Kisumu, western Kenya. *Tropical Medicine & International Health*, 9(5), 630-637.

PMID: 15117309 [PubMed – indexed for MEDLINE]

van Eijk, M., et al. (2004). Effectiveness of intermittent preventive treatment with sulphadoxine-pyrimethamine for control of malaria in pregnancy in western Kenya: a hospital-based study. *Tropical Medicine & International Health*, 9(3), 351–360.

PMID: 14996364 [PubMed – indexed for MEDLINE]

Guyatt, H., Noor, A., Ochola, S., & Snow, R. (2004). Use of intermittent presumptive treatment and insecticide treated bed nets by pregnant women in four Kenyan districts. *Tropical Medicine & International Health*, 9(2), 255–261.

PMID: 15040563 [PubMed – indexed for MEDLINE]

Njagi, J., Magnussen, P., Estambale, B., Ouma, J., & Mugo, B. (2003). Prevention of anaemia in pregnancy using insecticide-treated bednets and sulfadoxine-pyrimethamine in a highly malarious area of Kenya: a randomized controlled trial. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 97(3), 277–282.

PMID: 15228241 [PubMed – indexed for MEDLINE]

ter Kuile, F., et al. (2003). Reduction of malaria during pregnancy by permethrin-treated bed nets in an area of intense perennial malaria transmission in western Kenya. *American Journal of Tropical Medicine and Hygiene*, 68(4 Suppl), 50–60.

PMID: 12749486 [PubMed – indexed for MEDLINE]

Parise, M., et al. (2003). Rapid assessment approach for public health decision-making related to the prevention of malaria during pregnancy. *Bulletin of the World Health Organization*, 81(5), 316–323. Retrieved from <http://www.who.int/bulletin/volumes/81/5/Parise0503.pdf>

PMID: 12856049 [PubMed – indexed for MEDLINE]

## VIII. Malaria in Children

Zurovac, D., Njogu, J., Akhwale, W., Hamer, D., & Snow, R. (2008). Translation of artemether-lumefantrine treatment policy into paediatric clinical practice: an early experience from Kenya. *Tropical Medicine & International Health*, 13(1), 99–107.

PMID: 18291008 [PubMed – indexed for MEDLINE]

Obonyo, C., Vulule, J., Akhwale, W., & Grobbee, D. (2007). In-hospital morbidity and mortality due to severe malarial anaemia in western Kenya. *American Journal of Tropical Medicine and Hygiene*, 77(6 Suppl), 23–28.

PMID: 18165471 [PubMed – indexed for MEDLINE]

Okiro, E., et al. (2007). The decline in paediatric malaria admissions on the coast of Kenya. *Malaria Journal*, 15(6), 151. Retrieved from <http://www.malariajournal.com/content/pdf/1475-2875-6-151.pdf>

PMID: 18005422 [PubMed – indexed for MEDLINE]

Fegan, G., Noor, A., Akhwale, W., Cousens, S., & Snow, R. (2007). Effect of expanded insecticide-treated bednet coverage on child survival in rural Kenya: a longitudinal study. *Lancet*, 370(9592), 1035–1039. [Comments in: *Lancet*, 370(9592), 1007; *Lancet*, 370(9592), 1009–1010; *Lancet*, 371(9607), 115–116.]

PMID: 17889242 [PubMed – indexed for MEDLINE]

Noor, A., Amin, A., Akhwale, W., & Snow, R. (2007). Increasing coverage and decreasing inequity in insecticide-treated bed net use among rural Kenyan children. *PLoS Medicine*, 4(8), e255. Retrieved from [http://medicine.plosjournals.org/archive/1549-1676/4/8/pdf/10.1371\\_journal.pmed.0040255-S.pdf](http://medicine.plosjournals.org/archive/1549-1676/4/8/pdf/10.1371_journal.pmed.0040255-S.pdf)

PMID: 17713981 [PubMed – indexed for MEDLINE]

Zurovac, D., Ochola, S., Midia, B., & Snow, R. (2005). The quality of sulfadoxine-

- pyrimethamine prescriptions, counselling and drug-dispensing practices, for children in Kenya. *Annals of Tropical Medicine and Parasitology*, 99(3), 321-324.  
PMID: 15829140 [PubMed – indexed for MEDLINE]
- Berkley, J., et al. (2005). Use of clinical syndromes to target antibiotic prescribing in seriously ill children in malaria endemic area: observational study. *BMJ*, 330(7498), 995.  
PMID: 15797893 [PubMed – indexed for MEDLINE]
- Clarke, S., et al. (2004). Malaria morbidity among school children living in two areas of contrasting transmission in western Kenya. *American Journal of Tropical Medicine and Hygiene*, 71(6), 732-738.  
PMID: 15642962 [PubMed – indexed for MEDLINE]
- Nyakeriga, A., Troye-Blomberg, M., Chemtai, A., Marsh, K., & Williams, T. (2004). Malaria and nutritional status in children living on the coast of Kenya. *American Journal of Clinical Nutrition*, 80(6), 1604–1610. [(2005). Erratum. *American Journal of Clinical Nutrition*, 82(1), 203].  
PMID: 15585775 [PubMed – indexed for MEDLINE]
- Abuya, T., Molynuex, C., Orago, A., Were, S., & Marsh, V. (2004). Quality of care provided to febrile children presenting in rural private clinics on the Kenyan coast. *African Health Sciences*, 4(3), 160–170.  
PMID: 15687068 [PubMed – indexed for MEDLINE]
- Abdinasir, A., et al. (2003). The use of formal and informal curative services in the management of paediatric fevers in four districts in Kenya. *Tropical Medicine & International Health*, 8(12), 1143–1152.  
PMID: 14641851 [PubMed – indexed for MEDLINE]
- ## IX. Insecticide-treated Bed Nets
- Curtis, C. (2008). Insecticide-treated bednets and child survival in rural Kenya. *Lancet*, 371(9607), 115–116. [Comment on: Fegan, GW, Noor, AM, Akhwale, WS, Cousens, S., & Snow, R. (2007). Effect of expanded insecticide-treated bednet coverage on child survival in rural Kenya: a longitudinal study. *Lancet*, 370(9592), 1035–1039.]  
PMID: 18191680 [PubMed – indexed for MEDLINE]
- Wacira, D., Hill, J., McCall, P., & Kroeger, A. (2007). Delivery of insecticide-treated net services through employer and community-based approaches in Kenya. *Tropical Medicine & International Health*, 12(1), 140–149.  
PMID: 17207158 [PubMed – indexed for MEDLINE]

Osero, J., Otieno, M., & Orago, A. (2006). Role of child health clinics in promoting use of insecticide-treated nets among children under five years in Nyamira district, Kenya. *East African Medical Journal*, 83(8), 450–454.  
PMID: 17153659 [PubMed – indexed for MEDLINE]

Noor, A., Omumbo, J., Amin, A., Zurovac, D., & Snow, R. (2006). Wealth, mother's education and physical access as determinants of retail sector net use in rural Kenya. *Malaria Journal*, 5(1), 5. Retrieved from <http://www.malariajournal.com/content/pdf/1475-2875-5-5.pdf>  
PMID: 16436216 [PubMed – indexed for MEDLINE]

Lindblade, K., et al. (2005). Evaluation of long-lasting insecticidal nets after 2 years of household use. *Tropical Medicine & International Health*, 10(11), 1141–1150.  
PMID: 16262739 [PubMed – indexed for MEDLINE]

Osero, J., Otieno, M., & Orago, A. (2005). Maternal use of insecticide-treated nets in the prevention of malaria among children under five years. *East African Medical Journal*, 82(10), 495–500.  
PMID: 16450675 [PubMed – indexed for MEDLINE]

Eisele, T., et al. (2005). Effect of sustained insecticide-treated bed net use on all-cause child mortality in an area of intense perennial malaria transmission in western Kenya. *American Journal of Tropical Medicine & Hygiene*, 73(1), 149–156.  
PMID: 16014850 [PubMed – indexed for MEDLINE]

Ngugi, I., Chiguzo, A., & Guyatt, H. (2004). A cost analysis of the employer-based bednet programme in Coastal and Western Kenya. *Health Policy and Planning*, 19(2), 111–119.  
PMID: 14982889 [PubMed – indexed for MEDLINE]

Hawley, W., et al. (2003). Implications of the western Kenya permethrin-treated bed net study for policy, program implementation, and future research. *American Journal of Tropical Medicine & Hygiene*, 68(4 Suppl), 168–73.  
PMID: 12749501 [PubMed – indexed for MEDLINE]

Wiseman, V., et al. (2003). The cost-effectiveness of permethrin-treated bed nets in an area of intense malaria transmission in western Kenya. *American Journal of Tropical Medicine & Hygiene*, 68(4 Suppl), 161–167.  
PMID: 12749500 [PubMed – indexed for MEDLINE]

Hawley, W., et al. (2003). Community-wide effects of permethrin-treated bed nets on child mortality and malaria morbidity in western Kenya. *American Journal of Tropical Medicine & Hygiene*. 68(4 Suppl), 121–127.

PMID: 12749495 [PubMed – indexed for MEDLINE]

Alaii, J., et al. (2003). Community reactions to the introduction of permethrin-treated bed nets for malaria control during a randomized controlled trial in western Kenya. *American Journal of Tropical Medicine & Hygiene*, 68(4 Suppl), 128–136.

PMID: 12749496 [PubMed – indexed for MEDLINE]

Alaii, J., et al. (2003). Factors affecting use of permethrin-treated bed nets during a randomized controlled trial in western Kenya. *American Journal of Tropical Medicine & Hygiene*, 68(4 Suppl), 137–141.

PMID: 12749497 [PubMed – indexed for MEDLINE]

Guyatt, H., & Ochola, S. (2003). Use of bednets given free to pregnant women in Kenya. *Lancet*, 362(9395), 1549–1550. Comment in: *Lancet*, 362(9395), 1515–1516.

PMID: 14615112 [PubMed – indexed for MEDLINE]

Meltzer, M., et al. (2003). The household-level economics of using permethrin-treated bed nets to prevent malaria in children less than five years of age. *American Journal of Tropical Medicine & Hygiene*, 68(4 Suppl), 149–60.

PMID: 12749499 [PubMed – indexed for MEDLINE]

## X. Malaria and Nutrition

Friedman, J., et al. (2005). Malaria and nutritional status among pre-school children: results from cross-sectional surveys in western Kenya. *American Journal of Tropical Medicine & Hygiene*, 73(4), 698–704.

PMID: 16222012 [PubMed – indexed for MEDLINE]

## XI. Malaria and HIV/AIDS

Ayisi, J., et al. (2003). The effect of dual infection with HIV and malaria on pregnancy outcome in western Kenya. *AIDS*, 17(4), 585–594. Comment in *AIDS*, 17(13), 2002–2003.

PMID: 12598779 [PubMed – indexed for MEDLINE]

van Eijk, A., et al. (2003). HIV increases the risk of malaria in women of all gravitudes in Kisumu, Kenya. *AIDS*, 17(4), 595–603. Comment in: *AIDS*, 17(13), 2002–2003.

PMID: 12598780 [PubMed – indexed for MEDLINE]

## **XII. Community-based Interventions**

- Opiyo, P., et al. (2007). An exploratory study of community factors relevant for participatory malaria control on Rusinga Island, western Kenya. *Malaria Journal*, 6, 48. Retrieved from  
<http://www.malariajournal.com/content/pdf/1475-2875-6-48.pdf>  
PMID: 17456231 [PubMed – indexed for MEDLINE]
- Kibe, L., Mbogo, C., Keating, J., Molyneux, S., Githure, J., & Beier, J. (2006). Community based vector control in Malindi, Kenya. *African Health Sciences*, 6(4), 240–246.  
PMID: 17604514 [PubMed – in process]
- Chuma, J., Thiede, M., & Molyneux, C. (2006). Rethinking the economic costs of malaria at the household level: evidence from applying a new analytical framework in rural Kenya. *Malaria Journal*, 5, 76. Retrieved from  
<http://www.malariajournal.com/content/pdf/1475-2875-5-76.pdf>  
PMID: 16939658 [PubMed – indexed for MEDLINE]
- Kimani, E., Vulule, J., Kuria, I., & Mugisha, F. (2006). Use of insecticide-treated clothes for personal protection against malaria: a community trial. *Malaria Journal*, 5, 63. Retrieved from  
<http://www.malariajournal.com/content/pdf/1475-2875-5-63.pdf>  
PMID: 16872529 [PubMed – indexed for MEDLINE]
- Goodman, C., Mutemi, W., Baya, E., Willetts, A., & Marsh, V. (2006). The cost-effectiveness of improving malaria home management: shopkeeper training in rural Kenya. *Health Policy and Planning*, 21(4), 275–288.  
PMID: 16682433 [PubMed – indexed for MEDLINE]

## **XIII. Private Sector**

- Abuya, T., Mutemi, W., Karisa, B., Ochola, S., Fegan, G., & Marsh, V. (2007). Use of over-the-counter malaria medicines in children and adults in three districts in Kenya: implications for private medicine retailer interventions. *Malaria Journal*, 6, 57. Retrieved from  
<http://www.malariajournal.com/content/pdf/1475-2875-6-57.pdf>  
PMID: 17493270 [PubMed – indexed for MEDLINE]
- Marsh, V., Mutemi, M., Willetts, A., Bayah, K., Were, S., Ross, A., et al. (2004). Improving malaria home treatment by training drug retailers in rural Kenya. *Tropical Medicine & International Health*, 9(4), 451–460.  
PMID: 15078263 [PubMed – indexed for MEDLINE]

Tavrow, P., Shabahang, J., & Makama, S. (2003). Vendor-to-vendor education to improve malaria treatment by private drug outlets in Bungoma District, Kenya. *Malaria Journal*, 2, 10. Retrieved from <http://www.malariajournal.com/content/pdf/1475-2875-2-10.pdf>  
PMID: 12812525 [PubMed – indexed for MEDLINE]

**U.S. Agency for  
International Development**  
1300 Pennsylvania Avenue NW  
Washington, DC 20523  
Tel: 202-712-0000  
Fax: 202-216-3524  
**[www.usaid.gov](http://www.usaid.gov)**