

The U.S. President's Emergency Plan for AIDS Relief



2009 Annual Report to Congress on PEPFAR Program Results

March 2010

[www.pepfar.gov/press/sixth annual report/](http://www.pepfar.gov/press/sixth_annual_report/)

Table of Contents

Introduction.....	3
Budget Summary	4
Prevention Results	6
Treatment Results	9
Care and Support Results.....	13
Capacity-building Results.....	15
Indirect Results	16

Introduction


Tables with results achieved by PEPFAR programs during Fiscal Year (FY) 2009, across the range of prevention, treatment and care programs, may be found at www.pepfar.gov/press/sixth_annual_report/. A Fact Sheet focusing on treatment results may be found at www.pepfar.gov/press/137673.htm.

FY 2009 was the first year of the second phase of PEPFAR, and these results should be read together with the Five-Year Strategy for PEPFAR, available at www.pepfar.gov/strategy/, which outlines the high-level direction of the program for this second phase. This strategy reflects lessons learned in the first five years of the program, expands existing commitments around service delivery, and places a heightened emphasis on sustainability. Annexes to the PEPFAR Strategy provide additional information about specific program areas.

A technical note on PEPFAR's reporting methodology is available at www.pepfar.gov/2009results/.

Budget Summary

The U.S. President's Emergency Plan for AIDS Relief FY2009 Planned Funding for Prevention, Treatment and Care*



* Note: This table reflects funding notified for all FY 2009 Country Operational Plans (COPs) for selected program areas as of January 2010 (FY 2009 5th PEPFAR Congressional Notification). All funding amounts are subject to change based on reprogramming of COPs and

the programming of additional funds. This table does not include attributions of central dollars from the following categories: central procurements, supply chain, technical leadership and support, and New Partners Initiative. This table also does not include field dollars from the following categories: strategic information, management and operations, and health systems strengthening activities. The ARV drugs category includes \$60 million in funding for treatment programs in South Africa in FY 2009 which was added outside of the COP programming and planning system. The addition of these funds for South Africa has caused other percentages to decrease, including the OVC program area. There are still FY 2009 funds yet to be programmed (in association with Partnership Frameworks), allowing for PEPFAR to meet the 10% Congressional earmark for programs that benefit OVCs. For sexual prevention activities, like other activities, the data are based upon the budget codes in the FY 2009 COP Guidance. The indicators in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.

Prevention Results

Prevention: FY2009 Prevention of Mother-to-Child Transmission Program Direct Results ¹			
Country	Pregnant women receiving HIV counseling and testing services ²	Number of HIV+ pregnant women receiving ARV prophylaxis	Estimated infant HIV infections averted ³
Angola	27,400	NA ⁵	NA ⁵
Botswana ⁴	0	0	0
Cambodia	48,000	300	57
Caribbean Regional	NA ⁵	NA ⁵	NA ⁵
China	121,200	300	57
Cote d'Ivoire	224,900	7,800	1,482
Democratic Republic of Congo	98,300	900	171
Dominican Republic	20,800	100	19
Ethiopia	436,700	8,300	1,577
Ghana	NA ⁵	NA ⁵	NA ⁵
Guyana	10,500	200	38
Haiti	155,800	1,900	361
India	193,200	800	152
Indonesia ⁴	0	0	0
Kenya	1,057,200	58,600	11,134
Lesotho	28,300	7,300	1,387
Malawi	103,600	5,400	1,026
Mozambique	397,600	33,100	6,289
Namibia	30,800	5,000	950
Nigeria	747,600	34,000	6,460
Russia	25	300	57
Rwanda	132,800	5,000	950
South Africa	666,100	172,100	32,699
Sudan	5,900	100	19
Swaziland	14,700	6,700	1,273
Tanzania	1,046,900	39,200	7,448
Thailand ⁴	0	0	0
Uganda	849,600	45,900	8,721
Ukraine	0	NA ⁵	NA ⁵
Vietnam	355,700	1,100	209
Zambia	398,000	57,700	10,963
Zimbabwe	132,900	17,700	3,363
Total	7,304,525	509,800	96,862

Notes:
 Numbers may be adjusted as attribution criteria and reporting systems are refined.
 All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:
¹PEPFAR defines direct support as data that captures the number of individuals receiving prevention, care, and treatment services through service delivery sites or providers directly supported by U.S. Government (USG) interventions or activities at the point of service delivery. An intervention or activity is considered to be direct support if it can be associated with counts of uniquely identified individuals receiving prevention, care, or treatment services at a unique program or service delivery point benefiting from the intervention or activity. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.
²The number of pregnant women receiving PMTCT services includes only women who have been counseled and tested, and received their test results.
³The estimated number of infant HIV infections averted is calculated here by multiplying the total number of HIV+ pregnant women receiving ARV prophylaxis by 19 percent. This is an approximation of infections averted using a single-dose nevirapine regimen, which is expected to reduce HIV transmission from about 35% to about 16%. However, this is likely a significant underestimate. Currently, most countries are using much more effective drug regimens for at least some of their PMTCT participants (as per 2006 WHO guidelines), and without data by country on how many women are receiving each drug regimen, the estimation methodology used is the most accurate currently available.
⁴"0" is reported for countries that reported indirect results only.
⁵"NA" refers to countries where USG did not support PMTCT counseling and testing programs.
⁶"NA" refers to countries where USG did not support PMTCT ARV programs.

Prevention: FY2009 Prevention of Sexual Transmission Direct Results¹

Country	Number of individuals reached with community outreach HIV/AIDS prevention activities that promote abstinence and/or being faithful	Number of individuals reached with community outreach HIV/AIDS prevention activities that promote correct and consistent use of condoms and related interventions	FY2009 Total
Angola	87,300	48,200	135,500
Botswana	237,500	52,200	289,700
Cambodia	124,000	688,300	812,300
Caribbean Region	10,700	30,100	40,800
China	0	144,800	144,800
Cote d'Ivoire ²	530,000	713,700	1,243,700
Democratic Republic of Congo	236,900	347,400	584,300
Dominican Republic	77,200	48,500	125,700
Ethiopia ³	5,459,900	4,201,900	9,661,800
Ghana	27,700	82,600	110,300
Guyana ⁴	30,100	40,200	70,300
Haiti	797,700	1,289,900	2,087,600
India	950,600	904,800	1,855,400
Indonesia	0	545,600	545,600
Kenya	10,833,300	9,768,700	20,602,000
Lesotho	50,200	58,000	108,200
Malawi	1,320,700	1,214,700	2,535,400
Mozambique	1,671,000	1,422,200	3,093,200
Namibia	387,100	518,100	905,200
Nigeria ⁵	1,279,600	630,500	1,910,100
Russia	3,600	86,000	89,600
Rwanda ⁶	925,800	539,200	1,465,000
South Africa	5,446,600	4,543,200	9,989,800
Sudan	444,000	463,100	907,100
Swaziland	322,900	194,800	517,700
Tanzania	2,844,100	3,243,800	6,087,900
Thailand	0	15,500	15,500
Uganda	4,413,700	1,619,900	6,033,600
Ukraine	5,000	261,400	266,400
Vietnam	508,600	688,800	1,197,400
Zambia	2,141,900	1,221,900	3,363,800
Zimbabwe	277,300	580,600	857,900
Total	41,445,000	36,208,600	77,653,600

Notes:

Numbers may be adjusted as attribution criteria and reporting systems are refined.

All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:

¹ PEPFAR defines direct support as data that captures the number of individuals receiving prevention, care, and treatment services through service delivery sites or providers directly supported by U.S. Government (USG) interventions or activities at the point of service delivery. An intervention or activity is considered to be direct support if it can be associated with counts of uniquely identified individuals receiving prevention, care, or treatment services at a unique program or service delivery point benefiting from the intervention or activity. For sexual prevention activities, like other activities, the data are based upon the budget codes in the FY 2009 COP Guidance. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.

² PEPFAR Cote d'Ivoire reported fewer people in AB activities in FY2009 compared to FY2008, primarily due to a stronger focus on monitoring and evaluation and quality of programs. This included more stringent oversight following an audit of AB data quality as well as a launch of a quality assurance and improvement initiative led by the Ministry for the Fight Against AIDS with PEPFAR support.

³ PEPFAR Ethiopia reported fewer people in AB activities in FY2009 compared to FY2008, due to a better understanding that mass media interactions are not considered community outreach.

⁴ PEPFAR Guyana reported fewer people in AB activities in FY2009 compared to FY2008. This was due to improvements in data collection techniques.

⁵ PEPFAR Nigeria reported fewer people reached under both indicators in FY2009 than in FY2008, primarily due to the implementation of the Minimum Prevention Package (counting people as reached only as those individuals reached with at least 3 different intervention strategies) in line with Nigerian National Prevention guideline (the National Prevention Plan).

⁶ PEPFAR Rwanda reported fewer people reached with condoms and related activities in FY2009 than FY2008 due to a reduction in the number of outlets supported.

Prevention: FY2009 Counseling and Testing Direct Results (in settings other than PMTCT)¹

Country	Number of individuals receiving counseling and testing ²
Angola	41,900
Botswana ³	0
Cambodia	135,700
Caribbean Regional	900
China	721,900
Cote d'Ivoire	421,900
Democratic Republic of Congo	98,500
Dominican Republic	31,200
Ethiopia	3,270,400
Ghana	38,500
Guyana	26,000
Haiti	518,300
India	320,800
Indonesia	8,700
Kenya	3,412,000
Lesotho	61,600
Malawi	496,300
Mozambique	536,100
Namibia	231,200
Nigeria	1,548,600
Russia	16,000
Rwanda	861,700
South Africa	2,526,600
Sudan	33,700
Swaziland	106,500
Tanzania	2,359,100
Thailand	47,800
Uganda	1,967,400
Ukraine	11,700
Vietnam	178,600
Zambia	861,400
Zimbabwe	345,500
Total	21,236,500


Note:
Numbers may be adjusted as attribution criteria and reporting systems are refined.
All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:
¹PEPFAR defines direct support as data that captures the number of individuals receiving prevention, care, and treatment services through service delivery sites or providers directly supported by U.S. Government (USG) interventions or activities at the point of service delivery. An intervention or activity is considered to be direct support if it can be associated with counts of uniquely identified individuals receiving prevention, care, or treatment services at a unique program or service delivery point benefiting from the intervention or activity. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.
²Counseling and testing results include only those individuals who received their test results.
³"0" is reported for countries that reported indirect results only.

Treatment Results

Treatment: FY2009 Antiretroviral Treatment Direct Results ¹	
Country	Number of individuals on antiretroviral treatment
Angola ²	NA
Botswana ²	0
Cambodia	10,300
Caribbean Regional ²	NA
China	6,000
Cote d'Ivoire	49,700
Democratic Republic of Congo	1,300
Dominican Republic ²	0
Ethiopia	163,100
Ghana	17,200
Guyana	2,700
Haiti	24,400
India	8,900
Indonesia ²	0
Kenya	297,800
Lesotho	30,800
Malawi ²	0
Mozambique	116,000
Namibia	70,600
Nigeria	286,400
Russia	4,500
Rwanda	46,300
South Africa	647,000
Swaziland	29,800
Sudan ²	NA
Tanzania	197,400
Thailand	7,100
Uganda	175,400
Ukraine ²	NA
Vietnam	23,400
Zambia	229,200
Zimbabwe	40,000
Total	2,485,300
<p>Notes: Numbers may be adjusted as attribution criteria and reporting systems are refined. All numbers greater than 100 have been rounded off to the nearest 100.</p> <p>Footnotes: ¹PEPFAR defines direct support as data that captures the number of individuals receiving prevention, care, and treatment services through service delivery sites or providers directly supported by U.S. Government (USG) interventions or activities at the point of service delivery. An intervention or activity is considered to be direct support if it can be associated with counts of uniquely identified individuals receiving prevention, care, or treatment services at a unique program or service delivery point benefiting from the intervention or activity. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.</p> ² "0" is reported for countries that reported indirect results only. "NA" refers to countries where USG did not support treatment programs.	

**Treatment: Cumulative HHS/FDA Approvals/
Tentative Approvals of Generic ARVs,
Calendar Years 2005 - 2009**




Treatment: FY2009 Number of Women and Children Directly Supported on Antiretroviral Treatment ^{1, 2}		
	Children (ages 0-14)	Women (all ages) ³
Total	201,500	1,534,600
% of Direct	8%	62%

Notes:
Numbers may be adjusted as attribution criteria and reporting systems are refined.
Totals have been rounded off to the nearest 100.

Footnotes:
¹PEPFAR defines direct support as data that captures the number of individuals receiving prevention, care, and treatment services through service delivery sites or providers directly supported by U.S. Government (USG) interventions or activities at the point of service delivery. An intervention or activity is considered to be direct support if it can be associated with counts of uniquely identified individuals receiving prevention, care, or treatment services at a unique program or service delivery point benefiting from the intervention or activity. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.
²In FY2009, Russia and Zimbabwe submitted direct results but did not provide disaggregates by age and sex.
³Of this total number of women (all ages), 100,467 were female children (0-14).

**People Receiving Treatment with U.S. Government Bilateral and
Multilateral Support as of September 2009**



Notes: PEPFAR numbers are rounded off to the nearest hundred. Treatment numbers are results achieved through direct service delivery sites or providers directly supported by U.S. Government (USG) interventions or activities at the point of service delivery. Treatment results for the Global Fund programs are provided by the Global Fund to Fight AIDS, Tuberculosis and Malaria. Results are rounded off to the nearest hundred. The overlap estimate is based on review of country results with the Global Fund and the World Health Organization.

Care and Support Results

Care: FY2009 Orphans and Vulnerable Children Direct Results ¹	
Country	Number of orphans and vulnerable children receiving support
Angola ²	NA
Botswana ²	0
Cambodia	12,800
Caribbean Regional ²	NA
China ²	NA
Cote d'Ivoire	95,900
Democratic Republic of Congo	8,300
Dominican Republic	800
Ethiopia	554,800
Ghana	3,800
Guyana	1,300
Haiti	54,200
India	11,800
Indonesia ²	NA
Kenya	569,200
Lesotho	6,500
Malawi	58,500
Mozambique	230,900
Namibia	89,000
Nigeria	203,200
Russia ²	NA
Rwanda	75,000
South Africa	486,400
Sudan ²	NA
Swaziland	40
Tanzania	371,000
Thailand ²	NA
Uganda	262,400
Ukraine ³	0
Vietnam	11,400
Zambia	443,600
Zimbabwe	69,300
Total	3,620,140

Notes:

Numbers may be adjusted as attribution criteria and reporting systems are refined.

All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:

¹PEPFAR defines direct support as data that captures the number of individuals receiving prevention, care, and treatment services through service delivery sites or providers directly supported by U.S. Government (USG) interventions or activities at the point of service delivery. An intervention or activity is considered to be direct support if it can be associated with counts of uniquely identified individuals receiving prevention, care, or treatment services at a unique program or service delivery point benefiting from the intervention or activity. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.

²"0" is reported for countries that reported indirect results only. "NA" refers to countries where USG did not support OVC programs.

³USG has begun to support OVC programs in Ukraine but no results were reported for FY 2009 due to a delay in the implementation of planned activities.

Care: FY2009 Care and Support Direct Results ¹		
Country	Number of HIV-infected individuals who received care & support (including TB/HIV)	Number of HIV-infected clients receiving HIV care & support services that are receiving treatment for TB disease (subset of all care & support)
Angola	NA ²	NA ³
Botswana ²	0	0
Cambodia	19,300	700
Caribbean Regional	30	NA ⁴
China	42,300	800
Cote d'Ivoire	105,500	3,800
Democratic Republic of Congo	8,300	100
Dominican Republic	6,500	19
Ethiopia	444,700	15,700
Ghana	38,200	700
Guyana	4,100	200
Haiti	60,000	2,400
India	107,500	6,100
Indonesia	1,900	0
Kenya	890,400	47,000
Lesotho	38,800	1,300
Malawi	47,300	2,700
Mozambique	571,000	16,100
Namibia	148,800	11,100
Nigeria	1,043,100	33,300
Russia	5,200	800
Rwanda	89,500	2,300
South Africa	2,114,300	97,900
Sudan	6,200	NA ⁵
Swaziland	58,200	7,100
Tanzania	473,500	17,800
Thailand	14,400	2,600
Uganda	398,000	18,600
Ukraine	3,000	300
Vietnam	125,000	5,300
Zambia	387,400	14,000
Zimbabwe	123,600	0
Total	7,376,030	308,719

Notes:
Numbers may be adjusted as attribution criteria and reporting systems are refined.
All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:
¹PEPFAR defines direct support as data that captures the number of individuals receiving prevention, care, and treatment services through service delivery sites or providers directly supported by U.S. Government (USG) interventions or activities at the point of service delivery. An intervention or activity is considered to be direct support if it can be associated with counts of uniquely identified individuals receiving prevention, care, or treatment services at a unique program or service delivery point benefiting from the intervention or activity. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.

²"0" is reported for countries that reported indirect results only.

³"NA" refers to countries where USG did not support care and support programs.

⁴"NA" refers to countries where USG did not support care and support programs providing treatment for TB disease.

Capacity-building Results

FY2004-FY2009 PEPFAR Support for Capacity-Building Direct Results ¹			
	Number of Individuals Trained or Retrained FY2009 ²	Number of Individuals Trained or Retrained FY2004-2009 ³	Number of USG-Supported Service Outlets FY2009
Prevention of Sexual Transmission	810,100	2,598,000	NA ⁴
Prevention of Mother-to-Child Transmission	62,100	213,200	15,597
Prevention of Medical Transmission ⁵	84,500	311,700	5,602
Antiretroviral Treatment	85,000	304,700	6,609
Care for Orphans and Vulnerable Children	273,100	975,700	NA ⁴
Care and Support for People Living with HIV	163,300	625,800	18,669
Counseling and Testing	69,500	226,300	20,394
Total	1,547,600	5,255,400	66,871

Notes:
Among individuals trained, totals are rounded off to the nearest 100. Numbers of sites are not rounded. Numbers may be adjusted as attribution criteria and reporting systems are refined.

Footnotes:
¹PEPFAR defines direct support as data that captures the number of individuals receiving prevention, care, and treatment services through service delivery sites or providers directly supported by U.S. Government (USG) interventions or activities at the point of service delivery. An intervention or activity is considered to be direct support if it can be associated with counts of uniquely identified individuals receiving prevention, care, or treatment services at a unique program or service delivery point benefiting from the intervention or activity. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.
²Training refers to new training or retraining of individuals and assumes that training is conducted according to national or international standards when these exist. A training must have specific learning objectives, a course outline or curriculum, and expected knowledge, skills and/or competencies to be gained by participants.
³Total number for individuals trained or retrained is cumulative from FY2004 through FY2009. FY2004-FY2008 results are from the PEPFAR Phase I focus countries. FY2009 results are from all PEPFAR countries and regional programs reporting results.
⁴"NA" - services are provided in a variety of settings and are often not facility-based.
⁵Total number of individuals trained or retrained includes those trained in blood safety and/or medical injection safety. Service outlets counted under prevention of medical transmission include only outlets that carry out blood safety activities.

Indirect Results

Prevention: FY2009 Prevention of Mother-to-Child Transmission Program Indirect Results: Original Focus Countries ¹			
Country	Pregnant women receiving HIV counseling and testing services ²	Number of HIV+ pregnant women receiving ARV prophylaxis	Estimated infant HIV infections averted ³
Botswana ⁴	43,600	12,500	2,375
Cote d'Ivoire	40,500	1,500	285
Ethiopia ⁵	0	0	0
Guyana ⁵	0	0	0
Haiti	29,900	600	114
Kenya ⁵	0	0	0
Mozambique	164,400	17,400	3,306
Namibia ⁵	0	0	0
Nigeria	189,800	7,600	1,444
Rwanda	174,400	3,600	684
South Africa	396,300	1,000	190
Tanzania	93,900	3,500	665
Uganda	211,800	8,400	1,596
Vietnam ⁵	0	0	0
Zambia ⁵	0	0	0
Total	1,344,600	56,100	10,659

Notes:
 Numbers may be adjusted as attribution criteria and reporting systems are refined.
 All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:
¹Indirect results project the number of individuals receiving prevention, care, and treatment services, beyond those counted above under direct USG support, as a result of the USG's contribution to system-strengthening or capacity-building of the national HIV/AIDS program as a whole. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.
²The number of pregnant women receiving PMTCT services includes only women who have been counseled and tested, and received their test results.
³The estimated number of infant HIV infections averted is calculated here by multiplying the total number of HIV+ pregnant women receiving ARV prophylaxis by 19 percent. This is an approximation of infections averted using a single-dose nevirapine regimen, which is expected to reduce HIV transmission from about 35% to about 16%. However, this is likely a significant underestimate. Currently, most countries are using much more effective drug regimens for at least some of their PMTCT participants (as per 2006 WHO guidelines), and without data by country on how many women are receiving each drug regimen, the estimation methodology used is the most accurate currently available.
⁴Botswana results are attributed to the National HIV Program. Beginning in FY2005, USG direct contribution in Botswana are embedded in the indirect numbers, following a consensus reached between the USG and the Government of Botswana to report single indirect figures for each relevant indicator.
⁵"0" is reported for countries that reported direct results only.

Prevention: FY2009 Counseling and Testing Indirect Results (in settings other than PMTCT): Original Focus Countries¹

Country	Number of individuals receiving counseling and testing ²
Botswana	247,600
Cote d'Ivoire	32,600
Ethiopia ³	0
Guyana	32,100
Haiti	113,200
Kenya ³	0
Mozambique ³	0
Namibia ³	0
Nigeria	1,462,900
Rwanda	699,100
South Africa	1,015,200
Tanzania	15,300
Uganda	608,800
Vietnam	81,000
Zambia ³	0
Total	4,307,800

Notes:

Numbers may be adjusted as attribution criteria and reporting systems are refined.

All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:

¹Indirect results project the number of individuals receiving prevention, care, and treatment services, beyond those counted above under direct USG support, as a result of the USG's contribution to system-strengthening or capacity-building of the national HIV/AIDS program as a whole. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.

²Counseling and testing results include only those individuals who received their test results.

³"0" is reported for countries that reported direct results only.

Treatment: FY2009 Antiretroviral Treatment Indirect Results: Original Focus Countries¹

Country	Number of individuals on antiretroviral treatment
Botswana ²	133,000
Cote d'Ivoire	10,000
Ethiopia ³	0
Guyana ³	0
Haiti	400
Kenya ³	0
Mozambique	45,400
Namibia ³	0
Nigeria	12,200
Rwanda	27,400
South Africa	271,400
Tanzania	5,400
Uganda	23,800
Vietnam	10,700
Zambia ³	0
Total	539,700

Notes:

Numbers may be adjusted as attribution criteria and reporting systems are refined.

All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:

¹Indirect results project the number of individuals receiving prevention, care, and treatment services, beyond those counted above under direct USG support, as a result of the USG's contribution to system-strengthening or capacity-building of the national HIV/AIDS program as a whole. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.

²Botswana results are attributed to the National HIV Program. Beginning in FY2005, USG direct contributions in Botswana are embedded in the indirect numbers, following a consensus reached between the USG and the Government of Botswana to report single indirect figures for each relevant indicator.

³"0" is reported for countries that reported direct results only.

**Care: FY2009 Orphans and Vulnerable Children Indirect Results:
Original Focus Countries¹**

Country	Number of orphans and vulnerable children receiving support
Botswana ²	107,100
Cote d'Ivoire	24,800
Ethiopia ³	0
Guyana ³	0
Haiti	4,900
Kenya ³	0
Mozambique ³	0
Namibia	23,300
Nigeria	62,000
Rwanda ³	0
South Africa	435,200
Tanzania	291,200
Uganda	491,600
Vietnam ³	0
Zambia ³	0
Total	1,440,100

Notes:

Numbers may be adjusted as attribution criteria and reporting systems are refined.

All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:

¹Indirect results project the number of individuals receiving prevention, care, and treatment services, beyond those counted above under direct USG support, as a result of the USG's contribution to system-strengthening or capacity-building of the national HIV/AIDS program as a whole. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.

²Botswana results are attributed to the National HIV Program. Beginning in FY2005, USG direct contributions in Botswana are embedded in the indirect numbers, following a consensus reached between the USG and the Government of Botswana to report single indirect figures for each relevant indicator.

³"0" is reported for countries that reported direct results only.

Care: FY2009 Care and Support Indirect Results: Original Focus Countries¹

Country	Number of HIV-infected individuals who received care & support (including TB/HIV)	Number of HIV-infected clients receiving HIV care & support services that are receiving treatment for TB disease (subset of all care & support)
Botswana ²	153,300	1,900
Cote d'Ivoire	15,000	0
Ethiopia ³	0	0
Guyana ³	0	0
Haiti	4,500	0
Kenya ³	0	0
Mozambique ³	0	0
Namibia ³	0	0
Nigeria	97,500	2,000
Rwanda	27,400	3,100
South Africa	742,800	108,700
Tanzania ³	0	0
Uganda	28,300	1,000
Vietnam	75	0
Zambia ³	0	0
Total	1,068,875	116,700

Notes:

Numbers may be adjusted as attribution criteria and reporting systems are refined.

All numbers greater than 100 have been rounded off to the nearest 100.

Footnotes:

¹Indirect results project the number of individuals receiving prevention, care, and treatment services, beyond those counted above under direct USG support, as a result of the USG's contribution to system-strengthening or capacity-building of the national HIV/AIDS program as a whole. The indicators for this program area in effect in FY 2009, as well as the Next Generation Indicators currently in force for PEPFAR's second phase, may be found at www.pepfar.gov/guidance/.

²Botswana results are attributed to the National HIV Program. Beginning in FY2005, USG direct contributions in Botswana are embedded in the indirect numbers, following a consensus reached between the USG and the Government of Botswana to report single indirect figures for each relevant indicator.

³"0" is reported for countries that reported direct results only.