

TECHNICAL LITERATURE UPDATE

SUBJECT INDEX

VOLUMES I-III

FEBRUARY 1986 - DECEMBER 1988

Technical Literature Update Subject Index

This index presents the articles featured in the Technical Literature Update during the first three years of its publication. The first part is arranged by descriptor terms, followed by a country index. We hope you will find the index useful as a reference to your collection of TLUs and for research that you may undertake in diarrheal disease control. If you would like a copy of the issue of the TLU in which an article appears, or if you like to receive a copy of the article itself, please send your request to the PRITECH Information Center, 1655 North Fort Myer Drive, Suite 700, Arlington, VA 22209, USA. When requesting copies, please limit your request to only those articles that best suit your information needs. Thank you.

V = Volume N = Number

ACUTE DIARRHEA

Acute Diarrhoea and Asymptomatic Infection in Chilean Preschoolers of Low and High Socio-economic Strata. V2 N6

Acute Diarrhoea: Who Needs Potassium? V3 N8
Aetiology and Clinical Features of Acute Childhood Diarrhoea in an Outpatient Clinic in Vellore, India. V3 N1
Citrate Can Effectively Replace Bicarbonate in Oral Rehydration Salts for Cholera and Infantile Diarrhoea. V1 N9

The Clinical Epidemiology of Acute Diarrhoeal Disease in Egyptian Children. V3 N9

Clinical Features of Acute Gastroenteritis Associated with Rotavirus, Enteric Adenovirus, and Bacteria. V2 N4
Clinical Trial of Berberine in Acute Water Diarrhoea. V1 N3

Concentration Electrolytique des Selles dans les Diarrhées Aigues du Nourrisson en France. V2 N1
Cryptosporidium and Diarrhoea in Southern Indian Children. V1 N3

Does Oral Rehydration Therapy Alter Food Consumption and Absorption of Nutrients in Children with Cholera? V3 N2

Drugs in the Management of Acute Diarrhoea in Infants and Young Children. V1 N6

Early vs. Late Refeeding in Acute Infantile Diarrhea. V3 N6

Effect of Continued Oral Feeding on Clinical and Nutritional Outcomes of Acute Diarrhea in Children. V3 N9

Efficacy of Oral Rehydration Solution in Correcting Serum Potassium Deficit in Children with Acute Diarrhoea in Bangladesh. V3 N8

Evaluation and Diagnosis of Acute Infectious Diarrhea. V1 N1

Evaluation of a Programme of Teaching Mothers the Management of Acute Diarrhoea. V1 N7

Impact of Chronic Protein-Calorie Malnutrition on Small Intestinal Repair after Acute Viral Enteritis: A Study in Gnotobiotic Piglets. V1 N1

Knowledge of Community Health Volunteers Regarding Treatment of Acute Diarrhoea in Children. V2 N9

Local and Systemic Antibody Responses to Naturally Acquired Enterotoxigenic *Escherichia Coli* Diarrhea in an Endemic Area. V1 N8

Milk Versus No Milk in Rapid Refeeding after Acute Gastroenteritis. V1 N7

More on Cola Drinks and Rehydration in Acute Diarrhea. V2 N5

Nutritional Management of Acute Gastroenteritis--Rehydration and Realimentation. V2 N9
Oral Rehydration in Malnourished Infants with Infectious Diarrhoea. V2 N1

Place des Rotavirus dans les Diarrhées Aigues Humaines au Burkina Faso (Afrique de l'Ouest). V1 N8

The Role of Bicarbonate and Base Precursors in Treatment of Acute Gastroenteritis. V3 N2

Symptomatic Treatment of Acute Infectious Diarrhoea: Loperamide Versus Placebo in a Double-Blind Trial. V1 N4

Village in Thailand. V1 N1
 Hela Cell-Adherent *Escherichia Coli* in Children with Diarrhea in Thailand. V3 N1
 Interventions for the Control of Diarrhoeal Diseases among Young Children: Rotavirus and Cholera Immunization. V1 N1
 Isolation of *Clostridium Difficile* from Diarrhoea Patients in Bangladesh. V3 N2
 Local and Systemic Antibody Responses to Naturally Acquired Enterotoxigenic *Escherichia Coli* Diarrhea in an Endemic Area. V1 N8
 Longitudinal Study of Diarrhoeal Disease in a Peri-Urban Community in Manaus (Amazon-Brazil). V2 N1
 Membrane Filter Assay for Detection of Enterotoxigenic *Escherichia Coli* in Epidemiological Studies. V1 N4
 Nine Months of Diarrhea after a Mexican Meal. V2 N2
 Persistent Diarrhoea in Children in Developing Countries: Report of a WHO Meeting. V3 N6
 Place des Rotavirus dans les Diarrhées Aigues Humaines au Burkina Faso (Afrique de l'Ouest). V1 N8
 Prolonged Mild Diarrhea Caused by *Campylobacter*. V1 N6
 The Role of *Shigella spp.*, Enteroinvasive *Escherichia Coli*, and Other Enteropathogens as Causes of Childhood Dysentery in Thailand. V2 N5
 Rotavirus as an Important Cause of Diarrhoea in a Hospital for Children in Dammam, Saudi Arabia. V3 N1
 Significance of *Cryptosporidium* and Other Enteric Pathogens in Developing Countries. V1 N3
 Viruses and Diarrhoea. V1 N2
 Viruses and Diarrhoea: Some Current Preoccupations. V1 N8
 Water Related Diarrhoeal Diseases and Infant Mortality and Morbidity. V1 N1

DIARRHEA-RELATED DISEASES

Persistent Diarrhea, Strongly Associated with HIV Infection in Kinshasa, Zaire. V3 N1
 Persistent Protein Losing Enteropathy in Post Measles Diarrhoea. V2 N5
 Prolonged Depression of Serum Zinc Concentrations in Children Following Post-Measles Diarrhoea. V1 N3

DIETARY MANAGEMENT OF DIARRHEA

Chronic Diarrhoea in Children--A Nutritional Disease. V2 N4
 Does Oral Rehydration Therapy Alter Food Consumption and Absorption of Nutrients in Children with Cholera? V3 N2
 Early vs. Late Refeeding in Acute Infantile Diarrhea. V3 N6
 Effect of Continued Oral Feeding on Clinical and Nutritional Outcomes of Acute Diarrhea in Children. V3 N9

Efficacy of Oral Rehydration Solution in Correcting Serum Potassium Deficit in Children with Acute Diarrhoea in Bangladesh. V3 N8
 Metabolic Basis of Starvation Diarrhoea: Implications for Treatment. V1 N9
 Milk Versus No Milk in Rapid Refeeding after Acute Gastroenteritis. V1 N7
 Nutritional Management of Acute Gastroenteritis--Rehydration and Realimentation. V2 N9
 Persistent Diarrhoea in Children in Developing Countries: Report of a WHO Meeting. V3 N6
 Water Related Diarrhoeal Diseases and Infant Mortality and Morbidity. V1 N1

DRUG MANAGEMENT OF DIARRHEA

Antibiotic-associated Diarrhoea and Colitis Due to *Clostridium Difficile*. V3 N2
 Bismuth Subsalicylate in the Treatment of Chronic Diarrhea of Childhood. V1 N2
 The Characterization of *Vibrio Cholerae* Isolated in Kenya in 1983. V2 N9
 Cholera Outbreaks in Tanzania. V3 N2
 Clinical Trial of Berberine in Acute Watery Diarrhoea. V1 N3
 Comparison of Loperamide with Bismuth Subsalicylate for the Treatment of Acute Traveler's Diarrhea. V1 N4
 Drugs in the Management of Acute Diarrhoea in Infants and Young Children. V1 N6
 Early Treatment with Erythromycin of *Campylobacter Jejuni*-associated Dysentery in Children. V2 N2
 Nine Months of Diarrhea after a Mexican Meal. V2 N2
 Persistent Diarrhoea in Children in Developing Countries: Report of a WHO Meeting. V3 N6
 Symptomatic Treatment of Acute Infectious Diarrhoea: Loperamide Versus Placebo in a Double-Blind Trial. V1 N4

DYSENTERY

Development of Vaccines against *Shigellosis*. V1 N8
 Dysentery, Not Watery Diarrhoea, is Associated with Stunting in Bangladeshi Children. V3 N2
 Early Treatment with Erythromycin of *Campylobacter Jejuni*-associated Dysentery in Children. V2 N2
 An Epidemic of Bacillary Dysentery in Western Rwanda 1981-1982. V2 N2
 Morbidity and Mortality in a Diarrhoeal Diseases Hospital in Bangladesh. V2 N8
 The Role of *Shigella spp.*, Enteroinvasive *Escherichia Coli*, and Other Enteropathogens as Causes of Childhood Dysentery in Thailand. V2 N5

EDUCATION

Bolivian Mothers Clubs as Media: Building on Community-based Networks. V3 N4

Continuous and Non-Continuous Use of WSS Solution for Oral Rehydration Therapy among Rural Gambian Women. V3 N7

Control of Deaths from Diarrheal Disease in Rural Communities: II. Motivating and Monitoring the Community. V1 N9

Development and Field Testing of a Method for Assessing the Effectiveness of Diarrhea Case Management by Mothers. V2 N3

Diarrheal Disease Control and Family Planning: The Status of Women and Community Participation. V2 N1

Does Health Intervention Ameliorate the Effects of Poverty-related Diseases? III. Propagating the Use of Oral Rehydration in Diarrhoea. V1 N7

An Educational Intervention for Altering Water-Sanitation Behaviors to Reduce Childhood Diarrhea in Urban Bangladesh: I. Application of the Case-Control Method for Development of an Intervention. V3 N10

An Educational Intervention for Altering Water-Sanitation Behaviors to Reduce Childhood Diarrhea in Urban Bangladesh: II. A Randomized Trial to Assess the Impact of the Intervention on Hygienic Behaviors and Rates of Diarrhea. V3 N10

Evaluating the Management of Diarrhoea in Health Centres in Mozambique. V3 N9

Evaluation of a Programme of Teaching Mothers the Management of Acute Diarrhoea. V1 N7

Innovation among Haitian Healers: The Adoption of Oral Rehydration Therapy. V3 N4

Mothers Learn How to Save the Lives of Their Children. V3 N7

Oral Rehydration Solution--Too Little or Too Much? V2 N4

Teaching Treatment of Mild, Acute Diarrhea and Secondary Dehydration to Homeless Patients. V3 N3

EVALUATION

Development and Field Testing of a Method for Assessing the Effectiveness of Diarrhea Case Management by Mothers. V2 N3

Evaluating Community and ORT Programmes: Indicators for Use and Safety. V2 N3

Evaluating the Management of Diarrhoea in Health Centres in Mozambique. V3 N9

Evaluation of a Programme of Teaching Mothers the Management of Acute Diarrhoea. V1 N7

Evaluation of Home-made Salt-Sugar Oral Rehydration Solution in a Rural Nigerian Population. V3 N5

FEEDING PRACTICES

Childhood Malnutrition. V2 N1

Feeding Practices of Children with Protein-Energy Malnutrition in Nigeria. V2 N6

FLAVORED ORS

Comparative Clinical Trial of Acceptability of Flavoured vs. Non-Flavoured ORS (WHO Formula). V3 N1

GROWTH MONITORING

Acute Diarrhoea and Asymptomatic Infection in Chilean Preschoolers of Low and High Socio-economic Strata. V2 N6

The Association between Malnutrition and Diarrhoea in Rural Bangladesh. V2 N8

Childhood Malnutrition. V2 N1

Dysentery, Not Watery Diarrhoea, is Associated with Stunting in Bangladeshi Children. V3 N2

Growth and Diarrhoeal Disease Surveillance in a Rural Ghanaian Pre-School Child Population. V2 N7

Growth Monitoring. V1 N6

Growth Monitoring: Intermediate Technology or Expensive Luxury? V1 N6

Impact of Infection on the Growth of Children from 0 to 2 Years in an Urban West African Community. V3 N5

Malnutrition and Nutrition: A Longitudinal Study among Urban Mexican Children. V3 N9

Measuring Acute Malnutrition: A Need to Redefine Cut-off Points for Arm Circumference. V1 N3

Water Related Diarrhoeal Diseases and Infant Mortality and Morbidity. V1 N1

HEALTH WORKERS

Control of Deaths from Diarrheal Disease in Rural Communities I: Design of an Intervention Study and Effects on Child Mortality. V1 N5

Control of Deaths from Diarrheal Disease in Rural Communities: II. Motivating and Monitoring the Community. V1 N9

Diarrheal Disease Control and Family Planning: The Status of Women and Community Participation. V2 N1

Evaluating the Management of Diarrhoea in Health Centres in Mozambique. V3 N9

Evaluation of a Programme of Teaching Mothers the Management of Acute Diarrhoea. V1 N7

Innovation among Haitian Healers: The Adoption of Oral Rehydration Therapy. V3 N4

Knowledge of Community Health Volunteers Regarding Treatment of Acute Diarrhoea in Children. V2 N9

Mothers' Concepts of Childhood Diarrhea in Rural Pakistan: What ORT Program Planners Should Know. V3 N11

Mothers Learn How to Save the Lives of Their Children. V3 N7

Oral Rehydration in China. V1 N6

Why Cholera Still Takes Lives in Rural Bangladesh. V3 N10

HOME-PREPARED ORS

- A Comparison of Oral Solutions from Common Salt and Crude Sugar (Molasses) with and without Bicarbonate in Severe Pediatric Diarrhoea. V1 N1
- Oral Rehydration in China. V1 N6
- Oral Rehydration Therapy for Treatment of Diarrhoea in the Home. V1 N7

KNOWLEDGE/ATTITUDES/PRACTICES

- Comparability of Results Obtained by Two-Week Home Maintained Diarrhoeal Calendar with Two-Week Diarrhoeal Recall. V3 N4
- Continuous and Non-Continuous Use of WSS Solution for Oral Rehydration Therapy among Rural Gambian Women. V3 N7
- Control of Deaths from Diarrheal Disease in Rural Communities I: Design of an Intervention Study and Effects on Child Mortality. V1 N5
- Cultural Models of Diarrheal Illness: Conceptual Framework and Review. V3 N11
- Development and Field Testing of a Method for Assessing the Effectiveness of Diarrhea Case Management by Mothers. V2 N3
- Diarrhea and the Social Marketing of Oral Rehydration Salts in Bangladesh. V2 N9
- Does Health Intervention Ameliorate the Effects of Poverty-related Diseases? III. Propagating the Use of Oral Rehydration in Diarrhoea. V1 N7
- An Educational Intervention for Altering Water-Sanitation Behaviors to Reduce Childhood Diarrhea in Urban Bangladesh: I. Application of the Case-Control Method for Development of an Intervention. V3 N10
- An Educational Intervention for Altering Water-Sanitation Behaviors to Reduce Childhood Diarrhea in Urban Bangladesh: II. A Randomized Trial to Assess the Impact of the Intervention on Hygienic Behaviors and Rates of Diarrhea. V3 N10
- Effectiveness of Diarrhea Case Management by Mothers. V2 N3
- Evaluating Community and ORT Programmes: Indicators for Use and Safety. V2 N3
- Evaluating the Management of Diarrhoea in Health Centres in Mozambique. V3 N9
- The Household Management of Childhood Diarrhea in Rural North India. V3 N11
- Knowledge of Community Health Volunteers Regarding Treatment of Acute Diarrhoea in Children. V2 N9
- Mothers' Concepts of Childhood Diarrhea in Rural Pakistan: What ORT Program Planners Should Know. V3 N11
- Twenty-Four-Hour Recall, Knowledge-Attitude-Practice Questionnaires, and Direct

- Observations of Sanitary Practices: A Comparative Study. V2 N7

LACTOSE INTOLERANCE

- Absorption and Tolerance of Lactose in Infants Recovering from Severe Diarrhea. V1 N2
- Nutritional Management of Acute Gastroenteritis--Rehydration and Realimentation. V2 N9

MALNUTRITION

- The Association between Malnutrition and Diarrhoea in Rural Bangladesh. V2 N8
- Blinding Malnutrition in Rural Bangladesh. V2 N6
- Childhood Malnutrition. V2 N1
- Chronic Diarrhoea in Children--A Nutritional Disease. V2 N4
- Dysentery, Not Watery Diarrhoea, is Associated with Stunting in Bangladeshi Children. V3 N2
- Feeding Practices of Children with Protein-Energy Malnutrition in Nigeria. V2 N6
- Follow-up of Children Discharged from Hospital after Treatment for Diarrhoea in Urban Bangladesh. V2 N2
- Impact of Chronic Protein-Calorie Malnutrition on Small Intestinal Repair after Acute Viral Enteritis: A Study in Gnotobiotic Piglets. V1 N1
- Major Factors in Diarrhoea-related Mortality among Rural Children. V1 N5
- Malnutrition and Nutrition: A Longitudinal Study among Urban Mexican Children. V3 N9
- Measuring Acute Malnutrition: A Need to Redefine Cut-off Points for Arm Circumference. V1 N3
- Metabolic Basis of Starvation Diarrhoea: Implications for Treatment. V1 N9
- Milk Versus No Milk in Rapid Refeeding after Acute Gastroenteritis. V1 N7
- Morbidity and Mortality in a Diarrhoeal Diseases Hospital in Bangladesh. V2 N8
- Nutritional Status and Diarrhoeal Morbidity: A Longitudinal Study in Rural Indian Preschool Children. V1 N3
- Oral Rehydration in Malnourished Infants with Infectious Diarrhoea. V2 N1
- Persistent Diarrhoea in Children in Developing Countries: Report of a WHO Meeting. V3 N6
- Persistent Protein Losing Enteropathy in Post Measles Diarrhoea. V2 N5
- Prolonged Depression of Serum Zinc Concentrations in Children Following Post-measles Diarrhoea. V1 N3
- Protein and "Malnutrition." V1 N4
- Sex Preference and Protein Calorie Malnutrition. V2 N1

ORS FORMULAE

- Acute Diarrhoea: Who Needs Potassium? V3 N8

Citrate Can Effectively Replace Bicarbonate in Oral Rehydration Salts for Cholera and Infantile Diarrhoea. V1 N9

Comparison of Glucose Glycine Electrolyte Oral Rehydration Solutions in Hospitalized Children with Diarrhea in Costa Rica. V3 N7

A Comparison of Oral Solutions from Common Salt and Crude Sugar (Molasses) with and without Bicarbonate in Severe Pediatric Diarrhoea. V1 N1

Comparison of Rice Water, Rice Electrolyte Solutions, and Glucose Electrolyte Solution in the Management of Infantile Diarrhoea. V1 N9

The Composition of Home-made Sugar/Electrolyte Solutions for Treating Gastro-enteritis. V2 N9

Composition of Oral Rehydration Solutions. V1 N3
Concentration Electrolytique des Selles dans les Diarrhees Aigues du Norrison en France. V2 N1

Dietary Fructose in the Management of Intractable Diarrhea of Infancy. V1 N6

Effect of Continued Oral Feeding on Clinical and Nutritional Outcomes of Acute Diarrhea in Children. V3 N9

The Effect of Feeding Four Different Formulae on Stool Weights in Prolonged Dehydrating Infantile Gastroenteritis. V3 N10

Effective Treatment of Diarrhoeal Dehydration with an Oral Rehydration Solution Containing Citrate. V2 N4

Efficacy Comparison of Oral Rehydration Solutions Containing Either 90 or 75 Millimoles of Sodium per Liter. V N4

Evaluation of Electrolytes and Osmolar Content of Common Beverages Used by Laymen as Oral Rehydration Solutions in Infantile Diarrhea. V1 N9

Formulae for Sugar-Salt Solutions Recommended for Treatment of Diarrhoeal Dehydration at Home in African Countries. V3 N8

Glycine-based Oral Rehydration Solution: Reassessment of Safety and Efficacy. V2 N8

High Sodium Rehydration Solutions in Well-nourished Outpatients. V2 N8

More on Cola Drinks and Rehydration in Acute Diarrhea. V2 N5

Oral Rehydration. V1 N6

Nutritional Management of Acute

Gastroenteritis--Rehydration and Realimentation. V2 N9

Oral Rehydration of Infants in a Large Urban U.S. Medical Center. V1 N6

Oral Rehydration Therapy in Infectious Diarrhoea: Comparison of Rehydration and Maintenance Therapy of Cholera Patients in Jakarta: Citrate-based versus Bicarbonate-based Oral Rehydration Salt Solution. V1 N3

Rehydration Solutions with 60 and 90 MMOL Sodium per Litre. V1 N1

The Role of Bicarbonate and Base Precursors in Treatment of Acute Gastroenteritis. V3 N2

Safe Oral Rehydration of Hypertonic Dehydration. V1 N8

Water Related Diarrhoeal Diseases and Infant Mortality and Morbidity. V1 N1

ORS PREPARATION

The Composition of Home-made Sugar/Electrolyte Solutions for Treating Gastro-enteritis. V2 N9

Evaluating the Management of Diarrhoea in Health Centres in Mozambique. V3 N9

ORS USE

Continuous and Non-Continuous Use of WSS Solution for Oral Rehydration Therapy among Rural Gambian Women. V3 N7

Development and Field Testing of a Method for Assessing the Effectiveness of Diarrhea Case Management by Mothers. V2 N3

Diarrhea and the Social Marketing of Oral Rehydration Salts in Bangladesh. V2 N9

Effectiveness of Diarrhea Case Management by Mothers. V2 N3

Evaluating Community and ORT Programmes: Indicators for Use and Safety. V2 N3

Evaluating the Management of Diarrhoea in Health Centres in Mozambique. V3 N9

The Household Management of Childhood Diarrhea in Rural North India. V3 N11

Oral Rehydration in China. V1 N6

Oral Rehydration Solution--Too Little or Too Much? V2 N4

ORT

Causes of Death in Diarrhoeal Diseases after Rehydration Therapy: An Autopsy Study of 140 Patients in Bangladesh. V3 N3

Diarrheal Disease Control and Family Planning: The Status of Women and Community Participation. V2 N1

Does Health Intervention Ameliorate the Effects of Poverty-related Diseases? III. Propagating the Use of Oral Rehydration in Diarrhoea. V1 N7

Does Oral Rehydration Therapy Alter Food Consumption and Absorption of Nutrients in Children with Cholera? V3 N2

Efficacy of Oral Rehydration Solution in Correcting Serum Potassium Deficit in Children with Acute Diarrhoea in Bangladesh. V3 N8

Evaluation of a Programme of Teaching Mothers the Management of Acute Diarrhoea. V1 N7

The Household Management of Childhood Diarrhea in Rural North India. V3 N11

Innovation among Haitian Healers: The Adoption of Oral Rehydration Therapy. V3 N4

Intractable Diarrhea of Infancy (IDI): Prospective, Randomized Study of Enteral vs. Parenteral Therapy. V1 N1

Oral Rehydration. V1 N6

Oral Rehydration of Infants in a Large Urban U.S. Medical Center. V1 N6

Oral Rehydration Therapy for Low Birth Weight Neonates Suffering from Diarrhea in the Intensive Care Unit. V3 N8

Oral Rehydration Therapy for Treatment of Diarrhoea in the Home. V1 N7

Oral Rehydration in Malnourished Infants with Infectious Diarrhoea. V2 N1

Oral Rehydration Therapy: Its Use in Neonates and Young Infants. V1 N6

Outpatient Oral Rehydration in the United States. V1 N7

Safe Oral Rehydration of Hypertonic Dehydration. V1 N8

Water Related Diarrhoeal Diseases and Infant Mortality and Morbidity. V1 N1

PARENTERAL REHYDRATION

Effect of Continued Oral Feeding on Clinical and Nutritional Outcomes of Acute Diarrhea in Children. V3 N9

Intractable Diarrhea of Infancy (IDI): Prospective, Randomized Study of Enteral vs. Parenteral Therapy. V1 N1

Oral Rehydration of Infants in a Large Urban U.S. Medical Center. V1 N6

Oral Rehydration Therapy for Low Birth Weight Neonates Suffering from Diarrhea in the Intensive Care Unit. V3 N8

Outpatient Oral Rehydration in the United States. V1 N7

PERSISTENT DIARRHEA

Bismuth Subsalicylate in the Treatment of Chronic Diarrhea of Childhood. V1 N2

Chronic Diarrhea and Soy Formulas. V3 N1

Chronic Diarrhoea in Children--A Nutritional Disease. V2 N4

Dietary Fructose in the Management of Intractable Diarrhea of Infancy. V1 N6

Lack of Correlation of Small Bowel Biopsy and Clinical Course of Patients with Intractable Diarrhea of Infancy. V1 N9

Migrating Action Potential Complexes in a Patient with Secretory Diarrhea. V3 N3

Nine Months of Diarrhea after a Mexican Meal. V2 N2

Persistent Diarrhea, Strongly Associated with HIV Infection in Kinshasa, Zaire. V3 N1

Persistent Diarrhoea in Children in Developing Countries: Report of a WHO Meeting. V3 N6

Prolonged and Recurring Diarrhea in the Northeast of Brazil: Examination of Cases from a Community-based Study. V2 N8

Prolonged Mild Diarrhea Caused by *Campylobacter*. V1 N6

The Small Bowel Biopsy in Intractable Diarrhea of Infancy. V1 N9

PROPHYLAXES

Blinding Malnutrition in Rural Bangladesh. V2 N6
Deaths in Infancy and Early Childhood in a

Well-vaccinated, Rural, West African Population. V3 N3
Development of Vaccines against *Shigellosis*. V1 N8

Interventions for the Control of Diarrhoeal Diseases among Young Children: Rotavirus and Cholera Immunization. V1 N1

Local and Systemic Antibody Responses to Naturally Acquired Enterotoxigenic *Escherichia Coli* Diarrhea in an Endemic Area. V1 N8

Saliva, Breastmilk, and Serum Antibody Responses as Indirect Measures of Intestinal Immunity after Oral Cholera Vaccination or Natural Disease. V2 N1

Social Mobilization for Immunization and Primary Health Care. V1 N9

Stevens-Johnson Syndrome after Mass Prophylaxis with Sulfadoxine for Cholera in Mozambique. V1 N2

Viruses and Diarrhoea: Some Current Preoccupations. V1 N8

Vitamin A Deficiency and Diarrhoea: A Review of Interrelationships and Their Implications for the Control of Xerophthalmia and Diarrhoea. V2 N7

Water Related Diarrhoeal Diseases and Infant Mortality and Morbidity. V1 N1

SANITARY PRACTICES

An Educational Intervention for Altering Water-Sanitation Behaviors to Reduce Childhood Diarrhea in Urban Bangladesh: I. Application of the Case-Control Method for Development of an Intervention. V3 N10

An Educational Intervention for Altering Water-Sanitation Behaviors to Reduce Childhood Diarrhea in Urban Bangladesh: II. A Randomized Trial to Assess the Impact of the Intervention on Hygienic Behaviors and Rates of Diarrhea. V3 N10

Twenty-Four-Hour Recall, Knowledge-Attitude-Practice Questionnaires, and Direct Observations of Sanitary Practices: A Comparative Study. V2 N7

SOCIAL MARKETING

Diarrhea and the Social Marketing of Oral Rehydration Salts in Bangladesh. V2 N9

Social Mobilization for Immunization and Primary Health Care. V1 N9

SOCIO-ECONOMIC INFLUENCES

Acute Diarrhoea and Asymptomatic Infection in Chilean Preschoolers of Low and High Socio-economic Strata. V2 N6

Follow-up of Children Discharged from Hospital after Treatment for Diarrhoea in Urban Bangladesh. V2 N2
Why Cholera Still Takes Lives in Rural Bangladesh. V3 N10

SUGAR & SALT SOLUTIONS

Acute Diarrhoea: Who Needs Potassium? V3 N8
A Comparison of Oral Solutions from Common Salt and Crude Sugar (Molasses) with and without Bicarbonate in Severe Pediatric Diarrhoea. V1 N1

The Composition of Home-made Sugar/Electrolyte Solutions for Treating Gastro-enteritis. V2 N9

Continuous and Non-Continuous Use of WSS Solution for Oral Rehydration Therapy among Rural Gambian Women. V3 N7

Evaluation of Home-made Salt-Sugar Oral Rehydration Solution in a Rural Nigerian Population. V3 N5

Formulae for Sugar-Salt Solutions Recommended for Treatment of Diarrhoeal Dehydration at Home in African Countries. V3 N8

Mothers Learn How to Save the Lives of Their Children. V3 N7

Oral Rehydration Therapy for Treatment of Diarrhoea in the Home. V1 N7

Serum Electrolytes in Children Admitted with Diarrhoeal Dehydration Managed with Simple Salt Sugar Solution. V3 N5

TRAVELER'S DIARRHEA

Comparison of Loperamide with Bismuth Subsalicylate for the Treatment of Acute Traveler's Diarrhea. V1 N4

Cryptosporidium as a Causative Agent of Traveler's Diarrhea. V1 N4

VITAMIN A

Blinding Malnutrition in Rural Bangladesh. V2 N6

Vitamin A Deficiency and Diarrhoea: A Review of Interrelationships and Their Implications for the Control of Xerophthalmia and Diarrhoea. V2 N7

COUNTRY INDEX

BANGLADESH

The Association between Malnutrition and Diarrhoea in Rural Bangladesh. V2 N8

Blinding Malnutrition in Rural Bangladesh. V2 N6

Causes of Death in Diarrhoeal Diseases after Rehydration Therapy: An Autopsy Study of 140 Patients in Bangladesh. V3 N3

Comparability of Results Obtained by Two-Week Home Maintained Diarrhoeal Calendar with Two-Week Diarrhoeal Recall. V3 N4

A Comparison of Oral Solutions from Common Salt and Crude Sugar (Molasses) with and without Bicarbonate in Severe Pediatric Diarrhoea. V1 N1

Diarrhea and the Social Marketing of Oral Rehydration Salts in Bangladesh. V2 N9

Dysentery, Not Watery Diarrhoea, is Associated with Stunting in Bangladeshi Children. V3 N2

Does Oral Rehydration Therapy Alter Food Consumption and Absorption of Nutrients in Children with Cholera? V3 N2

An Educational Intervention for Altering Water-Sanitation Behaviors to Reduce Childhood Diarrhea in Urban Bangladesh: I. Application of the Case-Control Method for Development of an Intervention. V3 N10

An Educational Intervention for Altering Water-Sanitation Behaviors to Reduce Childhood Diarrhea in Urban Bangladesh: II. A Randomized Trial to Assess the Impact of the Intervention on Hygienic Behaviors and Rates of Diarrhea. V3 N10

Efficacy of Oral Rehydration Solution in Correcting Serum Potassium Deficit in Children with Acute Diarrhoea in Bangladesh. V3 N8

Enteropathogenic *Escherichia Coli* Diarrhea in Hospitalized Children in Bangladesh. V1 N2

Follow-up of Children Discharged from Hospital after Treatment for Diarrhoea in Urban Bangladesh. V2 N2

Isolation of *Clostridium Difficile* from Diarrhoea Patients in Bangladesh. V3 N2

Local and Systemic Antibody Responses to Naturally Acquired Enterotoxigenic *Escherichia Coli* Diarrhea in an Endemic Area. V1 N8

Morbidity and Mortality in a Diarrhoeal Diseases Hospital in Bangladesh. V2 N8

Mothers Learn How to Save the Lives of Their Children. V3 N7

Oral Rehydration Solution--Too Little or Too Much? V2 N4

Persistent Protein Losing Enteropathy in Post Measles Diarrhoea. V2 N5

Prolonged Depression of Serum Zinc Concentrations in Children Following Post-Measles Diarrhoea. V1 N3

Saliva, Breastmilk, and Serum Antibody Responses as Indirect Measures of Intestinal Immunity after Oral Cholera Vaccination or Natural Disease. V2 N1

Twenty-Four-Hour Recall, Knowledge-Attitude-Practice Questionnaires, and Direct Observations of Sanitary Practices: A Comparative Study. V2 N7

Why Cholera Still Takes Lives in Rural Bangladesh. V3 N10

BOLIVIA

Bolivian Mothers Clubs as Media: Building on Community-based Networks. V3 N4

BRAZIL

Longitudinal Study of Diarrhoeal Disease in a Peri-Urban Community in Manaus (Amazon-Brazil). V2 N1

Prolonged and Recurring Diarrhea in the Northeast of Brazil: Examination of Cases from a Community-based Study. V2 N8

BURKINA FASO

Place des Rotavirus dans les Diarrhees Aigues Humaines au Burkina Faso (Afrique de l'Ouest). V1 N8

BURMA

Clinical Trial of Berberine in Acute Watery Diarrhoea. V1 N3

CHILE

Acute Diarrhoea and Asymptomatic Infection in Chilean Preschoolers of Low and High Socio-economic Strata. V2 N6

CHINA

Oral Rehydration in China. V1 N6

COSTA RICA

Comparison of Glucose Glycine Electrolyte Oral Rehydration Solutions in Hospitalized Children with Diarrhea in Costa Rica. V3 N7

EGYPT

The Clinical Epidemiology of Acute Diarrhoeal Disease in Egyptian Children. V3 N9

Control of Deaths from Diarrheal Disease in Rural Communities I: Design of an Intervention Study and Effects on Child Mortality. V1 N5

Control of Deaths from Diarrheal Disease in Rural Communities: II. Motivating and Monitoring the Community. V1 N9

Evaluation of a Programme of Teaching Mothers the Management of Acute Diarrhoea. V1 N7

Improving Oral Rehydration Salt Inventory Management in Rural Health Facilities in Egypt. V3 N5

The Incidence of Diarrheal Disease in a Defined Population of Rural Egypt. V3 N3

Oral Rehydration Therapy for Low Birth Weight Neonates Suffering from Diarrhea in the Intensive Care Unit. V3 N8

EL SALVADOR

Cryptosporidiosis in Children with Diarrhoea from Slum Areas in San Salvador. V3 N6

ETHIOPIA

Measuring Acute Malnutrition: A Need to Redefine Cut-off Points for Arm Circumference. V1 N3

FINLAND

Milk versus No Milk in Rapid Refeeding after Acute Gastroenteritis. V1 N7

FRANCE

Concentration Electrolytique des Selles dans les Diarrhees Aigues du Norrison en France. V2 N1

GHANA

Growth and Diarrhoeal Disease Surveillance in a Rural Ghanaian Pre-School Child Population. V2 N7

HAITI

Innovation among Haitian Healers: The Adoption of Oral Rehydration Therapy. V3 N4

INDIA

Aetiology and Clinical Features of Acute Childhood Diarrhoea in an Outpatient Clinic in Vellore, India. V3 N1
Cryptosporidium and Diarrhoea in Southern Indian Children. V1 N3

Diarrhoeal Disease Morbidity in Children below Five Years in Urban Slums of Delhi. V2 N5

Does Health Intervention Ameliorate the Effects of Poverty-related Diseases? III. Propagating the Use of Oral Rehydration in Diarrhoea. V1 N7

Etiological Spectrum of Acute Diarrhoea in Hospitalized Patients in Calcutta. V1 N2

The Household Management of Childhood Diarrhea in Rural North India. V3 N11

Knowledge of Community Health Volunteers Regarding Treatment of Acute Diarrhoea in Children. V2 N9

Major Factors in Diarrhoea-related Mortality among Rural Children. V1 N5

Nutritional Status and Diarrhoeal Morbidity: A Longitudinal Study in Rural Indian Preschool Children. V1 N3

Sex Preference and Protein Calorie Malnutrition. V2 N1

INDONESIA

Rehydration and Maintenance Therapy of Cholera Patients in Jakarta: Citrate-based versus Bicarbonate-based Oral Rehydration Salt Solution. V1 N3

ISRAEL

Early vs. Late Refeeding in Acute Infantile Diarrhea. V3 N6

JAMAICA

The Quality of Care is Related to Death Rates: Hospital In-patient Management of Infants with Acute Gastroenteritis in Jamaica. V3 N8

KENYA

The Characterization of *Vibrio Cholerae* Isolated in Kenya in 1983. V2 N9

MEXICO

Malnutrition and Nutrition: A Longitudinal Study among Urban Mexican Children. V3 N9

Nine Months of Diarrhea after a Mexican Meal. V2 N2

MOZAMBIQUE

Evaluating the Management of Diarrhoea in Health Centres in Mozambique. V3 N9

Stevens-Johnson Syndrome after Mass Prophylaxis with Sulfadoxine for Cholera in Mozambique. V1 N2

NEPAL

Development and Field Testing of a Method for Assessing the Effectiveness of Diarrhea Case Management by Mothers. V2 N3

NIGERIA

Evaluation of Home-made Salt-Sugar Oral Rehydration Solution in a Rural Nigerian Population. V3 N5

Feeding Practices of Children with Protein-Energy Malnutrition in Nigeria. V2 N6

PAKISTAN

Comparative Clinical Trial of Acceptability of Flavoured vs. Non-Flavoured ORS (WHO Formula). V3 N1

Mothers' Concepts of Childhood Diarrhea in Rural Pakistan: What ORT Program Planners Should Know. V3 N11

PERU

Early Treatment with Erythromycin of *Campylobacter Jejuni*-associated Dysentery in Children. V2 N2

Effect of Continued Oral Feeding on Clinical and Nutritional Outcomes of Acute Diarrhea in Children. V3 N9

RWANDA

An Epidemic of Bacillary Dysentery in Western Rwanda 1981-1982. V2 N2

SAUDI ARABIA

Rotavirus as an Important Cause of Diarrhoea in a Hospital for Children in Dammam, Saudi Arabia. V3 N1

SOUTH AFRICA

The Composition of Home-made Sugar/Electrolyte Solutions for Treating Gastro-enteritis. V2 N9

The Effect of Feeding Four Different Formulae on Stool Weights in Prolonged Dehydrating Infantile Gastroenteritis. V3 N10

SWEDEN

Clinical Features of Acute Gastroenteritis Associated with Rotavirus, Enteric Adenovirus, and Bacteria. V2 N4

TANZANIA

Cholera Outbreaks in Tanzania. V3 N2

THAILAND

Hela Cell-Adherent *Escherichia Coli* in Children with Diarrhea in Thailand. V3 N1

The Role of *Shigella spp.*, Enteroinvasive *Escherichia*

Coli, and Other Enteropathogens as Causes of
Childhood Dysentery in Thailand. V2 N5

THE GAMBIA

Continuous and Non-Continuous Use of WSS
Solution for Oral Rehydration Therapy among Rural
Gambian Women. V3 N7

Deaths in Infancy and Early Childhood in a
Well-vaccinated, Rural, West African Population. V3 N3

Impact of Infection on the Growth of Children from 0 to
2 Years in an Urban West African Community. V3 N5

TONGA

Control of Diarrhoeal Disease in Tonga 1978-1983. V1
N3

TURKEY

Diarrheal Disease Control and Family Planning: The
Status of Women and Community Participation. V2 N1

Oral Rehydration in Malnourished Infants with
Infectious Diarrhoea. V2 N1

UNITED STATES

Absorption and Tolerance of Lactose in Infants
Recovering from Severe Diarrhea. V1 N2

Bismuth Subsalicylate in the Treatment of Chronic
Diarrhea of Childhood. V1 N2

Chronic Diarrhea and Soy Formulas. V3 N1

Glycine-based Oral Rehydration Solution:
Reassessment of Safety and Efficacy. V2 N8

High Sodium Rehydration Solutions in Well-nourished
Outpatients. V2 N8

Intractable Diarrhea of Infancy (IDI): Prospective,
Randomized Study of Enteral vs. Parenteral Therapy.
V1 N1

Oral Rehydration of Infants in a Large Urban U.S.
Medical Center. V1 N6

Outpatient Oral Rehydration in the United States. V1
N7

Teaching Treatment of Mild, Acute Diarrhea and
Secondary Dehydration to Homeless Patients. V3 N3

ZAIRE

Persistent Diarrhea, Strongly Associated with HIV
Infection in Kinshasa, Zaire. V3 N1

ZIMBABWE

Serum Electrolytes in Children Admitted with
Diarrhoeal Dehydration Managed with Simple Salt Sugar
Solution. V3 N5