





MOZAMBIQUE ROUTE-TO-MARKET TOOL (VERSION 6) INSTRUCTIONAL USER GUIDE

May 2021

DISCLAIMER

TABLE OF CONTENTS

	PUR	RPOSE AND OVERVIEW	l
		DEL ACCESS AND BASIC INSTRUCTIONS	
		ZAMBIQUE RTM DATA	
		Data Files	
		Data Inputs	
	3.3	Data Outputs	4
4	SAM	1PLE USE CASE	6
5	VID	EO TUTORIAL	9
6	GLC	OSSARY	9
ΔΙ	PPENIC	DIX A DATA OLITPLIT VARIABLE LIST AND DEFINITIONS	10

I PURPOSE AND OVERVIEW

<u>USAID Introduction Video</u> – An introduction to the RTM tool and the USAID SAEP project

The Mozambique Route-to-Market (RTM) tool is a location suitability tool packaged within a KMZ file designed to help energy access companies (i.e., distributors of standalone solar systems and developers of mini- and micro-grids) located within Mozambique plan and manage their expansion and scale-up strategies using geographical demand forecasting to drive key business decisions on sales agent recruitment, sales and service center location management, etc.

The tool consists of a KMZ file which contains various layers of geographic information pertaining to Mozambique broken down by Posto (administrative posts). The user can click on the geography of interest to them and see the estimated number of addressable households that are within the area, the current electrification status of the area, the percentage of the area covered by telecom companies and the estimated household demand for electrification. By using a combination of these layers, energy access companies can then identify areas that are most ideal for expansion of their markets by searching for the areas exhibiting their business criteria for expansion. Energy access companies can also combine the usage of the Excel file (which contains the same information as the KMZ tool but in table format) to sort or filter the individual areas by their criteria scores.

2 MODEL ACCESS AND BASIC INSTRUCTIONS

<u>USAID Google Earth and Excel Tutorial Video</u> – Overview of the functionality of Google Earth and Excel with context to how they could be used by energy access companies

You will need to use Google Earth Pro to access the Mozambique RTM Tool. <u>Download Google Earth Pro</u> (for free) and open the KMZ or KML file that you want to use for the appropriate RTM tool. If your KMZ or KML file does not automatically open in the application Google Earth Pro, right click on the KMZ or KML file and click "Open With", then select Google Earth Pro.

Once Google Earth Pro is open, go to Mozambique on the map of the earth. Zoom in and out using the + and - buttons on the right-hand side or by scrolling up and down on your mousepad. You can navigate around the globe by using the arrow keys or by clicking and dragging with your mouse.

To access data layers of the model, go to the places section on the left-hand side, click on the "Temporary Places" arrow, Mozambique RTM Tool v6.kmz arrow, and then click the open box of the data layer that you would like to view. Please note that you can select multiple data layers at the same time and they will overlay with each other.

Once a layer has been selected, you can see individual level 3 data by either hovering over or clicking on the area that you would like to see. This will display a data table for the selected area that, depending on the model and layer selected, will show information of the layer selected. Please note that it will show the information of the data layer "at the front" of the model. In order to see different layers of the model, you can unclick layers of data on the places tab on the left.

For additional tools in Google Earth Pro, please see the following links:

- User Guide for Google Earth
- University of Waterloo Tutorial
- Google Earth Pro Basic Features YouTube Video
- Google Earth Pro Advanced Features YouTube Video

3 MOZAMBIQUE RTM DATA

3.1 DATA FILES

The Mozambique RTM Tool consists of one KMZ file and one Excel sheet of data:

Name	Туре	Download
Mozambique RTM Tool v6.kmz	Keyhole Markup Zip	Access File
Mozambique RTM Tool v6.xlsx	Excel	Access File

<u>USAID Data Source Overview Video</u> – Provides context for the data that is used within the RTM tool

3.2 DATA INPUTS

The developers of the Mozambique RTM tool used several data layers and sources in their analysis. To ensure that future users of this tool are aware of the sourcing and versioning of the inputs, included below is a list of all the data sources that went into making the Mozambique RTM tool.

Dataset	Definition	Source, Link & Date Accessed
Administrative boundaries	Gives the Province, District, and Posto boundaries as DBF, PRJ, SHP, SHX, and CPG files	Humanitarian data exchange, http://www.diva-gis.org/gdata , (2015)
Urbanicity	Geographic location of cities within the country	GHS-SMOD, https://ghsl.jrc.ec.europa.eu/download.php?ds=smod, (2015)
Population (2015)	Population estimates from CIESIN. Provides population counts, household numbers, and consumption data	CIESIN, https://www.ciesin.columbia.edu/data/hrsl, (2015)
Population census 2017	Government population survey data showing population locations within the country	INE Mozambique, http://www.ine.gov.mz/, (2017)
Night lights	Shows the electrification of regions by displaying satellite imagery of night lights	NASA VIIRS, https://earthobservatory.nasa.gov/features/NightLights/page3.php, (2017)
Roads	The map of the country's roads. Connections were made for the purpose of route mapping	Open Street Maps, https://data.humdata.org/dataset/hotosm_moz_roads, (2017)

Dataset	Definition	Source, Link & Date Accessed
Transmission lines	The energy transmission lines for Mozambique as of 2017	Energy Data, https://energydata.info/dataset/Mozambique- electricity-transmission-network-2017, (2017)
Economic activity	Economic consumption, production and demographic data by Province	Open Data for Africa, https://mozambique.opendataforafrica.org/, (2019)
Schools	The location of schools at a level 3 specificity	WFP Mozambique, https://www.wfp.org/publications/Mozambique (2019)
Health centers [New Update for Version 6]	The location of health centers at a level 3 specificity	Jembi Health Systems http://sis-ma.in/?page_id=1085 (2020)
Settlement names	Names of settlements within Mozambique with corresponding geography	Humanitarian data exchange, https://data.humdata.org/dataset/mozambique-settlement-shapefiles , (2017)
Telecom towers	Location of towers and corresponding coverage area	FUNAE Mozambique
Rivers and stream network	Geographic location of bodies of water within the country	National Cartography and Tele-detection Centre, Mozambique (CENACARTA), https://data.humdata.org/dataset/mozambique-rivers-and-stream-network , (2017)
Affordability		USAID SAEP Mozambique Consumer Affordability Survey, https://pdf.usaid.gov/pdf_docs/PA00WJJH.pdf , (2019

3.3 DATA OUTPUTS

The data inputs were geospatially processed and the output includes a posto layer, a layer for major cities, telecommunications towers, transmission lines and substations and telecom coverage by posto. These layers are outlined below and defined in greater detail in the Appendix A.

Output Layer	Definition
Postos	At the posto level of geography, the user will be able to view data aggregated to this level of geography for a number of variables, including general geographic variables (place name, latitude, area, etc.), demographic variables (population, HHS, HHS per SqKm, etc.), electrification variables (electrified population #/%, unelectrified households in geography), and various other economic and market variables that may be of interest during analysis (schools, markets, household savings statistics, phone ownership, agricultural statistics, etc.). For a full list of the variables within this layer, please see the "Data Output and Variable List" in Appendix A.

Output Layer	Definition
	The postos are color coded by the number of addressable households contained within the posto Tall \$10 NOA U.S. Navy, NGA, GEBCO Tall \$
Cities	 The Cities layer of the tool displays the 12 largest cities within the country, their district and province name, their population, and their latitude and longitude coordinates
Telco Towers	 Shows the location of telecommunication towers within the country and an 18.5-kilometer (km) radius. The telecom towers are not comprehensive. There are additional locations in other parts of the country
Transmission Lines and Sub- Stations	 The location of electrical grid substations and connecting transmission lines
Mobile Coverage [Update for Version 5]	Shows the percentage of mobile coverage for a given posto. The layer is color-coded by coverage with darker green representing higher coverage rates. Coverage is also summarized by district and province based on household-weighted posto coverage rates. The layer is color-coded by coverage with darker green representing higher coverage rates. Coverage is also summarized by district and province based on household-weighted posto coverage rates. Google Earth 11-4247.73*S 45-216-39-78*E elev Off green tri27.258 mi O

4 SAMPLE USE CASE

In addition to the below sample use case study, numerous additional examples of how the tool can be used to make key business decisions for energy access companies can be found below:


<u>USAID Case Study Video</u> – Shows several use cases for the RTM tool

Background

A solar home system (SHS) company based in Mozambique wants to find the best city to open a small sales hub with settlements near the city to hire new sales agents. The company wants to prioritize districts and cities that have a high addressable market, high mobile coverage and are located relatively close to a major city.

Targeting a city in which to open a new sales hub

The company starts their analysis by going to the Excel sheet titled "Districts" and sorting for Districts that have 10,000 or more addressable households. Next, because the SHS company needs to base its new hub near a city, it filters for districts that are less than 100 km away from the closest city. This leaves the company with the districts of Monapo, Mogovolas, Rapale, Nhamatanda, Murrupula Meconta, Sussundenga and Gondola.



Given that the SHS company utilizes a mobile payment provider to facilitate repayment for products sold on credit (a large majority of sales), it also decides to prioritize mobile coverage. It filters for districts that have greater than or equal to 50% mobile network coverage. After sorting for addressable households and mobile coverage, the company finds that the majority of districts are located in Nampula province, with the closest major city being Cidade De Nampula.




The company switches to the Google Earth Pro map and uses the search tool in the upper left corner to select "Nampula Province". Going to the map, the company identifies that the city of Nampula is located at the center of several intersecting roads. Putting down a pin in Google Earth, the company demarcates where the new selected hub will be – in Cidade De Nampula.

Targeting settlements for hiring new sales agents

The company then goes back to the Excel document; this time to the "Settlements" tab. It selects only settlements that are in the district of Nampula. Given that the new sales hub will be in Nampula city, the company can use the "road distance to closest city" column to filter out every settlement that is more than 100 km from Nampula.

The company wants to select settlement locations for its recruitment efforts that have a high urban density and a large addressable market. It filters the selected settlements by "Urbanicity Type", only selecting "City or Large Settlements" or "Dense Towns". Finally, the company sorts the settlements by addressable market and also filters for locations that have health centers.

At the end of their analysis, the SHS company is left with 20 settlements. All are urban, close to Nampula and contain health centers. Selecting the highest addressable market settlement, the company decides to hire new sales agents in the settlements of Carapira, Nametil and Muatua.



5 VIDEO TUTORIAL

USAID SAEP has developed a four-part video tutorial to show SHS companies how to use the data and visualization tool and provide the opportunity for users to develop use case scenarios to identify new markets and make other business decisions. To view the videos:

- Part I: Introduction (click <u>here</u>)
- Part II: Tool overview and demo (click **here**)
- Part III: Use cases (click **here**)
- Part IV: Closing and references (click here)

6 GLOSSARY

Data Layer – A piece of information that is contained at an area level for each area within the tool

KML/KMZ – Keyhole Markup Language is a way of displaying information in Google Earth. Keyhole Markup Zip files are a conglomeration of different KML or Excel files

APPENDIX A DATA OUTPUT VARIABLE LIST AND DEFINITIONS

Field:	Description:
Settlement ID	Settlement numeric identifier (no real names could be assigned yet)
Name	Most likely name of the settlement
All names	List of all possible candidate names for the settlement name
Latitude	Latitude
Longitude	Longitude
Posto ID	Posto numeric identifier
Posto	Posto name
District	District name
Province	Province name
Closest city	Closest city from settlement (see list of cities in sheet called "cities")
Road distance to closest city (km)	Road distance in kilometers to closest city
Рор	Total population
Households	Total households, where I household = 5 people
Area (SqKm)	Area in square kilometers
Pop density (pop per SqKm)	Population density measured in people per square kilometer
Household density (HHS	Household density measured in households per square kilometer
per SqKm)	
Electrified area (SqKm)	Area in square kilometers of electrified areas
Electrified area (%)	Percentage of area in square kilometers that is electrified
Unelectrified pop	Population living in unelectrified areas
Unelectrified households	Households located in unelectrified areas
Province monthly energy expenditure (USD)	Average household expenditure in energy per month measured in US dollars
Province poverty rate (%)	Percentage of people whose monthly price-adjusted total household consumption per capita is below the poverty line in the corresponding year and region
Province affordability percentage (%)	Percentage of households that can afford SHS systems
Addressable market (HHS)	Estimation of total households that can afford SHS systems, calculated as unelectrified households multiplied by affordability percentage
Schools	Number of schools inside geography
Health centers	Number of health centers inside geography