

Ministry of Health and Family Welfare Government of India

National Family Health Survey (NFHS-3)

2005-06

Volume II

India



International Institute for Population Sciences Deonar, Mumbai 400 088

NATIONAL FAMILY HEALTH SURVEY (NFHS-3)

2005-06

INDIA VOLUME II

September 2007

Suggested citation: International Institute for Population Sciences (IIPS) and Macro International. 2007. *National Family Health Survey (NFHS-3), 2005–06: India: Volume II.* Mumbai: IIPS.

For additional information about the 2005-06 National Family Health Survey (NFHS-3), please contact:

International Institute for Population Sciences Govandi Station Road, Deonar, Mumbai - 400 088 Telephone: 022-2556-4883, 022-2558-3778 Fax: 022-2558-3778 E-mail: <u>iipsnfhs@vsnl.com</u>, <u>iipsnfhs@gmail.com</u> Website: <u>http://www.nfhsindia.org</u>

For related information, visit http://www.iipsindia.org or http://www.mohfw.nic.in

VOLUME II

APPENDIX C SAMPLE DESIGN

Sample design		1
Table C.1	Regions by state	12
	Sample characteristics	
Table C.3.1	Sample implementation: Women	.18
	Sample implementation: Men	

APPENDIX D ESTIMATES OF SAMPLING ERRORS

Table D.1	List of variables for sampling errors, India, 2005-06	<u>2</u> 4
Table D.2	Sampling errors, India, 2005-06	25

APPENDIX E DATA QUALITY TABLES

Household age distribution	31
Age distribution of eligible and interviewed women	32
Completeness of reporting	34
	Household age distribution Age distribution of eligible and interviewed women Age distribution of eligible and interviewed men Completeness of reporting Births by calendar year Reporting of age at death in days Reporting of age at death in months

APPENDIX F SURVEY INSTRUMENTS

Household Questionnaire	41
Woman's Questionnaire	61
Man's Questionnaire	
PSU Information Forms	

Chapter 1, Section 1.7, in Volume I of this report contains basic information about the sample design and sample implementation for the 2005-06 National Family Health Survey (NFHS-3). This appendix contains additional details about the sampling, including the methodology for determining the sample size, the sampling frame, sample selection in rural and urban areas, stratification of the sample, the selection of households, and sample weights.

Sample Size

The determination of the overall sample size for NFHS-3 was governed by several considerations, including the magnitude of the key indicators, the subgroups for which the indicators are required, the desired level of precision of the estimates, the availability of resources, and logistical considerations. Besides the requirement of producing population and health indicators at both the national and state levels, two additional considerations were critical for determining the size of the sample for NFHS-3. The survey was tasked with producing a) HIV prevalence estimates at the national level and at the state level for each of the six states identified by the National AIDS Control Organization (NACO) as having high HIV prevalence (Andhra Pradesh, Karnataka, Maharashtra, Manipur, Nagaland, and Tamil Nadu), and Uttar Pradesh, and b) robust estimates of population and health indicators for slum areas and for nonslum areas in eight cities, namely Delhi, Chennai in Tamil Nadu, Hyderabad in Andhra Pradesh, Indore in Madhya Pradesh, Kolkata in West Bengal, Meerut in Uttar Pradesh, and Mumbai and Nagpur in Maharashtra. Both of these requirements were crucial for determining the target number of individual interviews. In light of these requirements, the sample size was estimated separately for the number of individual interviews with women and with men and the number of women and number of men to be tested for HIV.

Sample size for HIV tests

The expected level of HIV prevalence, the acceptable level of standard errors for HIV prevalence, and the design effect of the sample design were the three prime determinants of sample size for HIV tests at the national level and at the state level for each of the seven states for which separate HIV estimates were to be produced. To estimate the required sample size for HIV testing, it was necessary to make a reasonable assumption about the design effect of HIV prevalence for the NFHS-3 sample design. The design effect is defined as the ratio of the standard error of the HIV estimate for the NFHS-3 sample design to the standard error that would result if a simple random sample had been used. Based on the experience of testing HIV in national household surveys in other countries, a design effect of 1.25 was assumed. The actual design effect of HIV prevalence in NFHS-3 (1.19 for women and 1.33 for men) was very close to the assumed design effect of 1.25.

In the absence of any previous community-based estimate of HIV prevalence for India, the HIV prevalence rates as reported by NACO of 0.92 percent at the national level, 0.75 percent

for Tamil Nadu, and 1.25 percent for each of the remaining five high HIV prevalence states were used for estimation of the sample size for the number of HIV tests. For state-level estimates of HIV prevalence, the maximum permissible relative standard error for women and men together was set at 15 percent. However, for the national estimate, the maximum permissible relative standard error was set at a low level of 5 percent. The table below gives the assumptions at the national and state levels, the proposed sample sizes of women and men to be tested compatible with the assumptions, and the expected precision of the HIV prevalence estimate associated with the proposed sample sizes for India as a whole and for each of the six high HIV prevalence states.

Region	Assumed HIV prevalence rate	Assumed design effect	Proposed sample size	Estimated relative precision of resulting HIV prevalence estimate	Confiden Lower bound	ce interval Upper bound
Tamil Nadu Women and men separately Women and men together	0.75 0.75	1.25 1.25	6,400 12,800	18.0% 12.7%	0.5% 0.6%	1.0% 0.9%
Each of the remaining five hig Women and men separately Women and men together	gh HIV prevale 1.25% 1.25%	nce states 1.25 1.25	6,400 12,800	13.9% 9.8%	0.9% 1.0%	1.6% 1.5%
India Women and men separately Women and men together	0.92% 0.92%	1.25 1.25	62,693 125,385	5.2% 3.7%	0.8% 0.9%	1.0% 1.0%

Based on the assumed levels of HIV prevalence, the maximum permissible level of the relative standard errors and the design effects, it was determined that in each of the six high HIV prevalence states, 6,400 women and 6,400 men would be tested for HIV, and at the national level, the number tested would be about 125,000 women and men in about equal numbers. This sample size was sufficiently large to permit national estimates for urban and rural areas and for youth age 15-24 with a somewhat lower, but still acceptable, level of precision.

It was thus originally planned to have a total of about 76,800 persons tested in the six high HIV prevalence states. The balance of HIV tests needed to achieve a national sample of 125,385 HIV tests were to be distributed to all the remaining states in proportion to the sample size for individual interviews of women and men in those states. However, after the planning process had begun, it was decided to conduct 24,400 HIV tests in Uttar Pradesh in order to provide a separate estimate of HIV prevalence for this state. In light of this change, the final HIV sample design increased the required number of HIV tests nationally to 134,000, with approximately 101,000 tests in the seven states for which separate estimates were to be provided and 33,000 tests distributed between the remaining 22 states in proportion to their sample sizes.

Sample size for women's interviews

As many of the key indicators that were to be generated from NFHS-3, such as those pertaining to family planning practices and maternal and child health, refer to ever-married women in the reproductive ages, the target sample size in NFHS-3 was fixed in terms of evermarried women age 15-49 years. Based on previous survey experience, it was decided to select an initial target sample size of 1,500 completed interviews with ever-married women in states with a 2001 Census population less than 5 million, 3,000 completed interviews with evermarried women in states with a 2001 Census population between 5 and 30 million, and 4,000 completed interviews with ever-married women in states with a population of more than 30 million. The initial target sample size in Uttar Pradesh, the largest Indian state with about one-sixth of the country's population, was fixed at 10,000 ever-married women. The initial target sample size for the 29 states is given in the following table.

State	Initial target sample size for ever-married women age 15-49
Arunachal Pradesh, Manipur, Meghalaya, Mizoram, Nagaland, Sikkim, Tripura	1,500
Assam, Chhattisgarh, Delhi, Goa, Haryana, Himachal Pradesh, Jammu & Kashmir, Jharkhand, Punjab, Uttaranchal	3,000
Andhra Pradesh, Bihar, Gujarat, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Orissa, Rajasthan, Tamil Nadu, West Bengal	4,000
Uttar Pradesh	10,000

However, in the states with the cities for which slum/non-slum estimates were to be produced and in the states for which separate estimates of HIV were to be produced, these initial state sample sizes were not sufficient and needed to be adjusted upwards.

Adjustments to the initial sample size in specific states. Based on the general assumption that a robust estimation of most population and health indicators requires a minimum sample of 1,000 ever-married women, the target sample size for the eight cities with separate slum and non-slum estimates was fixed at a minimum of 2,000 interviews with ever-married women (equally distributed between slum and non-slum areas of each city). In addition, adjustments needed to be made to the initial sample size in states with separate HIV prevalence estimates. These considerations resulted in the following adjustments to the initial sample size of ever-married women age 15-49 in specified states:

	Adjusted target sample size of ever-married	
State	women 15-49	Reason for adjustment
Andhra Pradesh	6,500	To allow for a state-level estimate of HIV prevalence and slum/non-slum estimates for Hyderabad.
Karnataka	5,600	To allow for a state-level estimate of HIV prevalence.
Madhya Pradesh	6,000	To allow for slum/non-slum estimates for Indore.
Maharashtra	8,000	To allow for a state-level estimate of HIV prevalence and slum/non-slum estimates for Mumbai and Nagpur.
Manipur	4,250	To allow for a state-level estimate of HIV prevalence.
Nagaland	4,500	To allow for a state-level estimate of HIV prevalence.
Tamil Nadu	6,250	To allow for a state-level estimate of HIV prevalence and slum/non-slum estimates for Chennai.
Uttar Pradesh	11,000	To allow for slum/non-slum estimates for Meerut. (The initial target sample size was already sufficient to produce HIV estimates.)
West Bengal	5,750	To allow for slum/non slum estimates for Kolkata.

To the extent possible, each state sample size was allocated to urban and rural areas in proportion to the population in the 2001 Census. However, in all those states for which city-level estimates were required, a larger proportion of the target sample was allocated to urban areas.

The target sample size, which was fixed in terms of ever-married women, was transformed into the number of households to be covered by assuming the number of evermarried women per household was the same as observed in NFHS-2. With the assumption that on average 30 households would be interviewed in each primary sampling unit (PSU), the number of PSUs to be surveyed in urban and rural areas of all states and the eight cities selected for slum/non slum measures was estimated.

Sample size for men's interviews

It has already been mentioned that most of the population and health indicators to be measured in NFHS-3 refer to ever-married women and their children and are estimated from women's interviews. Estimation of these indicators, particularly for children, needs a fairly large sample size to produce robust estimates for subgroups of the population. The required sample size for men's interviews is considerably smaller because the men's interviews were not designed to produce indicator estimates for their children. Hence, it was decided to interview men only from a subsample of households except in the states for which separate HIV prevalence estimates were required. In those seven states, men from all the selected households would be interviewed.

Sampling Design

NFHS-3 adopted a two-stage sample design in most rural areas and a three-stage sample design in most urban areas. In each state, the rural sample was typically selected in two stages: the first stage involved selection of Primary Sampling Units (PSUs), i.e., villages, with probability proportional to population size (PPS); the second stage involved the systematic selection of households within each PSU.

The basic reason for adopting a three-stage sample design in urban areas is that urban wards are quite large, making it difficult to list all the households in a ward and select households directly from the resulting list. Although data on census enumeration blocks (CEBs) in all wards were collected in the 2001 Census, these data were not available in published form; hence, it was not possible to select CEBs directly from an existing list of CEBs for the urban part of a state. For this reason, the selection of the urban sample (in all urban areas except in the eight cities for which slum and non-slum estimates were to be provided) involved the following three stages: in the first stage, wards were selected with PPS sampling; in the next stage, one CEB was selected by PPS from each selected CEB. However, CEB-wise data was made available by the Registrar General of India on special request for the eight cities for which slum/non-slum estimates were selected, and then households were selected in two stages. First slum and non-slum CEBs were selected, and then households were selected from selected CEBs.

Sample selection in rural areas

Sampling frame. In rural areas, the 2001 Census list of villages served as the sampling frame. The Primary Census Abstract (PCA) by the Census of India, 2001, provides data on the number

of households, persons, males, females, literates, persons belonging to the scheduled castes (SC), persons belonging to the scheduled tribes (ST), employed persons, etc. for all the villages in each district of India. All the villages with fewer than five households were removed from this list. Since the population in all such villages was only 0.02 percent of the total rural population, the exclusion of small villages from the sampling frame is not expected to disturb the representativeness of the sample. Further, to ensure the selection of a sufficient number of households in the selected PSUs, all the smaller villages with 5-49 households were linked with a nearby village. In some cases, more than two villages had to be linked to form a group of villages with a minimum of 50 households. In this way, a minimum size of 50 households in each village was ensured in all the villages in the sampling frame.

Stratification. To ensure the inclusion of villages with different socioeconomic characteristics in the sample, stratified sampling was adopted at the first stage of sample selection. All the villages (or groups of villages) were stratified by a number of variables. The first level of stratification was geographic, with districts being subdivided into contiguous regions. The categorization of districts in different regions in each state is shown in Table C.1. In some states, a single district comprised a region.

Within each of these regions, villages were further stratified using selected variables from the following list: village size, percentage of males working in the nonagricultural sector, percentage of the population belonging to scheduled castes or scheduled tribes, and female literacy. In addition to these variables, districts in high HIV prevalence states were stratified according to HIV prevalence. For this purpose, the classification of all the districts in the six high HIV prevalence states as 'high', 'medium', and 'low' prevalence districts by NACO was adopted. Female literacy was used for implicit stratification (i.e., the villages were ordered prior to selection according to the proportion of females who were literate) in most states, although female literacy was an explicit stratification variable in a few states. The list of variables used for explicit and implicit stratification in each state is given in Table C.2.

The number of PSUs to be selected from each stratum was proportional to the stratum size. In each stratum, an independent sample of PSUs was drawn using PPS sampling.

Sampling frame at the second stage. A household listing operation carried out in each sample area provided the necessary frame for selecting households at the second stage. The household listing operation involved preparing up-to-date location and layout sketch maps, assigning a number to each structure, recording addresses of these structures, identifying residential structures, and then listing the names of heads of households. Listing of all households in large villages with 500 or more households is a huge task, potentially prone to errors of omission or duplication. Hence, large villages with about 500 or more households were segmented into three or more segments (depending on village size) of approximately equal size (usually about 100 to 200 households). From all the segments in each large village, two segments were selected using PPS sampling. Houselisting was then done only in the two selected segments. In all such large villages, the sampling design became a three-stage design.

The selection of the required number of households was done using systematic sampling. For the logistical convenience of the fieldwork and to minimize refusals, runs of five consecutive households, rather than single households, were selected systematically.

Selection of households. The number of households selected in a rural PSU was the product of number of households listed in the PSU and the probability of selection of a household in the selected rural PSU.

The probability of selecting a household from a selected rural PSU (f_2) of a specific state was computed as:

$$f_2 = \frac{f}{f_1}$$

where *f*, the domain sampling fraction (i.e., the probability of selecting an ever-married woman in the rural area of a state), is computed as:

$$f = \frac{n}{N}$$

where

- n = number of ever-married rural women to be interviewed (after adjusting upward to account for nonresponse and other loss), and
- N = projected rural population of ever-married women in the state in March 2006 (the midpoint of the NFHS-3 survey period).

The probability of selecting a PSU from a rural stratum of a state (f_1) was computed as:

$$f_1 = \frac{a * s_i}{\sum s_i}$$

where

a = number of rural PSUs selected from the stratum,

 s_i = population size of the i^{th} PSU, and

 Σs_i = total rural population of the stratum.

Sample selection in urban areas

The following discussion refers to sampling in all the urban areas of the states in which no separate city estimates were planned. In Andhra Pradesh, Madhya Pradesh, Maharashtra, Uttar Pradesh, Tamil Nadu, and West Bengal, the following procedure was adopted for sampling in all urban areas excluding the cities in which slum/non-slum estimates were planned. This procedure was not applied to sampling in urban areas of Delhi.

Sampling frame. In urban areas, the sampling frame for the first stage of selection was the list of all the wards in a state. The Primary Census Abstract (PCA) provides details of all the wards in each city or town in urban areas. The list was arranged by geographical regions and then by female literacy. A sample of urban wards was drawn from the list of wards by PPS sampling.

Sample selection at the second and third stages. As mentioned earlier, the sample of households from a selected ward was drawn by adopting two-stage sampling. A ward in a

township is a large area comprising a large number of households. Each ward comprises several enumeration blocks (CEB) created for the census. A list of all the CEBs in a selected ward formed the sampling frame at the second stage. Such lists of CEBs in the selected wards were made available for use for NFHS-3 by the census office on request. Each CEB is comprised of about 150-200 households. A sample of households from a ward was drawn in two stages. One CEB was selected from each selected ward at the first stage. Then in each selected CEB, a household listing operation was carried out (similar to the listing operation in rural PSUs). The household listing provided the necessary frame for selecting households at the third stage. The selection of the required number of households from the list of households was done using systematic sampling. As in rural areas, systematically selected groups of five consecutive households, rather than a single household, were selected.

Similar to rural PSUs, the sample size of households was not the same in every urban PSU. The sample size of households in an urban PSU was obtained by applying the probability of selection of an ever-married woman in an urban PSU (f_3) to the total number of households listed in the urban PSU.

The domain sampling fraction, i.e., the probability of selecting an ever-married woman from an urban domain in a state (f), was computed as:

$$f = \frac{n}{N}$$

where

n = number of ever-married women to be interviewed from the urban domain (after adjusting upward to account for nonresponse and other loss), and

N = projected population of ever-married women in the urban domain in March 2006.

The probability of selecting a ward from an urban stratum (f_l) was computed as:

$$f_I = \frac{a * s_i}{\sum s_i}$$

where

a = number of wards selected from the stratum, s_i = population size of the i^{th} ward, and Σs_i = total population of the urban stratum.

The probability of selecting a CEB from a selected ward (f_2) was computed as:

$$f_2 = \frac{B_i}{\sum B_i}$$

where

 B_i = population size of the i^{th} CEB, and ΣB_i = total population of the ward.

The probability of selecting a household from a selected block (f_3) was computed as:

$$f_3 = \frac{f}{f_1 * f_2}$$

Sample selection in eight cities

In the eight cities for which separate indicators for slum and non-slum areas were to be provided, a different sampling procedure was adopted. As mentioned above, sample households in the cities were selected with a two-stage sampling design. At the first stage CEBs were selected and at the second stage households were selected. In each city, slum and non-slum PSUs were selected independently from the respective lists of slum and non-slum CEBs. For the estimation of the number of households and the selection of households from the selected slum/non-slum PSUs (CEBs), a procedure similar to that used for rural and urban PSUs was adopted.

Sampling frame. As mentioned above, although the Census of India collects and compiles data by CEBs, that information is not published. However, on special request for NFHS-3, the Registrar General of India made available CEB-wise data for the eight cities for which slum and non-slum estimates were to be provided. Two separate lists of all the slum CEBs and non-slum CEBs in all the wards of each city served as two separate sampling frames at the first stage of selection. From each sampling frame, slum and non-slum PSUs were selected using PPS sampling. The houselisting carried out in each of the selected CEBs served as the sampling frame for the selection of households.

Sample weights

The basic objective of weighting sample data is to try and maximize the representativeness of the sample in terms of the size, distribution, and characteristics of the study population. When sample units have been selected with differing probabilities, it is common to weight the results inversely proportional to the unit selection probabilities, i.e., the design weight, so as to reflect the actual situation in the population. In a survey sample selected from a robust frame and well implemented with high response rates, the application of the design weight is all that is required. In practice, however, the situation is more complicated because of shortcomings in the selection and implementation of the sample.

In NFHS-3, two sets of weights are in operation. One set of weights is used for generating national-level indicators and another set is used for producing state-level indicators. Each set has the following different types of weights:

- 1. *Household weight* for estimating indicators such as the proportion of female-headed households and the percentage of children age 0-4 years whose birth was registered.
- 2. *Woman's weight* for generating indicators such as the contraceptive prevalence rate and the percentage of children age 12-23 months who are fully immunized.
- 3. *Man's weight* for estimation of indicators such as the proportion of men who have heard of AIDS.

- 4. *HIV weight* for women for generating indicators such as HIV prevalence by age for women.
- 5. *HIV weight* for men for generating indicators such as HIV prevalence by age for men.
- 6. *Domestic violence weight* for estimating indicators such as the proportion of married women who have ever experienced spousal violence.

Note that children of interviewed women are assigned the weight of their mother. Some child indicators are assessed at the household level; in such cases, children are assigned the weight of the household.

Calculation of sampling weights

Calculation of state and national household weights. The basic reasons for weighting primary data while estimating state-level indicators are:

a) To take care of the non-equal probability of selection in different domains, i.e., rural and urban areas and slum and non-slum areas in the seven states of Andhra Pradesh, Delhi, Madhya Pradesh, Maharashtra, Tamil Nadu, Uttar Pradesh, and West Bengal. In each state, the total sample size was distributed between urban and rural areas according to the proportion of urban-rural households. However, oversampling was done in urban areas in states with very small urban populations in order to have a sample large enough to yield stable estimates; oversampling was also done in the cities where slum and non-slum estimates were required in order to have large enough samples in the slum areas and the non-slum areas separately. Whatever the reason, oversampling of urban areas of some states leads to unequal probabilities of selection.

b) To take care of the differential non-response rates of household interviews in different domains, namely urban and rural areas and slum and non-slum areas of the eight cities.

To take care of the non-equal probabilities of selection in different domains, a design weight was computed. The household design weight W_{Di} for the i^{th} domain is the inverse of the sampling fraction for the i^{th} domain ($f_i = n_i/N_i$). To take care of differential nonresponse in different domains, the design weight for each domain is multiplied by the inverse of the response rates.

The household weight (W_{Hi}) for the i^{th} domain is then:

$$W_{Hi} = \frac{W_{Di}}{R_{Hi}}$$

where

 R_{Hi} = response rate of the household interview (number of completed household interviews divided by the number of households selected for interview)

After adjustment for nonresponse, the weights are normalized so that the total number of weighted cases is equal to the total number of unweighted cases. This is done by multiplying W_{Hi} for each domain by the ratio of total number of unweighted cases to total number of weighted cases (obtained by applying weights before normalization to the number of cases in each domain).

The final state household weight is calculated as

$$\hat{W}_{Hi} = W_{Hi} * \left[\frac{\sum n_i}{\left(\sum W_{Hi} * n_i \right)} \right]$$

Because of the normalization of the state household weight at the state level, the normalized state household weight cannot be used for national indicators. A set of national weights is thus calculated. The final national household weight is based on the state household weight W_{Hi} (after correction for nonresponse and before normalization at the state level) normalized at the national level.

Calculation of state and national women's and men's weights. The state level and national level women's weights are derived exactly the same way as the household weights. The only difference is that the response rate of the household interview is replaced by the response rate of the household interview (R_{Hi}) times the response rate of the women's interview (R_{Wi}). The eligible women's weight is:

$$W_{Wi} = \frac{W_{Di}}{R_{Hi} * R_{Wi}}$$

Normalization of W_{Wi} at the individual state level gives the state's normalized women's weight; normalization at the national level for all states together gives the all-India normalized women's weight.

Men's weights are calculated in the same way by incorporating the men's response rates.

The state and national HIV household weights and HIV individual weights are also calculated in a similar fashion. The only difference is the normalization of the individual HIV weights. Since HIV prevalence is reported not only for women and men separately, but also for women and men together, the individual HIV weights must be normalized for women and men together at the individual state level and at the national level, respectively.

Calculation of state and national domestic violence weights. Unlike all other sections of the Woman's Questionnaire, the section on domestic violence was not administered to all women in the household. This was part of a strategy built into the questionnaire to maintain confidentiality and to protect respondents from any potential security-related problems. Only one eligible woman in each selected household was administered the section on domestic violence. In households with more than one eligible woman, the woman that the module was administered to was randomly selected through a specially designed simple selection procedure based on the

Kish Grid (see the NFHS-3 Household Questionnaire) which was built into the Household Questionnaire.

The selection of one woman per sample household implies that women who were selected for the domestic violence module of the questionnaire are a subsample of the entire NFHS-3 sample. This subsampling results in the need to generate one additional set of weights for estimating state and national indicators of domestic violence. The domestic violence weights (DW_{Wi}) are calculated the same way as other weights but they also take account of the number of eligible women in the household.

The domestic violence weight for women is:

$$DW_{Wi} = \frac{W_{Di}}{R_{Hi} * S_{Hi} * DR_{Wi}}$$

where

 S_{Hi} = the inverse of the number of eligible women in the household, and DR_{wi} = response rate of the women selected for the domestic violence module.

Normalization of DW_{Wi} at the individual state level gives the state's normalized domestic violence weight; normalization at the national level for all states together gives the all-India normalized domestic violence weight.

Sample implementation

NFHS-3 response rates for households, women, and men were discussed in Chapter 1, Section 1.7. Tables C.3.1 and C.3.2 provide additional information on the reasons for non-response for women and men, respectively. Response rates for HIV blood collection were estimated separately and were discussed in Chapter 12.

State	Region	2001 Census districts
Andhra Pradesh	I II IV V VI	Srikakulam, Vizianagaram, Visakhapatnam East Godavari, West Godavari, Krishna, Guntur Prakasam, Nellore Chittoor, Cuddapah, Anantapur, Kurnool Mahbubnagar, Rangareddi, Hyderabad, Medak, Nizamabad, Adilabad, Nalgonda Karimnagar, Warangal, Khammam
Arunachal Pradesh	I III IV V	Tawang, West Kameng, East Kameng Papumpare, Lower Subansiri, Upper Subansiri West Siang, East Siang, Upper Siang Darrang, Lohit Tirap, Changlang
Assam	I III IV V	Goalpara, Kamrup, Marigaon, Nagaon, Darrang Dhubri, Bongaigaon, Barpeta, Nalbari, Sonitpur Golaghat, Jorhat, Sibsagar, Dibrugarh, Tinsukia, Karimganj, Hailakandi, Cachar Lakhimpur, Dhemaji Karbi Anglong
Bihar	I II IV V VI	Saran, Siwan, Gopalganj, Pashchim Champaran, Purba Champaran Sitamarhi, Vaishali, Darbhanga, Madhubani, Samastipur, Muzaffarpur, Saharsa, Sheohar, Supaul Purnia, Araria, Kishanganj, Katihar, Madhepura Patna, Bhojpur, Rohtas, Buxor, Kaimur (Bhabua) Munger, Khagaria, Bhagalpur, Banka, Jamui, Lakhisarai, Sheikhpura Nalanda, Gaya, Jehanabad, Aurangabad, Nawada, Begusarai
Chhattisgarh	 	Koriya, Surguja, Bilaspur, Korba, Janjgir-champa, Jashpur, Raigarh Kawaedha, rajnandgao, Durg, Raipur, Mahasamund, Dhamtari Kanker, Bastar, Dantewada
Goa		Each district is one region
Gujarat	 V V V V V X	Jamnagar, Rajkot Surendranagar, Bhavnagar, Amreli Junagadh, Porbandar Kachchh, Banaskantha Sabarkantha, Mahesana, Patan Gandhinagar, Ahmedabad Kheda, Anand Panch Mahals, Vadodara, Dohad Bharuch, Surat, Valsad, The Dangs, Narmada, Navsari
Haryana	 V	Faridabad, Gurgaon, Sonipat Ambala, Kaithal, Karnal, Kurukshetra, Panipat, Yamunanagar, Panchkula Bhiwani, Mahendragarh, Rewari, Sirsa Hissar, Jind, Rohtak, Fatehbad, Jhajjar
Himachal Pradesh	 	Chamba, Lahaul-Spiti, Kinnaur Kangra, Hamirpur, Una, Mandi, Kullu Bilaspur, Shimla, Solan, Sirmaur
Jammu & Kashmir	 V	Kargil, Leh Anantnag, Pulwama, Srinagar, Badgam, Baramulla Kupwara, Rajouri, Poonch Doda, Udhampur, Kathua, Jammu
Jharkhand	 	Deogarh, Godda, sahibganj, Pakaur, Dumka Chatra, Hazaribagh, Kodarma, Giridh, Bokaro, Dhanbad Garhwa, Palamu, Lohardagga, Gumla, Ranchi, Pashchim Singhbhum, Purbi Singhbhum
Karnataka	I II IV V VI	Bidar, Bijapur, Gulbarga, Raichur, Bagalkot, Koppal Belgaum, Dharwad, Gadag, Haveri Dakshina Kannada, Kodagu, Uttara Kannada, Udupi Chikmagalur, Shimoga Bangalore rural, Bellary, Chitradurga, Kolar, Tumkur, Davangere Hassan, Mandya, Mysore, Chamrajnagar
Kerala		Each district is one region

State	Region	2001 Census districts
Madhya Pradesh	I II IV V VI	Panna, Rewa, Satna, Sidhi, Shahdol, Chhatarpur, Tikamgarh, Umaria Raisen, Sagar, Damoh, Vidisha, Bhopal, Sehore Dewas, Dhar, Indore, Jhabua, Ujjain, Rajgarh, Ratlam, Mandsaur, Shajapur, Neemuch Mandla, Jabalpur, Seoni, Narsimhapur, Chhindwara, Balaghat, Dindori, Katni Betul, Hoshangabad, East Nimar, West Nimar, Barwani, Harda Gwalior, Bhind, Morena, Datia, Guna, Shivpuri, Sheopur
Maharashtra	I II IV V VI	Thane, Raigad, Ratnagiri, Sindhudurg Nasik, Dhule, Jalgaon, Nandurbar Ahmednagar, Pune, Satara, Sangli, Solapur, Kolhapur Aurangabad, Jalna, Parbhani, Bid, Latur, Osmanabad, Buldhana, Akola, Amaravati, Washim, Hingoli Yeotmal, Wardha, Nagpur, Nanded Bhandara, Chandrapur, Gadchiroli, Gondiya
Manipur	 	Senapati, Tamenglang, Ukhrul Churchandpur, Chandel Bishnupur , Imphal West, Imphal East, Toubal
Meghalaya	I II IV V	West Garo Hills East Garo Hills, South Garo Hills West Khasi Hills Ri Bhoi, East Khasi Hills Jantia Hills
Mizoram	 	Kolasib, Mamit, Aizwal, Champhal, Serchip Lunglei Lawangttai, Saita
Nagaland	 V	Tuensang, Mon Mokakchung, Zunhebota Wokha , Dimapur Kohima , Phek
Orissa	I II IV	Sundargarh, Kendujhar, Mayurbhanj Phulabani, Koraput, Baudh, Malkangiri, Navarangapur, Rayagada Sambalpur, Balangir, Kalahandi, Bargarh, Debagarh, Jharsuguda, Nuapada, Sonapur Baleshwar, Cuttack, Ganjam, Puri, Dhenkanal, Anugul, Bhadrak, Gajapati, Jagatsinghpur, Jajapur, Kendrapara, Khordha, Nayagarh
Punjab	 V	Gurdaspur, Amritsar, Firozpur Jalandhar, Kapurthala, Hoshiarpur, Rupnagar, Nawashahr Ludhiana, Patiala, Sangrur, Fatehgarh Sahib Bhatinda, Faridkot, Mansa, Moga, Muktsar
Rajasthan	I II IV	Ganganagar, Bikaner, Churu, Jaisalmer, Jodhpur, Nagaur, Pali, Barmer, Jalor, Sirohi, Hanuman garh Jhunjhunun, Alwar, Bharatpur, Dhaulpur, Sawai Madhopur, Jaipur, Sikar, Ajmer, Tonk, Bhilwara, Dausa, Karauli Dungarpur, Banswara, Udaipur, Rajasamand Chhitaurgarh, Bundi, Kota, Jhalawar, Baran
Sikkim		Each district is one region
Tripura		Each district is one region
Tamil Nadu	I II IV V	Coimbatore, Dindigul Anna (Dindigul), Madurai (Madura and Theni), Periyar (Erode), Nilgiri North Arcot-Ambedkar (Vellore), Dharmapuri, Tiruvannamalai-Sambuvarayan, Salem (Salem and Namakal), Tiruchirappalli (Tiruchirapalli, Karur and Perambalur), Ariyalur Kanniyakumari Chengalpattu-MGR (Kanchipuram and Tiruvallur), South Arcot (Cuddalore and Villupuram), Thanjavur, (Thanjavur, Nagappattinam and Tiruvarur), Chennal Pudukkottai, Pasumpon, Muthuramalinga Thevar (Sivagangai), Kamarajar (Virudhunagar), Ramanathapuram, Chidambaranar (Thootukudi), Tirunelveli Kattabomman (Tirunelveli)
Uttaranchal	 	Dehradun, Hardwar, Udham Singh Nagar Uttar Kashi, Tehri Garhwal, Rudra Prayag, Pauri Garhwal Chamoli, Bageshwar, Pitorgarh, Almora, Nainital, Champawat
		Continued

State	Region	2001 Census districts
Uttar Pradesh	1 11 111 1V	Bijnor, Ghaziabad, Meerut, Moradabad, Rampur, Saharanpur, Muzzafarnagar, Agra, Aligarh, Bareilly, Budaun, Bulandshahr, Etah, Farrukhabad, Firozabad, Mainpuri, Pilibhit, Shahjahanpur, Etawah, Mathura, Auraiya, Baghpat, Goutam Buddha Nagar, Hathras, Jyotiba Phule Nagar, Kannauj Kheri, Hardoi, Rae Bareli, Sitapur, Barabanki, Fatehpur, Kanpur Dehat, Kanpur Nagar, Lucknow, Unnao Allahabad, Gonda, Prataggarh, Sultanpur, Bahraich, Faizabad, Azamgarh, Basti, Deoria, Gorakhpur, Jaunpur, Maharajganj, Mau, Siddharthnagar, Ballia, Gazipur, Varanasi, Mirzapur, Sonbhadra, Ambedkar Nagar, Balrampur, Chandauli, Kaushambi, Kushinagar, Sant Kabir Nagar, Sant Ravidas Nagar, Shrawasti Banda, Lalitpur, Hamirpur, Jalaun, Jhansi, Chitrakoot, Mahoba
West Bengal	I II IV V	Jalpaiguri, Darjeeling Koch Bihar, West Dinajpur (Uttar Dinajpur and Dakshin Dinajpur), Maldah, Murshidabad Nadia, Haora, Hugli, North Twenty-Four Parganas, South Twenty-Four Parganas, Barddhaman Medinipur, Bankura, Birbhum Puruliya

			Number of primary sampling units				
		_		Urban			
State	2001 population ¹	Variables for rural stratification	Slum	Non-slum	Total	Rural	Total
Andhra Pradesh	76,208,158	Region (group of districts) HIV Prevalence Village size Percent of SC/ST population Female literacy (implicit)	28	31	91	104	195
Arunachal Pradesh	1,093,199	Region (group of districts) Village size Female literacy (implicit)	na	na	17	48	65
Assam	26,651,050	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	na	na	29	58	87
Bihar	82,991,525	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	31	71	102
Chhattisgarh	20,832,242	Region (group of districts) Village size Female literacy Percent of SC/ST population (implicit)	na	na	30	64	94
Delhi	13,850,477	Village size Female literacy (implicit)	37	67	104	8	112
Goa	1,347,641	Region Village size Female literacy (implicit)	na	na	63	63	126
Gujarat	50,670,013	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	43	70	113
Haryana	21,144,059	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	29	62	91
Himachal Pradesh	6,064,355	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	34	72	106
Jammu & Kashmir	10,142,775	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	na	na	32	65	97
Jharkhand	26,937,511	Region (group of districts) Village size Female literacy Percent of SC/ST population (implicit)	na	na	34	61	95
Karnataka	52,843,804	Region (group of districts) HIV Prevalence Village size Percent of SC/ST population Female literacy (implicit)	na	na	64	112	176
Kerala	31,841,187	Region (group of districts) Female literacy	na	na	34	91	125
Madhya Pradesh	60,336,893	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	30	33	94	92	186
		remaic meracy (implicit)				C	ntinued

State Maharashtra Manipur	2001 population ¹ 96,874,368	Variables for rural stratification Region (group of districts) HIV Prevalence	Slum 72	Urban Non-slum	Total	Rural	Total
Maharashtra		Region (group of districts) HIV Prevalence		Non-slum	Total	Rural	Total
	96,874,368	HIV Prevalence	72				
Manipur		Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)		80	203	86	289
	2,166,589	Region (group of districts) HIV Prevalence Village size Female literacy (implicit)	na	na	57	98	155
Meghalaya	2,317,408	Region (group of districts) Village size Percent males in nonagricultural work Female literacy (implicit)	na	na	25	46	71
Mizoram	888,451	Region (group of districts) Village size Percent of SC/ST population (implicit)	na	na	31	33	64
Nagaland	1,990,021	Region (group of districts) HIV Prevalence Village size Female literacy (implicit)	na	na	76	125	201
Orissa	36,792,823	Region (group of districts) Village size Female literacy Percent of males in nonagricultural work Percent of SC/ST population (implicit)	na	na	32	83	115
Punjab	24,356,831	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	na	na	34	65	99
Rajasthan	56,500,901	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	na	na	32	74	106
Sikkim	540,768	Region Village size Percent of SC/ST population Female literacy (implicit)	na	na	19	41	60
Tamil Nadu	62,405,273	Region (group of districts) HIV Prevalence Village size Percent of SC/ST population Female literacy (implicit)	32	36	110	104	214
Tripura	3,199,145	Region Village size Percent of SC/ST population Female literacy (implicit)	na	na	17	39	56
Uttaranchal	8,480,537	Region (group of districts) Village size Percent of SC/ST population Female literacy (implicit)	na	na	32	66	98
Uttar Pradesh	166,171,011	Region (group of districts) Village size Percent of SC/ST population Percent of males in nonagricultural work Female literacy (implicit)	33	36	133	220	353

			Number of primary sampling units					
				Urban				
State	2001 population ¹	Variables for rural stratification	Slum	Non-slum	Total	Rural	Total	
West Bengal	80,171,814	Region (group of districts) Village size Percent of SC/ST population Percent of males in non-agricultural work Female literacy (implicit)	39	43	119	86	205	
India	1,025,810,829		271	326	1,649	2,201	3,850	
na = Not applicab SC = Scheduled ca ST = Scheduled tri	le aste ibe	s population, excluding persons living in v			,	,	_,000	

Table C.3.1 Sample implementation: Women

Percent distribution of households and eligible women by results of the household and individual interviews, and household, eligible women, and overall response rates, by residence, India, 2005-06

	Resi	Residence				
Result	Urban	Rural	Total			
Selected households						
Completed (C)	92.3	94.5	93.5			
Household present but no competent						
respondent at home (HP)	1.4	1.1	1.2			
Postponed (P)	0.1	0.0	0.0			
Refused (R)	1.4	0.2	0.8			
Dwelling not found (DNF)	0.1	0.1	0.1			
Household absent (HA)	2.2	2.0	2.1			
Dwelling vacant/address not a dwelling (DV)	2.5	1.9	2.1			
Dwelling destroy (DD)	0.1	0.2	0.1			
Total	100.0	100.0	100.0			
Number of sampled households	54,453	62,199	116,652			
Household response rate (HRR) ¹	96.9	98.5	97.7			
Eligible women						
Completed (EWC)	93.3	95.5	94.5			
Not at home (EWNH)	3.4	2.6	2.9			
Postponed (EWP)	0.1	0.0	0.1			
Refused (EWR)	2.3	0.8	1.5			
Partly completed (EWPC)	0.3	0.2	0.2			
Incapacitated (EWI)	0.4	0.6	0.5			
Other (EWO)	0.3	0.2	0.3			
Total	100.0	100.0	100.0			
Number of women	61,028	70,568	131,596			
Eligible women response rate (EWRR) ²	93.3	95.5	94.5			
Overall response rate (ORR) ³	90.4	94.1	92.4			

(HRR) is calculated as:

100 * C C + HP + P + R + DNF

 2 Using the number of eligible women falling into specific response categories, the eligible women response rate (EWRR) is calculated as:

100 * EWC

EWC + EWNH + EWP + EWR + EWPC + EWI + EWO

 3 The overall response rate (ORR) is calculated as: ORR = HRR * EWRR/100

Table C.3.2 Sample implementation: Men

Percent distribution of households and eligible men by results of the household and individual interviews, and household, eligible men, and overall response rates, by residence, India, 2005-06

	Resi	dence	
Result	Urban	Rural	Total
Selected households			
Completed (C)	91.8	94.3	93.1
Household present but no competent			
respondent at home (HP)	1.3	1.2	1.3
Postponed (P)	0.1	0.0	0.1
Refused (R)	1.7	0.2	0.9
Dwelling not found (DNF)	0.1	0.1	0.1
Household absent (HA)	2.2	2.1	2.1
Dwelling vacant/address not a dwelling			
(DV)	2.6	1.9	2.2
Dwelling destroyed (DD)	0.2	0.2	0.2
Total	100.0	100.0	100.0
Number of sampled households	36,313	37,661	73,974
Household response rate (HRR) ¹	96.6	98.4	97.5
Eligible men			
Completed (EMC)	84.6	89.9	87.1
Not at home (EMNH)	11.2	7.6	9.5
Postponed (EMP)	0.1	0.0	0.1
Refused (EMR)	3.0	1.1	2.1
Partly completed (EMPC)	0.1	0.1	0.1
Incapacitated (EMI)	0.5	0.8	0.7
Other (EMO)	0.4	0.4	0.4
Total	100.0	100.0	100.0
Number of men	45,133	40,240	85,373
Eligible men response rate (EMRR) ²	84.6	89.9	87.1
Overall response rate (ORR) ³	81.8	88.4	84.9

rate (HRR) is calculated as:

 $\frac{100 * C}{C + HP + P + R + DNF}$

² Using the number of eligible men falling into specific response categories, the eligible men response rate (EMRR) is calculated as:

100 * EMC

EMC + EMNH + EMP + EMR + EMPC + EMI + EMO ³ The overall response rate (ORR) is calculated as: ORR = HRR * EMRR/100

The estimates from a sample survey are affected by two types of errors: (1) nonsampling errors, and (2) sampling errors. Nonsampling errors are the results of mistakes made in implementing data collection and data processing, such as failure to locate and interview the correct household, misunderstanding of the questions on the part of either the interviewer or the respondent, and data entry errors. Although numerous efforts were made during the implementation of the third National Family Health Survey 2005-06 (NFHS-3) to minimize this type of error, nonsampling errors are impossible to avoid and difficult to evaluate statistically.

Sampling errors, on the other hand, can be evaluated statistically. The sample of respondents selected in NFHS-3 is only one of many samples that could have been selected from the same population, using the same design and expected size. Each of these samples would yield results that differ somewhat from the results of the actual sample selected. Sampling errors are a measure of the variability between all possible samples. Although the degree of variability is not known exactly, it can be estimated from the survey results.

A sampling error is usually measured in terms of the *standard error* for a particular statistic (mean, percentage, etc.), which is the square root of the variance. The standard error can be used to calculate confidence intervals within which the true value for the population can reasonably be assumed to fall. For example, for any given statistic calculated from a sample survey, the value of that statistic will fall within a range of plus or minus two times the standard error of that statistic in 95 percent of all possible samples of identical size and design.

If the sample of respondents had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the NFHS-3 sample is the result of a multi-stage stratified design, and, consequently, it was necessary to use more complex formulae. The computer software used to calculate sampling errors for NFHS-3 is programmed in SAS. This procedure uses the Taylor linearization method for variance estimation for survey estimates that are means or proportions. The Jackknife repeated replication method is used for variance estimation of more complex statistics such as total fertility rate and child mortality rates.

The Taylor linearization method treats any percentage or average as a ratio estimate, r = y/x, where y represents the total sample value for variable y, and x represents the total number of cases in the group or subgroup under consideration. The variance of r is computed using the formula given below, with the standard error being the square root of the variance:

$$SE^{2}(r) = var(r) = \frac{1-f}{x^{2}} \sum_{h=1}^{H} \left[\frac{m_{h}}{m_{h}-1} \left(\sum_{i=1}^{m_{h}} z_{hi}^{2} - \frac{z_{h}^{2}}{m_{h}} \right) \right]$$

in which

$$z_{hi} = y_{hi} - rx_{hi}$$
, and $z_h = y_h - rx_h$

where h represents the stratum which varies from 1 to H,

- m_h is the total number of clusters selected in the h^{th} stratum,
- y_{hi} is the sum of the weighted values of variable y in the *i*th cluster in the *h*th stratum,
- x_{hi} is the sum of the weighted number of cases in the *i*th cluster in the *h*th stratum, and
- *f* is the overall sampling fraction, which is so small that it is ignored.

The Jackknife repeated replication method derives estimates of complex rates from each of several replications of the parent sample, and calculates standard errors for these estimates using simple formulae. Each replication considers *all but one* clusters in the calculation of the estimates. Pseudo-independent replications are thus created. In the NFHS-3 sample, there were 3850 non-empty clusters. Hence, 3850 replications were created. The variance of a rate r is calculated as follows:

$$SE^{2}(r) = var(r) = \frac{1}{k(k-1)} \sum_{i=1}^{k} (r_{i} - r)^{2}$$

in which

$$r_i = kr - (k-1)r_{(i)}$$

where r

is the estimate computed from the full sample of 3850 clusters, is the estimate computed from the reduced sample of 3849 clusters (i^{th} cluster

- $r_{(i)}$ is the estimate computed from the reduced sample of 3849 clusters (*i*th cluster excluded), and
- *k* is the total number of clusters.

In addition to the standard error, the design effect (DEFT) for each estimate is also computed, which is defined as the ratio between the standard error using the given sample design and the standard error that would result if a simple random sample had been used. A DEFT value of 1.0 indicates that the sample design is as efficient as a simple random sample, while a value greater than 1.0 indicates the increase in the sampling error due to the use of a more complex and less statistically efficient design. Relative standard error (SE/R) and confidence limits (R±2SE) for each estimate are also computed.

Sampling errors for NFHS-3 are calculated for selected variables considered to be of primary interest for woman's survey and for man's surveys, respectively. The results are presented in this appendix for the country as a whole, and for the urban and rural areas. For each variable, the type of statistic (mean, proportion, or rate) and the base population are given in Table D.1. Table D.2 presents the value of the statistic (R), its standard error (SE), the number of unweighted (N) and weighted (WN) cases, the design effect (DEFT), the relative standard error (SE/R), and the 95 percent confidence limits (R \pm 2SE), for each variable. The DEFT is

considered undefined when the standard error for a simple random sample is zero (when the estimate is close to 0 or 1). In the case of the total fertility rate, the number of unweighted cases is not relevant, as there is no known unweighted value for woman-years of exposure to childbearing.

Variable	Estimate	Base population
Sex ratio (females per 1,000 males)	Ratio	De facto household population, all ages
No education	Proportion	De facto household population age 6+
Tuberculosis prevalence	Rate	100,000 usual household residents
Using adequately iodized salt	Proportion	Households
Urban residence	Proportion	Women/men age 15-49
No education	Proportion	Women/men age 15-49
Completed 12 or more years of education	Proportion	Women/men age 15-49
Never married, including married gauna not performed		Women/men age 15-49
Currently married	Proportion	Women/men age 15-49
Married before age 18	Proportion	Women age 20-49
Married before age 21	Proportion	Men age 25-49
Children ever born	Mean	Women age 15-49
Children surviving	Mean	Women age 15-49
Ever used any contraceptive method	Proportion	Currently married women age 15-49
Currently using any method	Proportion	Currently married women age 15-49
Currently using a modern method	Proportion	Currently married women age 15-49
Currently using a traditional method	Proportion	Currently married women age 15-49
Currently using female sterilization	Proportion	Currently married women age 15-49
Currently using pill	Proportion	Currently married women age 15-49
Currentlý using IUD	Proportion	Currently married women age 15-49
Currentlý using condom	Proportion	Currently married women age 15-49
Using public medical sector source of contraception	Proportion	Women age 15-49 currently using modern methods of contraception
Want no more children	Proportion	Currently married women/men age 15-49
Want to delay next birth at least 2 years	Proportion	Currently married women/men age 15-49
Ideal number of children	Mean	Women/men age 15-49
Mother received ANC from health personnel	Proportion	Women with at least one birth in last five years (last birth)
Took iron or folic acid (IFA) for 90 days or more	Proportion	Women with at least one birth in last five years (last birth)
Births delivered by a skilled provider	Proportion	Births in last 5 years
Institutional delivery	Proportion	Births in last 5 years
Postpartum check for mother within 2 days of birth	Proportion	Women with at least one birth in last five years (last birth)
Treated with ORS packets	Proportion	Children under age 5 years with diarrhoea in last 2 weeks
Children with diarrhoea taken to a health provider	Proportion	Children under age 5 years with diarrhoea in last 2 weeks
Child's vaccination card seen by interviewer	Proportion	Children age 12-23 months
Child received BCG vaccination	Proportion	Children age 12-23 months
Child received DPT vaccination (3 doses)	Proportion	Children age 12-23 months
Child received polio vaccination (3 doses)	Proportion	Children age 12-23 months
Child received measles vaccination Child fully vaccinated	Proportion Proportion	Children age 12-23 months
	Proportion	Children age 12-23 months Children age 6-59 months
Given vitamin A supplement in last 6 months Ever experienced physical or sexual violence	Proportion	Women age 15-49
Weight-for-height, wasting (below -2SD)	Proportion	Children under age 5 years who were measured
Height-for-age, stunting (below -25D)	Proportion	Children under age 5 years who were measured
Weight-for-age, underweight (below -2SD)	Proportion	Children under age 5 years who were measured
Body mass index (BMI) < 18.5	Proportion	Women/men age 15-49 who were measured
Body mass index (BMI) \geq 25.0	Proportion	Women/men age 15-49 who were measured
Have heard of AIDS	Proportion	Women/men age 15-49
Comprehensive knowledge about HIV/AIDS	Proportion	Women/men age 15-49
Total and age-specific fertility rates (last 3 years)	Rate	Women
Mortality rates	Rate	Births in last 5 years
Women/men with any anaemia	Proportion	Women/men age 15-49
Children with any anaemia	Proportion	Children age 6-59 months
HIV prevalence	Proportion	Women/men/total age 15-24, women/men/total age 15-49

		Standard	i <u>a, 2005-06</u> Number	of cases	Design	Relative	Confide	nce limits
/ariable/	Value	error	Unweighted	Weighted	effect	standard error		
esidence	(R)	(SE)	(N)	(WN)	(DEFT)	(SE/R)	R-2SE	R+2SE
			Sex ratio (fe	emales per 1,0	000 males, a	all ages)		
Jrban	939	5.331	116,901	82,562	1.732	0.006	928	949
Rural	1,030	4.220	140,198	175,144	1.416	0.004	1,021	1,038
Fotal	1,000	3.357	257,099	257,707	1.554	0.003	994	1,007
						n age 6+ years)		
Urban	0.253	0.006	98,040	69,184	3.790	0.024	0.241	0.265
Rural Fotal	0.486 0.415	0.004 0.003	124,562 222,602	156,130 225,314	2.465 2.862	$0.008 \\ 0.008$	0.479 0.408	0.494 0.421
Total	0.415		education (ho	,			0.400	0.421
Jrban	0.125	0.004	104,202	73,341	3.381	0.034	0.116	0.133
Rural	0.265	0.004	120,273	148,779	2.477	0.014	0.258	0.133
Fotal	0.219	0.003	224,475	222,120	2.769	0.013	0.213	0.225
		Tuberc	ulosis prevalen	ce (per 100,0	00 usual ho	usehold residents)		
Jrban	319	20.364	229,391	162,133	1.626	0.064	278	359
Rural	502	20.329	286,860	359,894	1.494	0.041	461	542
Fotal	445	15.377	516,251	522,027	1.605	0.035	414	475
			0	quately iodize				
Jrban	0.715	0.009	49,370	34,950	4.659	0.013	0.696	0.734
Rural Fotal	0.412 0.511	$0.006 \\ 0.005$	58,081 107,451	72,504 107,455	3.020 3.466	0.015 0.010	$0.400 \\ 0.500$	0.424 0.521
Total	0.511	0.005	,	residence (wor			0.500	0.521
Fotal	0 2 2 9	0.006			4.314	0.018	0.217	0.240
otal	0.328	0.006	124,385	124,385			0.317	0.340
				residence (m	0			
Fotal	0.366	0.006	69,834	69,751	3.438	0.017	0.353	0.378
			No ed	ucation (wom	en age 15-4	19)		
Jrban	0.220	0.007	56,961	40,817	3.949	0.031	0.206	0.233
Rural	0.497	0.005	67,424	83,568	2.689	0.010	0.487	0.507
Fotal	0.406	0.004	124,385	124,385	3.091	0.011	0.397	0.415
				ducation (me	U U			
Urban Rural	$0.095 \\ 0.230$	0.004 0.005	35,930 33,904	25,504 44,247	2.647 2.110	0.043 0.021	0.086 0.220	0.103 0.239
Total	0.230	0.005	33,904 69,834	44,247 69,751	2.110	0.021	0.220	0.239
- otal	01100		,			omen age 15-49)	0117.0	01107
Urban	0.244	0.007	56,961	40,817	3.802	0.028	0.230	0.258
Rural	0.059	0.002	67,424	83,568	2.007	0.020	0.055	0.063
Fotal	0.120	0.003	124,385	124,385	2.846	0.022	0.114	0.125
		Con	pleted 12 or n	nore years of e	education (r	nen age 15-49)		
Jrban	0.305	0.008	35,930	25,504	3.109	0.025	0.290	0.320
Rural	0.135	0.003	33,904	44,247	1.803	0.025	0.128	0.142
Fotal	0.197	0.004	69,834	69,751	2.357	0.018	0.190	0.204
						ned (women age 1		
Jrban	0.253	0.003	56,961	40,817	1.699	0.012	0.247	0.259
Rural Fotal	0.181 0.205	0.002 0.002	67,424 124,385	83,568 124,385	1.471 1.587	0.012 0.009	0.177 0.201	0.185 0.208
Jul						med (men age 15		0.200
Urban	0.425	0.004	35,930	25,504	1.723	0.011	0.416	0.434
Rural	0.425	0.004	33,930	25,504 44,247	1.435	0.011	0.416	0.434
Fotal	0.363	0.003	69,834	69,751	1.580	0.008	0.357	0.369
Lula a u	0 701	0.000		y married (wo	0		0.004	0 707
Jrban Rural	0.701 0.772	0.003 0.002	56,961 67,424	40,817 83,568	1.665 1.420	0.005 0.003	0.694 0.767	0.707 0.776
Fotal	0.772	0.002	124,385	124,385	1.551	0.003	0.745	0.770
				itly married (m				
Jrban	0.566	0.005	35,930	25,504	1.722	0.008	0.557	0.575
Rural	0.5657	0.003	33,904	44,247	1.427	0.008	0.650	0.575
Total	0.624	0.003	69,834	69,751	1.574	0.005	0.618	0.629
								Continued

		Standard	Number	of cases	Design	Relative	Confide	nce limits
/ariable/	Value	error	Unweighted	Weighted	effect	standard error		
esidence	(R)	(SE)	(N)	(WN)	(DEFT)	(SE/R)	R-2SE	R+2SE
			Married be	efore age 18 (v	women age	20-49)		
Jrban	0.415	0.007	46,580	33,355	3.180	0.018	0.400	0.429
Rural	0.662	0.004	53,850	66,219	2.074	0.006	0.654	0.671
Fotal	0.579	0.004	100,430	99,574	2.465	0.007	0.572	0.587
				pefore age 21	0			
Urban Bural	0.249	0.007	22,412	16,068	2.446	0.028	0.235	0.263
Rural Fotal	$0.467 \\ 0.389$	$0.006 \\ 0.005$	21,884 44,296	28,685 44,754	1.719 2.023	0.012 0.012	0.456 0.380	0.479 0.398
otai	0.000	0.000	1	ever born (wo			01000	0.000
Urban	1.874	0.019	56,961	40,817	2.424	0.010	1.836	1.912
Rural	2.446	0.013	67,424	83,568	1.537	0.005	2.419	2.472
Fotal	2.258	0.011	124,385	124,385	1.815	0.005	2.236	2.280
				surviving (wo	men age 15	5-49)		
Urban	1.717	0.016	56,961	40,817	2.294	0.009	1.686	1.749
Rural Fotal	2.131 1.995	0.011 0.009	67,424 124,385	83,568 124,385	1.496 1.749	$0.005 \\ 0.005$	2.109 1.977	2.152 2.013
lotal			,	,				2.015
Irban			/ /		2.292	ried women age 1		0.752
Urban Rural	0.743 0.624	0.005 0.004	38,382 49,543	28,604 64,485	2.292	0.007 0.007	0.732 0.615	0.753 0.633
Total	0.660	0.004	87,925	93,089	2.030	0.007	0.653	0.667
			1	,		women age 15-49		
Urban	0.640	0.005	38,382	28,604	2.080	0.008	0.629	0.650
Rural	0.530	0.004	49,543	64,485	1.890	0.008	0.521	0.538
Fotal	0.563	0.003	87,925	93,089	2.022	0.006	0.557	0.570
		Currently	using a modern	method (curr	ently marrie	ed women age 15-	-49)	
Jrban	0.558	0.006	38,382	28,604	2.191	0.010	0.547	0.569
Rural	0.453	0.004	49,543	64,485	1.865	0.009	0.445	0.461
Fotal	0.485	0.003	87,925	93,089	2.024	0.007	0.479	0.492
		,	0		,	ried women age 1.		0.000
Urban Rural	0.081 0.076	0.003 0.002	38,382 49,543	28,604 64,485	2.315 1.742	0.040 0.027	0.075 0.072	0.088 0.081
Total	0.078	0.002	87,925	93,089	1.934	0.022	0.074	0.081
		Currently u	,		rently marri	ed women age 15	-49)	
Urban	0.378	0.006	38,382	28,604	2.623	0.017	0.365	0.391
Rural	0.371	0.004	49,543	64,485	1.942	0.011	0.363	0.379
Total	0.373	0.004	87,925	93,089	2.168	0.009	0.366	0.380
		Cu	rrently using pi	1		ien age 15-49)		
Urban	0.038	0.002	38,382	28,604	2.036	0.052	0.034	0.042
Rural	0.028	0.001	49,543	64,485	1.629	0.043	0.025	0.030
Fotal	0.031	0.001	87,925	93,089	<u>1.777</u>	0.034	0.029	0.033
Inden	0.022		, 0	/		nen age 15-49)	0.020	0.026
Urban Rural	0.032 0.011	0.002 0.001	38,382 49,543	28,604 64,485	1.885 1.271	0.053 0.055	0.029 0.010	0.036 0.012
Total	0.017	0.001	87,925	93,089	1.522	0.039	0.016	0.012
						omen age 15-49)		
Urban	0.098	0.003	38,382	28,604	2.096	0.033	0.091	0.104
Rural	0.032	0.001	49,543	64,485	1.418	0.035	0.030	0.035
Total	0.052	0.001	87,925	93,089	1.715	0.025	0.050	0.055
			Using public m					
	0 5 6 0		0	, 0		ods of contraceptic		0 -0-
Urban Rural	$0.568 \\ 0.782$	$0.009 \\ 0.005$	21,781 23,434	16,685 30,556	2.613 1.853	0.015 0.006	0.550 0.772	0.585 0.792
Total	0.782	0.005	45,215	47,241	2.166	0.008	0.772	0.792
						omen age 15-49)		
Urban	0.739	0.004	38,382	28,604	1.650	0.005	0.732	0.747
Rural	0.690	0.003	49,543	64,485	1.507	0.005	0.683	0.696
Fotal	0.705	0.002	87,925	93,089	1.607	0.004	0.700	0.710
		Wa	nt no more chi	dren (current	ly married n	nen age 15-49)		
Jrban	0.713	0.005	19,405	14,434	1.648	0.008	0.702	0.723
Rural	0.703	0.004	21,169	29,068	1.398	0.006	0.694	0.712
Fotal	0.706	0.003	40,574	43,501	1.518	0.005	0.699	0.713
								Continued

		Standard	Number	of cases	Design	Relative	Confide	ence limits
/ariable/	Value	error	Unweighted	Weighted	effect	standard error	D. ACE	D . 065
residence	(R)	(SE)	(N)	(WN)	(DEFT)	(SE/R)	R-2SE	R+2SE
Jrban	0.102	0.003	38,382	east 2 years (c 28.604	1.674	rried women age ⁻ 0.025	0.096	0.107
Rural	0.102	0.003	49,543	28,004 64,485	1.402	0.023	0.090	0.107
Fotal	0.117	0.002	87,925	93,089	1.519	0.014	0.114	0.121
	ν	Vant to del		least 2 years	,	narried men age 15	5-49)	
Jrban	0.124	0.004	19,405	14,434	1.582	0.030	0.116	0.131
Rural Fotal	0.126 0.125	$0.003 \\ 0.003$	21,169 40,574	29,068 43,501	1.440 1.534	0.026 0.020	0.119 0.120	0.132 0.130
- Ottai	0.125	0.005	,	er of children			0.120	0.150
Jrban	2.065	0.012	55,745	39,967	3.774	0.006	2.040	2.090
Rural	2.409	0.010	65,178	81,213	2.736	0.004	2.389	2.429
Fotal	2.295	0.008	120,923 Ideal num	<u>121,181</u> ber of childrei	3.085	0.003	2.279	2.311
Jrban	2.087	0.013	35,405	25,138	2.965	0.006	2.060	2.114
Rural	2.343	0.011	33,195	43,367	2.174	0.005	2.321	2.365
Fotal	2.249	0.009	68,600	68,505	2.477	0.004	2.232	2.266
			•			t one birth in last fi	,	
Urban Rural	0.894 0.687	$0.008 \\ 0.006$	14,527 22,323	10,626 29,051	3.041 2.070	$0.009 \\ 0.009$	0.878 0.675	0.909 0.700
Fotal	0.743	0.005	36,850	39,677	2.331	0.007	0.732	0.753
Took ir	on or foli	c acid (IFA)		more (womer	n with at lea	ist one birth in last	five years,	last birth)
Jrban	0.348	0.009	14,527	10,626	2.375	0.027	0.329	0.367
Rural Fotal	0.188 0.231	0.004 0.004	22,323 36,850	29,051 39,677	1.601 1.807	0.022 0.017	0.180 0.223	0.197 0.239
otai	0.251		<i>.</i>	,		the last five years)	0.225	0.235
Jrban	0.735	0.012	19,483	14,303	3.009	0.016	0.711	0.758
Rural	0.375	0.007	32,072	42,135	2.082	0.018	0.361	0.388
Fotal	0.466	0.006	51,555	56,438	2.354	0.013	0.454	0.478
Jrban	0.675	0.013	19,483	lelivery (births 14,303	3.111	0.019	0.649	0.700
Rural	0.289	0.006	32,072	42,135	2.085	0.021	0.277	0.301
Fotal	0.387	0.006	51,555	56,438	2.371	0.015	0.375	0.399
				,		ast birth in last five		
Urban Rural	0.610 0.286	0.011 0.006	14,527 22,323	10,626 29,051	2.735 1.841	0.018 0.019	$0.588 \\ 0.275$	0.633 0.297
Total	0.373	0.005	36,850	39,677	2.135	0.014	0.362	0.297
	Treate	d with ORS	6 packets (child	lren under age	e 5 years wi	th diarrhoea in last	2 weeks)	
Urban	0.326	0.018	1,691	1,215	1.500	0.056	0.290	0.363
Rural Fotal	$0.238 \\ 0.260$	0.011 0.009	2,749 4,440	3,540 4,755	1.274 1.365	0.045 0.035	0.216 0.242	0.259 0.279
			,	,		e 5 years with diar		
Urban	0.645	0.018	1,691	1,215	1.483	0.028	0.608	0.681
Rural	0.582	0.013	2,749	3,540	1.339	0.023	0.556	0.608
Fotal	0.598	0.011	4,440	4,755	1.426	0.018	0.577	0.620
Lula a se				,		en age 12-23 mon		0.400
Urban Rural	0.462 0.345	0.014 0.009	3,666 5,916	2,723 7,696	1.741 1.461	0.031 0.026	0.433 0.327	0.490 0.363
Total	0.375	0.008	9,582	10,419	1.572	0.020	0.360	0.391
		Child		vaccination (children age	e 12-23 months)		
Urban Dural	0.869	0.010	3,666	2,723	1.801	0.012	0.848	0.889
Rural Fotal	0.751 0.781	0.009 0.007	5,916 9,582	7,696 10,419	1.622 1.756	0.012 0.009	0.732 0.767	0.769 0.796
						n age 12-23 month		5.7 5 0
Jrban	0.691	0.014	3,666	2,723	1.875	0.021	0.662	0.720
Rural	0.504	0.010	5,916	7,696	1.553	0.020	0.484	0.525
Fotal	0.553	0.009	9,582	10,419	1.700	0.015	0.536	0.570
Urban	0.831	0.010	3,666	2,723	ses) (childre 1.623	n age 12-23 mont 0.012	hs) 0.810	0.951
Jrban Rural	0.831	0.010	3,666 5,916	2,723 7,696	1.623	0.012	0.810	0.851 0.782
Fotal	0.782	0.007	9,582	10,419	1.613	0.009	0.769	0.796
								Continued

		Standard	Number	of cases	Design	Relative	Confide	nce limits
Variable/	Value	error	Unweighted	Weighted	effect	standard error		
residence	(R)	(SE)	(N)	(ŴN)	(DEFT)	(SE/R)	R-2SE	R+2SE
		Child r	eceived measl	es vaccination	(children a	ge 12-23 months)		
Jrban	0.718	0.013	3,666	2,723	1.767	0.018	0.691	0.744
Rural	0.542	0.010	5,916	7,696	1.549	0.018	0.522	0.562
Total	0.588	0.008	9,582	10,419	1.682	0.014	0.571	0.605
			Child fully vac		0			
Urban	0.576	0.015	3,666	2,723	1.789	0.025	0.547	0.605
Rural Total	0.386 0.435	$0.009 \\ 0.008$	5,916 9,582	7,696 10,419	1.470 1.606	0.024 0.018	0.367 0.419	0.404 0.451
Total			/	,		lren age 6-59 mon		0.451
Urban	0.197	0.007	16,926	12,417	2.188	0.037	0.182	0.211
Rural	0.177	0.005	27,097	35,324	1.805	0.026	0.168	0.186
Total	0.182	0.004	44,023	47,742	1.960	0.021	0.175	0.190
		Ever ex	perienced phy	sical or sexual	violence (v	vomen age 15-49)		
Urban	0.294	0.007	37,877	27,371	2.792	0.022	0.281	0.307
Rural	0.383	0.005	45,826	56,332	2.187	0.013 0.011	0.373 0.346	0.392
Total	0.354	0.004	83,703	83,703	2.398			0.361
vv Urban	0.169	0.005	15,694	11.337	ars who we 1.762	re measured and a 0.032	0.159	0.180
Orban Rural	0.169	0.005	26,846	35,318	1.762	0.032	0.159	0.180
Total	0.198	0.003	42,540	46,655	1.564	0.015	0.192	0.204
F	leight-for-	age, stunti	ng (children un	der age 5 yea	rs who were	e measured and ar	e below -29	5D)
Urban	0.396	0.008	15,694	11,337	1.906	0.020	0.380	0.412
Rural	0.507	0.005	26,846	35,318	1.553	0.010	0.498	0.517
Total	0.480	0.004	42,540	46,655	1.698	0.009	0.472	0.489
Wei	ight-for-aរ្	ge, underw	0	0 /	ears who w	ere measured and	are below	-2SD)
Urban	0.327	0.008	15,694	11,337	1.942	0.024	0.311	0.342
Rural Total	0.456 0.425	0.005 0.004	26,846	35,318	1.539	0.011 0.010	0.446	0.466
TULAI			42,540	46,655	1.701	who were measur	0.416	0.433
Urban					0			0.250
Rural	$0.250 \\ 0.406$	$0.005 \\ 0.003$	50,690 61,293	36,366 75,416	2.364 1.724	$0.018 \\ 0.008$	0.241 0.400	0.259 0.413
Total	0.356	0.003	111,983	111,781	1.972	0.008	0.350	0.361
		Body ma	ss index (BMI)	< 18.5 (men a	age 15-49 v	vho were measure	d)	
Urban	0.265	0.005	32,583	23,304	1.962	0.018	0.256	0.275
Rural	0.384	0.004	32,384	42,438	1.633	0.011	0.375	0.393
Total	0.342	0.003	64,967	65,742	1.818	0.010	0.335	0.349
		,			0	9 who were measu		
Urban	0.235	0.005	50,690	36,366	2.520	0.020	0.225	0.244
Rural Total	0.074 0.126	0.002 0.002	61,293 111,983	75,416 111,781	1.646 2.085	0.024 0.016	0.071 0.122	0.078 0.131
Total	0.120			,		who were measure		0.151
Urban	0.159	0.004	32,583	23,304	1.960	0.025	0.151	0.167
Rural	0.056	0.004	32,384	42,438	1.428	0.025	0.052	0.060
Total	0.093	0.002	64,967	65,742	1.678	0.020	0.089	0.096
			Have heard	of HIV/AIDS	(women age	e 15-49)		
Urban	0.832	0.007	56,961	40,817	4.163	0.008	0.819	0.845
Rural	0.500	0.006	67,424	83,568	3.157	0.012	0.488	0.512
Total	0.609	0.005	124,385	124,385	3.565	0.008	0.599	0.619
	0.0	0.04		d of HIV/AIDS	0		0.0.1	
Urban	0.948	0.003	35,930	25,504	2.687	0.003	0.942	0.954
Rural Total	0.771 0.836	$0.005 \\ 0.004$	33,904 69,834	44,247 69,751	$2.355 \\ 2.656$	0.007 0.004	$0.760 \\ 0.828$	0.782 0.843
	5.050		,	,		/omen age 15-49)	0.020	0.015
Urban	0.303	0.007	56,961	40.817	3.692	0.023	0.289	0.317
Rural	0.303	0.007	67,424	83,568	2.403	0.025	0.209	0.115
Total	0.173	0.003	124,385	124,385	2.940	0.018	0.167	0.179
		Com	orehensive kno	wledge about	HIV/AIDS ((men age 15-49)		
Urban	0.466	0.008	35,930	25,504	2.882	0.016	0.451	0.481
Rural	0.251	0.005	33,904	44,247	1.988	0.019	0.242	0.261
Total	0.330	0.004	69,834	69,751	2.383	0.013	0.321	0.338
								Continued

		Standard	Number	of cases	Design	Relative	Confide	ence limits
/ariable/	Value	error	Unweighted	Weighted	effect	standard error		
esidence	(R)	(SE)	(N)	(WN)	(DEFT)	(SE/R)	R-2SE	R+2SE
			Tota	l fertility rate (last 3 years))		
Jrban	2.064	0.038	na	115,817	1.999	0.019	1.988	2.141
Rural	2.977	0.039	na	234,526	1.573	0.013	2.900	3.055
Total	2.679	0.031	na	350,344	1.754	0.011	2.617	2.740
			(15-19) age	specific fertili	,	,		
Urban	0.057	0.003	na	23,000	1.832	0.044	0.052	0.061
Rural Total	0.105 0.090	$0.002 \\ 0.002$	na na	51,462 74,461	1.426 1.589	0.021 0.019	0.101 0.087	0.110 0.094
TULAI	0.090	0.002		specific fertili			0.007	0.094
Urban	0.166	0.004	na	21,969	1.744	0.022	0.159	0.173
Rural	0.231	0.004	na	44,583	1.399	0.013	0.225	0.175
Total	0.209	0.002	na	66,552	1.550	0.011	0.205	0.214
			(25-29) age	specific fertili	ty rate (last	3 years)		
Urban	0.123	0.003	na	19,511	1.579	0.025	0.117	0.130
Rural	0.146	0.003	na	39,498	1.313	0.017	0.141	0.152
Total	0.139	0.002	na	59,010	1.430	0.014	0.135	0.143
			(30-34) age	specific fertili	1	1		
Urban	0.048	0.002	na	17,367	1.571	0.045	0.044	0.053
Rural Total	0.069	0.002 0.002	na	34,469 51,836	1.378	0.031 0.026	0.065	0.074
IUldi	0.062	0.002	(25, 20) area	51,836	1.484		0.059	0.066
	0.040	0.004	ş	specific fertili	,	1	0.011	0.016
Urban Rural	0.013 0.031	0.001 0.002	na na	15,467 29,493	1.600 1.299	$0.096 \\ 0.048$	0.011 0.028	0.016 0.034
Total	0.025	0.002	na	44,959	1.433	0.043	0.020	0.027
				specific fertili				
Urban	0.004	0.001	na	12,116	1.630	0.209	0.002	0.006
Rural	0.009	0.001	na	23,505	1.242	0.098	0.007	0.000
Total	0.007	0.001	na	35,621	1.381	0.089	0.006	0.009
			(45-49) age	specific fertili	ty rate (last	3 years)		
Urban	0.001	0.000	na	6,387	1.342	0.479	0.000	0.002
Rural	0.004	0.001	na	11,517	1.239	0.207	0.002	0.006
Total	0.003	0.001	na	17,904	1.356	0.192	0.002	0.004
				natal mortality	,			
Urban	28.5	1.794	19,680	14,435	1.480	0.063	24.9	32.1
Rural Total	42.5 39.0	1.369 1.130	32,322 52,002	42,443 56,878	1.185 1.314	0.032 0.029	39.8 36.7	45.3 41.2
ΤΟΙΔΙ	35.0	1.150	,	eonatal morta			50.7	71.2
Urban	13.0	1.217	19,788	14,530	1.515	0.093	10.6	15.5
Rural	19.7	0.996	32,357	42,454	1.285	0.051	17.7	21.7
Total	18.0	0.807	52,145	56,984	1.404	0.045	16.4	19.6
			Int	fant mortality	(0-4 years)			
Urban	41.5	2.175	19,705	14,452	1.467	0.052	37.2	45.9
Rural	62.2	1.721	32,369	42,516	1.241	0.028	58.8	65.7
Total	57.0	1.417	52,074	56,968	1.363	0.025	54.1	59.8
				nild mortality (,			
Urban	10.6	1.063	20,014	14,775	1.465	0.100	8.5	12.7
Rural	21.0	1.083	32,709	43,087	1.360	0.051	18.9	23.2
Total	18.4	0.860	52,723	57,862	1.482	0.047	16.6	20.1
	F4 -	0 500		er-five mortali			10.0	FCO
Urban Rural	51.7 82.0	2.532 1.999	19,791 32,642	14,519 42,897	1.519 1.270	0.049 0.024	46.6 78.0	56.8 86.0
Total	82.0 74.3	1.661	52,642 52,433	42,897 57,416	1.401	0.024	78.0	77.6
			Women with a					
Urban	0.509	0.005	49,813	36,967	2.421	0.010	0.499	0.520
Rural	0.574	0.003	62,901	79,888	1.916	0.007	0.499	0.520
Total	0.553	0.003	112,714	116,855	2.107	0.006	0.547	0.559
				ny anaemia (m		49 years)		
Urban	0.177	0.005	30,018	22,773	2.179	0.026	0.168	0.186
Rural	0.277	0.005	30,369	41,963	1.828	0.016	0.268	0.286
Total	0.242	0.003	60,387	64,736	2.037	0.014	0.235	0.249
								Continued

		Standard	Number	of cases	Design	Relative	Confide	nce limits
Variable/ residence	Value (R)	error (SE)	Unweighted (N)	Weighted (WN)	effect (DEFT)	standard error (SE/R)	R-2SE	R+2SE
		С	hildren with an	y anaemia (cł	nildren age (6-59 months)		
Urban	0.630	0.008	13,445	10,133	1.850	0.012	0.614	0.645
Rural	0.715	0.004	23,687	32,255	1.534	0.006	0.706	0.724
Total	0.695	0.004	37,132	42,388	1.665	0.006	0.687	0.702
			HIV pre	evalence (wor	nen age 15-	-24)		
Urban	0.161	0.075	9,365	6,382	1.805	0.464	0.012	0.311
Rural	0.092	0.029	10,332	13,896	0.983	0.318	0.034	0.151
Total	0.114	0.031	19,697	20,278	1.289	0.272	0.052	0.176
			HIV p	prevalence (me	en age 15-2	4)		
Urban	0.113	0.049	9,149	6,025	1.399	0.435	0.015	0.211
Rural	0.080	0.028	8,016	10,465	0.886	0.350	0.024	0.136
Total	0.092	0.025	17,165	16,490	1.091	0.275	0.041	0.142
			HIV prevale	nce (men and	women ag	e 15-24)		
Urban	0.138	0.046	18,514	12,408	1.674	0.331	0.046	0.229
Rural	0.087	0.020	18,348	24,361	0.940	0.236	0.046	0.128
Total	0.104	0.021	36,862	36,768	1.223	0.197	0.063	0.145
			HIV pre	evalence (wor	nen age 15-	-49)		
Urban	0.287	0.056	25,738	17,475	1.682	0.195	0.175	0.399
Rural	0.182	0.023	27,115	35,856	0.890	0.127	0.136	0.228
Total	0.216	0.024	52,853	53,332	1.189	0.111	0.168	0.265
			HIV p	prevalence (me	en age 15-4	9)		
Urban	0.411	0.065	24,240	16,502	1.578	0.158	0.281	0.541
Rural	0.324	0.044	22,810	30,009	1.166	0.135	0.237	0.412
Total	0.355	0.037	47,050	46,512	1.331	0.103	0.282	0.428
			HIV prevale	nce (men and	women ag	e 15-49)		
Urban	0.347	0.044	49,978	33,978	1.676	0.127	0.259	0.435
Rural	0.247	0.027	49,925	65,866	1.215	0.109	0.193	0.301
Total	0.281	0.023	99,903	99,843	1.391	0.083	0.234	0.328

DATA QUALITY TABLES

	Won	nen	Men			Women		Men	
Age	Number	Percent	Number	Percent	Age	Number	Percent	Number	Percent
0	5,458	2.1	5,699	2.2	37	1,872	0.7	1,779	0.7
1	5,038	2.0	5,697	2.2	38	3,378	1.3	3,146	1.2
2	5,226	2.0	5,839	2.3	39	1,490	0.6	1,327	0.5
3	5,632	2.2	6,122	2.4	40	7,032	2.7	7,689	3.0
4	5,546	2.2	6,068	2.4	41	1,086	0.4	1,057	0.4
5	5,566	2.2	6,152	2.4	42	2,589	1.0	2,714	1.1
6	6,432	2.5	6,795	2.6	43	1,417	0.5	1,228	0.5
7	6,121	2.4	6,309	2.4	44	1,147	0.4	1,146	0.4
8	6,788	2.6	7,104	2.8	45	5,499	2.1	6,710	2.6
9	5,169	2.0	5,487	2.0	46	1,405	0.5	1,421	0.6
5 10	6,795	2.6	7,661	3.0	40	1,343	0.5	1,183	0.5
11	4,681	1.8	5,113	2.0	48	1,859	0.7	2,190	0.3
12		2.7	7,633	3.0	40 49	790	0.7	2,190 950	0.8
12	7,022 6,380	2.7	7,633 6,430	2.5	49 50		1.0		0.4 1.9
						2,481		4,781 875	
14	4,633	1.8	5,408	2.1	51	1,883	0.7		0.3
15	4,794	1.9	4,710	1.8	52	3,318	1.3	1,673	0.6
16	5,488	2.1	5,104	2.0	53	1,503	0.6	892	0.3
17	4,443	1.7	4,273	1.7	54	1,168	0.5	716	0.3
18	6,367	2.5	6,209	2.4	55	5,294	2.1	2,786	1.1
19	3,863	1.5	3,504	1.4	56	1,228	0.5	2,257	0.9
20	6,855	2.7	5,650	2.2	57	691	0.3	1,124	0.4
21	3,349	1.3	3,498	1.4	58	1,159	0.4	1,854	0.7
22	5,749	2.2	5,109	2.0	59	420	0.2	626	0.2
23	3,911	1.5	3,455	1.3	60	6,152	2.4	5,489	2.1
24	3,457	1.3	3,397	1.3	61	350	0.1	447	0.2
25	7,736	3.0	6,492	2.5	62	1,013	0.4	1,162	0.5
26	3,858	1.5	3,537	1.4	63	416	0.2	502	0.2
27	3,264	1.3	3,066	1.2	64	261	0.1	447	0.2
28	4,969	1.9	4,354	1.7	65	4,153	1.6	4,147	1.6
29	2,213	0.9	1,946	0.8	66	269	0.1	422	0.2
30	8,167	3.2	7,574	2.9	67	257	0.1	385	0.1
31	1,669	0.6	1,560	0.6	68	538	0.2	557	0.2
32	4,236	1.6	3,879	1.5	69	214	0.1	222	0.1
33	2,088	0.8	1,734	0.7	70+	8,250	3.2	8,422	3.3
34	2,022	0.8	1,760	0.7	Don't know/missing	[′] 35	0.0	, 14	0.0
35	8,338	3.2	8,585	3.3	,				
36	2,518	1.0	2,453	1.0	Total	257,801	100.0	257,707	100.0

Table E.2.1 Age distribution of eligible and interviewed women

De facto household population of women age 10-54, interviewed women age 15-49, and percentage of eligible women who were interviewed (weighted), by five-year age groups, India, 2005-06

	Household population of	Interviewed we	Percentage of eligible women	
Age group	women age 10-54	Number	Percent	interviewed
10-14	29,511	na	na	na
15-19	24,954	23,779	19.2	95.3
20-24	23,320	22,092	17.8	94.7
25-29	22,040	20,969	16.9	95.1
30-34	18,183	17,421	14.0	95.8
25-39	17,596	16,830	13.6	95.6
40-44	13,271	12,686	10.2	95.6
45-49	10,895	10,312	8.3	94.6
50-54	10,353	na	na	na
15-49	130,259	124,088	100.0	95.3

Note: The de facto population includes all residents and nonresidents who stayed in the household the night before the interview. For all columns, the age distribution is taken from the ages reported on the Household Questionnaire. The total number of interviewed women in this table differs from the number in earlier tables because this table uses household weights rather than individual weights for the calculations.

na = Not applicable

Table E.2.2 Age distribution of eligible and interviewed men

De facto household population of men age 10-59, interviewed men age 15-54, and percentage of eligible men who were interviewed (weighted), India, 2005-06

	Household	Interviewed n	Percentage of eligible men	
Age group	1 1		Percent	interviewed
10-14	21,150	na	na	na
15-19	14,570	13,113	17.6	90.0
20-24	13,290	11,723	15.8	88.2
25-29	12,247	10,720	14.4	87.5
30-34	10,528	9,256	12.4	87.9
25-39	11,007	9,727	13.1	88.4
40-44	8,962	7,906	10.6	88.2
45-49	7,942	7,073	9.5	89.1
50-54	5,531	4,850	6.5	87.7
55-59	5,609	na	na	na
15-54	84,078	74,369	100.0	88.5

Note: The de facto population includes all residents and nonresidents who stayed in the household the night before the interview. For all columns, the age distribution is taken from the ages reported on the Household Questionnaire. The total number of interviewed men in this table differs from the number in earlier tables because this table uses household weights rather than individual weights for the calculations.

na = Not applicable

Table E.3 Completeness of reporting

Subject	Reference group	Percentage with missing information	Number of cases
Birth date	Births in the 15 years before the survey		
Month only Month and year		1.23 0.17	180,641 180,641
Age at death	Deceased children born in the 15 years preceding the survey	0.09	16,424
Age/date at first marriage ¹			
Women	Ever-married women age 15-49	0.11	98,923
Men	Ever-married men age 15-54	0.06	49,422
Respondent's education			
Women	Women age 15-49	0.01	124,385
Men	Men age 15-54	0.02	74,369
Diarrhoea in past two weeks	Children age 0-59 months	0.40	52,868
Anthropometry: Women	Women age 15-49 (from the Household Questionnaire)		
Height		8.44	130,259
Weight		8.42	130,259
Height or weight		8.46	130,259
Anthropometry: Men	Men age 15-54 (from the Household Questionnaire)		
Height		16.37	84,078
Weight		16.31	84,078
Height or weight		16.39	84,078
Anthropometry: Children	Children age 0-59 months (from the Household Questionnaire)		
Height		11.83	56,084
Weight		11.46	56,084
Height or weight		11.86	56,084
Anaemia			
Women	Women age 15-49 (from the Household Questionnaire)	10.27	130,259
Men	Men age 15-54 (from the Household Questionnaire)	17.69	84,078
Children	Children age 6-59 months (from the Household Questionnaire)	16.31	50,651

Table E.4 Births by calendar year

Number of births, percentage with complete birth date, sex ratio at birth, and calendar year ratio by calendar year, according to living (L), dead (D), and total (T) children (weighted), India, 2005-06

	N	Number of births			Percentage with complete birth date ¹			ex ratio at bir	th ²	Cal	Calendar year ratio ³		
Calendar year	L	D	Т	L	D	Т	L	D	Т	L	D	Т	
2006	2,116	88	2,204	100.0	100.0	100.0	940	873	938	na	na	na	
2005	10,699	572	11,271	100.0	100.0	100.0	952	807	944	na	na	na	
2004	10,494	620	11,114	100.0	99.8	100.0	899	807	894	na	na	na	
2003	10,584	796	11,380	100.0	99.7	100.0	881	1,079	893	99.8	108.1	100.3	
2002	10,716	853	11,569	100.0	100.0	100.0	938	1,201	956	100.3	106.1	100.8	
2001	10,774	812	11,587	100.0	98.6	99.9	904	1,068	914	97.8	92.0	97.4	
2000	11,318	914	12,232	99.8	97.2	99.6	928	1,043	936	100.7	89.7	99.8	
1999	11,699	1,226	12,925	98.5	94.3	98.1	931	949	933	100.7	111.4	101.6	
1998	11,914	1,288	13,203	98.7	94.7	98.3	930	908	928	101.2	98.0	100.9	
1997	11,849	1,403	13,252	98.3	94.6	97.9	925	959	929	106.0	108.4	106.2	
2000-2004	53,886	3,995	57,881	99.9	99.0	99.9	910	1,045	919	na	na	na	
1995-1999	58,122	6,653	64,775	98.4	94.7	98.0	927	953	930	na	na	na	
1990-1994	50,387	6,823	57,210	97.9	93.9	97.4	916	998	925	na	na	na	
1985-1989	39,591	6,639	46,230	97.1	92.7	96.5	957	937	954	na	na	na	
<1985	33,341	7,959	41,301	96.3	91.8	95.4	901	864	894	na	na	na	
All	248,142	32,730	280,872	98.2	94.0	97.7	923	944	926	na	na	na	

na = Not applicable

¹ Both year and month of birth given.

 2 (B_f/B_m^{'}) x 1000, where B_f and \breve{B}_m are the numbers of female and male births, respectively.

 3 [2B_x/(B_{x-1}+B_{x+1})] x 100, where B_x is the number of births in calendar year x.

Table E.5 Reporting of age at death in days

Distribution of reported deaths under one month of age by age at death in days and the percentage of neonatal deaths reported to occur at ages 0-6 days, for five-year periods of birth preceding the survey (weighted), India, 2005-06

Age at death (days) <1 1 2 3 4 5 5 6 7 8 9 9 10	0-4 703 367 137 224 88 91 77 49 73 21	5-9 988 501 216 336 104 140 87 108	10-14 931 499 215 244 137 138 139	15-19 847 376 183 228 122 144	0-19 3,468 1,742 751 1,031 451 512
1 2 3 4 5 6 7 8 9 9 10	367 137 224 88 91 77 49 73	501 216 336 104 140 87 108	499 215 244 137 138 139	376 183 228 122 144	1,742 751 1,031 451
2 3 4 5 6 7 8 9 9	137 224 88 91 77 49 73	216 336 104 140 87 108	215 244 137 138 139	183 228 122 144	751 1,031 451
3 4 5 6 7 8 9 10	224 88 91 77 49 73	336 104 140 87 108	244 137 138 139	228 122 144	1,031 451
4 5 6 7 8 9 10	88 91 77 49 73	104 140 87 108	137 138 139	122 144	451
5 6 7 8 9 10	91 77 49 73	140 87 108	138 139	144	
6 7 8 9 10	77 49 73	87 108	139		512
7 8 9 10	49 73	108		100	
8 9 10	73			109	412
9 10			141	105	403
10	21	110	128	128	439
	31	47	61	46	185
	41	51	57	75	225
11	23	29	21	19	92
12	22	20	64	47	154
13	14	17	23	26	80
14	9	26	13	17	65
15	93	138	126	83	439
16	7	15	16	15	53
17	5	17	9	14	45
18	6	17	26	4	53
19	9	2	6	8	25
20	42	52	38	50	182
21	20	24	16	21	81
22	9	17	28	12	66
23	3	0	3	2	8
24	3	5	0	3	11
25	11	13	23	11	58
26	0	1	7	5	13
27	7	3 3	9	3 3	22
28 29	1 5	3 0	6 3	3 6	13
30	5 0	2	3 2	2	14 7
Missing	0	2	2	2	4
0					
Total 0-30 days	2,169	3,088	3,131	2,712	11,100
Percent early neonatal ¹	77.7	76.8	73.5	74.0	75.4

Table E.6 Reporting of age at death in months

Distribution of reported deaths under two years of age by age at death in months and the percentage of infant deaths reported to occur at age under one month, for five-year periods of birth preceding the survey, India, 2005-06

			ears preced	-	
Age at death (months)	0-4	5-9	10-14	15-19	0-19
<1 ^a	2,169	3,091	3,133	2,715	11,10
1	244	283	327	341	1,19
2	121	183	177	198	67
3	134	142	191	173	639
4	68	102	109	96	370
5	55	103	84	73	310
6	91	174	191	203	65
7	38	60	76	80	254
8	57	93	79	82	31
9	49	117	78	122	36
10	39	69	100	74	282
11	28	61	82	78	24
12	41	140	205	166	552
13	20	55	43	48	16
14	15	19	34	37	10
15	17	21	21	22	8
16	5	13	12	13	4
17	10	12	4	8	3.
18	73	120	130	102	42
19	4	2	6	4	1.
20	4	4	2	6	1
21	0	5	4	12	2
22	3	4	3	10	2
23	6	10	11	16	4
1 year	48	136	192	202	57
Missing	2	0	2	0	
Total 0-11 months	3,093	4,477	4,629	4,235	16,43
Percent neonatal ¹	70.1	69.0	67.7	64.1	67.0

¹ <1 month/<12 months

SURVEY INSTRUMENTS

The three core questionnaires (the Household Questionnaire, the Woman's Questionnaire, and the Man's Questionnaire) used in NFHS-3 are presented in this appendix. These questionnaires were used in all 29 states. However, since the fieldwork for NFHS-3 was conducted in two phases that spanned parts of two calendar years (2005 and 2006), the reference period for questions/sections that were reference-period specific was different for Phase 1 and Phase 2 states¹. The table below gives a list of the affected sections and questions with the reference year for the two phases of fieldwork.

		Reference year			
Questionnaire	Section and question number	Phase 1 states	Phase 2 states		
Household	Biomarkers for children (Qs. 69-84)	2000	2001		
Woman's	Section 2: Q. 225, Q. 226, Q. 228, Q. 229, and Qs. 233-239 Section 3: Q. 302, Q. 314, Q. 343, and Q. 344 Section 4: Qs. 401-477 Section 4: Qs. 478-482 Section 5: Qs. 501-556 and Q. 576 Section 5A: Qs. 577-591 Calendar	2000 2000 2000 2002 2000 1999 2000	2001 2001 2003 2001 2000 2001		

NFHS-3 questionnaires, shown here in English, were translated into 18 languages. Questionnaires in each state were bilingual, with questions in both the principal language of the state and English.

¹ Fieldwork was conducted from November 2005 to May 2006 (Phase 1) in Andhra Pradesh, Assam, Chhattisgarh, Delhi, Gujarat, Maharashtra, Meghalaya, Orissa, Punjab, Rajasthan, Uttar Pradesh, and West Bengal. Fieldwork was conducted from April 2006 to August 2006 (Phase 2) in Arunachal Pradesh, Bihar, Goa, Haryana, Himachal Pradesh, Jammu and Kashmir, Jharkhand, Karnataka, Kerala, Manipur, Madhya Pradesh, Mizoram, Nagaland, Sikkim, Tamil Nadu, Tripura, and Uttaranchal.

Questionnaire Jumber		AMILY HEALTH SURVEY, IN JSEHOLD QUESTIONNAIRI		- 3) CONFIDE For res purpose	earch
		IDENTIFICATIO	N		
STATE				[
DISTRICT					
TEHSIL/TALUK					
CITY/TOWN/VILLAGE					
		ETOWN/SMALL TOWN/RUF '=3, LARGE TOWN=4, SMAL			
PSU NUMBER					
HOUSEHOLD NUMBER					
NAME OF HOUSEHOLD	HEAD				
ADDRESS OF HOUSEHO					
HOUSEHOLD IS SELECT (YES = 1, NO = 2)		ERVIEW?			
HOUSEHOLD IS SELECT (YES = 1, NO = 2)		NG?			
		INTERVIEWER VIS	SITS		
	1	2	3	FINAL VISI	т
DATE		_	-	DAY MONTH YEAR	
INTERVIEWER'S NAME				INT. NUMBER	
RESULT*				RESULT CODE	
NEXT VISIT: DATE					
TIME			_	TOTAL NUMBER OF VISITS	
HOME 3 ENTIRI 4 POSTF 5 REFUS 6 DWELL 7 DWELL 8 DWELL	USEHOLD MEMBER At time of visit E Household Abs Poned Sed	AT HOME OR NO COMPET ENT FOR EXTENDED PERI DDRESS NOT A DWELLING (SPECIFY)		TOTAL PERSONS IN HOUSEHOLD TOTAL ELIGIBLE WOMEN TOTAL ELIGIBLE MEN LINE NO. OF RESPONDENT TO HOUSEHOLD QUESTIONNAIRE	
SUPERVI	SOR	FIELD E	DITOR		/ED BY

INTRODUCTION AND INFORMED CONSENT

Namaste. My name is are conducting a national survey about the health of women, men, and conditions, and use of health facilities. We would very much apprecent would like to ask you some questions about your household. The survey Whatever information you provide will be kept strictly confidential.	children, including information on household membership, eciate the participation of your household in this survey.
Participation in this survey is voluntary and you can choose not to answe that you will participate in this survey since your participation is importan	
At this time, do you want to ask me anything about the survey? ANSWER ANY QUESTIONS AND ADDRESS RESPONDENT'S CONCI	ERNS.
In case you need more information about the survey, you may contact the GIVE CARD WITH CONTACT INFORMATION.	lese persons.
May I begin the interview now?	
Signature of interviewer:	Date:
RESPONDENT AGREES TO BE INTERVIEWED 1 RESPO	DNDENT DOES NOT AGREE TO BE INTERVIEWED $\dots 2 \rightarrow END$
BEGIN INTERVIEW	

HOUSEHOLD SCHEDULE

Now we would like some information about the people who usually live in your household or who are staying with you now	٧.

LINE NO.		the people who us RELATIONSHIP TO HEAD OF HOUSEHOLD	SEX	,	DENCE	AGE	MARITAL STATUS	l	ELIGIBILI	ΓY	BIRTH REGIS- TRATION
	Please give me the names of the persons who usually live in your household and guests of the household who stayed here last night, starting with the head of the household.	What is the relationship of (NAME) to the head of the household? (A)	Is (NAME) male or female?	Does (NAME) usually live here?	Did (NAME) stay here last night?	How old is (NAME)? (B)	IF AGE 10 OR OLDER What is the current marital status of (NAME)? (C)	CIRCLE LINE NUMBER OF ALL WOMEN AGE 15-49	CIRCLE LINE NUMBER OF ALL MEN AGE 15-54	CIRCLE LINE NUMBER OF ALL CHILDREN UNDER AGE 6	IF AGE 0-4 Does (NAME) have a birth certificate? IF NO: Has (NAME)'s birth ever been regis- tered with the civil authority?(D)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
(.)	(=)	(0)	M F	YES NO	YES NO	IN YEARS	(0)	(0)	(10)	()	C R N DK
01			12	1 2	1 2			01	01	01	1238
02			1 2	1 2	1 2			02	02	02	1238
03			1 2	1 2	1 2			03	03	03	1238
04			1 2	12	1 2			04	04	04	1238
05			1 2	12	1 2			05	05	05	1238
06			1 2	1 2	1 2			06	06	06	1238
07			1 2	12	1 2			07	07	07	1238
08			1 2	1 2	1 2			08	08	08	1238
09			12	1 2	1 2			09	09	09	1238
10			12	1 2	1 2			10	10	10	1238
11			12	1 2	1 2			11	11	11	1238
12			1 2	1 2	1 2			12	12	12	1238
13			1 2	1 2	1 2			13	13	13	1238
14			1 2	1 2	1 2			14	14	14	1238
15			1 2	1 2	1 2			15	15	15	1238

LINE NO.	SURVIVORSHIP AN BIOLOGICAL		EDUCATION							
	IF AGE 0-1	17 YEARS	IF AGE 5 YEARS OR OLDER IF AGE 5-18 YEARS							
	Does (NAME)'s natural mother live in this household or did she stay here last night? IF YES: What is her name? RECORD MOTHER'S LINE NUMBER. IF NO: Is she alive? IF DEAD, RECORD '95'. IF ALIVE BUT NOT LISTED IN THE HOUSEHOLD, RECORD '00'.	Does (NAME)'s natural father live in this household or did he stay here last night? IF YES: What is his name? RECORD FATHER'S LINE NUMBER. IF NO: IS he alive? IF DEAD, RECORD '95'. IF ALIVE BUT NOT LISTED IN THE HOUSEHOLD, RECORD '00'.	Can (NAME) read and write?	Has (NAME) ever attended school?	What is the highest standard (NAME) has completed? (E)	Did (NAME) attend school or college at any time during the 2005 - 2006 school year?	During this/that school year, what standard/ year is/was (NAME) attending? (E)	Did (NAME) attend school or college at any time during the previous school year, that is, 2004 - 2005?	During that school year, what standard/ year did (NAME) attend? (E)	IF NO ON Q.18 What is the main reason (NAME) is not attending school? (F)
(12A)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)
			YES NO	YES NO	STANDARD	YES NO	STANDARD	YES NO	STANDARD	REASON
01			1 2	1 2 GO TO 23		1 2 ↓ GO TO 20		1 2 ↓ GO TO 22		
02			1 2	1 2 GO TO 23		1 2 ↓ GO TO 20		1 2 ↓ GO TO 22		
03			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
04			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
05			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 ↓ GO TO 22		
06			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
07			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
08			1 2	1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
09				1 2 GO TO 23		1 2 GO TO 20		1 2 ↓ GO TO 22		
10				1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
11				1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
12				1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
13				1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
14				1 2 GO TO 23		1 2 GO TO 20		1 2 GO TO 22		
15			1 2	1 2 GO TO 23		1 2 ↓ GO TO 20		1 2 GO TO 22		

LINE NO.				CHILD LABOUR			
			IF	AGE 5-14 YEARS	3		
	During the past week, did (NAME) do any kind of work for someone who is not a member of this household? IF YES: For pay? 1 YES, FOR PAY (CASH OR KIND) 2 YES, UNPAID 3 NO	Since last (DAY OF THE WEEK), about how many hours did he/she do this work for someone who is not a member of this household? (G) IF MORE THAN ONE JOB, INCLUDE ALL HOURS AT ALL JOBS	At any time during the past year, did (NAME) do any kind of work for someone who is not a member of this household? IF YES: For pay? 1 YES, FOR PAY (CASH OR KIND) 2 YES, UNPAID 3 NO	During the past week, did (NAME) help with household chores such as shopping, collecting firewood, cleaning, fetching water, or caring for children?	Since last (DAY OF THE WEEK), about how many hours did he/she spend doing these chores? (G)	During the past week, did (NAME) do any other family work, such as work on the farm, or in a business or selling goods in the street?	Since last (DAY OF THE WEEK), about how many hours did he/she do this work? (G)
(22A)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	YES	HOURS	YES	YES NO	HOURS	YES NO	HOURS
01	PAID UNPAID NO 1 2 3 GO TO 25	GO TO 26	PAID UNPAID NO 1 2 3	1 2 GO TO 28		1 2 ↓ GO TO NEXT LINE	
02	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 ↓ GO TO 28		1 2 GO TO NEXT LINE	
03	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE	
04	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 ↓ GO TO 28		1 2 ↓ GO TO NEXT LINE	
05	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 ↓ GO TO 28		1 2 ↓ GO TO NEXT LINE	
06	1 2 3 ↓ GO TO 25	GO TO 26	1 2 3	1 2 ↓ GO TO 28		1 2 ↓ GO TO NEXT LINE	
07	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE	
08	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 GO TO NEXT LINE	
09	1 2 3 GO TO 25	GO TO 26	1 2 3	GO TO 28		1 2 ↓ GO TO NEXT LINE	
10	1 2 3 GO TO 25	GO TO 26		GO TO 28		1 2 GO TO NEXT LINE	
11	1 2 3 GO TO 25	GO TO 26		GO TO 28		1 2 ↓ GO TO NEXT LINE	
12	1 2 3 GO TO 25	GO TO 26		GO TO 28		1 2 GO TO NEXT LINE	
13	1 2 3 GO TO 25	GO TO 26		1 2 GO TO 28		1 2 GO TO NEXT LINE	
14	1 2 3 GO TO 25	GO TO 26		1 2 GO TO 28		1 2 GO TO NEXT LINE	
15	1 2 3 GO TO 25	GO TO 26	1 2 3	1 2 GO TO 28		1 2 ↓ GO TO NEXT LINE	

	(A) CODES
TICK HERE IF CONTINUATION QUESTIONNAIRE USED	RELATION
	OF HOUS
4A Just to make sure that I have a complete household listing:	01 = HEAD
	02 = WIFE
a) Are there any other persons such as small children or ENTER EACH	03 = SON (
infants that we have not listed? YES IN TABLE NO	04 = SON-I
	DAUC
b) Are there any other people who may not be members of ENTER EACH	05 = GRAN
your family such as domestic servants, lodgers or YES IN TABLE NO	06 = PARE
friends who usually live here?	07 = PARE
	08 = BROT
c) Are there any guests or temporary visitors staying	09= BROTI
here, or anyone else who stayed here last night, who YES → IN TABLE NO	SISTE
have not been listed?	10 = NIECE
	11 = OTHE
	12 = ADOP
	CHILD
	13 = DOME
	14 = OTHE
	98 = DON'1

(E) CODES FOR Qs. 17, 19, AND 21

EDUCATION STANDARD: 00 = LESS THAN 1 YEAR COMPLETED (FOR Q.17 ONLY. THIS CODE IS NOT ALLOWED FOR Qs. 19 AND 21) 98 = DON'T KNOW

(F) CODES FOR Q. 22

REASON FOR NOT ATTENDING SCHOOL

- 01 = SCHOOL TOO FAR AWAY
- 02 = TRANSPORT NOT AVAILABLE
- 03 = FURTHER EDUCATION NOT CONSIDERED NECESSARY
- 04 = REQUIRED FOR HOUSEHOLD WOR 12 = NOT INTERESTED
- 05 = REQUIRED FOR WORK ON
- FARM/FAMILY BUSINESS
- 06 = REQUIRED FOR OUTSIDE WORK 14 = GOT MARRIED FOR PAYMENT IN CASH OR KIND 15= DID NOT GET ADMISSION
- 07 = COSTS TOO MUCH
- 08 = NO PROPER SCHOOL FACILITIES FOR GIRLS

<u>S FOR Q. 3</u> ISHIP TO HEAD EHOLD:

- OR HUSBAND OR DAUGHTER
- IN-LAW OR
- GHTER-IN-LAW
- NDCHILD
- INT
- NT-IN-LAW
- THER OR SISTER
- HER-IN-LAW OR
- R-IN-LAW E/NEPHEW
- ER RELATIVE PTED/FOSTER/STEP-
- ESTIC SERVANT
- R NOT RELATED

09=NOT SAFE TO SEND GIRLS

10 = NO FEMALE TEACHER

11 = REQUIRED FOR CARE

13 = REPEATED FAILURES

OF SIBLINGS

IN STUDIES

96 = OTHER

98 = DON'T KNOW

- **KNOW**

- R = REGISTRATION N = NEITHER DK = DON'T KNOW

C = CERTIFICATE

(G) CODES FOR Qs. 24, 27, AND 29

HOURS WORKED: 00 = LESS THAN 1 HOUR 95 = 95 HOURS OR MORE

(B) CODES FOR Q. 7

AGE 00 = AGE LESS THAN ONE YEAR 95 = AGE 95 YEARS OR MORE

(C) CODES FOR Q. 8

- MARITAL STATUS
- 1 = CURRENTLY MARRIED 2 = MARRIED, BUT GAUNA NOT
- PERFORMED
- 3 = WIDOWED
- 4 = DIVORCED
- 5 = SEPARATED
- 6 = DESERTED
- 7 = NEVER MARRIED

(D) CODES FOR Q. 12

BIRTH REGISTRATION

8 = DON'T KNOW

NO.	QUESTIONS AND FILTERS		CODING CATEGORIES	SKIP
30	Does any usual resident of your household suffer from tuberculosis?		YES 1 NO 2	→ 32
31	Who suffers from tuberculosis?		31A FOR EACH PERSON, ASK:	
	Anyone else?			
	RECORD LINE NUMBER(S).		Has (NAME) received medical treatment for the tuberculosis?	
	IF NO MORE TB CASES, RECORD '95'.	LINE	YES NO	
		NO.	1 2	
		NO.	1 2	
		NO. LINE		
		NO.	1 2	
32	What is the main source of drinking water for members of your household?		PIPED WATER PIPED INTO DWELLING	3
			UNPROTECTED WELL 32 WATER FROM SPRING 41 UNPROTECTED SPRING 42 RAINWATER 51	►3
			TANKER TRUCK 51 CART WITH SMALL TANK 61 SURFACE WATER (RIVER/DAM/ LAKE/POND/STREAM/CANAL/ IRRIGATION CHANNEL) 81	→ 3
			BOTTLED WATER 91	
			OTHER 96 (SPECIFY)	→ 3
33	What is the main source of water used by your household for other purposes such as cooking and handwashing?		PIPED WATER PIPED INTO DWELLING 11 PIPED TO YARD/PLOT 12 PUBLIC TAP/STANDPIPE 13 TUBE WELL OR BOREHOLE 21] → 3'
			DUG WELL PROTECTED WELL	
			UNPROTECTED SPRING	→ 3
			OTHER 96 (SPECIFY)	
34	Where is the water source located?		IN OWN DWELLING 1 IN OWN YARD/PLOT 2 ELSEWHERE 3] ↓ 3'

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
35	How long does it take to go there, get water, and come back in one trip?	MINUTES 996 ON THE PREMISES 998	→ 37
36	Who usually goes to this source to fetch the water for your household?	ADULT WOMAN 1 ADULT MAN 2 FEMALE CHILD 2 UNDER AGE 15 YEARS 3 MALE CHILD 3 UNDER AGE 15 YEARS 4 OTHER 6 (SPECIFY)	
37	Do you treat your water in any way to make it safer to drink?	YES	□ → 39
38	What do you usually do to the water to make it safer to drink? Anything else? RECORD ALL MENTIONED.	BOIL A USE ALUM B ADD BLEACH/CHLORINE TABLETS C STRAIN THROUGH A CLOTH D USE WATER FILTER (CERAMIC/ SAND/COMPOSITE/ETC.) E USE ELECTRONIC PURIFIER F LET IT STAND AND SETTLE G OTHER X (SPECIFY) DON'T KNOW	
39	What kind of toilet facility do members of your household usually use?	FLUSH OR POUR FLUSH TOILET FLUSH TO PIPED SEWER SYSTEM 11 FLUSH TO SEPTIC TANK 12 FLUSH TO SEPTIC TANK 13 FLUSH TO PIT LATRINE 13 FLUSH TO SOMEWHERE ELSE 14 FLUSH, DON'T KNOW WHERE 15 PIT LATRINE 15 PIT LATRINE 21 PIT LATRINE WITH SLAB 22 PIT LATRINE WITHOUT SLAB/ 0PEN PIT OPEN PIT 23 TWIN PIT/COMPOSTING TOILET 31 DRY TOILET 41 NO FACILITY/USES OPEN SPACE 51 OTHER 96	→ 42
40	Do you share this toilet facility with other households?	YES 1 NO 2	→ 42
41	How many households use this toilet facility?	NO. OF HOUSEHOLDS 0 IF LESS THAN 10 0 10 OR MORE HOUSEHOLDS 95 DON'T KNOW 98	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
42	When members of your household get sick, where do they generally go for treatment?	PUBLIC MEDICAL SECTORGOVT./MUNICIPAL HOSPITAL11GOVT. DISPENSARY12UHC/UHP/UFWC13CHC/RURAL HOSPITAL/PHC14SUB-CENTRE15ANGANWADI/ICDS CENTRE16GOVT. MOBILE CLINIC17OTHER PUBLIC SECTORHEALTH FACILITY18	→ 44
		NGO OR TRUST HOSPITAL/CLINIC21PRIVATE MEDICAL SECTOR PVT. HOSPITAL31PVT. DOCTOR/CLINIC32PVT. PARAMEDIC33VAIDYA/HAKIM/HOMEOPATH34TRADITIONAL HEALER35PHARMACY/DRUGSTORE36DAI (TBA)37OTHER PRIVATE SECTOR HEALTH FACILITY38OTHER SHOP41HOME TREATMENT42	
		OTHER96 (SPECIFY)	
43	Why don't members of your household generally go to a government facility when they are sick? Any other reason? RECORD ALL MENTIONED.	NO NEARBY FACILITY A FACILITY TIMING NOT CONVENIENT B HEALTH PERSONNEL OFTEN ABSENT C WAITING TIME TOO LONG D POOR QUALITY OF CARE E OTHER X (SPECIFY)	
44	What is the religion of the head of the household?	HINDU 01 MUSLIM 02 CHRISTIAN 03 SIKH 04 BUDDHIST/NEO-BUDDHIST 05 JAIN 06 JEWISH 07 PARSI/ZOROASTRIAN 08 NO RELIGION 09 OTHER 96	
45	What is the caste or tribe of the head of the household?	CASTE 1 (SPECIFY) 2 TRIBE 2 (SPECIFY) 2 NO CASTE/TRIBE 3 DON'T KNOW 8	→ 47
46	Is this a scheduled caste, a scheduled tribe, other backward class, or none of them?	SCHEDULED CASTE 1 SCHEDULED TRIBE 2 OBC 3 NONE OF THEM 4	

		QUESTIONS AND FILTERS CODING CATEGORIES S				
47	Does your household have:					
	Floatriaith	YES NO ELECTRICITY 1 2				
	Electricity? A mattress?	MATTRESS 1 2				
	A pressure cooker?	PRESSURE COOKER 1 2				
	A chair?	CHAIR				
	A cot or bed?	COT/BED 1 2				
	A table?	TABLE 1 2				
	A table ? An electric fan?	IABLE I 2 ELECTRIC FAN 1 2				
	A radio or transistor?	RADIO/TRANSISTOR 1 2				
	A black and white television?	B & W TELEVISION				
	A colour television?	COLOUR TELEVISION				
	A sewing machine?	SEWING MACHINE				
	A mobile telephone?	MOBILE TELEPHONE 1 2				
	Any other type of telephone?	ANY OTHER TELEPHONE 1 2				
	A computer?	COMPUTER 1 2				
	A refrigerator?	REFRIGERATOR 1 2				
	A watch or clock?	WATCH/CLOCK 1 2				
	A bicycle?	BICYCLE 1 2				
	A motorcycle or scooter?	MOTORCYCLE/SCOOTER 1 2				
	An animal-drawn cart?	ANIMAL-DRAWN CART 1 2				
	A car?	CAR 1 2				
	A water pump?	WATER PUMP 1 2				
	A thresher?	THRESHER 1 2				
	A tractor?	TRACTOR 1 2				
48	What type of fuel does your household mainly use for cooking?	ELECTRICITY 01	h			
		LPG/NATURAL GAS 02	➡ 51			
		BIOGAS 03	μ			
		KEROSENE 04				
		COAL/LIGNITE 05				
		CHARCOAL				
		WOOD				
		STRAW/SHRUBS/GRASS				
		DUNG CAKES 10				
		OTHER96				
		(SPECIFY)				
49	In this household, is food cooked on a stove, a chullah	STOVE 1				
	or an open fire?	CHULLAH 2				
		OPEN FIRE 3				
		OTHER6 (SPECIFY)				
50	Is the cooking done under a chimney?	YES 1				
		NO 2				
51	Is the cooking usually done in the house, in a separate building,	IN THE HOUSE 1				
51	or outdoors?	IN A SEPARATE BUILDING	h			
		OUTDOORS	→ 53			
		•				
		OTHER 6	μ			
		(SPECIFY)				
52	Do you have a separate room which is used as a kitchen?	YES 1	1			
52	Do you have a separate room which is used as a kitchen?	NO 2				
			L			

53 MAIN		CODING CATEGORIES	SKIP
	N MATERIAL OF THE FLOOR.	NATURAL FLOOR	
DI	ECORD OBSERVATION.	MUD/CLAY/EARTH 1 ¹ SAND 12	
	ECORD OBSERVATION.	DUNG	
		RUDIMENTARY FLOOR	
		RAW WOOD PLANKS 2 [°]	
		PALM/BAMBOO 22	
		BRICK	
		FINISHED FLOOR	,
		PARQUET OR POLISHED WOOD 3	
		VINYL OR ASPHALT	
		CERAMIC TILES 33	
		CEMENT	
		POLISHED STONE/MARBLE/	,
		GRANITE	5
		OTHER 96	
		(SPECIFY)	,
54 MAIN	N MATERIAL OF THE ROOF.	NATURAL ROOFING	
		NO ROOF	1
R	ECORD OBSERVATION.	THATCH/PALM LEAF/ REED/GRASS	,
		MUD	
		SOD/MUD AND GRASS MIXTURE 1	1
		PLASTIC/POLYTHENE SHEETING 1	5
		RUDIMENTARY ROOFING	
		RUSTIC MAT 2 PALM/BAMBOO 2	
		RAW WOOD PLANKS/TIMBER 2	
		UNBURNT BRICK	
		LOOSELY PACKED STONE 2	5
		FINISHED ROOFING METAL/GI	
		WOOD	
		CALAMINE/CEMENT FIBER	
		ASBESTOS SHEETS 3	1
		RCC/RBC/CEMENT/CONCRETE 3	
		ROOFING SHINGLES	
		SLATE	
		BURNT BRICK	
		OTHER 9	
		(SPECIFY)	,
55 MAIN	N MATERIAL OF THE EXTERIOR WALLS.	NATURAL WALLS	
		NO WALLS	
RE	ECORD OBSERVATION.	CANE/PALM/TRUNKS/BAMBOO 12 MUD 1	
		GRASS/REEDS/THATCH	
		RUDIMENTARY WALLS	
		BAMBOO WITH MUD	
		STONE WITH MUD 22	
		PLYWOOD	
		UNBURNT BRICK	
		RAW WOOD/REUSED WOOD	
		FINISHED WALLS	
		CEMENT/CONCRETE	
		STONE WITH LIME/CEMENT	
		CEMENT BLOCKS	
		WOOD PLANKS/SHINGLES	
		GI/METAL/ASBESTOS SHEETS 3	6
		OTHER 90	5
		(SPECIFY)	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
56	TYPE OF WINDOWS. RECORD OBSERVATION.	YESNOANY WINDOWS1QUINDOWS WITH GLASS1QUINDOWS WITH SCREENS1QUINDOWS WITH CURTAINS2OR SHUTTERS1QUINDOWS WITH CURTAINS2	
57	How many rooms in this household are used for sleeping?	ROOMS	
58	Does this household own this house or any other house?	YES 1 NO 2	
59	Does this household own any agricultural land?	YES 1 NO 2 ·	- 62
60	How much agricultural land does this household own?	ACRES	
	(IF NOT IN ACRES, SPECIFY SIZE AND UNIT)		
61	Out of this land, how much is irrigated?	ACRES	
	(IF NOT IN ACRES, SPECIFY SIZE AND UNIT)	NONE 9995	
62	Does your household own any of the following animals:	YES NO	
	Cows, bulls, or buffaloes?	COWS/BULLS/BUFFALOES 1 2	
	Camels?	CAMELS 1 2	
	Horses, donkeys, or mules?	HORSES/DONKEYS/MULES 1 2	
	Goats?	GOATS 1 2	
	Sheep?	SHEEP 1 2	
	Chickens or ducks?	CHICKENS/DUCKS 1 2	
63	Does any usual member of this household have a bank account or a post office account?	YES	
64	Is any usual member of this household covered by a health scheme or health insurance?	YES	l, ₆₆
65	What type of health scheme or health insurance?	EMPLOYEES STATE INSURANCE SCHEME (ESIS) A CENTRAL GOVERNMENT HEALTH	
	Any other type?	SCHEME (CGHS) B COMMUNITY HEALTH INSURANCE	
	RECORD ALL MENTIONED.	PROGRAMME C OTHER HEALTH INSURANCE	
		THROUGH EMPLOYER D MEDICAL REIMBURSEMENT FROM EMPLOYER E	
		OTHER PRIVATELY PURCHASED COMMERCIAL HEALTH INSURANCE . F	
		OTHER X	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
66	Does this household have a BPL card?	YES	
67	Does this household have any mosquito nets that can be used for sleeping?	YES 1 NO 2	
68	ASK RESPONDENT FOR A TEASPOONFUL OF COOKING SALT. TEST SALT FOR IODINE. RECORD PPM (PARTS PER MILLION)	0 PPM (NO IODINE) 1 LESS THAN 15 PPM 2 MORE THAN 15 PPM 3 NO SALT IN HOUSEHOLD 4 SALT NOT TESTED 6 (SPECIFY REASON)	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
58*	Does this household own this house or any other house?	THIS HOUSE ONLY 1 OTHER HOUSE(S) ONLY 2 BOTH THIS AND OTHER HOUSE(S) 3 NEITHER 4	→ 58B
58A	Do you or someone else in this household have a document for the ownership of this dwelling?	YES	58 D
58B	Do you or someone else in this household pay rent for this dwelling, live here as part of your employment terms, or have some other arrangement?	RENT1PART OF EMPLOYMENT AGREEMENT2OTHER ARRANGEMENT3	⊥, _{58D}
58C	Do you have a written rental contract for this dwelling?	YES	
58D	Do you feel secure from eviction from this dwelling?	YES 1 NO 2 DON'T KNOW 8	
58E	DWELLING LOCATED IN OR NEAR: RECORD OBSERVATION	YES NO a. LANDSLIDE AREA 1 2 b. FLOOD PRONE AREA 1 2 c. RIVER BANK 1 2 d. STEEP HILL 1 2 e. GARBAGE DUMPING 6 7 GROUND 1 2 f. INDUSTRIAL POLLUTION 1 2 g. RAILROAD 1 2 h. POWER PLANT 1 2 i. FLYOVER 1 2	

QUESTIONS ON SECURITY OF TENURE ASKED ONLY IN MUMBAI AND KOLKATA

* In Mumbai and Kolkata, this version of Q. 58 was used.

TABLE FOR SELECTION OF WOMEN FOR THE HOUSEHOLD RELATIONS QUESTIONS

INSTRUCTIONS

LOOK AT THE LAST DIGIT OF THE QUESTIONNAIRE NUMBER ON THE COVER PAGE. THIS IS THE ROW NUMBER YOU SHOULD CIRCLE. CHECK THE TOTAL NUMBER OF ELIGIBLE WOMEN ON THE COVER SHEET OF THE HOUSEHOLD QUESTIONNAIRE. THIS IS THE COLUMN NUMBER YOU SHOULD CIRCLE. FIND THE BOX WHERE THE CIRCLED ROW AND THE CIRCLED COLUMN MEET AND CIRCLE THE NUMBER THAT APPEARS IN THE BOX. THIS IS THE NUMBER OF THE ELIGIBLE WOMAN WHO WILL BE ASKED THE HOUSEHOLD RELATIONS QUESTIONS. THEN, GO TO COLUMN (9) IN THE HOUSEHOLD SCHEDULE AND PUT A * NEXT TO THE HOUSEHOLD LINE NUMBER OF THE SELECTED ELIGIBLE WOMAN AND RECORD THIS HOUSEHOLD LINE NUMBER IN THE TWO BOXES AT THE BOTTOM OF THIS TABLE.

FOR EXAMPLE, IF THE HOUSEHOLD QUESTIONNAIRE NUMBER IS '3716', GO TO ROW 6 AND CIRCLE THE ROW NUMBER ('6'). IF THERE ARE THREE ELIGIBLE WOMEN IN THE HOUSEHOLD, GO TO COLUMN 3 AND CIRCLE THE COLUMN NUMBER ('3'). DRAW LINES FROM ROW 6 AND COLUMN 3 AND FIND THE BOX WHERE THE TWO MEET, AND CIRCLE THE NUMBER IN IT ('2'). THIS MEANS YOU HAVE TO SELECT THE SECOND ELIGIBLE WOMAN. SUPPOSE THE HOUSEHOLD LINE NUMBERS OF THE THREE ELIGIBLE WOMEN ARE '02', '03', AND '07'; THEN THE ELIGIBLE WOMAN FOR THE HOUSEHOLD RELATIONS QUESTIONS IS THE SECOND ELIGIBLE WOMAN, I.E., THE WOMAN WITH HOUSEHOLD LINE NUMBER '03'. PUT A * NEXT TO THIS WOMAN'S LINE NUMBER IN COLUMN (9) OF THE HOUSEHOLD SCHEDULE AND ALSO ENTER THE TWO DIGIT LINE NUMBER IN THE TWO BOXES AT THE BOTTOM OF THIS TABLE.

LAST DIGIT OF THE		HOLD						
QUESTIONNAIRE NUMBER	1	2	3	4	5	6	7	8
0	1	2	2	4	3	6	5	4
1	1	1	3	1	4	1	6	5
2	1	2	1	2	5	2	7	6
3	1	1	2	3	1	3	1	7
4	1	2	3	4	2	4	2	8
5	1	1	1	1	3	5	3	1
6	1	2	2	2	4	6	4	2
7	1	1	3	3	5	1	5	3
8	1	2	1	4	1	2	6	4
9	1	1	2	1	2	3	7	5



HOUSEHOLD LINE NUMBER OF WOMAN SELECTED FOR HOUSEHOLD RELATIONS SECTION

WEIGHT, HEIGHT AND BIOMARKER MEASUREMENT

CHECK COLUMNS (9), (10), AND (11): RECORD THE LINE NUMBER, NAME, AND AGE OF ALL WOMEN AGE 15-49 AND CHILDREN UNDER AGE 6. IF THE HOUSEHOLD IS SELECTED
FOR MEN'S INTERVIEWS, ALSO RECORD THE LINE NUMBER, NAME, AND AGE OF ALL MEN AGE 15-54.

	WOME	N 15-49			WEIGHT	AND HEIGHT MEASU	REMENT OF WOME	N 15-49
LINE NO. FROM COL. (9)	NAME FROM COL. (2)	AGE FROM COL. (7)	NEVER MARRIED CHECK COL.(8): IS COL. (8) =7?	CURRENTLY PREGNANT CHECK Q.227 IN WOMAN'S QUESTIONNAIRE	WEIGHT (KILOGRAMS)	HEIGHT (CENTIMETERS)	MEASURED LYING DOWN OR STANDING UP	RESULT 1 MEASURED 2 NOT PRESEN 3 REFUSED 6 OTHER
(69)	(70)	(71)	(72A)	(72B)	(73)	(74)	(75)	(76)
		YEARS	YES NO	YES NO/DK				
			1 2	1 2				
			1 2	1 2			•	
	MEN	15-54			WEIGH	T AND HEIGHT MEAS	UREMENT OF MEN	15-54
LINE NO. FROM COL. (10)	NAME FROM COL. (2)	AGE FROM COL. (7)	NEVER MARRIED CHECK COL. (8): IS COL. (8) =7?		WEIGHT (KILOGRAMS)	HEIGHT (CENTIMETERS)		RESULT 1 MEASURED 2 NOT PRESEN 3 REFUSED 6 OTHER
(69)	(70)	(71)	(72A)		(73)	(74)	•	(76)
		YEARS	YES NO					
			1 2					
			1 2					
	CHILDREN U	NDER AGE 6	5		WEIGH	T AND HEIGHT MEAS BORN IN 2001 (DREN
LINE NO. FROM COL. (11)	NAME FROM COL. (2)	AGE FROM COL. (7)		NAME'S) date irth?*	WEIGHT (KILOGRAMS)	HEIGHT (CENTIMETERS)	MEASURED LYING DOWN OR STANDING UP	RESULT 1 MEASURED 2 NOT PRESEN 3 REFUSED 6 OTHER
(69)	(70)	(71)	((72C)	(73)	(74)	(75)	(76)
				H YEAR			LYING STAND.	
					0		1 2	
							1 2	
TICK HEF	RE IF CONTINUATION QUESTIONNA	AIRE USED					1	<u> </u>

* COPY MONTH AND YEAR FROM 215 IN THE MOTHER'S BIRTH HISTORY AND ASK DAY. FOR CHILDREN NOT INCLUDED IN ANY BIRTH HISTORY, ASK DAY, MONTH, AND YEAR.

CHECK COLUMN (71) AND (72A): IS RESPONDENT AGE 15-17 AND NEVER MARRIED?	LINE NO. OF PARENT/ RESPONSIBLE ADULT. RECORD '00' IF NOT LISTED IN HOUSEHOLD SCHEDULE.	HAEMOGLOBIN AND HIV FOR WOMEN 15-49 READ CONSENT STATEMENT FOR ANAEMIA TESTING TO WOMAN/PARENT/RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)	READ CONSENT STATEMENT FOR HIV TESTING TO WOMAN/PARENT/ RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)	HAEMOGLOBIN LEVEL (G/DL)
(77)	(78)	(79)	(80)	(81)
	(70)			(61)
YES NO		GRANTED REFUSED	GRANTED REFUSED	
1 2 GO TO 79 🚽		1 2 SIGN	1 2 SIGN	
12 GO TO 79 ↓		1 2 SIGN2	1 2 SIGN	
1 2 GO TO 79 ✔		1 2 SIGN	1 2 SIGN	
		HAEMOGLOBIN AND HIV FOR M		
CHECK COLUMN (71) AND	LINE NO. OF PARENT/	READ CONSENT STATEMENT FOR ANAEMIA	READ CONSENT STATEMENT FOR HIV	HAEMOGLOBIN
(72A): IS RESPONDENT AGE 15-17 AND NEVER MARRIED?	RESPONSIBLE ADULT. RECORD '00' IF NOT LISTED IN HOUSEHOLD SCHEDULE.	TESTING TO MAN/FARENT/RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)	TESTING TO MANPARENT/RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)	LEVEL (G/DL)
(77)	(78)	(79)	(80)	(81)
YES NO		GRANTED REFUSED	GRANTED REFUSED	
1 2 GO TO 79 ↓		1 2 SIGN	1 2 SIGN	
1 2 GO TO 79 ↓		1 2 SIGN	1 2 SIGN	
1 2 GO TO 79 ↓		1 2 SIGN	1 2 SIGN	
		HAEMOGLOBIN MEASUREMENT OF CHILDREN B	ORN IN 2001 OR LATER	
		1		
CHECK COLUMN (72C): CHILD BORN IN MONTH OF INTERVIEW OR PREVIOUS 5 MONTHS?	LINE NO. OF PARENT/ RESPONSIBLE ADULT. RECORD '00' IF NOT LISTED IN HOUSEHOLD SCHEDULE.	READ CONSENT STATEMENT TO PARENT/RESPONSIBLE ADULT. CIRCLE CODE (AND SIGN)		HAEMOGLOBIN LEVEL (G/DL)
(77)	(78)	(79)		(81)
YES NO 1 2 NEXT CHILD		GRANTED REFUSED 1 2 SIGN NEXT LINE ←		
L NEXT CHILD 2		1 2 SIGN NEXT LINE ←		
1 2 L NEXT CHILD		1 2 SIGN NEXT LINE ←		
1 2 L→ NEXT CHILD		1 2 SIGNNEXT LINE ←		

HAEMOGLOBIN RESULT 1 MEASURED 2 NOT PRESENT 3 REFUSED 6 OTHER	HIV RESULT 1 COLLECTED 2 NOT PRESENT 3 REFUSED 6 OTHER	PLACE BAR CODE BELOW
(82)	(83)	(84)
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
HAEMOGLOBIN RESULT 1 MEASURED 2 NOT PRESENT 3 REFUSED 6 OTHER	HIV RESULT 1 COLLECTED 2 NOT PRESENT 3 REFUSED 6 OTHER	PLACE BAR CODE BELOW
(82)	(83)	(84)
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENTS FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
		PUT 1st BAR CODE HERE PUT 2nd BAR CODE ON RESPONDENT'S FILTER PAPER AND THIRD BAR CODE ON THE BLOOD TRANSMITTAL SHEET.
HAEMOGLOBIN RESULT 1 MEASURED 2 NOT PRESENT 3 REFUSED 6 OTHER (82)		

INFORMED CONSENT FOR ANAEMIA TESTING

As part of this survey, we are studying anaemia among women, men, and children under age 6 years. Anaemia is a serious health problem that usually results from poor nutrition, infection, or chronic disease. This information will assist the government to develop programmes to prevent and treat anaemia.

We request that (you/you and (NAME OF RESPONDENT'S CHILD(REN)/CHILD(REN) IN RESPONDENT'S CARE) born in 2001 or later participate in the anaemia testing part of this survey by giving a few drops of blood from a finger. The test uses disposable sterile instruments that are clean and completely safe. The blood will be tested with new equipment and the results of the test will be given to you immediately. The results will be kept confidential.

Do you have any questions? ANSWER ANY QUESTIONS AND ADDRESS RESPONDENT'S/GUARDIAN'S CONCERNS.

May I now ask that (you/you and NAME OF RESPONDENT'S CHILD(REN)/CHILD(REN) IN RESPONDENT'S CARE) participate in the anaemia testing. However, if you decide not to have the test(s) done, it is your right and we will respect your decision. Now please tell me if you agree to have the test(s) done.

GO TO COLUMN 79, CIRCLE THE APPROPRIATE CODE, AND SIGN.

IF RESPONDENT IS AGE 15-17 AND NEVER MARRIED, ASK PARENT/GUARDIAN: Now, will you tell me if you accept that (NAME OF YOUTH(S)) participate in the anaemia testing? GO TO COLUMN 78 AND WRITE THE LINE NUMBER OF THE PARENT/GUARDIAN. ASK FOR THEIR CONSENT. IF THE PARENT/GUARDIAN DOES NOT AGREE, CIRCLE CODE '2' IN COLUMN 79 AND SIGN. IF THE PARENT/GUARDIAN AGREES, READ THE PRECEDING PARAGRAPHS TO THE YOUTH FOR HIS/HER CONSENT, RECORD THE APPROPRIATE CODE IN COLUMN 79, AND SIGN. CIRCLE CODE '1' FOR 'GRANTED' ONLY IF BOTH THE PARENT/GUARDIAN AND THE YOUTH AGREE TO THE TESTING.

INFORMED CONSENT FOR HIV TEST FOR MEN AND WOMEN

In addition to studying anaemia, we are also studying HIV. HIV is the virus that causes AIDS.

In order to determine how prevalent HIV is in India, we are asking women and men throughout India to give a few drops of blood. The drops of blood will be collected from your finger (at the same time as we do your anaemia test) and sent to a laboratory for testing. To ensure complete confidentiality of the collected blood, no individual names will be attached to the blood sample. This means that no one, including me, will be able to trace the blood sample or the test result back to you. Since we are only collecting blood on a filter paper with no other identifying information, we cannot give you the result of the HIV test.

However, whether or not you choose to participate in this effort to estimate the prevalence of HIV in India, you will be given a voucher for a free HIV test at a health clinic where you can get your blood tested for HIV if you want and receive your results.

Do you have any questions?

ANSWER ANY QUESTIONS AND ADDRESS RESPONDENT'S CONCERNS.

I hope you will agree to give a few drops of blood from your finger for this very important country-wide effort, as it will help the government to develop programmes to prevent the spread of HIV and AIDS. However, if you decide not to participate, it is your right and we will respect your decision.

Do you agree to give a few drops of blood for anonymous HIV testing?

GO TO COLUMN 80 AND CIRCLE THE APPROPRIATE CODE AND SIGN.

IF RESPONDENT IS AGE 15-17 AND NEVER MARRIED, ASK THE PARENT/GUARDIAN: Now, will you tell me if you accept that (NAME OF YOUTH(S)) participate in the HIV testing? IF THE PARENT/GUARDIAN DOES NOT AGREE, CIRCLE CODE '2' IN COLUMN 80 AND SIGN. IF THE PARENT/GUARDIAN AGREES, READ THE PRECEDING PARAGRAPHS TO THE YOUTH FOR HIS/HER CONSENT, RECORD THE APPROPRIATE CODE IN COLUMN 80, AND SIGN. CIRCLE CODE '1' FOR 'GRANTED' ONLY IF BOTH THE PARENT/GUARDIAN AND THE YOUTH AGREE TO THE TESTING.

85	CHECK 81:						
	NUMBER OF PERSONS WITH HAE	MOGLOBIN LEVEL BELOW	THE CUTOFF P	OINT OF 7 G/DL.			
	ONE OR MORE						
	GIVE EACH WOMAN/MAN/PARENT ANAEMIA PAMPHLET WITH RESUL MEASUREMENT AND CONTINUE V	LT OF HAEMOGLOBIN	ANAEMIA PAM	OMAN/MAN/PARENT/RESPONSIBLE ADULT PHLET WITH RESULT OF HAEMOGLOBIN IT AND END INTERVIEW.			
86	86 We detected a low level of haemoglobin in (your blood/the blood of NAME OF CHILD(REN)). This indicates that (you/NAME OF CHILD(REN)) have severe anaemia, which is a serious health problem. We would like to inform the doctor atabout (your condition/the condition of NAME OF CHILD(REN)). This will assist you in obtaining appropriate treatment for the condition. Do you agree that the information about the level of haemoglobin in (your blood/the blood of NAME OF CHILD(REN)) may be given to the doctor?						
NAME	OF PERSON WITH HAEMOGLOBIN BELOW 7 G/DL	NAME OF PARENT/RE ADULT	SPONSIBLE	AGREES TO REFERRAL?			
		WOMEN AGE 18-49 AND	MEN AGE 18-54				
				YES1 NO2			
				YES1 NO2			
				YES1 NO2			
				YES1 NO2			
	W	OMEN AND MEN AGE 15-1	7 AND CHILDRE	N			
				YES1 NO2			
				YES1 NO2			
				YES1 NO2			
				YES1 NO2			
				YES1 NO2			
				YES1 NO2			
				YES1 NO2			
				YES1 NO2			
				YES1 NO2			

* If more than one woman, man, or child is below the cutoff point, read the statement in Q. 86 to each adult who is below the cutoff point and to each parent/responsible adult of a child who is below the cutoff point. For persons age 15-17, circle code `1' only if both the person and the parent/guardian agree that the information may be provided to the doctor.

NATIONAL FAMILY HEALTH SURVEY, INDIA 2005-2006 (NFHS- 3) WOMAN'S QUESTIONNAIRE [STATE NAME]

		IDENTIFICATION					
STATE							
		INTERVIEWER VISITS					
	1	2	3	FINAL VISIT			
DATE				DAY DAY MONTH YEAR			
NAME RESULT*				INT. NO.			
NEXT VISIT: DATE TIME *RESULT CODES:				TOTAL NUMBER OF VISITS			
1 COMPLE ⁻ 2 NOT AT H 3 POSTPON	IOME 5 PARTL	Y COMPLETED	7 OTHER	(SPECIFY)			
NATIVE LANGUAGE OF RESPONDENT** ** LANGUAGE CODES: 01 ASSAMESE 06 KANNADA 02 BENGALI 07 KASHMIRI 12 NEPALI 17 TELUGU 03 ENGLISH 08 KONKANI 04 GUJARATI 09 MALAYALAM 14 PUNJABI 19 OTHER 05 HINDI 10 MANIPURI							
SUPERVI NAME DATE		FIELD EDITO		OFFICE KEYED BY			

SECTION 1. RESPONDENT'S BACKGROUND

INTRODUCTION AND INFORMED CONSENT

Namaste. My name is and I am working with (NAME OF ORGANIZATION). We are conducting a national survey about the health of women, men, and children. We would very much appreciate your participation in this survey. Several different health-related topics will be discussed including use of health services, the quality of health care, marital and sexual relationships, and infectious diseases. This information will help the government to assess health and information needs and to better plan health services. The survey usually takes between 30 and 60 minutes to complete. Whatever information you provide will be kept strictly confidential and will not be shown to other persons. Participation in this survey is voluntary and if you choose to participate, you may withdraw at any time. However, we hope that you will take part in this survey since your participation is important. At this time, do you want to ask me anything about the survey? ANSWER ANY QUESTIONS AND ADDRESS RESPONDENT'S CONCERNS. In case you need more information about the survey, you may contact the person listed on the card that has already been given to you household.						
way i D	egin the interview now?					
Signat	ure of interviewer:	Date:				
RESPO	ONDENT AGREES TO BE INTERVIEWED 1 RESPONDENT ↓	DOES NOT AGREE TO BE INTERVIEWED 2	→ END			
NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP			
101	RECORD THE TIME.	HOUR				
102	How long have you been living continuously in (NAME OF					
	CURRENT PLACE OF RESIDENCE)?	YEARS				
	IF LESS THAN ONE YEAR, RECORD '00' YEARS.	ALWAYS	↓ 104			
103	Just before you moved here, did you live in a city, in a town, or in	CITY 1				
	the countryside?	TOWN 2 COUNTRYSIDE 3				
104	In what month and year were you born?	COUNTRYSIDE				
104		COUNTRYSIDE 3 MONTH				
104		COUNTRYSIDE				
104		COUNTRYSIDE 3 MONTH				
104		COUNTRYSIDE 3 MONTH				
104		COUNTRYSIDE 3 MONTH				
	In what month and year were you born? How old were you at your last birthday?	COUNTRYSIDE 3 MONTH 98 DON'T KNOW MONTH 98 YEAR 9998 DON'T KNOW YEAR 9998	→ 109			

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
108	CHECK 107: STANDARD 0-5 STANDARD 6 AND ABOVE		→ 112
109	Now I would like you to read this sentence to me. SHOW A SENTENCE FROM THE LITERACY CARD TO THE RESPONDENT. IF RESPONDENT CANNOT READ WHOLE SENTENCE, PROBE: Can you read any part of the sentence to me?	CANNOT READ AT ALL 1 ABLE TO READ ONLY PARTS OF 2 SENTENCE 2 ABLE TO READ WHOLE SENTENCE 3 NO CARD WITH REQUIRED 4 LANGUAGE 4 BLIND/VISUALLY IMPAIRED 5	
110	Have you ever participated in a literacy programme or any other programme that involves learning to read or write (not including primary school)?	YES 1 NO 2	
111	CHECK 109: CODE '2', '3' OR '4' CIRCLED CIRCLED		→ 113
112	Do you read a newspaper or magazine almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY1AT LEAST ONCE A WEEK2LESS THAN ONCE A WEEK3NOT AT ALL4	
113	Do you listen to the radio almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY1AT LEAST ONCE A WEEK2LESS THAN ONCE A WEEK3NOT AT ALL4	
114	Do you watch television almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY1AT LEAST ONCE A WEEK2LESS THAN ONCE A WEEK3NOT AT ALL4	
115	Do you usually go to a cinema hall or theatre to see a movie at least once a month?	YES 1 NO 2	
116	What is your religion?	HINDU 01 MUSLIM 02 CHRISTIAN 03 SIKH 04 BUDDHIST/NEO-BUDDHIST 05 JAIN 06 JEWISH 07 PARSI/ZOROASTRIAN 08 NO RELIGION 09 OTHER	
117	What is your caste or tribe?	CASTE 1 (SPECIFY) 1 TRIBE 2 (SPECIFY) 2 NO CASTE/TRIBE 3 DON'T KNOW 8	→ 201
118	Do you belong to a scheduled caste, a scheduled tribe, other backward class, or none of these?	SCHEDULED CASTE 1 SCHEDULED TRIBE 2 OBC 3 NONE OF THEM 4	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
201	Now I would like to ask about all the births you have had during your life. Have you ever given birth?	YES 1 NO 2	→ 206
202	Do you have any sons or daughters to whom you have given birth who are now living with you?	YES 1 NO 2	→ 204
203	How many sons live with you? And how many daughters live with you? IF NONE, RECORD '00'.	SONS AT HOME	
204	Do you have any sons or daughters to whom you have given birth who are alive but do not live with you?	YES 1 NO 2	→ 206
205	How many sons are alive but do not live with you? And how many daughters are alive but do not live with you? IF NONE, RECORD '00'.	SONS ELSEWHERE	
206	Have you ever given birth to a boy or girl who was born alive but later died? IF NO, PROBE: Any baby who cried or showed signs of life but did not survive?	YES 1 NO 2	208
207	How many boys have died? And how many girls have died? IF NONE, RECORD '00'.	BOYS DEAD	
208	SUM ANSWERS TO 203, 205, AND 207, AND ENTER TOTAL. IF NONE, RECORD '00'.	TOTAL	
209	CHECK 208: Just to make sure that I have this right: you have had in TOTAL births during your life. Is that correct? YESNOPROBE AND CORRECT 201-208 AS NECESSARY.		
210	CHECK 208: ONE OR MORE BIRTHS		→ 227

SECTION 2. REPRODUCTION

			AN 12 BIRTHS, USE						
212 What name was given to your (first/next) baby?	213 Were any of these births twins?	214 Is (NAME) a boy or a girl?	215 In what month and year was (NAME) born? PROBE: What is his/her birthday?	216 Is (NAME) still alive?	217 IF ALIVE: How old was (NAME) at his/her last birthday? RECORD AGE IN COM- PLETED YEARS.	218 IF ALIVE: Is (NAME) living with you?	219 IF ALIVE: RECORD HOUSE- HOLD LINE NUMBER OF CHILD (RECORD '00' IF CHILD NOT LISTED IN HOUSE- HOLD).	220 IF DEAD: How old was (NAME) when he/she died? IF '1 YR', PROBE: How many months old was (NAME)? RECORD DAYS IF LESS THAN 1 MONTH; MONTHS IF LESS THAN TWO YEARS; OR YEARS.	221 Were there any other live births between (NAME OF PREVIOUS BIRTH) and (NAME), including any children who died after birth?
(NAME) 01			MONTH		AGE IN		LI <u>NE NUMB</u> ER	DAYS 1	
	SING 1	BOY 1	YEAR	YES 1	YEARS	YES 1		MONTHS 2	
	MULT 2	GIRL 2		NO 2 ↓ 220		NO 2	↓ (NEXT BIRTH)	YEARS 3	
02			MONTH		AGE IN		LINE NUMBER	DAYS 1	
	SING 1	BOY 1	YEAR	YES 1	YEARS	YES 1		MONTHS 2	YES 1
	MULT 2	GIRL 2		NO 2 ↓ 220		NO 2	♥ (GO TO 221)	YEARS 3	NO 2
03	SING 1	BOY 1	MONTH	YES 1	AGE IN YEARS	YES 1	LINE NUMBER	DAYS 1	YES 1
	MULT 2	GIRL 2	YEAR	NO 2		NO 2		MONTHS 2	NO 2
				¥ 220			(GO TO 221)	YEARS 3	
04	SING 1	BOY 1	MONTH	YES 1	AGE IN YEARS	YES 1		DAYS 1	YES 1
	MULT 2	GIRL 2	YEAR	NO 2		NO 2		MONTHS 2	NO 2
				220			(GO TO 221)	YEARS 3	
05	SING 1	BOY 1	MONTH	YES 1	AGE IN YEARS	YES 1			YES 1
	MULT 2	GIRL 2	YEAR	NO 2		NO 2	╽└┼┼┙│	MONTHS 2	NO 2
				¥ 220			(GO TO 221)	YEARS 3	
06	SING 1	BOY 1	MONTH	YES 1	AGE IN YEARS	YES 1		DAYS 1	YES 1
	MULT 2	GIRL 2	YEAR	NO 2		NO 2		MONTHS 2	NO 2
				↓ 220			(GO TO 221)	YEARS 3	
07	SING 1	BOY 1	MONTH	YES 1	AGE IN YEARS	YES 1	LINE NUMBER	DAYS 1	YES 1
	MULT 2	GIRL 2	YEAR	NO 2		NO 2		MONTHS 2	NO 2
				↓ 220			(GO TO 221)	YEARS 3	

212 What name was given to your next baby?	213 Were any of these births twins?	214 Is (NAME) a boy or a girl?	215 In what month and year was (NAME) born? PROBE: What is his/her birthday?	216 Is (NAME) still alive?	217 IF ALIVE: How old was (NAME) at his/her last birthday? RECORD AGE IN COM- PLETED	218 IF ALIVE: Is (NAME) living with you?	219 IF ALIVE: RECORD HOUSE- HOLD LINE NUMBER OF CHILD (RECORD '00' IF CHILD NOT LISTED IN HOUSE-	220 IF DEAD: How old was (NAME) when he/she died? IF '1 YR', PROBE: How many months old was (NAME)? RECORD DAYS IF LESS THAN 1	221 Were there any other live births between (NAME OF PREVIOUS BIRTH) and (NAME), including any children who died
(NAME)					YEARS.		HOLD).	MONTH; MONTHS IF LESS THAN TWO YEARS; OR YEARS.	after birth?
08	SING 1 MULT 2	BOY 1 GIRL 2	MONTH YEAR	YES 1 NO 2 ↓ 220	AGE IN YEARS	YES 1 NO 2	(GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
09	SING 1 MULT 2	BOY 1 GIRL 2	MONTH YEAR	YES 1 NO 2 ↓ 220	AGE IN YEARS	YES 1 NO 2	(GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
10	SING 1 MULT 2	BOY 1 GIRL 2	YEAR	YES 1 NO 2 ↓ 220	AGE IN YEARS	YES 1 NO 2	(GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
11	SING 1 MULT 2	BOY 1 GIRL 2	MONTH YEAR	YES 1 NO 2 ↓ 220	AGE IN YEARS	YES 1 NO 2	(GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
12	SING 1 MULT 2	BOY 1 GIRL 2	YEAR	YES 1 NO 2 ↓ 220	AGE IN YEARS	YES 1 NO 2	(GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 NO 2
222			births since the birt	•					
223	Before the	birth of (NA	AME OF FIRST BIR IF YES, RECORD	TH), did yc	ou have	YES			1
224									
225	CHECK 21		ER THE NUMBER '.	OF BIRTH	S IN 2000 OR	LATER.			

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP			
226	FOR EACH BIRTH SINCE JANUARY 2001, ENTER 'B' IN THE MONTH OF BIRTH IN <u>COLUMN 1</u> OF THE CALENDAR. WRITE THE NAME OF THE CHILD TO THE LEFT OF THE 'B' CODE. FOR EACH BIRTH, ASK THE NUMBER OF MONTHS THE PREGNANCY LASTED AND RECORD 'P' IN EACH OF THE PRECEDING MONTHS ACCORDING TO THE DURATION OF PREGNANCY. (NOTE: THE NUMBER OF P'S MUST BE ONE LESS THAN THE NUMBER OF MONTHS THAT THE PREGNANCY LASTED.)					
	FOR EACH BIRTH ASK: At any time when you were pregnant with	(NAME), did you have an ultrasound test?				
	RECORD 'Y' IF YES AND 'N' IF NO IN <u>COLUMN 2</u> IN THE MONTH OF BIRTH.					
227	Are you pregnant now?	YES]_→ 231			
228	How many months pregnant are you? RECORD NUMBER OF MONTHS PREGNANT. ENTER 'P's IN <u>COLUMN 1</u> OF CALENDAR, BEGINNING WITH THE MONTH OF INTERVIEW AND FOR THE REMAINING NUMBER OF MONTHS PREGNANT.	MONTHS				
229	At any time during this pregnancy, have you had an ultrasound test? RECORD 'Y' IF YES AND 'N' IF NO IN <u>COLUMN 2</u> OF THE CALENDAR IN THE CURRENT MONTH.					
230	At the time you became pregnant did you want to become pregnant <u>then</u> , did you want to wait until <u>later</u> , or did you <u>not want</u> to have any (more) children at all?	THEN 1 LATER 2 NOT AT ALL 3				
231	Have you ever had a pregnancy that miscarried, was aborted, or ended in a stillbirth?	YES 1 NO 2	→ 240			
232	When did the last such pregnancy end?	MONTH				
233	CHECK 232: LAST PREGNANCY ENDED IN JANUARY 2001 OR LATER LAST PREGNANCY ENDED BEFORE JANUARY 2001	1	→ 240			
234	How many months pregnant were you when the last such pregnancy ended? RECORD NUMBER OF MONTHS THE PREGNANCY LASTED. ENTER 'T' IN <u>COLUMN 1</u> OF CALENDAR IN THE MONTH THAT THE PREGNANCY TERMINATED AND 'P' FOR THE REMAINING NUMBER OF MONTHS.	MONTHS				
235	At any time during this pregnancy, did you have an ultrasound test? RECORD 'Y' IF YES AND 'N' IF NO IN <u>COLUMN 2</u> OF THE CALENE PREGNANCY WAS TERMINATED.	DAR IN THE MONTH IN WHICH THE				

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
236	Since January 2001, have you had any other pregnancies that did not result in a live birth?	YES 1 NO 2	→ 238
237	ASK THE DATE AND THE DURATION OF PREGNANCY FOR EACH EARLIER NON-LIVE BIRTH PREGNANCY BACK TO JANUARY 2001. ENTER 'T' IN <u>COLUMN 1</u> OF CALENDAR IN THE MONTH THAT EACH PREGNANCY TERMINATED AND 'P' FOR THE REMAINING NUMBER OF MONTHS.		
	FOR EACH TERMINATED PREGNANCY ASK: At any time this p RECORD 'Y' IF YES AND 'N' IF NO IN <u>COLUMN 2</u> OF THE CALENE PREGNANCY WAS TERMINATED.	regnancy, did you have an ultrasound test? DAR IN THE MONTH IN WHICH THE	
238	Did you have any pregnancies that terminated before January 2001 that did not result in a live birth?	YES 1 NO 2	→ 240
239	When did the last such pregnancy that terminated before January 2001 end?	MONTH	
240	When did your last menstrual period start? (DATE, IF GIVEN)	DAYS AGO 1 WEEKS AGO 2 MONTHS AGO 3 YEARS AGO 4 IN MENOPAUSE/ HAS HAD HYSTERECTOMY 994 BEFORE LAST BIRTH 995 NEVER MENSTRUATED 996	
241	From one menstrual period to the next, are there certain days when a woman is more likely to become pregnant if she has sexual relations?	YES]_→ 301
242	Is this time just before her period begins, during her period, right after her period has ended, or halfway between two periods?	JUST BEFORE HER PERIOD BEGINS	

SECTION 3A. MARRIAGE AND COHABITATION

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
301	What is your current marital status?	CURRENTLY MARRIED1MARRIED, GAUNA NOT2PERFORMED2WIDOWED3DIVORCED4SEPARATED5DESERTED6NEVER MARRIED7	→ 303 → 306 → 308
302	ENTER '0' IN <u>COLUMN 3</u> OF CALENDAR IN THE MONTH OF INTER JANUARY 2001	VIEW, AND IN EACH MONTH BACK TO	→ 316
303	Are you living with your husband now, or is he staying elsewhere?	LIVING WITH HUSBAND	→ 305
304	For how long have you and your husband not been living together?	MONTHS 1	
	IF LESS THAN 1 YEAR, RECORD MONTHS; OTHERWISE RECORD COMPLETED YEARS.	YEARS 2	
305	RECORD THE HUSBAND'S NAME AND LINE NUMBER FROM THE HOUSEHOLD QUESTIONNAIRE. IF HE IS NOT LISTED IN THE HOUSEHOLD, RECORD '00'.	NAME	
306	Besides yourself, does your husband have other wives?	YES 1 NO 2 DON'T KNOW 8	308
307	How many other wives does your husband have?	NUMBER OF OTHER WIVES DON'T KNOW	
308	Have you been married only once or more than once?	ONLY ONCE 1 MORE THAN ONCE 2	→ 309A
309	In what month and year did you get married?	MONTH	
309A	Now I would like to ask about when you married your first husband. In what month and year was that?	YEAR	→ 311
310	How old were you when you (first) got married?	AGE	
311	CHECK 301: CODE '2' CIRCLED		→ 314

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
312	CHECK 308:		
	MARRIED ONLY ONCE MORE THAN ONCE	MONTH	
	your husband? your first husband. In what month and year was that?	YEAR	→ 314
		DON'T KNOW YEAR 9998	
313	How old were you when you first started living with him?	AGE	
314	FOR CURRENTLY MARRIED WOMEN WHO HAVE BEEN MARRIED ARE MARRIED BUT GAUNA NOT PERFORMED: DETERMINE MONTHS MARRIED OR MARRIED BUT GAUNA NOT P ENTER 'X' IN <u>COLUMN 3</u> OF CALENDAR FOR EACH MONTH MARR MARRIED BUT GAUNA NOT PERFORMED, AND '0' FOR EACH MON FOR CURRENTLY MARRIED WOMEN WHO HAVE BEEN MARRIED PROBE FOR DATE WHEN CURRENT MARRIAGE STARTED AND, II FOR STARTING AND TERMINATION DATES OF ANY PREVIOUS M	PERFORMED SINCE JANUARY 2001. NED, 'N' FOR EACH MONTH NTH NOT MARRIED. MORE THAN ONCE: F APPROPRIATE,	
	FOR WOMEN WHO ARE NOT CURRENTLY MARRIED: PROBE FOR DATE WHEN LAST MARRIAGE STARTED, WHEN SHE WAS NOT PERFORMED, TERMINATION DATE AND, IF APPROPRIA TERMINATION DATES OF ANY PREVIOUS MARRIAGES.		
315	CHECK 301: CODE '2' CIRCLED		→ 317
316	CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY. Now I need to ask you some questions about sexual life in order to gain a better understanding of some family life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If you do not want to answer, just let me know and I will skip to the next question.		
	Have you ever had sexual intercourse?	YES 1 NO 2	→ 318
317	CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY. (Now I need to ask you some questions about sexual activity in order to gain a better understanding of some family life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If you do not want to answer, just let me know and I will skip to the next question.) How old were you when you had sexual intercourse for the very first time?	NEVER HAD SEXUAL 00 INTERCOURSE 00 AGE IN YEARS 00 FIRST TIME WHEN STARTED 00 LIVING WITH (FIRST) 95	

	SECTION 3B. CONT	RACEPTION	
318	Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy.		
	Which ways or methods have you heard about? FOR METHODS NOT MENTIONED SPONTANEOUSLY,	ASK:	
	Have you ever heard of (METHOD)? CIRCLE CODE '1' IN 318 FOR EACH METHOD MENTIO THEN PROCEED DOWN COLUMN 318 READING THE OF EACH METHOD NOT MENTIONED SPONTANEOUS IF METHOD IS RECOGNIZED AND CODE '2' IF NOT RE PERFORM THE CHECK AT THE BOTTOM OF THE COL OR NOT ASKED, ASK 320 FOR EACH METHOD WITH (NAME AND DESCRIPTION SLY. CIRCLE CODE '1' ECOGNIZED. THEN LUMN. IF 316 = YES	320 Have you ever used (METHOD)?
01	FEMALE STERILIZATION Women can have an operation to avoid having any more children.	YES 1 NO 27	Have you ever had an operation to avoid having any more children? YES
02	MALE STERILIZATION Men can have an operation to avoid having any more children.	YES 1 NO 27	Has your husband/partner ever had an operation to avoid having any more children? YES1NO2
03	PILL Women can take a pill every day or every week to avoid becoming pregnant.	YES 1 NO 27	YES 1 NO 2
04	IUD OR LOOP Women can have a loop or coil placed inside them by a doctor or a nurse.	YES 1 NO 27	YES 1 NO 2
05	INJECTABLES Women can have an injection by a health provider that stops them from becoming pregnant for one or more months.	YES 1 NO 27	YES 1 NO 2
06	CONDOM OR NIRODH Men can put a rubber sheath on their penis before sexual intercourse.	YES 1 NO 27	YES 1 NO 2
07	FEMALE CONDOM Women can place a sheath in their vagina before sexual intercourse.	YES 1 NO 27	YES 1 NO 2
08	RHYTHM METHOD Every month that a woman is sexually active she can avoid pregnancy by not having sexual intercourse on the days of the month she is most likely to get pregnant.	YES 1 NO 27	YES 1 NO 2
09	WITHDRAWAL Men can be careful and pull out before climax.	YES 1 NO 27	YES 1 NO 2
10	EMERGENCY CONTRACEPTION Women can take pills up to three days after sexual intercourse to avoid becoming pregnant.	YES 1 NO 27	YES 1 NO 2
11	Have you heard of any other ways or methods that women or men can use to avoid pregnancy?	YES 1 (SPECIFY)	YES 1 NO 2
		(SPECIFY) NO 2	YES 1 NO 2
319		CHECK 316: YES OR GO TO 320 NOT FOR KNOWN ASKED METHODS NO SKIP TO 323	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
321	CHECK 320:		
	NOT A SINGLE AT LEAST ONE YES" YES"		→ 325
	(NEVER USED) ↓ (EVER USED)		020
322	Have you ever used anything or tried in any way to delay or avoid	YES 1	→ 324
	getting pregnant?	NO 2	
323	ENTER '0' IN COLUMN 1 OF CALENDAR IN EACH BLANK MONTH.		→ 353
324	What have you used or done?		I
02.	CORRECT 320 AND 321(AND 318 IF NECESSARY).		
325	CHECK 208:		
			→ 327
326	Now I would like to ask you about the first time that you did		
	something or used a method to avoid getting pregnant.		
	How many living children did you have at that time, if any?	NUMBER OF CHILDREN	
	IF NONE, RECORD '00'.		
327	CHECK 320(01):		
521			
	STERILIZED STERILIZED		→ 330A
	↓		
328	CHECK 227:		
	NOT PREGNANT		
			→ 344
329	Are you currently doing something or using any method to delay	YES 1	
020	or avoid getting pregnant?	NO	→ 344
330	Which method are you using?	FEMALE STERILIZATION A MALE STERILIZATION B	↓ 335
	CIRCLE ALL MENTIONED.	PILL C	
	IF MORE THAN ONE METHOD MENTIONED, FOLLOW SKIP	IUD/LOOP D INJECTABLES E	→ 334
	INSTRUCTION FOR HIGHEST METHOD ON LIST.	IMPLANTS F	
		CONDOM/NIRODH G FEMALE CONDOM H	-
		DIAPHRAGM I	→ 334
330A	CIRCLE 'A' FOR FEMALE STERILIZATION.	FOAM/JELLY J RHYTHM METHOD K	
		WITHDRAWAL L	→ 341A
		OTHER X	
		(SPECIFY)	
331	May I see the package of (pills/condoms) you are using?	PACKAGE SEEN 1	 ר
			- 322
	RECORD NAME OF BRAND.	BRAND	→ 333
		NAME (SPECIFY)	μ
		PACKAGE NOT SEEN 2	
332	Do you know the brand name of the (pills/condoms) you are using?		
		BRAND NAME	
	RECORD NAME OF BRAND.	(SPECIFY)	
		DON'T KNOW	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
333	How many (pill cycles/condoms) did you get the last time?	NUMBER OF PILL CYCLES/CONDOMS	
		DON'T KNOW	
334	The last time you obtained (CURRENT METHOD IN 330), how much did you pay in total, including the cost of the method and any consultation you may have had?	COST Rs. 9995 DON'T KNOW	→ 341A
335	In what facility did the sterilization take place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 17 OTHER PUBLIC SECTOR 18	
	(NAME OF PLACE)	NGO OR TRUST HOSPITAL/CLINIC 21 PRIVATE MEDICAL SECTOR 31 PVT. HOSPITAL 31 PVT. DOCTOR/CLINIC 32 PVT. MOBILE CLINIC 33 OTHER PRIVATE HEALTH 34 OTHER 96 (SPECIFY) 98	
336	CHECK 330/330A:		→ 341
337	Before your sterilization operation, were you told that you would not be able to have any (more) children because of the operation?	YES 1 NO 2	
338	How would you rate the care you received during and immediately after the operation: very good, all right, not so good, or bad?	VERY GOOD 1 ALL RIGHT 2 NOT SO GOOD 3 BAD 4	
339	How much did you pay in total for the sterilization, including any consultation you may have had?	COST Rs.	
340	Do you regret that you had the sterilization?	YES 1 NO 2	
341	In what month and year was the sterilization performed?		
341A	In what month and year did you start using (CURRENT METHOD) continuously? PROBE: For how long have you been using (CURRENT METHOD) now without stopping?	MONTH	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
342	CHECK 341/341A, 215 AND 232:		
	ANY BIRTH OR PREGNANCY TERMINATION AFTER MONTH AND YEAR OF START OF USE OF CONTRACEPTION IN 341/341A?	YES V	
	FOR METHODS OTHER THAN STERILIZATION: GO BACK TO 341/34 RECORD MONTH AND YEAR AT START OF CONTINUOUS USE OF ((MUST BE AFTER LAST BIRTH OR PREGNANCY TERMINATION).	1A, PROBE AND	
	FOR FEMALE STERILIZATION: GO BACK TO 329. ASK 329 AND FOL SKIP PATTERN.	LOW CORRECT	
343	CHECK 341/341A:		
	YEAR IS 2001 OR LATER	YEAR IS 2000 OR EARLIER	
	INTERVIEW IN COLUMN 1 OF THE CALENDAR AND IN INTE	F ER CODE FOR METHOD USED IN MONTH OF RVIEW IN <u>COLUMN 1</u> OF THE CALENDAR AND H MONTH BACK TO JANUARY 2001	
	THEN CONTINUE WITH 344. THE	N SKIP TO	
344	I would like to ask you some questions about the times you or your husb method to avoid getting pregnant during the last few years.	and/partner may have used a	
	USE CALENDAR TO PROBE FOR EARLIER PERIODS OF USE AND N USE, BACK TO JANUARY 2001. USE NAMES OF CHILDREN, DATES OF BIRTH, AND PERIODS OF PI		
	IN COLUMN 1, ENTER METHOD USE CODE OR '0' FOR NONUSE IN EACH BLANK MONTH.		
	ILLUSTRATIVE QUESTIONS: <u>COLUMN 1</u> : * When was the last time you used a method? Which method was that?		
	* When did you start using that method? How	v long after the birth of (NAME)?	
	* How long did you use the method then?		
	IN COLUMN 4, ENTER CODES FOR DISCONTINUATION IN THE SAM USE. NUMBER OF CODES IN COLUMN 4 MUST BE SAME AS NUMBI METHOD USE IN COLUMN 1.		
	ASK WHY SHE STOPPED USING THE METHOD. IF A PREGNANCY F BECAME PREGNANT UNINTENTIONALLY WHILE USING THE METH TO GET PREGNANT.		
	ILLUSTRATIVE QUESTIONS: <u>COLUMN 4</u> : * Why did you stop using the (METHOD)?		
	 Did you become pregnant while using (MET or did you stop for some other reason? 	FHOD), did you stop using to get pregnant,	
	IF DELIBERATELY STOPPED TO BECOME PREGNANT, ASK: * How many months did it take you to get pre AND ENTER '0' IN EACH SUCH MONTH II	gnant after you stopped using (METHOD)? N <u>COLUMN 1</u> .	

	I	1	I
NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
345	CHECK 330/330A: CIRCLE METHOD CODE: IF MORE THAN ONE METHOD CODE CIRCLED IN 330/330A, CIRCLE CODE FOR HIGHEST METHOD IN LIST.	NO CODE CIRCLED00FEMALE STERILIZATION01MALE STERILIZATION02PILL03IUD/LOOP04INJECTABLES05IMPLANTS06CONDOM/NIRODH07FEMALE CONDOM08DIAPHRAGM09FOAM/JELLY10RHYTHM METHOD11WITHDRAWAL12OTHER METHOD96	$\rightarrow 353$ $\rightarrow 356$ $\rightarrow 352$ $\rightarrow 349$ $\rightarrow 356$
346	You started using (CURRENT METHOD) in (DATE). At that time, were you told about side effects or problems you might have with the method?	YES 1 NO 2	→ 348
347	Were you ever told by a health or family planning worker about side effects or problems you might have with the method?	YES 1 NO 2	→ 349
348	Were you told what to do if you experienced side effects or problems?	YES 1 NO 2	
349	CHECK 346: CODE '1' CIRCLED At that time, were you told about other methods of family planning that you could use? CODE '1' NOT CIRCLED When you obtained (CURRENT METHOD) in (DATE), were you told about other methods of family planning that you could use?	YES 1 NO 2	→ 351
350	Were you ever told by a health or family planning worker about other methods of family planning that you could use?	YES 1 NO 2	
351	CHECK 330/330A: CIRCLE METHOD CODE: IF MORE THAN ONE METHOD CODE CIRCLED IN 330/330A, CIRCLE CODE FOR HIGHEST METHOD IN LIST.	FEMALE STERILIZATION 01 MALE STERILIZATION 02 PILL 03 IUD/LOOP 04 INJECTABLES 05 IMPLANTS 06 CONDOM/NIRODH 07 FEMALE CONDOM 08 DIAPHRAGM 09 FOAM/JELLY 10 RHYTHM METHOD 11 WITHDRAWAL 12 OTHER METHOD 96	→ 356 → 356

NO	QUESTIONS AND FILTERS		SKIP
NO. 352	QUESTIONS AND FILTERS Where did you obtain (CURRENT METHOD) the last time? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	CODING CATEGORIESPUBLIC MEDICAL SECTORGOVT./MUNICIPAL HOSPITAL11GOVT. DISPENSARY12UHC/UHP/UFWC13CHC/RURAL HOSPITAL/PHC14SUB-CENTRE/ANM15GOVT. MOBILE CLINIC16CAMP17ANGANWADI/ICDS CENTRE18ASHA19OTHER COMMUNITY-BASED WORKER20OTHER PUBLIC MEDICALSECTOR21NGO OR TRUST HOSPITAL/CLINIC31PRIVATE MEDICAL SECTORPVT. HOSPITAL41PVT. DOCTOR/CLINIC42PVT. MOBILE CLINIC43VAIDYA/HAKIM/HOMEOPATH44TRADITIONAL HEALER45PHARMACY/DRUGSTORE46DAI (TBA)OTHER PRIVATE MEDICALSECTOR48OTHER SOURCESHOP51HUSBAND52	SKIP
		HUSBAND 52 FRIEND/RELATIVE 53 OTHER 96 (SPECIFY) 96	
353	Were you ever told by a health or family planning worker about any methods of family planning that you can use to avoid pregnancy?	YES 1 NO 2	
354	Do you know of a place where you can obtain a method of family planning?	YES 1 NO 2	→ 356
355	Where is that? Any other place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSPITAL/PHC D SUB-CENTRE/ANM E GOVT. MOBILE CLINIC F CAMP G ANGANWADI/ICDS CENTRE H ASHA I OTHER COMMUNITY- BASED WORKER BASED WORKER J OTHER PUBLIC MEDICAL SECTOR K NGO OR TRUST HOSPITAL/CLINIC L PRIVATE MEDICAL SECTOR SECTOR	
	RECORD ALL PLACES MENTIONED.	PVT. HOSPITAL M PVT. DOCTOR/CLINIC N PVT. MOBILE CLINIC O VAIDYA/HAKIM/HOMEOPATH P TRADITIONAL HEALER Q PHARMACY/DRUGSTORE R DAI (TBA) S OTHER PRIVATE MEDICAL SECTOR SECTOR T OTHER SOURCE V SHOP U FRIEND/RELATIVE V OTHER X (SPECIFY) X	

SECTION 3C. CONTACTS WITH HEALTH PERSONNEL

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
356	Now I would like to talk to you about any contacts you have had recently with an ANM or Lady Health Visitor. In the last three months have you met with an ANM or LHV?	YES 1 NO 2	— <u></u> -358
357	In the last three months, how many times did you meet with (this person/these persons):		
	a. At home?	НОМЕ	
	b. At the anganwadi centre?	AWC	
	c. At a health facility or camp?	HEALTH FACILITY/CAMP .	
	d. Anywhere else?	ELSEWHERE	
358	In the last three months, have you met with an anganwadi worker or other community health worker?	YES 1 NO 2	
359	Who did you meet? Anyone else?	ANGANWADI WORKER A ASHA B MPW C	
	RECORD ALL MENTIONED.	OTHER X (SPECIFY)	
360	In the last three months, how many times did you meet with (this person/these persons):		
	a. At home?	НОМЕ	
	b. At the anganwadi centre?	AWC	
	c. At a health facility or camp?	HEALTH FACILITY/CAMP .	
	d. Anywhere else?	ELSEWHERE	
361	CHECK 356 AND 358: AT LEAST BOTH 'NO' ONE 'YES'		→367
362	During (this contact/all these contacts) with [PERSONS MENTIONED IN 356 AND 359] in the last three months, what were the different services provided and matters talked about?	FAMILY PLANNINGAIMMUNIZATIONBANTENATAL CARECDELIVERY CAREDDELIVERY PREPAREDNESSEPOSTNATAL CAREFDISEASE PREVENTIONGMEDIAL TREVENTIONG	
	Anything else?	MEDICAL TREATMENT FOR SELF H TREATMENT FOR SICK CHILD I TREATMENT FOR OTHER PERSON J MALARIA CONTROL K SUPPLEMENTARY FOOD L GROWTH MONITORING OF CHILD M EARLY CHILDHOOD CARE N PRE-SCHOOL EDUCATION O NUTRITION/HEALTH EDUCATION Q MENTERING D	
		MENSTRUAL HYGIENE R OTHER X (SPECIFY)	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
363	Who did you meet during your (most recent) contact?	ANM 1 LHV 2 ANGANWADI WORKER 3 ASHA 4 MPW 5 OTHER 6	
		(SPECIFY)	
364	Did she/he talk to you nicely, somewhat nicely, or not nicely?	NICELY 1 SOMEWHAT NICELY 2 NOT NICELY 3	
365	When she/he explained something to you, did she/he try to make sure that you understood the information?	YES 1 NO 2 NO EXPLANATION NEEDED 3	
366	CHECK 357c AND 360c: 357c AND 360c = 00 OR BLANK	7	→368
367	In the last three months, have you visited a health facility or camp for any reason for yourself (or for your children)?	YES 1 NO 2	— ₽401
368	What type of health facility did you visit most recently for yourself (or for your children)? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE 18 OTHER PUBLIC SECTOR 19 NGO OR TRUST HOSPITAL/CLINIC 21 PRIVATE MEDICAL SECTOR 31 PVT. HOSPITAL/CLINIC 31 PVT. MOBILE CLINIC 32 PHARMACY/DRUGSTORE 33 OTHER PRIVATE SECTOR 34 OTHER 96 (SPECIFY) 96	
369	What service did you go for? Any other service? RECORD ALL MENTIONED.	FAMILY PLANNING A IMMUNIZATION B ANTENATAL CARE C DELIVERY CARE D POSTNATAL CARE E DISEASE PREVENTION F MEDICAL TREATMENT FOR SELF G TREATMENT FOR CHILD H TREATMENT FOR OTHER PERSON I GROWTH MONITORING OF CHILD J HEALTH CHECK-UP K OTHER	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
370	How long did you have to wait before you received the service you went for?	MINUTES 1	
		NO WAIT AT ALL	— ₽373
371	Was the person who provided the service to you responsive to your problems and needs?	YES 1 NO 2	
372	Did she/he respect your need for privacy if you needed it?	YES	
373	Would you say that the (camp/health facility) was very clean, somewhat clean, or not clean?	VERY CLEAN 1 SOMEWHAT CLEAN 2 NOT CLEAN 3	

SECTION 4. PREGNANCY					
SECTION 4. FREGNANCT	, DELIVERT	, FUSTNATAL	CARE AND	CHILDREN 3	NUTRITION

401	CHECK 225:			
	ONE OR MORE BIRTHS			► 556
	IN 2001			
	OR LATER	↓ OR LATE	R	
402	ENTER IN THE TABLE BELOW THE LINE NUMBER, NAME, AND SURVIVAL STATUS OF EACH BIRTH IN 2001 OR LATER. ASK THE QUESTIONS ABOUT ALL OF THESE BIRTHS. BEGIN WITH THE LAST BIRTH. (IF THERE ARE MORE THAN 3 BIRTHS, USE LAST 2 COLUMNS OF ADDITIONAL QUESTIONNAIRES).			
	Now I would like to ask you some quest about each separately.)	tions about the health of all your child	dren born in the last five years.	(We will talk
403		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
	LINE NUMBER FROM 212	LINE NUMBER	LINE NUMBER	LINE NUMBER
404		NAME	NAME	NAME
	FROM 212 AND 216			
405	At the time you became pregnant with (NAME), did you want to become pregnant <u>then</u> , did you	THEN 1 (SKIP TO 407) ↓ LATER 2	THEN 1 (SKIP TO 435) ← LATER 2	THEN 1 (SKIP TO 435) ← LATER 2
	want to wait until <u>later</u> , or did you <u>not want</u> to have any (more) children at all?	NOT AT ALL 3 (SKIP TO 407) ← J	NOT AT ALL 3 (SKIP TO 435) ← J	NOT AT ALL 3 (SKIP TO 435) ← J
406	How much longer would you have liked to wait?	MONTHS 1	MONTHS 1	MONTHS 1
		DON'T KNOW 998	DON'T KNOW 998	DON'T KNOW 998
407	Was this pregnancy registered with the ANM?	YES		
408	Did you get a card from the ANM?	YES 1 NO 2		
409	Did you see anyone for antenatal care for this pregnancy?	HEALTH PERSONNEL DOCTOR A ANM/NURSE/ MIDWIFE/LHV B OTHER HEALTH		
	IF YES: Whom did you see?	PERSONNEL C		
	Anyone else?	OTHER PERSON DAI/TBA D ANGANWADI/ICDS WORKER E		
	PROBE FOR THE TYPE OF PERSON AND RECORD ALL PERSONS SEEN.	OTHERX (SPECIFY) NO ONEY (SKIP TO 417) ↓		

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
410	Where did you receive antenatal care for this pregnancy?	HOME YOUR HOME A PARENTS' HOME B OTHER HOME C		
	Any other place?	PUB. MED. SECTOR GOVT./MUNIC.		
	IF UNABLE TO DETERMINE IF	HOSPITAL D GOVT. DISP E UHC/UHP/UFWC F CHC/RUR. HOSP./ PHC G		
	A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE	SUB-CENTRE H ANGANWADI/ICDS CENTRE I VILLAGE CLINIC		
	WRITE THE NAME OF THE PLACE(S).	BY ANM J OTHER PUBLIC SECT. HEALTH FACILITY K		
	(NAME OF PLACE(S))	NGO/TRUST HOSP./ CLINIC L		
	RECORD ALL PLACES MENTIONED.	PVT. MED. SECTOR PVT. HOSP./ MATERNITY HOME/CLINIC M OTHER PVT.		
		SECT. HEALTH FACILITY N OTHER X		
411	How many months pregnant were you when you first received antenatal care for this pregnancy?	(SPECIFY)		
412	How many times did you receive	DON'T KNOW 98		
	antenatal care during this pregnancy?	OF TIMES 98		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
413	As part of your antenatal care during this pregnancy, were any of the following done at least once?	YES NO		
	a. Were you weighed?	WEIGHT 1 2		
	b. Was your blood pressure measured?	BP 1 2		
	c. Did you give a urine sample?	URINE 1 2		
	d. Did you give a blood sample?	BLOOD 1 2		
	e. Was your abdomen checked?	ABDOMEN 1 2		
	f. Were you told your expected delivery date?	DELIVERY DATE 1 2		
	g. Were you advised to deliver in a hospital or health facility?	DELIVERY ADVICE 1 2		
	 Were you advised about proper nutrition during pregnancy? 	NUTRITION ADVICE 1 2		
414	During (any of) your antenatal care visit(s), were you told about the following signs of pregnancy complications?	YES NO		
	a. Vaginal bleeding?	BLEEDING 1 2		
	b. Convulsions?	CONVULSIONS 1 2		
	c. Prolonged labour?	PROLONGED LABOUR 1 2		
415	Were you told where to go if you had any pregnancy complications?	YES 1 NO 2		
416	Was (NAME'S) father present during (any of) your antenatal visits?	YES 1 NO 2		
417	During this pregnancy, were you given an injection to prevent you and the baby from getting tetanus?	YES 1 NO 2 (SKIP TO 420) ← DON'T KNOW 8		
418	During this pregnancy, how many times did you get a tetanus injection?	TIMES DON'T KNOW		

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
419	CHECK 418:	2 OR MORE OTHER TIMES (SKIP TO 422)		<u> </u>
420	At any time before this pregnancy, did you receive any tetanus injections?	YES		
421	How many years ago did you receive the last tetanus injection before this pregnancy?	YEARS AGO		
422	During this pregnancy, were you given or did you buy any iron folic acid tablets or syrup? SHOW TABLETS/SYRUP.	YES 1 NO		
423	During the whole pregnancy, for how many days did you take the tablets or syrup? IF ANSWER IS NOT NUMERIC, PROBE FOR APPROXIMATE NUMBER OF DAYS.	NUMBER OF DAYS DON'T KNOW 998		
424	During this pregnancy, did you take any drug to get rid of worms in your intestines?	YES 1 NO 2 DON'T KNOW 8		
425	During this pregnancy, did you have difficulty with your vision during daylight?	YES 1 NO 2 DON'T KNOW 8		
426	During this pregnancy, did you suffer from night blindness [USE LOCAL TERM]?	YES 1 NO 2 DON'T KNOW 8		
427	During this pregnancy, did you have convulsions not from fever?	YES 1 NO 2 DON'T KNOW 8		
428	During this pregnancy, did you have swelling of the legs, body or face?	YES		
429	During this pregnancy, did you feel excessive fatigue?	YES 1 NO 2 DON'T KNOW 8		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
430	During this pregnancy, did you have any vaginal bleeding?	YES		
431	Did you receive any supplementary nutrition from the anganwadi centre during this pregnancy?	YES 1 NO 2 (SKIP TO 433) ← J		
432	During this pregnancy, were you always able to get the supplementary nutrition from the anganwadi centre when you wanted it?	YES, ALWAYS 1 NO 2		
433	During the last three months of this pregnancy, did you meet with an ANM, Lady Health Visitor, anganwadi worker, or other community health worker?	HOME ONLY 1 ELSEWHERE ONLY 2 BOTH HOME AND 3		
	IF YES: Where did you meet this/ these person(s)?	DID NOT MEET 4 (SKIP TO 435) ▲		
434	During any of these meetings in the last three months of this pregnancy, did you receive advice on the following at least once?	YES NO		
	a. Breastfeeding?	BREASTFEED 1 2		
	b. Keeping the baby warm?	BABY WARM 1 2		
	c. The need for cleanliness at the time of delivery?	CLEANLINESS 1 2		
	d. Family planning or delaying your next child?	FAMILY PLAN 1 2		
435	When (NAME) was born, was he/she very large, larger than average, average, smaller than average, or very small?	VERY LARGE1LARGER THAN2AVERAGE2AVERAGE3SMALLER THAN4AVERAGE4VERY SMALL5DON'T KNOW8	VERY LARGE 1 LARGER THAN AVERAGE 2 AVERAGE 3 SMALLER THAN AVERAGE 4 VERY SMALL 5 DON'T KNOW 8	VERY LARGE1LARGER THAN2AVERAGE2AVERAGE3SMALLER THAN4AVERAGE4VERY SMALL5DON'T KNOW8
436	Was (NAME) weighed at birth?	YES 1	YES 1	YES 1
		NO2 (SKIP TO 438) ◀— DON'T KNOW8	NO2 (SKIP TO 438) ← DON'T KNOW 8	NO 2 (SKIP TO 438) ◀ ┤ DON'T KNOW 8

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
437	How much did (NAME) weigh? RECORD WEIGHT IN KILOGRAMS FROM HEALTH	KG FROM CARD	KG FROM CARD	KG FROM CARD
	CARD, IF AVAILABLE.	KG FROM RECALL 2	KG FROM RECALL 2	KG FROM RECALL 2
438	Who assisted with the delivery of (NAME)? Anyone else? PROBE FOR THE TYPE OF PERSON AND RECORD ALL PERSONS ASSISTING. IF RESPONDENT SAYS NO ONE ASSISTED, PROBE TO DETERMINE WHETHER ANY ADULTS WERE PRESENT AT THE DELIVERY.	HEALTH PERSONNEL DOCTOR A ANM/NURSE/ MIDWIFE/LHV . B OTHER HEALTH PERSONNEL . C OTHER PERSON DAI (TBA) D FRIEND/RELATIVE E OTHERX (SPECIFY) NO ONE Y	HEALTH PERSONNEL DOCTOR A ANM/NURSE/ MIDWIFE/LHV . B OTHER HEALTH PERSONNEL . C OTHER PERSON DAI (TBA) D FRIEND/RELATIVE E OTHER X (SPECIFY) NO ONE Y	HEALTH PERSONNEL DOCTOR A ANM/NURSE/ MIDWIFE/LHV . B OTHER HEALTH PERSONNEL . C OTHER PERSON DAI (TBA) D FRIEND/RELATIVE E OTHERX (SPECIFY) NO ONE Y
439	Where did you give birth to (NAME)? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	HOME YOUR HOME 11 (SKIP TO 446) \leftarrow PARENTS' HOME 12 OTHER HOME 13 (SKIP TO 446) \leftarrow PUB. MED. SECTOR GOVT./MUNIC. HOSPITAL 21 GOVT. DISP 22 UHC/UHP/UFWC 23 CHC/RUR. HOSP/ PHC 24 SUB-CENTRE 25 OTHER PUB. SECT. HEALTH FACILITY 26 NGO/TRUST HOSP./ CLINIC 31 PVT. MED. SECTOR PVT. HOSP./ MATERNITY HOME/CLINIC 41 OTHER PVT. SECT. HEALTH FACILITY 42 OTHER96 (SPECIFY) (SKIP TO 446) \leftarrow	HOME YOUR HOME 11 (SKIP TO 448) \leftarrow PARENTS' HOME 12 OTHER HOME 13 (SKIP TO 448) \leftarrow PUB. MED. SECTOR GOVT./MUNIC. HOSPITAL 21 GOVT. DISP 22 UHC/UHP/UFWC 23 CHC/RUR. HOSP/ PHC 24 SUB-CENTRE 25 OTHER PUB. SECT. HEALTH FACILITY 26 NGO/TRUST HOSP./ CLINIC 31 PVT. MED. SECTOR PVT. HOSP./ MATERNITY HOME/CLINIC . 41 OTHER PVT. SECT. HEALTH FACILITY 42 OTHER96 (SPECIFY) (SKIP TO 448) \leftarrow	HOME YOUR HOME 11 (SKIP TO 448) \leftarrow PARENTS' HOME 12 OTHER HOME 13 (SKIP TO 448) \leftarrow PUB. MED. SECTOR GOVT./MUNIC. HOSPITAL 21 GOVT. DISP 22 UHC/UHP/UFWC 23 CHC/RUR. HOSP/ PHC 24 SUB-CENTRE 25 OTHER PUB. SECT. HEALTH FACILITY 26 NGO/TRUST HOSP./ CLINIC 31 PVT. MED. SECTOR PVT. HOSP./ MATERNITY HOME/CLINIC . 41 OTHER PVT. SECT. HEALTH FACILITY 42 OTHER96 (SPECIFY) (SKIP TO 448) \leftarrow

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
440	How long after (NAME) was delivered did you stay there? IF LESS THAN ONE DAY, RECORD HOURS. IF LESS THAN ONE WEEK, RECORD DAYS.	HOURS 1 DAYS 2 WEEKS 3 DON'T KNOW 998	HOURS . 1 DAYS 2 WEEKS . 3 DON'T KNOW 998	HOURS . 1 DAYS 2 WEEKS . 3 DON'T KNOW 998
441	Was (NAME) delivered by caesarean section?	YES 1 NO 2	YES 1 NO 2	YES 1 NO 2
442	Before you were discharged (FROM PLACE IN 439) after (NAME) was born, did any health personnel check on your health?	YES 1 NO 2 (SKIP TO 445) ←]	YES 1 (SKIP TO 461) ما	YES 1 (SKIP TO 461) ← NO 2
443	How long after delivery did the first check take place? IF LESS THAN ONE DAY, RECORD HOURS. IF LESS THAN ONE WEEK, RECORD DAYS.	HOURS 1 DAYS 2 WEEKS 3 DON'T KNOW 998		
444	Who checked on your health at that time? PROBE FOR MOST QUALIFIED PERSON.	HEALTH PERSONNEL DOCTOR		
445	In the two months after you were discharged, did any health personnel, anganwadi worker, or traditional birth attendant [dai] check on your health?	YES 1 (SKIP TO 449) ← NO 2 (SKIP TO 459) ←	YES 1 (SKIP TO 461) ← NO 2	YES 1 (SKIP TO 461) ← NO 2

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
446	Why didn't you deliver in a health facility? PROBE: Any other reason? RECORD ALL MENTIONED.	COSTS TOO MUCH A FACILITY NOT OPEN B TOO FAR/ NO TRANSPORTATION C DON'T TRUST FACILITY/POOR QUALITY SERVICE D NO FEMALE PROVID- ER AT FACILITY E HUSBAND/FAMILY DID NOT ALLOW F NOT NECESSARY G NOT CUSTOMARY H OTHER X (SPECIFY)		
447	 At the time of delivery of (NAME) were the following done? a. Was a disposable delivery kit used? b. Was the baby immediately wiped dry and then wrapped without being bathed? c. Was a clean blade used to 	YES NO DK DDK USED 1 2 8 WIPE AND WRAP 1 2 8		
	cut the cord?	BLADE 1 2 8		
448	In the two months after (NAME) was born, did any health personnel, anganwadi worker, or a traditional birth attendant check on your health?	YES 1 NO 2 (SKIP TO 455) ←	YES 1 NO 2	YES 1 NO 2
449	How many hours, days or weeks after delivery did the first check take place? IF LESS THAN ONE DAY, RECORD HOURS. IF LESS THAN ONE WEEK, RECORD DAYS.	HOURS 1 DAYS 2 WEEKS 3 DON'T KNOW 998		
450	Who checked on your health at that time? PROBE FOR MOST QUALIFIED PERSON.	HEALTH PERSONNEL DOCTOR 11 ANM/NURSE/ MIDWIFE/LHV 12 OTHER HEALTH PERSONNEL 13 OTHER PERSON DAI (TBA) 21 OTHER96 (SPECIFY)		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
451	Where did this first check take place?	HOME YOUR HOME 11 PARENTS' HOME 12 OTHER HOME 13		
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	PUB. MED. SECTOR GOVT./MUNIC. HOSPITAL 21 GOVT. DISP 22 UHC/UHP/UFWC 23 CHC/RUR. HOSP/ PHC 24 SUB-CENTRE 25 ANGANWADI/ICDS CENTRE 26 OTHER PUB. SECT. HEALTH FACILITY 27		
		NGO/TRUST HOSP./ CLINIC		
		OTHER96 (SPECIFY)		
452	CHECK 445:	YES NOT ASKED (SKIP TO 459)		
453	Was the health of (NAME) also checked at this time?	YES 1 NO 2 (SKIP TO 455) ←		
454	Was this the first time the health of (NAME) was checked?	YES1 (SKIP TO 459) ↓ ↓ NO2 (SKIP TO 456) ↓ ↓		
455	In the two months after (NAME) was born, did any health personnel or a traditional birth attendant check on his/her health?	YES		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
456	How many hours, days or weeks after the birth of (NAME) did the first check take place? IF LESS THAN ONE DAY, RECORD HOURS. IF LESS THAN ONE WEEK, RECORD DAYS.	HRS AFTER BIRTH 1 DAYS AFTER BIRTH 2 WKS AFTER BIRTH 3 DON'T KNOW 998		
457	Who checked on (NAME)'s health at that time? PROBE FOR MOST QUALIFIED PERSON.	HEALTH PERSONNEL DOCTOR 11 ANM/NURSE/ MIDWIFE/LHV 12 OTHER HEALTH PERSONNEL 13 OTHER PERSON DAI (TBA) 21 OTHER96 (SPECIFY)		
458	Where did this first check of (NAME) take place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	(SPECIPT) HOME YOUR HOME 11 PARENTS' HOME 12 OTHER HOME 13 PUB. MED. SECTOR GOVT./MUNIC. HOSPITAL 21 GOVT. DISP. 22 UHC/UHP/UFWC 23 CHC/RUR. HOSP./ 24 SUB-CENTRE 25 ANGANWADI/ICDS 26 OTHER PUB. SECT. HEALTH FACILITY 27 NGO/TRUST HOSP./ 21 OTHER PUB. SECT. HEALTH FACILITY 27 NGO/TRUST HOSP./ 21 OTHER PVT. SECT. HEALTH FACILITY 41 OTHER PVT. SECT. HEALTH FACILITY 42 OTHER 96 (SPECIFY) 96		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
459	In the first two months after delivery, did you have: a) Massive vaginal bleeding? b) Very high fever?	YES 1 NO 2 YES 1 NO 2		
460	Has your menstrual period returned since the birth of (NAME)?	YES 1 (SKIP TO 462) ← NO 2 (SKIP TO 463) ←		
461	Did your period return between the birth of (NAME) and your next pregnancy?		YES 1 NO 2 (SKIP TO 465) ←	YES 1 NO 2 (SKIP TO 465) ←
462	For how many months after the birth of (NAME) did you <u>not</u> have a period?	MONTHS DON'T KNOW 98	MONTHS	MONTHS DON'T KNOW 98
463	CHECK 227: IS RESPONDENT PREGNANT?	NOT PREG- NANT VINSURE (SKIP TO 465)		
464	Have you resumed sexual relations since the birth of (NAME)?	YES 1 NO 2 (SKIP TO 466)◄		
465	For how many months after the birth of (NAME) did you <u>not</u> have sexual relations?	MONTHS DON'T KNOW 98	MONTHS DON'T KNOW 98	MONTHS DON'T KNOW 98
466	Did you ever breastfeed (NAME)?	YES 1 NO 2 (SKIP TO 473)	YES 1 NO 2 (SKIP TO 473)←	YES 1 NO 2 (SKIP TO 473)←
467	How long after birth did you first put (NAME) to the breast? IF LESS THAN HALF AN HOUR, CIRCLE '000'. IF LESS THAN 24 HOURS, RECORD HOURS. OTHERWISE, RECORD DAYS.	IMMEDIATELY/ WITHIN HALF AN HOUR 000 HOURS 1 DAYS 2		
468	In the first three days after delivery, was (NAME) given anything to drink other than breast milk?	YES 1 NO 2 (SKIP TO 470) ←		

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
469	What was (NAME) given to drink? Anything else? RECORD ALL LIQUIDS MENTIONED.	MILK (OTHER THAN BREAST MILK) A PLAIN WATER B SUGAR OR GLU- C COSE WATER C GRIPE WATER D SUGAR-SALT-WATER SOLUTION FRUIT JUICE F INFANT FORMULA G TEA H HONEY I JANAM GHUTTI J OTHER X (SPECIFY) X		
470	CHECK 404: IS CHILD LIVING?	LIVING DEAD (SKIP TO 472)	LIVING DEAD (SKIP TO 472)	LIVING DEAD (SKIP TO 472)
471	Are you still breastfeeding (NAME)?	YES 1 (SKIP TO 474) ← NO 2	YES 1 (SKIP TO 476) ↓	YES 1 (SKIP TO 476) ← NO 2
472	For how many months did you breastfeed (NAME)?	MONTHS DON'T KNOW 98	MONTHS	MONTHS
473	CHECK 404: IS CHILD LIVING?	LIVING DEAD (GO BACK TO 405 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO (SKIP TO 476) TO 478)	LIVING DEAD (GO BACK TO 405 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO (SKIP TO 476) TO 478)	LIVING DEAD (GO BACK TO 405 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE (SKIP TO 476) BIRTHS, GO TO 478)
474	How many times did you breastfeed last night between sunset and sunrise? IF ANSWER IS NOT NUMERIC, PROBE FOR APPROXIMATE NUMBER.	NUMBER OF NIGHT TIME FEEDINGS .		
475	How many times did you breastfeed yesterday during the daylight hours? IF ANSWER IS NOT NUMERIC, PROBE FOR APPROXIMATE NUMBER.	NUMBER OF DAYLIGHT FEEDINGS .		
476	Did (NAME) drink anything from a bottle with a nipple yesterday or last night?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8
477		GO BACK TO 405 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 478.	GO BACK TO 405 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 478.	GO BACK TO 405 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE BIRTHS, GO TO 478.

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP			
478	CHECK 215 AND 218: HAS AT LEAST ONE CHILD BORN IN 2003 OR LATER AND LIVING WITH HER RECORD NAME OF YOUNGEST CHILD LIVING WITH HER (AND CONTINUE WITH 479) (NAME)					
479						
	Now I would like to ask you about liquids (NAME FROM 478) drank yesterday during the day or at night.					
	Did (NAME FROM 478) drink:	YES NO DK				
	a. Plain water?	PLAIN WATER 1 2 8				
	b. Commercially produced infant formula?	FORMULA 1 2 8				
	c. Any other milk such as tinned, powdered, or fresh animal milk?	MILK 1 2 8				
	d. Fruit juice?	JUICE 1 2 8				
	e. Tea or coffee?	TEA/COFFEE 1 2 8				
	f. Any other liquids?	OTHER LIQUIDS 1 2 8				

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
480	Now I would like to ask you about the food (NAME FROM 478) ate yesterday during the day or at night, either separately or combined with other foods.		
	Did (NAME FROM 478) eat:	YES NO DK	
	a. Any porridge or gruel?	a 1 2 8	
	b. Any commercially fortified baby food such as Cerelac or Farex?	b 1 2 8	
	c. Any bread, roti, chapati, rice, noodles, biscuits, idli, or any other foods made from grains?	c 1 2 8	
	d. Any pumpkin, carrots, or sweet potatoes that are yellow or orange inside?	d 1 2 8	
	e. Any white potatoes, white yams, cassava, or any other foods made from roots?	e 1 2 8	
	f. Any dark green, leafy vegetables?	f 1 2 8	
	g. Any ripe mangoes, papayas, cantaloupe, or jackfruit?	g 1 2 8	
	h. Any other fruits or vegetables?	h 1 2 8	
	i. Any liver, kidney, heart or other organ meats?	i 1 2 8	
	j. Any chicken, duck or other birds?	j 1 2 8	
	k. Any other meat?	k 1 2 8	
	I. Any eggs?	I 1 2 8	
	m. Any fresh or dried fish or shellfish?	m 1 2 8	
	n. Any foods made from beans, peas, or lentils?	n 1 2 8	
	o. Any nuts?	o 1 2 8	
	p. Any cheese, yogurt or other milk products?	p 1 2 8	
	q. Any food made with oil, fat, ghee or butter?	q 1 2 8	
	r. Any other solid or semi-solid food?	r 1 2 8	
481	CHECK 480: AT LEAST ONE "YES"	NOT A SINGLE "YES"	→ 501
482	How many times did (NAME) eat solid, semisolid, or soft foods other than liquids yesterday during the day or at night?	NUMBER OF TIMES	
	IF 7 OR MORE TIMES, RECORD '7'.	DON'T KNOW 8	

SECTION 5. IMMUNIZATION, HEALTH, AND WOMEN'S NUTRITION

501	ASK THE QUESTIONS	ENTER IN THE TABLE THE LINE NUMBER, NAME, AND SURVIVAL STATUS OF EACH BIRTH IN 2001 OR LATER. ASK THE QUESTIONS ABOUT ALL OF THESE BIRTHS. BEGIN WITH THE LAST BIRTH. (IF THERE ARE MORE THAN 3 BIRTHS, USE LAST 2 COLUMNS OF ADDITIONAL QUESTIONNAIRES).						
502	LINE NUMBER FROM 212	LAST BIRTH LINE NUMBER	NEXT-TO-LAST BIRTH LINE NUMBER	SECOND-FROM-LAST BIRTH LINE NUMBER				
503	FROM 212 AND 216	NAME LIVING DEAD (GO TO 503 IN NEXT COLUMN OR, IF NO MORE BIRTHS, GO TO 553)	NAME LIVING DEAD (GO TO 503 IN NEXT COLUMN OR, IF NO MORE BIRTHS, GO TO 553)	NAME LIVING DEAD (GO TO 503 IN NEXT- TO-LAST COLUMN OF NEW QUESTIONNAIRE, OR IF NO MORE BIRTHS, GO TO 553)				
504	Has (NAME) ever received a vitamin A dose (like this/any of these)? SHOW COMMON AMPULES/SYRUPS/ CAPSULES	YES 1 NO 2 (SKIP TO 507) ← DON'T KNOW 8	YES 1 NO 2 (SKIP TO 507) ← DON'T KNOW 8	YES 1 NO 2 (SKIP TO 507) ← DON'T KNOW 8				
505	How many times has (NAME) received a vitamin A dose? IF 7 OR MORE TIMES, RECORD '7'	TIMES DON'T KNOW 8	TIMES DON'T KNOW 8	TIMES DON'T KNOW 8				
506	How many months ago did (NAME) take the last dose?	MONTHS AGO	MONTHS AGO	MONTHS AGO DON'T KNOW 98				
507	Is (NAME) currently taking iron pills or iron syrup (like this/ any of these)? SHOW COMMON CAPSULES/SYRUPS.	YES	YES	YES				
508	Has (NAME) taken any drug to get rid of intestinal worms in the past 6 months?	YES	YES	YES 1 NO 2 DON'T KNOW 8				

NO				LA	ST	BIRT	Ή			1	NEXT-T	O-LA	AST BIF	RTH		SECO	ND	-FR	OM-l	AST	BIR	тн
NO.	QUESTIONS AND FILTERS	NA	ME_						N	AME_					_	NAME						
509	Do you have a card where (NAME'S) vaccinations are written down? IF YES: May I see it please?	YES, SEEN			YES, SEEN] 2]	YES, SEEN 1 (SKIP TO 511) ↓ ↓ YES, NOT SEEN 2 (SKIP TO 514) ↓ ↓ NO CARD 3													
510	Did you ever have a vaccination card for (NAME)?			(SKIF	Р ТС	514) 🔶	1		YES 1 (SKIP TO 514) ← NO 2				YES 1 (SKIP TO 514) ← 1 NO 2			1 2					
511	 COPY VACCINA WRITE '44' IN 'D/ IF ONLY PART C WHICH INFORM BCG POLIO 0 (POLIO GIVEN AT BIRTH) 	AY' ()F D/ ATIC	COLU ATE I ON IS	MN II S SH NOT	F CA OWI GIV ST B	ARD N ON 'EN. IRTH	SHC I CA	NWS TH RD, RE		VAC D '98 NI	CINATI	ON \ 98' -LA	FOR 'D	ON'I		SECO DAY	HE ND	CO -FR	LUM OM-I	N FC _AST	R	тн
	POLIO 1				╏				- 1						P1							
	POLIO 2								2						P2	2						
	POLIO 3								-3						P3	3						
	DPT 1							1	D1						D1	1						
	DPT 2								52						D2	2						
	DPT 3							[53						D3	3						
	MEASLES							ME	EA						MEA							
	VITAMIN A (LAST DOSE) VITAMIN A (NEXT-TO-LAST DOSE)							VIT VIT	_						VIT A VIT A							
512	CHECK 511:	'N			□) ↓	от	ΉEϜ		'M	BCG' EASL FILL P TO	ES'		OTHE	R F] ((BCG' 'MEASI FIL SKIP TC	LES	S' [D		DTHE	₽R]

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST
NO.	QUESTIONS AND FILTERS	NAME	NAME	BIRTH NAME
513	Has (NAME) received any vaccinations that are not recorded on this card, including vaccinations received in a Pulse Polio campaign? RECORD 'YES' ONLY IF RESPONDENT MENTIONS BCG, POLIO 0-3, DPT 1-3, AND/OR MEASLES VACCINES.	YES 1 (PROBE FOR VACCINATIONS AND WRITE '66' IN THE CORRESPONDING DAY COLUMN IN 511) (SKIP TO 516) NO 2 (SKIP TO 516) DON'T KNOW 8	YES 1 (PROBE FOR VACCINATIONS AND WRITE '66' IN THE CORRESPONDING DAY COLUMN IN 511) (SKIP TO 516) NO 2 (SKIP TO 516) DON'T KNOW 8	YES 1 (PROBE FOR ←) VACCINATIONS AND WRITE '66' IN THE CORRESPONDING DAY COLUMN IN 511) (SKIP TO 516) ←) NO 2 (SKIP TO 516) ←) DON'T KNOW 8
514	Did (NAME) ever receive any vaccinations to prevent him/her from getting diseases, including vaccinations received in a Pulse Polio campaign?	YES 1 NO 2 (SKIP TO 518) ← DON'T KNOW 8	YES 1 NO 2 (SKIP TO 518) ← DON'T KNOW 8	YES 1 NO 2 (SKIP TO 518) ← DON'T KNOW 8
515	Please tell me if (NAME) received any of the following vaccinations:			
515A	A BCG vaccination against tuberculosis, that is, an injection in the arm or shoulder that usually causes a scar?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8
515B	Polio vaccine, that is, drops in the mouth, including vaccine received in a Pulse Polio campaign?	YES	YES	YES
515C	Was the first polio vaccine received in the first two weeks after birth or later?	FIRST 2 WEEKS 1 LATER 2	FIRST 2 WEEKS 1 LATER 2	FIRST 2 WEEKS 1 LATER 2
515D	How many times was the polio vaccine received? IF MORE THAN 7, RECORD '7'.	NUMBER OF TIMES	NUMBER OF TIMES	NUMBER OF TIMES
515E	A DPT vaccination, that is, an injection given in the thigh or buttocks, sometimes at the same time as polio drops?	YES	YES	YES

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST
NO.	QUESTIONS AND FILTERS	NAME	NAME	BIRTH NAME
515F	How many times was a DPT vaccination received?	NUMBER OF TIMES	NUMBER OF TIMES	NUMBER OF TIMES
515G	An injection to prevent measles?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8
516	CHECK 511 AND 514: ANY VACCINATIONS RECEIVED?	YES NO (SKIP TO 518)	YES NO (SKIP TO 518)	(SKIP TO 518)
517	Where did (NAME) receive most of his/her vaccinations? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISP. 12 UHC/UHP/UFWC 13 CHC/RUR. HOSP/ PHC PHC. 14 SUB-CENTRE 15 GOVT. MOBILE 16 CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE CENTRE 18 PULSE POLIO 19 OTHER PUBLIC SECT. HEALTH FACILITY 20 NGO/TRUST HOSP./ 20 NGO/TRUST HOSP./ 21 CLINIC 31 PVT. MED. SECTOR PVT. HOSPITAL 41 PVT. DOCTOR/ 21 CLINIC 42 PVT. PARAMEDIC 43 VAIDYA/HAKIM/ HOMEOPATH HARMACY/ DRUGSTORE 45 OTHER PVT. HEALTH FAC. 46 OTHER 96 (SPECIFY)	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISP. 12 UHC/UHP/UFWC 13 CHC/RUR. HOSP/ PHC PHC. 14 SUB-CENTRE 15 GOVT. MOBILE 16 CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE CENTRE 18 PULSE POLIO 19 OTHER PUBLIC SECT. HEALTH FACILITY 20 NGO/TRUST HOSP/ 20 NGO/TRUST HOSP/ 21 CLINIC 31 PVT. MED. SECTOR PVT. HOSPITAL 41 PVT. DOCTOR/ 21 CLINIC 42 PVT. PARAMEDIC 43 VAIDYA/HAKIM/ HOMEOPATH HOMEOPATH 44 PHARMACY/ DRUGSTORE DRUGSTORE 45 OTHER 96 (SPECIFY) 96	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISP 12 UHC/UHP/UFWC 13 CHC/RUR. HOSP/ PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 16 CAMP 17 ANGANWADI/ICDS CENTRE 18 PULSE POLIO 19 OTHER PUBLIC SECT. HEALTH FACILITY 20 NGO/TRUST HOSP./ CLINIC 31 PVT. MED. SECTOR PVT. HOSPITAL 41 PVT. DOCTOR/ CLINIC 42 PVT. PARAMEDIC 43 VAIDYA/HAKIM/ HOMEOPATH 44 PHARMACY/ DRUGSTORE 45 OTHER PVT. HEALTH FAC 46 OTHER96
518	Has (NAME) had diarrhoea in the last 2 weeks?	YES	YES	YES
519	How long ago did the diarrhoea start?	NO. OF 1 DAYS AGO	NO. OF 1 DAYS AGO	NO. OF 1 DAYS AGO
	IF LESS THAN ONE WEEK, RECORD NUMBER OF DAYS AGO; OTHERWISE RECORD WEEKS AGO.	NO. OF 2 WEEKS AGO DON'T KNOW 998	NO. OF 2 WEEKS AGO DON'T KNOW 998	NO. OF 2 WEEKS AGO DON'T KNOW 998

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH NAME
520	Was there any blood in the stools?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8
521	Now I would like to know how much (NAME) was given to drink during the diarrhoea. Was he/she given less than usual to drink, about the same amount, or more than usual to drink? IF LESS, PROBE: Was he/she given much less than usual to drink or somewhat less?	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS 2 ABOUT THE SAME 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8
522	When (NAME) had diarrhoea, was he/she given less than usual to eat, about the same amount, more than usual, or nothing to eat? IF LESS, PROBE: Was he/she given much less than usual to eat or somewhat less?	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 STOPPED FOOD . 5 NEVER GAVE FOOD 6 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 STOPPED FOOD . 5 NEVER GAVE FOOD 6 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS 2 ABOUT THE SAME 3 MORE 4 STOPPED FOOD 5 NEVER GAVE FOOD 6 DON'T KNOW 8
523	Did you seek advice or treatment for the diarrhoea from any source?	YES 1 NO 2 (SKIP TO 528) ← J	YES 1 NO 2 (SKIP TO 528) ←J	YES 1 NO 2 (SKIP TO 528) ← J

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	
524	Where did you seek advice or treatment?	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B UHC/UHP/UFWC C	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B UHC/UHP/UFWC C	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B UHC/UHP/UFWC C
	Anywhere else?	CHC/RUR. HOSP/ PHC D SUB-CENTRE/ ANM E	CHC/RUR. HOSP/ PHC D SUB-CENTRE/ ANM E	CHC/RUR. HOSP/ PHC D SUB-CENTRE/ ANM E
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	GOVT. MOBILE CLINIC F CAMP G ANGANWADI/ICDS CENTRE H ASHA I OTHER PUB. SECT. HEALTH FACILITY J	GOVT. MOBILE CLINIC F CAMP G ANGANWADI/ICDS CENTRE H ASHA I OTHER PUB. SECT. HEALTH FACILITY J	GOVT. MOBILE CLINIC F CAMP G ANGANWADI/ICDS CENTRE H ASHA I OTHER PUB. SECT. HEALTH FACILITY J
		NGO/TRUST HOSP./ CLINIC K	NGO/TRUST HOSP./ CLINIC K	NGO/TRUST HOSP./ CLINIC K
	(NAME OF PLACE(S)) RECORD ALL SOURCES MENTIONED.	PVT. MED. SECTOR PVT. HOSPITAL L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE Q OTHER PVT. HEALTH FAC. R	PVT. MED. SECTOR PVT. HOSPITAL L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE Q OTHER PVT. HEALTH FAC. R OTHER SOURCE	PVT. MED. SECTOR PVT. HOSPITAL . L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE . Q OTHER PVT. HEALTH FAC R
		OTHER SOURCE SHOP S FRIEND/RELATIVE T OTHER X	SHOP S FRIEND/RELATIVE T OTHER X	OTHER SOURCE SHOP S FRIEND/RELATIVE T OTHER X
		(SPECIFY)	(SPECIFY)	(SPECIFY)
525	CHECK 524:	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 527)	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 527)	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 527)
526	Where did you first seek advice or treatment? USE LETTER CODE FROM 524.	FIRST PLACE	FIRST PLACE	FIRST PLACE
527	How many days after the diarrhoea began did you first seek advice or treatment for (NAME)? IF THE SAME DAY, RECORD '00'.	DAYS	DAYS	DAYS

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
528	Does (NAME) still have diarrhoea?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8
529	Was he/she given any of the following to drink at any time since he/she started having the diarrhoea:	YES NO DK	YES NO DK	YES NO DK
	a. A fluid made from a special packet called [LOCAL NAME FOR ORS PACKET]?	FLUID FROM ORS PKT 1 2 8	FLUID FROM ORS PKT 1 2 8	FLUID FROM ORS PKT 1 2 8
	b. Gruel made from rice [OR OTHER LOCAL GRAIN]?	GRUEL 1 2 8	GRUEL 1 2 8	GRUEL 1 2 8
530	Was anything (else) given to treat the diarrhoea?	YES 1 NO 2 (SKIP TO 532) ← DON'T KNOW 8	YES	YES 1 NO 2 (SKIP TO 532) ← DON'T KNOW 8
531	What (else) was given to treat the diarrhoea? Anything else? RECORD ALL TREATMENTS GIVEN.	PILL OR SYRUP ANTIBIOTIC A ANTIMOTILITY B ZINC C OTHER (NOT ANTI- BIOTIC, ANTI- MOTILITY, OR ZINC) D UNKNOWN PILL OR SYRUP E	PILL OR SYRUP ANTIBIOTIC A ANTIMOTILITY B ZINC C OTHER (NOT ANTI- BIOTIC, ANTI- MOTILITY, OR ZINC) D UNKNOWN PILL OR SYRUP E	PILL OR SYRUP ANTIBIOTIC A ANTIMOTILITY B ZINC C OTHER (NOT ANTI- BIOTIC, ANTI- MOTILITY, OR ZINC) D UNKNOWN PILL OR SYRUP E
		INJECTION ANTIBIOTIC F NON-ANTIBIOTIC G UNKNOWN INJECTION H	INJECTION ANTIBIOTIC F NON-ANTIBIOTIC G UNKNOWN INJECTION H	INJECTION ANTIBIOTIC F NON-ANTIBIOTIC G UNKNOWN INJECTION H
		INTRAVENOUS (IV) . I HOME REMEDY/ HERBAL MED- ICINE J	INTRAVENOUS (IV) . I HOME REMEDY/ HERBAL MED- ICINE J	INTRAVENOUS (IV) . I HOME REMEDY/ HERBAL MED- ICINE J
		OTHER X (SPECIFY)	OTHER X (SPECIFY)	OTHER X (SPECIFY)
532	Has (NAME) been ill with a fever at any time in the last 2 weeks?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8
533	Has (NAME) been ill with a cough at any time in the last 2 weeks?	YES 1 NO 2 (SKIP TO 536) ← DON'T KNOW 8	YES 1 NO 2 (SKIP TO 536) ← DON'T KNOW 8	YES 1 NO 2 (SKIP TO 536) ← DON'T KNOW 8

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH NAME
534	When (NAME) had an illness with a cough, did he/she breathe faster than usual with short, rapid breaths or have difficulty breathing?	YES 1 NO 2 (SKIP TO 537) ← DON'T KNOW 8	YES 1 NO 2 (SKIP TO 537) ← DON'T KNOW 8	YES 1 NO 2 (SKIP TO 537) ← DON'T KNOW 8
535	When (NAME) had this illness, did he/she have a problem in the chest or a blocked or runny nose?	CHEST ONLY 1 NOSE ONLY 2 BOTH 3 OTHER 6 (SPECIFY) DON'T KNOW 8 (SKIP TO 537)	CHEST ONLY 1 NOSE ONLY 2 BOTH	CHEST ONLY 1 NOSE ONLY 2 BOTH 3 OTHER 6 (SPECIFY) DON'T KNOW 8 (SKIP TO 537)
536	CHECK 532: HAD FEVER?	YES NO OR DK	YES NO OR DK	YES NO OR DK
537	How long ago did the (fever/ cough) start? IF LESS THAN ONE WEEK, RECORD NUMBER OF DAYS AGO; OTHERWISE RECORD WEEKS AGO.	NO. OF 1 DAYS AGO NO. OF 2 WEEKS AGO DON'T KNOW 998	NO. OF 1 DAYS AGO NO. OF 2 WEEKS AGO DON'T KNOW 998	NO. OF 1 DAYS AGO NO. OF 2 WEEKS AGO DON'T KNOW 998
538	Now I would like to know how much (NAME) was given to drink during the illness with a (fever/cough). Was he/she given less than usual to drink, about the same amount, or more than usual to drink? IF LESS, PROBE: Was he/she given much less than usual to drink or somewhat less?	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE 4 NOTHING TO DRINK 5 DON'T KNOW 8	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE	MUCH LESS 1 SOMEWHAT LESS . 2 ABOUT THE SAME . 3 MORE
539	When (NAME) had a (fever/cough), was he/she given less than usual to eat, about the same amount, more than usual, or nothing to eat? IF LESS, PROBE: Was he/she given much less than usual to eat or somewhat less?	MUCH LESS1SOMEWHAT LESS2ABOUT THE SAME3MORE4STOPPED FOOD5NEVER GAVE FOOD6DON'T KNOW8	MUCH LESS1SOMEWHAT LESS2ABOUT THE SAME3MORE4STOPPED FOOD5NEVER GAVE FOOD6DON'T KNOW8	MUCH LESS1SOMEWHAT LESS2ABOUT THE SAME3MORE4STOPPED FOOD5NEVER GAVE FOOD6DON'T KNOW8

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST
NO.	QUESTIONS AND FILTERS	NAME	NAME	BIRTH NAME
540	Did you seek advice or treatment for the illness from any source?	YES 1 NO 2 (SKIP TO 545) ← J	YES 1 NO 2 (SKIP TO 545) ←	YES 1 NO 2 (SKIP TO 545) ◀
541	Where did you seek advice or treatment?	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B	PUB. MED. SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISP B
	Anywhere else?	UHC/UHP/UFWC C CHC/RUR. HOSP/ PHC D SUB-CENTRE/	UHC/UHP/UFWC C CHC/RUR. HOSP/ PHC D SUB-CENTRE/	UHC/UHP/UFWC C CHC/RUR. HOSP/ PHC D SUB-CENTRE/
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	ANM E ANGANWADI/ICDS CENTRE F GOVT. MOBILE CLINIC G CAMP H OTHER PUB. SECT. HEALTH FACILITY I ASHA J	ANM E ANGANWADI/ICDS CENTRE F GOVT. MOBILE CLINIC G CAMP H OTHER PUB. SECT. HEALTH FACILITY I ASHA J	ANM E ANGANWADI/ICDS CENTRE F GOVT. MOBILE CLINIC G CAMP H OTHER PUB. SECT. HEALTH FACILITY I ASHA J
	(NAME OF PLACE(S))	NGO/TRUST HOSP./ CLINIC K	NGO/TRUST HOSP./ CLINIC K	NGO/TRUST HOSP./ CLINIC K
	RECORD ALL SOURCES MENTIONED.	PVT. MED. SECTOR PVT. HOSPITAL . L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE . Q OTHER PVT. HEALTH FAC R	PVT. MED. SECTOR PVT. HOSPITAL L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE Q OTHER PVT. HEALTH FAC. R	PVT. MED. SECTOR PVT. HOSPITAL . L PVT. DOCTOR/ CLINIC M PVT. PARAMEDIC N VAIDYA/HAKIM/ HOMEOPATH O TRADITIONAL HEALER P PHARMACY/ DRUGSTORE . Q OTHER PVT. HEALTH FAC R
		OTHER SOURCE SHOP S FRIEND/RELATIVE T	OTHER SOURCE SHOP S FRIEND/RELATIVE T	OTHER SOURCE SHOP S FRIEND/RELATIVE T
		OTHER X (SPECIFY)	OTHER X (SPECIFY)	OTHER X (SPECIFY)
542	CHECK 541:	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 544)	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 544)	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 544)
543	Where did you first seek advice or treatment? USE LETTER CODE FROM 541.	FIRST PLACE	FIRST PLACE	FIRST PLACE

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST
NO.	QUESTIONS AND FILTERS	NAME	NAME	BIRTH NAME
544	How many days after the illness began did you first seek advice or treatment for (NAME)? IF THE SAME DAY, RECORD '00'.	DAYS	DAYS	DAYS
545	Is (NAME) still sick with a (fever/ cough)?	FEVER ONLY 1 COUGH ONLY 2 BOTH FEVER AND 2 COUGH 3 NO, NEITHER 4 DON'T KNOW 8	FEVER ONLY1COUGH ONLY2BOTH FEVER ANDCOUGH3NO, NEITHER4DON'T KNOW8	FEVER ONLY 1 COUGH ONLY 2 BOTH FEVER AND 2 COUGH 3 NO, NEITHER 4 DON'T KNOW 8
546	At any time during the illness, did (NAME) take any drugs for the illness?	YES	YES	YES
547	What drugs did (NAME) take? Any other drugs? RECORD ALL MENTIONED.	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G OTHER DRUGS ASPIRIN H ACETA- MINOPHEN I IBUPROFEN J OTHER X (SPECIFY) UNKNOWN DRUG Z	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G OTHER DRUGS ASPIRIN H ACETA- MINOPHEN I IBUPROFEN J OTHERX (SPECIFY) UNKNOWN DRUG Z	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G OTHER DRUGS ASPIRIN H ACETA- MINOPHEN I IBUPROFEN J OTHERX (SPECIFY) UNKNOWN DRUG Z
548	CHECK 547: ANY CODE A-G CIRCLED?	YES NO (SKIP TO 552)	YES NO	YES NO (SKIP TO 552)
549	Did you already have (NAME OF DRUG FROM 547) at home when the child became ill? IF YES, CIRCLE CODE FOR THAT DRUG. ASK SEPARATELY FOR EACH ANTIMALARIAL OR ANTIBIOTIC DRUG GIVEN IN 547.	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G NONE OF THEM AT HOME Y	ANTIMALARIAL DRUGS CHLOROQUINE A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG G NONE OF THEM AT HOME Y	ANTIMALARIAL DRUGS CHLOROQUINE . A PRIMAQUINE B SP/FANSIDAR C COMBINATION WITH ARTEMISININ D OTHER ANTI- MALARIAL E UNKNOWN ANTI- MALARIAL F ANTIBIOTIC DRUG . G NONE OF THEM AT HOME Y

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH NAME
550	CHECK 547: ANY CODE A-F CIRCLED?	YES NO	YES NO	YES NO (SKIP TO 552)
551	How long after the fever started, did (NAME) first take (DRUG(S) FROM 547 A-F)?	SAME DAY1NEXT DAY2TWO DAYS AFTERFEVER3THREE DAYS AFTERFEVER4FOUR OR MOREDAYS AFTERFEVER5DON'T KNOW8	SAME DAY1NEXT DAY2TWO DAYS AFTER7FEVER3THREE DAYS AFTER4FOUR OR MORE0DAYS AFTER5DON'T KNOW8	SAME DAY1NEXT DAY2TWO DAYS AFTER7FEVER3THREE DAYS AFTER4FOUR OR MORE0DAYS AFTER5DON'T KNOW8
552		GO BACK TO 503 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 553.	GO BACK TO 503 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 553.	GO TO 503 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE BIRTHS, GO TO 553.

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
553	CHECK 215 AND 218, ALL ROWS:		
	NUMBER OF CHILDREN BORN IN 2001 OR LATER LIVING WITH	THE RESPONDENT	
			→ 556
554	The last time (NAME OF YOUNGEST CHILD) passed stools, what was done to dispose of the stools?	CHILD USED TOILET OR LATRINE 01 PUT/RINSED INTO TOILET OR LATRINE 02 PUT/RINSED INTO DRAIN OR DITCH 03 THROWN INTO GARBAGE 04 BURIED 05 LEFT IN THE OPEN 06 OTHER96 (SPECIFY) DON'T KNOW 98	
555	CHECK 529(a), ALL COLUMNS:		
		HILD VED FLUID ORS PACKET	→ 557
556	Have you ever heard of a special product called [LOCAL NAME FOR ORS PACKET] you can get for the treatment of diarrhoea? IF SHE HAS NEVER HEARD OF ORS, SHOW GOVERNMENT AND COMMERCIAL ORS PACKETS AND ASK: Have you ever seen a packet like one of these before?	YES 1 NO 2	
557	Now I would like to ask you some questions about medical care for you yourself.		
	Many different factors can prevent women from getting medical advice or treatment for themselves. When you are sick and want to get medical advice or treatment, is each of the following a big problem, a small problem, or no problem?	BIG SMALL NO PROB- PROB- PROB- LEM LEM LEM	
	a. Getting permission to go?	PERMISSION 1 2 3	
	b. Getting money needed for treatment?	GETTING MONEY 1 2 3	
	c. The distance to the health facility?	DISTANCE 1 2 3	
	d. Having to take transport?	TAKING TRANSPORT 1 2 3	
	e. Finding someone to go with you?	FINDING SOMEONE 1 2 3	
	f. Concern that there may not be a female health provider?	NO FEMALE PROVIDER 1 2 3	
	g. Concern that there may not be any health provider?	NO PROVIDER . 1 2 3	
	h. Concern that there may be no drugs available?	NO DRUGS 1 2 3	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES			SKIP		
558	How often do you yourself consume the following food items: daily, weekly, occasionally, or never? a. Milk or curd?	DA a.	AILY 1	WEEKLY 2	OCC. 3	NEVER 4	
	b. Pulses or beans?	b.	1	2	3	4	
	c. Dark green leafy vegetables?		1	2	3	4	
	d. Fruits?	d.	1	2	3	4	
	e. Eggs?	e.	1	2	3	4	
	f. Fish?	f.	1	2	3	4	
	g. Chicken or meat?	g.	1	2	3	4	
559	Now I would like to ask you some questions about any injections you have had in the last 12 months. Have you had an injection for any reason in the last 12 months?	NUMBER OF INJECTIONS					
	IF YES: How many injections have you had? IF NUMBER OF INJECTIONS IS GREATER THAN 90, OR DAILY FOR 3 MONTHS OR MORE, RECORD '90'. IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.			>564			
560	CHECK 559: ONE INJECTION MORE THAN ONE INJECTION Was this injection Among these injections, how administered by a doctor, anurse, a pharmacist, a dentist, or any other health worker? IF NUMBER OF INJECTIONS IS GREATER THAN 90, OR DAILY FOR 3 MONTHS OR MORE, RECORD '90'.			R OF CTIONS	L	00	> 564
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.						

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
561	The last time you had an injection given to you by a health worker, where did you go to get the injection? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTORGOVT./MUNICIPAL HOSPITAL11GOVT. DISPENSARY12UHC/UHP/UFWC13CHC/RURAL HOSPITAL/PHC14SUB-CENTRE15GOVT. MOBILE CLINIC16CAMP17ANGANWADI/ICDS CENTRE18OTHER PUBLIC MEDICALSECTOR19	
	(NAME OF PLACE)	NGO OR TRUST HOSPITAL/CLINIC21PRIVATE MEDICAL SECTOR9VT. HOSPITAL31PVT. DOCTOR/CLINIC32PVT. PARAMEDIC33VAIDYA/HAKIM/HOMEOPATH34PHARMACY/DRUGSTORE35OTHER PRIVATE MEDICAL36	
		OTHER PLACE 41 SHOP 41 AT HOME 42 OTHER 96 (SPECIFY)	
562	Did the person who gave you that injection take the syringe and needle from a new, unopened package?	YES	─▶ 564
563	As far as you know, was the needle sterilized?	YES	
564	Have you ever had a blood transfusion?	YES 1 NO 2	
565	Do you currently smoke cigarettes or bidis?	YES 1 NO 2	→ 567
566	In the last 24 hours, how many cigarettes or bidis did you smoke?	CIGARETTES/BIDIS	
567	Do you currently smoke or use tobacco in any other form?	YES 1 NO 2	→ 569
568	In what other form do you currently smoke or use tobacco? Any other form? RECORD ALL MENTIONED.	CIGAR/PIPE A PAAN MASALA B GHUTKA C OTHER CHEWING TOBACCO D SNUFF E OTHER X (SPECIFY) X	
569	Do you drink alcohol?	YES 1 NO 2	→ 571

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
570	How often do you drink alcohol: almost every day, about once a week or less often?	ALMOST EVERY DAY 1 ABOUT ONCE A WEEK 2 LESS OFTEN 3	
571	Have you ever heard of an illness called tuberculosis or TB?	YES 1 NO 2	→ 575
572	How does tuberculosis spread from one person to another? PROBE: Any other ways? RECORD ALL MENTIONED.	THROUGH THE AIR WHENCOUGHING OR SNEEZINGATHROUGH SHARING UTENSILSBTHROUGH TOUCHING A PERSONWITH TBWITH TBCTHROUGH FOODDTHROUGH SEXUAL CONTACTE	
	RECORD ALL MENTIONED.	THROUGH SEXUAL CONTACT E THROUGH MOSQUITO BITES F OTHER X (SPECIFY) DON'T KNOW Z	
573	Can tuberculosis be cured?	YES	
574	If a member of your family got tuberculosis, would you want it to remain a secret from the neighbours or not?	YES, REMAIN A SECRET 1 NO 2 DON'T KNOW/NOT SURE/ 8 DEPENDS 8	
575	Do you currently have :	DON'T YES NO KNOW	
	a. Diabetes?	DIABETES 1 2 8	
	b. Asthma?	ASTHMA 1 2 8	
	c. Goiter or any other thyroid disorder?	GOITER/THYROID . 1 2 8	
576	CHECK 215: ANY LIVE BIRTH IN 2000 OR LATER?		
	YES T	NO	→ 601

SECTION 5A. UTILIZATION OF ICDS SERVICES

577	7 ENTER IN THE TABLE THE LINE NUMBER, NAME, AND SURVIVAL STATUS OF EACH BIRTH IN 2000 OR LATER. ASK THE QUESTIONS ABOUT ALL OF THESE BIRTHS. BEGIN WITH THE LAST BIRTH. (IF THERE ARE MORE THAN 5 BIRTHS, USE ADDITIONAL QUESTIONNAIRES).					
578		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM- LAST BIRTH	THIRD-FROM- LAST BIRTH	FOURTH-FROM- LAST BIRTH
	LINE NUMBER FROM 212	LINE NUMBER	LINE NUMBER	LINE NUMBER	LINE UMBER	LINE NUMBER
579		NAME	NAME	NAME	NAME	NAME
	FROM 212 AND 216	LIVING DEAD (GO TO 587)	LIVING DEAD (GO TO 587)	LIVING DEAD (GO TO 587)	LIVING DEAD GO TO 587)	LIVING DEAD (GO TO 587)
580	During the last 12 months, has (NAME) received any benefits from the anganwadi or ICDS centre? IF NO, PROBE:					
	Any benefits such as supplementary food, growth monitoring, immunizations, health check-ups or education?	YES . 1 NO 2 (GO TO 587) ← J	YES . 1 NO 2 (GO TO 587) ← J	YES . 1 NO 2 (GO TO 587) ←	YES . 1 NO 2 (GO TO 587) ← J	YES . 1 NO 2 (GO TO 587) ←
581	In the last 12 months, how often has (NAME) received food from the anganwadi/ICDS centre? IF CHILD RECEIVES TAKE- HOME RATIONS FOR DAILY CONSUMPTION WEEKLY OR MONTHLY CODE '1'.	NOT AT ALL 0 ALMOST DAILY 1 AT LEAST ONCE A WEEK 2 AT LEAST ONCE A MONTH 3 LESS OFTEN 4 DON'T KNOW 8	NOT AT ALL 0 ALMOST DAILY . 1 AT LEAST ONCE A WEEK 2 AT LEAST ONCE A MONTH 3 LESS OFTEN 4 DON'T KNOW 8	NOT AT ALL 0 ALMOST DAILY 1 AT LEAST ONCE A WEEK 2 AT LEAST ONCE A MONTH 3 LESS OFTEN 4 DON'T KNOW 8	ALMOST DAILY . 1 AT LEAST ONCE A WEEK 2 AT LEAST ONCE A MONTH 3 LESS OFTEN 4	NOT AT ALL0ALMOST DAILY1AT LEAST ONCEA WEEK2AT LEAST ONCEA MONTH3LESS OFTEN4DON'T KNOW8
582	In the last 12 months, how often has (NAME) had a health check-up from the anganwadi/ICDS centre?	NOT AT ALL 0 AT LEAST ONCE A MONTH 1 LESS OFTEN 2 DON'T KNOW 8	LESS OFTEN 2		AT LEAST ONCE	AT LEAST ONCE A MONTH 1 LESS OFTEN 2
583	In the last 12 months, has (NAME) received any immunizations through the anganwadi/ ICDS centre?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8
584	In the last 12 months, how often did (NAME) go to the anganwadi/ICDS centre for early childhood care or for preschool: regularly, occasionally, or not at all?	REG 1 OCC 2 NOT AT ALL 3 DON'T KNOW 8	REG	REG	REG	REG

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM- LAST BIRTH	THIRD-FROM- LAST BIRTH	FOURTH-FROM- LAST BIRTH
	NAME FROM 212	NAME	NAME	NAME	NAME	NAME
585	In the last 12 months, how often has (NAME's) weight been measured by the anganwadi/ICDS centre?	NOT AT ALL 0 (GO TO 587) ← ↓ AT LEAST ONCE A MONTH 1 AT LEAST ONCE IN 3 MONTHS 2 LESS OFTEN 3 DON'T KNOW 8 (GO TO 587) ← ↓	NOT AT ALL 0 (GO TO 587) ← ↓ AT LEAST ONCE A MONTH 1 AT LEAST ONCE IN 3 MONTHS 2 LESS OFTEN 3 DON'T KNOW 8 (GO TO 587) ← ↓	NOT AT ALL 0 (GO TO 587) ← ↓ AT LEAST ONCE A MONTH 1 AT LEAST ONCE IN 3 MONTHS 2 LESS OFTEN 3 DON'T KNOW 8 (GO TO 587) ← ↓	NOT AT ALL 0 (GO TO 587) ← ↓ AT LEAST ONCE A MONTH 1 AT LEAST ONCE IN 3 MONTHS 2 LESS OFTEN 3 DON'T KNOW 8 (GO TO 587) ← ↓	NOT AT ALL 0 (GO TO 587) ← ↓ AT LEAST ONCE A MONTH 1 AT LEAST ONCE IN 3 MONTHS 2 LESS OFTEN 3 DON'T KNOW 8 (GO TO 587) ← ↓
586	After (NAME) was weighed, did you ever receive counselling from the anganwadi/ICDS worker or ANM?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW . 8
587	When you were pregnant with (NAME), did you receive any benefits from the anganwadi/ICDS centre?	YES 1 NO 2 (GO TO 589) ← J				
588	Did you receive any of the following benefits:	YES NO				
	a. Supplementary food?	1 2	1 2	1 2	1 2	1 2
	b. Health check-ups?	1 2	1 2	1 2	1 2	1 2
	c. Health and nutrition education?	1 2	1 2	1 2	1 2	1 2
589	When you were breastfeeding (NAME) did you receive any benefits from the anganwadi/ICDS centre?	YES 1 NO 2 (GO TO 591) ← DID NOT BREASTFEED 3	YES 1 NO 2 (GO TO 591) ← DID NOT BREASTFEED 3	YES 1 NO 2 (GO TO 591) ← DID NOT BREASTFEED 3	YES 1 NO 2 (GO TO 591) DID NOT BREASTFEED 3	YES 1 NO 2 (GO TO 591) DID NOT BREASTFEED 3
590	Did you receive any of the following benefits:	YES NO				
	a. Supplementary food?	1 2	1 2	1 2	1 2	1 2
	b. Health check-ups?	1 2	1 2	1 2	1 2	1 2
	c. Health and nutrition education?	1 2	1 2	1 2	1 2	1 2
591		GO TO 579 IN NEXT COLUMN; OR IF NO MORE BIRTHS, GO TO 601.	GO TO 579 IN NEXT COLUMN; OR IF NO MORE BIRTHS, GO TO 601.	GO TO 579 IN NEXT COLUMN; OR IF NO MORE BIRTHS, GO TO 601.	GO TO 579 IN NEXT COLUMN; OR IF NO MORE BIRTHS, GO TO 601.	GO TO 579 IN FIRST COLUMN OF ADDITIONAL QUESTIONNIARE; OR IF NO MORE BIRTHS, GO TO 601.

SECTION 6. SEXUAL LIFE

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
601	CHECK 316 AND 317: HAS NOT HAD SEXUAL INTERCOURSE (316 = 2 OR 317 = 00) HAS HAD SEXU/	AL INTERCOURSE	618
	READ TO RESPONDENTS Now I need to ask you some more questions about relationships and you that your answers are completely confidential. If we should come to answer, just let me know and I will skip to the next question.	0	
602	CHECK 105: 15-24 25-49 YEARS OLD YEARS OLD		→ 606
603	How old was the person you <u>first</u> had sexual intercourse with?	AGE OF PARTNER	→ 605
604	Would you say this person was ten or more years older than you?	YES 1 NO 2 DON'T KNOW	
605	The first time you had sexual intercourse, was a condom used?	YES	
606	When was the <u>last</u> time you had sexual intercourse? IF LESS THAN 12 MONTHS, ANSWER MUST BE RECORDED IN DAYS, WEEKS, OR MONTHS AGO. IF 12 MONTHS OR MORE, ANSWER MUST BE RECORDED IN YEARS AGO.	DAYS AGO 1 WEEKS AGO 2 MONTHS AGO 3 YEARS AGO 4	608 → 617

NO.	QUESTIONS AND FILTERS	LAST SEXUAL PARTNER	SECOND-TO-LAST SEXUAL PARTNER
607	When was the last time you had sexual intercourse with this other person?		DAYS AGO 1 WEEKS AGO 2 MONTHS AGO 3
608	The last time you had sexual intercourse (with this other person), was a condom used?	YES 1 NO 2 (SKIP TO 610)◀	YES
609	Did you use a condom every time you had sexual intercourse with this person in the last 12 months?	YES 1 NO 2	YES 1 NO 2
610	What was this person's relationship to you?	HUSBAND	HUSBAND
611	For how long (have you had/did you have) a sexual relationship with this person? IF ONLY HAD SEXUAL RELATIONS WITH THIS PERSON ONCE, RECORD '01' DAYS.	DAYS 1	DAYS 1 MONTHS 2 YEARS 3
612	CHECK 105:	15-24 YEARS 25-49 OLD YEARS OLD ↓ (SKIP TO 615) ←	15-24 YEARS 25-49 OLD YEARS 0LD ↓ (SKIP TO 616) ←
613	How old is this person?	AGE OF PARTNER (SKIP TO 615)	AGE OF PARTNER (SKIP TO 616)
614	Would you say this person is ten or more years older than you?	YES 1 NO 2 DON'T KNOW 8	YES
615	Apart from this person, have you had sexual intercourse with any other person in the last 12 months?	YES 1 (GO BACK TO 607 ← IN NEXT COLUMN) NO	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
616	In total, with how many different people have you had sexual intercourse in the last 12 months?	NUMBER OF PARTNERS IN LAST 12 MONTHS	
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	DON'T KNOW	
617	In total, with how many different people have you had sexual intercourse in your lifetime?	NUMBER OF PARTNERS	
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	DON'T KNOW	
618	Do you know of a place where a person can get condoms?	YES 1 NO 2	→ 701
619	Where is that? Any other place?	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSPITAL/PHC D SUB-CENTRE/ANM E GOVT. MOBILE CLINIC F	
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	CAMP G ANGANWADI/ICDS CENTRE H ASHA I OTHER COMMUNITY BASED WORKER J OTHER PUBLIC MEDICAL SECTORK (SPECIFY)	
	(NAME OF PLACE(S)) RECORD ALL SOURCES MENTIONED.	NGO OR TRUST HOSPITAL/ CLINIC L PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL/CLINIC/ DOCTOR M PRIVATE PARAMEDIC N VAIDYA/HAKIM/HOMEOPATH O TRADITIONAL HEALER P PHARMACY/DRUGSTORE Q DAI (TBA) R OTHER PRIVATE MEDICAL S SECTOR S (SPECIFY) T OTHER SHOP U VENDING MACHINE V	
		OTHER X (SPECIFY)	
620	If you wanted to, could you yourself get a condom?	YES 1 NO 2 DON'T KNOW/UNSURE 8	

SECTION 7. FERTILITY PREFERENCES

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
701			, 714
702	CHECK 330/330A: CODE 'A' OR CODE 'B' CIRCLED OTHER		→ 714
703	CHECK 227: NOT PREGNANT OR UNSURE Now I have some questions about the future. Would you like to have (a/another) child, or would you prefer not to have any (more) children? PREGNANT Now I have some questions about the future. After the child you are expecting now, would you like to have another child, or would you prefer not to have any more children?	HAVE (A/ANOTHER) CHILD 1 NO MORE/NONE	→ 705 → 714 → 711 → 709
704	CHECK 227: NOT PREGNANT OR UNSURE How long would you like to wait from now before the birth of (a/another) child? PREGNANT After the birth of the child you are expecting now, how long would you like to wait before the birth of another child?	MONTHS 1 YEARS 2 SOON/NOW 993 SAYS SHE CAN'T GET PREGNANT 994 OTHER 996 (SPECIFY) 998	→ 709 → 714
705	CHECK 227: NOT PREGNANT OR UNSURE		→ 711
706	CHECK 329: USING A CONTRACEPTIVE METHOD?		→ 714
707		00-23 MONTHS DR 00-01 YEAR	→ 711

NO.	QUESTIONS AND) FILTERS	CODING CATEGORIES		SKIP
708	CHECK 703:		NOT CURRENTLY MARRIED	А	
	WANTS TO HAVE A/ANOTHER CHILD You have said that you do not want (a/another) child soon, but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?	WANTS NO MORE/ NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?	FERTILITY-RELATED REASONS NOT HAVING SEX INFREQUENT SEX MENOPAUSAL/HYSTERECTOMY SUBFECUND/INFECUND POSTPARTUM AMENORRHEIC BREASTFEEDING FATALISTIC/UP TO GOD	G	
	PROBE:	PROBE:	RESPONDENT OPPOSED		
	Any other reason?	Any other reason?	OTHERS OPPOSED		
	RECORD ALL REASON	IS MENTIONED.	LACK OF KNOWLEDGE KNOWS NO METHOD KNOWS NO SOURCE METHOD-RELATED REASONS		
			HEALTH CONCERNS FEAR OF SIDE EFFECTS LACK OF ACCESS/TOO FAR COSTS TOO MUCH INCONVENIENT TO USE INTERFERES WITH BODY'S NORMAL PROCESSES DON'T LIKE EXISTING METHODS	Q R	
			OTHER(SPECIFY) DON'T KNOW	x z	
709	CHECK 329: USING A CONTRAC NOT ASKED NOT C	NO,			→ 714
710	Do you think you will use a contract pregnancy in the next 12 months?		YES NO DON'T KNOW	1 2 8	→ 712
711	Do you think you will use a contrac pregnancy at any time in the future		YES NO DON'T KNOW	1 2 8	713
712	Which contraceptive method would	d you prefer to use?	FEMALE STERILIZATION MALE STERILIZATION PILL IUD/LOOP INJECTABLES IMPLANTS CONDOM/NIRODH FEMALE CONDOM DIAPHRAGM FOAM/JELLY RHYTHM METHOD WITHDRAWAL OTHER (SPECIFY) UNSURE	02 03 04 05 06 07 08 09 10	→ 714

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
713	What is the main reason that you think you will not use a contraceptive method at any time in the future?	FERTILITY-RELATED REASONS INFREQUENT SEX/NO SEX 11 MENOPAUSAL/HYSTERECTOMY 12 SUBFECUND/INFECUND 13 FATALISTIC 14 WANTS AS MANY CHILDREN AS POSSIBLE POPOSITION TO USE RESPONDENT OPPOSED RESPONDENT OPPOSED 21 HUSBAND OPPOSED 22 OTHERS OPPOSED 23 RELIGIOUS PROHIBITION 24 LACK OF KNOWLEDGE KNOWS NO METHOD 31 KNOWS NO SOURCE 32 METHOD-RELATED REASONS 41 FEAR OF SIDE EFFECTS 42 LACK OF ACCESS/TOO FAR 43 COSTS TOO MUCH 44 INCONVENIENT TO USE 45 INTERFERES WITH BODY'S NORMAL PROCESSES 46 OTHER 96 97 DON'T KNOW 98 98	
714	CHECK 216: HAS LIVING CHILDREN If you could go back to the time you did not have any children and could choose exactly the number of children to have in your whole life, how many would that be? PROBE FOR A NUMERIC RESPONSE.	NONE	→ 716 → 716
715	How many of these children would you like to be boys, how many would you like to be girls and for how many would the sex not matter?	BOYS GIRLS EITHER NUMBER	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
716	In the last few months have you heard or seen any message about family planning:	YES NO	
	a. On the radio?	RADIO 1 2	
	b. On the television?	TELEVISION 1 2	
	c. In a newspaper or magazine?	NEWSPAPER OR MAGAZINE 1 2	
	d. On a wall painting or hoarding?	WALL PAINTING OR HOARDING . 1 2	
717	CHECK 301:		
	CURRENTLY OTHER		→ 723
718	CHECK 330/330A:		
			→ 720
	CIRCLED		→ 722
719	Does your husband know that you are using a method of family planning?	YES	721
720	Would you say that using contraception is mainly your decision, mainly your husband's decision, or did you both decide together?	MAINLY RESPONDENT1MAINLY HUSBAND2JOINT DECISION3OTHER6	
721	CHECK 330/330A:		
	CODE 'A' OR CODE 'B' CIRCLED		→ 723
	OTHER		
722	Do you think your husband wants the same number of children that you want, or does he want more or fewer than you want?	SAME NUMBER 1 MORE CHILDREN 2 FEWER CHILDREN 3 DON'T KNOW 8	
723	Husbands and wives do not always agree on everything. Please tell me if you think a wife is justified in refusing to have sex with her husband when:	DON'T YES NO KNOW	
	a. She knows her husband has a sexually transmitted disease.	HAS STD 1 2 8	
	b. She knows her husband has sex with other women.	OTHER WOMEN 1 2 8	
	c. She is tired or not in the mood.	TIRED/NOT IN MOOD . 1 2 8	

NO.	QUESTIONS AND FILTERS		SKIP
		CODING CATEGORIES	SKIP
801	CHECK 301: CURRENTLY NEVER MARRIED MARRIED OR MARRIED, GAUNA NOT PERFORMED	OTHER	→ 806 → 803
802	How old was your husband on his last birthday?	AGE IN COMPLETED YEARS	
803	Did your (last) husband ever attend school?	YES 1 NO 2	→ 805
804	What was the highest standard he completed?	STANDARD	
805	CHECK 801: CURRENTLY MARRIED OR MARRIED, GAUNA NOT PERFORMED What is your husband's occupation? That is, what kind of work does he mainly do? COTHER OTHER OTHER MARRIED OTHER That is, what kind of work does he mainly do?		
806	Aside from your own housework, have you done any work in the last seven days?	YES 1 NO 2	→ 810
807	As you know, some women take up jobs for which they are paid in cash or kind. Others sell things, have a small business or work on the family farm or in the family business. In the last seven days, have you done any of these things or any other work?	YES 1 NO 2	→ 810
808	Although you did not work in the last seven days, do you have any job or business from which you were absent for leave, illness, vacation, maternity leave or any other such reason?	YES 1 NO 2	→ 810
809	Have you done any work in the last 12 months?	YES 1 NO 2	→ 817
810	What is your occupation, that is, what kind of work do you mainly do?		
811	CHECK 810: WORKS IN DOES NOT WORK AGRICULTURE IN AGRICULTURE		→813

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
812	Do you work mainly on your own land, on family land, or on land that you rent from someone else, or do you work on someone else's land?	OWN LAND1FAMILY LAND2RENTED LAND3SOMEONE ELSE'S LAND4	
813	Do you do this work for a member of your family, for someone else, or are you self-employed?	FOR FAMILY MEMBER1FOR SOMEONE ELSE2SELF-EMPLOYED3	
814	Do you usually work at home or away from home?	HOME 1 AWAY 2	
815	Do you usually work throughout the year, or do you work seasonally, or only once in a while?	THROUGHOUT THE YEAR1SEASONALLY/PART OF THE YEAR2ONCE IN A WHILE3	
816	Are you paid in cash or kind for this work, or are you not paid at all?	CASH ONLY 1 CASH AND KIND 2 IN KIND ONLY 3 NOT PAID 4	
817	CHECK 301: CURRENTLY MARRIED OTHER		→823
818	CHECK 816: CODE '1' OR '2' CIRCLED OTHER OTHER		→821
819	Who decides how the money you earn will be used: mainly you, mainly your husband, or you and your husband jointly?	RESPONDENT1HUSBAND2RESPONDENT ANDHUSBAND JOINTLY3OTHER6	
820	Would you say that the money that you earn is more than what your husband earns, less than what he earns, or about the same?	MORE THAN HUSBAND1LESS THAN HUSBAND2ABOUT THE SAME3HUSBAND HAS NO6EARNINGS4DON'T KNOW8	→ 822
821	Who decides how your husband's earnings will be used: mainly you, mainly your husband, or you and your husband jointly?	RESPONDENT 1 HUSBAND 2 RESPONDENT AND 1 HUSBAND JOINTLY 3 HUSBAND HAS 4 OTHER 6	
822	Who usually makes the following decisions: mainly you, mainly your husband, you and your husband jointly, or someone else?	RESPONDENT = 1 HUSBAND = 2 RESPONDENT & HUSBAND JOINTLY = 3 SOMEONE ELSE = 4 OTHER RESPONSE= 6	
	a. Decisions about health care for yourself?	a. 1 2 3 4 6	
	b. Decisions about making major household purchases?	b. 1 2 3 4 6	
	c. Decisions about making purchases for daily household needs?	c. 1 2 3 4 6	
	d. Decisions about visits to your family or relatives?	d. 1 2 3 4 6	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
823	Do you have any money of your own that you alone can decide how to use?	YES 1 NO 2	-
824	Are you usually allowed to go to the following places alone, only with someone else, or not at all?	WITH NOT SOMEONE AT ALONE ELSE ONLY ALL	
	a. To the market?	MKT 1 2 3	
	b. To the health facility?	HEALTH 1 2 3	
	c. To places outside this (village/community)?	OUT 1 2 3	
825	Do you have a bank or savings account that you yourself use?	YES 1 NO 2	
826	Do you know of any programmes in this area that give loans to women to start or expand a business of their own?	YES 1 NO 2	→ 828
827	Have you yourself ever taken a loan, in cash or in kind, from any of these programmes, to start or expand a business?	YES 1 NO 2	
828	PRESENCE OF OTHERS AT THIS POINT (PRESENT AND LISTENING, PRESENT BUT NOT LISTENING, OR NOT PRESENT)	PRES./ PRES./ NOT LISTEN. NOT PRES. LISTEN.	
		CHILDREN < 10	
829	Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations:	DON'T YES NO KNOW	
	a. If she goes out without telling him?	GOES OUT 1 2 8	
	b. If she neglects the house or the children?	NEGL. CHILDREN . 1 2 8	
	c. If she argues with him?	ARGUES 1 2 8	
	d. If she refuses to have sex with him?	REFUSES SEX 1 2 8	
	e. If she doesn't cook food properly?	POOR COOKING 1 2 8	
	f. If he suspects her of being unfaithful?	UNFAITHFUL 1 2 8	
	g. If she shows disrespect for in-laws?	DISRESPECT 1 2 8	

SECTION 9. HIV/AIDS AND OTHER SEXUALLY TRANSMITTED INFECTIONS

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
901	Now I would like to talk about something else. Have you ever heard of an illness called AIDS?	YES 1 NO 2	→ 927
902	From which sources of information have you learned about AIDS?	RADIO A TELEVISION B CINEMA C NEWSPAPERS/MAGAZINES D POSTERS/HOARDINGS E EXHIBITION/MELA F	
	Any other source?	HEALTH WORKERS G ADULT EDUC. PROGRAMME H	
	RECORD ALL MENTIONED.	RELIGIOUS LEADERS I POLITICAL LEADERS J SCHOOL/TEACHERS K COMMUNITY MEETINGS L HUSBAND M FRIENDS/RELATIVES N WORK PLACE O	
		OTHER X (SPECIFY)	
903	In your opinion, can people reduce their chances of getting HIV/AIDS by having just one uninfected sex partner who has no other sex partners?	YES 1 NO 2 DON'T KNOW 8	
904	In your opinion, can people get HIV/AIDS from mosquito bites?	YES 1 NO 2 DON'T KNOW 8	
905	In your opinion, can people reduce their chances of getting HIV/AIDS by using a condom every time they have sex?	YES 1 NO 2 DON'T KNOW 8	
906	In your opinion, can people get HIV/AIDS by sharing food with a person who has AIDS?	YES 1 NO 2 DON'T KNOW 8	
907	In your opinion, can people get HIV/AIDS by hugging someone who has AIDS?	YES 1 NO 2 DON'T KNOW 8	
908	In your opinion, can people reduce their chance of getting HIV/AIDS by abstaining from sexual intercourse?	YES 1 NO 2 DON'T KNOW 8	
909	Is there anything else a person can do to avoid or reduce the chances of getting HIV/AIDS?	YES 1 NO 2 DON'T KNOW 8	□ → ₉₁₁

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
910	What can a person do? Anything else?	ABSTAIN FROM SEXAUSE CONDOMSBLIMIT SEX TO ONE PARTNER/STAYFAITHFUL TO ONE PARTNERCLIMIT NUMBER OF SEXUALPARTNERSDAVOID SEX WITH SEX WORKERSEAVOID SEX WITH PERSONS WHOHAVE MANY PARTNERSF	
	RECORD ALL WAYS MENTIONED.	AVOID SEX WITH HOMOSEXUALS G AVOID SEX WITH PERSONS WHO INJECT DRUGS INJECT DRUGS H AVOID BLOOD TRANSFUSIONS I USE BLOOD ONLY FROM RELATIVES RELATIVES J AVOID INJECTIONS K USE ONLY NEW/STERILIZED NEEDLES NEEDLES L AVOID SHARING RAZORS/BLADES N AVOID MOSQUITO BITES P OTHER	
		OTHER X (SPECIFY) DON'T KNOW Z	
911	Is it possible for a healthy-looking person to have HIV/AIDS?	YES 1 NO 2 DON'T KNOW 8	
912	Can HIV/AIDS be transmitted from a mother to her baby?	YES 1 NO 2 DON'T KNOW 8]914
913	Are there any special medications that a doctor or a nurse can give to a woman infected with HIV/AIDS to reduce the risk of transmitting HIV/AIDS to the baby?	YES 1 NO 2 DON'T KNOW 8	
914	Have you heard about special antiretroviral drugs (USE LOCAL NAME(S)) that people infected with HIV/AIDS can get from a doctor or a nurse to help them live longer?	YES 1 NO 2	
915	I don't want to know the results, but have you ever been tested to see if you have HIV/AIDS?	YES 1 NO 2	→ 920
916	When was the last time you were tested?	LESS THAN 12 MONTHS AGO 1 12-23 MONTHS AGO 2 2 OR MORE YEARS AGO 3	
917	The last time you had the test, did you yourself ask for the test, was it offered to you and you accepted, was it required, or was it done without your consent?	ASKED FOR THE TEST1OFFERED AND ACCEPTED2REQUIRED3WITHOUT CONSENT4	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
918	I don't want to know the results, but did you get the results of the test?	YES 1 NO 2	
919	Where was the test done? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSP./PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 VCT CLINIC 17 STI CLINIC 18 OTHER PUBLIC MEDICAL 19	
	CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	(SPECIFY) NGO OR TRUST HOSPITAL/ CLINIC	→ 922
	(NAME OF PLACE)	PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL/CLINIC/ PRIVATE DOCTOR	
		OTHER 96 (SPECIFY)	
920	Do you know of a place where people can go to get tested for HIV/AIDS?	YES 1 NO 2	→ 922
921	Where is that? Any other place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSP./PHC D SUB-CENTRE E GOVT. MOBILE CLINIC F VCT CLINIC G STI CLINIC H OTHER PUBLIC MEDICAL SECTOR I (SPECIFY)	
	(NAME OF PLACE(S)) RECORD ALL PLACES MENTIONED.	NGO OR TRUST HOSPITAL/ CLINIC J PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL/CLINIC/ PRIVATE DOCTOR K VCT CLINIC L STI CLINIC M	
		STI CLINIC M OTHER PRIVATE MEDICAL SECTOR N (SPECIFY) OTHER X (SPECIFY)	
922	Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV/AIDS?	YES 1 NO 2 DK/NOT SURE/DEPENDS 8	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
923	If a member of your family got infected with HIV/AIDS, would you want it to remain a secret or not?	YES, REMAIN A SECRET 1 NO 2 DK/NOT SURE/DEPENDS 8	
924	If a relative of yours became sick with the HIV/AIDS, would you be willing to care for her or him in your own household?	YES 1 NO 2 DK/NOT SURE/DEPENDS 8	
925	In your opinion, if a female teacher has HIV/AIDS but is not sick, should she be allowed to continue teaching in the school?	SHOULD BE ALLOWED1SHOULD NOT BE ALLOWED2DK/NOT SURE/DEPENDS8	
926	In your opinion, if a male teacher has HIV/AIDS but is not sick, should he be allowed to continue teaching in the school?	SHOULD BE ALLOWED1SHOULD NOT BE ALLOWED2DK/NOT SURE/DEPENDS8	
927	CHECK 901: HEARD ABOUT HIV/AIDS Apart from AIDS, have you heard about other infections that can be transmitted through sexual contact? NOT HEARD ABOUT HIV/AIDS Have you heard about infections that can be transmitted through sexual contact?	YES 1 NO 2	
928	CHECK 316 AND 317: HAS HAD SEXUAL INTERCOURSE (316 = 2 OR 317 = 00)		→ 936
929	CHECK 927: HEARD ABOUT OTHER SEXUALLY TRANSMITTED II	NFECTIONS?	→ 931
930	Now I would like to ask you some questions about your health in the last 12 months. During the last 12 months, have you had a disease which you got through sexual contact?	YES 1 NO 2 DON'T KNOW 8	
931	Sometimes women experience a bad smelling abnormal genital discharge. During the last 12 months, have you had a bad smelling abnormal genital discharge?	YES 1 NO 2 DON'T KNOW 8	
932	Sometimes women have a genital sore or ulcer. During the last 12 months, have you had a genital sore or ulcer?	YES 1 NO 2 DON'T KNOW 8	
933	CHECK 930, 931, AND 932: AT LEAST OTHER ONE 'YES'		936
934	The last time you had (PROBLEM FROM 930/931/932), did you seek any kind of advice or treatment?	YES 1 NO 2	> 936

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
935	Who did you see?	PUBLIC MEDICAL SECTOR GOVT. DOCTOR A PUBLIC HEALTH NURSE B ANM/LHV C	
	Anyone else?	MALE MPW/SUPERVISOR D ANGANWADI WORKER E VILLAGE HEALTH GUIDE F ASHA G OTHER PUBLIC SECTOR HEALTH WORKER H (SPECIFY)	
	RECORD ALL PERSONS SEEN.	NGO WORKERIPRIVATE MEDICAL SECTORJPRIVATE DOCTORJPRIVATE NURSEKCOMPOUNDER/PHARMACISTLVAIDYA/HAKIM/HOMEOPATHMDAI (TBA)NTRADITIONAL HEALEROOTHER PRIVATE SECTORHEALTH WORKERPOTHERX	
		(SPECIFY)	

NO.	QUESTIONS AND FILTERS			CODING CATEGORIES						SKIP
936	Now I would like to ask your opinion about family life educa for children. For each of the following, please tell me whether or not it should be taught in school, and if yes, at what age the topic should first be taught.		936			age should nis topic in		t be		
936A	First we will talk about boys. Should boys be taught									
	in school about?				<10	AT 10-12	AGE 12 15	16 OR	DK	
					<10	10-12	13-15	OLDER	DK	
	a. Moral values	YES NO	1 — 2	a	. 1	2	3	4	8	
	b. Changes in boys' bodies at puberty	YES NO	1 → 2	b	. 1	2	3	4	8	
	c. Changes in girls' bodies at puberty, including menstruation	YES NO	1 — 1 2	C.	1	2	3	4	8	
	d. Sex and sexual behaviour	YES NO	1 • 2	d.	1	2	3	4	8	
	e. Contraception	YES NO	1 → 2	► e.	1	2	3	4	8	
	f. HIV/AIDS	YES NO	1 → 2	► f.	1	2	3	4	8	
	g. Condom use to avoid sexually transmitted diseases	YES NO	1 → 2	• g.	1	2	3	4	8	
936C	Now let us talk about girls. Should girls be taught in school about?			936D: At what age should girls first be taught this topic in school?						
				-	<10	AT 10-12	AGE 13-15	16 OR	DK	
								OLDER		
	a. Moral values	YES NO	1 — 2	a	. 1	2	3	4	8	
	b. Changes in boys' bodies at puberty	YES NO	1 - 1 2	b	. 1	2	3	4	8	
	 c. Changes in girls' bodies at puberty, including menstruation 	YES NO	1 — 1 2	• C.	1	2	3	4	8	
	d. Sex and sexual behaviour	YES NO	1 → 2	d.	1	2	3	4	8	
	e. Contraception	YES NO	1 → 2	e.	1	2	3	4	8	
	f. HIV/AIDS	YES NO	1 - 1 2	► f.	1	2	3	4	8	
	 g. Condom use to avoid sexually transmitted diseases 	YES NO	1 → 2	• g.	1	2	3	4	8	

SECTION 10. HOUSEHOLD RELATIONS

NO.	QUESTIONS AND FILTERS					COE	ING CATEGO	RIES		SKIP
1000	CHECK FRONT COVER: WOMAN SELECTED FOR THIS	SECTION?			NO					
	YES									→1028
1001	CHECK FOR PRESENCE OF OTHERS: DO NOT CONTINUE UNTIL EFFECTIVE PRIVACY IS ENS									
			POSSIBL	E		2 —				→ 1027
L	READ TO THE RESPONDENT									
	Now I would like to ask you questions about some other imp questions are very personal. However, your answers are cru in India. Let me assure you that your answers are completel else will know that you were asked these questions.	ucial for help	ping to u	nderst	and	the condition	n of women	se		
1002	CHECK 301 AND 308:									
	CURRENTLY MARRIED (1003 TO 1013: READ (100		RRIED M THAN C REFEF	NCE		J MARF	/ER MARRIEI RIED, GAUNA PERFORMED	NOT		
	IN PAST TENSE) CURRI	ENT/LAST I	HUSBAN	ID ON	ILY)					→ 1014
1003	First, I am going to ask you about some situations which happen to some women. Please tell me if these apply to your relationship with your (last) husband.									
	a. He (is/was) jealous or angry if you (talk/talked) to other m	ien.		JEA	LOU	JS	YES		DK 8	
	b. He frequently (accuses/accused) you of being unfaithful.			ACC	cus	ES	1	2	8	
	c. He (does/did) not permit you to meet your female friends.			NO	T ME	EET FRIEND	9S 1	2	8	
	d. He (tries/tried) to limit your contact with your family.			NO	FAN	/ILY	1	2	8	
	e. He (insists/insisted) on knowing where you (are/were) at	all times.		WH	ERE	YOU ARE	1	2	8	
	f. He (does/did) not trust you with any money.			MO	NEY	,	1	2	8	
1004A	Now if you will permit me, I need to ask some more question about your relationship with your (last) husband.	าร					I: ASK ONLY		N	
	about your relationship with your (last) husband.			100		How often d the last 12 r	lid this happen nonths: often, or not at all?	during		
	(Does/did) your (last) husband ever:						SOME-	NOT		
						OFTEN	TIMES	AT ALL	-	
	a. Say or do something to humiliate you in front of others?	YES NO	1 2	•	a.	1	2	3		
	b. Threaten to hurt or harm you or someone close to you?	YES NO	1 2	•	b.	1	2	3		
	c. Insult you or make you feel bad about yourself?	YES NO	1 2	•	C.	1	2	3		

NO						005	ING CATEGO	DIES	SKIP
NO. 1005A	QUESTIONS AND FILTERS				SKIP				
10004	(Does/did) your (last) husband ever do	CHECK 301: ASK ONLY 1005B IF RESPONDENT IS NOT A WIDO							
	any of the following things to you:				the	last 12 r	lid this happen nonths: often, o or not at all?		
					OF	TEN	SOME- TIMES	NOT AT ALL	
	a. Slap you?	YES NO	1 2	► ;	а.	1	2	3	
	b. Twist your arm or pull your hair?	YES NO	1 2	▶	b.	1	2	3	
	c. Push you, shake you, or throw something at you?	YES NO	1 2	• (C.	1	2	3	
	d. Punch you with his fist or with something that could hurt you?	YES NO	1 2	► (d.	1	2	3	
	e. Kick you, drag you or beat you up?	YES NO	1 2	► (е.	1	2	3	
	f. Try to choke you or burn you on purpose?	YES NO	1 2	▶ 1	f.	1	2	3	
	g. Threaten or attack you with a knife, gun, or any other weapon?	YES NO	1 2	▶ (g.	1	2	3	
	 Physically force you to have sexual intercourse with him even when you did not want to? 	YES NO	1 2	▶	h.	1	2	3	
	 Force you to perform any sexual acts you did not want to? 	YES NO	1 2	► i		1	2	3	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
1006	CHECK 1005A (a-i): AT LEAST ONE 'YES' VES'		→ 1009
1007	How long after you first got married to your (last) husband did (this/any of these things) first happen?	NUMBER OF YEARS	
	IF LESS THAN ONE YEAR, RECORD '00'.		
1008	Did the following ever happen as a result of what your (last) husband did to you at any time:	YES NO	
	a. You had cuts, bruises or aches?	CUTS/BRUISES 1 2	
	b. You had severe burns?	SEVERE BURNS 1 2	
	c. You had eye injuries, sprains, dislocations, or minor burns?	EYE INJURIES, SPRAINS DISLOCATIONS, ETC 1 2	
	d. You had deep wounds, broken bones, broken teeth, or any other serious injury?	OTHER SERIOUS INJURY 1 2	
1009	Have you ever hit, slapped, kicked, or done anything else to physically hurt your (last) husband at times when he was not already beating or physically hurting you?	YES 1 NO 2	→ 1012
1010	CHECK 301: RESPONDENT IS NOT A WIDOW RESPONDENT IS A WIDOW	• 	→ 1012
1011	In the last 12 months, how often have you done this to your husband: often, only sometimes, or not at all?	OFTEN 1 SOMETIMES 2 NOT AT ALL 3	
1012	Does (did) your husband drink alcohol?	YES 1 NO 2	→ 1014
1013	How often does (did) he get drunk: often, only sometimes, or never?	OFTEN 1 SOMETIMES 2 NEVER 3	
1014	CHECK 301:		
	NEVER MARRIED OR MARRIED, GAUNA NOT PERFORMED EVER MARRIED From the time you were 15 years old has anyone ever hit, slapped, kicked, or done anything else to hurt you physically? From the time you were 15 years old has anyone other than your (current/last) husband hit, slapped, kicked, or done anything else	YES	1017
	to hurt you physically?		

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
1015	Who has hurt you in this way? Anyone else? RECORD ALL MENTIONED.	MOTHER/STEP-MOTHER A FATHER/STEP-FATHER B SISTER/BROTHER C DAUGHTER/SON D OTHER RELATIVE E FORMER HUSBAND/PARTNER F CURRENT BOYFRIEND G FORMER BOYFRIEND H MOTHER-IN-LAW I FATHER-IN-LAW J OTHER IN-LAW K TEACHER L EMPLOYER/SOMEONE AT WORK M POLICE/SOLDIER N OTHER X (SPECIFY) X	
1016	In the last 12 months, how often have you been hit, slapped, kicked, or physically hurt by this/these person(s): often, only sometimes, or not at all?	OFTEN 1 SOMETIMES 2 NOT AT ALL 3	
1017	At any time in your life, as a child or as an adult, has anyone ever <u>forced</u> <u>you in any way t</u> o have sexual intercourse or perform any other sexual acts?	YES	1021
1018	How old were you the first time you were forced to have sexual intercourse or perform any other sexual acts?	AGE IN COMPLETED YEARS 98	
1019	Who was the person who was forcing you at that time?	CURRENT HUSBAND 01 FORMER HUSBAND 02 CURRENT/FORMER BOYFRIEND 03 FATHER 04 STEP-FATHER 05 OTHER RELATIVE 06 IN-LAW 07 OWN FRIEND/ACQUAINTANCE 08 FAMILY FRIEND 09 TEACHER 10 EMPLOYER/SOMEONE AT WORK 11 POLICE/SOLDIER 12 PRIEST/RELIGIOUS LEADER 13 STRANGER 14 OTHER 96	
1020	CHECK 301: NEVER MARRIED OR MARRIED, GAUNA NOT PERFORMED EVER MARRIED In the last 12 months has anyone forced you to have sexual intercourse or perform any other sexual acts against your will? In the last 12 months, has anyone other than your (current/last) husband forced you to have sexual intercourse or perform any other sexual acts against your will?	YES	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
1021	CHECK 1005A (a-i), 1014, AND 1017: AT LEAST ONE 'YES' VES' YES'		→ 1025
1022	Thinking about what you yourself have experienced among the different things we have been talking about, have you ever tried to seek help to stop the person(s) from doing this to you again?	YES 1 NO 2	→ 1024
1023	From whom have you sought help to stop this? Anyone else? RECORD ALL MENTIONED.	OWN FAMILY A HUSBAND'S FAMILY B CURRENT/LAST C HUSBAND C CURRENT/FORMER BOYFRIEND D FRIEND E NEIGHBOUR F RELIGIOUS LEADER G DOCTOR/MEDICAL PERSONNEL H POLICE I LAWYER J SOCIAL SERVICE ORGANIZATION K OTHER X	→ 1025
1024	Have you ever told any one else about this?	YES 1 NO 2	
1025	As far as you know, did your father ever beat your mother?	YES 1 NO 2 DON'T KNOW 8	

THANK THE RESPONDENT FOR HER COOPERATION AND REASSURE HER ABOUT THE CONFIDENTIALITY OF HER ANSWERS. FILL OUT THE QUESTIONS BELOW WITH REFERENCE TO THE HOUSEHOLD RELATIONS MODULE ONLY.

1026	DID YOU HAVE TO INTERRUPT THIS SECTION OF THE INTERVIEW BECAUSE SOME ADULT WAS TRYING TO LISTEN, OR CAME INTO THE ROOM, OR INTERFERED IN ANY OTHER WAY?	OTHER MALE	YES ONCE 	YES, MORE THAN ONCE 2 2 2	NO 3 3 3
1027	INTERVIEWER'S COMMENTS / EXPLANATION FOR NOT	COMPLETING TH	E DOMESTIC VIOLENCE N	IODULE	
1028	RECORD THE TIME.		HOUR	· · · · · · · · · · · · · · · · · · ·	

INTERVIEWER'S OBSERVATIONS

TO BE FILLED IN AFTER COMPLETING INTERVIEW

COMMENTS ABOUT RESPONDENT:

COMMENTS ON SPECIFIC QUESTIONS:

ANY OTHER COMMENTS:

SUPERVISOR'S OBSERVATIONS

EDITOR'S OBSERVATIONS

NAME OF EDITOR: _____ DATE: _____

N3TRUCTIONS.					1	2		3	4			
ONLY ONE CODE SHOULD APPEAR IN ANY BOX.		12	DEC	01	-					01	DEC	
FOR COLUMNS 1 AND 3, ALL MONTHS SHOULD BE FILLED IN.		11		02			ł				NOV	
NFORMATION TO BE CODED FOR EACH COLUMN		10 09	OCT SEP	03 04			ŀ				OCT SEP	
FORMATION TO BE CODED FOR EACH COLOMIN	2		AUG	04			ŀ			04	AUG	2
OL. 1: BIRTHS, PREGNANCIES, CONTRACEPTIVE USE	0	07	JUL	06			ł			06	JUL	0
B BIRTHS	0	06	JUN	07			t			07		0
P PREGNANCIES	6	05	MAY	08			İ			08	MAY	6
T TERMINATIONS		04	APR	09			1			09	APR	
		03	MAR	10			1			10	MAR	
0 NO METHOD		02	FEB	11			[11	FEB	
1 FEMALE STERILIZATION	_	01	JAN	12						12	JAN	
2 MALE STERILIZATION		12	DEC	13						13	DEC	
3 PILL		11	NOV	14			ļ			14	NOV	
4 IUD/LOOP		10	OCT	15			ļ.			15	OCT	
5 INJECTABLES		09	SEP	16			ļ			16	SEP	
6 IMPLANTS	2		AUG	17			ŀ			-	AUG	2
7 CONDOM/NIRODH	0		JUL	18			ŀ			18	JUL	0
8 FEMALE CONDOM	0	06	JUN	19			ł			19	JUN	0
9 DIAPHRAGM	5		MAY	20						20	MAY	5
J FOAM OR JELLY L RHYTHM METHOD			APR	21			ł			21		
M WITHDRAWAL			MAR FEB	22 23			ł			22	MAR FEB	
X OTHER		02	JAN	23 24			ŀ			23		
(SPECIFY)			DEC	25							DEC	
			NOV	25			ł				NOV	
OL.2: ULTRASOUND CONDUCTED DURING PREGNANCY		10	OCT	20			ŀ				OCT	
Y YES		09	SEP	28			ł			28	SEP	
N NO	2	08	AUG	29			ŀ				AUG	2
	0	07		30			İ			30	JUL	0
OL. 3: MARRIAGE	0	06	JUN	31			t			31	JUN	0
X MARRIED	4		MAY	32			t				MAY	4
N MARRIED, GAUNA NOT PERFORMED		04	APR	33			İ			33	APR	
0 NOT MARRIED		03	MAR	34			İ			34	MAR	
		02	FEB	35			t			35	FEB	
OL. 4: DISCONTINUATION OF CONTRACEPTIVE USE		01	JAN	36						36	JAN	
0 INFREQUENT SEX/HUSBAND AWAY		12	DEC	37						37	DEC	
1 METHOD FAILED/BECAME PREGNANT		11	NOV	38			Î			38	NOV	
WHILE USING		10	OCT	39			I			39	OCT	
2 WANTED TO BECOME PREGNANT		09	SEP	40						40	SEP	
3 HUSBAND/PARTNER DISAPPROVED	2	08	AUG	41						41	AUG	2
4 WANTED MORE EFFECTIVE METHOD	0	07	JUL	42			ļ			42	JUL	0
5 HEALTH CONCERNS/PROBLEMS	0	06	JUN	43			L			43	JUN	0
6 SIDE EFFECTS	3	05	MAY	44			ļ			44	MAY	3
7 LACK OF ACCESS/TOO FAR		04		45			ļ			45	APR	
8 COSTS TOO MUCH		03	MAR	46			l.			46	MAR	
9 INCONVENIENT TO USE			FEB	47			ł				FEB	
F FATALISTIC			JAN	48							JAN	
A DIFFICULT TO GET PREGNANT/MENOPAUSAL			DEC	49			ł			-	DEC	
			NOV	50							NOV	
L LACK OF SEXUAL SATISFACTION M CREATED MENSTRUAL PROBLEM			OCT SEP	51 52			ł			-	OCT SEP	
G GAINED WEIGHT	2		AUG	52			ŀ			-	AUG	2
N DID NOT LIKE METHOD	2		JUL	54			ł			54		0
P LACK OF PRIVACY FOR USE	0		JUN	55			ł				JUN	0
X OTHER	2		MAY	56			ł				MAY	2
(SPECIFY)	2		APR	57			ŀ				APR	2
Z DON'T KNOW			MAR	58			ŀ			-	MAR	
			FEB	59			ł			-	FEB	
			JAN	60			ŀ				JAN	
	_		DEC	61							DEC	
			NOV	62			t				NOV	
			OCT	63			t				OCT	
			SEP	64	<u> </u>	1	İ	<u> </u>		-	SEP	
	2		AUG	65	-	1	t			-	AUG	2
	0		JUL	66	-		t				JUL	0
	0		JUN	67	-	1	t			67		C
	1		MAY	68	-	1	t			-	MAY	1
			APR	69	<u> </u>	1	İ	<u> </u>			APR	
					k		t		1	1 - ~		
				70						70	MAR	
		03	MAR FEB	70 71							MAR FEB	

1 2 3 4

INSTRUCTIONS:

NATIONAL FAMILY HEALTH SURVEY, INDIA 2005-2006 (NFHS- 3) MAN'S QUESTIONNAIRE [STATE NAME] CONFIDENTIAL For research purposes only

IDENTIFICATION	
STATE	
TEHSIL/TALUK	
CITY/TOWN/VILLAGE	
MEGA CITY/LARGE CITY/SMALL CITY/LARGE TOWN/SMALL TOWN/RURAL	
PSU NUMBER	
HOUSEHOLD NUMBER	
NAME AND LINE NUMBER OF MAN	
ADDRESS OF HOUSEHOLD	

INTERVIEWER VISITS								
	1	2	3	FINAL VISIT				
DATE				DAY MONTH				
INTERVIEWER'S NAME RESULT*				YEAR INT. NUMBER RESULT CODE				
NEXT VISIT: DATE TIME				TOTAL NUMBER OF VISITS				
*RESULT CODES: 1 COMPLETED 4 REFUSED 2 NOT AT HOME 5 PARTLY COMPLETED 7 OTHER 3 POSTPONED 6 INCAPACITATED (SPECIFY)								
NATIVE LANGUAGE OF RESPONDENT** ** LANGUAGE CODES: 01 ASSAMESE 06 KANNADA 11 MARATHI 16 TAMIL 02 BENGALI 07 KASHMIRI 12 NEPALI 17 TELUGU 03 ENGLISH 08 KONKANI 13 ORIYA 18 URDU 04 GUJARATI 09 MALAYALAM 14 PUNJABI 19 OTHER 05 HINDI 10 MANIPURI 15 SINDHI (SPECIFY)								
SUPERVI		FIELD EDITO	DR	OFFICE KEYED BY EDITOR				
DATE		NAME						

SECTION 1. RESPONDENT'S BACKGROUND

INTRODUCTION AND INFORMED CONSENT

conduct survey. sexual r to bette will be k Particip you will At this t ANSWE In case househo	Namaste. My name is and I am working with (NAME OF ORGANIZATION). We are conducting a national survey about the health of men, women and children. We would very much appreciate your participation in this survey. Several different health-related topics will be discussed including use of health services, the quality of health care, marital and sexual relationships, and infectious diseases. This information will help the government to assess health and information needs and to better plan health services. The survey usually takes about 30 minutes to complete. Whatever information you provide will be kept strictly confidential and will not be shown to other persons. Participation in this survey is voluntary and if you choose to participate, you may withdraw at any time. However, we hope that you will take part in this survey since your participation is important. At this time, do you want to ask me anything about the survey? ANSWER ANY QUESTIONS AND ADDRESS RESPONDENT'S CONCERNS. In case you need more information about the survey, you may contact the person listed on the card that has already been given to your household. May I begin the interview now?							
Signati	ure of interviewer:	Date:						
-		DOES NOT AGREE TO BE INTERVIEWED	2 → END					
NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP					
101	RECORD THE TIME.	HOUR						
102	How long have you been living continuously in (NAME OF CURRENT PLACE OF RESIDENCE)?	YEARS						
	IF LESS THAN ONE YEAR, RECORD '00' YEARS.	ALWAYS	104					
103	Just before you moved here, did you live in a city, in a town, or in the countryside?	CITY 1 TOWN 2 COUNTRYSIDE 3						
104	In the last 12 months, on how many separate occasions have you traveled away from your home community for at least one night?	NUMBER OF TRIPS AWAY 00	× 100					
105	In the last 12 months, have you been away from your home community for more than 1 month at a time?	NONE 00 YES 1 NO 2	→ 106					
106	In what month and year were you born?	MONTH 98 DON'T KNOW MONTH 98 YEAR 9998 DON'T KNOW YEAR 9998						

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
107	How old were you at your last birthday?	AGE IN COMPLETED YEARS	
	COMPARE AND CORRECT 106 AND/OR 107 IF INCONSISTENT.		
108	Have you ever attended school?	YES 1 NO 2	→ 111
109	What is the highest standard you completed?	STANDARD	
110	CHECK 109: STANDARD 0-5 STANDARD 6 AND ABOVE	-	→ 114
111	Now I would like you to read this sentence to me. SHOW A SENTENCE FROM THE LITERACY CARD TO RESPONDENT. IF RESPONDENT CANNOT READ WHOLE SENTENCE, PROBE: Can you read any part of the sentence to me?	CANNOT READ AT ALL	
112	Have you ever participated in a literacy programme or any other programme that involves learning to read or write (not including primary school)?	YES 1 NO 2	
113	CHECK 111: CODE '2', '3' OR '4' CIRCLED CIRCLED		→115
114	Do you read a newspaper or magazine almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY 1 AT LEAST ONCE A WEEK 2 LESS THAN ONCE A WEEK 3 NOT AT ALL 4	
115	Do you listen to the radio almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY1AT LEAST ONCE A WEEK2LESS THAN ONCE A WEEK3NOT AT ALL4	
116	Do you watch television almost every day, at least once a week, less than once a week or not at all?	ALMOST EVERY DAY1AT LEAST ONCE A WEEK2LESS THAN ONCE A WEEK3NOT AT ALL4	
117	Do you usually go to a cinema hall or theatre to see a movie at least once a month?	YES 1 NO 2	
118	What is your religion?	HINDU 01 MUSLIM 02 CHRISTIAN 03 SIKH 04 BUDDHIST/NEO-BUDDHIST 05 JAIN 06 JEWISH 07 PARSI/ZOROASTRIAN 08 NO RELIGION 09 OTHER 96 (SPECIFY)	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
119	What is your caste or tribe?	CASTE 1 (SPECIFY) 2 TRIBE 2	
		NO CASTE/TRIBE	—→121
120	Do you belong to a scheduled caste, a scheduled tribe, other backward class, or none of these?	SCHEDULED CASTE 1 SCHEDULED TRIBE 2 OBC 3 NONE OF THEM 4	
121	Have you done any work in the last seven days?	YES 1 NO 2	→ 125
122	Although you did not work in the last seven days, do you have any job or business from which you were absent for leave, illness, vacation, or any other such reason?	YES 1 NO 2	→ 125
123	Have you done any work in the last 12 months?	YES 1 NO 2	→ 125
124	What have you been doing for most of the time over the last 12 months?	GOING TO SCHOOL/STUDYING 1 LOOKING FOR WORK 2 RETIRED 3 UNABLE TO WORK/ILL/ 4 HANDICAPPED 4 HOUSEWORK/CHILDCARE 5 OTHER 6 (SPECIFY)	→ 201
125	What is your occupation, that is, what kind of work do you mainly do?		
126	CHECK 125: WORKS IN AGRICULTURE IN AGRICULTURE		—▶128
127	Do you work mainly on your own land, on family land, or on land that you rent from someone else, or do you work on someone else's land?	OWN LAND 1 FAMILY LAND 2 RENTED LAND 3 SOMEONE ELSE'S LAND 4	
128	Are you paid in cash or kind for this work, or are you not paid at all?	CASH ONLY 1 CASH AND KIND 2 IN KIND ONLY 3 NOT PAID 4	

SECTION 2. REPRODUCTION

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
201	Now I would like to ask about any children you have had during your life. I am interested only in the children that are biologically yours. Have you ever fathered any children with any woman?	YES	↓ 206
202	Do you have any sons or daughters that you have fathered who are now living with you?	YES 1 NO 2	→ 204
203	How many sons live with you? And how many daughters live with you? IF NONE, RECORD '00'.	SONS AT HOME	
204	Do you have any sons or daughters you have fathered who are alive but do not live with you?	YES 1 NO 2	→ 206
205	How many sons are alive but do not live with you? And how many daughters are alive but do not live with you? IF NONE, RECORD '00'.	SONS ELSEWHERE	
206	Have you ever fathered a son or a daughter who was born alive but later died? IF NO, PROBE: Any baby who cried or showed signs of life but did not survive?	YES 1 NO 2 DON'T KNOW 8	208
207	How many boys have died? And how many girls have died? IF NONE, RECORD '00'.	BOYS DEAD	
208	 (In addition to the children that you have just told me about), do you have: a. Any other living sons or daughters who are biologically your children but who are not legally yours or do not have your last/family name? b. Any other sons or daughters who died who were biologically your children but who were not legally yours or did not have your last/family name? b. Any other sons or daughters who died who were biologically your children but who were not legally yours or did not have your last/family name? D. NO OTHER PROBE AND CORRECT 201-207 AS NECESSARY. 		

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
209	SUM ANSWERS TO 203, 205, AND 207, AND ENTER TOTAL.	TOTAL CHILDREN	
	IF NONE, RECORD '00'.		
210	CHECK 209:		
	HAS HAD HAS HAD MORE THAN ONLY		→ 213
	ONE CHILD 🚽 ONE CHILD HAS NOT HAE		
	ANY CHILDRE	N	→ 301
211	Do the children that you have fathered all have the same biological mother?	YES 1 NO 2	→ 213
212	In all, how many women have you fathered children with?		
		NUMBER OF WOMEN	
213	How old were you when your (first) child was born?		
		AGE IN YEARS	
214	How many years old is your (youngest) living child?		
		AGE IN YEARS	
		NO LIVING CHILD 95	

		DIMALE INVOLVENIENT	
301	Now I would like to talk about family planning - the various ways or a couple can use to delay or avoid a pregnancy.	methods that	
	Which ways or methods have you heard about? FOR METHODS NOT MENTIONED SPONTANEOUSLY, ASK:		
	Have you ever heard of (METHOD)?		
	CIRCLE CODE 1 IN 301 FOR EACH METHOD MENTIONED SPO THEN PROCEED DOWN COLUMN 301, READING THE NAME AI EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FO AND 09, ASK 302 IF 301 HAS CODE 1 CIRCLED.	302 Have you ever used (METHOD)?	
01	FEMALE STERILIZATION Women can have an operation to avoid having any more children.	YES 1 NO 2	
02	MALE STERILIZATION Men can have an operation to avoid having any more children.	YES 1 NO 27	Have you ever had an operationto avoid having any morechildren?YESNO2
03	PILL Women can take a pill every day or every week to avoid becoming pregnant.	YES 1 NO 2	
04	IUD OR LOOP Women can have a loop or coil placed inside them by a doctor or a nurse.	YES 1 NO 2	
05	INJECTABLES Women can have an injection by a health provider that stops them from becoming pregnant for one or more months.	YES 1 NO 2	
06	CONDOM OR NIRODH Men can put a rubber sheath on their penis before sexual intercourse.	YES 1 NO 2 ₁	YES 1 NO 2
07	FEMALE CONDOM Women can place a sheath in their vagina before sexual intercourse.	YES 1 NO 2	
08	RHYTHM METHOD Every month that a woman is sexually active, she can avoid pregnancy by not having sexual intercourse on the days of the month she is most likely to get pregnant.	YES 1 NO 27	YES 1 NO 2
09	WITHDRAWAL Men can be careful and pull out before climax.	YES 1 NO 27	YES 1 NO 2
10	EMERGENCY CONTRACEPTION Women can take pills up to three days after sexual intercourse to avoid becoming pregnant.	YES 1 NO 2	
11	Have you heard of any other ways or methods that women or men can use to avoid pregnancy?	YES 1	
		(SPECIFY)	
		(SPECIFY) NO 2	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
303	CHECK 302 (02) RESPONDENT IS STERILIZED		
	YES NO		310
			→ 310
304	Now I would like to talk about when you were sterilized.	PUBLIC MEDICAL SECTOR	
		GOVT./MUNICIPAL HOSPITAL 11	
		GOVT. DISPENSARY 12	
		UHC/UHP/UFWC 13	
	In what facility did the sterilization take place?	CHC/RURAL HOSPITAL/PHC 14	
		SUB-CENTRE	
		GOVT. MOBILE CLINIC	
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE,	CAMP 17 OTHER PUBLIC SECTOR	
	OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR,	HEALTH FACILITY	
	WRITE THE NAME OF THE PLACE.		
		NGO OR TRUST HOSPITAL/CLINIC . 21	
	(NAME OF PLACE)	PRIVATE MEDICAL SECTOR	
		PVT. HOSPITAL	
		PVT. DOCTOR/CLINIC	
		PVT. MOBILE CLINIC	
		OTHER PRIVATE HEALTH FACILITY	
		FACILITI	
		OTHER 96	
		(SPECIFY)	
		DON'T KNOW	
305	In what month and year was the sterilization performed?		
		MONTH	
		YEAR	
306	Before your sterilization operation, were you told	YES 1	
	that you would not be able to have any (more) children	NO 2	
	because of the operation?	DON'T KNOW 8	
307	How would you rate the care you received during and	VERY GOOD 1	
007	immediately after the operation: very good, all	ALL RIGHT	
	right, not so good, or bad?	NOT SO GOOD	
		BAD	
308	How much did you pay in total for the sterilization, including any		
	consultation you may have had?	COST Rs.	
		FREE 99995	
		DON'T KNOW	
309	Do you regret that you had the sterilization?	YES 1	
		NO 2	
310	In the last few months have you heard or seen any message		
	about family planning:		
		YES NO	
	a. On the radio?	RADIO 1 2	
	b. On the television?	TELEVISION 1 2	
	c. In a newspaper or magazine?	NEWSPAPER OR MAGAZINE 1 2	
	d. On a wall painting or hoarding?	WALL PAINTING/HOARDING . 1 2	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
311	Now I would like to ask you about a woman's risk of pregnancy. From one menstrual period to the next, are there certain days when a woman is more likely to become pregnant if she has sexual relations?	YES	→ 313
312	Is this time just before her period begins, during her period, right after her period has ended, or halfway between two periods?	JUST BEFORE HER PERIOD BEGINS	
313	Do you think that a woman who is breastfeeding her baby can become pregnant?	YES 1 NO 2 DEPENDS 3 DON'T KNOW 8	
314	I will now read you some statements about contraception. Please tell me if you agree or disagree with each one.	DIS- AGREE AGREE DK	
	a. Contraception is women's business and a man should not have to worry about it.	CONTRACEPTION WOMEN'S BUSINESS 1 2 8	
	b. Women who use contraception may become promiscuous.	WOMAN MAY BECOME PROMISCUOUS 1 2 8	
315	CHECK 301 (06) KNOWS MALE CONDOM		
	YES NO		▶317
316	If a male condom is used correctly, do you think that it protects against pregnancy most of the time, only sometimes, or not at all?	MOST OF THE TIME1SOMETIMES2NOT AT ALL3DON'T KNOW/UNSURE8	
317	Do you know of a place where you can obtain a method of family planning?	YES 1 NO 2	→ 319

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES		SKIP
318	Where is that?	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL GOVT. DISPENSARY	A B	
	Any other place?	UHC/UHP/UFWC	C	
		CHC/RURAL HOSPITAL/PHC	D	
		SUB-CENTRE/ANM	Е	
		GOVT. MOBILE CLINIC	F	
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE,	CAMP	G	
	OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR,	ANGANWADI/ICDS CENTRE		
	WRITE THE NAME OF THE PLACE(S).	ASHA OTHER COMMUNITY-BASED WORKER	l J	
	(NAME OF PLACE(S))	OTHER PUBLIC MEDICAL	Ū	
		SECTOR	К	
	RECORD ALL PLACES MENTIONED.	NGO OR TRUST HOSPITAL/CLINIC .	L	
		PRIVATE MEDICAL SECTOR		
		PVT. HOSPITAL	М	
		PVT. DOCTOR/CLINIC	N	
			O P	
		VAIDYA/HAKIM/HOMEOPATH	P Q	
		PHARMACY/DRUGSTORE	R	
		DAI (TBA)	S	
		OTHER PRIVATE MEDICAL	т	
		SECTOR	Т	
		OTHER SOURCE		
		SHOP	U	
		FRIEND/RELATIVE	V	
		OTHER	х	
		(SPECIFY)		
319	In the last 3 months, have you visited a health facility or camp for any reason for yourself (or for your children)?	YES NO	1 2	 ∎ 326
320	What type of health facility did you visit most	PUBLIC MEDICAL SECTOR		
	recently for yourself (or for your children)?	GOVT./MUNICIPAL HOSPITAL		
		GOVT. DISPENSARY		
			13	
		CHC/RURAL HOSPITAL/PHC SUB-CENTRE		
	IF UNABLE TO DETERMINE IF A HOSPITAL. HEALTH	GOVT. MOBILE CLINIC		
	CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL	CAMP	17	
	SECTOR, WRITE THE NAME OF THE PLACE.	ANGANWADI/ICDS CENTRE	18	
		OTHER PUBLIC SECTOR		
		HEALTH FACILITY	19	
		NGO OR TRUST HOSPITAL/CLINIC .	21	
	(NAME OF PLACE)	PRIVATE MEDICAL SECTOR		
		PVT. HOSPITAL		
		CLINIC/PVT. MOBILE CLINIC		
			33	
		OTHER PRIVATE SECTOR HEALTH FACILITY	34	
			J-1	
		OTHER	96	
		(SPECIFY)		

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
321	What service did you go for? Any other service? RECORD ALL MENTIONED.	FAMILY PLANNINGAIMMUNIZATIONBDISEASE PREVENTIONCMEDICAL TREATMENT FOR SELFDTREATMENT FOR CHILDETREATMENT FOR OTHER PERSONFGROWTH MONITORING OF CHILDGHEALTH CHECK-UPH	
		OTHER X (SPECIFY)	
322	How long did you have to wait before you received the service you went for?	MINUTES 1	
		HOURS 2	
		DID NOT RECEIVE SERVICE 996	<mark>▶</mark> 325
323	Was the person who provided the service to you responsive to your problems and needs?	YES 1 NO 2	
324	Did she/he respect your need for privacy if you needed it?	YES 1 NO 2 SAYS PRIVACY NOT NEEDED 3	
325	Would you say that the health facility/camp was very clean, somewhat clean, or not clean?	VERY CLEAN 1 SOMEWHAT CLEAN 2 NOT CLEAN 3	
326	CHECK 214:		
	(YOUNGEST) CHILD OTHER IS AGE 0-3		 401
327	What is the name of your (youngest) child? WRITE NAME OF (YOUNGEST) CHILD AND ENTER THE LINE NUMBER OF THE CHILD FROM THE HOUSEHOLD QUESTIONNAIRE. IF CHILD IS NOT LISTED IN THE HOUSEHOLD SCHEDULE, WRITE '00' IN THE BOXES FOR THE LINE NUMBER.	(NAME OF (YOUNGEST) CHILD) LINE NUMBER OF (YOUNGEST) CHILD FROM THE HOUSEHOLD SCHEDULE	
328	When (NAME)'s mother was pregnant with (NAME), did she have any antenatal check-ups?	YES 1 NO 2 DON'T KNOW 8	— ⊪ 330 — ⊪ 331
329	Were you ever present during any antenatal check-up?	PRESENT 1 NOT PRESENT 2]→ 331
330	What was the main reason why (NAME)'s mother did not have any antenatal check-up?	HE DID NOT THINK IT WAS 01 FAMILY DID NOT THINK IT 02 CHILD'S MOTHER DID NOT ALLOW 02 CHILD'S MOTHER DID NOT WANT 03 CHECK-UP 03 HAS HAD CHILDREN BEFORE 04 COSTS TOO MUCH 05 TOO FAR/NO TRANSPORTATION 06 NO FEMALE HEALTH WORKER 07 OTHER 96 (SPECIFY) 08	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
331	At any time when (NAME)'s mother was pregnant with (NAME), did any health provider or health worker ever tell you about the following signs of pregnancy complications?	YES NO	
	a. Vaginal bleeding?	BLEEDING 1 2	
	b. Convulsions?	CONVULSIONS 1 2	
	c. Prolonged labour?	PROLONGED LABOUR 1 2	
332	Were you ever told what to do if (NAME)'s mother had any pregnancy complication?	YES 1 NO 2	
333	At any time during the pregnancy did any health provider or health worker speak to you about:	YES NO	
	a. The importance of delivering the baby in a hospital or health facility?	DELIVERY ADVICE 1 2	
	b. The importance of proper nutrition for the mother during pregnancy?	NUTRITION ADVICE 1 2	
	c. Family planning or delaying your next child?	FAMILY PLANNING 1 2	
334	Was (NAME) born in a hospital or any other health facility?	HOSPITAL/HEALTH FACILITY1SOMEWHERE ELSE2	→ 337
335	When (NAME)'s mother was pregnant with (NAME), did anyone explain to you the importance of the following:		
	a. The need for the mother to breastfeed the baby immediately	YES NO	
	after delivery?	BREASTFEEDING 1 2	
	b. The need to keep the baby warm immediately after birth?	BABY WARM 1 2	
	c. The need for cleanliness at the time of delivery?	CLEANLINESS 1 2	
	d. The need for a new or unused blade to cut the cord?	CLEAN BLADE 1 2	
336	What was the main reason why (NAME)'s mother did not deliver in a hospital or health facility?	COSTS TOO MUCH01FACILITY NOT OPEN02TOO FAR/NO TRANSPORTATION03DON'T TRUST FACILITY/POOR04QUALITY SERVICE04NO FEMALE PROVIDER05	
		NOT THE FIRST CHILD	
		DID NOT ALLOW	
337	When a child has diarrhoea, how much should he or she be given	DON'T KNOW 98 MORE THAN USUAL 1	
	to drink: more than usual, the same amount as usual, less than usual, or should he or she not be given anything to drink at all?	ABOUT THE SAME2LESS THAN USUAL3NOTHING TO DRINK4	
		DON'T KNOW	

SECTION 4. MARRIAGE AND SEXUAL LIFE

401 What is your current marital status? OURRENTLY MARRIED 1 401 What is your current marital status? OURRENTLY MARRIED 1 402 Do you currently have one wife or more than one wife? 2 3 403 IF ONLY ONE WIFE, RECORD '01'. NUMBER OF WIVES 414 403 IF ONLY ONE WIFE, RECORD '01'. NUMBER OF WIVES 414 403 WRITE THE LINE NUMBERS FROM THE HOUSEHOLD QUESTIONNAIRE FOR EACH WIFE. IF A WIFE IS NOT USETED IN THE VOUSEHOLD SOLFOULD. RECORD '00'IN THE LINE NUMBER OF WIVES. 414 403 WRITE THE LINE NUMBERS FROM THE HOUSEHOLD QUESTIONNAIRE FOR EACH WIFE. IF A WIFE IS NOT USETED IN THE VOUSEHOLD SOLFOULD INCOMO '0'IN THE LINE NUMBER OF WIVES. 414 403 WRITE THE LINE NUMBERS FROM THE HOUSEHOLD OUESTIONNAIRE FOR EACH WIFE. IF A WIFE IS NOT USETED IN THE VOUSEHOLD SOLFOULD INCOM '0'IN THE LINE NUMBER FOR EACH WIFE. IF A WIFE IS NOT USED IN MUST BE EQUAL TO THE NUMBER OF WIVES. 405 ONL Y ONE MORE THAN FOUR WIVES. USE SPACE AT THE BOTTOM OF THE PAGE.) CHECK 402: ONL Y ONE MORE THAN FOUR WIVES. USE SPACE AT THE BOTTOM OF THE PAGE.) CHECK 402: 0 ONL Y ONE MORE THAN FOUR WIVES. USE SPACE AT THE BOTTOM OF THE PAGE.) CHECK 402: 1 ONL Y ONE NAME 1 HOUSEHOLD. HOU	NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
IF ONLY ONE WIFE, RECORD '01'. NUMBER OF WIVES IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	401	What is your current marital status?	MARRIED, GAUNA NOTPERFORMED2WIDOWED3DIVORCED4SEPARATED5DESERTED6	
IF MORE THAN ONE, ASK:	402	Do you currently have one wife or more than one wife?		
IS NOT LISTED IN THE HOUSEHOLD SCHEDULE, RECORD '00' IN THE LINE NUMBER BOXES. THE NUMBER OF LINES FILLED IN MUST BE EQUAL TO THE NUMBER OF WIVES. (IF RESPONDENT HAS MORE THAN FOUR WIVES, USE SPACE AT THE BOTTOM OF THE PAGE.) CHECK 402: ONLY ONE WIFE MORE THAN ONE WIFE Please tell me the name Please tell me the name of each of your wives, starting with the one you married first. UMBER NAME 1		IF MORE THAN ONE, ASK:	NUMBER OF WIVES	
ONLY ONE MORE THAN ONE WIFE Please tell me the name of of your wife. Please tell me the name of each of your wives, starting with the one you married first. LINE NUMBER WIFE NUMBER NAME HOUSEHOLD QUESTIONNAIRE 1	403	IS NOT LISTED IN THE HOUSEHOLD SCHEDULE, RECORD '00' IN THE NUMBER OF LINES FILLED IN MUST BE EQUAL TO THE NU (IF RESPONDENT HAS MORE THAN FOUR WIVES, USE SPACE A	N THE LINE NUMBER BOXES. MBER OF WIVES.	
staying elsewhere? ONE WIFE 1 405 For how long have you not been living with your wife/ any of your wives? MONTHS 1 IF LESS THAN 1 YEAR, RECORD MONTHS; YEARS 2		ONLY ONE MORE THAN WIFE ONE WIFE Please tell me the name of each of your wives, starting with the one you married first. WIFE NUMBER NAME 1 2 3 4		
any of your wives? MONTHS 1 IF LESS THAN 1 YEAR, RECORD MONTHS; YEARS 2	404		ONE WIFE 1	→ 406
	405	any of your wives?		

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
406	CHECK 402: ONLY ONE WIFE Have you ever been married to any woman other than your current wife? MORE THAN ONE WIFE Have you ever been married to any other woman in addition to those you	YES 1	
	have told me about?	NO 2	408
407	Have you been married once or more than once?	ONCE 1 MORE THAN ONCE 2	→ 409 → 409A
408	CHECK 402 AND 406: 402=01 AND 406='2'		→ 409A
409	In what month and year did you get married?	MONTH	
409A	Now I would like to ask about when you married your first wife. In what month and year was that?	YEAR	→ 411
410	How old were you when you (first) got married?	AGE	
411	CHECK 401: MARRIED, GAUNA NOT PERFORMED OTHER		
412	CHECK 402 AND 406 AND, IF 402 AND 406 NOT ASKED, CHECK 407: MARRIED ONLY ONCE (402=01 AND 406='2') OR (407='1') In what month and year did you start living with your wife? MARRIED MORE THAN ONCE (402>01 OR 406='1') OR (407='2') Now I would like to ask about when you started living with your first wife. In what month and year was that?	MONTH	→ 415
413	How old were you when you first started living with her?	AGE	→ 415

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
414	CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY. Now I need to ask you some questions about sexual life in order to gain a better understanding of some family life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If you do not want to answer, just let me know and I will skip to the next question. Have you ever had sexual intercourse?	YES 1 NO 2	→ 416
415	CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY. (Now I need to ask you some questions about sexual life in order to gain a better understanding of some family life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If you do not want to answer, just let me know and I will skip to the next question.) How old were you when you had sexual intercourse for the very first time?	NEVER HAD SEXUAL INTERCOURSE	→ 446 → 418 → 418
416	CHECK 401: NEVER OTHER MARRIED		→ 446
417	Do you intend to wait until you get married to have sexual intercourse for the first time?	YES]→ 446
418	The first time you had sexual intercourse, was a condom used?	YES 1 NO 2	
419	When was the <u>last</u> time you had sexual intercourse? IF LESS THAN 12 MONTHS, ANSWER MUST BE RECORDED IN DAYS, WEEKS, OR MONTHS. IF 12 MONTHS (ONE YEAR) OR MORE, ANSWER MUST BE RECORDED IN YEARS.	DAYS AGO 1 WEEKS AGO 2 MONTHS AGO 3 YEARS AGO 4	→ 421 → 434

		LAST SEXUAL PARTNER	SECOND-TO-LAST SEXUAL PARTNER	THIRD-TO-LAST SEXUAL PARTNER
420	When was the last time you had sexual intercourse with this person?		DAYS AGO 1 WEEKS AGO 2 MONTHS AGO 3	DAYS AGO 1 WEEKS AGO 2 MONTHS AGO 3
421	The last time you had sexual intercourse (with this second/third person), was a condom used?	YES	YES 1 NO 2 (SKIP TO 423)◀	YES 1 NO 2 (SKIP TO 423)←
422	Did you use a condom every time you had sexual intercourse with this person in the last 12 months?	YES 1 NO 2	YES 1 NO 2	YES 1 NO 2
423	What was this person's relationship to you?	WIFE	WIFE 01 (SKIP TO 428) - 02 LIVE-IN PARTNER 02 GIRLFRIEND NOT LIVING WITH RESPONDENT 03 OTHER FRIEND 04 RELATIVE 05 CASUAL ACQUAINTANCE 06 SEX WORKER 07	WIFE
		OTHER 96 (SPECIFY)	OTHER 96 (SPECIFY)	OTHER 96 (SPECIFY)
424	For how long (have you had/did you have) a sexual relationship with this person? IF ONLY HAD SEXUAL RELATIONS WITH THIS PERSON ONCE, RECORD '01' DAYS.	DAYS . 1 MONTHS 2 YEARS 3	DAYS . 1 MONTHS 2 YEARS 3	DAYS . 1 MONTHS 2 YEARS 3
425	CHECK 107:	AGE AGE 15-24 25-54 (SKIP TO 428)	AGE AGE 15-24 25-54 ↓ (SKIP TO 428) ←	AGE AGE 15-24 25-54 ↓ (SKIP TO 429) ←
426	How old is this person?	AGE OF PARTNER (SKIP TO 428)← DON'T KNOW 98	AGE OF PARTNER . (SKIP TO 428)	AGE OF PARTNER . (SKIP TO 429) ← DON'T KNOW 98
427	Would you say this person is ten or more years older than you?	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8	YES 1 NO 2 DON'T KNOW 8
428	Apart from [this person/these two people], have you had sexual intercourse with any other person in the last 12 months?	YES	YES 1 (GO BACK TO 420 ↓ J IN NEXT COLUMN) NO 2 (SKIP TO 430) ↓ J	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
429	In total, with how many different people have you had sex in the last 12 months?	NUMBER OF PARTNERS	
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	DON'T KNOW 98	
430	CHECK 423, ALL COLUMNS:		
	NO PARTNERS ARE SEX WORKERS	AT LEAST ONE PARTNER IS A SEX WORKER	→ 434
431	In the last 12 months, did you pay anyone in exchange for sex?	YES 1 NO 2	→ 434
432	The last time you paid someone in exchange for sex, was a condom used?	YES 1 NO 2	→ 434
433	Was a condom used every time you paid someone in exchange for sex in the last 12 months?	YES	
434	In total, with how many different people have you had sex in your lifetime?	NUMBER OF PARTNERS	
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	DON'T KNOW 98	
435	CHECK 421, COLUMN 1 (CONDOM USE WITH LAST SEXUAL PA	RTNER):	
	YES NO, BLANK		→ 442
436	You told me that the last time you had intercourse you used a condom. What brand of condom did you use the last time?	BRAND NAME (SPECIFY)	
		DON'T KNOW 998	
437	Who obtained the condom: you, your partner, or someone else?	MAN HIMSELF 1 PARTNER 2 SOMEONE ELSE 3	441
438	How many condoms did you get the last time?	NUMBER	
439	The last time you obtained condoms, how much did you pay in total, including the cost of the method and any consultation you may have had?	COST Rs. 995 DON'T KNOW 998	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
440	From where did you obtain the condom the last time? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE. (NAME OF PLACE)	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE/ANM 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI WORKER 18 ASHA 19 OTHER COMMUNITY BASED WORKER WORKER 20 OTHER PUBLIC MEDICAL 31 PRIVATE MEDICAL SECTOR 21 NGO OR TRUST HOSPITAL/CLINIC 31 PRIVATE MEDICAL SECTOR 41 PVT. HOSPITAL/CLINIC/ 0CTOR DOCTOR 41 PVT. PARAMEDIC 42 VAIDYA/HAKIM/HOMEOPATH 43 TRADITIONAL HEALER 44 PHARMACY/DRUGSTORE 45 DAI (TBA) 46 OTHER PRIVATE MEDICAL 52 WIFE 53 FRIEND/RELATIVE 54 VENDING MACHINE 55 OTHER 96	
441	This last time you used a condom, did you use it to avoid pregnancy, to avoid a sexually transmitted disease, or for some other reason? PROBE: Any other reason? RECORD ALL MENTIONED.	AVOID PREGNANCY A AVOID STD B SOME OTHER REASON C	
442	CHECK 302 (02): RESPONDENT EVER STERILIZED		
			→ 445
443	The last time you had sex did you or your partner use any method (other than a condom) to avoid or prevent a pregnancy?	YES	→ 445

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
444	What method did you or your partner use? PROBE: Did you use any other method to prevent pregnancy? RECORD ALL MENTIONED.	FEMALE STERILIZATION A PILL B IUD/LOOP C INJECTABLES D IMPLANTS E FEMALE CONDOM F DIAPHRAGM G FOAM/JELLY H RHYTHM METHOD I WITHDRAWAL J OTHER	
445	CHECK 421, ALL COLUMNS, AND 432:		
	OTHER ANY 'YES'		→ 501
446	Do you know of a place where a person can get condoms?	YES 1 NO 2	→ 501
447	Where is that? Any other place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSPITAL/PHC D SUB-CENTRE/ANM E GOVT. MOBILE CLINIC F CAMP G ANGANWADI/ICDS CENTRE H ASHA I OTHER COMMUNITY-BASED WORKER WOTHER PUBLIC MEDICAL SECTOR	
	(NAME OF PLACE(S)) RECORD ALL SOURCES MENTIONED.	SPECIFY NGO OR TRUST HOSPITAL/CLINIC L PRIVATE MEDICAL SECTOR PVT. HOSPITAL/CLINIC/ DOCTOR M PVT. PARAMEDIC N VAIDYA/HAKIM/HOMEOPATH O TRADITIONAL HEALER P PHARMACY/DRUGSTORE Q DAI (TBA) R OTHER PRIVATE MEDICAL S	
448	If you wanted to, could you yourself get a condom?	OTHER SOURCE RATION SHOP T OTHER SHOP U VENDING MACHINE V OTHER X (SPECIFY) 1	
		NO 2 DON'T KNOW/UNSURE 8	

SECTION 5. FERTILITY PREFERENCES

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
501	CHECK 401: CURRENTLY MARRIED MARRIED OTHER]	→ 506 → 503
502	CHECK 402: HAS ONE WIFE HAS MORE THAN ONE WIFE Is your wife currently pregnant? HAS MORE THAN ONE WIFE WIFE Are any of your wives currently pregnant?	YES	
503	CHECK 302(02): EVER STERILIZED?		→ 506
504	CHECK 502: YES, PREGNANT Now I have some questions about the future. After the child(ren) your wife/wives is/are expecting now, would you like to have another child or would you prefer not to have any more children at all? NOT PREGNANT, UNSURE,OR NOT ASKED Now I have some questions about the future. Would you like to have (a/another) child, or would you prefer not to have any (more) children at all?	HAVE A/ANOTHER CHILD 1 NO MORE/NONE	506
505	How long would you like to wait from now before the birth of (a/another) child?	MONTHS 1 YEARS 2 SOON/NOW 993 OTHER 996 (SPECIFY) 998	
506	CHECK 203 AND 205: HAS LIVING CHILDREN If you could go back to the time you did not have any children and could choose exactly the number of children to have in your whole life, how many would that be?	NONE 00 NUMBER	→ 601 → 601
507	How many of these children would you like to be boys, how many would you like to be girls, and for how many would the sex not matter?	BOYS GIRLS EITHER NUM- BER DIA DIA OTHER 96 (SPECIFY)	

NO	SECTION 6. SELECTED HEALTH AND						
NO. 601	QUESTIONS AND FILTERS How often do you yourself consume the following food items:			CODING CAT	EGORIES	i	SKIP
601	daily, weekly, occasionally, or never?	C	DAILY	WEEKLY	OCC.	NEVER	
	a. Milk or curd?	a.	1	2	3	4	
	b. Pulses or beans?	b.	1	2	3	4	
	c. Dark green leafy vegetables?	C.	1	2	3	4	
	d. Fruits?	d.	1	2	3	4	
	e. Eggs?	e.	1	2	3	4	
	f. Fish?	f.	1	2	3	4	
	g. Chicken or meat?	g.	1	2	3	4	
602	Now I would like to ask you some questions about any injections you have had in the last 12 months. Have you had an injection for any reason in the last 12 months? IF YES: How many injections have you had?	NUI	MBER	OF INJECTIO	NS		
	IF NUMBER OF INJECTIONS IS GREATER THAN 90, OR DAILY FOR 3 MONTHS OR MORE, RECORD '90'. IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.	NOI	NE			00	→ 607
603	CHECK 602:						
	ONE INJECTION MORE THAN ONE INJECTION MORE THAN ONE INJECTION Was this injection administered by a doctor, a nurse, a pharmacist, a dentist, or any other health worker? IF YES, RECORD '01'.			OF INJECTIO	ľ	00	→ 607
	IF NUMBER OF INJECTIONS IS GREATER THAN 90, OR DAILY FOR 3 MONTHS OR MORE, RECORD '90'.						
	IF NON-NUMERIC ANSWER, PROBE TO GET AN ESTIMATE.						

SECTION 6. SELECTED HEALTH AND NUTRITION ISSUES

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
604	The last time you had an injection given to you by a health worker, where did you go to get the injection? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSPITAL/PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 CAMP 17 ANGANWADI/ICDS CENTRE 18 OTHER PUBLIC MEDICAL 19	
	(NAME OF PLACE)	NGO OR TRUST HOSPITAL/CLINIC21PRIVATE MEDICAL SECTOR9VT. HOSPITAL31PVT. DOCTOR/CLINIC32PVT. PARAMEDIC33VAIDYA/HAKIM/HOMEOPATH34PHARMACY/DRUGSTORE35OTHER PRIVATE MEDICAL36	
		OTHER PLACE SHOP	
605	Did the person who gave you that injection take the syringe and needle from a new, unopened package?	YES 1 NO 2 DON'T KNOW 8	→ 607
606	As far as you know, was the needle sterilized?	YES	
607	Have you ever had a blood transfusion?	YES 1 NO 2	
608	Do you currently smoke cigarettes or bidis?	YES 1 NO 2	→ 610
609	In the last 24 hours, how many cigarettes or bidis did you smoke? IF NONE, RECORD '00'.	CIGARETTES/BIDIS	
610	Do you currently smoke or use tobacco in any other form?	YES 1 NO 2	→ 612
611	In what other form do you currently smoke or use tobacco? Any other form? RECORD ALL MENTIONED.	CIGAR/PIPE A PAAN MASALA B GHUTKA C OTHER CHEWING TOBACCO D SNUFF E OTHER X (SPECIFY)	
612	Do you drink alcohol?	YES 1 NO 2	→ 614

		I	
NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
613	How often do you drink alcohol: almost every day, about once a week, or less often?	ALMOST EVERY DAY 1 ABOUT ONCE A WEEK 2 LESS OFTEN 3	
614	Have you ever heard of an illness called tuberculosis or TB?	YES 1 NO 2	→ 618
615	How does tuberculosis spread from one person to another? Any other ways? RECORD ALL MENTIONED.	THROUGH THE AIR WHEN COUGHING OR SNEEZING A THROUGH SHARING UTENSILS B THROUGH TOUCHING A PERSON WITH TB C THROUGH FOOD D THROUGH SEXUAL CONTACT E THROUGH MOSQUITO BITES F OTHER X (SPECIFY) Z	
		DON'T KNOW	
616	Can tuberculosis be cured?	YES 1 NO 2 DON'T KNOW 8	
617	If a member of your family got tuberculosis, would you want it to remain a secret or not?	YES, REMAIN A SECRET 1 NO 2 DON'T KNOW/NOT SURE/ 8 DEPENDS 8	
618	Do you currently have:	DON'T YES NO KNOW	
	a. Diabetes?	DIABETES 1 2 8	
	b. Asthma?	ASTHMA 1 2 8	
	c. Goiter or another thyroid disorder?	GOITER/THYROID . 1 2 8	

SECTION 7.	ATTITUDES TOWARDS GENDER ROLES

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
701	In a couple, who do you think should have the greater say in each of the following decisions: the husband, the wife or both equally:	BOTH DON'T HUS- EQUAL- KNOW/ BAND WIFE LY DEPENDS	
	a. Making major household purchases?	a. 1 2 3 8	
	b. Making purchases for daily household needs?	b. 1 2 3 8	
	c. Deciding about visits to the wife's family or relatives?	c. 1 2 3 8	
	d. Deciding what to do with the money the wife earns from her work?	d. 1 2 3 8	
	e. Deciding how many children to have?	e. 1 2 3 8	
702	Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations:	DON'T YES NO KNOW	
	a. If she goes out without telling him?	GOES OUT 1 2 8	
	b. If she neglects the house or the children?	NEGL. CHILDREN 1 2 8	
	c. If she argues with him?	ARGUES 1 2 8	
	d. If she refuses to have sex with him?	REFUSES SEX 1 2 8	
	e. If she doesn't cook food properly?	POOR COOKING 1 2 8	
	f. If he suspects her of being unfaithful?	UNFAITHFUL 1 2 8	
	g. If she shows disrespect for in-laws?	DISRESPECT 1 2 8	
703	When a wife knows her husband has a sexually transmitted disease, is she justified in asking that they use a condom?	YES 1 NO 2 DON'T KNOW 8	
704	Please tell me if you think a wife is justified in refusing to have sex with her husband when:	DON'T YES NO KNOW	
	a. She knows her husband has a sexually transmitted disease.	HAS STD 1 2 8	
	b. She knows her husband has sex with other women.	OTHER WOMEN 1 2 8	
	c. She is tired or not in the mood.	TIRED/NOT IN MOOD . 1 2 8	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
705	Do you think that if a woman refuses to have sex with her husband when he wants her to, he has the right to:	DON'T YES NO KNOW	
	a. Get angry and reprimand her?	ANGRY 1 2 8	
	b. Refuse to give her money or other means of financial support?	REFUSE SUPPORT 1 2 8	
	c. Use force and have sex with her even if she doesn't want to?	USE FORCE 1 2 8	
	d. Go and have sex with another woman?	SEX WITH OTHER WOMEN 1 2 8	
706	CHECK 401:		
	CURRENTLY OTHER OTHER		→ 712
707	(Is your wife/Are any of your wives) currently employed for cash?	YES]_₽711
708	Who decides how the money your wife earns will be used: mainly you, mainly your wife, or you and your wife jointly?	RESPONDENT1WIFE2RESPONDENT AND WIFE JOINTLY3OTHER6	
709	CHECK 128:		
			→ 712
710	Would you say that the money you earn is more than what your wife earns, less than what she earns, or about the same?	MORE THAN WIFE 1 LESS THAN WIFE 2 ABOUT THE SAME 3 DON'T KNOW 8	
711	Who decides how your earnings will be used: mainly you, mainly your wife, or you and your wife jointly?	RESPONDENT1WIFE2RESPONDENT AND WIFE JOINTLY3OTHER6	
712	As far as you know, did your father ever beat your mother?	YES	

SECTION 8	HIV/AIDS AND OTHER SEXUALLY TRANSMITTED INFECTIONS

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
801	Now I would like to talk about something else. Have you ever heard of an illness called AIDS?	YES 1 NO 2	→ 827
802	From which sources of information have you learned about AIDS? Any other source? RECORD ALL MENTIONED.	RADIO A TELEVISION B CINEMA C NEWSPAPERS/MAGAZINES D POSTERS/HOARDINGS E EXHIBITION/MELA F HEALTH WORKERS G ADULT EDUC. PROGRAMME H RELIGIOUS LEADERS I POLITICAL LEADERS J SCHOOL/TEACHERS K COMMUNITY MEETINGS L WIFE M FRIENDS/RELATIVES N WORK PLACE O OTHER X	
803	In your opinion, can people reduce their chances of getting HIV/AIDS by having just one uninfected sex partner who has no other sex partners?	YES 1 NO 2 DON'T KNOW 8	
804	In your opinion, can people get HIV/AIDS from mosquito bites?	YES 1 NO 2 DON'T KNOW 8	
805	In your opinion, can people reduce their chances of getting HIV/AIDS by using a condom every time they have sex?	YES 1 NO 2 DON'T KNOW 8	
806	In your opinion, can people get HIV/AIDS by sharing food with a person who has AIDS?	YES	
807	In your opinion, can people get HIV/AIDS by hugging someone who has AIDS?	YES 1 NO 2 DON'T KNOW 8	
808	In your opinion, can people reduce their chance of getting HIV/AIDS by abstaining from sexual intercourse?	YES 1 NO 2 DON'T KNOW 8	
809	Is there anything else a person can do to avoid or reduce the chances of getting HIV/AIDS?	YES	→ 811

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
810	What can a person do?	ABSTAIN FROM SEX	
	Anything else?	FAITHFUL TO ONE PARTNER C LIMIT NUMBER OF SEXUAL PARTNERS PARTNERS D AVOID SEX WITH SEX WORKERS E AVOID SEX WITH PERSONS WHO HAVE MANY PARTNERS	
	RECORD ALL WAYS MENTIONED.	AVOID SEX WITH HOMOSEXUALS G AVOID SEX WITH PERSONS WHO INJECT DRUGS INJECT DRUGS H AVOID BLOOD TRANSFUSIONS I USE BLOOD ONLY FROM J AVOID INJECTIONS J AVOID INJECTIONS K USE ONLY NEW/STERILIZED L AVOID IV DRIP M AVOID SHARING RAZORS/BLADES N AVOID MOSQUITO BITES P	
		OTHER W (SPECIFY) X (SPECIFY) X (SPECIFY) DON'T KNOW Z	
811	Is it possible for a healthy-looking person to have HIV/AIDS?	YES 1 NO 2 DON'T KNOW 8	
812	Can HIV/AIDS be transmitted from a mother to her baby?	YES	1→ 814
813	Are there any special medications that a doctor or a nurse can give to a woman infected with HIV/AIDS to reduce the risk of transmitting HIV/AIDS to the baby?	YES 1 NO 2 DON'T KNOW 8	
814	Have you heard about special antiretroviral drugs (USE LOCAL NAME(S)) that people infected with HIV/AIDS can get from a doctor or a nurse to help them live longer?	YES 1 NO 2	
815	I don't want to know the results, but have you ever been tested to see if you have HIV/AIDS?	YES 1 NO 2	→ 820
816	When was the last time you were tested?	LESS THAN 12 MONTHS AGO 1 12 - 23 MONTHS AGO 2 2 OR MORE YEARS AGO 3	
817	The last time you had the test, did you yourself ask for the test, was it offered to you and you accepted, was it required, or was it done without your consent?	ASKED FOR THE TEST1OFFERED AND ACCEPTED2REQUIRED3WITHOUT CONSENT4	
818	I don't want to know the results, but did you get the results of the test?	YES 1 NO 2	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
819	Where was the test done?	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL 11 GOVT. DISPENSARY 12 UHC/UHP/UFWC 13 CHC/RURAL HOSP./PHC 14 SUB-CENTRE 15 GOVT. MOBILE CLINIC 16 VCT CLINIC 17 STI CLINIC 18 OTHER PUBLIC MEDICAL 19 (SPECIFY) 19	822
	IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE.	NGO OR TRUST HOSPITAL/ CLINIC	
	(NAME OF PLACE)	PRIVATE HOSPITAL/CLINIC/ PRIVATE DOCTOR	
		(SPECIFY)	
820	Do you know of a place where people can go to get tested for HIV/AIDS?	YES 1 NO 2	→ 822
821	Where is that? Any other place? IF UNABLE TO DETERMINE IF A HOSPITAL, HEALTH CENTRE, OR CLINIC IS PUBLIC OR PRIVATE MEDICAL SECTOR, WRITE THE NAME OF THE PLACE(S).	PUBLIC MEDICAL SECTOR GOVT./MUNICIPAL HOSPITAL A GOVT. DISPENSARY B UHC/UHP/UFWC C CHC/RURAL HOSP./PHC D SUB-CENTRE E GOVT. MOBILE CLINIC F VCT CLINIC G STI CLINIC H OTHER PUBLIC MEDICAL SECTOR I (SPECIFY)	
	(NAME OF PLACE(S))	NGO OR TRUST HOSPITAL/ CLINIC J	
	RECORD ALL PLACES MENTIONED.	PRIVATE MEDICAL SECTOR PRIVATE HOSPITAL/CLINIC/ PRIVATE DOCTOR K VCT CLINIC L STI CLINIC M OTHER PRIVATE MEDICAL SECTORN (SPECIFY) OTHERX (SPECIFY)	
822	Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV/AIDS?	YES	

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
823	If a member of your family got infected with HIV/AIDS, would you want it to remain a secret or not?	YES, REMAIN A SECRET 1 NO 2 DK/NOT SURE/DEPENDS 8	
824	If a relative of yours became sick with the virus that causes AIDS, would you be willing to care for her or him in your own household?	YES 1 NO 2 DK/NOT SURE/DEPENDS 8	
825	In your opinion, if a female teacher has HIV/AIDS but is not sick, should she be allowed to continue teaching in the school?	SHOULD BE ALLOWED1SHOULD NOT BE ALLOWED2DK/NOT SURE/DEPENDS8	
826	In your opinion, if a male teacher has HIV/AIDS but is not sick, should he be allowed to continue teaching in the school?	SHOULD BE ALLOWED1SHOULD NOT BE ALLOWED2DK/NOT SURE/DEPENDS8	
827	Some men are circumcised. Are you circumcised?	YES	
828	CHECK 801: HEARD ABOUT AIDS AIDS Apart from AIDS, have you heard about other infections that can be transmitted through sexual contact? NOT HEARD ABOUT AIDS Have you heard about infections that can be transmitted through sexual contact?	YES 1 NO 2	
829	CHECK 414 AND 415: HAS HAD SEXUAL INTERCOURSE (414='2' OR 415='00')		→ 837
830	CHECK 828 : HEARD ABOUT OTHER SEXUALLY TRANSMITTED I		→ 832
831	Now I would like to ask you some questions about your health in the last 12 months. During the last 12 months, have you had a disease which you got through sexual contact?	YES	
832	Sometimes men experience an abnormal discharge from their penis. During the last 12 months, have you had an abnormal discharge from your penis?	YES	
833	Sometimes men have a sore or ulcer on or near their penis. During the last 12 months, have you had a sore or ulcer on or near your penis?	YES	

NO.	QUESTIONS AND FILTERS		CODING CATEGORIES						SK	IP		
834	CHECK 831, 832, AND 833 :											
	AT LEAST ONE YES	OTHER		1							1	837
835	The last time you had (PROBLEM FROM 831/832/833), did you seek any kind of advice or treatment?			YES NO							-	837
836	Who did you see? Anyone else? RECORD ALL PERSONS SEEN.					PUBLIC MEDICAL SECTOR GOVT. DOCTOR A PUBLIC HEALTH NURSE B MALE MPW/SUPERVISOR C VILLAGE HEALTH GUIDE D ASHA E OTHER PUBLIC SECTOR F (SPECIFY) F						
						NGO WORKER G PRIVATE MEDICAL SECTOR H PRIVATE DOCTOR H PRIVATE NURSE I COMPOUNDER/PHARMACIST J STI CLINIC K VAIDYA/HAKIM/HOMEOPATH L TRADITIONAL HEALER M OTHER RIVATE SECTOR HEALTH WORKER N OTHER X						
837 837A	Now I would like to ask your opinion about family life education for children. For each of the following, please tell me whether or not it should be taught in school, and if yes, at what age the topic should first be taught. First we will talk about boys. Should boys be taught				837B		At what ag		boys first b school?	е		
	in school about?						ŀ	AT AGE				
					<'	10	10-12	13-15	16 OR OLDER	DK		
	a. Moral values	YES NO	1— 2	*	a.	1	2	3	4	8		
	b. Changes in boys bodies at puberty	YES NO	1— 2	*	b.	1	2	3	4	8		
	c. Changes in girls bodies at puberty, including menstruation	YES NO	1— 2	*	C.	1	2	3	4	8		
	d. Sex and sexual behaviour	YES NO	1 — 2	*	d.	1	2	3	4	8		
	e. Contraception	YES NO	1— 2	*	e.	1	2	3	4	8		
	f. HIV/AIDS	YES NO	1— 2	*	f.	1	2	3	4	8		
	g. Condom use to avoid sexually transmitted diseases	YES NO	1— 2	*	g.	1	2	3	4	8		

NO.	QUESTIONS AND FILTERS				(CATEGOR	RIES		SKIP	
837C	Now let us talk about girls. Should girls be taught in school about?					837D: At what age should girls first be taught this topic in school?					
				AT AGE							
				•	<10	10-12	13-15	16 OR OLDER	DK		
	a. Moral values	YES NO	1 → 2	a.	1	2	3	4	8		
	b. Changes in boys bodies at puberty	YES NO	1 → 2	b.	1	2	3	4	8		
	 Changes in girls bodies at puberty, including menstruation 	YES NO	1 → 2	C.	1	2	3	4	8		
	d. Sex and sexual behaviour	YES NO	1 → 2	d.	1	2	3	4	8		
	e. Contraception	YES NO	1 → 2	e.	1	2	3	4	8		
	f. HIV/AIDS	YES NO	1 → 2	f.	1	2	3	4	8		
	g. Condom use to avoid sexually transmitted diseases	YES NO	1 → 2	g.	1	2	3	4	8		
838	RECORD THE TIME.		_	DUR							

INTERVIEWER'S OBSERVATIONS

TO BE FILLED IN AFTER COMPLETING INTERVIEW

COMMENTS ON SPECIFIC QUESTIONS:

ANY OTHER COMMENTS:

SUPERVISOR'S OBSERVATIONS

NAME OF SUPERVISOR: _____ DATE: _____

EDITOR'S OBSERVATIONS

NAME OF EDITOR: _____ DATE: _____

PSU INFORMATION FORM

PAGES	PSU COVERAGE BY ANGANWADI/ICDS CENTRE AND YEAR ESTABLISHED (IF YES)	YES1 NO2 YEAR	YES1 NO2 YEAR	YES1 NO2 YEAR	YEAR NO2	YES1 NO2	YEAR NO2	YEAR NO2	
PAGEOF	ATITUDE	METRES	METRES	METRES	METRES	METRES	METRES [] Y	METRES	
	PSU NUMBER	ME	ME WE	ME	ME VIEW	ME VIEW	ME	ME <	
	CITY SIZE/ RURAL AREA*								
	CITY/TOWN/VILLAGE								AL AREA
	TEHSIL/TALUK								* CODES FOR CITY SIZE/RURAL AREA
STATE	DISTRICT								* CODES F

MEGA CITY=1, LARGE CITY=2, SMALL CITY=3, LARGE TOWN=4, SMALL TOWN=5, RURAL=6

NAME OF SUPERVISOR_

PSU INFORMATION FORM (ONLY FOR 8 SPECIFIED CITIES)"

MEGA CITY=1, LARGE CITY=2, SMALL CITY=3, LARGE TOWN=4, SMALL TOWN=5, RURAL=6

"Chennai, Delhi, Hyderabad, Indore, Kolkata, Meerut, Mumbai, Nagpur



Technical assistance for NFHS-3 was provided by Macro International and assistance for the HIV component was provided by NACO and NARI. Funding assistance was provided by:



The opinions expressed in this publication do not necessarily reflect the views of the funding agencies.

For additional information on NFHS-3, visit www.nfhsindia.org. For related information, visit www.iipsindia.org or www.mohfw.nic.in.